## Desking + Tables

Effective January 1, 2023 USA Revised May 2025





# think global

#### THE GLOBAL EDGE

#### **ERGONOMICS IN THE TOTAL OFFICE**

- One stop shopping for a full range of office furniture.
- · Seating, desks, tables, files, modular furniture, panels and accessories.
- · Ergonomics, competitive pricing and built-in value.

#### STRENGTH AND STABILITY

- · Established in 1966.
- One of North America's largest office furniture manufacturers.
- · Manufacturing and showrooms worldwide.

#### QUICK SHIP - INSTOCK

· Hundreds of products in stock for immediate delivery.

#### STRONG LOCAL REPRESENTATION

• Service and expert advice where you are, when you need it!

#### MANUFACTURING CAPABILITY

- · Vertical integration ensures "start to finish" control.
- · Ongoing research and investment in new, innovative production technology.

#### **QUALITY ASSURANCE**

- Quality Assurance Program is qualified by C.G.S.B. ISO9001 standards.
- · On-site furniture testing facility.
- · Product and components are tested to ANSI/BIFMA standards.

#### **ENVIRONMENTAL COMMITMENT**

- · Continuous development of "earth friendly" programs.
- One of the first molded foam manufacturers to create ozone-friendly, CFC and HFC-free processes.
- Seat and back pans are made from recyclable plastics and wood waste, enabling little waste and cost effective products.

## SYMBOL IDENTIFICATION



Global's Certified Products are in compliance with the stringent emission guidelines set by the GREENGUARD Environmental Institute and include all Upholstered Seating. To obtain a GREENGUARD Certificate for any product, please go to the product page on our website www.globalfurnituregroup.com and click on "View GREENGUARD Certificate".

level™ certification, based on the ANSI/BIFMA e3-2012 furniture sustainability standard, sets furniture manufacturers on a path toward greater sustainability over time. Based on environmental and social criteria set forth in the standard, a product's entire supply chain is assessed.



Certification assessment includes an evaluation of specific corporate policies and guidelines and an assessment of associated company manufacturing facilities. Products must meet quantifiable milestones of environmental and social performance at every step of development.

The quantitative assessment addresses four categories: material use, energy and atmosphere impacts, human and ecosystem health and social responsibility.

Manufacturers earn points in each of the four categories. The level<sup>TM</sup> brand and its numeric rating of 1, 2 or 3 indicate what threshold of certification a product has achieved. level<sup>TM</sup> 3 is the highest rating.

# **TABLE OF CONTENTS**

## WORKPLACE

LAMINATE DESKS	PRODUCTIVITY SOLUTIONS by Global	TABLES - TRAINING
Adaptabilities	Productivity Solutions442	poen Parket 2gether tables
Consumer Education6	FOLI Height Adjustable Tables444	Bungee tables513
Office Accessories467	FreeFit Height Adjustable Tables599	Bungee SL tables530
Desking Comparison Chart4	Keyboard Trays454	Bungee SL power/data management537
Genoa	Manual Height Adjustable Tables443	ConnecTABLES572
Laminate Desk Notes8	Monitor Arms449	Junction635
Princeton	Office Accessories467	Doen Terina696
Zira109	Power/Data481	
Zira Boardroom + Reception258	Revo + Voyage Task Lights458	TABLES - RECEPTION + OCCASIONAL
		Citi tables712
COSTROR		
SOFTPOD	STORAGE	Coat trees713
Softpod*413	STORAGE Sidebar Storage390	Coat trees/13  Collaborative Spaces
	Sidebar Storage390	Collaborative Spaces545
Softpod*413	Sidebar Storage390  Zira Lockers283	Collaborative Spaces545  Drift tables716
Softpod*413  BENCHING	Sidebar Storage390  Zira Lockers283	Collaborative Spaces545  Drift tables716  Collaborative Spaces
Softpod*413           BENCHING           Bridges II	Sidebar Storage	Collaborative Spaces
Softpod*	Sidebar Storage	Collaborative Spaces
Softpod*	Sidebar Storage	Collaborative Spaces
Softpod*	Sidebar Storage	Collaborative Spaces

# **TABLE OF CONTENTS**

## WORKPLACE

	TABLE POWER + TECHNOLOGY SOLUTIONS	REFERENCE
	Table Power + Technology Solutions474	Custom Grommet Location Form735
		Terms + Conditions742
	WELLNESS SOLUTIONS	Warranty744
open market	Linking Panels406	Textiles + Finishes728
	Wellness Screens402	
	ACOUSTIC SOLUTIONS	
open market	Priva pods410	
	Softpod*413	

			EDUCATION
	CLASSROOM	CLASSROOM (cont'd)	MEETING + COLLABORATIVE
open market	2gether tables490	Edventure	Kadin Tables642
	Bungee tables513	Junction635	Swap tables651
	Bungee SL tables530	Terina696	
	Bungee SL power/data management537	Zook*700	
	ConnecTABLES572		
	Duet tables588		



## **DESKING COMPARISON CHART**

	ADAPTABILITIES	BRIDGES II	GENOA
GENERAL FEATURES	<ul> <li>Top over end panel design</li> <li>400 color combinations</li> <li>Virtually no loose hardware</li> <li>Storage height is 66"</li> <li>2 handle options</li> </ul>	Beam-based benching system     8-wire, 4-circuit electrical     Storage height is 21", 25" and 29"	Top over end panel design 3/4 pedestal standard Virtually no loose hardware Storage height is 66"
GOOD BETTER BEST	Better	Best	Good
STYLE	Transitional	Contemporary	Transitional
PRICE POINT (36 x 72 double pedestal desk)	\$1806	N/A	\$1376
WORKSURFACE THICKNESS	1″	1"	1"
SURFACE TYPE	High performance thermally laminate or HPL	High performance thermally laminate or HPL	High performance thermally laminate
EDGE THICKNESS	2mm	3mm	Self Edge
EDGE OPTIONS	Flat	N/A	N/A
HUTCH CLEARANCE (worksurface to underside of hutch)	17.75" to valance 20" to underside of hutch	N/A	20"
GREENGUARD CERTIFIED	Yes	Yes	Yes
BIFMA e3 LEVEL CERTIFIED	Level 3	Level 3	Level 3
USDA BIO-PREFERRED EDGING	Yes	No	Yes

## **DESKING COMPARISON CHART**


PRINCETON		ZIRA	
GENERAL FEATURES	Freestanding, modular components with overlapping architectural elements  14 standard finishes; up to 3 color application on many components available  Optional 6mm tempered glass on hutches and desktop storage.  Storage height is 52" and 66"	<ul> <li>Top over end panel design</li> <li>400+ color combinations</li> <li>Virtually no loose hardware</li> <li>Storage height is 42", 54", 66", 72" and 84" (nominal).</li> <li>9 handle options</li> <li>4 glazing options for storage doors and modesty panels</li> </ul>	
GOOD BETTER BEST	Best	Best	
STYLE	Contemporary	Contemporary	
PRICE POINT (36 x 72 double pedestal desk)	N/A	\$2465	
WORKSURFACE THICKNESS	1"	1" or 1.5"	
SURFACE TYPE	High performance thermally laminate or HPL	High performance thermally laminate or HPL	
EDGE THICKNESS	2mm	2mm	
EDGE OPTIONS	N/A	Flat, Fluted or Bicut	
HUTCH CLEARANCE (Worksurface to underside of hutch)	15.75"	20.25" (23.5" Hutch) 17.75" (36" Hutch) 24.25" (42" Hutch) 24.25" (54" Hutch)	
GREENGUARD CERTIFIED	Yes	Yes	
BIFMA e3 LEVEL CERTIFIED	Level 3 Level 3		
USDA BIO-PREFERRED EDGING	No	Yes	

## CONSUMER EDUCATION

## How do I buy a desk?



Choose a non-reflective surface. Global uses colors that reduce glare to make your work easier to read while reducing eye strain.



Avoid tangles. Make sure your desk has at least one grommet hole to keep computer and telephone wires out of the way.



Get a desk that lets you look ahead. A modular desk is easy to set up initially and then reorganize or reconfigure later to adapt to future needs.



A hutch should have a sweep that manages computer and telephone wires.



Look for European connectors if you're buying ready-to-assemble furniture. Global makes assembly easy - all you need is a screwdriver.



Island worksurfaces let you meet with more than two people at once with ample leg room for all



Give your business an edge. Each Global desk comes with its own attractive edge



Choose one of Global's height/angle adjustable keyboard trays to go with your desk. Your arms can maintain a comfortable position, reducing shoulder, back and neck strain.

## How do I select the right workstation?

When searching for the right workstation it is important to consider its purpose which will be decided by the nature of your tasks. It is best to look for products that have been designed and engineered to help make your workspace more productive.

This can be achieved in a variety of ways. As a guide, observe how your work flows through your office in a typical day. It is likely that you'll uncover a number of distinctive and repetitive task patterns.

#### **Lighting - Protect yourself**

- . If you have to setup near a window make sure your computer sits perpendicular to it, minimize eye-strain inducing glare on sunny
- . If you have fluorescent lights, try to position your set up between the
- Use "Parabolic louvers" to reduce the glare from fluorescent lights
- Use window blinds to control the light source through the day
- Panels or screens may be used to control glare
- Protect your eyes from Ultraviolet A (UVA) and Ultraviolet B (UVB) by using an anti-glare screen

#### Noise

Try to set up your office in a separate room if possible and away from the rest of the house

#### Chair

- · Comfort is personal but should be part of the selection
- Seat pan design; deep and wide enough
- Rounded front edge (waterfall)
- Adjustable slope seat
- Able to adjust your chair, to obtain appropriate height
- Sit back in your chair, with your thighs parallel to the floor
- Place feet flat on the floor, a footrocker may be required

- · A footrocker helps to prevent possible discomfort resulting from outstretched feet
- · The rocking motion creates light activity in the legs and feet and will help stimulate muscles to improve overall circulation

#### Kevboard

· Has a palm rest

determine the workspace you eventually select.

- Easily adjusts the angle of the keyboard
- · Easily adjusts the keyboard height

Once these patterns have been identified, organize them according to their intended use

and frequency of their use. Now you are ready to investigate the pertinent factors that will

#### **Document Holder**

- A curved back document holder reduces glare
- · Position document holder in line with the monitor to reduce eyestrain

#### Monitor

- . There should be a direct line from the center of monitor to the, "J" key on your keyboard which should line up with your belt buckle
- Position the monitor at arm's length
- Make sure that the top of your monitor screen is slightly below eve level
- A monitor stand may be used to achieve the desired height

## Workstation

- · Adequate space beneath the worksurface for your legs
- . Depth of the worksurface depends on the task and equipment used to perform this responsibility
- · Try to place tasks that are performed regularly within arm's
- · Avoid unnecessary reaching and bending which leads to fatigue and possible muscle strains and can reduce efficiency
- Keep in mind other related tasks in your planning
- Establish your workflow then design the essential elements to meet your requirements

# desking — laminate



## LAMINATE DESK NOTES

The following applies to all series EXCEPT the Bridges II and Princeton series.

#### For information on the Bridges II series, please refer to page 292 and for the Princeton series, please refer to page 61.

- . Outside and surface panels are made from 1" thick 45 lb. density particle board and covered on both sides with high performance thermally fused laminate. Modesty panels are 11/16" thick.
- BOX AND FILE DRAWERS use FULL EXTENSION STEEL BALL BEARING SLIDES for smooth action.
- BOX AND FILE PEDESTALS are standard and are CONSTRUCTED INDEPENDENTLY of the chassis, with fully closed bottoms. This PICTURE FRAME CONSTRUCTION technique prevents racking, and provides a product that lasts for years.
- FILE DRAWERS file both legal and letter documents as standard (LETTER FILES will file in BOTH DIRECTIONS, as will LATERAL FILES), except 15"w Zira units (side to side only).
- . Drawers and END PANELS are **EDGE BANDED** on ALL FOUR SIDES to protect clothing and the floor covering.
- Locks are standard on all box and file pedestals, lateral files, storage cabinets and combination storage units.
- All locking components within each series can be keyed alike at no additional charge. Please specify the request at time of ordering.
- Drawers are opened with side pulls and are constructed 22" deep (Genoa 18"D) using French dovetail joints at the front and lap joints at the rear. Woodgrain enameled bottoms are routed into the woodgrain (MDF) sides on three edges.
- Full to the floor pedestal configurations can be switched for a 15% upcharge (Adaptabilities series ONLY).
- · Pencil tray included with each desk.
- LEVELING GLIDES are standard on ALL UNITS.
- All units are **shipped fully assembled** (except where noted) on 1" x 3" thick wood furniture skids with pedestal supports inside high quality cartons.
- ALL "L" SHAPED DESKS have flush backs on the return (modesty panels).
- Additional options available include (add suffix to item number):
  - **FM** = Full modesty panel. Available on any desk or credenza. Upcharge applies. See individual series notes.
- Desks with FULL TO FLOOR pedestals CANNOT have ¾ modesty panels
- Corners must have matching modesty panels (both sides must be either ¾ or full modesty panels).
- . Modesty panels on CORNERS will be 1" above the floor; Modesty panels on RETURNS are flush with the floor. It is recommended that corner units are used for corner spaces when configuring workstations so there is no visible difference if a corner is connected to a return.
- Custom widths are available for products that feature a worksurface as follows: desks, credenzas (applies to kneespace and single pedestal credenzas only), islands (excludes spanner islands), returns, bridges, extended corners and corners
- Desks and credenzas that incorporate drawers and/or doors will be modified by changing the width of the worksurface and modesty panel, drawer and/or door dimensions are not affected.
- No upcharge for next size up
- Custom width does not apply to cabinets, hutches, pedestals or any other units
- Global Furniture Group will consider custom, specials and product alterations on an individual basis.
- Desk series can only be made in Standard Global Laminates.
- PLEASE REFER TO SERIES FOR FINISHES AVAILABLE. The following desk finishes are offered:

#### WOODGRAINS:

Avant Cherry (AWC) Absolute Acajou (ACJ) Asian Night (ASN) Avant Honey (AWH) Clear Maple (CMB) Dark Espresso (DES) Fashionista (FAS) First Class (FCL) Noce Biondo Noce Grigio Noce Leggero Noce Medio Quartered Mahogany (QTM) Sheer Beauty (SBY) Walnut Heights (WHE) White Chocolate (WHC) Winter Cherry (WCR)

SOLIDS: Black (BLK) Designer White (DWT) Storm Grey (SOG) Blizzard (BZD) Custom Grey (CGY) Stonedust (SDT)

**PATTERNS** Brushed Cobalt (BRC)

See Productivity Solutions and Desk Accessories for additional options



With over 370 components available in 400 color combinations, Adaptabilities provides the ultimate in flexibility and modularity. Rich laminate colors coordinate easily with any office or home decor. All surfaces are constructed from Global's exclusive premium grade, high performance laminate and preferred matching edges.

Adaptabilities features an extensive range of versatile components which can be configured into multi-user workstations suitable for intensive task functions, or for private executive suites requiring stately elegance and work-force functions. All laminate filing cabinets have a safety mechanism that prevents two drawers from being opened at the same time. File drawers have fully progressive ball bearing suspensions and accommodate letter and legal filing. For heavy duty usage, two, three and four drawer laminate files are available with steel drawer interiors.



Tops are 1" thick and a top over side, edge panel design.



34 modesty panel available at no extra charge.



For heavy duty usage, two, three and four drawer laminate files are available with steel drawer interiors.

#### **Features and Benefits**

- 45lb. density particle board substructure with high performance thermally fused laminate
- 1" thick worksurfaces in thermally fused or high pressure laminate
- Worksurfaces feature 2mm edging in matching color.
- Full to floor or ¾ pedestals available on most components
- All desks are size (incrementally) accurate
- 11/16" thick full modesty panel is standard
- 11/16" thick 3/4 modesty panel is available on most components
- Pencil tray included in box drawer
- File drawers can accommodate legal or letter documents
- Full progressive ball bearing suspension on file drawers
- All drawer fronts edge banded with side pull opening pedestals and standard with pedestal locks
- Compatible with **Divide** panel system for increased
   privacy and storage
   requirements

## ADAPTABILITIES® - NOTES

#### **GENERAL INFORMATION**

- Constructed of 45 lb. density particleboard with high performance thermally fused laminate
- Adaptabilities components are compatible with Divide transaction tops and partitioning panels. See page 376 for Divide specifications and prices.
- See pages 40-41 for keyboard drawers and additional accessory options.
- Adaptabilities desk and storage products have been tested and comply with all BIFMA mechanical tests.
- For environmental certifications, please visit globalfurnituregroup.com.

#### WORKSURFACES

- 1" thick high performance thermally fused laminate tops sealed with Global's Preferred edging in matching color
- Woodgrain surfaces feature edging with matching printed woodgrain
- High Pressure Tops are available in all Adaptabilities laminate finishes at an extended lead time. Please see model # for pricing and availability.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### CONSTRUCTION

- Constructed of 45 lb. density particleboard with high performance thermally fused
- . Cabinets and Wardrobes are 65" high to match overall height of a worksurface with hutch (worksurface 29" + hutch 36" = 65").
- End Shelves are available as 65" high also to match overall height.
- Models with monoposts are available with a Black (TBL) or Tungsten (TTU) monoposts. Please specify.
- · Models with handles are available with Black (HX) or Silver (HS) handles; please specify.
- All drawer fronts edge banded with side pull opening pedestals and standard pedestal locks
- · Double wall pedestal housing with fully closed bottom

#### MODESTY PANELS

- 11/16" thick full modesty panel is standard
- 11/16" thick \( \frac{3}{4} \) modesty panel available on most components
- ¾ height modesty panels available on most models at no additional charge. Please specify "3MP". (Corners must have both modesty panels as ¾ or full).
- Note: Woodgrain modesty panels 60" wide and up will have the grain pattern in the horizontal direction. All end panels and modesty panels 59" or less will have the grain pattern in the vertical direction.

#### **STORAGE**

- All lateral file drawer fronts feature the woodgrain running in a horizontal direction.
- · Pencil tray included in box drawer
- File drawers can accommodate legal or letter documents
- · Triple progressive ball bearing suspension on file drawers

#### LOCKS

- Optional locks available for all straight hutch unit doors. Add \$126 each lock
- Front-to-back filing bars for all steel drawer files available separately. Order FBB file bars. See "FBB" on page 41.
- Key alike or specific key number optional for all products with locks
- Reserved for new orders greater than \$20,000 list, all Adaptabilities units with locks may be ordered with **CA** cap option and specific lock cores/kevs can be ordered separately for field installation rather than specifying duplicate product lines with different key numbers.
- When **CA** option is specified, product will ship with a cap over the empty lock housing.
- Separately order the appropriate number of cores with keys; use product code **SIL-**CORE-H-SHOE for Silver core/key sets or product code BLK-CORE-H-SHOE for Black core/key sets. Specify quantity and lock number required. One order line per key number required. Key number range: 401-440. Must be ordered at the same time product is ordered with CA lock cap option specified.
- One core removal key is required. Recommend one core removal for every 25 cores ordered. Order as REMOVE-K-H-SHOE.
- No charge applies for separate lock cores or core removal keys only when ordered with product. If replacement lock core and key required, contact Customer Care for applicable product code and pricing.

#### SPECIAL SIZES

- Additional custom sized components available upon request.
- Secretarial height returns (26 ½") available at a 15% upcharge.
- Full to the floor pedestal configurations can be switched for a 15% upcharge.

#### 1. SPECIFY MODEL NUMBER

#### 2. SPECIFY FINISH

Top Finishes: Body Finishes (including pedestals):							
ACJ	Absolute Acajou	FCL	First Class	ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo	ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio	AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero	AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio	BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany	BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty	BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey	CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust	CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights	DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate	DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry	FAS	Fashionista	WCR	Winter Cherry

#### 3. SPECIFY OPTIONS

#### Grommets

- Additional grommets available in standard worksurface locations (left, center or right).
- Order as: AG1, AG2 or AG3. Add \$96.




- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.
- Actual grommet locations on the worksurface are depicted in the example drawings shown below.
   Dimensions shown are actual measurements (in inches).



36 x 72 single pedestal left desks (A3672SPL)



30 x 60 single pedestal left desks (A3060SPL)



36 x 72 single pedestal left bow top desks (A3672SLB)

- Grommets may be placed at non-standard locations.
   Order as: AGS Add \$96. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.
- Components that come standard with grommet may be ordered without a grommet. **Add \$53.**
- Grommets are available on modesty panels of extended corners and 5-sided corners 6 ½" in where the two modesty panels meet at a 90° angle. Please specify FOGMPR for right grommet placement and FOGMPL for left grommet (placement is as shown on diagrams below). Cost is \$96.
- Modesty panels are 1" off of ground



Left Extended Corner Unit



Right Extended Corner Unit



5-Sided Corner Unit

#### **Power Block**

- A Power Block (model PMSPDM) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/ data module with one electrical duplex receptacle and includes two data (CAT5) receptacles. 9 foot black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330.
   Power Blocks are available in standard worksurface locations (left, center or right). Order as E1, E2 or E3.
   Add \$96.



Power Block PMSPDM Add \$330



Specify location E1, E2 or E3 Add \$96



**Double Pedestal Desk\*** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
A3672DP	36 x 72 x 29.6	150	296	52.5	\$1806	\$532
A3072DP	29.69 x 72 x 29.0	6 125	263	43	\$1774	\$498
A3066DP	29.69 x 66 x 29.0	6 125	254	39.75	\$1759	\$498
A3060DP	29.69 x 60 x 29.0	6 125	247	36.25	\$1606	\$464

Standard with box/file pedestals on both sides. Pedestals lock. One pencil tray.

**Double Pedestal Bow Top Desk\*** 

A3672DPB	30-36 x 72 x 29.6	150	280	52.5	\$2151	\$532

Standard with box/file pedestals on both sides and bow top. Pedestals lock. One pencil tray.



**Full to Floor Double Pedestal Desk** 

A3672D4	36 x 72 x 29.6	125	330	52.5	\$2301	\$532
A3072D4	30 x 72 x 29.6	125	295	41.15	\$2261	\$532
A3066D4	29.69 x 66 x 29.6	125	285	39.75	\$2251	\$498
A3060D4	29.69 x 60 x 29.6	125	276	36.25	\$2097	\$464

Standard with full to floor box/box/file in right pedestal and file/file on left pedestal. Pedestals lock. On box/box/file pedestals, lower box drawer and file drawer lock. One pencil tray. Full to the floor pedestal configurations can be switched for a 15% upcharge.



**Full to Floor Double Pedestal Bow Top Desk** 

Standard with full to floor box/box/file in right pedestal and file/file on left pedestal. Bow top. Pedestals lock. On box/box/file pedestals, lower box drawer and file drawer lock. One pencil tray. Full to the floor pedestal configurations can be switched for a 15% upcharge.

	_

SINGLE PEDESTAL DESKS

Single Pedestal Desk - LEFT\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A3672SPL	36 x 72 x 29.6	150	245	52.5	\$1507	\$532
A3072SPL	29.69 x 72 x 29.1		216	43	\$1307	\$498
A3066SPL	29.69 x 66 x 29.	6 150	207	39.75	\$1307	\$498
A3060SPL	29.69 x 60 x 29.0	6 150	197	36.25	\$1302	\$464
A3048SPL	29.69 x 48 x 29.0	6 125	177	29.25	\$1169	\$394
A2448SPL	24 x 48 x 29.6	125	150	24.25	\$1169	\$256

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the left.



A3672SPR	36 x 72 x 29.6	150	245	52.5	\$1507	\$532
A3072SPR	29.69 x 72 x 29.6	150	216	43	\$1323	\$498
A3066SPR	29.69 x 66 x 29.6	150	207	39.75	\$1307	\$498
A3060SPR	29.69 x 60 x 29.6	150	197	36.25	\$1302	\$464
A3048SPR	29.69 x 48 x 29.6	125	177	29.25	\$1169	\$394
A2448SPR	24 x 48 x 29.6	125	150	24.25	\$1169	\$256

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the right.

Required	Specifications
Top finish	

#### **Optional Specifications** Key # Grommet/power block cut-out

Modesty panel, 3/4\*

Power block Keyboard tray Pencil tray


Base finish HP laminate Accessories

SLE PEDESTAL DESKS	MODEL#		EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	A3672SLB	<b>D x W x H</b> 30-36 x 72 x 29.6	150	233	52.5	\$1845	\$532
e Pedestal Bow Top Desk - LEFT*	Standard with box	x/file pedestal on <b>left</b> and b	ow top. Ped	estal locks. O	ne pencil tray.		
	A3672SRB	30-36 x 72 x 29.6	150	233	52.5	\$1845	\$532
Pedestal Bow Top Desk - RIGHT*	Standard with box	file pedestal on right and	bow top. Pe	destal locks.	One pencil tray.		
	A3672S4L	36 x 72 x 29.6	150	261	52.5	\$1754	\$532
	A3072S4L	29.69 x 72 x 29.6	150	232	43.75	\$1734	\$532 \$532
	A3066S4L	29.69 x 66 x 29.6	150	221	39.5	\$1712	\$498
	A3060S4L	29.69 x 60 x 29.6	150	211	36.25	\$1543	\$464
	A3048S4L				29.5		
	A2448S4L	29.69 x 48 x 29.6 24 x 48 x 29.6	125 125	191 164	29.5	\$1360 \$1360	\$394 \$256
Floor Single Pedestal LEFT	Standard with full	to floor box/box/file pedes	tal on the <b>lef</b>	ft. One pencil	tray. Lower box	x drawer and file	drawer lock
	floor pedestal con	figurations can be switched	l for a <b>15% u</b>	pcharge.			
	A3672S4R	36 x 72 x 29.6	150	261	52.5	\$1754	\$532
	A3072S4R	29.69 x 72 x 29.6	150	232	43.75	\$1712	\$532
	A3066S4R	29.69 x 66 x 29.6	150	221	39.75	\$1701	\$498
	A3060S4R	29.69 x 60 x 29.6	150	211	36.25	\$1543	\$464
	A3048S4R	29.69 x 48 x 29.6	125	191	29.5	\$1360	\$394
J	A2448S4R	24 x 48 x 29.6	125	164	24.25	\$1360	\$256
o Floor Single Pedestal - RIGHT		to floor box/box/file pedes configurations can be swit	_			ox drawer and fil	e drawer loc
	A3672S4LB	32-36 x 72 x 29.6	150	247	52.5	\$2091	\$532
o Floor Single Pedestal Top Desk - LEFT		x/box/file pedestal on <b>left</b> a por pedestal configurations				rawer and file dra	awer lock. Or
	A3672S4RB	32-36 x 72 x 29.6	150	247	52.5	\$2091	\$532

Optional Specifications
Key #
Grommet/power block cut-out
HP laminate
Modesty panel, 3/4\*


Required Specifications
Top finish
Base finish

Accessories
Power block
Keyboard tray
Pencil tray




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
A2448FL	24 x 48 x 29.6	150	141	24	\$1102	\$273
A2442FL	24 x 42 x 29.6	125	131	21.25	\$1079	\$227
A2048FL	20 x 48 x 29.6	125	128	20.25	\$1036	\$227
A2042FL	20 x 42 x 29.6	125	119	18	\$1016	\$227

Standard with box/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the left.



A2448FR	24 x 48 x 29.6	150	141	24	\$1102	\$273
A2442FR	24 x 42 x 29.6	125	131	21.25	\$1079	\$227
A2048FR	20 x 48 x 29.6	125	128	20.25	\$1036	\$227
A2042FR	20 x 42 x 29.6	125	119	18	\$1016	\$227


Standard with box/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the right.



A2448L4	24 x 48 x 29.6	125	156	24.25	\$1347	\$273
A2442L4	24 x 42 x 29.6	125	146	21.5	\$1328	\$227
A2048L4	20 x 48 x 29.6	125	142	20.5	\$1284	\$227
A2042L4	20 x 42 x 29.6	125	133	18	\$1264	\$227

Full to Floor Flush Return - LEFT

Standard with file/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the left.
Full to the floor pedestal configurations can be switched for a 15% upcharge.




A2448R4	24 x 48 x 29.6	125	156	24.25	\$1347	\$273
A2442R4	24 x 42 x 29.6	125	146	21.5	\$1328	\$227
A2048R4	20 x 48 x 29.6	125	142	20.5	\$1284	\$227
A2042R4	20 x 42 x 29.6	125	133	18	\$1264	\$227

Full to Floor Flush Return - RIGHT

Standard with file/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the right.


Full to the floor pedestal configurations can be switched for a 15% upcharge.



Flush Return - LEFT

A2448EL	24 x 48 x 29.6	70	92	4.3	\$799	\$273
A2442EL	24 x 42 x 29.6	70	82	3.8	\$773	\$227
A2048EL	20 x 48 x 29.6	70	84	4.3	\$729	\$227
A2042EL	20 x 42 x 29.6	70	75	3.8	\$711	\$227

Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble).



A2448ER	24 x 48 x 29.6	70	92	4.3	\$799	\$273
A2442ER	24 x 42 x 29.6	70	82	3.8	\$773	\$227
A2048ER	20 x 48 x 29.6	70	84	4.3	\$729	\$227
A2042ER	20 x 42 x 29.6	70	75	3.8	\$711	\$227

Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble).

Req	ui	ir	ed	Specifications

Top finish Base finish


### **Optional Specifications**

Key #\*

Grommet/power block cut-out HP laminate

Accessories	
Power block	
Keyboard tray	
Pencil tray	

A



RETURNS



NIODEL		DIMITIAGIONS	INLIGITI GLASS	WI/LDS.	CODIC FI.	LIST FRICE	IIF AUU	
		DxWxH						
A3048F	SL	29.69 x 48 x 29.6	6 150	148	29	\$1169	\$394	

Space Saver Return - LEFT

Standard with box/file pedestal on the **left**, grommet in worksurface. One pencil tray. Pedestal locks. Connects to 24"D 5-sided corner unit and 2466/2472 NFL or NNL extended corner unit.





VOUVOECD	20 60 v 40 v 20 6	150	1/18 29	\$1169	\$394
A3U40F3N	29.09 X 40 X 29.0	100	140 29	\$1109	<b>3334</b>

Space Saver Return - RIGHT

Standard with box/file pedestal on the **right**, grommet in worksurface. One pencil tray. Pedestal locks. Connects to 24"D 5-sided corner unit and 2466/2472 FNR or NNR extended corner unit.





A3048P4L	29.69 x 48 x 29.6	150	170	29	\$1414	\$394

**Space Saver Return - LEFT** 

Standard with file/file pedestal on the **left**, grommet in worksurface. One pencil tray. Pedestal locks. Connects to 24"D 5-sided corner unit and 2466/2472 NFL or NNL extended corner unit. Full to the floor pedestal configurations can be switched for a **15% upcharge**.





A3048P4R 29.69 x 48 x 29.6 150	170 29	\$1414	\$394
--------------------------------	--------	--------	-------

Space Saver Return - RIGHT

Standard with file/file pedestal on the **right**, grommet in worksurface. One pencil tray. Pedestal locks. Connects to 24"D 5-sided corner unit and 2466/2472 FNR or NNR extended corner unit. Full to the floor pedestal configurations can be switched for a **15% upcharge**.



FLUSH BRIDGE



MODEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	LIST PRICE	HP AUU	
A2448FB	24 x 48 x 29.6	70	75	4.3	\$601	\$273	
A2442FB	24 x 42 x 29.6	70	65	3.8	\$577	\$227	
A2436FB	24 x 36 x 29.6	70	58	3.3	\$577	\$172	
A2048FB	20 x 48 x 29.6	70	71	4.3	\$577	\$227	
A2042FB	20 x 42 x 29.6	70	54	3.3	\$553	\$227	
A2036FB	20 x 36 x 29.6	70	54	3.3	\$553	\$117	

Flush Bridge\*

CREDENZAS

Top surface, back panel and hardware to connect two units. Grommet in worksurface. Shipped RTA (ready to assemble).

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A2072C	20 x 72 x 29.6	100	243	30	\$2171	\$356

**Center Storage Credenza** 

Standard with box/file pedestals on both sides and self-closing hinged center doors covering one adjustable shelf. Pedestals and doors lock. One pencil tray.

Required Specifications	Optional Specifications	Accessories
Top finish	Key #	Power block
Base finish	Additional grommet position (not A2072C)	Keyboard tray*
Handles**	HP laminate	Pencil tray*
	Power block cut-out (not A2072C)	





**Kneespace Credenza** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A2472CK	24 x 72 x 29.6	125	234	35.75	\$1817	\$372
A2466CK	24 x 66 x 29.6	125	225	32.75	\$1763	\$372
A2072CK	20 x 72 x 29.6	125	212	30.25	\$1659	\$356
A2066CK	20 x 66 x 29.6	125	204	27.75	\$1635	\$343
A2060CK	20 x 60 x 29.6	125	199	25.25	\$1593	\$314

Standard with box/file pedestals on both sides. Center is open. Pedestals lock. One pencil tray. Grommet in worksurface.



**Full to Floor Kneespace Credenza** 

A2472D4	24 x 72 x 29.6	125	261	35.5	\$2302	\$372
A2466D4	24 x 66 x 29.6	125	252	33	\$2253	\$372
A2072D4	20 x 72 x 29.6	125	236	30	\$2151	\$356
A2066D4	20 x 66 x 29.6	100	228	27.75	\$2129	\$343
A2060D4	20 x 60 x 29.6	100	220	25.25	\$2118	\$314

Standard with full to floor box/box/file in right pedestal and file/file on left pedestal. Pedestals lock on box/box/file pedestals, lower box drawer and file drawer lock. One pencil tray. Grommet in worksurface.

• Full to the floor pedestal configurations can be switched for a 15% upcharge.



Single Pedestal Credenza - LEFT

A2472CSL	24 x 72 x 29.6	150	190	35.75	\$1539	\$372
A2466CSL	24 x 66 x 29.6	150	181	32.75	\$1487	\$372
A2072CSL	20 x 72 x 29.6	150	172	30.25	\$1388	\$356
A2066CSL	20 x 66 x 29.6	150	163	27.75	\$1366	\$343
A2060CSL	20 x 60 x 29.6	125	155	25.25	\$1320	\$314

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the left. Grommet in worksurface.



Single Pedestal Credenza - RIGHT

A2472CSR	24 x 72 x 29.6	150	190	35.75	\$1539	\$372
A2466CSR	24 x 66 x 29.6	150	181	32.75	\$1487	\$372
A2072CSR	20 x 72 x 29.6	150	171	30	\$1388	\$356
A2066CSR	20 x 66 x 29.6	150	163	27.75	\$1366	\$343
A2060CSR	20 x 60 x 29.6	125	155	25.25	\$1320	\$314

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the right. Grommet in worksurface.



**Full to Floor Single Pedestal** Credenza- LEFT

A2472S4L	24 x 72 x 29.6	150	205	35.5	\$1754	\$372
A2466S4L	24 x 66 x 29.6	150	196	33	\$1701	\$372
A2072S4L	20 x 72 x 29.6	125	187	30	\$1543	\$356
A2066S4L	20 x 66 x 29.6	125	177	27.75	\$1516	\$356
A2060S4L	20 x 60 x 29.6	125	168	25.25	\$1478	\$314

Standard with full to floor box/box/file pedestal on the left. Lower box drawer and file drawer lock. Grommet in worksurface. One pencil tray.



**Full to Floor Single Pedestal** Credenza- RIGHT

A2472S4R	24 x 72 x 29.6	150	205	35.5	\$1754	\$372
A2466S4R	24 x 66 x 29.6	150	196	33	\$1701	\$372
A2072S4R	20 x 72 x 29.6	125	187	30	\$1543	\$356
A2066S4R	20 x 66 x 29.6	125	177	27.75	\$1516	\$356
A2060S4R	20 x 60 x 29.6	125	168	25.25	\$1478	\$314

Standard with full to floor box/box/file pedestal on the right. Lower box drawer and file drawer lock. Grommet in worksurface. One pencil tray.

Req	ui	r	ed	S	pec	ifi	ca	tic	ons	

Top finish Base finish

#### **Optional Specifications**

Key #

Grommet/power block cut-out HP laminate

Accessories
Power block
Keyboard tray
Pencil tray




CREDENZAS


Full to Floor Single Pedestal Credenza- LEFT\*



Full to Floor Single Pedestal Credenza- RIGHT\*



Lateral File Credenza



Lateral File/Storage Cabinet Credenza



Kneespace Lateral File Credenza - LEFT\*



Kneespace Lateral File Credenza - RIGHT\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
A2472S2L	24 x 72 x 29.6	150	205	35.5	\$1754	\$372
A2466S2L	24 x 66 x 29.6	150	196	33	\$1701	\$372
A2072S2L	20 x 72 x 29.6	125	187	30	\$1543	\$356
A2066S2L	20 x 66 x 29.6	125	177	27.75	\$1516	\$356
A2060S2L	20 x 60 x 29.6	125	168	25.25	\$1478	\$314

Standard with full to floor file/file pedestal on the left. Pedestal Locks. Grommet in worksurface.

A2472S2R	24 x 72 x 29.6	150	205	35.5	\$1754	\$372
A2466S2R	24 x 66 x 29.6	150	196	33	\$1701	\$372
A2072S2R	20 x 72 x 29.6	125	187	30	\$1543	\$356
A2066S2R	20 x 66 x 29.6	125	177	27.75	\$1516	\$356
A2060S2R	20 x 60 x 29.6	125	168	25.25	\$1478	\$314

Standard with full to floor file/file pedestal on the right. Pedestal locks. Grommet in worksurface.

A2472LF2	24 x 72 x 29.6	100	322	35.75	\$2652	\$372
A2072LF2	20 x 72 x 29.6	100	296	30.25	\$2599	\$356

Two 2-drawer lateral files side-by-side. Locking drawers, keyed alike. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

A2472LS	24 x 72 x 29.6	100	297	35.75	\$2374	\$372
A2072LS	20 x 72 x 29.6	100	267	30.25	\$2318	\$356

One 2-drawer lateral file and one storage cabinet. Locking doors/drawers, keyed alike. Storage cabinet includes one adjustable shelf. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

A2472LKL	24 x 72 x 29.6	125	239	35.75	\$2086	\$372
A2072LKL	20 x 72 x 29.6	125	216	30.25	\$2033	\$356

One 2-drawer lateral file on the **left**. Locking drawers. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension. Grommet in worksurface.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

A2472LKR	24 x 72 x 29.6	125	239	35.75	\$2086	\$372
A2072LKR	20 x 72 x 29.6	125	216	30.25	\$2033	\$356

One 2-drawer lateral file on the **right**. Locking drawers. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension. Grommet in worksurface.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Required Specifications	Optional Specifications	Accessories
Top finish	Key #	Power block*
Base finish	Additional grommet	Keyboard tray*
Handles (not A2xxxS2L/A2xxxS2R)	HP laminate	Pencil tray*
	Power block cut-out*	•



**Kneespace Storage Cabinet Credenza** 

- LEFT\*



**Kneespace Storage Cabinet Credenza** - RIGHT\*

A2472SKR 24 x 72 x 29.6 125 218 35.75 \$1647 \$372 A2072SKR 20 x 72 x 29.6 125 188 30.25 \$1592 \$356

One storage cabinet on the left. Locking doors. Storage cabinet has one adjustable shelf. Grommet in worksurface.

FREIGHT CLASS

125

125

CUBIC FT.

35.75

30.25

WT/LBS.

218

188

LIST PRICE

\$1647

\$1592

HP ADD

\$372

\$356

One storage cabinet on the right. Locking doors. Storage cabinet has one adjustable shelf. Grommet in worksurface.

• Black handles are standard. Silver is available at no charge, please specify as SI.

• Black handles are standard. Silver is available at no charge, please specify as SI.

DIMENSIONS

24 x 72 x 29.6

20 x 72 x 29.6

DxWxH

3-SIDED CONNERS	

- 0		•	
5-5	ided	LO	rner

E CIDED CODNED

A42245C 42 x 42 x 29.6 70 113 5.75 <b>\$1031 \$498</b>	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	A42245C	42 x 42 x 29.6	70	113	5.75	\$1031	\$498	

Connects to 30"D space saver connectable surfaces, 24"D connectables, returns and bridge. Grommet in worksurface. Narrow end panels on left and right. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble). Not Freestanding.


• Modesty Panel is 1" off of ground.

MODEL#

A2472SKL

A2072SKL

• Full End Panel(s) are available - add 15% upcharge




5-Sided Corner

A42205C	42 x 42 x 29.6	70	110	5.75	\$1001	\$498

Connects to 24"D space saver connectable surfaces, 20"D returns, lateral files, storage/lateral file credenzas, credenzas, bridges and end shelves. Grommet in worksurface. Narrow end panels on left and right. Predrilled to accept 22-28" keyboard trays. Will not accept keyboard trays wider than 28". Shipped RTA (ready to assemble). Not freestanding.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge



**5-Sided Corner** 


A36205C	36 x 36 x 29.6	70	94	4.8	\$886	\$321

Connects to 24"D space saver connectable surfaces, 20"D returns, lateral files, storage/lateral file credenzas, credenzas, bridges and end shelves. Grommet in worksurface. Narrow end panels on left and right. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble). Not freestanding.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge

Required Specifications	Optional Specifications	Accessories	
Top finish	Key #	Power block	
Base finish	Additional grommet position	Keyboard tray	
Handles*	HP laminate	Pencil tray	
	Power block cut-out		

### LEFT EXTENDED CORNERS



Left Extended Corner - Freestanding

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
A2472FFL	24-36 x 72 x 29.	6 70	157	7	\$1323	\$532	
A2466FFL	24-36 x 66 x 29.	6 70	151	7	\$1323	\$532	

Extended worksurface on right. Full end panels on left and right. Cannot be connected on left or right, due to full end panel. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466FFL cannot accept pedestals.

A2072FFL	20-36 x 72 x 29.6	70	147	7	\$1266	\$511
A2066FFL	20-36 x 66 x 29.6	70	141	7	\$1266	\$511

Extended worksurface on right. Full end panels on left and right. Cannot be connected on left or right, due to full end panel. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



**Left Extended Corner** 

**Left Extended Corner** 

A2472FNL	24-36 x 72 x 29.6	70	149	7	\$1281	\$532
A2466FNL	24-36 x 66 x 29.6	70	142	7	\$1281	\$532

Extended worksurface on right. **Narrow end panel on right. Full end panel on left.** Connects to 30"D space saver connectables, 24"D returns or 24"D connectable tables. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466FNL cannot accept pedestals.


A2072FNL	20-36 x 72 x 29.6	70	141	7	\$1220	\$511
A2066FNL	20-36 x 66 x 29.6	70	135	7	\$1220	\$511



**Left Extended Corner** 

Extended worksurface on right. **Narrow end panel on right. Full end panel on left.** Connects to 24"D space saver connectables, 20"D returns or 20"D connectable tables. **Full end panel cannot be connected**. Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




**Left Extended Corner** 

A2472NFL	24-36 x 72 x 29.6	70	149	7	\$1281	\$532
A2466NFL	24-36 x 66 x 29.6	70	142	7	\$1281	\$532

Extended worksurface on right. Narrow end panel on left. Full end panel on right. Connects to 30"D space saver connectables, 24"D returns or 24"D connectable tables. Full end panel cannot be connected. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466NFL cannot accept pedestals.

Required Specifications	Optional Specifications	Accessories
Top finish	Additional grommet position	Power block
Base finish	HP laminate	Keyboard tray
	Power block cut-out	Pencil tray




**Left Extended Corner** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A2072NFL	20-36 x 72 x 29.	6 70	141	7	\$1220	\$532
A2066NFL	20-36 x 66 x 29.	6 70	135	7	\$1220	\$511

Extended worksurface on right. Narrow end panel on left. Full end panel on right. Connects to 24"D space saver connectables and 20"D returns. Full end panel cannot be connected. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



**Left Extended Corner** 

A2472NNL	24-36 x 72 x 29.6	70	140	7	\$1239	\$532
A2466NNL	24-36 x 66 x 29.6	70	134	7	\$1239	\$532

Extended worksurface on right. Narrow end panels on left and right. Connects to 30"D space saver connectables, 24"D returns and 24"D connectable tables on either end. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466NNL cannot accept pedestals.



**Left Extended Corner** 

RIGHT EXTENDED CORNERS

A2072NNL	20-36 x 72 x 29.6	70	136	7	\$1205	\$532
A2066NNL	20-36 x 66 x 29.6	70	130	7	\$1205	\$511

Extended worksurface on right. Narrow end panels on left and right. Connects to 24"D space saver connectables and 20"D returns or bridge on either end. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.


F 66° 72° 36° 36° 36° 36° 36° 36° 36° 36° 36° 36

**Right Extended Corner - Freestanding** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A2472FFR	24-36 x 72 x 29	6 70	157	7	\$1323	\$532	
A2466FFR	24-36 x 66 x 29		151	7	\$1323	\$532	

Extended worksurface on left. Full end panels on left and right. Cannot be connected on left or right, due to full end panel. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466FFR cannot accept pedestals.




**Right Extended Corner** 

A2072FFR	20-36 x 72 x 29.6	70	147	7	\$1266	\$511
A2066FFR	20-36 x 66 x 29.6	70	141	7	\$1266	\$511

Extended worksurface on left. Full end panels on left and right. Cannot be connected on left or right, due to full end panel. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position	Power block	
Base finish	HP laminate Power block cut-out	Keyboard tray Pencil tray	



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
A2472FNR	24-36 x 72 x 29.0	6 70	149	7	\$1281	\$548	
A2466FNR	24-36 x 66 x 29.	6 70	142	7	\$1281	\$532	

Extended worksurface on left. **Narrow end panel on right. Full end panel on left.** Connects to 30"D space saver connectables, 24"D returns or 24"D connectable tables. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466FNR cannot accept pedestals.



**Right Extended Corner** 

A2072FNR	20-36 x 72 x 29.6	70	141	7	\$1220	\$511
A2066FNR	20-36 x 66 x 29.6	70	135	7	\$1220	\$511

Extended worksurface on left. Narrow end panel on right. Full end panel on left. Connects to 24"D space saver connectables, 20"D returns or 20"D connectable tables. Full end panel cannot be connected. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



**Right Extended Corner** 

A2472NFR	24-36 x 72 x 29.6	70	149	7	\$1281	\$532
A2466NFR	24-36 x 66 x 29.6	70	142	7	\$1281	\$532

Extended worksurface on left. **Narrow end panel on left. Full end panel on right**. Connects to 30"D space saver connectables, 24"D returns or 24"D connectable tables. **Full end panel cannot be connected**. Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466NFR cannot accept pedestals.



**Right Extended Corner** 

A2072NFR	20-36 x 72 x 29.6	70	141	7	\$1220	\$532
A2066NFR	20-36 x 66 x 29.6	70	135	7	\$1220	\$511

Extended worksurface on left. **Narrow end panel on left. Full end panel on right.** Connects to 24"D space saver connectables and 20"D returns. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




**Right Extended Corner** 

A2472NNR	24-36 x 72 x 29.6	70	140	7	\$1239	\$532
A2466NNR	24-36 x 66 x 29.6	70	133	7	\$1239	\$532

Extended worksurface on left. **Narrow end panels on left and right.** Connects to 30"D space saver connectables, 24"D returns and 24"D connectable tables on either end. Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466NNR cannot accept pedestals.

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position	Power block	
Base finish	HP laminate	Keyboard tray	
	Power block cut-out	Pencil tray	




Rinht	Extended	Corner

FREESTANDING TABLES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
A2072NNR	20-36 x 72 x 29.	.6 70	136	7	\$1205	\$532
A2066NNR	20-36 x 66 x 29.	.6 70	130	7	\$1205	\$511

Extended worksurface on left. Narrow end panels on left and right. Connects to 24"D space saver connectables and 20"D returns or bridge on either end. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).


• Modesty Panel is 1" off of ground.



30" Deep Freestanding Table



Two full end panels. Cannot be connected on left or right side. Grommet in worksurface. Shipped RTA (ready to assemble). • Modesty Panel is 1" off of ground



24" Deep Freestanding Table

**CONNECTABLE TABLES - LEFT** 

A2472T	24 x 72 x 29.6	70	130	6	\$928	\$372
A2466T	24 x 66 x 29.6	70	123	6	\$928	\$372
A2460T	24 x 60 x 29.6	70	114	5.25	\$840	\$343
A2448T	24 x 48 x 29.6	65	99	4.3	\$754	\$273
A2442T	24 x 42 x 29.6	70	92	4.3	\$754	\$227
A2436T	24 x 36 x 29.6	70	84	4.2	\$667	\$172
A2430T	24 x 30 x 29.6	70	76	3.6	\$623	\$172


Two full end panels. Cannot be connected on left or right side. Grommet in worksurface. Shipped RTA (ready to assemble). . Modesty Panel is 1" off of ground

#### 30" Deep Connectable Table - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A3072L	29.69 x 72 x 29.0	65	140	6	\$980	\$498	
A3066L	29.69 x 66 x 29.0	6 70	132	6	\$980	\$498	
A3060L	29.69 x 60 x 29.0	6 65	123	5.25	\$897	\$464	
A3048L	29.69 x 48 x 29.0	6 65	105	4.3	\$807	\$394	
A3042L	29.69 x 42 x 29.0	6 65	98	4.3	\$807	\$356	
A3036L	29.69 x 36 x 29.0	6 70	88	4.2	\$719	\$321	
A3030L	29.69 x 30 x 29.0	6 70	80	3.6	\$677	\$286	

Full end panel on left. Right narrow end panel connects to 30"D center/right connectable table, or at 90° angle to a freestanding table; and "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).





24" Deep Connectable Table - LEFT

A2472L	24 x 72 x 29.6	70	121	6	\$897	\$372
A2466L	24 x 66 x 29.6	70	115	6	\$897	\$372
A2460L	24 x 60 x 29.6	70	106	5.25	\$807	\$343
A2448L	24 x 48 x 29.6	70	90	4.3	\$719	\$273
A2442L	24 x 42 x 29.6	70	82	3.8	\$719	\$227
A2436L	24 x 36 x 29.6	70	74	3.3	\$634	\$172
A2430L	24 x 30 x 29.6	70	68	3.6	\$589	\$172


Full end panel on left. Right narrow end panel connects to 24"D center/right connectable table, or at 90° angle to a freestanding table; 24"D extended corners, 42" 5-sided corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

<b>Required Specifications</b>	
Top finish	
Base finish	

Optional Specifications
Additional grommet position
HP laminate
Power block cut-out

Accessories Power block Keyboard tray Pencil tray




30" Deep Connectable Table - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A3072R	29.69 x 72 x 29.	6 65	140	6	\$980	\$498
A3066R	29.69 x 66 x 29.	6 70	132	6	\$980	\$498
A3060R	29.69 x 60 x 29.	6 65	123	5.25	\$897	\$464
A3048R	29.69 x 48 x 29.	6 65	105	4.3	\$807	\$394
A3042R	29.69 x 42 x 29.	6 65	98	4.3	\$807	\$356
A3036R	29.69 x 36 x 29.	6 70	88	4.3	\$719	\$321
A3030R	29.69 x 30 x 29.	6 70	80	3.6	\$677	\$286
Full and panal on	right Laft parrow and	nanal aannaata t	20"D conto	r/loft aannaatah	la table or at 00	° anala ta a t

Full end panel on **right**. Left narrow end panel connects to 30"D center/left connectable table, or at 90° angle to a freestanding table; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

#### • Modesty Panel is 1" off of ground




24" Deep Connectable Table - RIGHT

A2472R	24 x 72 x 29.6	70	121	6	\$897	\$384
A2466R	24 x 66 x 29.6	70	115	6	\$897	\$372
A2460R	24 x 60 x 29.6	70	105	5.25	\$807	\$343
A2448R	24 x 48 x 29.6	70	90	4.3	\$719	\$273
A2442R	24 x 42 x 29.6	70	82	3.8	\$719	\$227
A2436R	24 x 36 x 29.6	70	74	3.3	\$634	\$172
A2430R	24 x 30 x 29.6	70	67	3.6	\$589	\$172

Full end panel on **right**. Left narrow end panel connects to 24"D center/left connectable table, or at 90° angle to a freestanding table; 24"D extended corners, 42" 5-sided corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

#### • Modesty Panel is 1" off of ground




30" Deep Connectable Table

**CONNECTABLE TABLES** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A3072N	29.69 x 72 x 29.6	5 70	131	6	\$950	\$498	
A3066N	29.69 x 66 x 29.6	70	124	6	\$950	\$498	
A3060N	29.69 x 60 x 29.6	70	114	5.25	\$859	\$464	
A3048N	29.69 x 48 x 29.6	65	97	4.3	\$773	\$394	
A3042N	29.69 x 42 x 29.6	65	89	3.8	\$773	\$356	
A3036N	29.69 x 36 x 29.6	65	80	3.3	\$686	\$321	
A3030N	29.69 x 30 x 29.6	70	71	3.6	\$642	\$286	

Narrow end panels on both sides connects to 30"D worksurfaces; "D" islands or "P" islands with "T" and "H" bases; or at 90° angle to freestanding table(s). Grommet in worksurface. Shipped RTA (ready to assemble).

#### • Modesty Panel is 1" off of ground



24" Deep Connectable Table

A2472N	24	4 x 72 x 29.6	70	113	6	\$859	\$372
A2466N	24	4 x 66 x 29.6	70	105	6	\$859	\$372
A2460N	24	4 x 60 x 29.6	70	100	4.5	\$773	\$343
A2448N	24	4 x 48 x 29.6	70	82	4.3	\$686	\$273
A2442N	24	4 x 42 x 29.6	70	73	3.8	\$686	\$227
A2436N	24	4 x 36 x 29.6	70	66	3.3	\$601	\$172
A2430N	24	4 x 30 x 29.6	70	59	3.6	\$553	\$172

Narrow end panels on both sides connects to 24"D worksurfaces; "D" islands or "P" islands with "T" and "H" bases; or at 90° angle to freestanding table(s). Grommet in worksurface. Shipped RTA (ready to assemble).

## • Modesty Panel is 1" off of ground

|--|--|

SPACE SAVER CONNECTABLE TABLES - LEFT

30" Deep Space Saver Connectable Table - LEFT


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A3072LK	29.69 x 72 x 29.6	5 70	133	6	\$991	\$498	
A3066LK	29.69 x 66 x 29.6	5 70	126	6	\$991	\$498	
A3060LK	29.69 x 60 x 29.6	5 70	117	5.25	\$906	\$464	
A3048LK	29.69 x 48 x 29.6	65	100	4.3	\$817	\$394	
A3042LK	29.69 x 42 x 29.6	65	92	3.8	\$817	\$356	
A3036LK	29.69 x 36 x 29.6	5 70	83	4.3	\$729	\$321	
A3030LK	29.69 x 30 x 29.6	3 70	74	3.6	\$686	\$286	

**Full end panel on left.** Narrow right end panel connects to 24"D 5-sided corner unit. Grommet in worksurface. Shipped RTA (ready to assemble).

#### • Modesty Panel is 1" off of ground

• Keyboard and pencil trays for use on units 42" and above

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position	Power block	
Base finish	HP laminate	Keyboard tray	
	Power block cut-out	Pencil tray	



24" Deep Space Saver Connectable **Table - LEFT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						_
A2472LK	24 x 72 x 29.6	70	120	6	\$906	\$372	
A2466LK	24 x 66 x 29.6	70	114	6	\$906	\$372	
A2460LK	24 x 60 x 29.6	70	105	5.25	\$817	\$343	
A2448LK	24 x 48 x 29.6	70	89	4.3	\$729	\$273	
A2442LK	24 x 42 x 29.6	70	81	3.8	\$729	\$227	
A2436LK	24 x 36 x 29.6	70	73	3.3	\$642	\$172	
A2430LK	24 x 30 x 29.6	70	66	3.6	\$601	\$172	

Full end panel on left. Narrow right end panel connects to 20"D 5-sided corner unit. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Keyboard and pencil trays for use on units 42" and above

	V-22, 26, 45, 40, 40, 15, -41
--	-------------------------------


**SPACE SAVER CONNECTABLE TABLES - RIGHT** 

30" Deep Space Saver Connectable **Table - RIGHT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A3072RK	29.69 x 72 x 29.6	70	133	6	\$991	\$498	
A3066RK	29.69 x 66 x 29.6	70	126	6	\$991	\$498	
A3060RK	29.69 x 60 x 29.6	70	117	5.25	\$906	\$464	
A3048RK	29.69 x 48 x 29.6	65	100	4.3	\$817	\$394	
A3042RK	29.69 x 42 x 29.6	65	91	3.8	\$817	\$356	
A3036RK	29.69 x 36 x 29.6	70	83	4.3	\$729	\$321	
A3030RK	29.69 x 30 x 29.6	70	74	3.6	\$686	\$286	

Full end panel on right. Narrow right end panel connects to 24"D 5-sided corner unit. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground
- Keyboard and pencil trays for use on units 42" and above



24" Deep Space Saver Connectable **Table - RIGHT** 

**SPACE SAVER CONNECTABLE TABLES** 

A2472RK	24 x 72 x 29.6	70	120	6	\$906	\$372
A2466RK	24 x 66 x 29.6	70	114	6	\$906	\$372
A2460RK	24 x 60 x 29.6	70	105	5.25	\$817	\$343
A2448RK	30 x 48 x 29.6	70	89	4.3	\$729	\$273
A2442RK	24 x 42 x 29.6	70	81	3.8	\$729	\$227
A2436RK	24 x 36 x 29.6	70	73	3.3	\$642	\$172
A2430RK	24 x 30 x 29.6	70	66	3.6	\$601	\$172

Full end panel on right. Narrow right end panel connects to 20"D 5-sided corner unit. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Keyboard and pencil trays for use on units 42" and above

PATE OF STATE OF STAT
--

30"	Deep	Spa	ce	Saver
Con	necta	ble '	Tab	le

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A3072LN	29.69 x 72 x 29.	6 70	125	6	\$961	\$498	
A3066LN	29.69 x 66 x 29.	6 70	117	6	\$961	\$498	
A3060LN	29.69 x 60 x 29.	6 70	108	5.25	\$875	\$464	
A3048LN	29.69 x 48 x 29.	6 70	91	4.3	\$788	\$394	
A3042LN	29.69 x 42 x 29.	6 70	83	3.8	\$788	\$356	
A3036LN	29.69 x 36 x 29.	6 70	74	3.3	\$700	\$321	
A3030LN	29.69 x 30 x 29.	6 70	66	3.6	\$655	\$286	

Narrow end panels on both sides. Connects the right end only to 24"D 5-sided corner unit. Left end allows the continuation of additional connectable center or left connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Keyboard and pencil trays for use on units 42" and above

Required	Specifications
T C . I	


Base finish

**Optional Specifications** Additional grommet position Accessories Power block Keyboard tray Pencil tray


;	<sub>l</sub> un eu	Specifications	
n	finich		

HP laminate Power block cut-out


#### **SPACE SAVER CONNECTABLE TABLES**




24" Deep Space Saver Connectable Table



30" Deep Space Saver Connectable Table



24" Deep Space Saver Connectable Table



**Narrow end panels on both sides**. Connects the **right end only to 20"D 5-sided corner unit**. Left end allows the continuation of additional connectable center or left connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

#### • Modesty Panel is 1" off of ground.

• Keyboard and pencil trays for use on units 42" and above

A3072RN	29.69 x 72 x 29.6	70	125	6	\$961	\$498
A3066RN	29.69 x 66 x 29.6	70	117	6	\$961	\$498
A3060RN	29.69 x 60 x 29.6	70	108	5.25	\$875	\$464
A3048RN	29.69 x 48 x 29.6	70	91	4.3	\$788	\$394
A3042RN	29.69 x 42 x 29.6	70	83	3.8	\$788	\$356
A3036RN	29.69 x 36 x 29.6	70	74	3.3	\$700	\$321
A3030RN	29.69 x 30 x 29.6	70	66	3.6	\$655	\$286

Narrow end panels on both sides. Connects the left end only to 24"D 5-sided corner unit. Right end allows the continuation of additional connectable center or right connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

#### • Modesty Panel is 1" off of ground.

Keyboard and pencil trays for use on units 42" and above

A2472RN 24 x 72 x 29.6 70 112 6	\$875 \$372
A2466RN 24 x 66 x 29.6 70 105 6	\$875 \$372
A2460RN 24 x 60 x 29.6 70 96 5.25	\$788 \$343
A2448RN 24 x 48 x 29.6 70 81 4.3	\$700 \$273
A2442RN 24 x 42 x 29.6 70 72 3.8	\$700 \$227
A2436RN 24 x 36 x 29.6 70 59 3.3	\$614 \$172
A2430RN 24 x 30 x 29.6 85 53 3.6	\$570 \$172

Narrow end panels on both sides. Connects the left end only to 20"D 5-sided corner unit. Right end allows the continuation of additional connectable center or right connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

#### • Modesty Panel is 1" off of ground.

• Keyboard and pencil trays for use on units 42" and above

"D" ISLANDS
0 pm 0 0 12 0 pm 0 p
"N" Island - Full End Panol


"D" Island - Full End Panel & Post (T-Base)

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A3672FI	36 x 72 x 29.6	85	124	8.5	\$1079	\$532
A3072FI	29.69 x 72 x 29.	6 85	107	7.5	\$1048	\$499
A3066FI	29.69 x 66 x 29.	6 85	102	7.5	\$991	\$498
A3060FI	29.69 x 60 x 29.	6 85	96	6.76	\$939	\$464
A2466FI	24 x 66 x 29.6	85	90	7.5	\$883	\$372
A2460FI	24 x 60 x 29.6	85	84	6.76	\$831	\$343
A2448FI	24 x 48 x 29.6	85	74	5.76	\$773	\$273

Connects to narrow end panel. Attaching hardware included. Not freestanding. Grommet in worksurface. Shipped RTA (ready to assemble).

• Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position	Power block	
Base finish	HP laminate	Keyboard tray	
	Power block cut-out	Pencil tray	




"D" Island LEFT - Full Modesty Panel (H-Base)

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A3672FIL	36 x 72 x 29.6	70	139	7	\$991	\$532
A3066FIL	29.69 x 66 x 29.6	6 70	116	6	\$883	\$498
A3060FIL	29.69 x 60 x 29.6	6 70	106	5.25	\$831	\$464

Connects to the left side of a worksurface. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




"D" Island RIGHT - Full Modesty Panel (H-Base)

A3672FIR	36 x 72 x 29.6	70	139	7	\$991	\$532
A3066FIR	29.69 x 66 x 29.6	70	116	6	\$883	\$498
A3060FIR	29.69 x 60 x 29.6	70	106	5.25	\$831	\$464

Connects to the right side of a worksurface. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




"D" Island Center - Full Modesty Panel (H-Base)

A3672FIC	36 x 72 x 29.6	70	139	7	\$991	\$532
A3066FIC	29.69 x 66 x 29.6	70	116	6	\$883	\$498
A3060FIC	29.69 x 60 x 29.6	70	106	5.25	\$831	\$464

Connects in between two worksurfaces. Will not accommodate pedestals. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



Attachable "D" Island with Post\*

**EXTENDED CORNER ISLANDS** 

A3672I	36 x 72 x 29.6	92.5	88	8.5	\$939	\$532
A3066I	29.69 x 66 x 29.6	100	71	7.5	\$831	\$498
A3060I	29.69 x 60 x 29.6	100	65	6.76	\$773	\$464
A2466I	24 x 66 x 29.6	100	63	7.5	\$719	\$372
A2460I	24 x 60 x 29.6	100	57	6.76	\$667	\$343
A2448I	24 x 48 x 29.6	100	47	5.76	\$614	\$273

Attaches to edge of worksurfaces. Attaching hardware included. Grommet in worksurface. Shipped RTA (ready to assemble).

Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).

⊬ <sub>20"</sub> → ⊬ <sub>24"</sub> →	

MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A4272EIR	42-32 x 72 x 29.6	100	104	11.5	\$1294	\$710


Extended island worksurface on right. Connects to 20"D returns or 24"D space saver connectables on the left. Not freestanding. Predrilled to accept 22"-28" keyboard trays. Grommet in worksurface. Shipped RTA (ready to assemble).

Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position	Power block	
Base finish	HP laminate	Keyboard tray	
Post finish*	Power block cut-out	Pencil tray	

A

#### **EXTENDED CORNER ISLANDS**



Extended Corner Island - LEFT\*

P" ISLANDS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
A4272EIL	42-32 x 72 x 29.6	100	104	11.5	\$1294	\$710	

Extended island worksurface on left. Connects to 20"D returns or 24"D space saver connectables on the right. **Not freestanding.** Predrilled to accept 22"-28" keyboard trays. Grommet in worksurface. Shipped RTA (ready to assemble).

<ul> <li>Post is shipped in separate carton</li> </ul>	Standard in Black (TRI	): Tungsten is available at no charge	nlease specify (TTII)
- 1 OSt 13 SHIPPEU III SCPUIULE CUITOII	. Otanuaru ili biack (TDI	i, rungston is available at no charge	, picase specify ( I I O).


	98° 60° 66° 72° 142°
U	

"P" Island LEFT - Full End Panel & Post (T-Base)\*



Connects to left side of worksurface. Attaching hardware included. **Not freestanding**. Grommet in worksurface. Shipped RTA (ready to assemble).

• Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).



"P" Island RIGHT - Full End Panel & Post (T-Base)\*

A3672FPR	36-42 x 72 x 29.6	85	128	9.26	\$1267	\$710
A3666FPR	36-42 x 66 x 29.6	85	122	8.76	\$1157	\$710
A3660FPR	36-42 x 60 x 29.6	85	116	8	\$1102	\$603

Connects to right side of worksurface. Attaching hardware included. **Not freestanding**. Grommet in worksurface. Shipped RTA (ready to assemble).

• Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).


"P" ISLANDS WITH	FULL MODESTY PANEL
	36°

"P" Island LEFT - Full Modesty Panel (H-Base)

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A3672PL	36-42 x 72 x 29	.6 70	143	7.75	\$1157	\$710	
A3666PL	36-42 x 66 x 29	.6 70	136	7.25	\$1048	\$710	
A3660PL	36-42 x 60 x 29	.6 70	126	6.5	\$991	\$603	

Connects to the left side of a worksurface. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




"P" Island RIGHT - Full Modesty Panel (H-Base)

A3672PR	36-42 x 72 x 29.6	70	143 7.75	\$1157 \$710
A3666PR	36-42 x 66 x 29.6	70	136 7.25	\$1048 \$710
A3660PR	36-42 x 60 x 29.6	70	126 6.5	\$991 \$603


Connects to the right side of a worksurface. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Required Specifications	Optional Specifications	Accessories
Top finish	Additional grommet position	Power block
Base finish	HP laminate	Keyboard tray
Post finish*	Power block cut-out	Pencil tray



"P" Island LEFT with Post\*



"P" Island RIGHT with Post\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
A3672IPL	36-42 x 72 x 29.6	6 100	92	9.26	\$1102	\$710	
A3666IPL	36-42 x 66 x 29.6	6 100	86	8.76	\$991	\$710	
A3660IPL	36-42 x 60 x 29.6	6 92.5	80	8	\$939	\$603	

Attaches to edge of worksurfaces. Attaching hardware included. Grommet in worksurface. Shipped RTA (ready to assemble).

• Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).

A3672IPR	36-42 x 72 x 29.6	100	92	9.26	\$1102	\$710
A3666IPR	36-42 x 66 x 29.6	100	86	8.76	\$991	\$710
A3660IPR	36-42 x 60 x 29.6	92.5	80	8	\$939	\$603

Attaches to edge of worksurfaces. Attaching hardware included. Grommet in worksurface. Shipped RTA (ready to assemble).

• Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).

RADIUS SPANNER ISLANDS					
	2" 2" 20"24"30"-H I20"24"30"-H 42"50"62"				
	1 '41				

**Radius Spanner Island with** Panel Cut-Out\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A62RS	31 x 62 x 29.6	100	59	6.76	\$1016	\$427
A50RS	25 x 50 x 29.6	125	46	5.76	\$883	\$356
A42RS	21 x 42 x 29.6	125	41	5.26	\$799	\$286

Used to connect two back-to-back units of same depth with a panel. Includes monopost. Requires "L" bracket (model MLB90) for connection to full end panels. Shipped RTA (ready to assemble).

- MLB90 must be ordered separately see page 470.
- Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).
- · Cannot accept keyboard trays or pencil tray



Kadius Span	ner Island*
-------------	-------------

A60RS	29.69 x 60 x 29.6	100	56 5.76	\$1016 \$356
A48RS	24 x 48 x 29.6	125	43 5.76	\$883 \$286
A40RS	20 x 40 x 29.6	125	40 5.26	\$799 \$286

Used to connect two back-to-back units of same depth. Includes monopost. Requires "L" bracket (model MLB90) for connection to full end panels. Shipped RTA (ready to assemble).

- MLB90 must be ordered separately see page 470.
- Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).
- · Cannot accept keyboard trays or pencil tray

RECEPTION DESKS	

Lower Desk Unit\*\*

MODEL#	DIMENSIONS	FKEIGHT	CLASS	WI/LBS.	CUBIC FI.	LIST PRICE	HP AUU
A3072RD	29.69 x 72 x 29.	.6 70		149	7	\$1102	\$498

No pedestals. Two grommets in worksurface. Shipped RTA (ready to assemble).

· Cannot be used with Divide.



Single Pedestal Lower Desk Unit - LEFT\*\*

A3072RDL	29.69 x 72 x 29.6	150	222	43.75	\$1593	\$498
A3060RDL	29.63 x 60 x 29	150	201	36	\$1376	\$464

Box/file pedestal on left with lock. Two grommets in worksurface.

· Cannot be used with Divide.

Required Spe	cifications
Top finish	
Base finish (no	t radius spanner islands)
Post finish*	

Optional Specifications	
Additional grommet position*	
HP laminate*	
Power block cut-out*	

Accessories Power block<sup>5</sup> Keyboard tray\*\* Pencil tray\*

**HP ADD** 

\$498

\$464

\$227

\$227

\$227

LIST PRICE


\$1593

\$1376

\$1048

\$1048

\$773



**Reception Return - LEFT** 



**Reception Return - RIGHT** 



**Transaction Counter** 



**Bow Front Transaction Counter** 

No pedestal. Grommet in worksurface.

•	Cannot	be	used	with	Divide.

A2442KRR 24 x 42 x 29.6 70 83 3.8 <b>\$773 \$227</b>							
	A2442KRR	24 x 42 x 29.6	70	83	3.8	\$773	\$227

#### No pedestal. Grommet in worksurface.

• Cannot be used with Divide.

A3072URD	29.69 x 72 x 13.75	70	67 4.3	\$667	\$286
A3060URD	29.63 x 60 x 13.75	65	59 2.6	\$626	\$286

For main reception desk. Shipped RTA (ready to assemble). Depth of reception top is 12".

 Reception top units are to be used only with lower reception units. Tops have mini-fix fasteners to attach the reception top units.

A3072URB	29.69-36 x 72 x 13.75 70	72 4.3	\$904 \$356

For main reception desk. To be used on A3072RD, A3072RDL or A3072RDR. Shipped RTA (ready to assemble). Depth of reception bow top is 12-15".

• Reception top units are to be used only with desks listed. Tops have mini-fix fasteners to attach the reception top units.

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position*	Power block*	
Base finish	HP laminate*	Keyboard tray*	
	Power block cut-out*	Pencil tray*	



Roturn	Screen	llnit -	I FFT



**Return Screen Unit - RIGHT** 



**Desk Top Organizer** 

MODEL# FREIGHT CLASS **DIMENSIONS** WT/LBS. CUBIC FT. LIST PRICE **HP ADD** DxWxH 2 27 A2442URL 24 x 42 x 12.75 85 \$337 N/A

To be used on top of left reception return (A2442RRL/KRL). Shipped RTA (ready to assemble).

• Reception top units are to be used only with returns listed. Tops have mini-fix fasteners to attach the reception top units.

A2442URR	24 x 42 x 12.75	85	27	2	\$337	N/A
----------	-----------------	----	----	---	-------	-----

To be used on top of right reception return (A2442RRR/KRR). Shipped RTA (ready to assemble).

• Reception top units are to be used only with returns listed. Tops have mini-fix fasteners to attach the reception top units.

A11720RD	11 x 52 x 6	100	22	2.6	\$226	N/A

To be used under transaction counter. Black (BK) finish only. Shipped RTA (ready to assemble).

# WALL/PANEL MOUNT OVERSTORAGE UNITS

Overetorane	IInit*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A00S60	15 x 60 x 16	70	86	5.25	\$829	N/A
A00S48	15 x 48 x 16	70	70	4.3	\$677	N/A
A00S42	15 x 42 x 16	70	62	3.8	\$667	N/A
A00S36	15 x 36 x 16	70	56	3.3	\$589	N/A
A00S30	15 x 30 x 16	70	48	3	\$551	N/A

Standard with pre-mounted "J" bracket for wall mount applications. One fixed shelf, closed back. Uses standard Adaptabilities hutch doors. Shipped RTA (ready to assemble).

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting

#### **OPEN HUTCHES**



173/4	20	

Open Hutch with Closed Back\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A72HOCB	15 x 72 x 36	125	175	28.25	\$1187	N/A
A71HOCB	15 x 71.69 x 36	125	175	28.25	\$1187	N/A
A66HOCB	15 x 66 x 36	125	164	26	\$1133	N/A
A60H0CB	15 x 60 x 36	125	151	23.75	\$1048	N/A

One fixed shelf and fixed shelf divider. Closed back features a grommet and flexible sweep for wire management. All hutches shipped pre-assembled. \*A71H0CB for use when spanning 30" x 60/66" SPL/R and 20/24" x 42" FL/FR/L4/R4.

- Clearance from worksurface to valance is 17 ¾"; clearance from worksurface to hutch doors is 20".
- Woodgrain runs horizontal on both the upper and lower back panels.

23332123323312323355	1
	į

17% 20		
	173/4	20
	ļ	

**Open Hutch with Closed Back** 

A48H0CB	15 x 48 x 36	125	124	19	\$831	N/A
A42HOCB	15 x 42 x 36	125	111	16.75	\$831	N/A
A36HOCB	15 x 36 x 36	125	99	14.5	\$719	N/A
A30H0CB	15 x 30 x 36	125	88	12.25	\$667	N/A

One fixed shelf. Closed back features a grommet and flexible sweep for wire management. All hutches shipped preassembled.


- Clearance from worksurface to valance is 17 ¾"; clearance from worksurface to hutch doors is 20".
- · Woodgrain runs horizontal on both the upper and lower back panels.

Required	Specifications
Top finish	

Base finish

**Optional Specifications** 

Doors\*




PIGEON-HOLE STORAGE

#### **Horizontal Pigeon-Hole Storage**



For additional storage. Can be top or bottom mounted. For use inside hutch. Shipped RTA (ready to assemble).

- Cannot be used on AOOS and COOS Overstorage Units.
- Black finish is standard. Brushed Cobalt is available at no charge, please specify as BRC.



**Vertical Pigeon-Hole Storage** 

AVS14 11.25 x 13.37 x 14.37 85 \$436 13 0.9 N/A

For use in conjunction with the Horizontal Pigeon-Hole Storage. Can be used under or over horizontal unit. Shipped RTA (ready

Black finish is standard. Brushed Cobalt is available at no charge, please specify as BRC.

			_
			1
		•	
	لمر		
J			J

**CORNER HUTCHES** 

**Corner Hutch with Closed Back** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A42CH	15 x 42 x 36	65	144	6.25	\$1398	N/A	
A36CH	15 x 36 x 36	65	125	4.8	\$1178	N/A	

One fixed shelf. Closed back features a grommet in both back panels and flexible sweep for wire management. Shipped RTA (ready to assemble).

• Woodgrain runs horizontal on both the upper and lower back panels.



**RIGHT Corner Hutch with Closed Back** 

	100700LID	15 00 70 00	0.5	100	7	04500	N I / A
F	436/2UHK	15 X 3b-72 X 3b	ხხ	186	1	\$1539	N/A
A	A3666CHR	15 x 36-66 x 36	65	177	7	\$1483	N/A

One fixed shelf and shelf divider on left side. Closed back features a grommet in both back panels and flexible sweep for wire management on the left side. Shipped RTA (ready to assemble).

• Woodgrain runs horizontal on both the upper and lower back panels.



**LEFT Corner Hutch with Closed Back** 

A3672CHL	15 x 36-72 x 36	65	186	7.25	\$1539	N/A	
A3666CHL	15 x 36-66 x 36	65	177	7.25	\$1483	N/A	

One fixed shelf and shelf divider on right side. Closed back features a grommet in both back panels and flexible sweep for wire management on the right side. Shipped RTA (ready to assemble).

• Woodgrain runs horizontal on both the upper and lower back panels.

**Required Specifications** 

**Optional Specifications** 

Top finish Base finish



TCH DOORS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	ADOOR72	.69 x 17.75 x 15	85	25	1.8	\$436	N/A
1 de 4 de	ADOOR71	.69 x 17.12 x 15	85	25	1.8	\$436	N/A
// g/s // g/s	ADOOR66	.69 x 16.75 x 15	85	24	1.8	\$436	N/A
	ADOOR60	.69 x 14.75 x 15	85	22	1.8	\$436	N/A



Two-Door Kit

ADOOR48	.69 x 23.5 x 15	92.5	18	1.8	\$283	N/A
ADOOR42	.69 x 20.5 x 15	100	17	1.8	\$283	N/A
ADOOR36	.69 x 17.5 x 15	100	15	1.8	\$283	N/A
ADOOR30	.69 x 14.5 x 15	125	13	1.8	\$283	N/A

For use on 48", 42" 36" and 30"W straight hutches. Hinges included. Locks available, Add \$137 each lock. Doors for units 48" wide or less require one lock.





ADOOR72C	.69 x 56.5 x 15	70	27	1.8	\$553	N/A
ADOOR66C	.69 x 50.5 x 15	85	25	1.8	\$505	N/A

**Corner Hutch Four-Door Kit** 

For use on 72" and 66"W corner hutches. Hinges included. Locks not available on corner hutch doors.



Corner	Hutch	Two-Door	Kit

ADOOR42C	.69 x 26.5 x 15	92.5	20	1.8	\$480	N/A
ADOOR36C	.69 x 21.5 x 15	100	17	1.8	\$314	N/A

For use on 42" and 36"W corner hutches. Hinges included. Locks not available on corner hutch doors.

Required Specifications
Finish

	١
L	1
	7

Tackboard  Tackboard	92.5  ludes mounting so	7 screws and co	0.65 vers.	1 2 3 4 5 5 1 2 3 4 5 5	\$442 \$528 \$588 \$688 \$790 \$442 \$528 \$589 \$688 \$790 \$435 \$510 \$568 \$651 \$749
Grade 2: Imprint, Lola Grade 3: Anchorage, Merge  ATB7016	92.5  ludes mounting so 92.5  udes mounting sc	7 crews and cov	vers. 0.65	2 3 4 5 1 2 3 4 5	\$528 \$588 \$688 \$790 \$442 \$528 \$528 \$589 \$688 \$790 \$435 \$510 \$568 \$651
Tackboard  For use on A72H0CB straight hutch. If  ATB6916  Tackboard  For use on A71H0CB straight hutch. If  ATB6416  Tackboard  For use on A66H0CB straight hutch. If  ATB5816  Tackboard  For use on A66H0CB straight hutch. If  ATB5816  Tackboard  ATB5816  Tackboard  For use on A60H0CB straight hutch. If	ludes mounting so 92.5 udes mounting so	7 crews and cov	vers. 0.65	2 3 4 5 1 2 3 4 5	\$528 \$588 \$688 \$790 \$442 \$528 \$528 \$589 \$688 \$790 \$435 \$510 \$568 \$651
Tackboard  For use on A72H0CB straight hutch. If  ATB6916  1 x 69.5 x 15  For use on A71H0CB straight hutch. If  ATB6416  1 x 64 x 15  Tackboard  For use on A66H0CB straight hutch. If  ATB5816  1 x 58 x 15  Tackboard  For use on A60H0CB straight hutch. If  ATB6416  1 x 46 x 15	ludes mounting so 92.5 udes mounting so	7 crews and cov	vers. 0.65	2 3 4 5 1 2 3 4 5	\$528 \$588 \$688 \$790 \$442 \$528 \$528 \$589 \$688 \$790 \$435 \$510 \$568 \$651
Tackboard  For use on A72H0CB straight hutch. In ATB6916  Tackboard  For use on A71H0CB straight hutch. In ATB6416  Tackboard  For use on A66H0CB straight hutch. In ATB5816  Tackboard  For use on A60H0CB straight hutch. In ATB4616  Tackboard	ludes mounting so 92.5 udes mounting so	7 crews and cov	vers. 0.65	2 3 4 5 1 2 3 4 5	\$528 \$588 \$688 \$790 \$442 \$528 \$528 \$589 \$688 \$790 \$435 \$510 \$568 \$651
Tackboard  For use on A72H0CB straight hutch. In ATB6916  Tackboard  For use on A71H0CB straight hutch. In ATB6416  Tackboard  For use on A66H0CB straight hutch. In ATB5816  Tackboard  For use on A60H0CB straight hutch. In ATB4616  Tackboard	92.5 udes mounting sc	7 crews and cov	vers. 0.65	3 4 5 1 2 3 4 5	\$588 \$688 \$790 \$442 \$528 \$589 \$688 \$790 \$435 \$510 \$568 \$651
Tackboard  For use on A71H0CB straight hutch. In ATB6416  Tackboard  For use on A66H0CB straight hutch. In ATB5816  Tackboard  For use on A60H0CB straight hutch. In ATB5816  Tackboard  Tackboard  For use on A60H0CB straight hutch. In ATB4616  ATB4616  Tackboard	92.5 udes mounting sc	7 crews and cov	0.65	1 2 3 4 5	\$442 \$528 \$589 \$688 \$790 \$435 \$510 \$568 \$651
Tackboard  For use on A71H0CB straight hutch. In ATB6416  Tackboard  For use on A66H0CB straight hutch. In ATB5816  Tackboard  For use on A60H0CB straight hutch. In ATB5816  Tackboard  Tackboard  For use on A60H0CB straight hutch. In ATB4616  ATB4616  Tackboard	92.5 udes mounting sc	7 crews and cov	0.65	1 2 3 4 5	\$442 \$528 \$589 \$688 \$790 \$435 \$510 \$568 \$651
Tackboard  For use on A71H0CB straight hutch. In ATB6416  Tackboard  For use on A66H0CB straight hutch. In ATB5816  Tackboard  For use on A60H0CB straight hutch. In ATB5816  Tackboard  Tackboard  For use on A60H0CB straight hutch. In ATB4616  ATB4616  ATB4616  Tackboard	92.5 udes mounting sc	7 crews and cov	0.65	2 3 4 5	\$528 \$589 \$688 \$790 \$435 \$510 \$568 \$651
Tackboard  For use on A71H0CB straight hutch. In ATB6416  Tackboard  For use on A66H0CB straight hutch. In ATB5816  Tackboard  For use on A60H0CB straight hutch. In ATB4616  ATB4616  Tx 46 x 15	udes mounting sc	crews and cov	ers.	2 3 4 5	\$528 \$589 \$688 \$790 \$435 \$510 \$568 \$651
Tackboard  For use on A66HOCB straight hutch. In  ATB5816  Tackboard  For use on A60HOCB straight hutch. In  ATB4616  ATB4616  Tx 46 x 15				3 4 5 1 2 3 4	\$589 \$688 \$790 \$435 \$510 \$568 \$651
Tackboard  For use on A66H0CB straight hutch. In  ATB5816  Tackboard  For use on A60H0CB straight hutch. In  ATB4616  ATB4616  Tx 46 x 15				1 2 3 4	\$688 \$790 \$435 \$510 \$568 \$651
Tackboard  For use on A66H0CB straight hutch. In ATB5816  Tackboard  For use on A60H0CB straight hutch. In ATB4616  ATB4616  1 x 46 x 15				1 2 3 4	\$435 \$510 \$568 \$651
Tackboard  For use on A66H0CB straight hutch. In ATB5816  Tackboard  For use on A60H0CB straight hutch. In ATB4616  ATB4616  1 x 46 x 15				2 3 4	\$510 \$568 \$651
Tackboard  For use on A66H0CB straight hutch. In ATB5816  1 x 58 x 15  Tackboard  For use on A60H0CB straight hutch. In ATB4616  1 x 46 x 15	100	6.4	0.65	2 3 4	\$510 \$568 \$651
ATB5816				3 4	\$568 \$651
ATB5816				4	\$651
Tackboard  For use on A60H0CB straight hutch. In ATB4616  1 x 46 x 15				5	\$749
Tackboard  For use on A60H0CB straight hutch. In ATB4616  1 x 46 x 15				J	·
Tackboard  For use on A60H0CB straight hutch. In  ATB4616  1 x 46 x 15	udes mounting sc	crews and cov	ers.		
ATB4616 1 x 46 x 15	92.5	5.8	0.54	1	\$424
ATB4616 1 x 46 x 15				3	\$499 \$554
ATB4616 1 x 46 x 15				4	\$643
ATB4616 1 x 46 x 15				5	\$740
	udes mounting sc	crews and cov	ers.		
Tackboard For use on A48H0CB straight hutch. In	92.5	4.6	0.43	1	\$295
Tackboard For use on A48H0CB straight hutch. In				2 3	\$356 \$398
Tackboard For use on A48H0CB straight hutch. In				4	\$462
Tackboard For use on <b>A48HOCB</b> straight hutch. In				5	\$531
	udes mounting sc	crews and cov	ers.		
ATB4016 1 x 40 x 15		4	0.43	1	\$287
	100			2 3	\$337 \$374
	100			4	\$432
	100			5	\$495
Tackboard For use on A42H0CB straight hutch. In	100				
		crews and cov	ers.		

Required Specifications
Fabric

	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRADE	LIST PRIC
	ATB3416	1 x 34 x 15	125	3.40	.43	1	\$278
						2	\$326
						3	\$364
						4	\$416
						5	\$480
	For use on <b>A36H</b>	OCB straight hutch. Includ	des mounting sc	rews and cov	ers.		
	ATB2816	1 x 28 x 15	125	2.8	0.43	1	\$267
						2	\$307
						3	\$336
						4	\$377
						5	\$434
	For use on <b>A30H</b>	OCB straight hutch. Includ	des mounting sc	rews and cov	ers.		
ORNER HUTCHES	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	ATB72CH	1 x 33-72 x 15	125	9.94	1.3	1	\$682
		70 w x 15¾ h				2	\$769
						3	\$830
						4	\$929
						5	\$1068
	For use on <b>A3672</b>	CHR/L corner hutch. Inc	cludes mounting	screws and c	overs.		
~	ATB66CH	1 x 33-64 x 15	125	9.4	1.3	1	\$671
		64 w x 15¾ h				2	\$746
						3	\$808
						4	\$890
						5	\$1024
-	For use on <b>A3660</b>	GCHR/L corner hutch. Inc	ludes mounting	screws and c	overs.		
	ATD 40CLL	1 20 40 15	100	7.7	0.05	1	èFac
	ATB42CH	1 x 39-40 x 15	100	7.7	0.85	1 2	\$536 \$590
						3	\$639
						4	\$703
						5	\$809
7	For use on <b>A42C</b>	H corner hutch. Includes	mounting screw	s and covers.			
	ATB36CH	1 x 33-34 x 15	125	6.6	0.85	1	\$513
						2	\$566
						3	\$602
						4	\$675
						5	\$777

Required Specifications
Fabric - Tackboards

Finish - Transaction Top



**Wall Mounted Tackboard** 

WALL MOUNTED TACKBOARDS

DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRADE LIST PRICE	
D x W x H					
1.25 x 30 x 19	125	6.3	1	1	\$343
				2	\$397
				3	\$457
				4	\$523
				5	\$601
	D x W x H	D x W x H	DxWxH	D x W x H	DxWxH  1.25 x 30 x 19

For use under A00S30 overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

AWHT3619	1.25 x 36 x 19	125	7.6	1	1	\$382
					2	\$443
					3	\$507
					4	\$581
					5	\$668

For use under A00S36 overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

AWHT4219	1.25 x 42 x 19	100	8.9	1	1	\$443
					2	\$512
					3	\$588
					4	\$675
					5	\$774

For use under A00S42 overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

AWHT4819	1.25 x 48 x 19	92.5	10.1	1	1	\$482
					2	\$556
					3	\$639
					4	\$735
					5	\$842

For use under A00S48 overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall Mounted Tackboard** 




**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

**Required Specifications** 

# **ADAPTABILITIES®**



**Wall Mounted Tackboard** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRAI	DE LIST PRICE
	D x W x H					
AWHT6019	1.25 x 60 x 19	125	12.7	1.8	1	\$594
					2	\$686
					3	\$789
					4	\$907
					5	\$1039

For use under A00S60 overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



For use under multiple Adaptabilities wall mounted overstorage units. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

AWHT7219	1.25 x 72 x 19	100	15.2	1.8	1	\$693
					2	\$799
					3	\$917
					4	\$1055
					5	\$1212

For use under multiple Adaptabilities wall mounted overstorage units. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

\$732	1	1.8	16.5	100	1.25 x 78 x 19	AWHT7819
\$844	2					
\$968	3					
\$1114	4					
\$1278	5					

For use under multiple Adaptabilities wall mounted overstorage units. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

**Required Specifications** 



**ACCESSORY PIECES** 

Wall Mounted Tackboard\*\*

D x W x H	
AWHT8419 1.25 x 84 x 19 100 17.7 1.8 1	\$791
2	\$914
3	\$1049
4	\$1205
5	\$1385

For use under **multiple** Adaptabilities wall mounted overstorage units. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

<u></u>

**ACCESSORY PIECES** 

Mixed Drawer Cabinet - LEFT\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A2036MDL	20 x 36 x 29.6	92.5	162	15.5	\$2094	\$172	
A2436MDI	24 x 36 x 29 6	100	176	18.25	\$2126	\$172	

Two box drawers on **right**, one file drawer on **left** and one lateral file drawer on bottom. File on lateral file drawers locking. 1 pencil tray. Front-to-back filing bars.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit, model "LFCWKIT36" on page 41 MUST be used.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.



Mixed Drawer Cabinet - RIGHT\*

A2036MDR	20 x 36 x 29.6	92.5	162	15.5	\$2094	\$172	
A2436MDR	24 x 36 x 29.6	100	176	18.25	\$2126	\$172	

Two box drawers on **left**, one file drawer on **right** and one lateral file drawer on bottom. File on lateral file drawers locking. 1 pencil tray. Front-to-back filing bars.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit, model "LFCWKIT36" on page 41 MUST be used.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.



**Mixed Drawer Cabinet Shell - LEFT\*** 

A2036MDLS	19.25 x 36 x 28.6	100	137	15	\$2041	N/A
A2436MDLS	23.25 x 36 x 28.6	100	150	18	\$2075	N/A

For use under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. Unfinished top, no back. Two box drawers on right, one file drawer on left and one lateral file drawer on bottom. File and lateral file drawers locking. 1 pencil tray. Front-to-back filing bars.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- For 24" deep worksurfaces, order A2436MDLS. For 20" deep worksurfaces, order A2036MDLS.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.

Required Specifications	Optional Specifications
Fabric**	Key # *
Top finish*	
Handle finish*	
Base finish*	

# ADAPTABILITIES®



**Mixed Drawer Cabinet Shell - RIGHT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A2036MDRS	19.25 x 36 x 28.	6 100	137	15	\$2041	N/A
A2436MDRS	23.25 x 36 x 28.	6 100	150	18	\$2075	N/A

For use under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. Unfinished top, no back. Two box drawers on left, one file drawer on right and one lateral file drawer on bottom. File and lateral file drawers locking. 1 pencil tray. Front-to-back filing bars.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- For 24" deep worksurfaces, order A2436MDRS. For 20" deep worksurfaces, order A2036MDRS.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.

A2436MSC	24 x 36 x 29.6	100	163	18.25	\$1566	\$172
A2036MSC	20 x 36 x 29.6	100	147	15.5	\$1447	\$172

Features open storage compartment with access grommet on back. 2 box drawers and 1 lateral file drawer, all locking. 1 pencil tray. Front-to-back filing bars.

- To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit, model "LFCWKIT36" on page 41 MUST be used.
- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

A2436MSCS	23.25 x 36 x 28	100	121	14.9	\$1527	N/A
A2036MSCS	19.25 x 36 x 28	125	136	17.45	\$1407	N/A



**Mixed Storage Cabinet Shell** 

Mixed Storage Cabinet\*

For use under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. Unfinished top, no back. Features open storage compartment with access grommet on back. 2 box drawers and 1 lateral file drawer, all

• Black handles are standard. Silver is available at no charge, please specify as SI.

locking. 1 pencil tray. Front-to-back filing bars.

- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- For 24" deep worksurfaces, order A2436MSCS. For 20" deep worksurfaces, order A2036MSCS.

A2036LF	20 x 36 x 29.6	100	145	15.5	\$1294	\$172



2 Drawer Lateral File\*

Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension.

- To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit, model "LFCWKIT36" on page 41 MUST be used.
- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

	24 20 20 0					
A2436S2	24 x 36 x 28.6	125	114	18	\$1717	N/A
A2036S2	20 x 36 x 28.5	125	104	14.75	\$1717	N/A



2 Drawer Lateral File Shell

For use under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. No top or back.

Two full suspension locking drawers with steel drawer interior. Steel drawer construction includes metal sides and masonite bottoms. Side-to-side file bars included. Anti-lock tilt suspension.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- To prevent overloading, steel drawers do not include a back panel
- For 24" deep worksurfaces, order A2436S2. For 20" deep worksurfaces, order A2036S2.
- For front-to-back file bars order FBB, "FBB" on page 41.

Required Specifications	Optional Specifications
Top finish*	Key #
Base finish	HP laminate*
Handles	





#### 2 Drawer Lateral File Top and Back\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
ALF24TB	24 x 36 x 29.6	65	82	3.3	\$537	\$215	
ALF20TB	20 x 36 x 29.6	65	78	3.3	\$537	\$215	

For use with Lateral File Shell. Counterweights included. Shipped RTA (ready to assemble).

• Use **ALF24TB** for model A2436S2. Use **ALF20TB** for model A2036S2.

A2036S3	20 x 36 x 37.75	92.5	219	20	\$2479	\$172



3 Drawer Lateral File\*

Three full suspension locking drawers with **steel drawer interior**. Steel drawer construction includes metal sides and masonite bottoms. Side-to-side file bars included. Anti-lock tilt suspension.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- For front-to-back file bars order FBB; See "FBB" on page 41.
- To prevent overloading, steel drawers do not include a back panel

7.200001 20 X 00 X 10.0 02.0 207 20.70 <b>401.2 41.2</b>	A2036S4 20 x 36 x 49.5 92.5	5 267 25.75 <b>\$3142 \$172</b>
--	-----------------------------	---------------------------------



4 Drawer Lateral File\*

Four full suspension locking drawers with **steel drawer interior**. Steel drawer construction includes metal sides and masonite bottoms. Side-to-side file bars included. Anti-lock tilt suspension.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- For front-to-back file bars order FBB; See "FBB" on page 41.
- To prevent overloading, steel drawers do not include a back panel

A2036SC	20 x 36 x 29.6	125	121	15.5	\$991	\$172



Storage Cabinet\*

Self-closing hinged doors cover one adjustable shelf. Standard with lock.

• Black handles are standard. Silver is available at no charge, please specify as SI.

A2436SCS	23.25 x 36 x 28.6	150	106	18	\$856	N/A
A2036SCS	19.25 x 36 x 28.6	125	91	14.75	\$856	N/A



**Storage Cabinet Shell** 

For use under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. No top or back. Self-closing hinged doors cover one adjustable shelf. Standard with lock.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- For 24" deep worksurfaces, order **A2436SCS**. For 20" deep worksurfaces, order **A2036SCS**.

ASC	24TB	24 x 36 x 29.6	85	49	3.3	\$362	\$215
ASC	20TB	20 x 36 x 29.6	85	45	3.3	\$362	\$215



Storage Cabinet Top and Back\*

For use with Storage Cabinet Shell. Shipped RTA (ready to assemble).

• Use **ASC24TB** for model A2436SCS/MSCS; use **ASC20TB** for model A2036SCS/MSCS.

Required Specifications	Optional Specifications
Top finish*	Key #
Base finish	HP laminate*
Handles	

# **ADAPTABILITIES®**



Credenza Top and Back\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
A2472TB	24 x 72 x 29.6	70	95	6	\$741	\$372	
A2072TB	20 x 72 x 29.6	85	87	6	\$741	\$356	

For use with the following: two Lateral File Shells, or two Storage Cabinet Shells, or two Mixed Storage Cabinet Shells, or any combination. May also be used with one Lateral File Shell plus one Full Leg, or one Storage Cabinet/ Mixed Storage Cabinet Shell plus one Full Leg. Shipped RTA (ready to assemble).

- For 24" deep worksurfaces, order **A2472TB**. For 20" deep worksurfaces, order **A2072TB**.
- Does not include hardware to attach to storage shells.

A24FL	23.4 x 1 x 28.6	92.5	20	1.7	\$261	N/A
A20FL	19.3 x 1 x 28.6	65	16	0.6	\$261	N/A

For use at either end of A24/2072TB Credenza Top and Back to create a kneespace. Non-handed; can be used left or right. Shipped RTA (ready to assemble).

- For 24" deep worksurfaces, order **A24FL**. For 20" deep worksurfaces, order **A20FL**.
- Does not include hardware for installation.

A24PTFF	24 x 24 x 65.5	100	219	27	\$2580	N/A
A20PTFF	20 x 24 x 65.5	100	198	22.75	\$2580	N/A

Includes 7" wardrobe section with a hanging rod; storage section with one adjustable shelf; and file section with two file drawers. Locks are keyed alike. Upper lock secures wardrobe and storwage section. Lower lock secures both file drawers.

• Black handles are standard. Silver is available at no charge, please specify as SI.

A24PTBBF	24 x 24 x 65.5	125	213	27	\$2580	N/A
A20PTBBF	20 x 24 x 65.5	100	193	22.75	\$2580	N/A

Includes 7" wardrobe section with a hanging rod; storage section with one adjustable shelf; and file section with box-box-file drawers. Locks are keyed alike. Upper lock secures wardrobe and storage section. Lower lock secures all drawers.

• Black handles are standard. Silver is available at no charge, please specify as SI.

A3665VSL	20 x 36 x 65.5	100	273	33	\$2412	N/A

Contains storage area with one adjustable shelf behind a self-closing hinged door, plus two full suspension file drawers. Lateral file drawers lock.

- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- Black handles are standard. Silver is available at no charge, please specify as SI.

A2436DI	24 x 36 x 65.5	70	254	11.5	\$2982	N/A
A3665DI	20 x 36 x 65.5	70	237	11.5	\$2631	N/A

Includes 16" hanging rod on one side and four adjustable shelves on the other. Lock. Shipped RTA (ready to assemble).

• Black handles are standard. Silver is available at no charge, please specify as SI.

**Required Specifications** Top finish Base finish

Handles (only personal towers)

**Optional Specifications** Key #\*\* HP laminate\*



Full Leg

Personal Tower\*\*



Personal Tower\*\*



Vertical Storage/Lateral File Cabinet\*\*



Storage Wardrobe Cabinet\*\*



Storage Cabinet\*\*




Wardrobe Cabinet\*\*




**Printer Table\*** 




Magazine Table\*



**Pull-Out Keyboard** 



**Counter Weight Kit** 



Front-to-Back Hanging File Bars

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
A2436SH	24 x 36 x 65.5	65	280	11.5	\$2626	N/A	
A3665SH	20 x 36 x 65.5	65	261	11.5	\$2302	N/A	

Includes four adjustable shelves. Lock. Shipped RTA (ready to assemble).

• Black handles are standard. Silver is available at no charge, please specify as SI.

A2436ROD	24 x 36 x 65.5	70	205	11.5	\$2842	N/A
A3665ROD	20 x 36 x 65.5	70	198	11.5	\$2412	N/A

Includes full width hanging rod. Lock. Shipped RTA (ready to assemble).

• Black handles are standard. Silver is available at no charge, please specify as SI.

A2430PT	24 x 30 x 29.6	65	108	4.3	\$991	\$172	
---------	----------------	----	-----	-----	-------	-------	--

Includes two fixed shelves, cut-back top shelf allows paper to fall onto lower shelf. Shipped RTA (ready to assemble).

A2248MT	22 x 48 x 18.5	85	61	4.3	\$553	\$245
A2222MT	22 x 22 x 18.5	85	40	3	\$447	\$130

Shipped RTA (ready to assemble).

APOKL28	17 x 28 x 3.5	85	13	0.9	\$337	N/A
APOKL22	17 x 22 x 3.5	85	12	0.9	\$305	N/A

Constructed of thermofused laminate. **APOKL28** will accommodate keyboard and mousepad. **APOKL28** will only fit on a single pedestal desk, freestanding table, or **A42205C**. Please specify color from available finishes listed on pg. 11.

• APOKL28 will not fit extended corners or A42245C, A36205C 5-sided corners.

LFCWKIT36	6 x 33 x 1	60	40	0.25	\$754	N/A

3 metal plates. Plates mount to the underside of any 36" wide Lateral File or Mixed Storage/Drawer cabinet. Includes mounting hardware. Must be ordered separately. Field installed.

• To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit MUST be used with the appropriate Lateral Files and Mixed Storage Cabinets.

FBB	x 15.2 x	70	1	0.01	\$30	N/A
FBB-50	x 15.2 x	60	50	0.5	\$910	N/A
FBB-100	x 15.2 x	60	100	2.71	\$1666	N/A

Includes two bars. Grey. FBB is one pair; FBB-50 is fifty pairs; FBB-100 is 100 pairs.

• Not recommended for "L" opening with receding door and roll-out shelves.

Required Specifications	Optional Specifications
Top finish	Key #**
Base finish	HP laminate*
Handles**	

# A ADAPTABILITIES®

BOOKCASES	MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	ABC72	<b>D x W x H</b> 12 x 36 x 72.5	125	170	23	\$1187	N/A
okcase - 72" High*	One fixed heavy d	uty shelf and <b>three adjus</b>	stable shelves.	Shipped fu	lly assembled.		
	ABC65	12 x 36 x 65.5	125	150	21	\$1157	N/A
ookcase - 65" High*	One fixed heavy d	uty shelf and <b>two adjust</b>	able shelves. S	Shipped fully	y assembled.		
	ABC48	12 x 36 x 48.5	125	116	15.75	\$883	N/A
sookcase - 48" High*	Two adjustable	<b>shelves</b> . Shipped fully a	ssembled.				
	ABCSHELF	11 x 34 x 1	100	13	1.5	\$276	N/A
ookcase Shelf	Extra shelf for boo	okcases. 1" thick.					
	A3636TBC	15 x 36 x 36	125	111	17	\$759	N/A
	AD00R3636	.69 x 36 x 36	125	35	4.5	\$384	N/A
ble Top Bookcase	<ul> <li>For a set of doo</li> </ul>	p of 36"w lateral file or s rs, order <b>ADOOR3636</b> . on ADOOR3636. Add \$10		Two adjusta	ble shelves.		
	ATBC36SH	13.25 x 34 x 1	100	16	1.7	\$212	N/A
pokcase Shelf	Extra shelf for TAI	BLE TOP bookcases. 1" th	ick.				
	Required Specific	ations					

Top finish\*
Base finish\*



	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
~	A2465ESHL	24 x 24 x 65.5	65	136	5	\$1246	N/A
	A2065ESHL	20 x 20 x 65.5	65	113	5	\$1048	N/A
	A2465ESHR	24 x 24 x 65.5	65	136	5	\$1246	N/A
	A2065ESHR	20 x 20 x 65.5	65	113	5	\$1048	N/A
Shelf - 65" High	RTA (ready to asse	wardrobe/storage, vert emble). Specify left or i binet, order A2465ESH.	ight.			vers. Four fixed :	shelves. Ship
	A1536ESHL	15 x 15 x 36	85	44	3.3	\$505	N/A
	A1536ESHR	15 x 15 x 36	85	44	3.3	\$505 \$505	N/A N/A
Shelf - 36" High	RTA (ready to asse	nutches. Two fixed shelvemble). Specify left or r	ight.				
_	A3029ESHL	30 x 30 x 29.6	70 70	104	5.25	\$883 \$710	\$286 \$145
$\Rightarrow$	A2429ESHL A2029ESHL	24 x 24 x 29.6 20 x 20 x 29.6	70	77 60	4.3 3.8	\$719 \$614	\$145 \$117
	AZUZBESILL	ZU X ZU X Z9.0	/ U	UU	ა.0	<b>3014</b>	φ11/
	A3029ESHR	30 x 30 x 29.6	70	104	5.25	\$883	\$286
	A2429ESHR	24 x 24 x 29.6	70	77	4.3	\$719	\$145
	A2029ESHR	20 x 20 x 29.6	70	60	3.8	\$614	\$117
	For 20" deep w	orksurface, order <b>A2029E</b>	SH.				
		20 x 20 x 49.5	65	94	3.8	\$924	N/A
	A2049ESHL					CO2/I	NI/A
Shelf - 49½" High	A2049ESHR	20 x 20 x 49.5 20 x 20 x 49.5	65  file. Four fixed	94 shelves. Shi	3.8 pped RTA (read	\$924  ly to assemble).	N/A Specify left (
Shelf - 49½" High	A2049ESHR For use at end of A	20 x 20 x 49.5 <b>A2036S4 4-high lateral</b>	<b>file</b> . Four fixed	shelves. Shi	pped RTA (read	ly to assemble).	Specify left (
Shelf - 49½" High	For use at end of A	20 x 20 x 49.5 <b>A2036S4 4-high lateral</b> 20 x 20 x 38.2	<b>file</b> . Four fixed :	shelves. Shi 77	pped RTA (read	ly to assemble). :	Specify left o
Shelf - 49½" High	A2049ESHR For use at end of A	20 x 20 x 49.5 <b>A2036S4 4-high lateral</b>	<b>file</b> . Four fixed	shelves. Shi	pped RTA (read	ly to assemble).	Specify left (
Shelf - 49½" High  Shelf - 37¾" High	For use at end of A  A2037ESHL A2037ESHR	20 x 20 x 49.5 <b>A2036S4 4-high lateral</b> 20 x 20 x 38.2	file. Four fixed and the file of the fixed and the file of the fil	shelves. Shi 77 77	pped RTA (read 5 5	ly to assemble). \$ \$672 \$672	N/A N/A
	For use at end of A  A2037ESHL A2037ESHR	20 x 20 x 49.5 <b>A2036S4 4-high lateral</b> 20 x 20 x 38.2 20 x 20 x 38.2	file. Four fixed and the file of the fixed and the file of the fil	shelves. Shi 77 77	pped RTA (read 5 5	ly to assemble). \$ \$672 \$672	N/A N/A

# Α

# **ADAPTABILITIES®**



Freestanding Pedestal

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						Π
AFPBBF19	19 x 16 x 28.6	100	68	7.25	\$1079	N/A	
AFPBBF22	22 x 16 x 28.6	100	72	8.25	\$1105	N/A	
AFPBBF28	28 x 16 x 28.6	100	88	10.25	\$1151	N/A	

For use under a freestanding worksurface (20", 24" or 30"); attaches to worksurface top. No top and unfinished back. Two box and one file drawer. One pencil tray. File drawer and lower box drawer are locking.

- Cannot be used with **A2466**\_\_\_\_ extended corners.
- When used with Connectable Tables (e.g. A2472T) bottom rear of pedestal will show because of the modesty on table units

AFPFF19	19 x 16 x 28.6	100	67	7.25	\$1169	N/A
AFPFF22	22 x 16 x 28.6	100	75	8.25	\$1183	N/A
AFPFF28	28 x 16 x 28.6	100	89	10.25	\$1250	N/A

For use under a freestanding worksurface (20", 24" or 30"); attaches to worksurface top. No top and unfinished back. Two file drawers. Locking.

- Cannot be used with **A2466**\_\_\_\_ extended corners.
- When used with Connectable Tables (e.g. A2472T) bottom rear of pedestal will show because of the modesty on table units

AHPBF18	18 x 16 x 18	92.5	48	4.5	\$754	N/A

Pedestal

For use under a freestanding worksurface (20", 24" or 30"); attaches to worksurface top. No top and unfinished back. One box and one file drawer. One pencil tray. Locking. 18" high.

- Cannot be used with **A2466**\_\_\_\_ extended corners.
- When used with Connectable Tables (e.g. A2472T) bottom rear of pedestal will show because of the modesty on table units

AMPBBF19	19 x 16 x 28	85	96	6.5	\$1128	\$215
AMPBBF22	23 x 16 x 28	92.5	92	7.75	\$1140	\$221
AMPBBF28	29 x 16 x 28	92.5	105	9.5	\$1183	\$223

Pedestal on casters. Front casters lock. Fits under worksurfaces and is easily moved. Two box and one file drawer. One pencil tray. File drawer and lower box drawer are locking. Includes counterweight to prevent tipping.

• Cannot be used with **A2466**\_\_\_\_\_ extended corners.

AMPFF19	19 x 16 x 28	85	97	6.5	\$1214	\$215
AMPFF22	23 x 16 x 28	85	95	7.75	\$1231	\$223
AMPFF28	29 x 16 x 28	92.5	106	9.5	\$1294	\$223

Pedestal on casters. Front casters lock. Fits under worksurfaces and is easily moved. Two file drawers. Locking. Includes counterweight to prevent tipping.

• Cannot be used with **A2466**\_\_\_\_ extended corners.

AMPBF19	19 x 16 x 22	85	77	5.25	\$991	\$215
AMPBF22	23 x 16 x 22	85	73	6	\$1016	\$223
AMPBF28	29 x 16 x 22	92.5	83	7.5	\$1043	\$223

Pedestal on casters. Front casters lock. Fits under worksurfaces and is easily moved. One box and one file drawer. One pencil tray. Locking. 22" high. Includes counterweight to prevent tipping.

Required Specifications
Top finish
Base finish*

Optional Specifications	
Key #	
HP laminate (mobile nedestal)	

Handle

Freestanding Pedestal



**Hanging Pedestal** 



Mobile Pedestal\*



Mobile Pedestal\*



Mobile Pedestal\*

					<b>A</b>	DAPT	ABILIT	ΓIES®
BOARDROOM TABLES	MODEL#		FREIGHT CLASS	S WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	A48R	<b>D x W x H</b> 48 x 48 x 1.5	85	95	7.5	\$642	\$498	
	A42R	42 x 42 x 1.5	85	73	5.75	\$614	\$498	
	A36R	36 x 36 x 1.5	92.5	54	4.9	\$447	\$286	
Boardroom Table - Round Top*	<ul><li>A48R to be use</li><li>A42R to be use</li></ul>	the <b>Bicut edge</b> at no upon ed with four monopost leg ed with cross base <b>A2727</b> ed with drum base <b>A182</b> (	s only, model a	A5L.				
	A48120RE	48 x 120 x 1.5	70	274	13	\$1376	\$1132	
	A4896RE	48 x 96 x 1.5	65	314	11.5	\$1048	\$923	
	A3672RE	36 x 72 x 1.5	65	175	7	\$773	\$532	
Boardroom Table - Rectangular Top*	Top comes in or • Available with	drum bases, two "V" bas ne piece, except for A4 the Bicut Edge at no upon the three drum bases, three	<b>8120RE (two</b> charge. Please	pieces) e Specify " <b>CR</b> "	· •		se and panel	base.
	A48144B	48 x 144 x 1.5	60	237	7.5	\$1593	\$1344	
	A48120B	48 x 120 x 1.5	60	198	6.3	\$1376	\$1132	
	A4896B	48 x 96 x 1.5	70	193	9.8	\$1079	\$923	
Boardroom Table - Racetrack Top*	• Available with • A4896B uses to A48144RT A48120RT A4896RT A3672RT  For use with thre base. Top come • Available with • NOTE: 48" x 1 where the two ha	the Bicut Edge at no up two drum bases, two "V"  48 x 144 x 1.5 48 x 120 x 1.5 48 x 96 x 1.5 36 x 72 x 1.5  e drum bases, three "V" be is in two pieces except the Bicut Edge at no up 20" and 48" x 144" wood, alves meet.  A3672RT use two drum be	charge. Please bases, one par 60 60 70 70 asses, one doul for A4896RT charge. Please grain finish Adi	251 204 200 112  ble panel base and A3672RT e Specify "CR" aptabilities tab	7.5 6.3 9.8 5.8  OR six monopo	ve a perfect mat		
	A2727XB	27 x 27 x 29.6	70	63	3.6	\$412	N/A	
Cross Base		for <b>36" or 42" round top</b> :					·	
	A1616V	16 x 16 x 28.6	60	39	1.1	\$351	N/A	
	A1616V2	16 x 16 x 28.6	60	74	2.2	\$693	N/A	
"V" Base		for <b>rectangular, boat sh</b> ipped 2 bases per carton.	aped or racet	track tops. Sl	nipped RTA (rea	ady to assemble)		

|--|

Optional Specifications
HP laminate\*

Finish Edge detail\*



# **ADAPTABILITIES®**



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A2488PB	24 x 88 x 29.6	70	119	6	\$1102	N/A
A2445PB	24 x 45 x 28.6	70	76	4.3	\$719	N/A

**Panel Base** 

**Drum Base** 

Use as the base for rectangular, boat shaped or racetrack tops. Shipped RTA (ready to assemble).

- Use A2488PB for 120 144" wide tops.
- Use **A2445PB** for 72 96" wide tops.

A18Z	18 x 18 x 28.6	250	29	7.5	\$773	N/A

Use as the base for 36" round top (model A36R) and 72", 96", 120" or 144" wide tops.

#### Available in Black finish only.

A2020SK

• All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand not included.

A5L	5 x 5 x 28.6	100	13	1.5	\$337	N/A

Use as the base for 48" (model A48R) round tops and 72", 96", 120" or 144" wide tops.

• Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).



Mono Post

BOARDROOM ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	A2036SK	20 x 36 x 36.5	100	179	19	\$2302	\$172	-

Includes two side opening, self-closing hinged doors, two box drawers, one slide-out tray and storage shelf. On casters.

• Available with the **Bicut Edge** at no upcharge. Please Specify "AR".

20 x 20 x 36

• Black handles are standard. Silver is available at no charge, please specify as SI.

	H
6	لسا
Servin	ıg Cart*

Serving Cart\*

114

11

\$1444

\$117

92.5

Includes one side opening, self-closing hinged door, one box drawer, one slide-out tray and storage shelf. On casters.

- Available with the **Bicut Edge** at no upcharge. Please Specify "CR".
- Black handles are standard. Silver is available at no charge, please specify as SI.

A2436AV 24 x 36 x 65.5 65 272 11.25 \$2631 N/A

Audio/Visual Cabinet\* Includes four side opening doors covering two adjustable and two fixed shelves. Wire access through one grommet on back panel. Holds up to 27"H TV monitor. Shipped RTA (ready to assemble).

• Black handles are standard. Silver is available at no charge, please specify as SI.

Required Specifications	Optional Specifications
Top finish *	Key #*
Base finish	HP laminate*
Handles*	

					A	DAPTA	ABILITIES
BOARDROOM ACCESSORIES	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	AVB4848	<b>D x W x H</b> 4 x 48 x 48	70	135	9	\$1650	N/A
Visual Board	door. Marker boa • NOTE: Care shi so may result i	pard and two side opening ard can be used for project arould be taken to mount to an collapse of the unit and a based on wall material.	tion. he units. Units s I subsequent per	should be mou rsonal injury.	inted to wall stu Mounting hard	nds using correct ware not include	t fasteners. Failure to do d. Mounting hardware
	A1844LC	18 x 24 x 44	70	92	4.8	\$883	\$117
Lectern*	Features angled s	stand, storage shelf and c	asters. Shipped	d RTA (ready t	o assemble).		

Required Specifications Top finish Base finish

Optional Specifications
HP laminate\*



The Genoa® series combines the value of laminate furniture with the contemporary styling of top over end panel design. This versatile offering of components and wide selection of laminate finish options is the perfect complement to any office environment.

For added security of confidential material, all desks and credenzas are equipped with one locking pedestal. Genoa's kneespace credenza easily accommodates a computer, books, binders and files to maximize space.

Genoa features quality construction with the added strength of dovetailed box and file drawers. Fully progressive ball bearing suspensions ensure years of smooth, trouble-free drawer service.

Genoa's classic styling and simplicity integrate easily with existing furnishings and any interior decor. For new offices or current office expansions, Genoa is clearly the affordable and practical choice.

Bow front available on 36"x 72" desks



Contemporary top-over-end panel design



Drawer fronts are edge banded on all sides

#### **Features and Benefits**

- 45lb. density particle board substructure with high performance thermally fused laminate
- · Available bow front desk provides extra legroom and work area for visitors
- ¾ modesty panel is standard
- Most components shipped fully assembled, 1 per carton
- · Pencil tray included in box drawer
- Box drawers mounted on 34 extension steel ball bearings
- All drawers feature French dovetail joint in front and lapjoint in back
- · Drawers open with side pull
- Compatible with Divide panel system for increased privacy and storage requirements

#### GENERAL INFORMATION

- Constructed of 45 lb. density particle board with high performance thermally fused laminate
- Genoa components are compatible with **Divide** partitioning panels.
- Large offering of extended corners, full to floor pedestals, islands and storage options
- Double wall pedestal housing
- Genoa desk and storage products have been tested and comply with all BIFMA mechanical tests.
- For environmental certifications, please visit globalfurnituregroup.com

#### CONSTRUCTION

- 1" worksurfaces constructed of 45 lb. density particleboard with high performance thermally fused laminate
- Double wall pedestal housing
- Panel end style with top over side panel design
- 1" adjustable leveling glides standard on all units
- · Standard with locks

#### **MODESTY PANELS**

- Recessed ¾ height modesty panel is standard. Full modesty panel available. Add \$75.
- All full to floor units, bridges and returns are standard with a full modesty panel

#### STORAGE

- All lateral file drawer fronts feature the woodgrain running in a horizontal direction
- Pencil tray included in box drawer
- All drawers feature French dovetail joint in front and lapjoint in back

#### **FINISHES**

#### **LAMINATE FINISHES**


ACJ	Absolute Acajou	NBL	Noce Biondo
ASN	Asian Night	NGL	Noce Grigio
AWC	Avant Cherry	NEL	Noce Leggero
AWH	Avant Honey	NML	Noce Medio
BLK	Black	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SOG	Storm Grey
CMB	Clear Maple	WHE	Walnut Heights
DES	Dark Espresso	WHC	White Chocolate
DWT	Designer White	WCR	Winter Cherry

#### **GROMMETS**


- Grommets may be ordered on Genoa hutch back panel
- Additional grommets available in standard worksurface locations (left, center or right). Order as: AG1, AG2 or AG3. Add \$96.
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep




 Actual grommet locations on the worksurface are depicted in the example drawings shown below. Dimensions shown are actual measurements (in inches).



36 x 72 single pedestal left desks (3672SPL)




30 x 60 single pedestal left desks (3060SPL)



36 x 72 single pedestal left bow top desks (3672SLB)

- Grommets may be placed at non-standard locations. Order as: AGS Add \$96. A
  drawing must be supplied with vertical and horizontal dimensions to the center of the
  cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM
  in the back reference section.
- Components that come standard with grommet may be ordered without a grommet.
   Add \$53.
- Grommets are available on modesty panels of 5-sided corners 6 ½" in where the
  two modesty panels meet at a 90° angle. Please specify FOGMPR for right grommet
  placement and FOGMPL for left grommet (placement is as shown on diagrams
  below). Cost is \$96.
- \*Modesty Panels are 1" off of ground



5-Sided Corner Unit


#### **POWER BLOCK**

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9 foot black cord included.
   Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330.
   Power Blocks are available in standard worksurface locations (left, center or right).
   Order as E1, E2 or E3. Add \$96.





Power Block PMSPDM. Add \$330 Specify location E1, E2 or E3. Add \$96.



672SPL	36 x 72 x 29.4	150	235	50.5	\$1251
D72SPL	30 x 72 x 29	150	192	43.75	\$1187
D66SPL	29.69 x 66 x 29.4	150	192	39.25	\$1167
D60SPL	29.69 x 60 x 29.4	150	183	35.5	\$965
048SPL	29.69 x 48 x 29.4	150	166	28.75	\$965
I45SPL	24 x 45 x 29.4	150	137	23.5	\$754
	36 x 72 x 29.4 30 x 72 x 29	150 150	235 192	50.5 43.75	\$1251 \$1187
	******				
72SPR	30 x 72 x 29	150	192	43.75	\$1187
72SPR 66SPR	30 x 72 x 29 29.69 x 66 x 29.4	150 150	192 192	43.75 39.25	\$1187 \$1167
672SPR 072SPR 066SPR 060SPR 048SPR	30 x 72 x 29	150 150 150	192 192 183	43.75 39.25 35.5	\$1187 \$1167 \$965
72SPR 66SPR 60SPR	30 x 72 x 29 29.69 x 66 x 29.4 29.69 x 60 x 29.4	150 150	192 192	43.75 39.25	\$1187 \$1167

FREIGHT CLASS

150

150

150

125

150

125

WT/LBS.

286

245

235

226

256

277

CUBIC FT.

50.5

43.75

39.25

35.5

50.5

43.75

LIST PRICE

\$1376

\$1341 \$1302

\$1092

\$1687

\$1755



Single Pedestal Desk - RIGHT

Single Pedestal Bow Top Desk - LEFT

Standard with box/file pedestal on left and bow top. Pedestal locks. One pencil tray.

Key #

Required Specifications	Optional Sp
Finish	Full modesty
	Grommet

Optional Specifications Accessories Power block Keyboard tray Pencil tray

TAL DESKS	MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRIC
	G3672SRB	<b>D x W x H</b> 36 x 72 x 29	150	270	50	\$1544
Top Desk - RIGHT	Standard with bo	x/file pedestal on <b>right</b> a	nd bow top. Ped	estal locks. (	One pencil tray.	
•			·		. ,	
	G2448SDL	24 x 48 x 26	150	137	23.5	\$777
	G2040SDL	20 x 40 x 26	125	111	17.5	\$754
	Standard with bo	x/file pedestal and lower	<b>26" height</b> . Ped	destal locks.	Grommet in w	orksurface. Pe
	G2448SDR	24 x 48 x 26	150	137	23.5	\$777
	G2040SDR	20 x 40 x 26	125	111	17.5	\$754
нт	Standard with ho	v/file nedestal and lower	26" hainht Par	laetal locke	Grommet in w	orkeurfaca Pa
HT		x/file pedestal and lower				
<b>π</b>	G2454FL	24 x 54 x 29	150	127	27	\$943
T	G2454FL G2448FL	24 x 54 x 29 24 x 48 x 29.4	150 125	127 142	27 23.5	\$943 \$837
iT	G2454FL G2448FL G2442FL	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29	150 125 150	127 142 111	27 23.5 21.5	\$943 \$837 \$807
T	G2454FL G2448FL G2442FL G2054FL	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29	150 125 150 150	127 142	27 23.5 21.5 23	\$943 \$837 \$807 \$943
T	G2454FL G2448FL G2442FL	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29	150 125 150	127 142 111 114	27 23.5 21.5	\$943 \$837 \$807
	G2454FL G2448FL G2442FL G2054FL G2048FL	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29	150 125 150 150	127 142 111 114 107	27 23.5 21.5 23 20.5	\$943 \$837 \$807 \$943 \$837
	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29	150 125 150 150 150 150	127 142 111 114 107 100	27 23.5 21.5 23 20.5 18	\$943 \$837 \$807 \$943 \$837 \$807
) )	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL Standard with bo	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 x/file drawer pedestal. Poverksurfaces, order <b>G24</b>	150 125 150 150 150 150 125 125 125	127 142 111 114 107 100 115 93 rommet in weep worksurfa	27 23.5 21.5 23 20.5 18 17.5 15.5	\$943 \$837 \$807 \$943 \$837 \$807 \$796 \$796
T	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL  Standard with bo • For 24" deep w • Keyboard and p	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Powerksurfaces, order <b>G24</b> pencil trays for use on uni	150 125 150 150 150 150 125 125 125 edestal locks. G <b>_FL</b> . For 20" de	127 142 111 114 107 100 115 93 rommet in weep worksurfa	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pec	\$943 \$837 \$807 \$943 \$837 \$807 \$796 \$796
T	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL  Standard with bo • For 24" deep w • Keyboard and p	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 x/file drawer pedestal. Powerksurfaces, order <b>G24</b> pencil trays for use on unit	150 125 150 150 150 150 125 125 125 edestal locks. G _FL. For 20" de	127 142 111 114 107 100 115 93 rommet in weep worksurfa	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order <b>G20</b>	\$943 \$837 \$807 \$943 \$837 \$807 \$796 \$796 destal is on the
	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL  Standard with bo • For 24" deep w • Keyboard and p	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Powerksurfaces, order <b>G24</b> poencil trays for use on unitive tables of the second	150 125 150 150 150 150 125 125 125 edestal locks. G _FL. For 20" de its 42" and above	127 142 111 114 107 100 115 93 rommet in weep worksurfa	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order <b>G20</b>	\$943 \$837 \$807 \$943 \$837 \$807 \$796 \$796 destal is on the
T	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL Standard with bo • For 24" deep w • Keyboard and p	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Powerksurfaces, order <b>G24</b> poencil trays for use on unity 24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29	150 125 150 150 150 150 125 125 edestal locks. G <b>_FL</b> . For 20" de its 42" and above	127 142 111 114 107 100 115 93 rommet in we per worksurfa	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order <b>G20</b> 27 23.5 21.5	\$943 \$837 \$943 \$837 \$807 \$796 \$796 destal is on the FL.
T	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL  Standard with bo • For 24" deep w • Keyboard and p  G2454FR G2448FR G2442FR G2054FR	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Province or control of the c	150 125 150 150 150 150 125 125 edestal locks. G <b>_FL</b> . For 20" de its 42" and above	127 142 111 114 107 100 115 93 rommet in weep worksurfa	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order <b>G20</b> 27 23.5 21.5 23	\$943 \$837 \$943 \$837 \$807 \$796 \$796 destal is on the FL.
T	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL  Standard with bo • For 24" deep w • Keyboard and p  G2454FR G2448FR G2442FR G2054FR G2048FR	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Province or G24_ 20 x 54 x 29 24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29.4	150 125 150 150 150 150 125 125 edestal locks. G <b>_FL</b> . For 20" de its 42" and above	127 142 111 114 107 100 115 93 rommet in we see worksurfa	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order <b>G20</b> 27 23.5 21.5 23 20.5	\$943 \$837 \$943 \$837 \$807 \$796 \$796 destal is on the FL. \$943 \$837 \$807 \$943 \$837
iT	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL  Standard with bo • For 24" deep w • Keyboard and p  G2454FR G2448FR G2442FR G2054FR G2048FR G2042FR	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Province or G24_poencil trays for use on unity of the contract	150 125 150 150 150 150 125 125 125 edestal locks. G <b>_FL</b> . For 20" de its 42" and above	127 142 111 114 107 100 115 93 rommet in we see worksurfa	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order <b>G20</b> 27 23.5 21.5 23 20.5 18	\$943 \$837 \$943 \$837 \$807 \$796 \$796 destal is on the FL. \$943 \$837 \$943 \$837 \$807
T	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL  Standard with bo • For 24" deep w • Keyboard and p  G2454FR G2448FR G2442FR G2054FR G2048FR	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Province or G24_ 20 x 54 x 29 24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29.4	150 125 150 150 150 150 125 125 edestal locks. G <b>_FL</b> . For 20" de its 42" and above	127 142 111 114 107 100 115 93 rommet in we see worksurfa	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order <b>G20</b> 27 23.5 21.5 23 20.5	\$943 \$837 \$943 \$837 \$807 \$796 \$796 destal is on the FL. \$943 \$837 \$807 \$943 \$837
	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL  Standard with bo • For 24" deep w • Keyboard and g G2454FR G2448FR G2442FR G2044FR G2048FR G2042FR G2040FR G2036FR  Standard with bo	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Provorksurfaces, order <b>G24</b>	150 125 150 150 150 150 150 125 125 125 edestal locks. Gi _FL. For 20" de its 42" and above 150 125 150 150 150 150 150 125 125 150 150 150 150 125 125 125	127 142 111 114 107 100 115 93 rommet in we see worksurfa	27 23.5 21.5 23 20.5 18 17.5 15.5  brksurface. Pecaces, order <b>G20</b> 27 23.5 21.5 23 20.5 18 17.5 15.5  brksurface. Pecaces	\$943 \$837 \$943 \$837 \$807 \$796 \$796 destal is on the \$2_FL. \$943 \$837 \$807 \$943 \$837 \$807 \$796

Required	<b>Specifications</b>
F1 1 1	

Finish

**RETURNS** 



Full to Floor Flush Return - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
G2448BL4	24 x 48 x 29.4	150	136	25	\$1215	
G2442BL4	24 x 42 x 29.4	150	128	21.5	\$1199	
G2436BL4	24 x 36 x 29.4	125	120	18	\$1174	
G2048BL4	20 x 48 x 29	150	121	20.5	\$1183	
G2042BL4	20 x 42 x 29	125	114	18	\$1154	
G2036BL4	20 x 36 x 29	125	108	15.5	\$1133	

Standard with box/box/file drawer pedestal. Lower box drawer and file drawer lock. Grommet in worksurface. Pedestal is on the left.

- For 24" deep worksurfaces, order G24\_\_\_BL4. For 20" deep worksurfaces, order G20\_\_\_BL4.
- Keyboard and pencil trays for use on units 42" and above

G2448BR4	24 x 48 x 29.4	150	136	25	\$1215	
G2442BR4	24 x 42 x 29.4	150	128	21.5	\$1199	
G2436BR4	24 x 36 x 29.4	125	120	18	\$1174	
G2048BR4	20 x 48 x 29	150	121	20.5	\$1183	
G2042BR4	20 x 42 x 29	125	114	18	\$1154	
G2036BR4	20 x 36 x 29	125	108	15.5	\$1133	

Standard with box/box/file drawer pedestal. Lower box drawer and file drawer lock. Grommet in worksurface. Pedestal is on the right.

- For 24" deep worksurfaces, order G24\_\_\_BR4. For 20" deep worksurfaces, order G20\_\_\_BR4.
- Keyboard and pencil trays for use on units 42" and above

G2448L4	24 x 48 x 29.4	150	132	25	\$1251
G2442L4	24 x 42 x 29.4	150	124	21.5	\$1227
G2436L4	24 x 36 x 29.4	125	116	18	\$1207
G2048L4	20 x 48 x 29	150	118	20.5	\$1215
G2042L4	20 x 42 x 29	125	111	18	\$1183
G2036L4	20 x 36 x 29	125	104	15.5	\$1167

Standard with file/file drawer pedestal. Pedestal locks. Grommet in worksurface. Pedestal is on the left.

- For 24" deep worksurfaces, order **G24\_\_\_L4**. For 20" deep worksurfaces, order **G20\_\_\_L4**.
- Keyboard and pencil trays for use on units 42" and above

G2448R4	24 x 48 x 29.4	150	132	25	\$1251
G2442R4	24 x 42 x 29.4	150	124	21.5	\$1227
G2436R4	24 x 36 x 29.4	125	116	18	\$1207
G2048R4	20 x 48 x 29	150	118	20.5	\$1215
G2042R4	20 x 42 x 29	125	111	18	\$1183
G2036R4	20 x 36 x 29	125	104	15.5	\$1167

Standard with file/file drawer pedestal. Pedestal locks. Grommet in worksurface. Pedestal is on the right.

- For 24" deep worksurfaces, order **G24**\_\_\_**R4**. For 20" deep worksurfaces, order **G20**\_\_\_**R4**.
- Keyboard and pencil trays for use on units 42" and above

G2454EL	24 x 54 x 29	70	87	5.25	\$777
G2448EL	24 x 48 x 29	70	96	4.5	\$672
G2442EL	24 x 42 x 29	70	71	3.8	\$672
G2054EL	20 x 54 x 29	85	78	5.25	\$737
G2048EL	20 x 48 x 29	70	70	4.2	\$693
G2042EL	20 x 42 x 29	70	56	3.3	\$672
G2040EL	20 x 40 x 29	70	78	4.5	\$648
G2036EL	20 x 36 x 29	70	56	3.3	\$648

Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble).

• For 24" deep worksurfaces, order **G24**\_\_\_**EL**. For 20" deep worksurfaces, order **G20**\_\_\_**EL**.

Key #






**Full to Floor Flush Return - LEFT** 



**Full to Floor Flush Return - RIGHT** 



Flush Return - LEFT

Paguired Specifications

**Optional Specifications** Additional grommet

Accessories

Keyboard tray Pencil tray

Power block

nequirea	Specifications
Finish	

RETURNS	MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	COAEAED	D x W x H	70	07	EDE	6777	
	G2454ER	24 x 54 x 29	70	87	5.25	\$777	
	G2448ER	24 x 48 x 29	70	96	4.5	\$672 \$672	
_	G2442ER	24 x 42 x 29	70 85	71 78	3.8	\$672 \$737	
	G2054ER G2048ER	20 x 54 x 29 20 x 48 x 29	70	78	5.25 4.2	\$693	
	G2048ER G2042ER	20 x 48 x 29 20 x 42 x 29	70	63	3.8	\$672	
	G2042EN G2040ER	20 x 42 x 29	70	78	4.5	\$648	
	G2036ER	20 x 40 x 29	70	56	3.3	\$648	
	UZUJUEN	20 X 30 X 29	70	00	ა.ა	<b>\$040</b>	
lush Return - RIGHT	D-t b	d+-l	f Ob:d	DTA /l			
Tusii keturii - kigni		destal. Grommet in works					
	• For 24 deep w	orksurfaces, order <b>G24</b>	_ <b>EK</b> . FOT 20	ep worksuri	aces, order <b>G2U</b>	JEK.	
FLUSH BRIDGE							
	G2448FB	24 x 48 x 29.4	70	78	3.5	\$511	
	G2442FB	24 x 42 x 29	70	65	3.06	\$494	
	G2436FB	24 x 36 x 29.4	70	58	3.5	\$492	
	G2048FB	20 x 48 x 29	70	71	3.3	\$511	
	G2042FB	20 x 42 x 29	70	61	4	\$494	
lush Bridge		panel and hardware to co				Shipped RTA (ready	to assemble).
		models will connect 66" a					
	• <b>G2048/G2042</b> r	models will connect 60",	66" and 72" units	s plus all D i	slands and 5 si	ded corners.	
REDENZAS							
	G2066C	20 x 66 x 29	100	225	27	\$1492	
	UZ000C	20 / 00 / 20					
111	d2000C	20 % 00 % 20					
11	<u>uzuuuc</u>	20 % 00 % 20					
111	<u>uzuuuc</u>	20 % 00 % 20					
	<u>uzuuuc</u>	20/100/120					
			ides and self-clos	ina hinaed c	enter doors co	vering one adjustable	shelf. Right
	Standard with box	x/file pedestals on both s	ides and self-clos	ing hinged o	center doors cov	vering one adjustable	shelf. Right
	Standard with box		ides and self-clos	ing hinged c	center doors cov	vering one adjustable	shelf. Right
	Standard with box	x/file pedestals on both s	ides and self-clos	ing hinged o	center doors cov	vering one adjustable	shelf. Right
	Standard with box pedestal and door G2072CK	x/file pedestals on both s	ides and self-clos	ing hinged o	center doors cov	vering one adjustable \$1376	shelf. Right
	Standard with box pedestal and door	x/file pedestals on both s rs lock. One pencil tray.					shelf. Right
	Standard with box pedestal and door G2072CK	x/file pedestals on both s rs lock. One pencil tray. 20 x 72 x 29.4	125	209	29.5	\$1376	shelf. Right
	Standard with box pedestal and door G2072CK G2066CK	x/file pedestals on both s rs lock. One pencil tray. 20 x 72 x 29.4 20 x 66 x 29.4	125 125	209 201	29.5 27	\$1376 \$1302	shelf. Right
	Standard with box pedestal and door G2072CK G2066CK	x/file pedestals on both s rs lock. One pencil tray. 20 x 72 x 29.4 20 x 66 x 29.4	125 125	209 201	29.5 27	\$1376 \$1302	shelf. Right
enter Storage Credenza*	Standard with box pedestal and door G2072CK G2066CK G2060CK	x/file pedestals on both s rs lock. One pencil tray. 20 x 72 x 29.4 20 x 66 x 29.4	125 125 125	209 201 193	29.5 27 24.5	\$1376 \$1302 \$1207	
enter Storage Credenza*	Standard with box pedestal and door G2072CK G2066CK G2060CK	x/file pedestals on both s rs lock. One pencil tray. 20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29	125 125 125	209 201 193	29.5 27 24.5	\$1376 \$1302 \$1207	
enter Storage Credenza*	Standard with box pedestal and door G2072CK G2066CK G2060CK Standard with box G2072CSL	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4  20 x 66 x 29.4  20 x 60 x 29  x/file pedestals on both s	125 125 125 125 ides. Center is op	209 201 193 pen. Pedest	29.5 27 24.5 als lock. One p	\$1376 \$1302 \$1207 encil tray. Grommet	
enter Storage Credenza*	Standard with box pedestal and door gedestal and door G2072CK G2066CK G2060CK  Standard with box G2072CSL G2066CSL	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s	125 125 125 125 ides. Center is op 150	209 201 193 pen. Pedest	29.5 27 24.5 als lock. One p	\$1376 \$1302 \$1207 encil tray. Grommet	
enter Storage Credenza*	Standard with box pedestal and door G2072CK G2066CK G2060CK Standard with box G2072CSL	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s	125 125 125 125 ides. Center is op	209 201 193 pen. Pedest	29.5 27 24.5 als lock. One p	\$1376 \$1302 \$1207 encil tray. Grommet	
enter Storage Credenza*	Standard with box pedestal and door gedestal and door G2072CK G2066CK G2060CK  Standard with box G2072CSL G2066CSL	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29.4	125 125 125 125 ides. Center is op 150	209 201 193 pen. Pedest	29.5 27 24.5 als lock. One p 29.5 27.75	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144	
enter Storage Credenza*	Standard with box pedestal and door gedestal and door G2072CK G2066CK G2060CK  Standard with box G2072CSL G2066CSL	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29.4	125 125 125 125 ides. Center is op 150	209 201 193 pen. Pedest	29.5 27 24.5 als lock. One p 29.5 27.75	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144	
enter Storage Credenza*	Standard with box pedestal and door pedestal and door G2072CK G2066CK G2060CK  Standard with box G2072CSL G2066CSL G2060CSL	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29.4	125 125 125 ides. Center is op 150 150 125	209 201 193 pen. Pedest 171 163 155	29.5 27 24.5 als lock. One p 29.5 27.75 24.5	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144 \$1007	in worksurfac
enter Storage Credenza*  neespace Credenza*	Standard with box pedestal and door pedestal and door G2072CK G2066CK G2060CK  Standard with box G2072CSL G2066CSL G2060CSL	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29 20 x 66 x 29	125 125 125 ides. Center is op 150 150 125	209 201 193 pen. Pedest 171 163 155	29.5 27 24.5 als lock. One p 29.5 27.75 24.5	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144 \$1007	in worksurfac
enter Storage Credenza*  neespace Credenza*	Standard with box pedestal and door pedestal and door G2072CK G2066CK G2060CK  Standard with box G2072CSL G2066CSL G2060CSL  Standard with box Standard with box G2072CSL G2060CSL	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29 20 x 66 x 29 20 x 60 x 29	125 125 125 ides. Center is op 150 150 125	209 201 193 Den. Pedest 171 163 155	29.5 27 24.5 als lock. One p 29.5 27.75 24.5 tal is on the <b>lef</b>	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144 \$1007	in worksurfac
enter Storage Credenza*  neespace Credenza*	Standard with box pedestal and door pedestal and door G2072CK G2066CK G2060CK  Standard with box G2072CSL G2066CSL G2060CSL  Standard with box G2072CSR	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29 20 x 60 x 29  x/file pedestal. Pedestal  20 x 72 x 29.4	125 125 125 ides. Center is op 150 150 125	209 201 193 pen. Pedest 171 163 155	29.5 27 24.5 als lock. One p 29.5 27.75 24.5 tal is on the <b>lef</b>	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144 \$1007	in worksurfac
enter Storage Credenza*  neespace Credenza*	Standard with box pedestal and door pedestal and door G2072CK G2066CK G2060CK  Standard with box G2072CSL G2066CSL G2060CSL  Standard with box G2072CSR G2066CSR	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29 20 x 60 x 29  x/file pedestal. Pedestal  20 x 72 x 29.4 20 x 66 x 29	125 125 125 ides. Center is op 150 150 125 locks. One pencil	209 201 193 pen. Pedest 171 163 155 I tray. Pedes	29.5 27 24.5 als lock. One p 29.5 27.75 24.5 tal is on the <b>lef</b>	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144 \$1007 ft. Grommet in works	in worksurfac
enter Storage Credenza*  neespace Credenza*	Standard with box pedestal and door pedestal and door G2072CK G2066CK G2060CK  Standard with box G2072CSL G2066CSL G2060CSL  Standard with box G2072CSR	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29 20 x 60 x 29  x/file pedestal. Pedestal  20 x 72 x 29.4	125 125 125 ides. Center is op 150 150 125	209 201 193 pen. Pedest 171 163 155	29.5 27 24.5 als lock. One p 29.5 27.75 24.5 tal is on the <b>lef</b>	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144 \$1007	in worksurfac
enter Storage Credenza*  neespace Credenza*	Standard with box pedestal and door pedestal and door G2072CK G2066CK G2060CK  Standard with box G2072CSL G2066CSL G2060CSL  Standard with box G2072CSR G2066CSR	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29 20 x 60 x 29  x/file pedestal. Pedestal  20 x 72 x 29.4 20 x 66 x 29	125 125 125 ides. Center is op 150 150 125 locks. One pencil	209 201 193 pen. Pedest 171 163 155 I tray. Pedes	29.5 27 24.5 als lock. One p 29.5 27.75 24.5 tal is on the <b>lef</b>	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144 \$1007 ft. Grommet in works	in worksurfac
enter Storage Credenza*  neespace Credenza*  ingle Pedestal Credenza - LEFT*	Standard with box pedestal and door pedestal and door gedestal and door gedestal and door gedestal and door gedestal and with box gedestal	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29 20 x 60 x 29  x/file pedestal. Pedestal  20 x 72 x 29.4 20 x 66 x 29 20 x 60 x 29	125 125 125 125 ides. Center is op 150 150 125	209 201 193 Den. Pedest 171 163 155 I tray. Pedes 150 150 136	29.5 27 24.5 als lock. One p 29.5 27.75 24.5 tal is on the <b>lef</b> 29.5 29.4 24.5	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144 \$1007 it. Grommet in works \$1167 \$1144 \$1007	in worksurfac
enter Storage Credenza*  neespace Credenza*  ingle Pedestal Credenza - LEFT*	Standard with box pedestal and door pedestal and door gedestal and door gedestal and door gedestal and door gedestal and with box gedestal	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29 20 x 60 x 29  x/file pedestal. Pedestal  20 x 72 x 29.4 20 x 66 x 29	125 125 125 125 ides. Center is op 150 150 125	209 201 193 Den. Pedest 171 163 155 I tray. Pedes 150 150 136	29.5 27 24.5 als lock. One p 29.5 27.75 24.5 tal is on the <b>lef</b> 29.5 29.4 24.5	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144 \$1007 it. Grommet in works \$1167 \$1144 \$1007	in worksurfac
enter Storage Credenza*  neespace Credenza*  ingle Pedestal Credenza - LEFT*	Standard with box pedestal and door pedestal and door gedestal and door gedestal and door gedestal and door gedestal and with box gedestal	x/file pedestals on both s rs lock. One pencil tray.  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29 20 x 60 x 29  x/file pedestal. Pedestal  20 x 72 x 29.4 20 x 66 x 29 20 x 60 x 29	125 125 125 125 ides. Center is op 150 150 125	209 201 193 Den. Pedest 171 163 155 I tray. Pedes 150 150 136	29.5 27 24.5 als lock. One p 29.5 27.75 24.5 tal is on the <b>lef</b> 29.5 29.4 24.5	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144 \$1007 it. Grommet in works \$1167 \$1144 \$1007	in worksurfac
enter Storage Credenza*  neespace Credenza*  ingle Pedestal Credenza - LEFT*	Standard with box pedestal and door pedestal and door G2072CK G2066CK G2060CK  Standard with box G2072CSL G2066CSL G2060CSL  Standard with box G2072CSR G2066CSR G2060CSR  Standard with box Standard with box G2072CSR G2066CSR G2060CSR	x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29 20 x 66 x 29 20 x 66 x 29 20 x 60 x 29  x/file pedestal. Pedestal  20 x 72 x 29.4 20 x 66 x 29 20 x 60 x 29  x/file pedestal. Pedestal	125 125 125 125 ides. Center is op 150 150 125 locks. One pencil	209 201 193 Den. Pedest 171 163 155 I tray. Pedes 150 150 136 tray. Pedest	29.5 27 24.5 als lock. One p 29.5 27.75 24.5 tal is on the <b>lef</b> 29.5 29.4 24.5	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144 \$1007 ft. Grommet in works \$1167 \$1144 \$1007	in worksurfac
ingle Pedestal Credenza - LEFT*	Standard with box pedestal and door pedestal and door G2072CK G2066CK G2060CK  Standard with box G2072CSL G2066CSL G2060CSL  Standard with box G2072CSR G2066CSR G2060CSR  Standard with box G2072CSR G2066CSR G2060CSR	x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29 20 x 66 x 29 20 x 66 x 29 20 x 60 x 29  x/file pedestal. Pedestal  20 x 72 x 29.4 20 x 66 x 29 20 x 60 x 29  x/file pedestal. Pedestal	125 125 125 125 125 16des. Center is op 150 150 125 16ocks. One pencil 150 150 150 16ocks. One pencil	209 201 193 Den. Pedest 171 163 155 I tray. Pedes 150 150 136 tray. Pedest	29.5 27 24.5 als lock. One p 29.5 27.75 24.5 tal is on the <b>lef</b> 29.5 29.4 24.5	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144 \$1007 it. Grommet in works \$1167 \$1144 \$1007	in worksurfac
enter Storage Credenza*  neespace Credenza*  ingle Pedestal Credenza - LEFT*	Standard with box pedestal and door pedestal and door G2072CK G2066CK G2060CK  Standard with box G2072CSL G2066CSL G2060CSL  Standard with box G2072CSR G2066CSR G2060CSR  Standard with box Standard with box G2072CSR G2066CSR G2060CSR	x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29.4 20 x 60 x 29  x/file pedestals on both s  20 x 72 x 29.4 20 x 66 x 29 20 x 66 x 29 20 x 66 x 29 20 x 60 x 29  x/file pedestal. Pedestal  20 x 72 x 29.4 20 x 66 x 29 20 x 60 x 29  x/file pedestal. Pedestal	125 125 125 125 ides. Center is op 150 150 125 locks. One pencil	209 201 193 Den. Pedest 171 163 155 I tray. Pedes 150 150 136 tray. Pedest	29.5 27 24.5 als lock. One p 29.5 27.75 24.5 tal is on the <b>lef</b> 29.5 29.4 24.5	\$1376 \$1302 \$1207 encil tray. Grommet \$1167 \$1144 \$1007 ft. Grommet in works \$1167 \$1144 \$1007	in worksurfac

# **G** GENOA®







MUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	LIST PRICE	
	DxWxH					
G42205C9	20 x 42 x 29	70	123	5.75	\$1048	
G36205C9	20 x 36 x 29	65	105	4.3	\$889	

5-Sided Corner

Connects to lateral file, storage cabinet, single pedestal credenza with half end panel, and flush bridge. Grommet in worksurface. Full and narrow end panels supplied. Can be assembled left or right. Shipped RTA (ready to assemble)

• ¾ Modesty Panel is not available





42"	G42245C	42 x 42 x 29.4	65	114	5	\$1063
Ŧ						

5-Sided Corner

Connects to **24"** returns, bridges and other **24"** units. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble).

• ¾ Modesty Panel is not available





G42205C	42 x 42 x 29.4	70	108	5	\$1030	
G36205C	36 x 36 x 29.4	70	92	4.75	\$912	

**5-Sided Corner** 

Connects to **20"** returns, bridges and other **20"** units. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble).

• ¾ Modesty Panel is not available

## "D" ISLANDS



G3072FI	29.69 x 72 x 29.4	70	101	5	\$1016
G3066FI	29.69 x 66 x 29.4	70	96	4.6	\$996
G3060FI	29.69 x 60 x 29.4	70	91	4.2	\$925

"D" Island - Full End Panel & Post

Connects to single pedestal credenza with half end panel or bridge to create a "T" grouping. **Not freestanding.** Connecting hardware for flush installation included. Shipped RTA (ready to assemble). Post is Black only.

**Required Specifications** 


Finis

**Optional Specifications** 

Grommet

Accessories
Power Block
Keyboard Tray
Pencil Tray
Doors\*





Open Hutch with Closed Back\*



One 1" thick fixed shelf and fixed shelf divider. Closed back features a flexible sweep for wire management. Available in single color only. Rectangular grommet available on back panel - Add \$96. Shipped RTA (ready to assemble).

- G71HOCB for use when spanning 30" x 60/66" SPL/R and 20/24" x 42" FL/FR/L4/R4.
- **G69HOCB** for use when spanning 30" x 60/66" SPL/R and 20" x 40" FL/FR/EL/ER.
- Clearance from worksurface to hutch doors is 20".
- Woodgrain runs horizontal on both the upper and lower back panels.





Open Hutch with Closed Back\*

G48HOCB	15 x 48 x 36	65	100	4.2	\$807	
G42HOCB	15 x 42 x 36	65	91	3.8	\$807	
G40H0CB	15 x 40 x 36	65	88	3.8	\$807	
G36HOCB	15 x 36 x 36	65	82	3.3	\$712	

One 1" thick fixed shelf. Closed back features a flexible sweep for wire management. Available in single color only. Rectangular grommet available on back panel - Add \$96. Shipped RTA (ready to assemble).

- Clearance from worksurface to hutch doors is 20".
- Woodgrain runs horizontal on both the upper and lower back panels.




Corner Hutch with Closed Back\*

G4242CH	15 x 42 x 36	70	137	6.25	\$1284	
G3636CH	15 x 36 x 36	65	119	4.8	\$1167	

One 1" thick fixed shelf. Closed back features a flexible sweep for wire management on lower right panel. Available in single color only. Rectangular grommet available on back panel - Add \$96. Shipped RTA (ready to assemble).

• Woodgrain runs horizontal on both the upper and lower back panels.

### PIGEON HOLE STORAGE




Horizontal	Pigeon-Hole	Storage
------------	-------------	---------

AHS72	11.25 x 70 x 5.62	85	41	3	\$698
AHS71	11.25 x 69 x 5.62	70	43.5	2.3	\$698
AHS66	11.25 x 64 x 5.62	85	38	2.8	\$698
AHS60	11.25 x 58 x 5.62	85	35	2.5	\$572
AHS48	11.25 x 46 x 5.62	85	28	2	\$423
AHS42	11.25 x 40 x 5.62	85	24	2	\$423
AHS36	11.25 x 34 x 5.62	92.5	22	2	\$346

For additional storage. Can be top or bottom mounted. For use inside straight hutch (end panels not finished). Shipped RTA (ready to assemble). Black finish only.

• Cannot be used on AOOS and COOS Overstorage Units.



AVS14	11.25 x 13.37 x 14.37	85	13	.90	\$436

For use in conjunction with the Horizontal Pigeon-Hole Storage. Can be used under or over horizontal unit. Shipped RTA (ready to assemble). Black finish only.

**Required Specifications** 

Accessories

Doors\*

HUTCH DOORS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
noron books	MODEL	DxWxH	THEIGHT OLAGO	WI/LDO.	OODIOTI.	LIOTTINOL	
	GD00R72	.69 x 72 x 15	85	24	1.75	\$429	
	GD00R71	0 x 17.5 x 15	85	24	1.75	\$429	
7 1/4 1/4	GDOOR69	0 x 17 x 15	85	23	1.75	\$429	
	GDOOR66	.69 x 66 x 15	85	22	1.75	\$429	
	GDOOR60	.69 x 60 x 15	92.5	20	1.75	\$429	
Four-Door Kit	For use on 72" 71	" CO" CC" L CO"\A/	and the second second				
10 <b>11</b> 2501 Kil	units 60" wide or	, 69 , 66 and 60 W more require two lock		linges includ	ed. Locks availi	able. Add <b>\$126</b> for each lock.	Doors for
	units 60" wide or GDOOR48			linges includ	ed. Locks avail	able. Add <b>\$126</b> for each lock.	Doors for
√ %	units 60" wide or	more require two lock	S				Doors for
Total Joseph	units 60" wide or GDOOR48	more require two lock	100	17	1.75	\$270	Doors for
	units 60" wide or GDOOR48 GDOOR42	.69 x 48 x 15	100 100	17 16	1.75 1.75	\$270 \$270	Doors for
Two-Door Kit	GDOOR48 GDOOR42 GDOOR40 GDOOR36	.69 x 48 x 15 .69 x 42 x 15 .69 x 40 x 15 .69 x 36 x 15	100 100 100 100	17 16 15 14	1.75 1.75 1.75 1.75	\$270 \$270 \$270	
	GDOOR48 GDOOR42 GDOOR40 GDOOR36  For use on 48", 42	.69 x 48 x 15 .69 x 42 x 15 .69 x 40 x 15 .69 x 36 x 15	100 100 100 100	17 16 15 14	1.75 1.75 1.75 1.75	\$270 \$270 \$270 \$270 \$270	



**Corner Hutch Two-Door Kit** 

For use on 42" and 36"W corner hutches. Hinges included. Locks not available on corner hutch doors.

TACK	BOA	RDS	FOR	HUT	CHI	S

**TACKBOARD** Notes: Tackboards can be upholstered in all of the following fabrics:

Grade 1: Jenny, Quilt, Terrace, Urban, Waterfall

Grade 2: Imprint, Lola

Grade 3: Anchorage, Merge

						FABRIC GRA	DE LIST PRI
	TB7018	1 x 70 x 18	92.5	12	1.1	1	\$536
						2	\$621
						3	\$683
						4	\$782
						5	\$898
d		IOCB straight hutch. Incl					·
d		-					·
d .	For use on <b>G72</b> F	10CB straight hutch. Incl	udes mounting s	screws and co	1.05	1	\$536
1		-				1 2	\$536 \$621
d		-				1 2 3	\$536 \$621 \$683
d		-				<del>_</del>	\$536 \$621

Required Specifications Fabric (Tackboards)

TACKBOARDS	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRADI	E LIST PRICE
	TB6718	<b>D x W x H</b> 1 x 67.5 x 18	92.5	12	1.05	1	\$536
	120710	1 / 0/.0 / 10	02.0	12	1.00	2	\$621
						3	\$683
						4	\$782
						5	\$898
							<del></del>
Tackboard	For use on <b>G69H</b>	IOCB straight hutch. Incl	udes mounting sc	rews and co	vers.		
	TB6418	1 x 64 x 18	92.5	11	1	1	\$482
	150110	1 / 0 / / 10	02.0		•	2	\$556
						3	\$617
						4	\$704
						5	\$811
Tackboard	For use on <b>G66H</b>	IOCB straight hutch. Incl	udes mounting sc	rews and co	vers.		
_	TB5818	1 x 58 x 18	92.5	10	0.9	1	\$445
	100010	1 X OC X 10	JL.U	10	U.J	2	\$445 \$512
						3	\$568
						4	\$643
						5	\$740
						J	φ/10
Tackboard	For use on <b>G60H</b>	IOCB straight hutch. Incl	udes mounting sc	rews and co	vers.		
	TB4618	1 x 46 x 18	92.5	9	0.8	1	\$307
						2	\$367
						3	\$412
						4	\$474
						5	\$545
Tackboard	For use on <b>G48H</b>	IOCB straight hutch. Incl	udes mounting sci	rews and co	vers.		
	TB4018	1 x 40 x 18	92.5	8	0.7	1	\$297
	104010	1 7 40 7 10	32.0	U	0.7	2	\$345
						3	\$384
						4	\$439
						5	\$506
							<del></del>
Tackboard	For use on <b>G42H</b>	IOCB straight hutch. Incl	udes mounting sc	rews and co	vers.		
	TB3818	1 x 38 x 18	92.5	7	0.7	1	\$297
						2	\$344
						3	\$382
						4	\$436
						5	\$503
Tackboard	For use on <b>G40H</b>	IOCB straight hutch. Incl	udes mounting sc	rews and co	vers.		

Required Specifications
Fabric

	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRADE	LIST PRICE
	TB3418	<b>D x W x H</b> 1 x 34 x 18	92.5	6	0.6	1	\$287
	150110	1 / 0 / / 10	02.0		0.0	2	\$333
						3	\$372
						4	\$425
						5	\$486
	For use on <b>G36HO</b>	CB straight hutch. Incl	udes mounting so	crews and co	vers.		
	TB42CH	1 x 40 x 15.75	70	16	0.85	1	\$536
						2	\$590
						3	\$639
						4	\$703
	-					5	\$809
	For use on <b>G4242C</b>	H corner hutch. Inclu	des mounting scr	rews and cov	ers.		
	TB36CH	1 x 34 x 15.25	85	12	0.85	1	\$513
						2	\$566
						3	\$602
						<u>4</u> 5	\$675 \$777
						υ	ψΠΠ
	For use on <b>G3636C</b>	<b>H</b> corner hutch. Includ	es mounting scre	ews and cove	rs.	LIST PRICE	
	G2036LF	20 x 36 x 29.4	100	145	15	\$1167	
ile*		n drawers. Front-to-ba			i illing capabil		
	Back of file is all				Veight Kit (mod	lel "LFCWKIT36") N	MUST be use
	Back of file is alv     File drawer cons  G2036SC  Hinged doors cover	ways Black. truction is for accommo	100 Standard with lo	files NOT for s	Veight Kit (mod	ials on the drawer i	MUST be use
	Back of file is alv File drawer cons  G2036SC  Hinged doors cover Back of storage of	ways Black. truction is for accommod 20 x 36 x 29.4  r one adjustable shelf. cabinet is always Black	100 Standard with lo	121 nck.	Veight Kit (mod stacking mater 15	ials on the drawer i	/IUST be use
	Back of file is alv     File drawer cons  G2036SC  Hinged doors cover	vays Black. truction is for accommod 20 x 36 x 29.4  r one adjustable shelf.	100 Standard with lo	files NOT for s	Veight Kit (mod	ials on the drawer i	/IUST be use
	<ul> <li>Back of file is alv</li> <li>File drawer cons</li> <li>G2036SC</li> <li>Hinged doors cover</li> <li>Back of storage of GPOKL28</li> <li>GPOKL22</li> </ul>	vays Black. truction is for accommod 20 x 36 x 29.4  r one adjustable shelf. cabinet is always Black 17 x 28 x 3.5 17 x 22 x 3.5	100 Standard with lo	121 lock.	Veight Kit (mod	ials on the drawer is \$830	/IUST be use
	<ul> <li>Back of file is alv</li> <li>File drawer cons</li> <li>G2036SC</li> <li>Hinged doors cover</li> <li>Back of storage of GPOKL28</li> <li>GPOKL22</li> </ul>	vays Black. truction is for accommod 20 x 36 x 29.4  r one adjustable shelf. cabinet is always Black	100 Standard with lo	121 lock.	Veight Kit (mod	ials on the drawer is \$830	/IUST be use

Grommet (only G2036LF)

Finish (accessories)

ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
		D x W x H					
	GVB4848	4 x 48 x 48	85	122	9.25	\$1695	
Visual Board	door. Marker boar • NOTE: Care sho do so may resul	d can be used for proje ould be taken to mount t in collapse of the unit	ction. the units. Units sh and subsequent p	nould be mou nersonal injur	nted to wall st ry. <b>Mounting</b>	and 50-sheet paper writing uds using correct fastener. hardware not included. pal for proper wall mountin	s. Failure to Mounting
	LFCWKIT36	6 x 33 x 1	60	40	0.25	\$754	
Counter Weight Kit	mounting hardwar  To comply with	e. Must be ordered sep	parately. Field inst	talled.		torage/Drawer cabinet. In	
	CD20	18 x 20 x 3	100	8	1	\$214	
Center Drawer	Laminate drawer f desks.	ront is attached to a 4-	sided frame. Recor	mmended fo	r use on small	L-shaped units, and on 30'	" x 60" and 66"

Required Specifications Finish (bookcases)

# **G** GENOA®

GENOA®							
BOOKCASES	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	GHBC84	<b>D x W x H</b> 12 x 36 x 84	125	198	26	\$1466	
ookcase - 84" High	One fixed heavy d	uty shelf and <b>four adjus</b>	stable shelves	. Shipped fully	y assembled.		
	GHBC72	12 x 36 x 72	100	173	20	\$1223	
ookcase - 72" High	One fixed heavy d	uty shelf and <b>four adjus</b>	stable shelves	. Shipped fully	y assembled.		
	GHBC48	12 x 36 x 48	100	118	13.7	\$899	
Bookcase - 48½" High	Two adjustable	heavy duty shelves. Shi	pped fully asser	nbled.			
	GHBCSHELF	11 x 34 x 1	100	13	1.60	\$276	
ookcase Shelf	Extra shelf for boo	okcases. 1" thick.					

Required Specifications Finish

## **PRINCETON**™



The design of Princeton reflects the personality of today's young, dynamic workforce. The freestanding, modular components build out from you and where you work. With over 500 available components, Princeton offers a flexible footprint that's simple to reconfigure. A variety of storage options allows you to do more with less space.

Princeton delivers contemporary design to the workplace; whether it be in Commercial and Corporate offices, Government offices, Small Businesses, Banking, Legal, Accounting, Hospitality or the professional home office. Every element, from the mix of materials and finishes to open storage pieces, floating modesties and overlapping surfaces, has been designed to provide visual appeal and intelligent function. Princeton is a freestanding and fully modular collection offering maximum flexibility; ease of installation and facilitates simple reconfigurations. The overlapping worksurface design also allows the footprint to adapt to smaller spaces by just a few inches.



Bench doubles as lateral filing



Pull out equipment shelf (printer not included)



Bookshelf with accessory hook

### **Features and Benefits**

- 1" thick worksurfaces in thermally fused or high pressure laminate
- Worksurfaces feature Global's preferred edging in matching color
- Counterweights standard on all mobile pedestals, lateral files and credenzas
- Handles & pulls in satin anodized finish standard on all credenza, pedestal drawers and cabinet doors
- Monoposts and hutch supports standard in tungsten finish
- Benches double as lateral filing
- Pull-out equipment shelves on select credenzas
- Energy efficient LED lighting for overhead storage cabinets
- Grommets and power blocks to accommodate power/data needs
- Choose glass or fabric equipment screens

#### GENERAL INFORMATION

- Over 500 components are available
- No cubicles or panels needed for configurations
- Product can be added and reconfigured as needed
- Princeton desk and storage products have been tested and comply with all BIFMA mechanical tests.
- For environmental certifications, please visit globalfurnituregroup.com.

#### WORKSURFACES

- 1" thick high performance thermally fused laminate tops sealed with Global's preferred edge detail in matching color
- High Pressure Tops are available in all Princeton laminate finishes at an extended lead time. Please see model # for pricing and availability
- · Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- · Worksurfaces with metal legs which have a span of 54" and over are standard with metal support channel. Support channels come in Black (BLK) only. 24"D and 30"D - 1 - 2"H support channel
  - 36"D 2 2"H support channels

#### CONSTRUCTION

- Laminate end panel and metal leg products are **not intended** to be combined for the most visually compatible design. They are, however, interchangeable if required.
- All components have Global's preferred matching edge
- Leveling glides are standard on all floor units.
- End panels are 1.5" thick on laminate end panel desks and credenzas. Cabinet end panels are 11/16" thick.
- 1" x 2" metal frame legs finished in Tungsten (TTU), Black (TBL) or Designer White (TDW) for desks and returns (closed 'O' style leg)
- 1" x 2.5" metal frame legs finished in Tungsten (TTU), Black (TBL) or Designer White (TDW) for freestanding tables (open 'U' style leg)
- Constructed of 45 lb. density particleboard with high performance thermally fused
- Mobile pedestals and mobile lateral files come standard with front locking casters
- · Counterweights are standard on all pedestals, lateral files, credenzas and cabinets
- · Rolling table come standard with non-locking casters
- Laminate shelves are 11/16" thick and edged on all 4 sides.
- · Tempered glass is 6mm thick with satin-etched finish on one side.
- · Credenzas come standard with file bars for side-to-side and front-to-back letter and legal filing capability.
- Handles and pulls in satin anodized finish are standard on all credenza, pedestal drawers and cabinet doors.
- · Pull-out equipment shelves are available on select credenzas.
- Grommets and power blocks are available to accommodate power/data needs.

#### **EDGE DETAILS**

- All worksurfaces and components have Global's preferred matching edge detail on
- Edging cannot be specified separately. No substitutions.

## STORAGE

- Mobile storage greater than 25.5"H may only be used with 29"H Princeton products with laminate end panels or gables. Princeton products with metal legs will not accommodate anything higher than 25.5".
- Roll-out shelf on credenza holds up to 80 lbs
- All cabinets with side open shelf area that aligns with 29"H or 27"H credenzas fixed shelf is 1" thick
- Recycling/waste drawer accommodates 1 recycling basket and 1 waste basket

#### **LAMINATE MODESTY PANELS**

- · Standard on all desks with laminate end panels, returns with laminate end panels and bridges for laminate end panel desks.
- · Flush on Freestanding Returns with laminate end panels
- Recessed 4"D on 24"D desks with laminate end panels, 5"D on 30"D desks with laminate end panels and 6"D on 36"D desks with laminate end panels.
- Recessed 4"D on 24"D, 5"D on 30"D, and 6"D on 36"D flush and overlapping returns with laminate end panels.
- Recessed 4" on 24"D and 5"D on 30"D flush and overlapping bridges with laminate
- Desks and returns feature modesty panel that is flush with end panel
- Bottom of laminate modesty panel is 17 ¾" from floor.

#### **GLASS DESKTOP PANELS**

- Glass desktop panel is sold separately. See selection on page 77.
- · Available for installation onto desks, returns, bridges and conference tops
- Made of 6mm tempered glass with satin-etched finish on one side
- On-site installation is required. Installation instructions will be provided.

#### FABRIC DESKTOP/MODESTY PANELS

- Fabric desktop/fabric modesty panels are sold separately. See selection on page 77.
- Available in:

Grade 2: Lola

Grade 3: Anchorage, Merge

- On-site installation is required. Installation instructions included with product.
- Bottom of fabric modesty panel is 15.5" from floor

#### **CREDENZAS**

- Available in 29", 27" and 23" heights
- · 29"H connect to flush returns, flush conference tops and flush bridges
- 27"H connect to overlapping returns, overlapping conference tops and overlapping bridges
- · Fixed drawer widths see individual models for details
- · Upper adjustable shelf must be removed when products with laminate modesty panels are installed (i.e. PN2448RFR flush return with laminate end panel or PN2436BF flush bridge for laminate end panel desk)
- · Connection of flush or overlapping surfaces to credenzas is only possible over full height opening
- All credenza tops are 1" thick
- Grommet location is 2.5" from the back edge to the cut out edge

#### LOCKS

- Standard on all credenzas, storage cabinets, lateral files, pedestals & benches
- · Lock on all credenzas, cabinets and pedestals is always on the bottom drawer
- All components within a workstation or private office can be keyed alike. For up to 40 key numbers, the lead times are standard. For projects larger than 40 offices, additional lock numbers are available. Delivery will be extended an additional week at no upcharge.
- To order specified keying, tag each component of each workstation or office with a lock number between 401 and 440.
- Storage cabinets and pedestal with box/box/file drawer only five drawer and lower box drawer are locking. Credenza file drawer lock secures both drawers.
- Key alike or specific key number optional for all products with locks
- Reserved for new orders greater than \$20,000 list, all Princeton units with locks may be ordered with CA cap option and specific lock cores/keys can be ordered separately for field installation rather than specifying duplicate product lines with different key numbers.
- When CA option is specified, product will ship with a cap over the empty lock housing.
- Separately order the appropriate number of cores with keys; use product code SIL-CORE-H-SHOE for Silver core/key sets. Specify quantity and lock number required. One order line per key number required. Key number range: 401-440. Must be ordered at the same time product is ordered with CA lock cap option specified.
- One core removal key is required. Recommend one core removal for every 25 cores ordered. Order as REMOVE-K-H-SHOE.
- No charge applies for separate lock cores or core removal keys only when ordered with product. If replacement lock core and key required, contact Customer Care for applicable product code and pricing.

#### **HUTCHES & OVERHEAD STORAGE**

- Available in 60", 72" and 84" widths
- Hutches with full back feature one small hole in each corner for wire pass through
- 15.75" height clearance between worksurface and underside of hutch
- · Overhead Storage Cabinets have full width lower storage with center divider
- Hutches feature 1" x 2" steel support frame in Black (TBL), Designer White (TDW) or Tungsten (TTU).
- · Laminate and tempered glass sliding doors available
- Hutches cannot be placed on desks with laminate end panels
- Wall hung mounting rails are provided; wall fastener hardware is <u>not</u> included.
- Locks are not available
- Energy efficient LED lighting available (page 106)

#### **TABLES**

- 1" x 2.5" open metal frame leg. Available finish options: Black (TBL), Designer White (TDW) or Tungsten (TTU).
- Standard with 1" thick top and Global's preferred edging in matching color
- 120" and 144" wide table tops with center leg are shipped in two pieces
- Tables which have a span of 54" or wider are standard with 2"H metal support channel(s)
- Grommets and power block cutouts are available for most tables. Due to support channel location(s) for all 29" high tables, quote request required. Contact our Specials Department.
- Available standard with levelers or locking casters.
- Locking casters available in grey finish only.
- · Casters prevent tables from sitting flush against each other, vertically or horizontally

#### **KEYBOARDS**

 Keyboard tray adapter kits are required to accommodate worksurface support channels on the following: freestanding desks with metal legs, returns with metal legs, bridges for desks and returns with metal legs, and returns with bookshelf.

#### **TACKBOARDS**

- Tackboards available for hutches and overhead units.
- Available to fit 60", 72" and 84" widths
- Available in:

Grade 1: Jenny, Quilt, Terrace, Urban, Waterfall

Grade 2: Imprint, Lola

Grade 3: Anchorage, Merge

· Contact customer care for COM selection.

#### **CUSHIONS**

- · Sold separately.
- Cushions available in all Global seating fabrics. Contact customer care for COM selection and procedure.

#### CONNECTION

· Metal flat plates and wood screws are provided for connection between two units.

#### **SPECIAL SIZES**

- Custom widths, depths and heights are available, but require a custom quote.
   Please contact Customer Care for more information.
- Custom orders must indicate the "custom quote number" and list price as provided by Customer Care.
- Changes to a custom quote are not permissible. Any revisions will necessitate a new quotation.

#### **TASK LIGHTS**

- Optional, energy efficient LED task lights (ultra slim design) are available for mounting under hutches and overheads
- Hutches and overhead storage cabinets are pre-drilled for easy installation
- Available in 12", 20" and 40" widths

#### **WIRE MANAGEMENT**

- 2"W x 2"H
- · Plastic tray flexes to receive and hold electrical and data wires
- Quickly attaches with double-sided tape (included)

#### **MONOPOST**

- · Standard support for conference tops; support for select desks and returns
- 4" square post with 10" square base

#### **PLANTERS**

- · Plastic planter pots provided
- 8½" diameter x 8"H
- $\bullet$  Available in Black ( $\mbox{\bf BK})$  or White ( $\mbox{\bf WT})$  . Must specify at time of order.

#### SHIPPING

- Items are shipped R.T.A. (Ready To Assemble) unless otherwise noted
- Shipped in 1 carton unless otherwise noted
- · Connecting hardware included

### 1. SPECIFY MODEL NUMBER

#### 2. SPECIFY FINISHES

#### **Laminate Finishes**

#### Top/base/door, drawer and cabinet fronts:

ACJ Absolute Acajou ASN Asian Night AWC **Avant Cherry** AWH Avant Honey BLK Black BZD Blizzard BRC **Brushed Cobalt** CMB Clear Maple CGY **Custom Grey** DES Dark Espresso **DWT** Designer White FAS Fashionista FCL First Class NBL Noce Biondo NGL Noce Grigio NEL Noce Leggero NML Noce Medio MTD Quartered Mahogany SBY Sheer Beauty SDT Stonedust WHE Walnut Heights WCR Winter Cherry

#### **Monopost Finishes**

4" square monopost is available in Tungsten (TTU), Black (TBL) or Designer White (TDW)

#### **Planters**

Planter pots are standard in white. Available in Black (BK) at no upcharge. Must specify at time of order.

### **Metal Frame Desk Legs**

1" x 2" metal frame legs are available in Tungsten (TTU), Black (TBL) or Designer White (TDW)

#### **Metal Frame Table Legs**

1" x 2.5" metal frame legs are available in Tungsten (TTU), Black (TBL) or Designer White (TDW)

#### **Metal Hutch Supports**

1" x 2" metal supports are available in Tungsten (TTU),

Black (TBL) or Designer White (TDW)

For detailed finish specification guidelines, please download the Princeton Design Guide at www.globalfurnituregroup.com

# 3. SPECIFY OPTIONS

White Chocolate


#### **GROMMETS**

WHC

- One grommet in satin anodized finish is standard on many components, as specified
- Additional grommets may be available in other standard worksurface locations (left, center or right)
- Order as: Left POG1, Center POG2 or Right POG3: Add \$96



- Worksurface Grommet hole dimensions are 3.22" W x 1.85"D
- Standard grommet position is POG2 in desks, returns, bridges and conference tops
- Modesty panel pass through hole dimensions are 3.43"W x 2"H
- Grommets may be placed at non-standard locations. Order as PCSG Add \$96. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above)
- · Components that come standard with grommet may be ordered without a grommet. Order as RSG - Add \$53.
- · Grommet only available at POG2 on the following 48"W worksurfaces:
  - Desks: PN2448DK, PN3048DK, PN3648DK
  - Returns, flush: PN2448RFR, PN2448RFL



#### **POWER BLOCK**

- Power Block (model **PGDPS20**) with 1 power outlet, 12 foot long power cord, for mounting under worksurfaces or inside of laminate end panels
- Power Block (model PGDPS21) with 2 power outlets and 1 data opening, 12 foot long power cord, for mounting under worksurfaces or inside of laminate end panels
- Power Bar (model **PGDPS41**) with 4 power outlets and 1 data opening, 12 foot long power card, for mounting behind credenza pull-out shelf or at back of credenza opening
- · Rectangular shape. Finished in Tungsten (TUN)
- · Power Block dimensions: PGDPS20: 2.5"D x 3.5"W x 2.25"H

· Power Bar dimensions:

PGDPS21: 2.5"D x 6.75"W x 2.25"H

PGDPS41: 2.5"D x 10.25"W x 2.22"H



FREESTANDING DESKS - LAMINATE END PANELS

Freestanding Desk

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
PN2484DK	24 x 84 x 29	65	117	5	\$1033	\$120
PN2478DK	24 x 78 x 29	70	111	5	\$1003	\$119
PN2472DK	24 x 72 x 29	70	105	5	\$963	\$118
PN2466DK	24 x 66 x 29	65	101	4	\$951	\$118
PN2460DK	24 x 60 x 29	65	95	4	\$906	\$118
PN2454DK	24 x 54 x 29	60	95	3	\$906	\$119
PN2448DK	24 x 48 x 29	70	84	4	\$868	\$114
PN3084DK	30 x 84 x 29	70	133	6.50	\$1049	\$123
PN3078DK	30 x 78 x 29	70	127	6	\$1021	\$121
PN3072DK	30 x 72 x 29	70	120	5.50	\$988	\$121
PN3066DK	30 x 66 x 29	65	114	5	\$958	\$120
PN3060DK	30 x 60 x 29	70	109	5	\$925	\$118
PN3054DK	30 x 54 x 29	60	108	3.25	\$925	\$119
PN3048DK	30 x 48 x 29	65	98	4	\$882	\$118
PN3684DK	36 x 84 x 29	70	152	8	\$1104	\$137
PN3678DK	36 x 78 x 29	70	145	7	\$1074	\$132
PN3672DK	36 x 72 x 29	70	138	7	\$1055	\$129
PN3666DK	36 x 66 x 29	70	130	6	\$1007	\$121
PN3660DK	36 x 60 x 29	70	117	6	\$974	\$119
PN3654DK	36 x 54 x 29	60	120	4	\$974	\$120
PN3648DK	36 x 48 x 29	70	111.50	6.50	\$891	\$118
	55 % .5 % LO	, 0		0.00	<b>700.</b>	Ţ <b>U</b>

Standard with inset end panel on both ends and 10"h modesty panel with pass through grommet. Connects to flush return with laminate end panel, bridges for laminate end panel desks, flush return with bookshelf, flush conference tops. Can be placed over 27"H freestanding returns or 23"H/27"H credenzas. Grommet in worksurface. Shipped in 2 cartons.

RETURNS - LAMINATE END PANELS

Freestanding Return- 29"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN248429R	24 x 84 x 29	65	131	5	\$1008	\$135
PN247829R	24 x 78 x 29	65	127	 5	\$980	\$130
PN247229R	24 x 72 x 29	65	123	5	\$953	\$123
PN246629R	24 x 66 x 29	65	118	4	\$907	\$120
PN246029R	24 x 60 x 29	65	112	4	\$901	\$118

Standard with flush laminate 1.5" thick end panels. 10"h thick modesty panel without pass through grommet. Connects to flush return with laminate end panel, bridges for laminate end panel desks, flush return with bookshelf, flush conference tops. Can be placed over 27"H freestanding returns or 23"H/27"H credenzas. Grommet in worksurface.



PN248427R	24 x 84 x 27	65	129	5	\$996	\$131
PN247827R	24 x 78 x 27	65	125	5	\$965	\$127
PN247227R	24 x 72 x 27	65	120	5	\$939	\$121
PN246627R	24 x 66 x 27	65	116	4	\$911	\$119
PN246027R	24 x 60 x 27	65	109	4	\$852	\$117

Standard with flush laminate 1.5" thick end panels. 10"h thick modesty panel without pass through grommet. Supports overlapping return with laminate end panel, overlapping bridge for laminate end panel desks, overlapping return with bookshelf, overlapping conference top. Can be placed under desk. Grommet in worksurface.

Required Specifications
Top finish
Base finish

**Optional Specifications** HP laminate POG1, POG3 - additional grommet PCSG - custom grommet

RSG - remove grommet

Accessories Wire manager Power block Keyboard tray Desktop screen Keyboard mechanism (not available on 27"H return)

# PRINCETON™



Flush Return - 29"H - LEFT


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						_
PN2472RFL	24 x 72 x 29	70	95	5.50	\$834	\$129	
PN2466RFL	24 x 66 x 29	70	90	5	\$805	\$123	
PN2460RFL	24 x 60 x 29	70	84	4.50	\$759	\$119	
PN2454RFL	24 x 54 x 29	70	78	4	\$739	\$120	
PN2448RFL	24 x 48 x 29	70	72	4	\$706	\$117	

Return has no pedestal. Standard with inset end panel on left. 10"h modesty panel with pass-through grommet. Connects to Freestanding Desk with laminate end panels, 29"H Freestanding Returns and 29"H Credenzas. Grommet in worksurface.

Flush Return - 29"H - RIGHT

PN2472RFR	24 x 72 x 29	70	95	5.50	\$834	\$129
PN2466RFR	24 x 66 x 29	70	90	5	\$805	\$123
PN2460RFR	24 x 60 x 29	70	84	4.50	\$759	\$119
PN2454RFR	24 x 54 x 29	70	88	4	\$739	\$120
PN2448RFR	24 x 48 x 29	70	72	4	\$706	\$117


Return has no pedestal. Standard with inset end panel on right. 10"h modesty panel with pass-through grommet. Connects to Freestanding Desk with laminate end panels, 29"H Freestanding Returns and 29"H Credenzas. Grommet in worksurface.



Overlapping Return - 29"H - LEFT

PN2484ROL	24 x 84 x 29	70	118	6	\$925	\$107
PN2478ROL	24 x 78 x 29	65	126	5	\$861	\$106
PN2472ROL	24 x 72 x 29	70	104	5	\$832	\$100

Standard with inset laminate end panel on left and 10"h modesty panel with pass-through grommet. Overlaps 27"H Credenza and 27"H Freestanding Returns. Grommet in worksurface. 1" spacer included.



Overlapping Return - 29"H - RIGHT

PN2484ROR	24 x 84 x 29	70	118	6	\$925	\$107
PN2478ROR	24 x 78 x 29	65	126	5	\$861	\$106
PN2472ROR	24 x 72 x 29	70	104	5	\$832	\$100

Standard with inset laminate end panel on right and 10"h modesty panel with pass-through grommet. Overlaps 27"H Credenza and 27"H Freestanding Returns. Grommet in worksurface. 1" spacer included.

Req	ui	r	ed	Specification	ns

Top finish Base finish

#### **Optional Specifications**


HP laminate

POG1, POG3 - additional grommet PCSG - custom grommet RSG - remove grommet

#### Accessories Power block

Keyboard tray Desktop screen Wire manager Keyboard mechanism





Flush Bridge



Standard with 10"h modesty panel with pass-through grommet. Connects between any two: Freestanding Desk with laminate end panels, 29"H Freestanding Returns, Conference top for U configurations or 29"H Credenzas opening. Subtop finish is Granite with black edge. Grommet in worksurface.

PN2478BOL	24 x 78 x 12	65	119	4	\$788	\$118
PN2472BOL	24 x 72 x 12	70	96	5	\$748	\$108
PN2466BOL	24 x 66 x 12	70	90	4.50	\$722	\$100
PN2460BOL	24 x 60 x 12	70	83	4.50	\$712	\$96

Standard with 10"h modesty panel with pass-through grommet. Connects Freestanding Desk with laminate end panels, 29"H Freestanding Returns, Conference top for U configurations on one end, and overlaps 27"H Credenza or 27"H Freestanding Return on other end. Subtop finish is Granite with black edge. Grommet in worksurface. Includes 1" spacer, one side only.

PN2478BOR	24 x 78 x 12	65	119	4	\$788	\$118
PN2472BOR	24 x 72 x 12	70	96	5	\$748	\$108
PN2466BOR	24 x 66 x 12	70	90	4.50	\$722	\$100
PN2460BOR	24 x 60 x 12	70	83	4.50	\$712	\$96

Standard with 10"h modesty panel with pass-through grommet. Connects Freestanding Desk with laminate end panels, 29"H Freestanding Returns, Conference top for U configurations on one end, and overlaps 27"H Credenza or 27"H Freestanding Return on other end. Subtop finish is Granite with black edge. Grommet in worksurface. Includes 1" spacer, one side only.



Overlapping Bridge - LEFT\*



Required Specifications	Optional Specifications	Accessories	
Top finish	HP laminate	Power block	Wire manager
Base finish	POG1, POG3 - additional grommet*	Keyboard tray	Keyboard mechanis
	PCSG - custom grommet	Desktop screen	
	RSG - remove grommet	·	



Freestanding Desk with Metal Legs

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN2484DM	24 x 84 x 29	250	111	43.41	\$1595	\$253
PN2478DM	24 x 78 x 29	250	109	41.92	\$1475	\$236
PN2472DM	24 x 72 x 29	250	106	38.92	\$1293	\$208
PN2466DM	24 x 66 x 29	250	102	31.44	\$1281	\$206
PN2460DM	24 x 60 x 29	250	91	29.94	\$1253	\$202
PN2454DM	24 x 54 x 29	250	88	29.94	\$1217	\$197
PN2448DM	24 x 48 x 29	250	76	28.44	\$1077	\$175
PN3084DM	30 x 84 x 29	250	137	53.89	\$1659	\$262
PN3078DM	30 x 78 x 29	250	124	52.40	\$1542	\$247
PN3072DM	30 x 72 x 29	250	117	47.90	\$1382	\$221
PN3066DM	30 x 66 x 29	250	110	38.92	\$1335	\$213
PN3060DM	30 x 60 x 29	250	104	38.17	\$1293	\$208
PN3054DM	30 x 54 x 29	250	99	37.43	\$1267	\$205
PN3048DM	30 x 48 x 29	250	82	35.93	\$1119	\$182
PN3684DM	36 x 84 x 29	250	154	65.87	\$1883	\$297
PN3678DM	36 x 78 x 29	250	139	62.87	\$1725	\$273
PN3672DM	36 x 72 x 29	250	132	59.88	\$1679	\$264
PN3666DM	36 x 66 x 29	250	123	47.16	\$1471	\$235
PN3660DM	36 x 60 x 29	250	117	46.41	\$1422	\$226
PN3654DM	36 x 54 x 29	250	106	44.91	\$1343	\$214
PN3648DM	36 x 48 x 29	250	92	44.91	\$1215	\$197

Standard with two 1" x 2" metal open frame legs with support channel(s). Connects to flush returns with metal leg, bridges for desks and returns with metal leg, flush return with bookshelf and flush conference tops. Grommet in worksurface. Shipped in 3 cartons.



PN3060DBL	30 x 60 x 29	250	123	51.65	\$1402	\$236	
PN3066DBL	30 x 66 x 29	250	129	52.40	\$1549	\$258	
PN3072DBL	30 x 72 x 29	250	136	61.38	\$1595	\$261	
PN3078DBL	30 x 78 x 29	250	150	65.87	\$1724	\$283	
PN3084DBL	30 x 84 x 29	250	156	67.37	\$1817	\$319	
PN3672DBL	36 x 72 x 29	250	154	73.35	\$1657	\$261	
PN3678DBL	36 x 78 x 29	250	161	76.35	\$1799	\$283	
PN3684DBL	36 x 84 x 29	250	176	79.34	\$2027	\$319	

12"D Bookcase with adjustable shelf on left. One 1" x 2" metal open frame leg with support channel(s). Right side connects to flush returns with metal leg, bridges for desks and returns with metal leg, flush return with bookshelf, flush conference tops. Grommet in worksurface. Shipped in 3 cartons.



PN3060DBR	30 x 60 x 29	250	123	51.65	\$1402	\$218	
PN3066DBR	30 x 66 x 29	250	129	52.40	\$1549	\$239	
PN3072DBR	30 x 72 x 29	250	136	61.38	\$1595	\$247	
PN3078DBR	30 x 78 x 29	250	150	65.87	\$1724	\$260	
PN3084DBR	30 x 84 x 29	250	156	67.37	\$1817	\$278	
PN3672DBR	36 x 72 x 29	250	154	73.35	\$1657	\$253	
PN3678DBR	36 x 78 x 29	250	161	76.35	\$1799	\$273	
PN3684DBR	36 x 84 x 29	250	176	79.34	\$2027	\$286	

12"D Bookcase with adjustable shelf on right. One 1" x 2" metal open frame leg with support channel(s). Left side connects to flush returns with metal leg, bridges for desks and returns with metal leg, flush return with bookshelf, flush conference tops. Grommet in worksurface. Shipped in 3 cartons.

<b>Required Specifications</b>
Top finish
Base finish*
Leg finish*

**Optional Specifications** HP laminate

POG1, POG3 - additional grommet PCSG - custom grommet RSG - remove grommet

ı	CE	200	1162	
	MOR	hlo	ماد	

Wire manager Power block Keyboard tray Keyboard mechanism Desktop screen Keyboard tray mounting kit\*



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
PN2448FML	24 x 48 x 29	150	56	12	\$744	\$114
PN2454FML	24 x 54 x 29	150	68	13	\$893	\$137
PN2460FML	24 x 60 x 29	150	71	13	\$937	\$144
PN2466FML	24 x 66 x 29	150	82	14	\$974	\$151
PN2472FML	24 x 72 x 29	150	86	20	\$1004	\$156
PN2478FML	24 x 78 x 29	150	89	21	\$1118	\$170
PN3048FML	30 x 48 x 29	150	61	15	\$790	\$121
PN3054FML	30 x 54 x 29	150	78	16	\$931	\$142
PN3060FML	30 x 60 x 29	150	82	16.50	\$976	\$151
PN3066FML	30 x 66 x 29	150	89	17	\$1008	\$156
PN3072FML	30 x 72 x 29	150	96	23	\$1072	\$164
PN3078FML	30 x 78 x 29	250	103	26	\$1172	\$180

1" x 2" metal frame leg on left. Support channel(s) included for units 72"W and above. Connects to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, 29"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.

PN2448FMR	24 x 48 x 29	150	56	12	\$744	\$114
PN2454FMR	24 x 54 x 29	150	68	13	\$893	\$137
PN2460FMR	24 x 60 x 29	150	71	13	\$937	\$144
PN2466FMR	24 x 66 x 29	150	82	14	\$974	\$151
PN2472FMR	24 x 72 x 29	150	86	20	\$1004	\$156
PN2478FMR	24 x 78 x 29	150	89	21	\$1118	\$170
PN3048FMR	30 x 48 x 29	150	61	7.50	\$790	\$121
PN3054FMR	30 x 54 x 29	150	78	16	\$931	\$142
PN3060FMR	30 x 60 x 29	150	83	16.50	\$976	\$151
PN3066FMR	30 x 66 x 29	150	89	17	\$1008	\$156
PN3072FMR	30 x 72 x 29	150	96	23	\$1072	\$164
PN3078FMR	30 x 78 x 29	250	103	26	\$1172	\$180


1" x 2" metal frame leg on right. Support channel(s) included for units 72"W and above. Connects to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, 29"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.


PN3048FTL	30 x 48 x 29	150	61	15	\$780	\$120
PN3054FTL	30 x 54 x 29	150	78	16	\$921	\$142
PN3060FTL	30 x 60 x 29	150	83	16.50	\$976	\$151
PN3066FTL	30 x 66 x 29	150	89	17	\$1029	\$158
PN3072FTL	30 x 72 x 29	150	96	23	\$1072	\$164


1" x 2" metal frame leg on left. Support channel(s) included for units 72"W and above. 30"D has 24"D leg. 36"D has 30"D leg. Connects to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, 29"H credenza opening Grommet in worksurface. Shipped in 2 cartons.

PN3048FTR	30 x 48 x 29	150	61	15	\$780	\$120
PN3054FTR	30 x 54 x 29	150	78	16	\$921	\$142
PN3060FTR	30 x 60 x 29	150	83	16.50	\$976	\$151
PN3066FTR	30 x 66 x 29	150	89	17	\$1029	\$158
PN3072FTR	30 x 72 x 29	150	96	23	\$1072	\$164

1" x 2" metal frame leg on right. Support channel(s) included for units 72"W and above. 30"D has 24"D leg. 36"D has 30"D leg. Connects to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, 29"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.







**Required Specifications** 

Top finish Leg finish **Optional Specifications** 


HP laminate

POG1, POG3 - additional grommet PCSG - custom grommet RSG - remove grommet

Accessories Power block

Wire manager Keyboard tray Keyboard mechanism

Desktop screen Keyboard tray mounting kit OVERLAPPING RETURNS WITH METAL LEGS



Overlapping Return w/Metal Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN24600ML	24 x 60 x 29	150	71	13	\$835	\$129
PN24660ML	24 x 66 x 29	150	82	14	\$859	\$132
PN24720ML	24 x 72 x 29	150	86	20	\$889	\$137
PN24780ML	24 x 78 x 29	150	89	21	\$1059	\$162
PN24840ML	24 x 84 x 29	150	91	22	\$1225	\$187
PN30600ML	30 x 60 x 29	150	83	16.50	\$873	\$133
PN30660ML	30 x 66 x 29	150	89	17	\$904	\$139
PN30720ML	30 x 72 x 29	150	96	23	\$956	\$146
PN30780ML	30 x 78 x 29	250	103	26	\$1134	\$175
PN30840ML	30 x 84 x 29	150	116	27	\$1269	\$194

1" x 2" metal frame leg on left. Support channel(s) included for 84"W unit only. Overlaps 27"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.

	RIGHT
Overlapping Return w/N	letal Leg

PN24600MR	24 x 60 x 29	150	71	13	\$835	\$129
PN24660MR	24 x 66 x 29	150	82	14	\$859	\$132
PN24720MR	24 x 72 x 29	150	86	20	\$889	\$137
PN24780MR	24 x 78 x 29	150	89	21	\$1059	\$162
PN24840MR	24 x 84 x 29	150	91	22	\$1225	\$187
PN30600MR	30 x 60 x 29	150	83	16.50	\$873	\$133
PN30660MR	30 x 66 x 29	150	89	17	\$904	\$139
PN30720MR	30 x 72 x 29	150	96	23	\$956	\$146
PN30780MR	30 x 78 x 29	250	103	26	\$1134	\$175
PN30840MR	30 x 84 x 29	150	137	27	\$1269	\$194

1" x 2" metal frame leg on right. Support channel(s) included for 84"W unit only. Overlaps 27"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.




LEFT

RIGHT

PN30600TL	30 x 60 x 29	150	83	16.50	\$890	\$137
PN30660TL	30 x 66 x 29	150	89	17	\$923	\$142
PN30720TL	30 x 72 x 29	150	96	23	\$965	\$148
PN30780TL	30 x 78 x 29	250	103	26	\$1154	\$177
PN30840TL	30 x 84 x 29	150	116	27	\$1289	\$197

1" x 2" metal frame leg on left. Support channel(s) included for 84"W unit only. 30"D has 24"D leg. 36"D has 30"D leg. Overlaps 27"H credenza opening. Grommet in worksurface. Includes 1" spacer. Shipped in 2 cartons.



PN30600TR	30 x 60 x 29	150	83	16.50	\$890	\$137
PN30660TR	30 x 66 x 29	150	89	17	\$923	\$142
PN30720TR	30 x 72 x 29	150	96	23	\$965	\$148
PN30780TR	30 x 78 x 29	250	103	26	\$1154	\$177
PN30840TR	30 x 84 x 29	150	116	27	\$1289	\$197

1" x 2" metal frame leg on right. Support channel(s) included for 84"W unit only. 30"D has 24"D leg. 36"D has 30"D leg. Overlaps 27"H credenza opening. Grommet in worksurface. Includes 1" spacer. Shipped in 2 cartons.

Doguirod	Specification	_
neauirea	Specification	3

Top finish Leg finish

## **Optional Specifications**

HP laminate


POG1, POG3 - additional grommet PCSG - custom grommet RSG - remove grommet

## Accessories


Wire manager Power block Keyboard tray Desktop screen

Keyboard mechanism Keyboard tray mounting kit


globalfurnituregroup.com




Overlapping Return w/Metal Leg and Spacer for 23"H Credenza



Overlapping Return w/Metal Leg and Spacer for 23"H Credenza



Overlapping Wedge Return w/Metal Leg and Spacer for 23"H Credenza



Overlapping Wedge Return w/Metal Leg and Spacer for 23"H Credenza

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN2460SOL	24 x 60 x 29	250	83	23.95	\$1226	\$187
PN2466SOL	24 x 66 x 29	250	94	25.45	\$1264	\$194
PN2472SOL	24 x 72 x 29	250	98	34.43	\$1296	\$199
PN2478SOL	24 x 78 x 29	250	101	35.93	\$1409	\$214
PN2484SOL	24 x 84 x 29	250	103	37.43	\$1484	\$226
PN3060SOL	30 x 60 x 29	250	95	26.20	\$1304	\$200
PN3066SOL	30 x 66 x 29	250	101	26.95	\$1343	\$206
PN3072SOL	30 x 72 x 29	250	108	35.93	\$1376	\$209
PN3078SOL	30 x 78 x 29	250	115	40.42	\$1473	\$224
PN3084SOL	30 x 84 x 29	250	128	41.92	\$1571	\$239

1" x 2" metal frame leg on **left** and 5"H metal frame spacer on right. Support channel(s) included for units 78"W and above. Overlaps 23"H credenza. Grommet in worksurface. Shipped in 3 cartons.

PN2460SOR	24 x 60 x 29	250	83	23.95	\$1226	\$187
PN2466SOR	24 x 66 x 29	250	94	25.45	\$1264	\$194
PN2472SOR	24 x 72 x 29	250	98	34.43	\$1296	\$199
PN2478SOR	24 x 78 x 29	250	101	35.93	\$1409	\$214
PN2484SOR	24 x 84 x 29	250	103	37.43	\$1484	\$226
PN3060SOR	30 x 60 x 29	250	95	26.20	\$1304	\$200
PN3066SOR	30 x 66 x 29	250	101	26.95	\$1343	\$206
PN3072SOR	30 x 72 x 29	250	108	35.93	\$1376	\$209
PN3078SOR	30 x 78 x 29	250	115	40.42	\$1473	\$224
PN3084SOR	30 x 84 x 29	250	128	41.92	\$1571	\$239

1" x 2" metal frame leg on **right** and 5"H metal frame spacer on left. Support channel(s) included for units 78"W and above. Overlaps 23"H credenza. Grommet in worksurface. Shipped in 3 cartons.

PN3060TSL	30 x 60 x 29	250	95	26.20	\$1281	\$197
PN3066TSL	30 x 66 x 29	250	101	26.95	\$1329	\$205
PN3072TSL	30 x 72 x 29	250	108	35.93	\$1363	\$208
PN3078TSL	30 x 78 x 29	250	115	40.42	\$1460	\$223
PN3084TSL	30 x 84 x 29	250	128	41.92	\$1544	\$236

1" x 2" metal frame leg on **left** and 5"H metal frame spacer on right. Support channel(s) included for units 78"W and above. 24"D leg and 30"D spacer. Overlaps 23"H credenza. Grommet in worksurface. Shipped in 3 cartons.

PN3060TSR	30 x 60 x 29	250	95	26.20	\$1281	\$197
PN3066TSR	30 x 66 x 29	250	101	26.95	\$1329	\$205
PN3072TSR	30 x 72 x 29	250	108	35.93	\$1363	\$208
PN3078TSR	30 x 78 x 29	250	115	40.42	\$1460	\$223
PN3084TSR	30 x 84 x 29	250	128	41.92	\$1544	\$236

1" x 2" metal frame leg on **right** and 5"H metal frame spacer on left. Support channel(s) included for units 78"W and above. 24"D leg and 30"D spacer. Overlaps 23"H credenza. Grommet in worksurface. Shipped in 3 cartons.

Required	Specifications
To a Cartala	

Top finish Leg finish

# **Optional Specifications**

HP laminate
POG1, POG3 - additional grommet
PCSG - custom grommet
RSG - remove grommet

### Accessories

Power block Keyboard tray Desktop screen Wire manager Keyboard mechanism

Keyboard tray mounting kit



Flush Bridge for Metal Leg Configurations

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN2436BFM	24 x 36 x 1	70	31	2	\$351	\$80
PN2442BFM	24 x 42 x 1	70	40	2.50	\$358	\$83
PN2448BFM	24 x 48 x 1	85	44	3	\$376	\$85
PN2454BFM	24 x 54 x 1	70	51	3	\$511	\$113

Connects between any two: freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, conference top for U configurations, 29"H credenza opening. Grommet in worksurface.



**Overlapping Bridge for Metal Leg Configurations** 

PN24600BL	24 x 60 x 2	70	51	3	\$489	\$102
PN24660BL	24 x 66 x 2	70	62	3.25	\$505	\$106
PN24720BL	24 x 72 x 2	92.5	66	6.50	\$515	\$107
PN2478OBL	24 x 78 x 2	92.5	76	6.50	\$697	\$142

Connects freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, conference top for U configurations flush on one end, and overlaps 27"H credenza opening on the other end. Includes 1" spacer. Grommet in worksurface.



Overlapping Bridge for Metal Leg **Configurations** 

PN24600BR	24 x 60 x 2	70	51	3	\$489	\$102
PN24660BR	24 x 66 x 2	70	62	3.25	\$505	\$106
PN24720BR	24 x 72 x 2	92.5	66	6.50	\$515	\$107
PN24780BR	24 x 78 x 2	92.5	76	6.50	\$697	\$142

Connects freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, conference top for U configurations flush on one end, and overlaps 27"H credenza opening on the other end. Includes 1" spacer. Grommet in worksurface.



**Overlapping Bridge with Metal Spacer** for 23"H Credenza\*

PN24600SL	24 x 60 x 6	125	63	9	\$806	\$178
PN2466OSL	24 x 66 x 6	125	74	9.50	\$845	\$186
PN24720SL	24 x 72 x 6	150	78	16	\$874	\$193
PN24780SL	24 x 78 x 6	150	88	16	\$988	\$215

One 5"H metal frame spacer with support channel(s). Connects flush on right side to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, or conference top for U configurations. Overlaps 23"H credenza opening on the left. Grommet in worksurface. Shipped in 2 cartons.



**Overlapping Bridge with Metal Spacer** for 23"H Credenza\*

3 9 <b>\$806 \$178</b>
4 9.50 <b>\$845 \$186</b>
B 16 <b>\$874 \$193</b>
B 16 <b>\$988 \$215</b>

One 5"H metal frame spacer with support channel(s). Connects flush on left side to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, or conference top for U configurations. Overlaps 23"H credenza opening on the **right**. Grommet in worksurface. Shipped in 2 cartons.

Required	Specifications
Fara Cartala	

Top finish Leg finish\*

## **Optional Specifications**

**HP** laminate

POG1, POG3 - additional grommet PCSG - custom grommet RSG - remove grommet

## Accessories

Power block Keyboard tray Desktop screen

Wire manager Keyboard mechanism

Keyboard tray mounting kit







12"D Bookcase with adjustable shelf on **left**. With support channel(s). Connects on **right** side to freestanding desk with metal legs or laminate end panels, 29"H freestanding returns, 29"H credenza opening. Laminate shelf is standard. Grommet in worksurface. Shipped in 2 cartons.

	PN2472FBR	24 x 72 x 29
	PN2478FBR	24 x 78 x 29
$\wedge$	PN2484FBR	24 x 84 x 29
	PN3060FBR	30 x 60 x 29
	PN3066FBR	30 x 66 x 29
	PN3072FBR	30 x 72 x 29
	PN3078FBR	30 x 78 x 29
	PN3084FBR	30 x 84 x 29
RIGHT		

PN2460FBR	24 x 60 x 29	150	86	20	\$951	\$145	
PN2466FBR	24 x 66 x 29	150	97	20.50	\$1082	\$165	
PN2472FBR	24 x 72 x 29	250	101	27	\$1117	\$169	
PN2478FBR	24 x 78 x 29	150	111	27	\$1182	\$182	
PN2484FBR	24 x 84 x 29	250	106	29	\$1250	\$189	
PN3060FBR	30 x 60 x 29	150	102	25.50	\$1007	\$156	
PN3066FBR	30 x 66 x 29	150	108	26	\$1144	\$175	
PN3072FBR	30 x 72 x 29	250	115	32	\$1180	\$181	
PN3078FBR	30 x 78 x 29	250	129	35	\$1265	\$194	
PN3084FBR	30 x 84 x 29	250	135	36	\$1385	\$210	

12"D Bookcase with adjustable shelf on **right**. With support channel(s). Connects on **left** side to freestanding desk with metal legs or laminate end panels, 29"H freestanding returns, 29"H credenza opening. Laminate shelf is standard. Grommet in worksurface. Shipped in 2 cartons.

•	
Overlapping Return	LEFT n with Bookshelf

Flush Return with Bookshelf

PN2484RBL	24 x 84 x 29	250	106	29	\$1231	\$187	
PN2490RBL	24 x 90 x 29	250	110	30	\$1369	\$209	
PN2496RBL	24 x 96 x 29	250	123	31	\$1440	\$219	
PN3084RBL	30 x 84 x 29	250	135	36	\$1281	\$197	
PN3090RBL	30 x 90 x 29	250	142	42	\$1402	\$213	
PN3096RBL	30 x 96 x 29	250	146	38.50	\$1478	\$225	


12"D Bookcase with adjustable shelf on **left**. With support channel(s). **Right** side overlaps 27"H credenza opening, 27"H freestanding return. Laminate shelf is standard. Grommet in worksurface. Shipped in 2 cartons.



PN2484RBR	24 x 84 x 29	250	106	29	\$1231 \$1	87
PN2490RBR	24 x 90 x 29	250	110	30	\$1369 \$2	209
PN2496RBR	24 x 96 x 29	250	123	31	\$1440 \$2	19
PN3084RBR	30 x 84 x 29	250	135	36	\$1281 \$1	97
PN3090RBR	30 x 90 x 29	250	142	42	\$1402 \$2	13
PN3096RBR	30 x 96 x 29	250	146	38.50	\$1478 \$2	25

12"D Bookcase with adjustable shelf on **right**. With support channel(s). **Left** side overlaps 27"H credenza opening, 27"H freestanding return. Laminate shelf is standard. Grommet in worksurface. Shipped in 2 cartons.

Required Specifications	Optional Specifications	Accessories		
Top finish	HP laminate	Power block	Wire manager	
Base finish	POG1, POG3 - additional grommet	Keyboard tray	Keyboard mechanism	
	PCSG - custom grommet	Desktop screen		
	RCC romovo grammat	Koyboard tray mounting kit		



Offset Conference Top, Flush


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN3066CFL	47 x 66 x 29	150	142	25	\$1223	\$159
PN3072CFL	47 x 72 x 29	92.5	52	5	\$1276	\$151
PN3066CFR	47 x 66 x 29	150	142	25	\$1223	\$159
PN3072CFR	47 x 72 x 29	92.5	52	5	\$1276	\$151

Specify PNxxxxCFL for LEFT or PNxxxxCFR for RIGHT.

Standard with square monopost and base. Connects to freestanding desks with metal legs or laminate end panels, 29"H freestanding returns, 29"H credenza opening. Subtop finish is Granite with black edge. Grommet in worksurface. Shipped in 2

## **Recommended Maximum Modesty Panel Size:**

PN3066CFR/CFL: 36"W (PN3613DMF) PN3072CFR/CFL: 42"W (PN4213DMF)




PN2448DFL	24 x 48 x 29	125	55	8.50	\$781	\$113
PN3048DFL	30 x 48 x 29	150	59	5.50	\$834	\$121
PN3060DFL	30 x 60 x 29	125	76	6	\$866	\$127
PN2448DFR	24 x 48 x 29	125	55	8.50	\$781	\$113
PN3048DFR	30 x 48 x 29	150	59	5.50	\$834	\$121
PN3060DFR	30 x 60 x 29	125	76	6	\$866	\$127

Specify PNxxxxDFL for LEFT or PNxxxxDFR for RIGHT.

Standard with square monopost with base. Connects to Freestanding Desks with metal legs or laminate end panels, 29"H Freestanding Returns or 29"H credenza opening. Subtop finish is Granite with black edge. Grommet in worksurface. Shipped in 2 cartons.

## **Recommended Maximum Modesty Panel Size:**

PN2448DFR/DFL: 30"W(PN3013DMF) PN3048DFR/DFL: 30"W (PN3013DMF) PN3060DFR/DFL: 36"W (PN3613DMF)



PN3048TFL	30 x 48 x 29	150	59	11	\$834	\$121
PN3060TFL	30 x 60 x 29	125	81	12.50	\$866	\$127
PN3048TFR	30 x 48 x 29	150	59	11	\$834	\$121
PN3060TFR	30 x 60 x 29	125	81	12.50	\$866	\$127

Specify PNxxxxTFL for LEFT or PNxxxxTFR for RIGHT.

Standard with square monopost with base. 30"D at connecting end, 24"D at monopost end. Connects to Freestanding Desks with metal legs or laminate end panels, 29"H Freestanding Returns or 29"H credenza opening. Subtop finish is Granite with black edge. Grommet in worksurface. Shipped in 2 cartons.

### **Recommended Maximum Modesty Panel Size:**

PN3048TFR/TFL: 30"W (PN3013DMF) PN3060TFR/TFL: 36"W (PN3013DMF)

Required Specifications	Optional Specifications	Accessories	
Top finish	HP laminate	Power block	Wire manager
Monopost finish	PCSG - custom grommet	Keyboard tray	Keyboard mechanism
	RSG - remove grommet	Desktop screen	
		Kayhaard tray mai	inting kit

	LEFT
也	RIGHT

**CONFERENCE TOPS - OVERLAPPING** 

Offset Conference Top, Overlapping

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
PN3090COL	47 x 90 x 29	150	174	32	\$1379	\$148
PN3096COL	47 x 96 x 29	100	58.50	6.50	\$1393	\$157
PN3090COR	47 x 90 x 29	150	174	32	\$1379	\$148
PN3096COR	47 x 96 x 29	100	58.50	6.50	\$1393	\$157

Specify PNxxxxCOL for **LEFT** or PNxxxxCOR for **RIGHT**.

Standard with square monopost and base. Overlaps **27"H** credenza opening or **27"H** Freestanding Return. Subtop finish is Granite with black edge. Grommet in worksurface. 1" spacer included. Shipped in 2 cartons.

## **Recommended Maximum Modesty Panel Size:**

PN3090COR/COL: 36"W (PN3613DMF) PN3096COR/COL: 42"W (PN4213DMF)

\$132	\$1056	19	94	150	30 x 72 x 29	PN3072DOL
\$133	\$1076	23	101	150	30 x 78 x 29	PN3078DOL
\$142	\$1155	4	44.50	92.5	30 x 84 x 29	PN3084DOL
		9.50	94	150	30 x 72 x 29	PN3072DOR
\$132	\$1056	9.00	JT			
\$132 \$133	\$1056 \$1076	23	101	150	30 x 78 x 29	PN3078DOR

### Specify PNxxxxDOL for **LEFT** or PNxxxxDOR for **RIGHT**.

Standard with square monopost and base. Overlaps **27"H** credenza opening or **27"H** Freestanding Return. Subtop finish is Granite with black edge. Grommet in worksurface. 1" spacer included. Shipped in 2 cartons.

### **Recommended Maximum Modesty Panel Size:**

PN3072DOR/DOL: 30"W (PN3013DMF) PN3078DOR/DOL: 30"W (PN3013DMF) PN3084DOR/DOL: 36"W (PN3613DMF)

PN3072TOL	30 x 72 x 29	150	94	19	\$1056	\$145
PN3084TOL	30 x 84 x 29	150	114	23	\$1155	\$160
PN3072TOR	30 x 72 x 29	150	94	19	\$1056	\$145
						\$160

Specify PNxxxxDOL for **LEFT** or PNxxxxDOR for **RIGHT**.


Standard with square monopost and base. 30"d at overlapping end, 24"d at monopost end. Overlaps 27"H Credenza opening or 27"H Freestanding Return. Grommet in worksurface. 1" spacer included. Shipped in 2 cartons.

## **Recommended Maximum Modesty Panel Size:**

PN3072TOR/TOL: 30"W (PN3013DMF) PN3084TOR/TOL: 36"W (PN3613DMF)


>	
•	LEFT
*	RIGHT

**Conference Top, Overlapping** 



Wedge Shaped Overlapping Conference Top

Required Specifications	Optional Specifications	Accessories	
Top finish	HP laminate	Power block	Wire manager
Monopost finish	PCSG - custom grommet	Keyboard tray	Keyboard mechanism
	RSG - remove grommet	Desktop screen	
		Kayboard tray mou	inting kit



Offset Conference Top, for U Configurations\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
PN3090CUL	47 x 90 x 29	125	194	32	\$1458	\$201
PN3096CUL	47 x 96 x 29	125	195	32	\$1475	\$202

PN3090CUR	47 x 90 x 29	125	194	32	\$1458	\$201
PN3096CUR	47 x 96 x 29	125	195	32	\$1475	\$202

Specify PNxxxxCUL for LEFT or PNxxxxCUR for RIGHT.

Standard with T base with square monopost and base. End panel is 1" thick. 1.5" thick support gable extends 12" for end panel. Not freestanding, must be connected. Connects to bridges. Grommet in worksurface. Shipped in 2 cartons.

### **Recommended Maximum Modesty Panel Size:**

PN3090CUR/CUL: 60"W (PN6013DMF) PN3096CUR/CUL: 66"W (PN6613DMF)

PN3072DUL	30 x 72 x 29	125	114	19	\$1240	\$169
PN3084DUL	30 x 84 x 29	150	134	23	\$1457	\$201


PN3072DUR	30 x 72 x 29	125	114	19	\$1240	\$169
PN3084DUR	30 x 84 x 29	150	134	23	\$1457	\$201

Specify PNxxxxDUL for **LEFT** or PNxxxxDUR for **RIGHT**.

Standard with T base with square monopost and base. End panel is 1" thick. 1.5" thick support gable extends 12" for end panel. Not freestanding, must be connected. Connects to bridges. Grommet in worksurface. Shipped in 2 cartons.

### **Recommended Maximum Modesty Panel Size:**

PN3072DUR/DUL: 48"W (PN4813DMF) PN3084DUR/DUL: 60"W (PN6013DMF)



DESKTOP/MODESTY PANELS

### **Laminate Modesty Panel**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
PN3013DML	.69 x 30 x 13	85	10	.75	\$407	
PN3613DML	.69 x 36 x 13	70	12	.75	\$441	
PN4213DML	.69 x 42 x 13	70	14	.75	\$475	
PN4813DML	.69 x 48 x 13	70	16	1	\$494	
PN5413DML	.69 x 54 x 13	70	18	1	\$553	
PN6013DML	.69 x 60 x 13	70	20	1.50	\$648	
PN6613DML	.69 x 66 x 13	70	22	1.50	\$668	
PN7213DML	.69 x 72 x 13	70	24	1.50	\$691	
PN7813DML	.69 x 78 x 13	70	26	1.70	\$810	
PN8413DML	.69 x 84 x 13	70	28	1.70	\$1004	

Attaches to worksurface with black "L" brackets. Laminate modesty panels up to 54"w include two brackets. Panels 60" and wider have three brackets. Specify a nominal size 6" shorter than worksurface size. If using modesty with overlapping worksurface or lower storage, contact Customer Care.


Required Specifications	Optional Specifications	Accessories	
Top finish*	HP laminate*	Power block*	Wire manager*
Base finish	POG1, POG3 - additional grommet*	Keyboard tray*	Keyboard mechanism*
Monopost finish*	PCSG - custom grommet*	Desktop screen*	
	RSG - remove grommet*	Keyboard tray mor	ıntina kit*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST PRICE
PN3013DMF		250	3	1	1	\$493
114001051411	.07 X 00 X 10	200				\$531
						\$560
					4	\$603
D110040D145	07 00 10	050				
PN3613DMF	.37 x 36 x 13	250	3.60	1		\$521
						\$568
						\$605
					4	\$656
PN4213DMF	.37 x 42 x 13	150	4.20	1	1	\$547
					2	\$594
					3	\$631
					4	\$682
DNI4012DME	27 v 40 v 12	250	4.00	1 50	1	\$561
FIN40 I SUIVIF	.37 X 40 X 13	200	4.00	1.30		\$619
						\$660
						\$723
					·	<del></del>
PN5413DMF	.37 x 54 x 13	250	5.40	1.50	1	\$586
						\$651
						\$700
					4	\$772
PN6013DMF	.37 x 60 x 13	150	6	1.50	1	\$621
					2	\$686
					3	\$735
					4	\$807
PN6613DMF	37 x 66 x 13	150	6 60	1 50	1	\$729
11001051011	.07 X 00 X 10	100	0.00	1.00		\$802
						\$859
					4	\$943
DNIZO1ODNIE	07 70 10	150	7.00	1 75	1	<b>677</b> C
PN/213DIVIF	.3/ X /2 X 13	150	7.20	1./5		\$776
						\$860
						\$921 \$1015
					· ·	<del></del>
PN7813DMF	.37 x 78 x 13	150	7.80	1.75	1	\$782
					2	\$872
					3	\$944
					4	\$1047
			have three	clamps. When	used as a mod	esty panel, specify
PN3013DG	.25 x 30 x 13	85	10	.75	\$384	
PN3613DG		70	14	.75	\$401	
				11		
PN7213DG	.25 x 72 x 13	70	28	1.50	\$634	
Panels un to 5/1"w	have two clamps. Pa	inels 60" and wider	have three	clamns		
	PN5413DMF  PN6013DMF  PN6613DMF  PN7213DMF  PN7813DMF  Panels up to 54"w nominal size 6" s	PN3613DMF .37 x 36 x 13  PN4213DMF .37 x 42 x 13  PN5413DMF .37 x 54 x 13  PN6613DMF .37 x 60 x 13  PN7213DMF .37 x 72 x 13  PN7213DMF .37 x 72 x 13  PN7213DMF .37 x 72 x 13  PN7213DMF .37 x 78 x 13  PN7213DMF .25 x 36 x 13  PN3613DG .25 x 36 x 13  PN4213DG .25 x 42 x 13  PN4813DG .25 x 42 x 13  PN6013DG .25 x 60 x 13  PN6013DG .25 x 60 x 13  PN6613DG .25 x 66 x 13	PN3013DMF	PN3613DMF	PN3013DMF	PN3613DMF

Required Specifications
Fabric\*

FELT PANELS	MODEL#	DIMENSIONS	FREIGH	T CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
		DxWxH							
<ul> <li>9mm thick panels offered in 9 finishes</li> </ul>			FELT COL	ORS					
Made from 100% PET (polyester) fiber with	a high content (50%) of p	ost-recycled	BLK	Black		MTS	Mist		
material, free of added chemicals, binders and	d adhesives		BRI	Brick		PWT	Pewter		
<ul> <li>Lightweight panels are tackable, impact and t</li> </ul>	ear resistant, bacteria resis	stant,	DEN	Denim		SHR	Shamrock		
moisture resistant, and installation friendly			GPH	Graphite		WHT	White		
<ul> <li>Variation in fiber mix and color are inherent to</li> </ul>	the character of the produ	ct	HVT	Harvest					
<ul> <li>Clamps are included. Available in satin anodiz</li> </ul>	ed finish only.								

LT DESKTOP/MODESTY PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	PN3013PT9-1	.36 x 30 x 12.5	150	2.48	.57	\$198
	PN3613PT9-1	.36 x 36 x 12.5	250	2.74	.69	\$208
	PN4213PT9-1	.36 x 42 x 12.5	250	2.99	.80	\$282
.£n	PN4813PT9-1	.36 x 48 x 12.5	150	3.85	.91	\$294
	PN5413PT9-1	.36 x 54 x 12.5	250	4.11	1.03	\$357
	PN6013PT9-1	.36 x 60 x 12.5	250	4.36	1.14	\$367
	PN6613PT9-1	.36 x 66 x 12.5	150	5.22	1.25	\$441
	PN7213PT9-1	.36 x 72 x 12.5	150	5.48	1.36	\$450
	PN7813PT9-1	.36 x 78 x 12.5	250	5.73	1.48	\$458
Felt Desktop/Modesty Panel, 1 pk.	1.1	n satin anodized finish				os are included depending on ecify a nominal size 6" sho



PET Felt Desktop/Modesty Panel, 4 pk.

PN3013PT9-4	0.36 x 30 x 12.5	85	8.93	.60	\$754
PN3613PT9-4	0.36 x 36 x 12.5	85	9.86	.71	\$791
PN4213PT9-4	0.36 x 42 x 12.5	85	10.80	.83	\$1082
PN4813PT9-4	0.36 x 48 x 12.5	85	13.90	.98	\$1119
PN5413PT9-4	0.36 x 54 x 12.5	85	14.80	1.09	\$1369
PN6013PT9-4	0.36 x 60 x 12.5	85	15.70	1.20	\$1402
PN6613PT9-4	0.36 x 66 x 12.5	85	18.80	1.32	\$1692
PN7213PT9-4	0.36 x 72 x 12.5	85	19.70	1.43	\$1725
PN7813PT9-4	0.36 x 78 x 12.5	85	20.60	1.54	\$1759

PET Felt Desktop/Modesty Panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on screen size. Clamps available in satin anodized finish only. When used as a modesty panel, specify a nominal size 6" shorter than worksurface size.


• Up to 42"w - 2 clamps per panel

Up to 42"w - 2 clamps per panel
48"-60"w - 3 clamps per panel
66"-78"w - 4 clamps per panel

- 48"-60"w 3 clamps per panel
- 66"-78"w 4 clamps per panel

Required	Specifications

Felt color



PET Felt Desktop/Modesty Panel, 12 pk.

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
PN3013PT9-12	0.36 x 30 x 12.5	85	25.30	1.92	\$2213	
PN3613PT9-12	0.36 x 36 x 12.5	85	27.90	2.26	\$2320	
PN4213PT9-12	0.36 x 42 x 12.5	92.5	30.50	2.60	\$3181	
PN4813PT9-12	0.36 x 48 x 12.5	85	39.30	3.05	\$3284	
PN5413PT9-12	0.36 x 54 x 12.5	85	41.90	3.39	\$4029	
PN6013PT9-12	0.36 x 60 x 12.5	92.5	44.50	3.72	\$4119	
PN6613PT9-12	0.36 x 66 x 12.5	85	53.20	4.18	\$4983	
PN7213PT9-12	0.36 x 72 x 12.5	85	55.90	4.51	\$5071	
PN7813PT9-12	0.36 x 78 x 12.5	85	58.50	4.85	\$5163	

PET Felt Desktop/Modesty Panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on screen size. Clamps available in satin anodized finish only. When used as a modesty panel, specify a nominal size 6" shorter than worksurface size.

- Up to 42"w 2 clamps per panel
- 48"-60"w 3 clamps per panel
- 66"-78"w 4 clamps per panel

Required Specifications
Felt color

## PRINCETON<sup>™</sup>



29"H Credenza - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
PN2984CRL	24 x 84 x 29	100	320	33.83	\$2064	\$240
PN2972CRL	24 x 72 x 29	92.5	290	29	\$1956	\$236
PN2966CRL	24 x 66 x 29	100	265	31	\$1936	\$238
PN2960CRL	24 x 60 x 29	92.5	242	24.17	\$1906	\$223

Standard with locking 34"W box and lateral file drawer on left. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.

	PN2984CRR	24 x 84 x 29	100	320	33.83	\$2064
<b>*</b>	PN2972CRR	24 x 72 x 29	92.5	290	29	\$1956
	PN2966CRR	24 x 66 x 29	100	265	31	\$1936
	PN2960CRR	24 x 60 x 29	92.5	242	24.17	\$1906
\ 1						

Standard with locking 34"W box and lateral file drawer on right. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.

PN2984CPL	24 x 84 x 29	100	320	33.83	\$2331	\$253
PN2978CPL	24 x 78 x 29	100	310	36	\$2266	\$258
PN2972CPL	24 x 72 x 29	92.5	290	29	\$2211	\$250
PN2966CPL	24 x 66 x 29	100	270	31	\$2127	\$252
PN2960CPL	24 x 60 x 29	92.5	242	24.17	\$2073	\$229

Standard with locking 34"W box and lateral file drawer on left. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Pull-out equipment shelf can support up to 80lbs. Wire management grommet on surface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.

PN2984CPR	24 x 84 x 29	100	320	33.83	\$2331	\$253
PN2978CPR	24 x 78 x 29	100	310	36	\$2266	\$258
PN2972CPR	24 x 72 x 29	92.5	290	29	\$2211	\$250
PN2966CPR	24 x 66 x 29	100	270	31	\$2127	\$252
PN2960CPR	24 x 60 x 29	92.5	242	24.17	\$2073	\$229

Standard with locking 34"W box and lateral file drawer on right. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Pull-out equipment shelf can support up to 80lbs. Wire management grommet on surface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.



/*	

29"H Credenza w/Pull-Out **Equipment Tray - LEFT** 



29"H Credenza w/Pull-Out **Equipment Tray - RIGHT** 


**Required Specifications** 

Top finish Base finish Drawer front finish **Optional Specifications** 

**HP** laminate

RSG - remove grommet

\$240 \$236 \$238 \$223



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN2954NCL	20 x 54 x 29	92.5	250	22	\$1885	\$259
PN2960NCL	20 x 60 x 29	92.5	260	24	\$1910	\$261
PN2954NCR	20 x 54 x 29	92.5	250	22	\$1885	\$259
PN2960NCR	20 x 60 x 29	92.5	260	24	\$1910	\$261

Specify PNxxxxNCL for LEFT or PNxxxxNCR for RIGHT.

20"D. Standard with 30"W box and lateral file drawer. Front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind lower shelf. Connects to flush returns, flush bridges and flush conference tops. File bars included. Shipped Fully Assembled.

	PN2972MCL	24 x 72 x 29	125	252	34	\$1542	\$212
	PN2984MCL	24 x 84 x 29	125	268	39.50	\$1664	\$227
LEFT							
LEFT	PN2972MCR	24 x 72 x 29	125	252	34	\$1542	\$212

Standard with 42"w space for lateral file. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind lower shelf. Connects to flush returns, flush bridges and flush conference tops. Accepts all mobile lateral file units. Shipped Fully Assembled.


PN2972MPL	24 x 72 x 29	125	258	34	\$1764	\$240
PN2984MPL	24 x 84 x 29	125	274	39.50	\$1880	\$258
PN2972MPR	24 x 72 x 29	125	258	34	\$1764	\$240

Specify PNxxxxMPL for LEFT or PNxxxxMPR for RIGHT.

Standard with 42"w space for lateral file, adjustable 5 position shelf, and pull-out equipment shelf that can support up to 80lbs. Grommet in worksurface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Accepts all mobile lateral file units. Shipped Fully Assembled.

PN2972LF	24 x 72 x 29	92.5	290	29	\$2327	\$300

Standard with four lateral file drawers. File bars included for front-to-back letter and legal filing capability. Lock on lower drawer secures both drawers. Anti-tip mechanism. Shipped Fully Assembled.



LEFT
RIGHT

29"H Credenza for Mobile Lateral File w/Pull-Out Equipment Tray\*



29"H Lateral File Credenza\*

**Required Specifications** 

Top finish Base finish Drawer front finish\* **Optional Specifications** 

HP laminate RSG - remove grommet Grommet (PN2972LF)



29"H	Single	Lateral	File	Credenza*
------	--------	---------	------	-----------



MODEL#

PN2937LFS

DIMENSIONS

DxWxH

24 x 37 x 29

Standard with two lateral file drawers. File bars included for front-to-back letter and legal filing capability. Lock on lower drawer secures both drawers. Anti-tip mechanism. Shipped Fully Assembled.

WT/LBS.

155

CUBIC FT.

18

LIST PRICE

\$1578


HP ADD

\$215

PN2972CRD	24 x 72 x 29	92.5	290	29	\$2239	\$280

FREIGHT CLASS

100



29"H Double Credenza\*

29"H Single Credenza\*

Standard with 34"w box and lateral file drawer on each side. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.

PN2937CRS	24 x 37 x 29	100	145	18	\$1578	\$215
-----------	--------------	-----	-----	----	--------	-------

Standard with 34"w box and lateral file drawer. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.

PN2960CLS	24 x 60 x 29	100	265	28.25	\$1826	\$250
PN2972CLS	24 x 72 x 29	100	289	34	\$1914	\$261
PN2984CLS	24 x 84 x 29	100	337	39.50	\$2089	\$285

29"H Credenza w/Sliding Laminate Doors\*

Standard with sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.



29"H Credenza w/Sliding Glass Doors

PN2960CGS	24 x 60 x 29	100	265	28.25	\$2304	\$314
PN2972CGS	24 x 72 x 29	100	289	34	\$2549	\$348
PN2984CGS	24 x 84 x 29	100	337	39.50	\$2817	\$384


Standard with sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Shipped assembled in 2 cartons. Glass doors shipped separately.

29"H Open Credenza

PN2960C0	24 x 60 x 29	92.5	296	28.25	\$1536	\$210
PN2972C0	24 x 72 x 29	100	316	34	\$1628	\$224
PN2984C0	24 x 84 x 29	100	336	39.50	\$1805	\$248

Open storage with adjustable 5 position upper shelves with pass-throughs at back of lower shelves. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.

Required Specifications	Optional Specifications
Top finish	HP laminate
Base finish	Grommet
Drawer front finish*	



29"H Single Open Credenza\*\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
PN2930C0	24 x 30 x 29	92.5	153	15	\$988	\$137	
PN2936CO	24 x 36 x 29	100	158	18	\$1033	\$142	


Open storage with adjustable 5 position upper shelf with pass-through at back of lower shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.

21	пС	TEVE	VZA3	

27"H Credenza - LEFT \*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN2760CRL	24 x 60 x 27	92.5	241	22.50	\$1887	\$214
PN2766CRL	24 x 66 x 27	100	262	29	\$1917	\$226
PN2772CRL	24 x 72 x 27	92.5	290	27	\$1936	\$226
PN2778CRL	24 x 78 x 27	100	290	34	\$1995	\$237
PN2784CRL	24 x 84 x 27	92.5	335	31.50	\$2045	\$235

Standard with locking 34"W box and lateral file drawer on **left**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.



27"H Credenza - RIGHT \*

PN2760CRR	24 x 60 x 27	92.5	241	22.50	\$1887	\$214
PN2766CRR	24 x 66 x 27	100	262	29	\$1917	\$226
PN2772CRR	24 x 72 x 27	92.5	290	27	\$1936	\$226
PN2778CRR	24 x 78 x 27	100	290	34	\$1995	\$237
PN2784CRR	24 x 84 x 27	92.5	335	31.50	\$2045	\$235


Standard with locking 34"W box and lateral file drawer on **right**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.



27"H Credenza w/Pull-Out Equipment Tray - LEFT\*

PN2760CPL	24 x 60 x 27	92.5	241	22.50	\$2052	\$224
PN2766CPL	24 x 66 x 27	100	267	29	\$2111	\$239
PN2772CPL	24 x 72 x 27	92.5	290	27	\$2194	\$242
PN2778CPL	24 x 78 x 27	100	300	34	\$2249	\$253
PN2784CPL	24 x 84 x 27	92.5	335	31.50	\$2312	\$255

Standard with locking 34"W box and lateral file drawer on **left**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Pull-out equipment tray can support up to 80 lbs. Wire management grommet on surface and internal pass-through behind equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.



27"H Credenza w/Pull-Out Equipment Tray - RIGHT\*

PN2760CPR	24 x 60 x 27	92.5	241	22.50	\$2052	\$224
PN2766CPR	24 x 66 x 27	100	267	29	\$2111	\$239
PN2772CPR	24 x 72 x 27	92.5	290	27	\$2194	\$242
PN2778CPR	24 x 78 x 27	100	300	34	\$2249	\$253
PN2784CPR	24 x 84 x 27	92.5	335	31.50	\$2312	\$255


Standard with locking 34"W box and lateral file drawer on **right**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Pull-out equipment tray can support up to 80 lbs. Wire management grommet on surface and internal pass-through behind equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.

Required	Snooi	fination
neuunteu	SUECI	ncanon

Top finish
Base finish
Drawer/door front finish\*

## **Optional Specifications**

HP laminate Grommet\*\* RSG - remove grommet\*



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
PN2754NCL	20 x 54 x 27	92.5	250	22	\$1835	\$252
PN2760NCL	20 x 60 x 27	92.5	260	24	\$1859	\$255
PN2754NCR	20 x 54 x 27	92.5	250	22	\$1835	\$252
PN2760NCR	20 x 60 x 27	92.5	260	24	\$1859	\$255

Specify PNxxxxNCL for LEFT or PNxxxxNCR for RIGHT.

20"D. Standard with 30"W box and lateral file drawer. Front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. File bars included. Shipped Fully Assembled.

	LEFT
***	RIGHT
27"H Credenza for Mobile La	ateral File

PN2772MCL	24 x 72 x 27	125	252	31.75	\$1522	\$209
PN2784MCL	24 x 84 x 27	125	268	37	\$1644	\$225
PN2772MCR	24 x 72 x 27	125	252	31.75	\$1522	\$209
PN2784MCR	24 x 84 x 27	125	268	37	\$1644	\$225

Specify PNxxxxMCL for LEFT or PNxxxxMCR for RIGHT.

Standard with 42"W space for lateral file. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Accepts mobile lateral file units: PN21MLSF and PN22MLBF with and without cushions, and PN25MLSBF without cushions. Shipped Fully Assembled.

	LEFT
	RIGHT
27"H Credenza for Mobile La	ateral Fil

w/Pull-Out Equipment Tray

\$1859	\$255
\$1748	\$239
\$1859	\$255
	\$1748 \$1859

Specify PNxxxxMPL for LEFT or PNxxxxMPR for RIGHT.

Standard with 42"W space for lateral file, adjustable 5 position shelf, and pull-out equipment shelf that can support up to 80lbs. Wire management grommet in surface and internal pass-through at back of pull-out equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Accepts mobile lateral file units: PN21MLSF and PN22MLBF with and without cushions, and PN25MLSBF without cushions. Shipped Fully Assembled.

Required	Specifications	

Top finish Base finish Drawer/door front finish\*

## **Optional Specifications**

HP laminate RSG - remove grommet

HP ADD

\$280

LIST PRICE

\$2197



27"H CREDENZAS

MODEL#

PN2772CRD

DIMENSIONS

DxWxH

24 x 72 x 27

letter and legal filing capability. Shipped Fully Assembled.

27"H Double Credenza\*

/	

Standard with locking 34"W box and lateral file drawer on each side. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.

Standard with 34"W box and lateral file drawer. Lock on file drawer secures both drawers. File bars included for front-to-back

WT/LBS.

290

CUBIC FT.

31.75



27"H Single Credenza\*

PN2737CRS	24 x 37 x 27	100	145	18	\$1534	\$210

FREIGHT CLASS

100



27"H Credenza w/Sliding Laminate Doors\*

PN2760CLS	24 x 60 x 27	92.5	265	26.50	\$1807	\$248
PN2772CLS	24 x 72 x 27	100	289	31.75	\$1896	\$260
PN2784CLS	24 x 84 x 27	100	337	37	\$2071	\$283


Standard with sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.



27"H Credenza w/Sliding Glass Doors

PN2760CGS	24 x 60 x 27	92.5	265	26.50	\$2285	\$312
PN2772CGS	24 x 72 x 27	100	289	31.75	\$2542	\$348
PN2784CGS	24 x 84 x 27	100	337	37	\$2797	\$381

Standard with sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Shipped assembled in 2 cartons. Glass doors shipped separately.



27"H Open Credenza

PN2760C0	24 x 60 x 27	92.5	296	26.50	\$1536	\$210
PN2772C0	24 x 72 x 27	100	316	31.75	\$1628	\$224
PN2784C0	24 x 84 x 27	100	336	37	\$1805	\$248

Open storage with adjustable 5 position upper shelves with pass-throughs at back of lower shelves. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.



27"H Single Open Credenza

PN2730C0	24 x 30 x 27	92.5	153	14	\$969	\$133
PN2736CO	24 x 36 x 27	100	158	16	\$1015	\$142


**Optional Specifications** 

Open storage with adjustable 5 position upper shelf with pass-through at back of lower shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.

Required	Specifications
Top finish	
Doog finish	

**HP** laminate Grommet

Base finish Drawer/door front finish\*



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						Ξ
PN2360CRL	24 x 60 x 23	100	190	19.17	\$1574	\$199	
PN2366CRL	24 x 66 x 23	100	227	25	\$1610	\$208	
PN2372CRL	24 x 72 x 23	100	228	23	\$1635	\$206	
PN2378CRL	24 x 78 x 23	100	248	30	\$1671	\$213	
PN2384CRL	24 x 84 x 23	100	266	26.83	\$1705	\$213	
PN2360CRR	24 x 60 x 23	100	190	19.17	\$1574	\$199	
PN2366CRR	24 x 66 x 23	100	227	25	\$1610	\$208	
PN2372CRR	24 x 72 x 23	100	228	23	\$1635	\$206	
PN2378CRR	24 x 78 x 23	100	248	30	\$1671	\$213	
PN2384CRR	24 x 84 x 23	100	266	26.83	\$1705	\$213	

Standard with 34"W box and lateral file drawer. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports Overlapping Return with metal leg and spacer for 23"H credenza, Overlapping Wedge Shaped Return with metal leg and spacer for 23"H credenza, and Overlapping Bridges with metal spacer for 23"H credenza. Shipped Fully Assembled.

	LEFT
23"H Credenza w/Pull-Out	RIGHT

PN2360CPI	24 00 22	100	100	10.17	6470F	6200
	24 x 60 x 23	100	190	19.17	\$1785	\$209
PN2366CPL	24 x 66 x 23	100	233	25	\$1844	\$221
PN2372CPL	24 x 72 x 23	100	228	23	\$1902	\$218
PN2378CPL	24 x 78 x 23	100	254	30	\$1947	\$226
PN2384CPL	24 x 84 x 23	100	266	26.83	\$1983	\$226
PN2360CPR	24 x 60 x 23	100	190	19.17	\$1785	\$209
PN2366CPR	24 x 66 x 23	100	233	25	\$1844	\$221
PN2372CPR	24 x 72 x 23	100	228	23	\$1902	\$218
PN2378CPR	24 x 78 x 23	100	254	30	\$1947	\$226
PN2384CPR	24 x 84 x 23	100	266	26.83	\$1983	\$226

Standard with 34"W box and lateral file drawer. Pull-out equipment shelf can support up to 80lbs. Adjustable 5 position shelf. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports Overlapping Return with metal leg and spacer for 23"H credenza, Overlapping Wedge Shaped Return with metal leg and spacer for 23"H credenza, and Overlapping Bridges with metal spacer for 23"H credenza. Shipped Fully Assembled.

|--|

**Equipment Tray - RIGHT\*** 

PN2354NCL	20 x 54 x 23	92.5	230	21	\$1539	\$210
PN2360NCL	20 x 60 x 23	92.5	240	23	\$1546	\$212

LEFT

PN2354NCR	20 x 54 x 23	92.5	230	21	\$1539	\$210
PN2360NCR	20 x 60 x 23	92.5	240	23	\$1546	\$212

Specify PNxxxxNCL for LEFT or PNxxxxNCR for RIGHT.

**RIGHT** 23"H Narrow Credenza

20"D. Standard with 30"W box and lateral file drawer. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports Overlapping Return with metal leg and spacer for 23"H credenza, Overlapping Wedge Shaped Return with metal leg and spacer for 23"H credenza, and Overlapping Bridges with metal spacer for 23"H credenza. Shipped Fully Assembled.

Required	Specifications
Top finish	
Raco finish	,

**Optional Specifications** HP laminate

Accessories Cushion

Base finish Drawer front finish

RSG - remove grommet

23"H CREDENZAS	

23"H Double Credenza\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
PN2372CRD	24 x 72 x 23	92.5	275	27	\$2027	\$278	

Standard with locking 34"W box and lateral file drawer on each side. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.

PN2337CRS	24 x 37 x 23	100	125	15	\$1379	\$188

23"H Single Credenza\*

Standard with 34"w box and lateral file drawer. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.

PN2360C0	24 x 60 x 23	85	276	23	\$1357	\$186
PN2372C0	24 x 72 x 23	92.5	296	27.50	\$1471	\$202
PN2384C0	24 x 84 x 23	100	316	32	\$1637	\$225



23"H Open Credenza

Open storage with adjustable 5 position upper shelves with pass-throughs at back of lower shelves. Supports Overlapping Return with metal leg and spacer for 23"H credenza, Overlapping Wedge Shaped Return with metal leg and spacer for 23"H credenza, and Overlapping Bridges with metal spacer for 23"H credenza. Shipped Fully Assembled.

	Required	Specifications
--	----------	----------------

Top finish Base finish Drawer front finish\*

# Optional Specifications HP laminate

Grommet

## Accessories

Cushion

HIONS FOR 23"H CREDENZAS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	PN2430CU	24 x 30 x 2.5	150	13	2.40	1	\$309	7	\$667
						2	\$367	8	\$814
						3	\$408	9	\$886
						4	\$469	10	\$1023
						5	\$557	11	\$1210
						6	\$590	12	\$1441
	PN2433CU	24 x 33 x 2.5	150	13	2.40	1	\$337	7	\$813
						2	\$410	8	\$1010
						3	\$466	9	\$1104
						4	\$550	10	\$1287
						5	\$669	11	\$1536
						6	\$709	12	\$1846
	PN2436CU	24 x 36 x 2.5	250	7	2	1	\$358	7	\$892
						2	\$441	8	\$1113
						3	\$503	9	\$1220
						4	\$596	10	\$1427
						5	\$729	11	\$1705
						6	\$775	12	\$2054
	PN2439CU	24 x 39 x 2.5	150	14	2.40	1	\$382	7	\$916
	111/243360	24 X 33 X 2.3	100	14	2.40	2	\$465	8	\$1137
						3	\$527	9	\$1137
						4	\$620	10	\$1451
						5	\$753	11	\$1729
^						6	\$799	12	\$2078
	PN2442CU	24 x 42 x 2.5	150	14	2.40	1	\$400	7	\$934
						2	\$483	8	\$1155
						3	\$545	9	\$1262
						4	\$638	10	\$1469
						5	\$771	11	\$1747
<b>V</b>						6	\$817	12	\$2096
ion for 23″H Credenzas	Cushion attaches	with Velcro strips. Fit	s <b>24"d</b> credenzas.						
	DN12027011	20 v 27 v 2 F	150	10	2.40	1	6272	7	¢E70
	PN2027CU	20 x 27 x 2.5	130	12	2.40	2	\$273 \$320	7 8	\$570 \$695
						3	\$356	9	\$755
						4 5	\$406 \$481	10 11	\$867 \$1025
						6	\$508	12	\$1025
	DN 100000011	00 00 0.5	450	4.0	0.40				
	PN2030CU	20 x 30 x 2.5	150	12	2.40	1	\$295	7	\$592
						2	\$342	8	\$717
						3	\$378	9	\$777
						4	\$428	10	\$889
						5	\$503	11	\$1047
~						6	\$530	12	\$1239
ion for 23"H Narrow Credenzas	Cushion attaches	with Velcro strips. Fit	s <b>20"d</b> credenzas.						

Required Specifications
Fabric



Cushion for 23"H Single Credenza\*\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	D x W x H							
PN2437CU	24 x 37 x 2.5	150	14	2.40	1	\$377	7	\$911
					2	\$460	8	\$1133
					3	\$522	9	\$1239
					4	\$615	10	\$1446
					5	\$748	11	\$1724
					6	\$794	12	\$2073

Cushion attaches with Velcro strips. Fits PN2337CRS credenza

52"H STORAGE C	ABINETS
LEFT	RIGHT

52"H Tower Wardrobe w/Full Height Bookcase\*



Specify PN52TWBL for LEFT or PN52TWBR for RIGHT.





**LEFT RIGHT** 52"H Wardrobe\*

Locking wardrobe with full height bookcase. Three adjustable laminate shelves with fixed bottom laminate shelf. Coat rail. Shipped Fully Assembled.

PN1652WDL	24 x 16 x 52	125	84	11.56	\$1075
PN1652WDR	24 x 16 x 52	125	84	11.56	\$1075

Specify PN1652WDL for LEFT or PN1652WDR for RIGHT.






52"H Storage Cabinet w/Bookshelf at 27"H\*

Locking wardrobe with coat rail. Shipped Fully Assembled.

PN57CSBFL	24 x 16 x 52	100	102	11.56	\$1543
PN57CSBFR	24 x 16 x 52	100	102	11.56	\$1543

Specify PN57CSBFL for LEFT or PN57CSBFR for RIGHT.




52"H Storage Cabinet w/Bookshelf at 29"H

w/Bookshelf at 29"H

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook. Shipped Fully Assembled.

PN59CSBFL	24 x 16 x 52	100	102	11.56	\$1566	
PN59CSBFR	24 x 16 x 52	100	102	11.56	\$1566	

Specify PN59CSBFL for LEFT or PN59CSBFR for RIGHT.



Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook. Shipped Fully Assembled.


PN59CBBFL	24 x 16 x 52	100	102	11.56	\$1656	
PN59CBBFR	24 x 16 x 52	100	102	11.56	\$1656	

Specify PN59CBBFL for LEFT or PN59CBBFR for RIGHT.


Box/Box/File Drawer. Lock on file drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook. Shipped Fully Assembled.

## Required Specifications

Top finish\* Base finish\* Drawer/door front finish\* Fabric\*\*




**52"H Recycling Cabinet** w/Bookshelf at 27"H







**LEFT** RIGHT **52"H Recycling Cabinet** w/Bookshelf at 29"H




52"H Storage Cabinet w/Door at 27"H



52"H Storage Cabinet w/Door at 29"H



52"H Recycling Cabinet w/Door at 27"H



52"H Recycling Cabinet w/Door at 29"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PN57RCSL	24 x 16 x 52	100	102	11.56	\$1447	
PN57RCSR	24 x 16 x 52	100	102	11.56	\$1447	

Specify PN57RCSL for LEFT or PN57RCSR for RIGHT.

Drawer with one waste bin, one recycling bin and an open shelf above. One adjustable laminate shelf. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook. Shipped Fully Assembled.

PN59RCSL	24 x 16 x 52	100	102	11.56	\$1464	
PN59RCSR	24 x 16 x 52	100	102	11.56	\$1464	

Specify PN59RCSL for LEFT or PN59RCSR for RIGHT.

Drawer with one waste bin, one recycling bin and an open shelf above. One adjustable laminate shelf. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook. Shipped Fully Assembled.

PN57DSBFL	24 x 16 x 52	100	102	11.56	\$1698	
PN57DSBFR	24 x 16 x 52	100	102	11.56	\$1698	

Specify PN57DSBFL for LEFT or PN57DSBFR for RIGHT.

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with 27"H surfaces. Shipped Fully Assembled.

PN59DSBFL	24 x 16 x 52	100	102	11.56	\$1731	
PN59DSBFR	24 x 16 x 52	100	102	11.56	\$1731	

Specify PN59DSBFL for LEFT or PN59DSBFR for RIGHT.

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with 29"H surfaces. Shipped Fully Assembled.

PN57DRCSL	24 x 16 x 52	100	102	11.56	\$1504	
PN57DRCSR	24 x 16 x 52	100	102	11.56	\$1504	

Specify PN57DRCSL for **LEFT** or PN57DRCSR for **RIGHT**.


Upper storage cabinet with locking door. Drawer with one waste bin, one recycling bin, and an open shelf above. One adjustable laminate shelf inside locking cabinet door. Door aligns with 27"H surfaces. Shipped Fully Assembled.

PN59DRCSL	24 x 16 x 52	100	102	11.56	\$1536	
PN59DRCSR	24 x 16 x 52	100	102	11.56	\$1536	


Specify PN59DRCSL for LEFT or PN59DRCSR for RIGHT.

Upper storage cabinet with locking door. Drawer with one waste bin, one recycling bin, and an open shelf above. One adjustable laminate shelf inside locking cabinet door. Door aligns with 29"H surfaces. Shipped Fully Assembled.


Required Specifications
Top finish Base finish Drawer/door front finish




LEFT RIGHT 52"H Storage Tower w/Wardrobe, Shelf and Bookshelf at 27"H




LEFT RIGHT 52"H Storage Tower w/Wardrobe, Shelf and Bookshelf at 29"H




LEFT RIGHT 52"H Storage Tower w/Wardrobe, and Bookshelf at 29"H



52"H Storage Tower w/Wardrobe, Shelf, Recycling and Bookshelf at 27"H



52"H Storage Tower w/Wardrobe, Shelf, Recycling and Bookshelf at 29"H



RIGHT 52"H Storage Tower w/Wardrobe, Shelf/Box/File and Door at 27"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PN57TSBFL	24 x 24 x 52	92.5	225	21	\$1855	
PN57TSBFR	24 x 24 x 52	92.5	225	21	\$1855	

Specify PN57TSBFL for **LEFT** or PN57TSBFR for **RIGHT**.

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped Fully Assembled.

PN59TSBFL	24 x 24 x 52	92.5	225	21	\$1570
PN59TSBFR	24 x 24 x 52	92.5	225	21	\$1570

Specify PN59TSBFL for LEFT or PN59TSBFR for RIGHT.

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped Fully Assembled.

PN59TBBFL	24 x 24 x 52	92.5	250	21	\$2142	
PN59TBBFR	24 x 24 x 52	92.5	250	21	\$2142	

Specify PN59TBBFL for **LEFT** or PN59TBBFR for **RIGHT**.

Box/Box/File drawer. Lock on file drawer secures file and lower box drawer. One adjustable laminate shelf. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped Fully Assembled.

PN57RTSL	24 x 24 x 52	92.5	238	21	\$1991
PN57RTSR	24 x 24 x 52	92.5	238	21	\$1991

Specify PN57RTSL for **LEFT** or PN57RTSR for **RIGHT**.

Drawer with one waste and one recycling bin. Open shelf above. One adjustable laminate shelf. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN59RTSL	24 x 24 x 52	92.5	238	21	\$1991	
PN59RTSR	24 x 24 x 52	92.5	238	21	\$1991	

Specify PN59RTSL for **LEFT** or PN59RTSR for **RIGHT**.


Drawer with one waste and one recycling bin. Open shelf above. One adjustable laminate shelf. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN57SBFTL	24 x 24 x 52	92.5	234	21	\$2085	
PN57SBFTR	24 x 24 x 52	92.5	234	21	\$2085	


Specify PN57SBFTL for LEFT or PN57SBFTR for RIGHT.

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with 27"H surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.


## **Required Specifications**




52"H Storage Tower w/Wardrobe, Shelf/Box/File and Door at 29"H



RIGHT **LEFT** 52"H Storage Tower w/Wardrobe, Shelf, Box/Box/File and Door at 29"H



52"H Storage Tower w/Wardrobe, Shelf, Recycling and Door at 27"H



52"H Storage Tower w/Wardrobe, Shelf, Recycling and Door at 29"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PN59SBFTL	24 x 24 x 52	92.5	234	21	\$2085	
PN59SBFTR	24 x 24 x 52	92.5	234	21	\$2085	

Specify PN59SBFTL for **LEFT** or PN59SBFTR for **RIGHT**.

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with 29"H surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN59BBFTL	24 x 24 x 52	92.5	234	21	\$2198
PN59BBFTR	24 x 24 x 52	92.5	234	21	\$2198

Specify PN59BBFTL for LEFT or PN59BBFTR for RIGHT.

Box/Box/File drawer. Lock on file drawer secures file and lower box drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with 29"H surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN57DRTSL	24 x 24 x 52	92.5	234	21	\$2122	
PN57DRTSR	24 x 24 x 52	92.5	234	21	\$2122	

Specify PN57DRTSL for LEFT or PN57DRTSR for RIGHT.

Drawer with one waste and one recycling bin Open shelf above. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with 27"H surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN59DRTSL	24 x 24 x 52	92.5	234	21	\$2122	
PN59DRTSR	24 x 24 x 52	92.5	234	21	\$2122	

Specify PN59DRTSL for LEFT or PN59DRTSR for RIGHT.


Drawer with one waste and one recycling bin Open shelf above. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with 29"H surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

Required Specifications
Top finish

Base finish

Drawer/door front finish








LEFT RIGHT 66"H Tower Wardrobe w/Full Height Bookcase







LEFT I







LEFT RI 66"H Storage Cabinet w/Bookshelf at 27"H





66"H Storage Cabinet w/Bookshelf at 29"H





66"H Storage Cabinet w/Bookshelf at 29"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PN66TWBL	24 x 24 x 66	125	165	22	\$2094	
PN66TWBR	24 x 24 x 66	125	165	22	\$2094	

Specify PN66TWBL for LEFT or PN66TWBR for RIGHT.

Locking wardrobe and full height bookcase. Four adjustable laminate shelves with fixed bottom laminate shelf. Coat rail. Shipped Fully Assembled.

PN1666WDL	24 x 16 x 66	125	106	14.67	\$1215	
PN1666WDR	24 x 16 x 66	125	106	14.67	\$1215	

Specify PN1666WDL for LEFT or PN1666WDR for RIGHT.

Locking wardrobe with coat rail and fixed shelf above. Shipped Fully Assembled.

PN67CSBFL	24 x 16 x 66	100	130	14.67	\$1659
PN67CSBFR	24 x 16 x 66	100	130	14.67	\$1659

Specify PN67CSBFL for **LEFT** or PN67CSBFR for **RIGHT**.

**Open Shelf/Box/File Drawer**. Lock on file drawer secures both drawers. Two adjustable laminate shelves. Fixed bottom shelf aligns with **27"H** surfaces. Outside accessory hook. Shipped Fully Assembled.

PN69CSBFL	24 x 16 x 66	100	130	14.67	\$1659	
PN69CSBFR	24 x 16 x 66	100	130	14.67	\$1659	

Specify PN69CSBFL for LEFT or PN69CSBFR for RIGHT.

**Open Shelf/Box/File Drawer**. Lock on file drawer secures both drawers. Two adjustable laminate shelves. Fixed bottom shelf aligns with **29"H** surfaces. Outside accessory hook. Shipped Fully Assembled.

PN69CBBFL	24 x 16 x 66	100	130	14.67	\$1774	
PN69CBBFR	24 x 16 x 66	100	130	14.67	\$1774	


Specify PN69CBBFL for LEFT or PN69CBBFR for RIGHT.

**Box/Box/File Drawer**. Lock on file drawer secures file and lower box drawer. Two adjustable laminate shelves. Fixed bottom shelf aligns with **29"H** surfaces. Outside accessory hook. Shipped Fully Assembled.


## **Required Specifications**

Top finish Base finish


Drawer/door front finish




LEFT RIGHT 66"H Recycling Cabinet w/Bookshelf at 27"H




LEFT RIG 66"H Recycling Cabinet w/Bookshelf at 29"H



66"H Storage Cabinet w/Door at 27"H



66"H Storage Cabinet w/Door at 29"H



66"H Storage Cabinet w/Door at 29"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PN67RCSL	24 x 16 x 66	100	130	14.67	\$1592	
PN67RCSR	24 x 16 x 66	100	130	14.67	\$1592	

Specify PN67RCSL for **LEFT** or PN67RCSR for **RIGHT**.

Drawer with one waste bin and one recycling bin. Open shelf above. Two adjustable laminate shelves. Fixed bottom shelf aligns with **27"H** surfaces. Outside accessory hook. Shipped Fully Assembled.

PN69RCSL	24 x 16 x 66	100	130	14.67	\$1592	
PN69RCSR	24 x 16 x 66	100	130	14.67	\$1592	

Specify PN69RCSL for LEFT or PN69RCSR for RIGHT.

Drawer with one waste bin and one recycling bin. Open shelf above. Two adjustable laminate shelves. Fixed bottom shelf aligns with **29"H** surfaces. Outside accessory hook. Shipped Fully Assembled.

PN67DSBFL	24 x 16 x 66	100	130	14.67	\$1759	
PN67DSBFR	24 x 16 x 66	100	130	14.67	\$1759	

Specify PN67DSBFL for LEFT or PN67DSBFR for RIGHT.

**Open Shelf/Box/File Drawer.** Lock on file drawer secures both drawers. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **27"H** surfaces. Shipped Fully Assembled.

PN69DSBFL	24 x 16 x 66	100	130	14.67	\$1820
PN69DSBFR	24 x 16 x 66	100	130	14.67	\$1820

Specify PN69DSBFL for LEFT or PN69DSBFR for RIGHT.

**Open Shelf/Box/File Drawer**. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **29"H** surfaces. Shipped Fully Assembled.


PN69DBBFL	24 x 16 x 66	100	130	14.67	\$1932	
PN69DBBFR	24 x 16 x 66	100	130	14.67	\$1932	

Specify PN69DBBFL for LEFT or PN69DBBFR for RIGHT.


**Box/Box/File Drawer**. Lock on file drawer secures file and lower box drawer. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **29"H** surfaces. Shipped Fully Assembled.

Required Specifications
Top finish







66"H Recycling Cabinet w/Door at 27"H




66"H Recycling Cabinet w/Door at 29"H




66"H Storage Tower w/Wardrobe, Shelf, Box/File and Bookshelf at 27"H



66"H Storage Tower w/Wardrobe, Shelf, Box/File and Bookshelf at 29"H



66"H Storage Tower w/Wardrobe, Shelf, Box/Box/File and Bookshelf at 29"H



66"H Storage Tower w/Wardrobe, Shelf, Recycling and Bookshelf at 27"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
PN67DRCSL	24 x 16 x 66	100	130	14.67	\$1653	
PN67DRCSR	24 x 16 x 66	100	130	14.67	\$1653	

Specify PN67DRCSL for **LEFT** or PN67DRCSR for **RIGHT**.

Upper storage cabinet with locking door and two adjustable laminate shelves inside. Drawer with one waste bin, one recycling bin, and an open shelf above. Door aligns with 27"H surfaces. Shipped Fully Assembled.

PN69DRCSL	24 x 16 x 66	100	130	14.67	\$1739	
PN69DRCSR	24 x 16 x 66	100	130	14.67	\$1739	

Specify PN69DRCSL for LEFT or PN69DRCSR for RIGHT.

Upper storage cabinet with locking door and two adjustable laminate shelves inside. Drawer with one waste bin, one recycling bin, and an open shelf above. Door aligns with 29"H surfaces. Shipped Fully Assembled.

PN67TSBFL	24 x 24 x 66	92.5	260	26	\$2605	
PN67TSBFR	24 x 24 x 66	92.5	260	26	\$2605	

Specify PN67TSBFL for **LEFT** or PN67TSBFR for **RIGHT**.

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. Two adjustable laminate shelves. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped Fully Assembled.

PN69TSBFL	24 x 24 x 66	92.5	260	26	\$2605
PN69TSBFR	24 x 24 x 66	92.5	260	26	\$2605

Specify PN69TSBFL for LEFT or PN69TSBFR for RIGHT.

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. Two adjustable laminate shelves. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped Fully Assembled.

PN69TBBFL	24 x 24 x 66	92.5	262	26	\$2744	
PN69TBBFR	24 x 24 x 66	92.5	262	26	\$2744	

Specify PN69TBBFL for **LEFT** or PN69TBBFR for **RIGHT**.


Box/Box/File drawer. Lock on file and lower box drawer. Two adjustable laminate shelves. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped Fully Assembled.

PN67RTSL	24 x 24 x 66	92.5	260	26	\$2617	
PN67RTSR	24 x 24 x 66	92.5	260	26	\$2617	

Specify PN67RTSL for LEFT or PN67RTSR for RIGHT.

Drawer with one waste and one recycling bin. Open shelf above. Two adjustable laminate shelves. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped Fully Assembled.

## **Required Specifications**



66"H Storage Tower w/Wardrobe, Shelf, Recycling and Bookshelf at 29"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PN69RTSL	24 x 24 x 66	92.5	260	26	\$2617	
PN69RTSR	24 x 24 x 66	92.5	260	26	\$2617	

Specify PN69RTSL for LEFT or PN69RTSR for RIGHT.

Drawer with one waste and one recycling bin. Open shelf above. Two adjustable laminate shelves. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN67SBFTL	24 x 24 x 66	100	257	26	\$2702
PN67SBFTR	24 x 24 x 66	100	257	26	\$2702

Specify PN67SBFTL for LEFT or PN67SBFTR for RIGHT.

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with 27"H surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN69SBFTL	24 x 24 x 66	100	257	26	\$2702
PN69SBFTR	24 x 24 x 66	100	257	26	\$2702

Specify PN69SBFTL for LEFT or PN69SBFTR for RIGHT.

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with 29"H surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN69BBFTL	24 x 24 x 66	100	257	26	\$2840	
PN69BBFTR	24 x 24 x 66	100	257	26	\$2840	


Specify PN69BBFTL for LEFT or PN69BBFTR for RIGHT.

Box/Box/File Drawer. Lock on file drawer secures file and lower box drawer. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with 29"H surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.


PN67DRTSL	24 x 24 x 66	100	230	26	\$2769	
PN67DRTSR	24 x 24 x 66	100	230	26	\$2769	

Specify PN67DRTSL for LEFT or PN67DRTSR for RIGHT.


Drawer with one waste and one recycling bin Open shelf above. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with 27"H surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.




66"H Storage Tower w/Wardrobe, Shelf, Box/File and Door at 27"H



66"H Storage Tower w/Wardrobe, Shelf, Box/File and Door at 29"H



66"H Storage Tower w/Wardrobe, Box/Box/File and Door at 29"H



66"H Storage Tower w/Wardrobe, Large Shelf, Recycling and Door at 27"H

**Required Specifications** 

66"H STORAGE CABINETS LEFT RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PN69DRTSL	24 x 24 x 66	100	230	26	\$2769	
PN69DRTSR	24 x 24 x 66	100	230	26	\$2769	

Specify PN69DRTSL for **LEFT** or PN69DRTSR for **RIGHT**.

66"H Storage Tower w/Wardrobe, Large Shelf, Recycling and Door at 29"H		vaste and one recycling nside. Door aligns wit	•			ū	•	ustable
MOBILE PEDESTALS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRIC	E HP ADD	
	PN22MBF	22 x 16 x 20.9	85	79	5.75	\$967	\$102	
20.9"H Mobile Pedestal	Box/File drawer	. Lock on box drawer s	ecures both drawe	ers. Front cas	ters are locking	j. Shipped Ful	ly Assembled.	
	PN25MSBF	22 x 16 x 25.4	92.5	80	7	\$1025	\$110	
25.4"H Mobile Pedestal	Open Shelf/Box/	<b>File drawer</b> . Lock on	file drawer secure	s both drawe	rs. Front caste	rs are locking.	Shipped Fully As	sembled.
	PN25MBBF	22 x 16 x 25.4	92.5	95	8	\$1080	\$131	

22 x 16 x 26.8



25.4"H Mobile Pedestal

Box/Box/File drawer. Lock on file drawer secures file and lower box drawer. Front casters are locking. Shipped Fully Assembled.

101

8

\$1058


\$121

85



26.8"H Mobile Pedestal

File/File. Lock on lower file drawer secures both drawers. Front casters are locking. Shipped assembled in 1 carton. • 26.8"H mobile storage can only be used with 29"H Princeton products that have laminate end panels/gables. 29"H units with HAT channels have underside clearance of only 25.9"H.



Pedestal Cushion\*

PN1622CU	21 x 16 x 2.5	125	6	.90	1	\$193	7	\$432
					2	\$231	8	\$532
					3	\$260	9	\$580
					4	\$301	10	\$670
					5	\$360	11	\$795
					6	\$380	12	\$948

For **PN22MBF** mobile pedestals.

PN27MFF

Required Specifications	Optional Specifications	Accessories	
Top finish	HP laminate	Pedestal cushion	
Base finish			
Drawer/door front finish			
Fabric*			



20.5"h Mobile Lateral File\*



Box/File drawer. Lock on file drawer secures both drawers. File bars included for front-to-back letter and legal filing capability. Front casters are locking. Shipped Fully Assembled. Can fit under 29"H and 27"H credenzas for mobile lateral file with or without a cushion. Can fit under 23"H credenzas without cushion only.



25.5"h Mobile Lateral File

PN25MLSBF	22 x 35.5 x 25.5	100	138	16	\$1595	\$219

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. File bars included for front-to-back letter and legal filing capability. Front casters are locking. Shipped Fully Assembled. Can fit under 29"H credenzas for mobile lateral file without cushion only.



27"H Mobile Lateral File

PN27MLFF	22 x 35.5 x 27	92.5	170	16	\$1664	\$227

File/File drawer. Lock on bottom file drawer secures both drawers. File bars included for front-to-back letter and legal filing capability. Front casters are locking. Shipped Fully Assembled. Can fit under 29"H credenzas for mobile lateral file without

• 27"H mobile pedestals can only be used with 29"H Princeton products that have laminate end panels/gables. Princeton products with metal legs will not accommodate 27"H mobile units.

CUSHIONS FOR MOBILE LATERAL FILE

Mobile Lateral File Cushion\*\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
PN3622CU	21 x 35.5 x 2.5	150	14	2.40	1	\$387	7	\$863
					2	\$460	8	\$1060
					3	\$516	9	\$1154
					4	\$600	10	\$1337
					5	\$719	11	\$1586
					6	\$759	12	\$1896

For PN21MLSF and PN22MLBF mobile lateral files.

Required Specifications
Fabric\*\* Top finish (Mobile Laterals)

Base finish (Mobile Laterals) Door/drawer front finish (Mobile Laterals) **Optional Specifications** 


HP laminate (Mobile Laterals)

Accessories

Cushion\*

							CETO
STOOLS	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PN1920ST	19 x 19 x 19.5	250	20	5.50	\$744	
		50 II OANI	IOT DE LIGED I				0:
Round Mobile Stool		use with cushion. <b>CANI</b> I <b>m weight capacity is</b>		WITHOUT	USHIUN. GI	snion sold separately	. SIX Casters.
	Recommended for	or carpet applications.					
CUSHION FOR MOBILE STOOL	MODEL#	DIMENSIONS I	REIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE LIST	GRADE LIS
	SEAT-PN1920ST		150	8	1.60	1 <b>\$266</b>	7 <b>\$47</b>
						2 <b>\$299</b> 3 <b>\$322</b>	8 <b>\$54</b> 9 <b>\$59</b>
						4 <b>\$355</b>	10 <b>\$65</b>
						5 <b>\$404</b> 6 <b>\$425</b>	11 <b>\$77</b> 12 <b>\$90</b>
Cushion for Round Mobile Stool*	To be used with l	PN1920ST.					
PLANTERS	MODEL#	DIMENSIONS I	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PN7229PL	12 x 72 x 29	100	124	14.50	\$1410	
ive Pot Planter**	Five plastic pots - s assembled.	specify Black ( <b>BK</b> ) or Wh	ite ( <b>WT</b> ). Adjus	stable 3 posit	ion laminate	shelves/open pass throu	ıgh. Shipped f
	PN4229PL	12 x 42 x 29	92.5	86	8.46	\$1074	
hree Pot Planter**	Three plastic pots assembled.	- specify Black ( <b>BK</b> ) or V	/hite ( <b>WT</b> ). Adj	ustable 3 pos	sition laminat	e shelf/open pass throu	gh. Shipped fu
DIVIDER SHELVES	MODEL#	DIMENSIONS	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PN7229BGS	12 x 72 x 29	125	124	18	\$1167	
'2"w Divider Shelf	Fixed laminate she	lves/open pass through.	Shipped fully a	assembled.			
	PN4229BGS	12 x 42 x 29	125	86	11	\$940	
12" w Divider Shelf		lf/open pass through. S	hipped fully ass	embled.			
42"w Divider Shelf		lf/open pass through. S	hipped fully ass	embled.			

**BOOKSHELVES** 




### **Bookshelf w/Laminate Shelves**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
PN2429BLS	12 x 24 x 29	70	37	2	\$717	\$114	
PN2452BLS	12 x 24 x 52	70	60	3	\$908	N/A	
PN2466BLS	12 x 24 x 66	70	74	4	\$998	N/A	
PN3029BLS	12 x 30 x 29	70	44	2	\$806	\$132	
PN3052BLS	12 x 30 x 52	65	68	3	\$941	N/A	
PN3066BLS	12 x 30 x 66	70	79	4	\$1038	N/A	
PN3629BLS	12 x 36 x 29	70	66	3	\$866	\$142	
PN3652BLS	12 x 36 x 52	70	80	4	\$991	N/A	
PN3666BLS	12 x 36 x 66	70	106	5	\$1091	N/A	

66"H models have four adjustable shelves. 52"H models have 3 adjustable shelves. 29"H models have 1 adjustable shelf. Shipped Fully Assembled.

12 x 24 x 29	70	37	2	\$747	\$114
12 x 24 x 52	70	60	3	\$1105	N/A
12 x 24 x 66	70	74	4	\$1316	N/A
12 x 30 x 29	70	44	2	\$863	\$132
12 x 30 x 52	65	68	3	\$1192	N/A
12 x 30 x 66	70	79	4	\$1373	N/A
12 x 36 x 29	70	66	3	\$862	\$142
12 x 36 x 52	70	80	4	\$1295	N/A
12 x 36 x 66	70	106	5	\$1520	N/A
	12 x 24 x 52 12 x 24 x 66 12 x 30 x 29 12 x 30 x 52 12 x 30 x 66 12 x 30 x 66 12 x 30 x 66	12 x 24 x 52 70 12 x 24 x 66 70 12 x 30 x 29 70 12 x 30 x 52 65 12 x 30 x 66 70 12 x 36 x 29 70 12 x 36 x 29 70 12 x 36 x 52 70	12 x 24 x 52 70 60 12 x 24 x 66 70 74 12 x 30 x 29 70 44 12 x 30 x 52 65 68 12 x 30 x 66 70 79 12 x 36 x 29 70 66 12 x 36 x 52 70 80	12 x 24 x 52 70 60 3 12 x 24 x 66 70 74 4 12 x 30 x 29 70 44 2 12 x 30 x 52 65 68 3 12 x 30 x 66 70 79 4 12 x 36 x 29 70 66 3 12 x 36 x 52 70 80 4	12 x 24 x 52 70 60 3 \$1105 12 x 24 x 66 70 74 4 \$1316 12 x 30 x 29 70 44 2 \$863 12 x 30 x 52 65 68 3 \$1192 12 x 30 x 66 70 79 4 \$1373 12 x 36 x 29 70 66 3 \$862 12 x 36 x 52 70 80 4 \$1295

66"H models have four adjustable shelves. 52"H models have 3 adjustable shelves. 29"H models have 1 adjustable shelf. Shipped Fully Assembled.



## **Bookshelf w/Glass Shelves**

DESKTOP AND OVERHEAD STORAGE

## **Hutch w/Laminate Doors\***

DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
16 x 60 x 35	125	131	18	\$1831	
16 x 72 x 35	125	135	21	\$1895	
16 x 84 x 35	150	145	25	\$2033	
	16 x 60 x 35 16 x 72 x 35	16 x 60 x 35 125 16 x 72 x 35 125	16 x 60 x 35 125 131 16 x 72 x 35 125 135	16 x 60 x 35 125 131 18 16 x 72 x 35 125 135 21	16 x 60 x 35 125 131 18 <b>\$1831</b> 16 x 72 x 35 125 135 21 <b>\$1895</b>

Sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Metal hutch supports. Laminate back board. 15.75" clearance between worksurface and underside. Shipped Partially Assembled.



**Hutch w/Glass Doors\*** 

PN3560CH	16 x 60 x 35	125	120	19.44	\$2657	
PN3572CH	16 x 72 x 35	125	144	23.33	\$2857	
PN3584CH	16 x 84 x 35	150	145	25	\$3136	

Sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Metal hutch supports. Laminate back board. 15.75" clearance between worksurface and underside. Shipped partially assembled in 2 cartons. Glass doors shipped separately.

Required Specifications
Top finish

Optional Specifications HP laminate (29"H bookshelves)

Top finish Base finish

Door finish (laminate doors) Hutch support finish\*



Open Hutch\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PN3560CH0	16 x 60 x 35	125	124	18	\$1598	
PN3572CH0	16 x 72 x 35	125	128	21	\$1644	
PN3584CHO	16 x 84 x 35	150	138	25	\$1775	

Metal hutch supports. Laminate back board. 15.75" clearance between worksurface and underside. Shipped Partially Assembled.

PN1160LDS	11 x 60 x 12	100	54	6.50	\$961	
PN1172LDS	11 x 72 x 12	100	62	7.75	\$1034	

**Desktop Storage w/Laminate Doors** 

Sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.

PN1172DS 11 x 72 x 12 100 51 5.50 <b>\$1739</b>	1	PN1160DS	11 x 60 x 12	100	43	4.58	\$1543
A		PN1172DS	11 x 72 x 12	100	51	5.50	\$1739



**Desktop Storage w/Glass Doors** 

Sliding glass doors in upper aluminum track. Satin etched 6mm glass. Recessed aluminum finger pulls. No lock. Shipped assembled in 2 cartons. Glass doors shipped separately.

PN2423LDB	12 x 24 x 23	60	45	1.50	\$454	
PN3023LDB	12 x 30 x 23	60	49	1.50	\$496	
PN3623LDB	12 x 36 x 23	65	53	2	\$502	
PN2425LDB	12 x 24 x 25	60	47	1.50	\$454	
PN3025LDB	12 x 30 x 25	65	51	2	\$496	
PN3625LDB	12 x 36 x 25	65	55	2	\$502	

One multiple-position adjustable laminate shelf. Shipped Fully Assembled.



Desktop Shelf - Two High w/Laminate Shelf

PN2423GDB	12 x 24 x 23	60	45	1.50	\$523	
PN3023GDB	12 x 30 x 23	60	49	1.50	\$572	
PN3623GDB	12 x 36 x 23	65	53	2	\$610	
PN2425GDB	12 x 24 x 25	60	47	1.50	\$523	
PN3025GDB	12 x 30 x 25	65	51	2	\$572	
PN3625GDB	12 x 36 x 25	65	55	2	\$610	

One multiple-position adjustable glass shelf. Shipped Fully Assembled.


/	
	$\nearrow$

**Desktop Shelf - Two High** w/Glass Shelf

Required Specifications
Top finish Base finish Door finish (laminate doors) Hutch support finish\*

## P


## **PRINCETON**™



Desktop Shelf - Three High w/Laminate Shelves

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PN2437LDB	12 x 24 x 37	65	58	2	\$567	
PN3037LDB	12 x 30 x 37	70	64	3	\$603	
PN3637LDB	12 x 36 x 37	65	71	3	\$627	
PN2439LDB	12 x 24 x 39	65	58	2	\$567	
PN3039LDB	12 x 30 x 39	70	64	3	\$603	
PN3639LDB	12 x 36 x 39	65	71	3	\$627	


Two multiple-position adjustable laminate shelves. Shipped Fully Assembled.



Desktop Shelf - Three High w/Glass Shelves

PN2437GDB	12 x 24 x 37	65	58	2	\$732	
PN3037GDB	12 x 30 x 37	70	64	3	\$810	
PN3637GDB	12 x 36 x 37	65	71	3	\$843	
PN2439GDB	12 x 24 x 39	65	58	2	\$732	
PN3039GDB	12 x 30 x 39	70	64	3	\$810	
PN3639GDB	12 x 36 x 39	65	71	3	\$843	

Two multiple-position adjustable glass shelves. Shipped Fully Assembled.




Large Overhead Storage w/Laminate Doors, Wall-Mounted

PN1960LWH	16 x 60 x 19	100	119	13.25	\$1350	
PN1972LWH	16 x 72 x 19	100	138	16	\$1411	
PN1984LWH	16 x 84 x 19	100	158	19	\$1554	

Sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.




Large Overhead Storage w/Glass Doors Wall-Mounted

PN1960WH	16 x 60 x 19	100	101	10.56	\$2108	
PN1972WH	16 x 72 x 19	100	121	12.67	\$2361	
PN1984WH	16 x 84 x 19	100	158	19	\$2588	

Sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Shipped assembled in two cartons. Glass doors shipped separately.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Large Overhead Storage w/Single Laminate Door, Wall-Mounted

PN1960LS	16 x 60 x 19	100	117	13.25	\$1255	
PN1972LS	16 x 72 x 19	100	136	16	\$1320	
PN1984LS	16 x 84 x 19	100	156	19	\$1449	

Sliding laminate door in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.


## **Required Specifications**

Top finish

Base finish

Door finish (laminate doors)





Large Overhead Storage, Wall-Mounted

Small Overhead Storage w/Laminate

DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
D x W x H					
16 x 60 x 19	100	112	13.25	\$1137	
16 x 72 x 19	100	131	16	\$1182	
16 x 84 x 19	125	151	19	\$1315	
	<b>D x W x H</b> 16 x 60 x 19 16 x 72 x 19	<b>DxWxH</b> 16 x 60 x 19 100 16 x 72 x 19 100	DxWxH       16 x 60 x 19     100     112       16 x 72 x 19     100     131	D x W x H       16 x 60 x 19     100     112     13.25       16 x 72 x 19     100     131     16	D x W x H         16 x 60 x 19       100       112       13.25       \$1137         16 x 72 x 19       100       131       16       \$1182

Open storage with center divider. Shipped Fully Assembled.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

PN1260LWH	12 x 60 x 8	100	49	5.25	\$990	
PN1272LWH	12 x 72 x 8	100	56	6.25	\$1074	
PN1284LWH	12 x 84 x 8	100	64	8	\$1128	

Sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

PN1260WH	12 x 60 x 8	100	31	3.33	\$1937	
PN1272WH	12 x 72 x 8	100	38	4	\$2183	
PN1284WH	12 x 84 x 8	100	64	8	\$2307	




Doors, Wall-Mounted

Small Overhead Storage w/Glass Doors Wall-Mounted

Sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Shipped assembled in 2 cartons. Glass doors shipped separately.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

PN1260WH0	12 x 60 x 8	100	45	5.25	\$760	
PN1272WH0	12 x 72 x 8	100	52	6.25	\$854	
PN1284WH0	12 x 84 x 8	125	60	8	\$928	




Small Overhead Storage, Wall-Mounted

Open storage shelf with center divider. Shipped Fully Assembled.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

PN1260WHS	12 x 60 x 8	150	31	5.50	\$564	
PN1272WHS	12 x 72 x 8	125	37	6	\$611	
PN1284WHS	12 x 84 x 8	125	44	7	\$659	



**Wall-Mounted Shelf** 

Open storage shelf with center divider. Shipped Fully Assembled.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

## **Required Specifications**

Top finish Base finish

Door finish (laminate doors)

TACKBOARD NOTES

DxWxH

**TACKBOARD** Notes: Tackboards can be upholstered in all of the following fabrics:

Grade 1: Jenny, Quilt, Terrace, Urban, Waterfall

Grade 2: Imprint, Lola

Grade 3: Anchorage, Merge

TACKBOARDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRD.	LIST PRICE
	PN1556TBH	1 x 56 x 14.5	100	9.50	1	1	\$583
						2	\$702
						3	\$842
						4	\$1006
						5	\$1157
	PN1568TBH	1 x 68 x 14.5	92.5	11	1	1	\$606
						2	\$730
						3	\$873
						4	\$1048
						5	\$1203
	PN1580TBH	1 x 80 x 14.5	125	10	1.50	1	\$964
						2	\$1160
						3	\$1388
						4	\$1666
						5	\$1917
Tackboard for Hutches	Attaches with Velc	ro to Hutch backboard	i.				

Required Specifications
Fabric

BOARDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRE	. LIST PRICE
		D x W x H					
	PN1560TBW	1 x 60 x 14.5	85	14	1	1	\$596
						2	\$716
						3	\$859
						4	\$1031
						5	\$1185
	PN1566TBW	.62 x 66 x 14.4	85	12	1	1	\$794
	11110001211	.02 X 00 X 11.1	00	12		2	\$956
						3	\$1148
						4	\$1376
						5	\$1580
	PN1572TBW	1 x 72 x 14.5	70	16.50	1	1	\$695
	FIN13/ZIDVV	1 X / Z X 14.3	70	10.30	l	2	\$837
						3	\$1003
						4	\$1202
						5	\$1381
	PN1578TBW	.62 x 78 x 14.4	100	14	1.50	1	\$1002
	11013701000	.02 x 70 x 14.4	100	14	1.50	2	\$1002
						3	\$1444
						4	\$1733
<i>a</i>						5	\$1991
	PN1584TBW	.62 x 84 x 14.4	92.5	15	1.50	1	\$1090
						2	\$1310
						3	\$1572
						4	\$1882
						5	\$2165
oard for Overhead Storage	Attaches with adh	esive-backed Velcro.					
ouru ioi Oromouu otorugo	/ titaling with dan	convo backed venero.					
-							

Required Specifications
Fabric

PRINCETON™							
ELECTRICAL / DATA	MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PGDPS41	<b>D x W x H</b> 2.5 x 10.25 x 2.22	70	1.50	.02	\$234	
4 Outlet, 1 Telecom Blank Plate		cles and 1 telecom blank pl inish. 12 foot black cord. U			ll-out shelf or o	pen space credenza.	
	PGDPS20	2.5 x 3.58 x 2.22	70	1	.01	\$168	
2 Outlet Power Block	2 power receptad	cles. For side mounted inst	allation. Tungs	ten (TUN) finis	sh. 12 foot bla	ck cord. UL listed: UL153.	
	PGDPS21	2.5 x 6.75 x 2.22	70	1.25	.01	\$217	
2 Outlet, 1 Telecom Blank Plate	2 power receptad UL listed: UL153.	·	ate. For side m	ounted install	ation. Tungste	n (TUN) finish. 12 foot black	cord.
	PLED30 PLED50 PLED100	1.5 x 15.5 x .5 1.5 x 23.5 x .5 1.5 x 43.5 x .5	150 150 125	2 2 3	.50 .50 .50	\$494 \$569 \$660	
LED Task Light	Energy efficient L UL listed: UL153.	.ED. Ultra slim design. Sui	table for hangi	ng under Hutc	h or Wallhung	units. 6' power cord.	
	PEWM5.5 PEWM5 PEWM4.5 PEWM4 PEWM3.5	2 x 66 x 2 2 x 60 x 2 2 x 54 x 2 2 x 48 x 2 2 x 42 x 2	70 70 70 70 70	.60 .60 .50 .50	.10 .10 .10 .10	\$198 \$166 \$148 \$135 \$116	
	PEWM3	2 x 36 x 2	70	.40	.10	\$104	

2 x 30 x 2

2 x 24 x 2

2 x 18 x 2

2 x 12 x 2

PEWM3 PEWM2.5

PEWM2

PEWM1

PEWM1.5

Wire Manager

Plastic tray flexes to receive and hold electrical and data wires. Quickly attaches with two strips of double-sided tape. Black (BLK) only.

.30

.30

.20

.20

.10

.10

.10

.10

\$85

\$70

\$55

\$40

70

70

70

70



TABLES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN242429	<b>D x W x H</b> 24 x 24 x 29	150	53	10	\$1028	\$144
PN482429	24 x 24 x 29 24 x 48 x 29	125	71	10.50	\$1026	\$156
PN542429	24 x 54 x 29	125	83	13	\$1057	\$183
PN602429	24 x 60 x 29	125	86	13	\$1302	\$186
PN662429	24 x 66 x 29	125	90	14	\$1352 \$1352	\$188
PN722429	24 x 72 x 29	150	97	21	\$1352 \$1361	\$189
PN782429	24 x 72 x 29 24 x 78 x 29	150	101	21	\$1301	\$209
PN842429	24 x 84 x 29	150	106			
PN902429	24 x 90 x 29	150	110	22 23	\$1612 \$1694	\$225 \$237
		150	123	23		
PN962429	24 x 96 x 29	100	123	Z4	\$1754	\$245
PN303029	30 x 30 x 29	150	66	12	\$1131	\$159
PN483029	30 x 48 x 29	150	77	13	\$1205	\$168
PN543029	30 x 54 x 29	150	94	16	\$1419	\$199
PN603029	30 x 60 x 29	125	99	16.50	\$1428	\$200
PN663029	30 x 66 x 29	125	105	17	\$1468	\$206
PN723029	30 x 72 x 29	150	112	23	\$1492	\$209
PN783029	30 x 78 x 29	150	119	26	\$1630	\$227
PN843029	30 x 84 x 29	150	132	27	\$1749	\$245
PN903029	30 x 90 x 29	150	139	33	\$1830	\$256
PN963029	30 x 96 x 29	150	143	29.50	\$1874	\$261
PN363629	36 x 36 x 29	150	80	15	\$1203	\$168
PN603629	36 x 60 x 29	150	113	20		\$227
					\$1638	
PN663629	36 x 66 x 29	150	119	21	\$1692	\$236
PN723629	36 x 72 x 29	150	128	29	\$1718	\$239
PN783629	36 x 78 x 29	150	135	31	\$1694	\$237
PN843629	36 x 84 x 29	150	150	32	\$1812	\$253
PN903629 PN963629	36 x 90 x 29 36 x 96 x 29	150 150	161 164	33.50 35	\$1947 \$1968	\$273 \$274
FIN903029	30 X 90 X 29	150	104	30	\$1900	<b>\$274</b>
PN424229	42 x 42 x 29	150	96	17	\$1388	\$195
PN604229	42 x 60 x 29	150	125	22	\$1712	\$239
PN664229	42 x 66 x 29	150	134	23	\$1767	\$248
PN724229	42 x 72 x 29	150	142	32	\$1802	\$252
PN784229	42 x 78 x 29	150	150	35	\$2002	\$280
PN844229	42 x 84 x 29	150	167	36	\$2184	\$303
PN904229	42 x 90 x 29	150	176	38	\$2340	\$327
PN964229	42 x 96 x 29	150	182	40	\$2387	\$332
PN484829	48 x 48 x 29	150	114	21	\$1434	\$201
PN604829	48 x 60 x 29	150	138	26	\$1434	\$248
PN664829	48 x 66 x 29	150	147	27	\$1775 \$1836	\$246 \$256
		150	158	38		\$250 \$260
PN724829	48 x 72 x 29				\$1861 \$2106	
PN784829	48 x 78 x 29	150 150	166 184	40 42	\$2106 \$2285	\$294
PN844829 PN904829	48 x 84 x 29 48 x 90 x 29	150	193	42	\$2285 \$2439	\$319
						\$337
PN964829	48 x 96 x 29	150	202	45	\$2478	\$346

Freestanding. 1"  $\times$  2.5" open metal frame legs with levelers, finished in Tungsten (TTU), Designer White (TDW) or Black (TBL). Metal support hat channel(s) provided on tables exceeding 54" in width. Shipped in 2 cartons.

Required Specifications
Top finish
Leg finish

Optional Specifications
HP laminate

Accessories Wire manager Desktop screen



29"H Table with Center Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN1203629	36 x 120 x 29	250	221	86.83	\$2995	\$416
PN1443629	36 x 144 x 29	250	246	97.31	\$3174	\$441
PN1204229	42 x 120 x 29	250	246	101.8	\$3116	\$431
PN1444229	42 x 144 x 29	250	287	110.7	\$3286	\$454
PN1204829	48 x 120 x 29	250	271	113.7	\$3300	\$456
PN1444829	48 x 144 x 29	250	291	116.7	\$3472	\$480

Freestanding. 1" x 2.5" open metal frame legs with levelers, finished in Tungsten (TTU), Designer White (TDW) or Black (TBL). 120" and 144"W with 2 piece top. Metal support hat channel(s) provided on tables exceeding 54" in width. Shipped in 4 cartons.

PN242429C	24 x 24 x 29	92.5	53	4.50	\$1061	\$151
PN482429C	24 x 48 x 29	85	71	5.26	\$1126	\$159
PN542429C	24 x 54 x 29	85	83	6.50	\$1348	\$188
PN602429C	24 x 60 x 29	85	86	6.50	\$1373	\$193
PN662429C	24 x 66 x 29	85	90	7	\$1398	\$197
PN722429C	24 x 72 x 29	85	97	7	\$1421	\$200
PN303029C	30 x 30 x 29	92.5	66	6	\$1168	\$164
PN483029C	30 x 48 x 29	100	77	9.50	\$1232	\$174
PN543029C	30 x 54 x 29	92.5	94	8	\$1466	\$206
PN603029C	30 x 60 x 29	92.5	99	8.26	\$1478	\$207
PN663029C	30 x 66 x 29	85	105	8.50	\$1510	\$210
PN723029C	30 x 72 x 29	85	112	9	\$1561	\$218
PN363629C	36 x 36 x 29	92.5	80	7.50	\$1226	\$170
PN603629C	36 x 60 x 29	92.5	113	10	\$1546	\$215
PN663629C	36 x 66 x 29	92.5	119	10.50	\$1586	\$221
PN723629C	36 x 72 x 29	100	124	14.50	\$1812	\$253
PN424229C	42 x 42 x 29	92.5	96	8.50	\$1420	\$200
PN484829C	48 x 48 x 29	150	114	21	\$1469	\$206

29"H Table with Casters

Freestanding. 1" x 2.5" open metal frame legs with casters, finished in Tungsten (TTU), Designer White (TDW) or Black (TBL). All casters are locking. Metal support hat channel(s) provided on tables exceeding 54" in width. Shipped in 2 cartons.

Required Specifications
Top finish

Leg finish

**Optional Specifications** 

HP laminate

Accessories Wire manager

Desktop screen



Zira<sup>TM</sup> is a contemporary desking solution with extensive options to personalize your workspace. Components can be freestanding for single workstation configurations, or joined together to form multiple work groups. Create a work environment that meets your worksurface needs and storage requirements - then go ahead and personalize it!

Select from the following: hundreds of components for any size or shape office, storage components that can tower to 84" high, 20 laminate finishes, 5 edge options, 9 handle options in silver, black, nickel or brass finishes, 2 glazing options with 2 frame finishes on doors and modesty panels, and lastly, work surface grommets and power blocks for your electrical needs.

Zira is your most functional solution to work environment efficiency and organization.



Tops are available in a choice of 1" or 1 ½" thick with a variety of edge details and a top over side, edge panel design \* Shown with 1.5" thick top and Bicut Edge (CR).



Optional Frosted or Ribbed glazing on doors and modesty panels. Available with Tungsten or Black frames.



Collator option is available for the convenient storage of day-to-day documents. Available in Black or Brushed Cobalt finish.

## **Features and Benefits**

- 45 lb. density particle board substructure with high performance thermally fused laminate
- Top over side panel design
- Worksurfaces feature preferred edging in matching color
- Available in 1" or 1.5" thick top with a variety of edge
- 11/16" thick full modesty panel is standard
- 11/16" thick ¾ modesty panel available on most components
- Pencil tray included in box drawer
- Lateral file drawers can accommodate legal or letter documents
- Premium full extension progressive ball bearing slides on file drawers & box drawers
- All drawer fronts edge banded with side pull opening pedestals and standard pedestal locks
- Compatible with Divide partitioning system for increased privacy and storage requirements

## **GENERAL INFORMATION**

- Modular collection with over 5000 different standard components available
- Zira components are compatible with **Divide** partitioning panels.
- Handles, lock finish and trim color (if applicable) MUST MATCH
- Dimensionally compatible with the Adaptabilities series.
- For environmental certification, please visit globalfurnituregroup.com

## WORKSURFACES

- Available in 1" or 1.5" thick thermally fused laminate tops (TFL) or 1.1/6" or 1.5" thick high pressure laminate tops (HPL) with a variety of edge details
- Tops are sealed with Global's preferred edge in matching color. Woodgrain surfaces feature edging with matching printed woodgrain.
- High pressure (HPL) tops are available in all Zira laminate finishes at an extended lead time, upcharge applies. Please see model # for pricing and availability.
- Products specified with the (**HPL**) option are finished on the underside of the surface with a kraft paper backing.

## CONSTRUCTION

- Constructed of 45 lb. density particleboard with high performance thermally fused laminate
- All desks are size (incrementally) accurate
- Desk drawers/storage open with side pulls and feature a French dovetail joint in front, lap joint in back. Pulls are available for these units at an upcharge, see below.
   All other drawers/storage feature built-in pulls available in 9 different styles
- Virtually no loose hardware
- Models with Monopost are standard with 4" Square Monopost. Optional 5" Round and 4" Round Monopost are available at no upcharge. Available in Black (TBL) or Tungsten (TTU) finish. Please Specify
- · Leveling glides are standard on all floor units
- Premium full extension progressive ball bearing slides on file drawers & box drawers
- All drawer fronts edge banded with side pull opening pedestals and standard pedestal locks

## **HEIGHT ADJUSTABLE DESKS**

- Zira height adjustable desks include a laminate chassis. Height adjustable base mechanism sold separately.
- Use FTZ52SFNL with all ZHxx60Fxx, ZHxx66Fxx, ZHxx72Fxx and ZHxx60NP models.
- Use FTZ52LFNL with all ZHxx84Fxx and ZHxx66NP, ZHxx72NP and ZH3684NP models.
- Use FTZ539FSLNL with all ZH60xx24L/R models.
- · Steel constructed leg tubing and cross bar.
- Table frame designed with 3.15" x 1.97" rectangular outer leg with the larger tube attaching to a bracket within the pedestal.
- Powder coat finishes for bases is standard in Black (BLK) or Tungsten (TUN).
- Wire management channels available in Black (BLK) or Silver (SIL).
   Silver (SIL) complements Tungsten.
- Zira Height Adjustable desks have 2-stages and feature an adjustment range of 29.5"/30" – 49"/49.5".
- · Lifts 350 pounds.
- Operates at 1.5" per second.
- All bases feature a dual actuator system with a motor driving each leg.

## STANDARD RANGE COLUMNS

The 2-part lifting column is a perfect choice for a wide range of different desk applications in the office.

- · Compact design where guide and actuator functions are an integrated unit
- Reinforced column and optimized motor housing design for extra strength and stability
- Max. load 800 N per column
- Max. speed 1.5"/second unloaded
- Standard installation dimension 25.4"
- Standard stroke length 19.7"
- Weight: Approximately 14.3 lbs. per column
- Column dimensions: 1.97" x 3.15" (outer profile) and 1.71" x 2.89" (inner profile)
- Motor housing dimensions: 6.97" x 3.82" x 1.81"
- Low noise level
- No visible gliding pads
- Standard Range Tables have 2-stages and feature an adjustment range of 27.5" 45.5" (18" travel).

## **DESK MOUNT FRAME**

- All metal parts are Black
- Cantilever length: 21.7"
- · Includes all connecting hardware

#### **CONTROL BOX**

- Two leg tables come standard with a 200 W Control Box
- Mains voltage 230 VAC, 50 Hz, or 120 VAC, 60 Hz
- Ultra-compact; 8.25" long
- Lightweight control box; weight is approximately 1 lb.
- Common features for the (200 W and 300 W):
- Ultra-low; only 1.5" high
- Environment: Operation Storage
- Ambient temperature: 5 to 40 °C -10 to +50 °C
- Relative humidity: 20 to 80 % at 30 °C 20 to 80 % at 30 °C
- Atmospheric pressure: 700 to 1060 hPa 700 to 1060 hPa
- · Compact high-power SMPS (Switch Mode Power Supply)
- Color: Black
- Protection against overload (EOP), by individual current limitation
- The control box is designed with a soft start/stop function
- $\bullet$  Autodetection of the number and type of columns connected
- Cable grooves at the bottom to optimise cable management
- White plugs for easy recognition when mounting/dismounting
- PVC-Free™
- Low standby power consumption only 0.1 W.
- Exchangeable standard mains cable

## STANDARD HANDSET (S)

- Features Bluetooth® connection, two favorite positions and an LED reminder to prompt users to change position.
- Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive.
- · Pulsating orange and green LED lights remind users to change positions.
- Using the integrated Bluetooth® and downloading the Desk Control App, users can also be reminded via notifications on their computer or smart devices.
- Black only. Black cable with RJ45 modular plug. 63" long.
- PVC-Free™, featuring ZERO™. Very low power consumption in standby mode.
- Approved according to EN 60335-1 and UL962

## **DISPLAY HANDSET (D)**

- Features Bluetooth® connection, four favorite positions, a display to guide users, and a light strip to prompt users to change position.
- Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive.
- Display controller features a modern, discreet design with a glossy surface and integrated display to ensure a clean and minimalist design.
- The display provides guidance to users when operating the desk.
- Via pulsating orange and green lights, the light strip reminds users to change positions.
- Using the integrated Bluetooth® and downloading the Desk Control App, users can also be reminded via notifications on their computer or smart devices.
- · Black only. Black cable with RJ45 modular plug. 63" long.
- PVC-Free<sup>™</sup>, featuring ZERO<sup>™</sup>. Very low power consumption in standby mode.
- Approved according to EN 60335-1 and UL962
- A basic handset without Bluetooth® capabilities is available and must be purchased separately, replacing the S or D handset in the field. See page 627 for details and pricing.



Standard handset (S)



Display handset (D)

## **ANTI-COLLISION SENSOR**

- Features enhanced Anti-Collision protection which can limit material damage to a desk or an object if a collision occurs during driving of the desk.
- The sensor is a compact plug-in adapter based on gyroscope-technology, and it detects even slight tilting of the desk when the desk is driving up or down.
- Upon detected tilting, the system stops and drives in the opposite direction to avoid collision and damage to the desk or the object.
- The sensor can detect both hard and soft obstacles.
- The Anti-Collision Sensor is standard on all desks.
- Reacts to angle changes bigger than 0.7° per second
- Just plug it in no mounting required
- ZERO™ power capable
- PVC-Free™

#### USAGE

- Ambient temperature: 41 to 104 °C
- Storage temperature: 32 to 113 °C

Approved according to:

- EN 62133 (Battery safety testing)
- UL 1642 (Lithium cells, standard test)
- UN 38.3 (transportation of Lithium batteries)
- UL 2054 (Household and commercial batteries)
- EN 60335-1 with CBH Advanced

## **MODESTY PANELS**

- Laminate full modesty panel is standard. Laminate ¾ modesty panel is available on select models at no additional charge. Please specify (3MP).
- Glazing options are available on the full modesty panel, ¾ modesty panel and the 12" modesty panel (where available). Please specify. See next page for options and codes.
- 11/16" thick full modesty panel is standard on most components
- 11/16" thick \( \frac{4}{2} \) modesty panel available on most components
- **Note:** Woodgrain modesty panels 60" wide and up will have the grain pattern in the horizontal direction. All end panels and modesty panels 59" or less will have the grain pattern in the vertical direction

## **CUSTOM WIDTHS**

- Custom widths are available for products that feature a worksurface as follows: desks, credenzas (applies to kneespace and single pedestal credenzas only), islands (excludes spanner islands), returns, bridges, extended corners and corners.
- Desks and credenzas that incorporate drawers and/or doors will be modified by changing the width of the worksurface and modesty panel, drawer and/or door dimensions are not affected.
- . No upcharge for next size up
- Custom width does not apply to cabinets, hutches, pedestals or any other units.

#### **STORAGE**

- All lateral files feature a foolproof interlock device
- Pencil tray included in box drawer
- · Lateral file drawers can accommodate legal or letter documents
- All drawers are locking unless otherwise noted
- Front-to-back filing bars for all steel drawer files available separately. Order FBB bars. See"FBB" on page 41.
- All desks, returns and credenzas with fixed storage are shipped standard with box/ box/file, file/file or box/file 16" wide pedestals.
- Storage modules, wardrobe cabinets, personal towers, hutches and table top bookcases have 11/16" thick shelves
- End shelves, bookcases and table top end shelves have 1" thick shelves
- All shelves are 3 position fixed/height adjustable.
- Storage cabinets less than 30" wide are not intended to be freestanding and should be ganged or otherwise anchored. Ganging hardware and instructions are provided. Interior of all cabinets are pre-drilled for ganging connections; does require drill through on site.
- Adjustable shelves can be positioned to accept binder storage as follows:
   For units 29" to 53" H where applicable:
  - with one shelf cannot accommodate binder row
- with two shelves can accommodate one row of binders
- with three shelves can accommodate two rows of binders
- with four shelves can accommodate three rows of binders

For units 65.5" to 84.5" H where applicable:

- with one shelf can accommodate one row of binders
- with two shelves 65.5" and 72" H can accommodate one row of binders
  - 84" H can accommodate two rows of binders
- with three shelves can accommodate two rows of binders
- with four shelves can accommodate three rows of binders
- with five shelves can accommodate four rows of binders
- with six shelves can accommodate five rows of binders



## LOCKS

- Locks are standard on all storage modules. Finish will coordinate with handles and/ or aluminum doors. For desk, return or table components, etc. please specify finish: Black (BK) or Silver (SI).
- Please note that Flared Brass (HW) handle defaults to Black locks, so trim options must be Black to match.
- Key alike or specific key number optional for all products with locks
- Reserved for new orders greater than \$20,000 list, all Zira units with locks may be ordered with CA cap option and specific lock cores/keys can be ordered separately for field installation rather than specifying duplicate product lines with different key numbers.
- When CA option is specified, product will ship with a cap over the empty lock housing
- Separately order the appropriate number of cores with keys; use product code SIL-CORE-H-SHOE for Silver core/key sets or product code BLK-CORE-H-SHOE for Black core/key sets. Specify quantity and lock number required. One order line per key number required. Key number range: 401-440. Must be ordered at the same time product is ordered with CA lock cap option specified.
- One core removal key is required. Recommend one core removal for every 25 cores ordered. Order as REMOVE-K-H-SHOE.
- No charge applies for separate lock cores or core removal keys only when ordered with product. If replacement lock core and key required, contact Customer Care for applicable product code and pricing.

## **SHIPPING**

 Shipped assembled, 1 per carton, unless otherwise noted. Other components are easy to assemble.

## **HUTCHES**

- 71" hutches (actual width 71.69") are for use when a hutch is placed across the back of a 42"wide return and across the depth of a 30" deep surface top (actual depth 29.69").
- ZxxxxDM, ZxxxxDM and ZxxxxDML/DMR are exactly 30" deep. Therefore 72" hutches may be used.
- Hutches should not be placed on the approach side of any single pedestal and double pedestal desks with an overhang.

## **SPECIFICATIONS**

 Specifications marked with an \* are applicable to only those products which have the \* symbol beside the product name.

## **Optional Glazing Specifications (doors and modesty panels)**

- Frosted material is 3mm thick Acrylic P95
- Ribbed material is 4.3mm thick twin wall UV protected polycarbonate



Z1 frosted glazing, Tungsten (TUN) frame



Z3 ribbed glazing, Tungsten (TUN) frame



Z2 frosted glazing, Black (BLK) frame



Z4 ribbed glazing, Black (BLK) frame



Full modesty panel - **Z1** frosted glazing, Tungsten (TUN) frame ¾ modesty (shown) - **Z1 + 3MP ZA** - 12"H modesty (select models)



Full modesty panel - **Z2** frosted glazing, Black (BLK) frame ¾ modesty (shown) - **Z2 + 3MP ZB** - 12"H modesty (select models)



Full modesty panel - **Z3** ribbed glazing, Tungsten (TUN) frame 3⁄4 modesty (shown) - **Z3 + 3MP ZC** - 12"H modesty (select models)



Full modesty panel - **24** ribbed glazing, Black (BLK) frame 3⁄4 modesty (shown) - **24 + 3MP ZD** - 12"H modesty (select models)

## 1. SPECIFY MODEL NUMBER

## 2. SPECIFY MATERIAL TYPE

- TFL for product with thermally fused laminate tops
- HPL for product with high pressure laminate tops

## 3. SPECIFY FINISH AND TOP THICKNESS/EDGE DETAIL

- All units available in solid color (Top and Chassis matching) or Two-Tone combination except for the following units:
  - Shells: One Tone in all standard finishes
- Collators: One Tone in Black (K) or Brushed Cobalt (T)
- Horizontal Pigeon Holes: One Tone in all standard finishes
- Vertical and Transitional Pigeon Holes: Two-Tone Chassis/Shell in all standard finishes, Collator Shelves in Black (K) or Brushed Cobalt (T).

Fi	nis	h	90
			62

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

## Top Thickness/Edge Detail



A3 1" top, standard flat edge



AR 1" top, bicut edge



1 E" top standard CP 1 E" top





C3 1.5" top, standard flat edge


CR 1.5" top, bicut edge

CF 1.5" top, fluted edge

## 4. SPECIFY OPTIONS


## **BOX DRAWERS for lateral file drawers** (no upcharge)

• Specify B\_ (Drawer Position 1-4 must be specified)



· Not available on drawers with steel interiors

## MONOPOST




## **HANDLES**

- Handles are standard on all lateral drawers and doors, and are included in the published list price. When ordering, please select handle from the list of options below.
- Integrated vertical finger pulls are the standard default for mobile pedestals, hanging
  pedestals, or where BBF or FF pedestals are part of a desk, return credenza or corner
  desk. Handles are optional on these units with a list upcharge of \$54. If a handle is
  not desired, specify lock finish: Black (BK) or Silver (SI).
- General guideline: when handles are shown in individual product line art within the price list, handles are included. When not shown in the individual product line art, a **list price upcharge of \$54** applies if a handle option is selected.
- To order handles, please specify corresponding code to image as below (HS, HO, HW, HX, HV, HU, HQ, HZ, or HR):




## **GROMMETS**


- Additional grommets available in standard worksurface locations (left, center or right).
- Order as: AG1, AG2 or AG3. Add \$96
- Grommets may be placed at non-standard locations. Order as: AGS Add \$96. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to **CUSTOM GROMMET LOCATION** FORM in the back reference section.
- · Components that come standard with grommet as stated within the product descriptions or shown in the corresponding price list line art, may be ordered without a grommet. Add \$53.
- Option to remove standard grommet when required specify RSG Add \$53.
- Option to remove standard grommet position and add another position specify RSG and AG\_ or AGS, upcharge applies. For RSG + AG\_ combination, Add \$149. For RSG
- + AGS combination, Add \$149.






- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.
- Actual grommet locations on the worksurface are depicted in the example drawings shown below. Dimensions shown are actual measurements (in inches).







Straight Front, 36"- 42"D


Straight Front, 30"D





**Bow Front** 




















## NHD desk

- Grommets are available on modesty panels of extended corners and 5-sided corners 8" in where the two modesty panels meet at a 90° angle. Please specify FOGMP-R for right grommet placement and FOGMP-L for left grommet (placement is as shown on diagrams below). Cost is \$96.
- \*\* Modesty Panels are 1" off of ground







Left Extended Corner Unit

Right Extended Corner Unit


5-Sided Corner Unit


#### **POWER BLOCK**

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9 foot black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330. Power Blocks are available in standard worksurface locations (left, center or right). Order as E1. E2 or E3. Add \$96.




Power Block PMSPDM Add \$330







Straight Front

Specify location E1, E2 or E3. Add \$96








## Top conditions for Heighwt Adjustable Desks

Top recesses are to minimize potential pinch points when adjacent to fixed surfaces.




# **Wall Panels**

## Weight capacities for wall panels


- When mounting customer supplied flat screen or other to a wall panel, total weight including mounting hardware **should not exceed 140 lbs**. in total. Not approved for use with articulating or extendable mounting arms.
- Wall panels with floating shelves:
- 1 mm space between shelves when units side by side.
- 24''W up to 50 lbs.; 30''W up to 65 lbs.; 36''W up to 75 lbs.; 42''W up to 90 lbs. per floating shelf
- Note: weight should be evenly distributed over surface
- · Wall panels with overhead cabinet storage:
- Note: weight should be evenly distributed over surface
- 66"H 24"W: 30 lbs. top/55 lbs. inside bottom; 30"W: 40 lbs. top/70 lbs. inside bottom; 36"W: 45 lbs.top/85 lbs. inside bottom; 42"W: 55 lbs. top/95 lbs. inside bottom.
- 72"H 24"W: 30 lbs. top/65 lbs. inside bottom; 30"W: 40 lbs. top/80 lbs. inside bottom; 36"W: 50 lbs.top/95 lbs. inside bottom; 42"W: 60 lbs. top/100 lbs. inside bottom.
- 84"H 24"W: 30 lbs. top/65 lbs. shelf & inside bottom; 30"W: 40 lbs. top/80 lbs. shelf & inside bottom; 36"W: 50 lbs.top/95 lbs. shelf & inside bottom; 42"W: 60 lbs. top/100 lbs. shelf & inside bottom.

# **Wall Panels**


\*Grommet locations for wall panels




- AG1 grommet sits at 26-1/8" above the floor, just about 1-1/2 high storage, but below standard 29-1/2" storage
- AG2 grommet sits at 32" above the floor, above 29-1/2" storage
  - \*Cove Mini power units are not for use in this application due to depth.
- When the wall with wire management access is specified, the wire management access opening will sit below all storage heights (see chart below).




## Desks / Extended Corner Desks - available width: 60", 66", 72" 84"








**Glazed Option** 














# Extended Corners - available widths: 60", 66", 72", 84"




**Shells -** available width: 12", 15", 16", 18", 21", 30", 36" For Extended Corners, Space Saver Returns and Connectables




# Space Saver Returns





# **Space Saver Connectables**



## **Extended Corners**









# Extended Corner Islands - available width: 60", 66", 72" 84"


## **Modesty Treatments**



## **Overhang Dimensions**












# Storage

















# Wardrobe & Personal Towers






# **Drawer & Cavity Positions**




# **Box Drawer Option**

Lateral file drawers can be converted to box/box drawers in any of the four standard positions



**B3** = 2 box drawers on 3rd position


**B4** = 2 box drawers on 4th position





Example
File drawer converted to 2 box drawers on **4th** position


Please specify: Z36L54F - **B4** 




Converting 2 or more drawers please contact customer service.

# **Collator Positions**


All storage units can be specified with an optional collator on 2<sup>nd</sup>, 3<sup>rd</sup> and/or 4<sup>th</sup> position.




Collator on 2nd position Specify: 2K - Black or 2T - Brushed Cobalt



Collator on 3rd position Specify: 3K - Black or 3T - Brushed Cobalt



Collator on 4th position Specify: 4K - Black or 4T - Brushed Cobalt



Collator on 3rd & 4th positions Specify: 7K - Black or 7T - Brushed Cobalt




Collators do not fit behind doors

For 2K / 2T, 3K / 3T OR 4K / 4T - Add \$305

For 7K / 7T - Add \$538


# Glazing

Glazing is available in the following options:




Tungsten Frame Frosted Glazing **Z1** 

Please specify: Z36L6E - **Z1** 




Black Frame Frosted Glazing **Z2** 

Please specify: Z36L6E - **Z2** 



Tungsten Frame Ribbed Glazing **Z3** 

Please specify: Z36L6E - **Z3** 




Black Frame Ribbed Glazing **Z4** 


Please specify: Z36L6E - **Z4** 

# Filing Options - For Filing Components


On 16" deep files, drawer interiors are only 13" deep. On 20" and 24" deep files, drawer interiors are 16" deep.
Full to floor BBF, FF and FF pedestals are 16" wide with all pedestal desks, returns with pedestals and credenzas with pedestals.
Full to floor BBF and FF storage shells 15" wide x 28.5" high are required under 36" wide Space Saver Return with 16" deep connection top. re: Zxx3616Rx.
Filing hardware included with all laminate drawer models. Steel drawer models do NOT include FBB bars.

## Side-To-Side






# **Drawer & Cavity Positions**




# **Collator Positions**

For 12" to 21" wide units


\*\*If no collator is desired, must specify when placing order.



Collator on 3rd position Specify: 3K - Black or 3T - Brushed Cobalt




Collator on 4th position Specify: 4K - Black or 4T - Brushed Cobalt




Collator on 3rd & 4th position Specify: 7K - Black or 7T - Brushed Cobalt

For 7K / 7T.....Add \$538




Collators do not fit behind door


For 3K / 3T or 4K / 4T......Add \$305





# **Hutches**


Monitor clearance dimensions














**Double Pedestal Desk for** Height Adj. Base



**Double Pedestal Desk for** Height Adj. Base



Single Pedestal Desk for Height Adj. Base



Single Pedestal Desk for Height Adj. Base

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
ZH3684F23	36 x 84 x 29.5-4	9.5 85	362	26.68	\$3908	\$4140	\$642	\$685
ZH3672F23	36 x 72 x 29.5-4	9.5 85	335	26.68	\$3878	\$4084	\$550	\$587
ZH3666F23	36 x 66 x 29.5-4	9.5 85	321	25.18	\$3773	\$3959	\$495	\$538
ZH3660F23	36 x 60 x 29.5-4	9.5 85	307	24.70	\$3643	\$3829	\$532	\$489
ZH3084F23	30 x 84 x 29.5-4	9.5 85	347	25.69	\$4001	\$4201	\$642	\$567
ZH3072F23	30 x 72 x 29.5-4	9.5 85	321	24.70	\$3810	\$3985	\$550	\$489
ZH3066F23	30 x 66 x 29.5-4	9.5 85	309	24.19	\$3707	\$3869	\$495	\$451
ZH3060F23	30 x 60 x 29.5-4	9.5 85	296	23.68	\$3600	\$3744	\$538	\$409

• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with file/file (FF) pedestal on left and box/box/file (BBF) pedestal on right. 30"D: Top is recessed 1/2" on either side over chassis, flush on user and guest side. 36"D: Top is recessed 1/2" on either side over chassis, flush on user side, 6.25" overhang on guest side. BBF - file drawer and lower box drawer lock. FF - drawers lock. Unit has dual modesty panels - one stationary/one traveling. See notes on page 115 for illustration. Shipped RTA (ready to assemble).

ZH3684F32	36 x 84 x 29.5-49.5	85	362	26.68	\$3908	\$4140	\$642	\$685
ZH3672F32	36 x 72 x 29.5-49.5	85	335	26.68	\$3878	\$4084	\$550	\$587
ZH3666F32	36 x 66 x 29.5-49.5	85	321	25.18	\$3773	\$3959	\$495	\$538
ZH3660F32	36 x 60 x 29.5-49.5	85	307	24.70	\$3643	\$3829	\$532	\$489
ZH3084F32	30 x 84 x 29.5-49.5	85	347	25.69	\$4001	\$4201	\$642	\$567
ZH3072F32	30 x 72 x 29.5-49.5	85	321	24.70	\$3810	\$3985	\$550	\$489
ZH3066F32	30 x 66 x 29.5-49.5	85	309	24.19	\$3707	\$3869	\$495	\$451
ZH3060F32	30 x 60 x 29.5-49.5	85	296	23.68	\$3600	\$3744	\$538	\$409

• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with box/box/file (BBF) pedestal on left and file/file (FF) pedestal on right. 30"D: Top is recessed 1/2" on either side over chassis, flush on user and guest side. 36"D: Top is recessed 1/2" on either side over chassis, flush on user side, 6.25" overhang on guest side. BBF - file drawer and lower box drawer lock. FF - drawers lock. Unit has dual modesty panels - one stationary/one traveling. See notes on page 115 for illustration. Shipped RTA (ready to assemble).

ZH3684F3S       36 x 84 x 29.5-49.5       85       325       26.68       \$3558       \$3782       \$642       \$685         ZH3672F3S       36 x 72 x 29.5-49.5       92.5       298       25.69       \$3508       \$3714       \$550       \$587         ZH3666F3S       36 x 66 x 29.5-49.5       92.5       284       25.18       \$3405       \$3591       \$495       \$538         ZH3660F3S       36 x 60 x 29.5-49.5       92.5       271       24.70       \$3274       \$3449       \$434       \$489         ZH3084F3S       30 x 84 x 29.5-49.5       85       310       25.69       \$3633       \$3833       \$642       \$567         ZH3072F3S       30 x 72 x 29.5-49.5       92.5       285       24.70       \$3441       \$3616       \$550       \$489         ZH3066F3S       30 x 66 x 29.5-49.5       92.5       272       24.19       \$3337       \$3499       \$495       \$451         ZH3060F3S       30 x 60 x 29.5-49.5       92.5       260       23.68       \$3232       \$3376       \$439       \$409									
ZH3666F3S       36 x 66 x 29.5-49.5       92.5       284       25.18       \$3405       \$3591       \$495       \$538         ZH3660F3S       36 x 60 x 29.5-49.5       92.5       271       24.70       \$3274       \$3449       \$434       \$489         ZH3084F3S       30 x 84 x 29.5-49.5       85       310       25.69       \$3633       \$3833       \$642       \$567         ZH3072F3S       30 x 72 x 29.5-49.5       92.5       285       24.70       \$3441       \$3616       \$550       \$489         ZH3066F3S       30 x 66 x 29.5-49.5       92.5       272       24.19       \$3337       \$3499       \$495       \$451	ZH3684F3S	36 x 84 x 29.5-49.5	85	325	26.68	\$3558	\$3782	\$642	\$685
ZH3660F3S       36 x 60 x 29.5-49.5       92.5       271       24.70       \$3274       \$3449       \$489         ZH3084F3S       30 x 84 x 29.5-49.5       85       310       25.69       \$3633       \$3833       \$642       \$567         ZH3072F3S       30 x 72 x 29.5-49.5       92.5       285       24.70       \$3441       \$3616       \$550       \$489         ZH3066F3S       30 x 66 x 29.5-49.5       92.5       272       24.19       \$3337       \$3499       \$495       \$451	ZH3672F3S	36 x 72 x 29.5-49.5	92.5	298	25.69	\$3508	\$3714	\$550	\$587
ZH3084F3S       30 x 84 x 29.5-49.5       85       310       25.69       \$3633       \$3833       \$642       \$567         ZH3072F3S       30 x 72 x 29.5-49.5       92.5       285       24.70       \$3441       \$3616       \$550       \$489         ZH3066F3S       30 x 66 x 29.5-49.5       92.5       272       24.19       \$3337       \$3499       \$495       \$451	ZH3666F3S	36 x 66 x 29.5-49.5	92.5	284	25.18	\$3405	\$3591	\$495	\$538
ZH3072F3S       30 x 72 x 29.5-49.5       92.5       285       24.70       \$3441       \$3616       \$550       \$489         ZH3066F3S       30 x 66 x 29.5-49.5       92.5       272       24.19       \$3337       \$3499       \$495       \$451	ZH3660F3S	36 x 60 x 29.5-49.5	92.5	271	24.70	\$3274	\$3449	\$434	\$489
ZH3066F3S 30 x 66 x 29.5-49.5 92.5 272 24.19 <b>\$3337 \$3499 \$495 \$451</b>	ZH3084F3S	30 x 84 x 29.5-49.5	85	310	25.69	\$3633	\$3833	\$642	\$567
	ZH3072F3S	30 x 72 x 29.5-49.5	92.5	285	24.70	\$3441	\$3616	\$550	\$489
ZH3060F3S 30 x 60 x 29.5-49.5 92.5 260 23.68 <b>\$3232 \$3376 \$439 \$409</b>	ZH3066F3S	30 x 66 x 29.5-49.5	92.5	272	24.19	\$3337	\$3499	\$495	\$451
	ZH3060F3S	30 x 60 x 29.5-49.5	92.5	260	23.68	\$3232	\$3376	\$439	\$409

• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with box/box/file pedestal on left. 30"D: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and quest side. 36"D: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and 6.25" overhang on guest side. File drawer and lower box drawer lock. Unit has dual modesty panels - one stationary/one traveling. See notes on page 115 for illustration. Shipped RTA (ready to assemble).

ZH3684FS3	36 x 84 x 29.5-49.5	85	325	26.68	\$3558	\$3782	\$642	\$685
ZH3672FS3	36 x 72 x 29.5-49.5	92.5	298	25.69	\$3508	\$3714	\$550	\$587
ZH3666FS3	36 x 66 x 29.5-49.5	92.5	284	25.18	\$3405	\$3591	\$495	\$538
ZH3660FS3	36 x 60 x 29.5-49.5	92.5	271	24.70	\$3274	\$3449	\$434	\$489
ZH3084FS3	30 x 84 x 29.5-49.5	85	310	25.69	\$3633	\$3833	\$642	\$567
ZH3072FS3	30 x 72 x 29.5-49.5	92.5	285	24.70	\$3441	\$3616	\$550	\$489
ZH3066FS3	30 x 66 x 29.5-49.5	92.5	272	24.19	\$3337	\$3499	\$495	\$451
ZH3060FS3	30 x 60 x 29.5-49.5	92.5	260	23.68	\$3232	\$3376	\$439	\$409

• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with box/box/file pedestal on right. 30"D: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and guest side. 36"D: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and 6.25" overhang on quest side. File drawer and lower box drawer lock. Unit has dual modesty panels - one stationary/one traveling. See notes on page 115 for illustration. Shipped RTA (ready to assemble).


	Req	uired	Sp	ecifi	catio	ns
--	-----	-------	----	-------	-------	----

Top finish / Base finish Top/edge detail Wire management finish Default no handle, specify lock finish Must use with FTZ52SFNL or FTZ52LFNL (sold separately) **Optional Specifications** 


HP laminate, Handles, Key # Glazed modesty / modesty type Grommet position or power block cut-out

#### Accessories


Power block / Pencil drawer



Single Pedestal Desk for Height Adj. Base\*\*



Single Pedestal Desk for Height Adj. Base\*\*



Height Adj. Desk - Freestanding



Height Adjustable Frame\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
ZH3684F2S	36 x 84 x 29.5-4	19.5 85	323	26.68	\$3508	\$3732	\$642	\$685
ZH3672F2S	36 x 72 x 29.5-4	19.5 92.5	296	26.68	\$3460	\$3660	\$550	\$587
ZH3666F2S	36 x 66 x 29.5-4	19.5 92.5	282	25.18	\$3348	\$3534	\$495	\$538
ZH3660F2S	36 x 60 x 29.5-4	19.5 92.5	268	24.70	\$3224	\$3392	\$434	\$489
ZH3084F2S	30 x 84 x 29.5-4	19.5 92.5	308	25.69	\$3583	\$3783	\$642	\$567
ZH3072F2S	30 x 72 x 29.5-4	19.5 92.5	283	24.70	\$3392	\$3560	\$550	\$489
ZH3066F2S	30 x 66 x 29.5-4	19.5 92.5	270	24.19	\$3288	\$3445	\$495	\$451
ZH3060F2S	30 x 60 x 29.5-4	19.5 92.5	258	23.68	\$3182	\$3326	\$434	\$409

• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with file/file pedestal on **left**. **30"D**: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and guest side. **36"D**: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and 6.25" overhang on guest side. Pedestal locks. Unit has dual modesty panels - one stationary/one traveling. See notes on page 115 for illustration. *30"D desks are not compatible with monitor arm models MONxxxx/M775xxx*. Shipped RTA (ready to assemble).

ZH3684FS2	36 x 84 x 29.5-49.5	85	323	26.68	\$3508	\$3732	\$642	\$685
ZH3672FS2	36 x 72 x 29.5-49.5	92.5	296	26.68	\$3460	\$3660	\$550	\$587
ZH3666FS2	36 x 66 x 29.5-49.5	92.5	282	25.18	\$3348	\$3534	\$495	\$538
ZH3660FS2	36 x 60 x 29.5-49.5	92.5	268	24.70	\$3224	\$3392	\$434	\$489
ZH3084FS2	30 x 84 x 29.5-49.5	92.5	308	25.69	\$3583	\$3783	\$642	\$567
ZH3072FS2	30 x 72 x 29.5-49.5	92.5	283	24.70	\$3392	\$3560	\$550	\$489
ZH3066FS2	30 x 66 x 29.5-49.5	92.5	270	24.19	\$3288	\$3445	\$495	\$451
ZH3060FS2	30 x 60 x 29.5-49.5	92.5	258	23.68	\$3182	\$3326	\$434	\$409

• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with file/file pedestal on **right**. **30"D**: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and guest side. **36"D**: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and 6.25" overhang on guest side. Pedestal locks. Unit has dual modesty panels - one stationary/one traveling. See notes on page 115 for illustration. *30"D desks are not compatible with monitor arm models MONxxxx/M775xxx*. Shipped RTA (ready to assemble).

ZH3684NP	36 x 84 x 29.5-49.5	70	231	10.48	\$2427	\$2659	N/A	\$685
ZH3672NP	36 x 72 x 29.5-49.5	125	206	27.69	\$2389	\$2589	N/A	\$587
ZH3666NP	36 x 66 x 29.5-49.5	65	198	8.47	\$2315	\$2501	N/A	\$538
ZH3660NP	36 x 60 x 29.5-49.5	65	198	8.47	\$2261	\$2429	N/A	\$489
ZH3072NP	30 x 72 x 29.5-49.5	70	188	8.71	\$2273	\$2448	N/A	\$489
ZH3066NP	30 x 66 x 29.5-49.5	70	178	7.96	\$2198	\$2360	N/A	\$451
ZH3060NP	30 x 60 x 29.5-49.5	70	168	7.49	\$2162	\$2306	N/A	\$409

• Specify FTZ52SFNL for 60" wide desks and FTZ52LFNL for 66" - 84" wide desks.

Height adjustable frame sold separately. **30"D** - Top is recessed 1" on user and both sides over chassis; 2.9375" overhang on guest side. **36"D** - Top is recessed 1" on user and both sides over chassis; 3.25" overhang on guest side. Shipped RTA (ready to assemble). Unit has a stationary modesty only. *30"D desks are not compatible with monitor arm models MONxxxx/M775xxx*.


FTZ52SFNL	22 x x 26	60	67	1.47	\$1138	
FTZ52LFNL	22 x x 26	60	67	1.47	\$1138	

- For models ending in F23/F32/F3S/FS3/F2S/FS2, specify FTZ52SFNL for 60" 72" and FTZ52LFNL for 84" wide desks.
- For models ending in NP, specify FTZ52SFNL for 60" wide, and FTZ52LFNL for 66" 84" wide desks

For use with Zira height adjustable desks. Lifts 350 lbs. Available in Black or Tungsten. Shipped RTA (ready to assemble).

Recommended torque range for installing all fasteners is 3-5 foot pounds and should not be exceeded. In
addition, no impact drivers or high-torque equipment are to be used for any fasteners included in the table
assembly kits, as this creates a high risk for damage that is not covered under warranty. The use of hand tools
is highly recommended.

Required Specifications	Optional Specific	ations	Accessories
Top finish Top/edge detail	HP laminate	Handles**	Power block
Base finish*	Key #**	Modesty finish glazed**	Pencil drawer
Wire management finish	Modesty Type		
Must use with base (sold separately)	Grommet position of	r power block cut-out	



L Desk Shell for Height Adj. Base



Height Adjustable Frame\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
ZH608424L	60 x 84 x 29.5-4	9.5 70	294	14.48	\$3202	\$3457	N/A	\$876
ZH607224L	60 x 72 x 29.5-4	9.5 70	273	13.24	\$3059	\$3291	N/A	\$778
ZH608424R	60 x 84 x 29.5-4	9.5 70	294	14.48	\$3202	\$3457	N/A	\$876
ZH607224R	60 x 72 x 29.5-4	9.5 70	273	13.24	\$3059	\$3291	N/A	\$778

Specify FTZ539FSLNL separately.

Height adjustable frame sold separately. Specify ZH60xx24L for LEFT with return on the right side or ZH60xx24R for RIGHT with return on left side. Top on long return side is recessed 1" over chassis, 1/2" recessed on primary top (non-return side) and 2.9375" overhang on guest side. Return top is 24"D x 30"W. Shipped RTA (ready to assemble). Not compatible with monitor arm models MONxxxx/M775xxx.

FTZ539FSLNL	10 x x 26.8	60	101	1.47	\$1847	N/A	N/A	N/A

For use with Zira height adjustable L desks. Lifts 350 lbs. Available in Black, Designer White or Tungsten. Shipped RTA (ready to assemble).

• Recommended torque range for installing all fasteners is 3-5 foot pounds and should not be exceeded. In addition, no impact drivers or high-torque equipment are to be used for any fasteners included in the table assembly kits, as this creates a high risk for damage that is not covered under warranty. The use of hand tools is highly recommended.

ZH3084TB	20 v 02 v 16 16 F	85	99	6.75	\$1084	6127E	\$680	¢EC7
	29 x 82 x 16-16.5					\$1375		\$567
ZH3072TB	29 x 70 x 16-16.5	85	85	6	\$956	\$1206	\$600	\$489
ZH3066TB	29 x 64 x 16-16.5	85	79	5.50	\$894	\$1126	\$556	\$451
ZH3060TB	29 x 58 x 16-16.5	85	71	5	\$796	\$1008	\$545	\$409
ZH3054TB	29 x 52 x 16-16.5	85	64	4.50	\$735	\$929	\$476	\$372
ZH3048TB	29 x 46 x 16-16.5	85	57	4	\$673	\$841	\$439	\$329
ZH3042TB	29 x 40 x 16-16.5	85	50	3.75	\$604	\$755	\$397	\$285
ZH2484TB	23 x 82 x 16-16.5	85	74	5	\$967	\$1203	\$580	\$457
ZH2472TB	23 x 70 x 16-16.5	70	86	5.50	\$857	\$1063	\$600	\$390
ZH2466TB	23 x 64 x 16-16.5	70	68	4.50	\$796	\$990	\$556	\$359
ZH2460TB	23 x 58 x 16-16.5	85	61	4.25	\$711	\$886	\$545	\$329
ZH2454TB	23 x 52 x 16-16.5	85	55	3.75	\$655	\$812	\$476	\$312
ZH2448TB	23 x 46 x 16-16.5	85	49	3.50	\$600	\$744	\$439	\$261
ZH2442TB	23 x 40 x 16-16.5	85	43	3	\$532	\$670	\$409	\$232



- Compatible with FreeFit + FOLI Height Adjustable bases (FOLI compatible with 48"w 72"w tops)
- Cannot be used with FTZ52SFNL or FTZ52LFNL

r- 30°36′42′48°60′66′72″

**Top and Modesty Panel Kit** 

CONNECTABLE TABLES

24" Deep Connectable Table - Left


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z2472L	24 x 72 x 29.5-30	65	144	6	\$880	\$1036	N/A	\$384
Z2466L	24 x 66 x 29.5-30	) 65	135	6	\$880	\$1015	N/A	\$384
Z2460L	24 x 60 x 29.5-30	) 65	125	5.25	\$796	\$914	N/A	\$353
Z2448L	24 x 48 x 29.5-30	) 65	106	4.30	\$725	\$827	N/A	\$281
Z2442L	24 x 42 x 29.5-30	) 65	95	3.80	\$725	\$814	N/A	\$236
Z2436L	24 x 36 x 29.5-30	) 65	86	3.30	\$637	\$710	N/A	\$178
Z2430L	24 x 30 x 29.5-30	70	77	3.60	\$600	\$658	N/A	\$178

Full end panel on left. Right narrow end panel connects to 24"D center/right connectable table, or at 90° angle to a freestanding table, height adjustable desk, 24"D extended corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

- Units 48" and under require storage for stability
- Modesty Panel is 1" off of ground.

Required Specifications	Optional Specifications	Accessories
Top finish	HP laminate	Power block
Top/edge detail	Grommet position or power block cut-	out
Base finish		
Wire management finish		

**CONNECTABLE TABLES** 



24" Deep Connectable Table - Right

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z2472R	24 x 72 x 29.5-30	) 65	144	6	\$880	\$1036	N/A	\$384
Z2466R	24 x 66 x 29.5-30	65	135	6	\$880	\$1015	N/A	\$384
Z2460R	24 x 60 x 29.5-30	65	125	5.25	\$796	\$914	N/A	\$353
Z2448R	24 x 48 x 29.5-30	65	106	4.30	\$725	\$827	N/A	\$281
Z2442R	24 x 42 x 29.5-30	65	95	3.80	\$725	\$814	N/A	\$236
Z2436R	24 x 36 x 29.5-30	65	86	3.30	\$637	\$710	N/A	\$178
Z2430R	24 x 30 x 29.5-30	70	77	3.60	\$600	\$658	N/A	\$178

**Full end panel on right.** Left narrow end panel connects to **24"D** center/right connectable table, or at 90° angle to a freestanding table, height adjustable desk, 24"D extended corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

- Units 48" and under require storage for stability
- Modesty Panel is 1" off of ground.

BRIDGES COMPATIBLE W/ ZXXXXBBOL/R A	IND ZXXXXBLFL/R CREDENZAS	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	ZA2448RL	24 x 48 x 29.5-30	70	78	4.30	\$831	\$973	N/A	\$261
	ZAZ446NL ZA2442RL	24 x 46 x 29.5-30		66	3.80	\$723	\$848	N/A	\$229
	ZA2436RL	24 x 36 x 29.5-30		59	3.30	\$673	\$781	N/A	\$197
	ZA2048RL	20 x 48 x 29.5-30	70	72	4.30	\$792	\$913	N/A	\$219
	ZA2042RL	20 x 42 x 29.5-30	70	62	3.80	\$691	\$797	N/A	\$189
	ZA2036RL	20 x 36 x 29.5-30	70	56	3.30	\$643	\$735	N/A	\$164

Bridge w/Full Laminate Modesty, Left

For use with height adjustable desks - single pedestal. Connects to credenza on left. Shipped RTA (ready to assemble).



Bridge w/Full Laminate Modesty, Right

CREDENZAS COMPATIBLE W/HT ADJ. BRIDGES

ZA2448RR	24 x 48 x 29.5-30	70	78	4.30	\$831	\$973	N/A	\$261
ZA2442RR	24 x 42 x 29.5-30	70	66	3.80	\$723	\$848	N/A	\$229
ZA2436RR	24 x 36 x 29.5-30	70	59	3.30	\$673	\$781	N/A	\$197
ZA2048RR	20 x 48 x 29.5-30	70	72	4.30	\$792	\$913	N/A	\$219
ZA2042RR	20 x 42 x 29.5-30	70	62	3.80	\$691	\$797	N/A	\$189
ZA2036RR	20 x 36 x 29.5-30	70	56	3.30	\$643	\$735	N/A	\$164

For use with height adjustable desks - single pedestal. Connects to credenza on right. Shipped RTA (ready to assemble).

MODEL#	DIMENSIONS F	REIGHT CLASS	WI/LBS.	CUBIC FI.	1"10P	1.5" IUP	GLAZE ADD	HP AUU
Z2472BBOL	24 x 72 x 29.5-30	125	261	35.75	\$2468	\$2601	N/A	\$390
Z2460BBOL	24 x 60 x 29.5-30	125	231	30	\$2216	\$2327	N/A	\$327
Z2072BB0L	20 x 72 x 29.5-30	125	234	30.25	\$2358	\$2469	N/A	\$327
Z2060BBOL	20 x 60 x 29.5-30	100	207	25.25	\$2141	\$2234	N/A	\$273

Compatible with height adjustable bridges. Box/box/lateral file on **left** with open storage on the **right**. Connects to bridge on **right**. Adjustable shelf. Shipped assembled in 1 carton.



Z2472BBOR	24 x 72 x 29.5-30	125	261	35.75	\$2468	\$2601	N/A	\$390
Z2460BBOR	24 x 60 x 29.5-30	125	231	30	\$2216	\$2327	N/A	\$327
Z2072BBOR	20 x 72 x 29.5-30	125	234	30.25	\$2358	\$2469	N/A	\$327
Z2060BBOR	20 x 60 x 29.5-30	100	207	25.25	\$2141	\$2234	N/A	\$273

Compatible with height adjustable bridges. Box/box/lateral file on **right** with open storage on the **left**. Connects to bridge on **left**. Adjustable shelf. Shipped assembled in 1 carton.

Rec	uired	Specifications
Top	finish	

Top finish Top/edge detail Base finish

# Optional Specifications HP laminate

Modesty panel type
Grommet position or power block cut-out

Accessories
Power block
Keyboard
Pencil drawer



	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z2472BLFL	24 x 72 x 29.5-3	0 125	265	35.75	\$2430	\$2563	N/A	\$390
Z2460BLFL	24 x 60 x 29.5-3	0 125	235	30	\$2191	\$2302	N/A	\$327
Z2072BLFL	20 x 72 x 29.5-3	0 125	239	30.25	\$2320	\$2431	N/A	\$327
Z2060BLFL	20 x 60 x 29.5-3	0 100	212	25.25	\$2112	\$2205	N/A	\$273

Compatible with height adjustable bridges. Two drawer lateral file on left with open storage on the right. Connects to bridge on right. Adjustable shelf. Shipped assembled in 1 carton.



Z2472BLFR	24 x 72 x 29.5-30	125	265	35.75	\$2430	\$2563	N/A	\$390
Z2460BLFR	24 x 60 x 29.5-30	125	235	30	\$2191	\$2302	N/A	\$327
Z2072BLFR	20 x 72 x 29.5-30	125	239	30.25	\$2320	\$2431	N/A	\$327
Z2060BLFR	20 x 60 x 29.5-30	100	212	25.25	\$2112	\$2205	N/A	\$273

Compatible with height adjustable bridges. Two drawer lateral file on right with open storage on the left. Connects to bridge on left. Adjustable shelf. Shipped assembled in 1 carton.

FREESTANDING HA DESKS, SLIM BASES		DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	ZH3684S2S	34 x 82 x 27.7-4	17.4 85	174	12.72	\$1797	\$2718	n/a	\$648
	ZH3678S2S	34 x 76 x 27.7-4	17.4 85	169	12.46	\$1750	\$2635	n/a	\$604
	ZH3672S2S	34 x 70 x 27.7-4	17.4 85	163	12.72	\$1709	\$2556	n/a	\$556
	ZH3666S2S	34 x 64 x 27.7-4	17.4 85	157	11.71	\$1663	\$2468	n/a	\$513
	ZH3660S2S	34 x 58 x 27.7-4	17.4 85	151	11.47	\$1616	\$2385	n/a	\$465
	ZH3084S2S	28 x 82 x 27.7-4	17.4 85	149	10.72	\$1593	\$2399	n/a	\$545
	ZH3078S2S	28 x 76 x 27.7-4	17.4 85	140	10.48	\$1556	\$2325	n/a	\$507
	ZH3072S2S	28 x 70 x 27.7-4	17.4 85	136	10.21	\$1709	\$2514	n/a	\$465
	ZH3066S2S	28 x 64 x 27.7-4	17.4 85	131	9.97	\$1477	\$2181	n/a	\$427
	ZH3060S2S	28 x 58 x 27.7-4	17.4 85	125	9.73	\$1436	\$2107	n/a	\$390

# Freestanding HA Desk, Slim Base

Height adjustable mechanism sold separately. Top and each slim base shipped in individual cartons; easy to assemble. With 1" thick top, lowest height 27.2"H; with 1.5" thick top 27.7"H + travel range (19.7"). Modesty panel available, specify ZH12xxMPS.

• Specify FTZ52LF24CL for ZH30xxS2S (30"D)and FTZ52LF30CL for ZH36xxS2S (36"D).

ZH3684S2T	34 x 82 x 27.7-47.4	70	241	14.97	\$2825	\$4098	n/a	\$648
ZH3678S2T	34 x 76 x 27.7-47.4	70	235	14.7	\$2774	\$4010	n/a	\$604
'H3672S2T	34 x 70 x 27.7-47.4	70	235	14.7	\$2727	\$3922	n/a	\$556
ZH3666S2T	34 x 64 x 27.7-47.4	70	224	13.95	\$2681	\$3834	n/a	\$513
ZH3660S2T	34 x 58 x 27.7-47.4	70	218	13.71	\$2635	\$3746	n/a	\$465
ZH3084S2T	28 x 82 x 27.7-47.4	70	207	12.46	\$2528	\$3653	n/a	\$545
ZH3078S2T	28 x 76 x 27.7-47.4	70	202	12.22	\$2487	\$3575	n/a	\$507
ZH3072S2T	28 x 70 x 27.7-47.4	70	197	11.98	\$2450	\$3496	n/a	\$465
ZH3066S2T	28 x 64 x 27.7-47.4	70	192	11.71	\$2403	\$3422	n/a	\$427
ZH3060S2T	28 x 58 x 27.7-47.4	70	187	11.47	\$2362	\$3343	n/a	\$390

# **HA Desk, Telescopic Slim Base**

Height adjustable mechanism sold separately. Top and each slim base shipped in individual cartons; easy to assemble. Telescoping slim base keeps column concealed when the table is adjusted up/down. With 1" thick top, lowest height 27.2"H; with 1.5" thick top 27.7"H + travel range (19.7"). Modesty panel available, specify **ZH12xxMPT**.

• Specify FTZ52LF24CL for ZH30xxS2T (30"D)and FTZ52LF30CL for ZH36xxS2T (36"D).

Required Specifications	Optional Speci	fications	Accessories
Top finish	HP laminate	Handles	Power block
Top/edge detail	Key #	Modesty finish glazed	Keyboard
Base finish	Modesty panel to	ype	Pencil drawer
Lock finish	Grommet positio	n or power block cut-out	

ODESTY FOR HA DESKS W/SLIM BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5 101	GLAZE ADD	IIIF AI
	ZH1284MPS	D x W x H	70	10	0.9	\$283	n/o	\$755	n/o
	ZH1278MPS	0.71 x 69.7 x 12 0.71 x 63.7 x 12	70	19 17	0.8	\$264	n/a n/a	\$755 \$700	n/a
	ZH1276IVIFS ZH1272MPS	0.71 x 53.7 x 12	65	16	0.6	\$250	n/a	\$649	n/a
									n/a
	ZH1266MPS	0.71 x 51.7 x 12	70	14	0.65	\$232	n/a	\$598	n/:
	ZH1260MPS	0.71 x 45.7 x 12	70	13	0.6	\$213	n/a	\$547	n/
desty Panel for ZHxxxxS2S		xxxxS2S height adjus							-
							,		
	ZH1284MPT	0.71 x 67.5 x 12	65	18	0.8	\$278	n/a	\$741	n/
	ZH1278MPT	0.71 x 61.5 x 12	65	17	0.75	\$264	n/a	\$690	n/
	ZH1272MPT	0.71 x 55.5 x 12	70	15	0.7	\$246	n/a	\$635	n/a
	ZH1266MPT	0.71 x 49.5 x 12	65	14	0.6	\$232	n/a	\$584	n/
	ZH1260MPT	0.71 x 43.5 x 12	70	12	0.55	\$213	n/a	\$533	n/
esty Panel for ZHxxxxS2T		xxxx <b>S2T height adjus</b> ease of travel. Specify p							
BASE FOR ZH DESKS W/SLIM BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRIC	E		
	FTZ52LF24CL	24 x 58-82 x 26.7	7-46.4 60	67	1.47	\$1160			
	FTZ52LF30CL	30 x 58-82 x 26.7	7-46.4 60	67	1.47	\$1169			
ctric Height Adjustable Base*	For use with ZHA Tungsten. Shipped • Recommended	E24CL for ZH30xxS2S/S2 xxxxS2S and ZHxxxx I RTA (ready to assemble d torque range for ins	<b>S2T height adju</b> se). talling all faster	stable desk ners is 3-5 f	s with slim	and shou	ld not be e	exceeded.	In
ctric Height Adjustable Base*	For use with ZHs Tungsten. Shipped • Recommended addition, no im	XXXXS2S and ZHXXXX I RTA (ready to assemble d torque range for ins npact drivers or high- as this creates a hig	S2T height adjuse). e). talling all faster torque equipme	stable desk ners is 3-5 f nt are to be	s with slim oot pounds used for a	and shou ıy fastene	ld not be e	exceeded. ed in the ta	In able
	For use with ZHx Tungsten. Shipped • Recommender addition, no in assembly kits, is highly recor	EXXXXS2S and ZHXXXX I RTA (ready to assemble of torque range for ins npact drivers or high- as this creates a hig nmended.	S2T height adjuse). e). talling all faster torque equipme	stable desk ners is 3-5 f nt are to be	s with slim oot pounds used for a	and shou ny fastene Inder war	ld not be e ers include ranty. The	exceeded. ed in the ta	In able nd to
	For use with ZHx Tungsten. Shipped • Recommender addition, no in assembly kits, is highly recor	EXXXXS2S and ZHXXXX I RTA (ready to assemble of torque range for ins npact drivers or high- as this creates a hig nmended.	S2T height adjuste). talling all faster torque equipme h risk for damag	stable desk ners is 3-5 f nt are to be ge that is no	s with slim oot pounds used for ar ot covered u	and shou ny fastene Inder war	ld not be e ers include ranty. The	exceeded. ed in the ta use of ha	In able nd to
	For use with ZHx Tungsten. Shipped • Recommender addition, no in assembly kits, is highly recor	EXXXXS2S and ZHXXXX  I RTA (ready to assemble torque range for insempact drivers or high- as this creates a high mmended.  NG DIMENSIONS	S2T height adjuste). talling all faster torque equipme h risk for damag  FREIGHT CLASS	ners is 3-5 f ners is 3-5 f nt are to be ge that is no WT/LBS.	oot pounds used for a t covered u	and shou ny fastene nder war 1″TOP	ld not be e ers include ranty. The 1.5" TOP	exceeded. ed in the ta use of ha	In able nd to HP A
	For use with ZHx Tungsten. Shipped • Recommender addition, no in assembly kits, is highly recor	RXXXXS2S and ZHXXXX I RTA (ready to assemble torque range for insemple to the compact drivers or high- as this creates a high management of the compact of the compact drivers or high- as this creates a high management of the compact of the compac	S2T height adjuste). talling all faster torque equipme h risk for damag  FREIGHT CLASS	ners is 3-5 f ners is 3-5 f nt are to be that is no WT/LBS.	coot pounds e used for ar ot covered u	and shou ny fastene nder war 1″TOP \$1723	ld not be ears include ranty. The	exceeded. ed in the ta use of ha GLAZE ADD	In able nd to HP A \$64
	For use with ZHx Tungsten. Shipped • Recommender addition, no in assembly kits, is highly recor M BASE - NOT FREESTANDI ZH3684SSBL ZH3678SSBL	RXXXXS2S and ZHXXXX I RTA (ready to assemble torque range for insemple to divers or high- as this creates a high management of the seminary of	S2T height adjuste). talling all faster torque equipme h risk for damag  FREIGHT CLASS 7.4 70 7.4 70 7.4 70	ners is 3-5 f nt are to be that is no WT/LBS.	coot pounds e used for an ot covered u CUBIC FT. 8.74 8.5 8.24	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639	ld not be ears includer ranty. The 1.5" TOP \$2625 \$2542 \$2459	exceeded. ed in the ta use of har GLAZE ADD n/a n/a n/a	In able nd to HP A \$64 \$55
	For use with ZHA Tungsten. Shipped • Recommender addition, no im assembly kits, is highly recor M BASE - NOT FREESTANDII  ZH3684SSBL ZH3678SSBL ZH3672SSBL ZH3084SSBL	xxxxS2S and ZHxxxx I RTA (ready to assemble decreuse range for insumpact drivers or high- as this creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 34 x 70 x 27.7-47	S2T height adjusted.  talling all faster torque equipme h risk for damag  FREIGHT CLASS  7.4 70  7.4 70  7.4 70  7.4 70	ners is 3-5 f nt are to be that is no WT/LBS. 137 131 125	covered used for an ot covered used for an other forms of the forms of t	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639	1.5" TOP \$2625 \$2542 \$2459	exceeded. ed in the ta use of har  GLAZE ADD  n/a n/a n/a n/a	In able nd to \$64 \$60 \$55
	For use with ZHx Tungsten. Shipped • Recommender addition, no im assembly kits, is highly recor M BASE - NOT FREESTANDI ZH3684SSBL ZH3678SSBL ZH3672SSBL	RXXXXS2S and ZHXXXX I RTA (ready to assemble torque range for insemple to divers or high- as this creates a high management of the seminary of	S2T height adjusted.  talling all faster torque equipme h risk for damag  FREIGHT CLASS  7.4 70 7.4 70 7.4 70 7.4 70 7.4 70 7.4 70 7.4 70 7.4 70	ners is 3-5 f nt are to be that is no WT/LBS.	coot pounds e used for an ot covered u CUBIC FT. 8.74 8.5 8.24	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639	ld not be ears includer ranty. The 1.5" TOP \$2625 \$2542 \$2459	exceeded. ed in the ta use of har GLAZE ADD n/a n/a n/a	In able nd to \$64 \$55 \$55 \$55 \$55 \$55 \$55 \$55 \$55 \$55 \$5
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZHA Tungsten. Shipped • Recommender addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3084SSBL ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding	RXXXXS2S and ZHXXXX I RTA (ready to assemble decreuser to read to ready for insumpact drivers or high-as this creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 28 x 84 x 27.7-47 28 x 76 x 27.7-47 28 x 70 x 27.7-47	S2T height adjusted by talling all faster torque equipme h risk for damage free felt for the form of t	wr/LBS.  137 131 125 117 112 112 110 110 1110 1111	cout pounds a used for an ot covered used for FI.  8.74 8.5 8.24 7.24 7.24 7.24 ght hand store	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491	1.5" TOP  \$2625 \$2542 \$2459  \$2366 \$2297 \$2227	exceeded. ed in the tause of had  GLAZE ADD  n/a n/a n/a n/a n/a n/a n/a n/a n/a n/	HP A \$64 \$55 \$546 and s
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZHA Tungsten. Shipped • Recommender addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3084SSBL ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding	RXXXXS2S and ZHXXXX I RTA (ready to assemble decorate to range for insumpact drivers or high-ras this creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 28 x 84 x 27.7-47 28 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 76 x 27.7-47	S2T height adjusted by talling all faster torque equipme h risk for damage free felt for the form of t	wr/LBS.  137 131 125 117 112 112 110 110 1110 1111	cout pounds a used for an ot covered used for FI.  8.74 8.5 8.24 7.24 7.24 7.24 ght hand store	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491	1.5" TOP  \$2625 \$2542 \$2459  \$2366 \$2297 \$2227	exceeded. ed in the tause of had  GLAZE ADD  n/a n/a n/a n/a n/a n/a n/a n/a n/a n/	HP A \$64 \$55 \$546 and s
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZHA Tungsten. Shipped • Recommender addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3084SSBL ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in-	RXXXXS2S and ZHXXXX I RTA (ready to assemble decreuser to read to ready for insumpact drivers or high-as this creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 28 x 84 x 27.7-47 28 x 76 x 27.7-47 28 x 70 x 27.7-47	S2T height adjusted.  talling all faster torque equipme h risk for damag  FREIGHT CLASS  7.4 70	with the desk stable desk sers is 3-5 fint are to be that is not served.  Wifles.  137 131 125 117 112 112 112 110 1110 1110 11110 1	cout pounds a used for an ot covered used for FI.  8.74 8.5 8.24 7.24 7.24 7.24 7.24 ght hand storle mechanic	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 age for HA	to the series included ranty. The series included ranty includes a series included ranty. The series included ranty includes ranty included ranty. The series included ranty includes ranty includes ranty includes ranty includes ranty. The series included ranty includes ranty includes ranty includes ranty includes ranty. The series included ranty. The series included ranty. The series ranty includes ranty includes ranty includes ranty includes ranty. The series ranty includes ranty. The series ranty includes ranty includes ranty. The series ranty includes ranty includes ranty. The series ranty includes ranty include	exceeded. ed in the tause of harmonic of the tause of tause of the tause of tause	HP A \$64 \$55 \$54 \$52 \$52 \$52 \$52
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZH2 Tungsten. Shipped Recommended addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in With 1" thick top,	RXXXXS2S and ZHXXXX  RTA (ready to assemble deformed torque range for insumpact drivers or high-react drivers or high-react drivers as this creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 28 x 84 x 27.7-47 28 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 70 x 27.7-47 39. For use with ZHXXX dividual cartons, easy to lowest height 27.2"H; we have a second to the second to th	S2T height adjusted. e). talling all faster torque equipme h risk for damag  FREIGHT CLASS 7.4 70 7.	wt/LBS.  137 131 125 117 112 112 112 117 117 118 119 119 119 119 119 119 119 119 119	covered used for an act covered used for an act covered used for an act covered used for act covered	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 rage for H/F	1.5" TOP  \$2625 \$2542 \$2459  \$2366 \$2297 \$2227  A leg integreparately, des modes'	GLAZE ADD  n/a n/a n/a n/a n/a order FTZ: ty wire mar	HP A \$66 \$55 \$56 \$46
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZH2 Tungsten. Shipped Recommended addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in With 1" thick top, column. Modesty p	I RTA (ready to assemble deferred to requerange for insemplant drivers or high-least this creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 28 x 70 x 27.7-47 39. For use with ZHxxx dividual cartons, easy to lowest height 27.2"H; we panel available: when u	S2T height adjusted. e). talling all faster torque equipme h risk for damage  FREIGHT CLASS  7.4 70	wt/LBS.  137 131 125 117 112 112 112 117 117 118 119 119 119 119 119 119 119 119 119	covered used for an act covered used for an act covered used for an act covered used for act covered for a	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 rage for H/F	1.5" TOP  \$2625 \$2542 \$2459  \$2366 \$2297 \$2227  A leg integreparately, des modes'	GLAZE ADD  n/a n/a n/a n/a n/a order FTZ: ty wire mar	HP A \$66 \$55 \$56 \$46
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZH2 Tungsten. Shipped Recommended addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in With 1" thick top, column. Modesty is credenza specify Z	RXXXXS2S and ZHXXXX I RTA (ready to assemble of torque range for insumpact drivers or high- Lasthis creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 70 x 27.7-47 28 x 70 x 27.7-47  19. For use with ZHXXX dividual cartons, easy to lowest height 27.2"H; we panel available: when uzen in the content of	S2T height adjusted. e). talling all faster torque equipme h risk for damage  FREIGHT CLASS  7.4 70	wt/LBS.  137 131 125 117 112 112 112 114 115 117 117 118 119 119 119 119 119 119 119 119 119	cused for an act covered under the covered under	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 rage for HA sm sold s 3.7"). Inclu	1.5" TOP  \$2625 \$2542 \$2459  \$2366 \$2297 \$2227  A leg integreparately, des modes'	GLAZE ADD  n/a n/a n/a n/a n/a order FTZ: ty wire mar	HP A \$66 \$55 \$55 \$55 \$52LF > \$522LF > \$5522F > \$552F > \$5522F > \$552F > \$5522F > \$5527F > \$5522F > \$5522F > \$5522F > \$5522F > \$5522F > \$5522F > \$5527F > \$5522F > \$5527F > \$5522F > \$5522F > \$5522F > \$5522F > \$5522F > \$5522F > \$55
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZH2 Tungsten. Shipped Recommended addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in With 1" thick top, column. Modesty is credenza specify Z	I RTA (ready to assemble deferred to requerange for insemplant drivers or high-least this creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 28 x 70 x 27.7-47 39. For use with ZHxxx dividual cartons, easy to lowest height 27.2"H; we panel available: when u	S2T height adjusted. e). talling all faster torque equipme h risk for damage  FREIGHT CLASS  7.4 70	wt/LBS.  137 131 125 117 112 112 112 114 115 117 117 118 119 119 119 119 119 119 119 119 119	cused for an act covered under the covered under	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 rage for HA sm sold s 3.7"). Inclu	1.5" TOP  \$2625 \$2542 \$2459  \$2366 \$2297 \$2227  A leg integreparately, des modes'	GLAZE ADD  n/a n/a n/a n/a n/a order FTZ: ty wire mar	HP A \$66 \$55 \$55 \$55 \$52LF > \$522LF > \$5522F > \$552F > \$5522F > \$552F > \$5522F > \$5527F > \$5522F > \$5522F > \$5522F > \$5522F > \$5522F > \$5522F > \$5527F > \$5522F > \$5527F > \$5522F > \$5522F > \$5522F > \$5522F > \$5522F > \$5522F > \$55
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZH2 Tungsten. Shipped Recommended addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in With 1" thick top, column. Modesty is credenza specify Z	RXXXXS2S and ZHXXXX I RTA (ready to assemble of torque range for insumpact drivers or high- Lasthis creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 70 x 27.7-47 28 x 70 x 27.7-47  19. For use with ZHXXX dividual cartons, easy to lowest height 27.2"H; we panel available: when uzen in the content of	S2T height adjusted. e). talling all faster torque equipme h risk for damage  FREIGHT CLASS  7.4 70	wt/LBS.  137 131 125 117 112 112 112 114 115 117 117 118 119 119 119 119 119 119 119 119 119	cused for an act covered under the covered under	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 rage for HA sm sold s 3.7"). Inclu	1.5" TOP  \$2625 \$2542 \$2459  \$2366 \$2297 \$2227  A leg integreparately, des modes'	GLAZE ADD  n/a n/a n/a n/a n/a order FTZ: ty wire mar	HP A \$64 \$66 \$55 \$546 and s
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZH2 Tungsten. Shipped Recommended addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in With 1" thick top, column. Modesty is credenza specify Z	RXXXXS2S and ZHXXXX I RTA (ready to assemble of torque range for insumpact drivers or high- as this creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 70 x 27.7-47  g. For use with ZHXXX dividual cartons, easy to lowest height 27.2"H; we panel available: when uzen in the content of the	S2T height adjusted. e). talling all faster torque equipme h risk for damage  FREIGHT CLASS  7.4 70	wt/LBS.  137 131 125 117 112 112 112 114 115 117 117 118 119 119 119 119 119 119 119 119 119	cused for an act covered under the covered under	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 rage for HA sm sold s 3.7"). Inclu	1.5" TOP  \$2625 \$2542 \$2459  \$2366 \$2297 \$2227  A leg integreparately, des modes'	GLAZE ADD  n/a n/a n/a n/a n/a order FTZ: ty wire mar	HP A \$64 \$60 \$55 \$546 and si
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZH2 Tungsten. Shipped Recommended addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in With 1" thick top, column. Modesty is credenza specify Z	RXXXXS2S and ZHXXXX I RTA (ready to assemble of torque range for insumpact drivers or high- as this creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 70 x 27.7-47  g. For use with ZHXXX dividual cartons, easy to lowest height 27.2"H; we panel available: when uzen in the content of the	S2T height adjusted. e). talling all faster torque equipme h risk for damage  FREIGHT CLASS  7.4 70	wt/LBS.  137 131 125 117 112 112 112 114 115 117 117 118 119 119 119 119 119 119 119 119 119	cused for an act covered under the covered under	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 rage for HA sm sold s 3.7"). Inclu	1.5" TOP  \$2625 \$2542 \$2459  \$2366 \$2297 \$2227  A leg integreparately, des modes'	GLAZE ADD  n/a n/a n/a n/a n/a order FTZ: ty wire mar	HP A \$64 \$66 \$55 \$546 and s
ctric Height Adjustable Base*  DESK FOR INTEGRATION W/CREDENZA, SLIN  Desk w/Slim Base, Left	For use with ZH2 Tungsten. Shipped Recommended addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in With 1" thick top, column. Modesty is credenza specify Z	RXXXXS2S and ZHXXXX I RTA (ready to assemble of torque range for insumpact drivers or high- as this creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 70 x 27.7-47  g. For use with ZHXXX dividual cartons, easy to lowest height 27.2"H; we panel available: when uzen in the content of the	S2T height adjusted. e). talling all faster torque equipme h risk for damage  FREIGHT CLASS  7.4 70	wt/LBS.  137 131 125 117 112 112 112 114 115 117 117 118 119 119 119 119 119 119 119 119 119	cused for an act covered under the covered under	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 rage for HA sm sold s 3.7"). Inclu	1.5" TOP  \$2625 \$2542 \$2459  \$2366 \$2297 \$2227  A leg integreparately, des modes'	GLAZE ADD  n/a n/a n/a n/a n/a order FTZ: ty wire mar	HP A \$66 \$55 \$56 \$46
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZH2 Tungsten. Shipped Recommended addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in With 1" thick top, column. Modesty is credenza specify Z	RXXXXS2S and ZHXXXX I RTA (ready to assemble of torque range for insumpact drivers or high- as this creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 70 x 27.7-47  g. For use with ZHXXX dividual cartons, easy to lowest height 27.2"H; we panel available: when uzen in the content of the	S2T height adjusted. e). talling all faster torque equipme h risk for damage  FREIGHT CLASS  7.4 70	wt/LBS.  137 131 125 117 112 112 112 114 115 117 117 118 119 119 119 119 119 119 119 119 119	cused for an act covered under the covered under	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 rage for HA sm sold s 3.7"). Inclu	1.5" TOP  \$2625 \$2542 \$2459  \$2366 \$2297 \$2227  A leg integreparately, des modes'	GLAZE ADD  n/a n/a n/a n/a n/a order FTZ: ty wire mar	HP / S66 \$66 \$55 \$55 \$52LF pager
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZH2 Tungsten. Shipped Recommended addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in With 1" thick top, column. Modesty is credenza specify Z	RXXXXS2S and ZHXXXX I RTA (ready to assemble of torque range for insumpact drivers or high- as this creates a high mended.  NG DIMENSIONS  34 x 84 x 27.7-47 34 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 76 x 27.7-47 28 x 70 x 27.7-47  g. For use with ZHXXX dividual cartons, easy to lowest height 27.2"H; we panel available: when uzen in the content of the	S2T height adjusted. e). talling all faster torque equipme h risk for damage  FREIGHT CLASS  7.4 70	wt/LBS.  137 131 125 117 112 112 112 114 115 117 117 118 119 119 119 119 119 119 119 119 119	cused for an act covered under the covered under	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 rage for HA sm sold s 3.7"). Inclu	1.5" TOP  \$2625 \$2542 \$2459  \$2366 \$2297 \$2227  A leg integreparately, des modes'	GLAZE ADD  n/a n/a n/a n/a n/a order FTZ: ty wire mar	HP A \$64 \$66 \$55 \$546 and s
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZHA Tungsten. Shipped  Recommender addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3084SSBL ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in With 1" thick top, column. Modesty credenza specify Z  Specify FTZ52LI  Required Specifical	RECORD RESIDENCE  RECORD RESID	S2T height adjusted by talling all faster torque equipme he risk for damage free free free free free free free fr	wr/LBS.  137 131 125 117 112 112 112 114 a (or other ri ht adjustab 27.7"H + tra edenza speci	CUBIC FT.  8.74 8.5 8.24 7.24 7.24 7.24 ght hand storile mechanicavel range (19 fy ZH12xxLI	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 rage for HA sm sold s 3.7"). Inclu MPC mode	1.5" TOP \$2625 \$2542 \$2459 \$22459 \$2227 \$4 leg integreeparately, des modes est; when it	exceeded. ed in the tause of harmonic order FTZ! ety wire margused with 2	HP A \$64 \$60 \$55 \$546 and sl
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZHA Tungsten. Shipped  Recommended addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDII  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3084SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in With 1" thick top, column. Modesty p credenza specify Z  Specify FTZ52LI  Required Specifica Top surface material	RECORD RESIDENCE  RECORD RESID	S2T height adjusted. e). talling all faster torque equipme h risk for damage  FREIGHT CLASS  7.4 70	wr/LBS.  137 131 125 117 112 112 112 114 a (or other ri ht adjustab 27.7"H + tra edenza speci	CUBIC FT.  8.74 8.5 8.24 7.24 7.24 7.24 ght hand storile mechanicavel range (19 fy ZH12xxLI	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 rage for HA sm sold s 3.7"). Inclu MPC mode	1.5" TOP \$2625 \$2542 \$2459 \$22459 \$2227 \$4 leg integreeparately, des modes est; when it	exceeded. ed in the ta use of har  GLAZE ADD  n/a n/a n/a n/a n/a order FTZS ty wire mar used with 2	HP A \$64 \$60 \$55 \$54 \$52LFx anager
DESK FOR INTEGRATION W/CREDENZA, SLIN	For use with ZHA Tungsten. Shipped  Recommender addition, no im assembly kits, is highly recor  M BASE - NOT FREESTANDI  ZH3684SSBL ZH3678SSBL ZH3672SSBL  ZH3084SSBL ZH3078SSBL ZH3078SSBL ZH3072SSBL  Not freestanding base shipped in in With 1" thick top, column. Modesty credenza specify Z  Specify FTZ52LI  Required Specifical	RECORD RESIDENCE  RECORD RESID	S2T height adjusted by talling all faster torque equipme he risk for damage free free free free free free free fr	wr/LBS.  137 131 125 117 112 112 112 114 a (or other ri ht adjustab 27.7"H + tra edenza speci	CUBIC FT.  8.74 8.5 8.24 7.24 7.24 7.24 ght hand storile mechanicavel range (19 fy ZH12xxLI	and shou ny fastene inder war 1"TOP \$1723 \$1681 \$1639 \$1570 \$1533 \$1491 rage for HA sm sold s 3.7"). Inclu MPC mode	1.5" TOP \$2625 \$2542 \$2459 \$22459 \$2227 \$4 leg integreeparately, des modes est; when it	exceeded. ed in the tause of harmonic order FTZ! ety wire marused with 2	HP A S64 S60 S55 S54 S50 S46 and sl

global globalfurnituregroup.com

INTEGRATION W/CREDENZA, SLIM B	ASE - NOT FREESTANDING	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP AD
		DxWxH							
	ZH3684SSBR	34 x 84 x 27.7-47	7.4 70	137	8.74	\$1723	\$2625	n/a	\$648
	ZH3678SSBR	34 x 76 x 27.7-47	7.4 70	131	8.5	\$1681	\$2542	n/a	\$604
	ZH3672SSBR	34 x 70 x 27.7-47	7.4 70	125	8.24	\$1639	\$2459	n/a	\$556
	ZH3084SSBR	28 x 84 x 27.7-47	7.4 70	117	7.24	\$1570	\$2366	n/a	\$545
	ZH3078SSBR	28 x 76 x 27.7-47	7.4 70	112	7.24	\$1533	\$2297	n/a	\$507
	ZH3072SSBR	28 x 70 x 27.7-47	7.4 70	112	7.24	\$1491	\$2227	n/a	\$465

## HA Desk w/Slim Base, Right

Not freestanding. For use with ZHxxxxHBFL credenza (or other left hand storage for HA leg integration). Top and slim base shipped in individual cartons, easy to assemble. Height adjustable mechanism sold separately, order FTZ52LFxxC1. With 1" thick top, lowest height 27.2"H; with 1.5" thick top 27.7"H + travel range (19.7"). Includes modesty wire manager column. Modesty panel available: when used with 24"D credenza specify ZH12xxLMPC modesty; when used with 20"D credenza specify ZH12xxMMPC modesty.

• Specify FTZ52LF24C1 for ZH30xxSSBR (30"D) and FTZ52LF30C1 for ZH36xxSSBR (36"D).

ZH3684STBL	34 x 84 x 27.7-47.4	70	166	10	\$2125	\$3153	n/a	\$648
ZH3678STBL	34 x 76 x 27.7-47.4	70	160	9.94	\$2079	\$3070	n/a	\$604
ZH3672STBL	34 x 70 x 27.7-47.4	70	155	9.24	\$2038	\$2987	n/a	\$556
ZH3084STBL	28 x 84 x 27.7-47.4	70	142	8.24	\$1936	\$2848	n/a	\$545
ZH3078STBL	28 x 76 x 27.7-47.4	70	137	8.36	\$1899	\$2774	n/a	\$507
ZH3072STBL	28 x 70 x 27.7-47.4	70	132	7.74	\$1857	\$2704	n/a	\$465

## HA Desk w/Telescopic Slim Base, Left

Not freestanding. For use with ZHxxxxHBFR credenza (or other right hand storage for HA leg integration). Top and slim base shipped in individual cartons, easy to assemble. Telescoping slim base keeps column concealed when the table is adjusted up/down. Height adjustable mechanism sold separately, order FTZ52LFxxC1, 2 stage only. With 1" thick top, lowest height 27.2"H; with 1.5" thick top 27.7"H + travel range (19.7"). Includes modesty wire manager column. Modesty panel available: when used with 24"D credenza, specify ZH12xxLMPC modesty; when used with 20"D credenza, specify ZH12xxMMPC modestv.

Specify FTZ52LF24C1 for ZH30xxSTBL (30"D) and FTZ52LF30C1 for ZH36xxSTBL (36"D).

ZH3684STBR	34 x 84 x 27.7-47.4	70	166	10	\$2125	\$3153	n/a	\$648
ZH3678STBR	34 x 76 x 27.7-47.4	70	160	9.94	\$2079	\$3070	n/a	\$604
ZH3672STBR	34 x 70 x 27.7-47.4	70	155	9.24	\$2038	\$2987	n/a	\$556
ZH3084STBR	28 x 84 x 27.7-47.4	70	142	8.24	\$1936	\$2848	n/a	\$54
ZH3078STBR	28 x 76 x 27.7-47.4	70	137	8.36	\$1899	\$2774	n/a	\$50
ZH3072STBR	28 x 70 x 27.7-47.4	70	132	7.74	\$1857	\$2704	n/a	\$46

## HA Desk w/ Telescopic Slim Base, Right

Not freestanding. For use with ZHxxxxHBFL credenza (or other left hand storage for HA leg integration). Top and slim base shipped in individual cartons, easy to assemble. Telescoping slim base keeps column concealed when the table is adjusted up/down. Height adjustable mechanism sold separately, order FTZ52LFxxC1, 2 stage only. With 1" thick top, lowest height 27.2"H; with 1.5" thick top 27.7"H + travel range (19.7"). Includes modesty wire manager column. Modesty panel available: when used with 24"D credenza, specify ZH12xxLMPC modesty; when used with 20"D credenza, specify ZH12xxMMPC modesty.

Specify FTZ52LF24C1 for ZH30xxSTBR (30"D) and FTZ52LF30C1 for ZH36xxSTBR (36"D).

**Required Specifications** 

Top surface material (TFL or HPL) Top finish Top/edge detail Base finish

Grommet/wire management finish

**Optional Specifications** 

Grommet position or power block cut-out

CREDENZAS FOR HA DESK INTEGRATION	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	ZH2472HBFL	24 x 72 x 23.7	100	248	29.25	\$2028	n/a	n/a	\$390
	ZH2460HBFL	24 x 60 x 23.7	100	218	24.5	\$1825	n/a	n/a	\$327
	711207211DEL	20 , 72 , 22 7	100	212	24.75	61002	n /o	n /a	ė a a a
	ZH2072HBFL ZH2060HBFL	20 x 72 x 23.7 20 x 60 x 23.7	100 100	212 184	24.75 20.75	\$1903 \$1709	n/a n/a	n/a n/a	\$327 \$273
	ZHZOOOHDIL	20 X 00 X 23.7	100	104	20.73	φ1703	II/a	II/a	<b>9273</b>
redenza for HA Leg, Left		left with open storage on xxxxSTBR or ZHxxxxSS							
	ZH2472HBFR	24 x 72 x 23.7	100	248	29.25	\$2028	n/a	n/a	\$390
	ZH2460HBFR	24 x 60 x 23.7	100	218	24.5	\$1825	n/a	n/a	\$327
	ZHZHOOHBHH	24 X 00 X 20.7	100	210	24.0	Q1023	II/ u	II/ u	<b>JULI</b>
	ZH2072HBFR	20 x 72 x 23.7	100	212	24.75	\$1903	n/a	n/a	\$327
	ZH2060HBFR	20 x 60 x 23.7	100	184	20.75	\$1709	n/a	n/a	<b>\$273</b>
redenza for HA Leg, Right	Roy/latoral file on	right with open storage o	on the <b>left</b> . On	an eida includ	as insat had	to accomp	andata HA	log compo	nont
outher for the Log, flight		EXXXSTBL or ZHXXXXSS							
	1 carton.		J	,		. ,			
OP AND BACK KITS FOR HA INTEGRATION	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	ZH2496HTBL	24.1 x 96 x 23.25	70	114	7	\$783	n/a	n/a	\$495
	ZH2490HTBL	24.1 x 90 x 23.25	70	107	6.5	\$737	n/a	n/a	\$465
	ZH2484HTBL	24.1 x 84 x 23.25	70	100	6.25	\$690	n/a	n/a	\$434
	ZH2472HTBL	24.1 x 72 x 23.25	85	86	5.75	\$602	n/a	n/a	\$372
	ZH2466HTBL	24.1 x 66 x 23.25	70	79	5.25	\$556	n/a	n/a	\$341
	ZH2460HTBL	24.1 x 60 x 23.25	85	72	5	\$514	n/a	n/a	\$310
	ZH2096HTBL	20 x 96 x 23.25	70	103	6	\$727	n/a	n/a	\$415
	ZH2090HTBL	20 x 90 x 23.25	70	97	5.75	\$690	n/a	n/a	\$390
	ZH2084HTBL	20 x 84 x 23.25	70	90	5.25	\$649	n/a	n/a	\$367
	ZH2072HTBL	20 x 72 x 23.25	70	78	5	\$561	n/a	n/a	\$310
	ZH2066HTBL	20 x 66 x 23.25	85	71	4.75	\$519	n/a	n/a	\$285
	ZH2060HTBL	20 x 60 x 23.25	70	65	4.25	\$477	n/a	n/a	\$261
op and Back Kit for HA Leg, Left	•	uts for HA legs. For use w			ŭ		кхххSTBI	R or ZHxxx	cxSSBR.
		e mechanism sold sepa de hardware to attach		•	y to assemble	e).			
	ZH2496HTBR	24.1 x 96 x 23.25	70	114	7	\$783	n/a	n/a	\$495
	ZH2490HTBR	24.1 x 90 x 23.25	70	107	6.5	\$737	n/a	n/a	\$465
	ZH2484HTBR	24.1 x 84 x 23.25	70 05	100	6.25	\$690	n/a	n/a	\$434
	ZH2472HTBR ZH2466HTBR	24.1 x 72 x 23.25 24.1 x 66 x 23.25	85 70	86 79	5.75 5.25	\$602 \$556	n/a n/a	n/a	\$372 \$341
	ZH2460HTBR	24.1 x 60 x 23.25	70 85	79 72	5.25	\$514	n/a n/a	n/a n/a	\$341 \$310
	2112-130111 011	24.1 A 00 A 20.20	00	12	9	ΨJIT	ny u	11/4	φυτυ
	ZH2096HTBR	20 x 96 x 23.25	70	103	6	\$727	n/a	n/a	\$415
	ZH2090HTBR	20 x 90 x 23.25	70	97	5.75	\$690	n/a	n/a	\$390
	ZH2084HTBR	20 x 84 x 23.25	70	90	5.25	\$649	n/a	n/a	\$367
	ZH2072HTBR	20 x 72 x 23.25	70	78	5	\$561	n/a	n/a	\$310
	ZH2066HTBR	20 x 66 x 23.25	85 70	71	4.75	\$519 \$477	n/a	n/a	\$285
	ZH2060HTBR	20 x 60 x 23.25	70	65	4.25	\$477	n/a	n/a	\$261
op and Back Kit for HA Leg, Right	Tops include cut-o	uts for HA legs. For use w	vith <b>ZHxxxxH</b>	<b>SHNSR</b> + 23.	3"H storage	shells + <b>ZH</b>	xxxxSTB	L or ZHxxx	cxSSBL.
	Height adjustabl	e mechanism sold sepa	<b>arately</b> . Shipp	ed RTA (read	y to assemble	e).			
		de hardware to attach							
	Required Specifica	tions				Options	l Specific:	ntions	
	Required Specifica Top surface material		Grommet/wire r	management fin	ish		I Specifica t position or	ntions power bloc	k cut-out
			Grommet/wire r	management fin	ish				k cut-out

OW STORAGE FOR HA DESK INTEGRATION		DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADI
		D x W x H							
	ZH36L2HSHNSL	23.3 x 36 x 22.7	125	90	14.5	\$871	n/a	n/a	n/a
	ZH30L2HSHNSL	23.3 x 30 x 22.7	125	81	12.25	\$811	n/a	n/a	n/a
	ZH36M2HSHNSL	19.2 x 36 x 22.7	125	80	12.25	\$797	n/a	n/a	n/a
	ZH30M2HSHNSL	19.2 x 30 x 22.7	125	69	10.25	\$709	n/a	n/a	n/a
	ZHOUNZHOHNOL	13.2 X 30 X 22.7	125	03	10.23	<b>\$703</b>	II/ u	II/ u	11/ 4
ilse Back Storage, Left	For HA integration. F	or use with <b>ZHxxxxI</b>	HTBL + 23.3"H sto	orage + <b>ZH</b>	xxxSTBR or	ZHxxxxS	SBR mode	els. Height	adjusta
	mechanism sold sepa								
	<ul><li>For 23.3"D models</li></ul>	, order 24.1"D top an	d back kit ( <b>ZH24x</b> )	xHTBL)					
	<ul><li>For 19.2"D models</li></ul>	, order 20"D top and	back kit ( <b>ZH20xxI</b>	HTBL)					
	ZUOCI OLICUMOD	00.0 00 00.7	105	00	44.5	0074	1	1	,
	ZH36L2HSHNSR ZH30L2HSHNSR	23.3 x 36 x 22.7 23.3 x 30 x 22.7	125 125	90 81	14.5 12.25	\$871 \$811	n/a n/a	n/a n/a	n/a n/a
	ZHOULZHOHINOH	23.3 X 30 X 22.7	123	01	12.20	<b>4011</b>	II/ a	II/ a	II/ a
	ZH36M2HSHNSR	19.2 x 36 x 22.7	125	80	12.25	\$797	n/a	n/a	n/a
	ZH30M2HSHNSR	19.2 x 30 x 22.7	125	69	10.25	\$709	n/a	n/a	n/a
lse Back Storage, Right	For HA integration. F				cxxxSTBL or	ZHxxxxS	SBL mode	els. Height a	adjustal
	mechanism sold sepa								
	• For 23.3"D models	•							
	• For 19.2"D models	, order 20"D top and	back kit ( <b>ZH20xxI</b>	HTBR)					
	ZH36L2HSHNL	24 x 36 x 23.7	125	112	15	\$1176	n/a	n/a	n/a
	ZH30L2HSHNL	24 x 30 x 23.7	125	100	12.75	\$1065	n/a	n/a	n/a
	ZH36M2HSHNL	20 x 36 x 23.7	125	98	12.75	\$1042	n/a	n/a	n/a
	ZH30M2HSHNL	20 x 30 x 23.7	125	85	10.75	\$931	n/a	n/a	n/a
en Storage, Left	For use with <b>ZHxxx</b> sold separately. Ship	ped assembled in 1 c	arton.						
en Storage, Left				112 100	15 12.75	\$1176 \$1065	n. Height a n/a n/a	n/a n/a	n/a n/a
pen Storage, Left	sold separately. Ship ZH36L2HSHNR ZH30L2HSHNR ZH36M2HSHNR	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7	125 125 125	112 100	15 12.75 12.75	\$1176 \$1065 \$1042	n/a n/a n/a	n/a n/a n/a	n/a n/a n/a
pen Storage, Left	sold separately. Ship ZH36L2HSHNR ZH30L2HSHNR	24 x 36 x 23.7 24 x 30 x 23.7	125 125	112 100	15 12.75	\$1176 \$1065	n/a n/a	n/a n/a	n/a n/a n/a
	sold separately. Ship ZH36L2HSHNR ZH30L2HSHNR ZH36M2HSHNR	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	zH36L2HSHNR ZH36L2HSHNR ZH30L2HSHNR ZH36M2HSHNR ZH30M2HSHNR	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	Sold separately. Ship  ZH36L2HSHNR ZH30L2HSHNR  ZH36M2HSHNR ZH30M2HSHNR  For use with ZHxxxx	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	zH36L2HSHNR ZH30L2HSHNR ZH30L2HSHNR ZH36M2HSHNR ZH30M2HSHNR	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	zH36L2HSHNR ZH30L2HSHNR ZH30L2HSHNR ZH36M2HSHNR ZH30M2HSHNR	24 x 36 x 23.7 24 x 30 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125	112 100 98 85	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
	ZH36L2HSHNR ZH30L2HSHNR ZH36M2HSHNR ZH30M2HSHNR For use with ZHxxxx sold separately. Ship	24 x 36 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125 SBL models. Inset arton.	112 100 98 85 back for HA	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931 integration	n/a n/a n/a n/a . Height ac	n/a n/a n/a n/a	n/a n/a n/a n/a
	ZH36L2HSHNR ZH30L2HSHNR ZH36M2HSHNR ZH30M2HSHNR For use with ZHxxxx sold separately. Ship	24 x 36 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125 126BL models. Inset arton.	112 100 98 85 back for HA	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931 integration	n/a n/a n/a n/a n/a n. Height ac	n/a n/a n/a n/a	n/a n/a n/a n/a
pen Storage, Left	ZH36L2HSHNR ZH30L2HSHNR ZH36M2HSHNR ZH30M2HSHNR For use with ZHxxxx sold separately. Ship	24 x 36 x 23.7 24 x 30 x 23.7 20 x 36 x 23.7 20 x 30 x 23.7 20 x 30 x 23.7	125 125 125 125 125 125 SBL models. Inset arton.	112 100 98 85 back for HA	15 12.75 12.75 10.75	\$1176 \$1065 \$1042 \$931 integration	n/a n/a n/a n/a n/a . Height ac	n/a n/a n/a n/a	n/a n/a n/a n/a

DESTY FOR NON-FREESTANDING HA DE	SK W/LOW CREDENZA	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP AC
		D x W x H							
	ZH1284LMPC	0.71 x 50.6 x 12	70	14	0.65	\$232	n/a	\$588	n/a
	ZH1278LMPC	0.71 x 44.6 x 12	65	13	0.55	\$213	n/a	\$538	n/a
	ZH1272LMPC	0.71 x 38.6 x 12	70	11	0.5	\$195	n/a	\$487	n/a
		C. 21. (4) 1.	(4)			ZU OTE	, (OOD/I , (D)		
esty Panel for 24"D Credenzas	, , ,	r, to fit within (1) slim credenza. Shipped re			nd credenza (Z	'HxxxxSTE	3/SSB(L/R)	. Gap as nee	eded
lesty Panel for 24"D Credenzas	, , ,		ady to assemble in		nd credenza (z	'HxxxxSTE	B/SSB(L/R)	. Gap as nee	eded n/a
esty Panel for 24″D Credenzas	between bases and	credenza. Shipped re	ady to assemble in 70	n 1 carton.					

## Modesty Panel for 20"D Credenzas

Modesty panel only, to fit within (1) slim base or (1) telescoping base and credenza (ZHxxxxSTB/SSB(L/R). Gap as needed between bases and credenza. Shipped ready to assemble in 1 carton.

HA BASES FOR NON-FREESTANDING ZH DESI	KING/INTEGRATED W/CREDENZA	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	FTZ52LF24C1	24 x 70-82 x 26	5.7-46.4 60	67	1.47	\$1102	
	FTZ52LF30C1	30 x 70-82 x 26	6.7-46.4 60	67	1.47	\$1106	

- Specify FTZ52LF24C1 for use with ZH30xxSTBL/BR, ZH30xxSSBL/BR
- Specify FTZ52LF30C1 for use with ZH36xxSTBL/BR, ZH36xxSSBL/BR.

## **Electric Height Adjustable Base**

For use with ZHxxxxSTBL/BR and ZHxxxxSSBL/BR height adjustable desks with (1) slim base. Lifts 350 lbs. Available in Black or Tungsten. Shipped RTA (ready to assemble).

Recommended torque range for installing all fasteners is 3-5 foot pounds and should not be exceeded. In
addition, no impact drivers or high-torque equipment are to be used for any fasteners included in the table
assembly kits, as this creates a high risk for damage that is not covered under warranty. The use of hand tools
is highly recommended.

Required Specifications
Top finish
Top/edge detail
Base finish
Lock finish

Optional Specifications

HP laminate Handles

Key # Modesty finish glazed

Modesty Type

Grommet position or power block cut-out

Accessories
Power block
Keyboard
Pencil drawer



**Double Pedestal Bow Top Desk** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z4284FB22	42 x 84 x 29.5-30	250	381.15	102.5	\$2843	\$3163	\$916	\$1015
Z4272FB22	42 x 72 x 29.5-30	125	377	59	\$2734	\$3014	\$760	\$762
Z3672FB22	36 x 72 x 29.5-30	125	317.10	50.75	\$2553	\$2801	\$760	\$573
Z3666FB22	36 x 66 x 29.5-30	125	305.55	46.75	\$2502	\$2731	\$678	\$573
Z3660FB22	36 x 60 x 29.5-30	125	295.05	42.50	\$2427	\$2637	\$600	\$477

Standard with **freestanding** file/file pedestals on **left** and **right**. Pedestals lock. Bow top overhangs 2 ¼" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.

Z4284FB32	42 x 84 x 29.5-30	250	379.05	102.5	\$2881	\$3201	\$916	\$1015
Z4272FB32	42 x 72 x 29.5-30	125	375	59	\$2770	\$3050	\$760	\$762
Z3672FB32	36 x 72 x 29.5-30	125	315	50.75	\$2586	\$2836	\$760	\$573
Z3666FB32	36 x 66 x 29.5-30	125	303.45	46.75	\$2535	\$2762	\$678	\$573
Z3660FB32	36 x 60 x 29.5-30	125	292.95	42.50	\$2465	\$2675	\$600	\$477

Standard with **Freestanding** file/file pedestal on **right** and box/box/file pedestal on **left**. File drawer and lower box drawer lock. File pedestal locks. Bow top overhangs 2 ¼" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.

Z4284FB23	42 x 84 x 29.5-30	250	379.05	102.5	\$2881	\$3201	\$916	\$1015
Z4272FB23	42 x 72 x 29.5-30	125	375	59	\$2770	\$3050	\$760	\$762
Z3672FB23	36 x 72 x 29.5-30	125	315	50.75	\$2586	\$2836	\$760	\$573
Z3666FB23	36 x 66 x 29.5-30	125	303.45	46.75	\$2535	\$2762	\$678	\$573
Z3660FB23	36 x 60 x 29.5-30	125	292.95	42.50	\$2465	\$2675	\$600	\$477

Standard with **Freestanding** file/file pedestal on **left** and box/box/file pedestal on **right**. File drawer and lower box drawer lock. File pedestal locks. Bow top overhangs 2 ¼" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.

	Z4284FB33	42 x 84 x 29.5-30	250	381.15	102.5	\$2916	\$3236	\$916	\$1015
	Z4272FB33	42 x 72 x 29.5-30	125	378	59	\$2805	\$3086	\$760	\$762
-	Z3672FB33	36 x 72 x 29.5-30	125	317.10	50.75	\$2624	\$2874	\$760	\$573
	Z3666FB33	36 x 66 x 29.5-30	125	305.55	46.75	\$2573	\$2800	\$678	\$573
	Z3660FB33	36 x 60 x 29.5-30	125	295.05	42.50	\$2507	\$2731	\$600	\$477

Standard with **Freestanding** box/box/file pedestals on **left** and **right**. File drawer and lower box drawer lock. Bow top overhangs 2 ½" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.

Z4284F22	42 x 84 x 29.5-30	250	385.35	102.5	\$2744	\$3017	\$916	\$1015
Z4272F22	42 x 72 x 29.5-30	125	373	59	\$2643	\$2878	\$760	\$762
Z3684F22	36 x 84 x 29.5-30	250	366.12	176.6	\$2583	\$2819	\$916	\$762
Z3672F22	36 x 72 x 29.5-30	125	326.01	50.75	\$2465	\$2671	\$760	\$573
Z3666F22	36 x 66 x 29.5-30	125	314.77	46.75	\$2419	\$2607	\$678	\$573
Z3660F22	36 x 60 x 29.5-30	125	294.93	42.50	\$2374	\$2546	\$600	\$477
Z3072F22	29.7 x 72 x 29.5-30	125	326.01	50.75	\$2465	\$2670	\$760	\$573
Z3066F22	29.7 x 66 x 29.5-30	125	314.77	46.75	\$2419	\$2606	\$678	\$573
Z3060F22	29.7 x 60 x 29.5-30	125	294.93	42.50	\$2374	\$2544	\$600	\$477

Standard with Freestanding file/file pedestals on left and right. Pedestals lock.

- 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.
- $\bullet$  Hutches may not be placed on this desk



**Double Pedestal Bow Top Desk** 



**Double Pedestal Bow Top Desk** 



**Double Pedestal Bow Top Desk** 



**Double Pedestal Desk** 

Required Specifications	ired Specifications Optional Specific		Accessories	
Top finish	HP laminate	Handles	Power block	
Top/edge detail	Key #	Modesty finish glazed	Keyboard	
Base finish	Modesty Type		Pencil drawer	
Lock finish	Grommet positio	n or power block cut-out		



**DOUBLE PEDESTAL DESKS** 

**Double Pedestal Desk** 



Standard with **Freestanding** box/box/file pedestal on **left** and file/file pedestal on **right**. File drawer and lower box drawer lock. File pedestal locks.

- 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.
- · Hutches may not be placed on this desk

Z4284F23	42 x 84 x 29.5-30	250	383.25	102.5	\$2780	\$3050	\$916	\$1015
Z4272F23	42 x 72 x 29.5-30	125	371	59	\$2679	\$2914	\$760	\$762
Z3684F23	36 x 84 x 29.5-30	250	364.54	176.6	\$2619	\$2855	\$916	\$762
Z3672F23	36 x 72 x 29.5-30	125	324.43	50.75	\$2503	\$2709	\$760	\$573
Z3666F23	36 x 66 x 29.5-30	125	313.18	46.75	\$2455	\$2643	\$678	\$573
Z3660F23	36 x 60 x 29.5-30	125	267.10	42.50	\$2410	\$2584	\$600	\$477
Z3072F23	29.7 x 72 x 29.5-30	125	324.43	50.75	\$2503	\$2709	\$760	\$573
Z3066F23	29.7 x 66 x 29.5-30	125	313.18	46.75	\$2455	\$2643	\$678	\$573
Z3060F23	29.7 x 60 x 29.5-30	125	267.10	42.50	\$2410	\$2582	\$600	\$477

Standard with **Freestanding** file/file pedestal on **left** and box/box/file pedestal on **right**. File drawer and lower box drawer lock. File pedestal locks.

- 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.
- Hutches may not be placed on this desk

Z4284F33	42 x 84 x 29.5-30	250	381.15	102.5	\$2817	\$3087	\$916	\$1015
Z4272F33	42 x 72 x 29.5-30	125	370	59	\$2717	\$2951	\$760	\$762
Z3684F33	36 x 84 x 29.5-30	300	341.25	176.6	\$2656	\$2892	\$916	\$762
Z3672F33	36 x 72 x 29.5-30	125	316.05	50.75	\$2536	\$2742	\$760	\$573
Z3666F33	36 x 66 x 29.5-30	125	304.50	46.75	\$2492	\$2680	\$678	\$573
Z3660F33	36 x 60 x 29.5-30	125	261.45	42.50	\$2447	\$2621	\$600	\$477
Z3072F33	29.7 x 72 x 29.5-30	125	316.05	50.75	\$2536	\$2742	\$760	\$573
Z3066F33	29.7 x 66 x 29.5-30	125	304.50	46.75	\$2492	\$2675	\$678	\$573
Z3060F33	29.69 x 60 x 29.5-30	125	261.45	42.50	\$2447	\$2621	\$600	\$477

Standard with Freestanding box/box/file pedestals on left and right. File drawer and lower box drawer lock.

- 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.
- Hutches may not be placed on this desk

**Double Pedestal Desk** 



**Double Pedestal Desk** 

Required Specifications
Top finish
Top/edge detail
Base finish

Lock finish

Optional Specifications

HP laminate Handles

Key # Modesty finish glazed

Modesty Type

Grommet position or power block cut-out

Accessories
Power block
Keyboard
Pencil drawer

SINGLE PEDESTAL DESKS

Single Pedestal Bow Top Desk - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z4284FB2L	42 x 84 x 29.5-30	125	322.35	43.50	\$2175	\$2495	\$916	\$1015
Z4272FB2L	42 x 72 x 29.5-30	150	315	59	\$2064	\$2345	\$760	\$762
Z3672FB2L	36 x 72 x 29.5-30	150	281.35	50.75	\$1914	\$2162	\$760	\$573
Z3666FB2L	36 x 66 x 29.5-30	150	274.68	46.75	\$1861	\$2090	\$678	\$573
Z3660FB2L	36 x 60 x 29.5-30	125	259.86	42.50	\$1792	\$2002	\$600	\$477

Standard with **Freestanding** file/file pedestal on **left** and faux pedestal **right**. Pedestal locks. Bow top overhangs 2 ¼" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.



Single Pedestal Bow Top Desk - RIGHT

Z4284FB2R	42 x 84 x 29.5-30	125	322.35	43.50	\$2175	\$2495	\$916	\$1015
Z4272FB2R	42 x 72 x 29.5-30	150	315	59	\$2064	\$2345	\$760	\$762
Z3672FB2R	36 x 72 x 29.5-30	150	281.35	50.75	\$1914	\$2162	\$760	\$573
Z3666FB2R	36 x 66 x 29.5-30	150	274.68	46.75	\$1861	\$2090	\$678	\$573
Z3660FB2R	36 x 60 x 29.5-30	125	259.86	42.50	\$1792	\$2002	\$600	\$477

Standard with **Freestanding** faux pedestal **left** and file/file pedestal on **right**. Pedestal locks. Bow top overhangs 2 ¼" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.



Single Pedestal Bow Top Desk - LEFT

Z4284FB3L	42 x 84 x 29.5-30	125	320.25	43.50	\$2212	\$2531	\$916	\$1015
Z4272FB3L	42 x 72 x 29.5-30	150	313	59	\$2099	\$2379	\$760	\$762
Z3672FB3L	36 x 72 x 29.5-30	150	279.77	50.75	\$1950	\$2200	\$760	\$573
Z3666FB3L	36 x 66 x 29.5-30	150	273.10	46.75	\$1900	\$2127	\$678	\$573
Z3660FB3L	36 x 60 x 29.5-30	125	258.27	42.50	\$1848	\$2061	\$600	\$477

Standard with **Freestanding** box/box/file pedestal on **left** and faux pedestal **right**. File drawer and lower box drawer lock. Bow top overhangs 2 ¼" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.



Single Pedestal Bow Top Desk - RIGHT

Z4284FB3R	42 x 84 x 29.5-30	125	320.25	43.50	\$2212	\$2531	\$916	\$1015
Z4272FB3R	42 x 72 x 29.5-30	150	313	59	\$2099	\$2379	\$760	\$762
Z3672FB3R	36 x 72 x 29.5-30	150	279.77	50.75	\$1950	\$2200	\$760	\$573
Z3666FB3R	36 x 66 x 29.5-30	150	273.10	46.75	\$1900	\$2127	\$678	\$573
Z3660FB3R	36 x 60 x 29.5-30	125	258.27	42.50	\$1848	\$2061	\$600	\$477

Standard with **Freestanding** faux pedestal **left** and box/box/file pedestal on **right**. File drawer and lower box drawer lock. Bow top overhangs 2 ¼" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.



Single Pedestal Desk - LEFT

Z4284F2L	42 x 84 x 29.5-30	125	326.55	43.50	\$2074	\$2347	\$916	\$1015
Z4272F2L	42 x 72 x 29.5-30	150	327	59	\$1974	\$2209	\$760	\$762
Z3684F2L	36 x 84 x 29.5-30	250	290.85	118	\$1947	\$2183	\$916	\$762
Z3672F2L	36 x 72 x 29.5-30	150	265.65	50.75	\$1826	\$2032	\$760	\$573
Z3666F2L	36 x 66 x 29.5-30	150	254.10	46.75	\$1781	\$1969	\$678	\$573
Z3660F2L	36 x 60 x 29.5-30	150	243.60	42.50	\$1736	\$1911	\$600	\$477
Z3072F2L	29.69 x 72 x 29.5-30	150	265.65	50.75	\$1826	\$2032	\$760	\$573
Z3066F2L	29.7 x 66 x 29.5-30	150	254.10	46.75	\$1781	\$1968	\$678	\$573
Z3060F2L	29.7 x 60 x 29.5-30	150	243.60	42.50	\$1736	\$1911	\$600	\$477

Standard with **Freestanding** file/file pedestal on **left** and faux pedestal **right**. Pedestal locks.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk

Required Specifications	Optional Speci	fications	Accessories	
Top finish	HP laminate	Handles	Power block	
Top/edge detail	Key #	Modesty finish glazed	Keyboard	
Base finish	Modesty Type		Pencil drawer	
Lock finish	Grommet positio	n or power block cut-out		



SINGLE PEDESTAL DESKS

Single Pedestal Desk - RIGHT\*

Single Pedestal Desk - LEFT\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD	
	D x W x H								_
Z4284F2R	42 x 84 x 29.5-30	125	326.55	43.50	\$2074	\$2347	\$916	\$1015	
Z4272F2R	42 x 72 x 29.5-30	150	327	59	\$1974	\$2209	\$760	\$762	
Z3684F2R	36 x 84 x 29.5-30	250	290.85	118	\$1947	\$2183	\$916	\$762	
Z3672F2R	36 x 72 x 29.5-30	150	265.65	50.75	\$1826	\$2032	\$760	\$573	
Z3666F2R	36 x 66 x 29.5-30	150	254.10	46.75	\$1781	\$1969	\$678	\$573	
Z3660F2R	36 x 60 x 29.5-30	150	243.60	42.50	\$1736	\$1911	\$600	\$477	
Z3072F2R	29.7 x 72 x 29.5-3	30 150	265.65	50.75	\$1826	\$2032	\$760	\$573	
Z3066F2R	29.7 x 66 x 29.5-3	30 150	254.10	46.75	\$1781	\$1968	\$678	\$573	
Z3060F2R	29.7 x 60 x 29.5-	30 150	243.60	42.50	\$1736	\$1911	\$600	\$477	

Standard with Freestanding faux pedestal on left and file/file pedestal right. Pedestal locks.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk

Z4284F3L	42 x 84 x 29.5-30	125	324.45	43.50	\$2112	\$2382	\$916	\$1015
Z4272F3L	42 x 72 x 29.5-30	150	324	59	\$2011	\$2246	\$760	\$762
Z3684F3L	36 x 84 x 29.5-30	250	288.75	118	\$1947	\$2183	\$916	\$762
Z3672F3L	36 x 72 x 29.5-30	150	263.55	50.75	\$1863	\$2069	\$760	\$573
Z3666F3L	36 x 66 x 29.5-30	150	252	46.75	\$1819	\$2007	\$678	\$573
Z3660F3L	36 x 60 x 29.5-30	150	241.50	42.50	\$1750	\$1922	\$600	\$477
Z3072F3L	29.7 x 72 x 29.5-30	150	253.55	50.75	\$1863	\$2069	\$760	\$573
Z3066F3L	29.7 x 66 x 29.5-30	150	252	46.75	\$1819	\$2006	\$678	\$573
Z3060F3L	29.7 x 60 x 29.5-30	150	241.50	42.50	\$1750	\$1922	\$600	\$477



- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk

Z4284F3R	42 x 84 x 29.5-30	125	324.45	43.50	\$2112	\$2382	\$916	\$1015
Z4272F3R	42 x 72 x 29.5-30	150	324	59	\$2011	\$2246	\$760	\$762
Z3684F3R	36 x 84 x 29.5-30	250	288.75	118	\$1947	\$2183	\$916	\$762
Z3672F3R	36 x 72 x 29.5-30	150	263.55	50.75	\$1863	\$2069	\$760	\$573
Z3666F3R	36 x 66 x 29.5-30	150	252	46.75	\$1819	\$2007	\$678	\$573
Z3660F3R	36 x 60 x 29.5-30	150	241.50	42.50	\$1750	\$1922	\$600	\$477
Z3072F3R	29.7 x 72 x 29.5-30	150	253.55	50.75	\$1863	\$2069	\$760	\$573
Z3066F3R	29.7 x 66 x 29.5-30	150	252	46.75	\$1819	\$2006	\$678	\$573
Z3060F3R	29.7 x 60 x 29.5-30	150	241.50	42.50	\$1750	\$1922	\$600	\$477

Standard with **Freestanding** faux pedestal on **left** and box/box/file pedestal **right**. File drawer and lower box drawer lock.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk

Z4284NHD	42 x 84 x 29.5-30	65	267	9.5	\$1583 \$1893	n/a	\$796
Z3684NHD	36 x 84 x 29.5-30	70	182	8.3	\$1436 \$1697	n/a	\$685
Z3672NHD	36 x 72 x 29.5-30	70	159	7.2	\$1294 \$1517	n/a	\$587
Z3666NHD	36 x 66 x 29.5-30	65	152	6.7	\$1220 \$1432	n/a	\$538
Z3660NHD	36 x 60 x 29.5-30	65	143	6.1	\$1153 \$1347	n/a	\$489
Z3072NHD	29.7 x 72 x 29.5-30	65	140	6.2	\$1178 \$1364	n/a	\$489
Z3066NHD	29.7 x 66 x 29.5-30	65	133	5.7	\$1092 \$1273	n/a	\$451
Z3060NHD	29.7 x 60 x 29.5-30	65	124	5.2	\$1030 \$1186	n/a	\$409

Two laminate end panels + recessed full modesty panel (laminate only). Accepts all standard Zira storage shells. Shipped RTA (ready to assemble).

Hutches may not be placed on this desk




Single Pedestal Desk - RIGHT\*



**Non-Handed Desk** 

**Optional Specifications Required Specifications** Accessories Top finish HP laminate Handles Power block Top/edge detail Key# Modesty finish glazed Keyboard Base finish Modesty Type Pencil drawer Lock finish Grommet position or power block cut-out



Freestanding Desk

FREESTANDING DESKS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z3684DK	36 x 84 x 29.5-30	70	168	8.25	\$1239	\$1494	\$957	\$681
	Z3672DK	36 x 72 x 29.5-30	70	152	7.25	\$1133	\$1357	\$854	\$585
	Z3666DK	36 x 66 x 29.5-30	70	144	6.75	\$1084	\$1290	\$780	\$537
	Z3660DK	36 x 60 x 29.5-30	65	137	6	\$1036	\$1222	\$729	\$488
	Z3072DK	30 x 72 x 29.5-30	70	130	6.25	\$1011	\$1197	\$854	\$488
<b>*</b>	Z3066DK	30 x 66 x 29.5-30	70	123	5.75	\$963	\$1149	\$780	\$448
<u> </u>	Z3060DK	30 x 60 x 29.5-30	70	117	5.25	\$913	\$1099	\$729	\$407
$\supset$									


Two full laminate end panels. 12"H laminate modesty panel. Shipped RTA (ready to assemble).



Freestanding Desk - Metal Legs\*

Z3684DM	36 x 84 x 29.5-30	100	167	18.44	\$2648	\$2909	\$734	\$681
Z3672DM	36 x 72 x 29.5-30	100	151	17.46	\$2549	\$2773	\$630	\$585
Z3666DM	36 x 66 x 29.5-30	100	143	16.95	\$2500	\$2706	\$556	\$488
Z3660DM	36 x 60 x 29.5-30	100	143	16.95	\$2500	\$2706	\$504	\$488
Z3072DM	30 x 72 x 29.5-30	100	133	14.70	\$2427	\$2613	\$630	\$488
Z3066DM	30 x 66 x 29.5-30	100	126	14.22	\$2378	\$2564	\$556	\$448
Z3060DM	30 x 60 x 29.5-30	100	120	13.95	\$2327	\$2513	\$504	\$407


Double metal legs. 12"H laminate modesty panel. Metal leg available in Black (BLK) or Tungsten (TUN). Shipped RTA (ready to assemble).



Freestanding Desk - Metal Legs\*

Z3684DML	36 x 84 x 29.5-30	85	167	13.50	\$1946	\$2201	\$840	\$681
Z3672DML	36 x 72 x 29.5-30	85	151	12.04	\$1847	\$2066	\$738	\$585
Z3666DML	36 x 66 x 29.5-30	85	144	11.74	\$1799	\$2005	\$664	\$537
Z3660DML	36 x 60 x 29.5-30	85	135	11.24	\$1749	\$1935	\$614	\$488
Z3072DML	30 x 72 x 29.5-30	85	131	10.50	\$1725	\$1911	\$738	\$488
Z3066DML	30 x 66 x 29.5-30	85	125	10	\$1676	\$1862	\$664	\$448
Z3060DML	30 x 60 x 29.5-30	85	118	9.50	\$1628	\$1814	\$614	\$407

Single metal leg on left and laminate end panel on right. 12"H laminate modesty panel. Metal leg available in Black (BLK) or Tungsten (TUN). Shipped RTA (ready to assemble).



Freestanding Desk - Metal Legs\*

Z3684DMR	36 x 84 x 29.5-30	85	167	13.50	\$1946	\$2201	\$840	\$681
Z3672DMR	36 x 72 x 29.5-30	85	151	12.04	\$1847	\$2066	\$738	\$585
Z3666DMR	36 x 66 x 29.5-30	85	144	11.74	\$1799	\$2005	\$664	\$537
Z3660DMR	36 x 60 x 29.5-30	85	135	11.24	\$1749	\$1935	\$614	\$488
Z3072DMR	30 x 72 x 29.5-30	85	131	10.50	\$1725	\$1911	\$738	\$488
Z3066DMR	30 x 66 x 29.5-30	85	125	10	\$1676	\$1862	\$664	\$448
Z3060DMR	30 x 60 x 29.5-30	85	118	9.50	\$1628	\$1814	\$614	\$407

Single metal leg on right and laminate end panel on left. 12"H laminate modesty panel. Metal leg available in Black (BLK) or Tungsten (TUN). Shipped RTA (ready to assemble).

Req	u	ir	ed	<b>Specifications</b>
-	-	_	•	

Top finish Top/edge detail Base finish Lock finish

## **Optional Specifications**

HP laminate Handles Key # Modesty finish glazed\* Modesty Type\*
Grommet position or power block cut-out

Accessories Power block Keyboard Pencil drawer

TRANSITIONAL TABLES



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36840ML	36 x 84 x 29.5-30	0 100	132	13.50	\$1780	\$2035	N/A	\$681
Z36720ML	36 x 72 x 29.5-30	0 100	120	12.24	\$1700	\$1955	N/A	\$585
Z36660ML	36 x 66 x 29.5-30	0 100	112	11.74	\$1663	\$1918	N/A	\$537
Z36600ML	36 x 60 x 29.5-30	0 100	105	11.24	\$1632	\$1882	N/A	\$488
Z30720ML	30 x 72 x 29.5-30	0 100	104	10.50	\$1609	\$1851	N/A	\$488
Z30660ML	30 x 66 x 29.5-30	0 100	97	10	\$1571	\$1821	N/A	\$448
Z30600ML	30 x 60 x 29.5-30	0 100	90	9.50	\$1541	\$1791	N/A	\$407

Metal open frame leg with support channels on **left**. To be placed on top of 23.75"/24.25" high units. Not freestanding. Metal leg available in Black (**BLK**) or Tungsten (**TUN**). Shipped RTA (ready to assemble).

/	<u> </u>	

RIGHT

Overlapping Table


Z36840MR	36 x 84 x 29.5-30	100	132	13.50	\$1780 \$	2035	N/A	\$681
Z36720MR	36 x 72 x 29.5-30	100	120	12.24	\$1700 \$	1955	N/A	\$585
Z36660MR	36 x 66 x 29.5-30	100	112	11.74	\$1663 \$	1918	N/A	\$537
Z36600MR	36 x 60 x 29.5-30	100	105	11.24	\$1632 \$	1882	N/A	\$488
Z30720MR	30 x 72 x 29.5-30	100	104	10.50	\$1609 \$	1851	N/A	\$488
Z30660MR	30 x 66 x 29.5-30	100	97	10	\$1571 \$	1821	N/A	\$448
Z30600MR	30 x 60 x 29.5-30	100	90	9.50	\$1541 \$	1791	N/A	\$407

Metal open frame leg with support channels on **right**. To be placed on top of 23.75"/24.25" high units. Not freestanding. Metal leg available in Black (**BLK**) or Tungsten (**TUN**). Shipped RTA (ready to assemble).



Z3684SOL	36 x 84 x 29.5-30	92.5	139	13.50	\$1799	\$2054	N/A	\$681
Z3672SOL	36 x 72 x 29.5-30	92.5	126	12.24	\$1720	\$1975	N/A	\$585
Z3666SOL	36 x 66 x 29.5-30	92.5	118	11.74	\$1682	\$1937	N/A	\$537
Z3660SOL	36 x 60 x 29.5-30	100	110	11.24	\$1651	\$1901	N/A	\$488
Z3072SOL	30 x 72 x 29.5-30	92.5	108	10.50	\$1628	\$1870	N/A	\$488
Z3066SOL	30 x 66 x 29.5-30	92.5	100	10	\$1590	\$1840	N/A	\$448
Z3060SOL	30 x 60 x 29.5-30	92.5	96	9.50	\$1559	\$1809	N/A	\$407

Metal open frame leg with support channels on **left**. To be placed on top of 17.87"/18.37" high units. Not freestanding. Metal leg available in Black (**BLK**) or Tungsten (**TUN**). Shipped RTA (ready to assemble).



**Overlapping Table** 

Z3684SOR       36 x 84 x 29.5-30       92.5       139       13.50       \$1799       \$2054         Z3672SOR       36 x 72 x 29.5-30       92.5       126       12.24       \$1720       \$1975         Z3666SOR       36 x 66 x 29.5-30       92.5       118       11.74       \$1682       \$1937		
	N/A	\$681
Z3666SOR 36 x 66 x 29.5-30 92.5 118 11.74 <b>\$1682 \$1937</b>	N/A	\$585
	N/A	\$537
Z3660SOR 36 x 60 x 29.5-30 100 110 11.24 <b>\$1651 \$1901</b>	N/A	\$488
Z3072SOR 30 x 72 x 29.5-30 92.5 108 10.50 <b>\$1628 \$1870</b>	N/A	\$488
Z3066SOR 30 x 66 x 29.5-30 92.5 100 10 <b>\$1590 \$1840</b>	N/A	\$448
Z3060SOR 30 x 60 x 29.5-30 92.5 96 9.50 <b>\$1559 \$1809</b>	N/A	\$407

Metal open frame leg with support channels on **right**. To be placed on top of 17.87"/18.37" high units. Not freestanding. Metal leg available in Black (**BLK**) or Tungsten (**TUN**). Shipped RTA (ready to assemble).

Req	uir	ed	Spe	ecifi	cations


Top finish
Top/edge detail
Base finish
Leg finish (BLK or TUN)

## Optional Specifications

HP laminate

Grommet position or power block cut-out


Accessories
Power block
Keyboard
Pencil drawer



Flush Return - LEFT\*




Flush Return - RIGHT\*




Flush Return - LEFT\*



Flush Return - RIGHT\*\*



Flush Return - LEFT



Flush Return - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP AD	D
	D x W x H							
Z2448FL	24 x 48 x 29.5-3	0 125	155	24	\$1015	\$1117	N/A <b>\$281</b>	
Z2442FL	24 x 42 x 29.5-3	0 125	144	21.25	\$1015	\$1104	N/A <b>\$236</b>	
Z2048FL	20 x 48 x 29.5-3	0 125	140	20.25	\$941	\$1030	N/A <b>\$236</b>	
Z2042FL	20 x 42 x 29.5-3	0 125	130	18	\$941	\$1030	N/A <b>\$236</b>	

Standard with box/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the left. For use with right handed single pedestal desks, 20"/24" deep extended corners with narrow end panel or 20"/24" deep fivesided corners with narrow end panel.

Z2448FR	24 x 48 x 29.5-30	125	155	24	\$1015	\$1117	N/A	\$281
Z2442FR	24 x 42 x 29.5-30	125	144	21.25	\$1015	\$1104	N/A	\$236
Z2048FR	20 x 48 x 29.5-30	125	140	20.25	\$941	\$1030	N/A	\$236
Z2042FR	20 x 42 x 29.5-30	125	130	18	\$941	\$1030	N/A	\$236

Standard with box/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the right. For use with left handed single pedestal desks, 20"/24" deep extended corners with narrow end panel or 20"/24" deep fivesided corners with narrow end panel.

Z2448EL	24 x 48 x 29.5-30	65	107	4.30	\$718	\$820	N/A	\$281
Z2442EL	24 x 42 x 29.5-30	65	96	3.80	\$718	\$807	N/A	\$236
Z2048EL	20 x 48 x 29.5-30	65	97	4.30	\$663	\$754	N/A	\$236
Z2042EL	20 x 42 x 29.5-30	65	86	3.80	\$663	\$754	N/A	\$236

Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble). For use with right handed single pedestal desks, 20"/24" deep extended corners with narrow end panel or 20"/24" deep five-sided corners with narrow end panel.

Z2448ER	24 x 48 x 29.5-30	65	107	4.30	\$718	\$820	N/A	\$281
Z2442ER	24 x 42 x 29.5-30	65	96	3.80	\$718	\$807	N/A	\$236
Z2048ER	20 x 48 x 29.5-30	65	97	4.30	\$663	\$754	N/A	\$236
Z2042ER	20 x 42 x 29.5-30	65	86	3.80	\$663	\$754	N/A	\$236

Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble). For use with left handed single pedestal desks, 20"/24" deep extended corners with narrow end panel or 20"/24" deep five-sided corners with narrow end panel.


Z1672RL	15.8 x 72 x 29.5-30	70	109.20	6	\$714	\$839	N/A	\$289
Z1666RL	15.8 x 66 x 29.5-30	70	101.85	5.75	\$684	\$801	N/A	\$289
Z1660RL	1w5.8 x 60 x 29.5-30	70	94.50	5.25	\$645	\$752	N/A	\$240
Z1654RL	15.8 x 54 x 29.5-30	70	87.15	5.25	\$611	\$711	N/A	\$240
Z1648RL	15.8 x 48 x 29.5-30	70	79.80	4.25	\$562	\$650	N/A	\$195
Z1642RL	15.8 x 42 x 29.5-30	70	70.35	4	\$503	\$584	N/A	\$195
Z1636RL	15.8 x 36 x 29.5-30	70	61.95	3.50	\$450	\$522	N/A	\$146


16" Throat. Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble). For use with extended corners, desks and islands with 16"throat.

Z1666RR       15.8 x 66 x 29.5-30       70       101.85       5.75       \$684       \$801       N/A       \$2         Z1660RR       15.8 x 60 x 29.5-30       70       94.50       5.25       \$645       \$752       N/A       \$2         Z1654RR       15.8 x 54 x 29.5-30       70       87.15       5.25       \$611       \$711       N/A       \$2         Z1648RR       15.8 x 48 x 29.5-30       70       79.80       4.25       \$562       \$650       N/A       \$1									
Z1660RR       15.8 x 60 x 29.5-30       70       94.50       5.25       \$645       \$752       N/A       \$2         Z1654RR       15.8 x 54 x 29.5-30       70       87.15       5.25       \$611       \$711       N/A       \$2         Z1648RR       15.8 x 48 x 29.5-30       70       79.80       4.25       \$562       \$650       N/A       \$1	Z1672RR	15.8 x 72 x 29.5-30	70	109.20	6	\$714	\$839	N/A	\$289
Z1654RR       15.8 x 54 x 29.5-30       70       87.15       5.25       \$611       \$711       N/A       \$2         Z1648RR       15.8 x 48 x 29.5-30       70       79.80       4.25       \$562       \$650       N/A       \$1	Z1666RR	15.8 x 66 x 29.5-30	70	101.85	5.75	\$684	\$801	N/A	\$289
Z1648RR 15.8 x 48 x 29.5-30 70 79.80 4.25 <b>\$562 \$650</b> N/A <b>\$1</b>	Z1660RR	15.8 x 60 x 29.5-30	70	94.50	5.25	\$645	\$752	N/A	\$240
	Z1654RR	15.8 x 54 x 29.5-30	70	87.15	5.25	\$611	\$711	N/A	\$240
71642BB 15.8 x 42 x 29.5-30 70 70.35 4 \$503 \$584 N/A \$1	Z1648RR	15.8 x 48 x 29.5-30	70	79.80	4.25	\$562	\$650	N/A	\$195
210 121111 10.0 X 12 X 20.0 00 10 10.00 1 <b>400 400 1</b>	Z1642RR	15.8 x 42 x 29.5-30	70	70.35	4	\$503	\$584	N/A	\$195
Z1636RR 15.8 x 36 x 29.5-30 70 61.95 3.50 <b>\$450 \$522</b> N/A <b>\$1</b>	Z1636RR	15.8 x 36 x 29.5-30	70	61.95	3.50	\$450	\$522	N/A	\$146

16" Throat. Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble). For use with extended corners, desks and islands with 16"throat.

Required Specifications	Optional Specifications	Accessories
Top finish	HP laminate Handles*	Power block
Top/edge detail	Key #	Keyboard
Base finish	Modesty Type	Pencil drawer
Lock finish*	Grommet position or power block cut-ou	t





16" Throat. Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble). For use with extended corners, desks and islands with 16"throat. Accepts same depth storage shells under worksurface.

Z2448NRL	24 x 48 x 29.5-30	150	127	24.25	\$1170	\$1276	N/A	\$261
Z2442NRL	24 x 42 x 29.5-30	150	123	21.25	\$1158	\$1250	N/A	\$229
Z2048NRL	20 x 48 x 29.5-30	150	114	20.50	\$1102	\$1191	N/A	\$219
Z2042NRL	20 x 42 x 29.5-30	125	111	18	\$1076	\$1156	N/A	\$189

Full to Floor Return, No Modesty - LEFT Return has no modesty. File/file pedestal on left. Pedestal locks.

Required Specifications	Optional Specifications	Accessories
Top finish	HP laminate Handles*	Power block
Top/edge detail	Key #	Keyboard
Base finish	Modesty Type*	Pencil drawer
Lock finish	Grommet position or power block cut-out	

\$261 \$232

\$219

\$194

\$384

\$384

\$319

\$319

\$258

\$258

\$195

\$384

\$384

\$319

\$319

\$258

\$258

\$195

Space Saver Return - RIGHT

ETUDNO	MODEL#	DIMENCIONS	EDELCUT OL ACC	W/T/LDC	CUBIC FT.	1"T0P	1 F" TOD	GLAZE ADD	LIDAD
RETURNS	INIODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FI.	I IUP	1.5 TUP	GLAZE ADL	ПР А
	Z2448NRR	24 x 48 x 29.5-30	150	127	24.25	\$1170	\$1276	N/A	\$261
	Z2442NRR	24 x 42 x 29.5-30	150	123	21.25	\$1158	\$1250	N/A	\$22
	Z2048NRR	20 x 48 x 29.5-30	150	114	20.50	\$1102	\$1191	N/A	\$21
	Z2042NRR	20 x 42 x 29.5-30	125	111	18	\$1076	\$1156	N/A	\$18
II to Floor Return, No Modesty - RIGHT	Return has no modest	y. File/file pedestal o	on <b>right</b> . Pedesta	ıl locks.					
	Z2448BNRL	24 x 48 x 29.5-30	150	130	24.25	\$1170	\$1276	N/A	\$261
	Z2442BNRL	24 x 42 x 29.5-30	150	126	21.5	\$1158	\$1250	N/A	\$22
¥-1	Z2048BNRL	20 x 48 x 29.5-30	150	117	20.5	\$1102	\$1191	N/A	\$21
Market and Established	Z2042BNRL	20 x 42 x 29.5-30	125	113	18	\$1076	\$1156	N/A	\$18
III to Floor Return, No Modesty - LEFT	Return has no modest	y. Box/box/file pedes	stal on <b>left</b> . Pede	estal locks.					
	Z2448BNRR	24 x 48 x 29.5-30	150	130	24.25	\$1170	\$1276	N/A	\$261
	Z2442BNRR	24 x 42 x 29.5-30	150	126	21.5	\$1158	\$1250	N/A	\$229
	Z2048BNRR	20 x 48 x 29.5-30	150	117	20.5	\$1102	\$1191	N/A	\$21
Free Control of Contro	Z2042BNRR	20 x 42 x 29.5-30	125	113	18	\$1076	\$1156	N/A	\$18
l to Floor Return, No Modesty - RIGHT	Return has no modest	y. Box/box/file pedes	stal on <b>right</b> . Ped	destal locks.					
	70440001	04 40 00 5 00	150	105	04.05	64070	04070	N1/A	***
	Z2448SRL	24 x 48 x 29.5-30	150	135	24.25	\$1272	\$1378	N/A	\$26
Year James a	Z2442SRL	24 x 42 x 29.5-30	125	130	21.25	\$1251	\$1343	N/A	\$22
January Company (1988)	Z2048SRL	20 x 48 x 29.5-30	125	123	20.5	\$1205	\$1294	N/A	\$21
	Z2042SRL	20 x 42 x 29.5-30	125	119	18	\$1169	\$1249	N/A	\$18
ill to Floor Return - LEFT	File/file pedestal on <b>le</b>	eft. 12"H modesty pa	inel. Pedestal loc	cks.					
	Z2448SRR	24 x 48 x 29.5-30	150	135	24.25	\$1272	\$1378	N/A	\$26
	Z2442SRR	24 x 42 x 29.5-30	125	130	21.25	\$1251	\$1343	N/A	\$22
	Z2048SRR	20 x 48 x 29.5-30	125	123	20.5	\$1205	\$1294	N/A	\$21
The same of the sa									
Jest te di	Z2042SRR	20 x 42 x 29.5-30	125	119	18	\$1169	\$1249	N/A	\$18
II to Floor Return - RIGHT	File/file pedestal on <b>ri</b>	<b>ght</b> . 12"H modesty p	anel. Pedestal lo	cks.					
	Z2448BSRL	24 x 48 x 29.5-30	150	138	24.25	\$1272	\$1378	N/A	\$26
	Z2442BSRL	24 x 42 x 29.5-30	125	132	21.5	\$1272	\$1343	N/A	\$22
, and 3 miles	Z2048BSRL	20 x 48 x 29.5-30	125	125	20.5	\$1205	\$1294		\$21
Comparation (SA)	Z2048BSRL Z2042BSRL	20 x 48 x 29.5-30 20 x 42 x 29.5-30	125	125	18	\$1205 \$1169	\$1294 \$1249	N/A N/A	\$21 \$18
II to Floor Return - LEFT	Box/box/file pedestal	on <b>left</b> . 12"H modes	ty panel. Pedest	al locks.					
	Z2448BSRR	24 x 48 x 29.5-30	150	138	24.25	\$1272	\$1378	N/A	\$26
	Z2442BSRR	24 x 42 x 29.5-30	125	132	21.5	\$1251	\$1343	N/A	\$22
E CONTRACTOR CONTRACTO	Z2048BSRR	20 x 48 x 29.5-30	125	125	20.5	\$1205	\$1294	N/A	\$21
	Z2042BSRR	20 x 42 x 29.5-30	125	121	18	\$1169	\$1249	N/A	\$18
ill to Floor Return - RIGHT	Box/box/file pedestal	on <b>right</b> . 12"H mode	sty panel. Pedest	al locks.					
	Required Specification	ıs	Optional Specifi	cations		Access	anries		_
	Top finish		HP laminate			Power b			
	Top/edge detail		Key #						
	iop/euge detail		Key#			Keyboa	u		

TURNS	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP AI
	7247221	<b>D x W x H</b> 24 x 72 x 29.5-30	150	206	35.75	\$1528	\$1621	NI/A	\$38
	Z24722L Z24662L	24 x 72 x 29.5-30 24 x 66 x 29.5-30	150	195	32.75	\$1928	\$1021	N/A N/A	\$38
	Z24602L Z24602L	24 x 60 x 29.5-30	125		32.75	\$1389	\$1331		
	Z24502L Z24542L	24 x 50 x 29.5-30	150	184 165	29.75	\$1369	\$1402	N/A N/A	\$35 \$35
	724482L	24 x 48 x 29.5-30	125	156	24.25	\$1320	\$1343	N/A N/A	\$28
•	720722L	20 x 72 x 29.5-30	150	169	30.25	\$1343	\$1436	N/A	\$38
	Z20722L Z20662L	20 x 66 x 29.5-30	150	162	27.75	\$1343	\$1430	N/A N/A	\$38
<u> </u>	Z20602L Z20602L	20 x 60 x 29.5-30	125	153	25.25	\$1320	\$1389	N/A	\$31
	720542L	20 x 54 x 29.5-30	150	136	23.23	\$1274	\$1366	N/A	\$31
1 💉 1	Z20342L Z20482L	20 x 48 x 29.5-30	125	129	20.5	\$1213	\$1300	N/A	\$23
* \									
l to Floor Flush Return - LEFT		e/file pedestal on <b>left.</b> Gr mmodate storage shells.	ommet in works	urface. One	pencil tray. F	Pedestal lo	cks.		
I to Floor Flush Return - LEFT		e/file pedestal on <b>left.</b> Gr	ommet in works	urface. One	pencil tray. F	Pedestal lo	cks. \$1841	N/A	\$38
to Floor Flush Return - LEFT	Does not accordance	e/file pedestal on <b>left.</b> Gr mmodate storage shells.			,			N/A N/A	
to Floor Flush Return - LEFT	Does not according  Z24723L	e/file pedestal on <b>left.</b> Gr mmodate storage shells. 24 x 72 x 29.5-30	125	171	24.5	\$1686	\$1841		\$38 \$38 \$35
to Floor Flush Return - LEFT	• Does not according to the second se	e/file pedestal on <b>left.</b> Gr mmodate storage shells. 24 x 72 x 29.5-30 24 x 66 x 29.5-30	125 125	171 171	24.5 24.5	\$1686 \$1656	\$1841 \$1795	N/A	\$38 \$35
to Floor Flush Return - LEFT	• Does not according to the second se	e/file pedestal on <b>left.</b> Gr mmodate storage shells. 24 x 72 x 29.5-30 24 x 66 x 29.5-30 24 x 60 x 29.5-30	125 125 125	171 171 171	24.5 24.5 24.5 24.5	\$1686 \$1656 \$1549	\$1841 \$1795 \$1682	N/A N/A	\$38
to Floor Flush Return - LEFT	• Does not according to the second se	e/file pedestal on <b>left.</b> Gr mmodate storage shells. 24 x 72 x 29.5-30 24 x 66 x 29.5-30 24 x 60 x 29.5-30 24 x 54 x 29.5-30	125 125 125 125 125	171 171 171 171	24.5 24.5 24.5 24.5 24.5	\$1686 \$1656 \$1549 \$1496	\$1841 \$1795 \$1682 \$1617	N/A N/A N/A	\$38 \$35 \$35



Full to Floor Flush Return - LEFT

Z20603L 20 x 60 x 29.5-30 65 97 4.3 <b>\$1466 \$1580</b> N/A <b>\$31</b> Z20543L 20 x 54 x 29.5-30 65 97 4.3 <b>\$1406 \$1514</b> N/A <b>\$31</b>
720543  20 x 54 x 29 5-30 65 97 4.3 \$1406 \$1514 N/A \$31
2200 10L 20 N 0 1 N 20.0 00 00 10 1 1.0 VI 100 VI 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Z20483L 20 x 48 x 29.5-30 125 154 20.75 <b>\$1373 \$1467</b> N/A <b>\$23</b>
220483L 20 x 48 x 29.5-30 125 154 20.75 <b>\$1373 \$1467</b> N/A <b>\$</b>

Standard with box/box/file pedestal on left. Grommet in worksurface. One pencil tray. File drawer and lower box drawer lock.

• Does not accommodate storage shells.

Z24722R	24 x 72 x 29.5-30	150	206	35.75	\$1528	\$1621	N/A	\$384
Z24662R	24 x 66 x 29.5-30	150	195	32.75	\$1459	\$1551	N/A	\$384
Z24602R	24 x 60 x 29.5-30	125	184	30	\$1389	\$1482	N/A	\$353
Z24542R	24 x 54 x 29.5-30	150	165	29.75	\$1320	\$1413	N/A	\$353
Z24482R	24 x 48 x 29.5-30	125	156	24.25	\$1250	\$1343	N/A	\$281
Z20722R	20 x 72 x 29.5-30	150	169	30.25	\$1343	\$1436	N/A	\$384
Z20662R	20 x 66 x 29.5-30	150	162	27.75	\$1320	\$1413	N/A	\$384
Z20602R	20 x 60 x 29.5-30	125	153	25.25	\$1297	\$1389	N/A	\$319
Z20542R	20 x 54 x 29.5-30	150	136	23	\$1274	\$1366	N/A	\$319
Z20482R	20 x 48 x 29.5-30	125	129	20.5	\$1213	\$1297	N/A	\$236




Full to Floor Flush Return - RIGHT

Standard with file/file pedestal on right. Grommet in worksurface. One pencil tray. Pedestal locks.

• Does not accommodate storage shells.

Z24723R	24 x 72 x 29.5-30	125	171	24.5	\$1686	\$1841	N/A	\$384
Z24663R	24 x 66 x 29.5-30	125	171	24.5	\$1656	\$1795	N/A	\$384
Z24603R	24 x 60 x 29.5-30	125	171	24.5	\$1549	\$1682	N/A	\$353
Z24543R	24 x 54 x 29.5-30	125	171	24.5	\$1496	\$1617	N/A	\$353
Z24483R	24 x 48 x 29.5-30	125	171	24.5	\$1411	\$1519	N/A	\$281
Z20723R	20 x 72 x 29.5-30	65	97	4.3	\$1543	\$1675	N/A	\$384
Z20663R	20 x 66 x 29.5-30	65	97	4.3	\$1492	\$1619	N/A	\$384
Z20603R	20 x 60 x 29.5-30	65	97	4.3	\$1466	\$1580	N/A	\$319
Z20543R	20 x 54 x 29.5-30	65	97	4.3	\$1406	\$1514	N/A	\$319
Z20483R	20 x 48 x 29.5-30	125	154	20.75	\$1373	\$1467	N/A	\$236



Full to Floor Flush Return - RIGHT

Standard with box/box/file pedestal on **right.** Grommet in worksurface. One pencil tray. File drawer and lower box drawer lock. • Does not accommodate storage shells.

Required Specifications	Optional Specifications
Top finish	HP laminate
Top/edge detail	Key #
Base finish	Grommet position or power block cut-out
Handles	





METAL LEG RETURNS

Return w/Metal Legs - LEFT\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z3672MRL	36 x 72 x 29	100	116	11.25	\$1101	\$1301	N/A	\$624
Z3072MRL	30 x 72 x 29	92.5	100	10	\$1008	\$1182	N/A	\$513
Z3066MRL	30 x 66 x 29	70	94	9.75	\$970	\$1125	N/A	\$513
Z3060MRL	30 x 60 x 29	70	88	9.25	\$925	\$1073	N/A	\$477
Z2472MRL	24 x 72 x 29	70	85	8.25	\$925	\$1064	N/A	\$384
Z2466MRL	24 x 66 x 29	70	80	8	\$890	\$1017	N/A	\$384
Z2460MRL	24 x 60 x 29	70	75	7.75	\$853	\$974	N/A	\$353
Z2448MRL	24 x 48 x 29	70	56	5.75	\$736	\$830	N/A	\$281

Flush return attached to the edge of worksurface. Attaching hardware included. Leg shipped in separate carton. Shipped RTA (ready to assemble). **Not freestanding.** Metal leg available in Black (**BLK**) or Tungsten (**TUN**).

• Please note, glides need to be extended a small amount to accommodate the 29.5" height of standard Zira pieces.

Z3672MRR	36 x 72 x 29	100	116	11.25	\$1101	\$1301	N/A	\$624
Z3072MRR	30 x 72 x 29	92.5	100	10	\$1008	\$1182	N/A	\$513
Z3066MRR	30 x 66 x 29	70	94	9.75	\$970	\$1125	N/A	\$513
Z3060MRR	30 x 60 x 29	70	88	9.25	\$925	\$1073	N/A	\$477
Z2472MRR	24 x 72 x 29	70	85	8.25	\$925	\$1064	N/A	\$384
Z2466MRR	24 x 66 x 29	70	80	8	\$890	\$1017	N/A	\$384
Z2460MRR	24 x 60 x 29	70	75	7.75	\$853	\$974	N/A	\$353
Z2448MRR	24 x 48 x 29	70	56	5.75	\$736	\$830	N/A	\$281

Flush return attached to the edge of worksurface. Attaching hardware included. Leg shipped in separate carton. Shipped RTA (ready to assemble). **Not freestanding.** Metal leg available in Black (**BLK**) or Tungsten (**TUN**).

• Please note, glides need to be extended a small amount to accommodate the 29.5" height of standard Zira pieces.

Z72LMP	.69 x 66 x 18.1	70	28	1.25	\$291	N/A	N/A	N/A
Z66LMP	.69 x 60 x 18.1	65	26	1	\$278	N/A	N/A	N/A
Z60LMP	.69 x 54 x 18.1	65	23	1	\$259	N/A	N/A	N/A
Z48LMP	.69 x 42 x 18.1	65	19	.75	\$219	N/A	N/A	N/A

For returns with metal legs. Modular laminate modesty panel. Specify model # corresponding to worksurface length.



Return w/Metal Legs - RIGHT\*




**Melamine Modesty Panel** 

Flush Bridge\*

BRIDGES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
		Z2448FB	24 x 48 x 29.5-30	70	91	4.30	\$627	\$729	N/A	\$258
		Z2442FB	24 x 42 x 29.5-30	70	79	3.80	\$580	\$669	N/A	\$258
		Z2436FB	24 x 36 x 29.5-30	70	69	3.30	\$580	\$669	N/A	\$195
		Z2048FB	20 x 48 x 29.5-30	70	83	4.30	\$609	\$698	N/A	\$258
	± 36"42"48"→	Z2042FB	20 x 42 x 29.5-30	70	72	3.80	\$564	\$653	N/A	\$258
20	2″24″	72036FB	20 x 36 x 29 5-30	70	63	3.30	\$564	\$653	N/A	\$195


Top surface, back panel and hardware to create a "U" shape by connecting two units with full end panels. Grommet in worksurface. Shipped RTA (ready to assemble).



Z1648B	15.8 x 48 x 29.5-30	70	66.15	4.25	\$476	\$564	N/A	\$195
Z1642B	15.8 x 42 x 29.5-30	70	59.85	3.75	\$416	\$497	N/A	\$195

16" Throat. Top surface, back panel and hardware to create a "U" shape by connecting two units with a 16" throat and full end panels. Grommet in worksurface. Shipped RTA (ready to assemble).

Required Specifica	tions	Optional Speci	fications	Accessories	
Top finish		HP laminate	Handles	Power block	
Top/edge detail		Key #		Pencil drawer	
Base finish	Lock finish	Modesty type			
Lea finish* (BLK or TI	INI)	Grommet position	n or nower block cut-ou	ıt	



Space Saver Bridge - LEFT

SPACE SAVER BRIDGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD	
$\overline{}$		D x W x H								
	Z244816BL	24 x 48 x 29.5-30	70	82	4.25	\$556	\$686	N/A	\$258	
	Z244216BL	24 x 42 x 29.5-30	70	71	3.75	\$489	\$606	N/A	\$258	
1   42* 48*  - 16* throat	Z214816BL	21 x 48 x 29.5-30	70	76	4.25	\$516	\$624	N/A	\$258	
	Z214216BL	21 x 42 x 29.5-30	70	65	3.75	\$447	\$547	N/A	\$258	


16" Throat. Top surface, back panel and hardware to connect extended corners, desks and islands with a 16" throat. Grommet in worksurface. Shipped RTA (ready to assemble).



**Space Saver Bridge - RIGHT** 

Z244816BR	24 x 48 x 29.5-30	70	82	4.25	\$556	\$686	N/A	\$258
Z244216BR	24 x 42 x 29.5-30	70	71	3.75	\$489	\$606	N/A	\$258
Z214816BR	21 x 48 x 29.5-30	70	76	4.25	\$516	\$624	N/A	\$258
Z214216BR	21 x 42 x 29.5-30	70	65	3.75	\$447	\$547	N/A	\$258

16" Throat. Top surface, back panel and hardware to connect extended corners, desks and islands with a 16"throat. Grommet in worksurface. Shipped RTA (ready to assemble).




Overlapping Bridge - LEFT\*

						N/A	\$336
Z2472TRL 24 x 72 x 5.9	85	64	5.25	\$600	\$755	N/A	\$390
Z2466TRL 24 x 66 x 5.9	85	62	4.70	\$564	\$706	N/A	\$358

For 20"/24"D, 23.75"/24.25"H Storage with No Modesty. Overlaps storage on left.

- Use Z2462TRR and Z2468TRR for 20"D storage.
- Use Z2466TRR and Z2472TRR for 24"D storage.




Overlapping Bridge - RIGHT\*

Z2468TRR	24 x 68 x 5.9	85	64	5.25	\$590	\$745	N/A	\$370
Z2462TRR	24 x 62 x 5.9	85	59	4.70	\$550	\$690	N/A	\$336
Z2472TRR	24 x 72 x 5.9	85	64	5.25	\$600	\$755	N/A	\$390
Z2466TRR	24 x 66 x 5.9	85	62	4.70	\$564	\$706	N/A	\$358

For 20"/24"D, 23.75"/24.25"H Storage with No Modesty. Overlaps storage on right.

- Use Z2462TRR and Z2468TRR for 20"D storage.
- Use Z2466TRR and Z2472TRR for 24"D storage.



Flush Bridge

24 x 48 x 13-13.5	70	55	3.50	\$627	\$729	N/A	\$258
24 x 42 x 13-13.5	70	48	3.10	\$580	\$705	N/A	\$229
24 x 36 x 13-13.5	70	43	2.70	\$580	\$688	N/A	\$197
20 x 48 x 13-13.5	70	48	3	\$609	\$728	N/A	\$219
20 x 42 x 13-13.5	70	43	2.70	\$564	\$670	N/A	\$189
20 x 36 x 13-13.5	70	38	2 40	\$564	\$656	N/A	\$164
	24 x 42 x 13-13.5 24 x 36 x 13-13.5 20 x 48 x 13-13.5 20 x 42 x 13-13.5	24 x 42 x 13-13.5 70 24 x 36 x 13-13.5 70 20 x 48 x 13-13.5 70 20 x 42 x 13-13.5 70	24 x 42 x 13-13.5 70 48 24 x 36 x 13-13.5 70 43 20 x 48 x 13-13.5 70 48 20 x 42 x 13-13.5 70 43	24 x 42 x 13-13.5     70     48     3.10       24 x 36 x 13-13.5     70     43     2.70       20 x 48 x 13-13.5     70     48     3       20 x 42 x 13-13.5     70     43     2.70	24 x 42 x 13-13.5       70       48       3.10       \$580         24 x 36 x 13-13.5       70       43       2.70       \$580         20 x 48 x 13-13.5       70       48       3       \$609         20 x 42 x 13-13.5       70       43       2.70       \$564	24 x 42 x 13-13.5       70       48       3.10       \$580       \$705         24 x 36 x 13-13.5       70       43       2.70       \$580       \$688         20 x 48 x 13-13.5       70       48       3       \$609       \$728         20 x 42 x 13-13.5       70       43       2.70       \$564       \$670	24 x 42 x 13-13.5       70       48       3.10       \$580       \$705       N/A         24 x 36 x 13-13.5       70       43       2.70       \$580       \$688       N/A         20 x 48 x 13-13.5       70       48       3       \$609       \$728       N/A         20 x 42 x 13-13.5       70       43       2.70       \$564       \$670       N/A

12"H modesty panel.

**Required Specifications** 


Top finish Top/edge detail Base finish

**Optional Specifications** 

HP laminate

Grommet position or power block cut-out

Accessories Power block Pencil drawer\*



Transitional	- Anhira	I FFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP	ADD
	DxWxH							
Z2148TRBL	21 x 48 x 29.5-30	70	75.83	4.25	\$537	\$645	N/A <b>\$2</b>	58
Z2142TRBL	21 x 42 x 29.5-30	70	64.78	3.75	\$469	\$569	N/A <b>\$2</b>	58


For 21" Wide Storage Module. Top surface, back panel, shorter kickplate and hardware to connect 21" wide storage module with 16" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

	16" thoat 21"
$\sim$	

**Transitional Bridge - RIGHT** 

Z2148TRBR	21 x 48 x 29.5-30	70	75.83	4.25	\$537	\$645	N/A	\$258
Z2142TRBR	21 x 42 x 29.5-30	70	64.78	3.75	\$469	\$569	N/A	\$258


For 21" Wide Storage Module. Top surface, back panel, shorter kickplate and hardware to connect 21" wide storage module with 16" throat. Grommet in worksurface. Shipped RTA (ready to assemble).



Transitional Bridge - LEFT

Z1648TRBL	16 x 48 x 29.5-30	70	68.58	4.25	\$496	\$584	N/A	\$195
Z1642TRBL	16 x 42 x 29.5-30	70	58.96	3.75	\$438	\$521	N/A	\$195

For 16" Wide Storage Module. Top surface, back panel and hardware to connect 16" wide storage module with 16" throat. Grommet in worksurface. Shipped RTA (ready to assemble).



**Transitional Bridge - RIGHT** 

Z1648TRBR	16 x 48 x 29.5-30	70	68.58	4.25	\$496	\$584	N/A	\$195
Z1642TRBR	16 x 42 x 29.5-30	70	58.96	3.75	\$438	\$521	N/A	\$195

For 16" Wide Storage Module. Top surface, back panel and hardware to connect 16" wide storage module with 16" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

	Required	<b>Specifications</b>
--	----------	-----------------------

Top finish Top/edge detail Base finish

# **Optional Specifications**

HP laminate Grommet position or power block cut-out Accessories Power block Pencil drawer\*

REDENZAS	MODEL#	DIMENSIONS FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	704701051	D x W x H	404	00.75	44000	44750	N1 / A	****
	Z2472L0FL	24 x 72 x 17.87-18.37 125	181	22.75	\$1626	\$1759	N/A	\$390
	Z2460L0FL	24 x 60 x 17.87-18.37 100	160	19.25	\$1444	\$1555	N/A	\$327
	Z2072L0FL	20 x 72 x 17.87-18.37 100	164	19.25	\$1515	\$1626	N/A	\$327
	Z2060L0FL	20 x 60 x 17.87-18.37 100	143	16.25	\$1335	\$1427	N/A	\$273
Il File Credenza - LEFT	1 high lateral file o	on the <b>left</b> , open storage on the <b>right</b> .						
	Z2472LOFR	24 x 72 x 17.87-18.37 125	181	22.75	\$1626	\$1759	N/A	\$390
	Z2460L0FR	24 x 60 x 17.87-18.37 100	160	19.25	\$1444	\$1555	N/A	\$327
	Z2072L0FR	20 x 72 x 17.87-18.37 100	164	19.25	\$1515	\$1626	N/A	\$327
	Z2060LOFR	20 x 60 x 17.87-18.37 100	143	16.25	\$1335	\$1427	N/A	\$273
al File Credenza - RIGHT	1 high lateral file o	on the <b>right</b> , open storage on the <b>left</b> .						
	Z2472LSFL	24 x 72 x 17.87-18.37 100	197	22.75	\$1895	\$2028	\$403	\$390
	Z2460LSFL	24 x 60 x 17.87-18.37 100	174	19.25	\$1708	\$1819	\$359	\$327
	Z2072LSFL	20 x 72 x 17.87 18.37 100	178	19.25	\$1774	\$1885	\$403	\$327
	Z2060LSFL	20 x 60 x 17.87-18.37 100	155	16.25	\$1592	\$1684	\$359	\$273
	Z2472LSFR Z2460LSFR Z2072LSFR	24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100	197 174 178	22.75 19.25 19.25	\$1895 \$1708 \$1774	\$2028 \$1819 \$1885 \$1684	\$403 \$359 \$403	\$390 \$327 \$327 \$273
	Z2060LSFR	20 x 60 x 17.87-18.37 100	155	16.25	\$1592	\$1004	\$359	<b>Ψ</b> 213
I File Credenza - RIGHT*		20 x 60 x 17.87-18.37 100 on the <b>right</b> , closed storage on the <b>left</b>		16.25	\$1592	\$1004	\$359	9213
I File Credenza - RIGHT*	1 high lateral file o	on the <b>right</b> , closed storage on the <b>left</b>			·		·	·
I File Credenza - RIGHT*	1 high lateral file o		197	22.75	\$1873	\$2006	N/A	\$390
I File Credenza - RIGHT*	1 high lateral file of Z2472LMOL Z2460LMOL	on the <b>right</b> , closed storage on the <b>left</b> 24 x 72 x 17.87-18.37 100  24 x 60 x 17.87-18.37 100	197 176	22.75 19.25	\$1873 \$1709	\$2006 \$1820	N/A N/A	\$390 \$327
I File Credenza - RIGHT*	1 high lateral file o	on the <b>right</b> , closed storage on the <b>left</b> 24 x 72 x 17.87-18.37 100	197	22.75	\$1873	\$2006	N/A	\$390
	1 high lateral file of Z2472LMOL Z2460LMOL Z2072LMOL Z2060LMOL	24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100	197 176 178 157	22.75 19.25 19.25	\$1873 \$1709 \$1754	\$2006 \$1820 \$1865	N/A N/A N/A	\$390 \$327 \$327
	1 high lateral file of Z2472LMOL Z2460LMOL Z2072LMOL Z2060LMOL 1 high mixed draw	24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100	197 176 178 157	22.75 19.25 19.25 16.25	\$1873 \$1709 \$1754 \$1595	\$2006 \$1820 \$1865 \$1688	N/A N/A N/A N/A	\$390 \$327 \$327 \$273
	1 high lateral file of Z2472LMOL Z2460LMOL Z2072LMOL Z2060LMOL 1 high mixed draw.	24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 errs on the <b>left</b> , open storage on the <b>rig</b>	197 176 178 157 157	22.75 19.25 19.25 16.25	\$1873 \$1709 \$1754 \$1595	\$2006 \$1820 \$1865 \$1688	N/A N/A N/A N/A	\$390 \$327 \$327 \$273
	1 high lateral file of Z2472LMOL Z2460LMOL Z2072LMOL Z2060LMOL 1 high mixed draw.  Z2472LMOR Z2460LMOR	24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 errs on the <b>left</b> , open storage on the <b>rig</b>	197 176 178 157 1ht.	22.75 19.25 19.25 16.25 22.75 19.25	\$1873 \$1709 \$1754 \$1595 \$1873 \$1709	\$2006 \$1820 \$1865 \$1688 \$2006 \$1819	N/A N/A N/A N/A	\$390 \$327 \$327 \$273
	22472LMOL Z2460LMOL Z2060LMOL Z1 high mixed draw Z2472LMOR Z2460LMOR Z2472LMOR Z2472LMOR	24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 errs on the <b>left</b> , open storage on the <b>rig</b>	197 176 178 157 164.	22.75 19.25 19.25 16.25 22.75 19.25 19.25	\$1873 \$1709 \$1754 \$1595 \$1873 \$1709 \$1754	\$2006 \$1820 \$1865 \$1688 \$2006 \$1819 \$1865	N/A N/A N/A N/A N/A	\$390 \$327 \$327 \$273 \$390 \$327 \$327
I File Credenza - RIGHT*  Storage Credenza - LEFT	1 high lateral file of Z2472LMOL Z2460LMOL Z2072LMOL Z2060LMOL 1 high mixed draw.  Z2472LMOR Z2460LMOR	24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 errs on the <b>left</b> , open storage on the <b>rig</b>	197 176 178 157 1ht.	22.75 19.25 19.25 16.25 22.75 19.25	\$1873 \$1709 \$1754 \$1595 \$1873 \$1709	\$2006 \$1820 \$1865 \$1688 \$2006 \$1819	N/A N/A N/A N/A	\$390 \$327 \$327 \$273
	22472LMOL Z2460LMOL Z2072LMOL Z2060LMOL  1 high mixed draw.  Z2472LMOR Z2472LMOR Z2460LMOR Z2060LMOR	24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 errs on the <b>left</b> , open storage on the <b>rig</b>	197 176 178 157 164.	22.75 19.25 19.25 16.25 22.75 19.25 19.25	\$1873 \$1709 \$1754 \$1595 \$1873 \$1709 \$1754	\$2006 \$1820 \$1865 \$1688 \$2006 \$1819 \$1865	N/A N/A N/A N/A N/A	\$390 \$327 \$327 \$273 \$390 \$327 \$327

Req	ui	r	ed	Specifications

Top finish
Top/edge detail
Base finish
Handles

Optional Specifications
HP laminate Key # Glazed doors\* Box drawer - no upcharge

								Z	ZIRA
24"H CREDENZAS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
		DxWxH							-
	Z2472HBFL	24 x 72 x 23.75	-24.25 125	229	29.25	\$2037	\$2170	N/A	\$390
	Z2460HBFL	24 x 60 x 23.75	-24.25 100	201	24.50	\$1805	\$1916	N/A	\$327
	Z2072HBFL	20 x 72 x 23.75	-24.25 100	207	24.75	\$1919	\$2030	N/A	\$327
	Z2060HBFL	20 x 60 x 23.75	-24.25 100	180	20.75	\$1691	\$1784	N/A	\$273
Lateral File Credenza - LEFT	1.5 high box/later	ral file on the <b>left</b> , open	storage on the <b>r</b> i	ight.					
$\wedge$	Z2472HBFR	24 x 72 x 23.75	-24.25 125	229	29.25	\$2037	\$2170	N/A	\$390
	Z2460HBFR	24 x 60 x 23.75	-24.25 100	201	24.50	\$1805	\$1916	N/A	\$327
	Z2072HBFR	20 x 72 x 23.75	-24.25 100	207	24.75	\$1919	\$2030	N/A	\$327
	Z2060HBFR	20 x 60 x 23.75	-24.25 100	180	20.75	\$1691	\$1784	N/A	\$273
Lateral File Credenza - RIGHT	1.5 high box/later	ral file on the <b>right</b> , ope	en storage on the	left.					
$\wedge$	Z2472HFSL	24 x 72 x 23.75	-24.25 100	251	29.25	\$2384	\$2517	\$553	\$390
	Z2460HFSL	24 x 60 x 23.75	-24.25 100	221	24.50	\$2126	\$2237	\$479	\$327
	Z2072HFSL	20 x 72 x 23.75	-24.25 100	227	24.75	\$2239	\$2350	\$553	\$327
	Z2060HFSL	20 x 60 x 23.75	-24.25 100	198	20.75	\$2001	\$2094	\$479	\$273
Lateral File Credenza - LEFT	1.5 high box/later	ral file on the <b>left</b> , close	ed storage on the	right.					
$\wedge$	Z2472HFSR	24 x 72 x 23.75		251	29.25	\$2384	\$2517	\$553	\$390
	72460HESB	24 x 60 x 23 75.	-7475 100	221	24 SN	\$2126	\$2237	\$479	\$327



Lateral	File	Credenza	- RIGHT
---------	------	----------	---------

Z2472HFSR	24 x 72 x 23.75-24.25 100	251	29.25	\$2384	\$2517	\$553	\$390
Z2460HFSR	24 x 60 x 23.75-24.25 100	221	24.50	\$2126	\$2237	\$479	\$327
Z2072HFSR	20 x 72 x 23.75-24.25 100	227	24.75	\$2239	\$2350	\$553	\$327
Z2060HFSR	20 x 60 x 23.75-24.25 100	198	20.75	\$2001	\$2094	\$479	\$273

1.5 high box/lateral file on the **right**, closed storage on the **left**.

Required Specifications
Top finish
Top/edge detail
Base finish
Handles

Optional Specifications
HP laminate
Key #
Glazed doors\*
Box drawer - no upcharge





MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z2072C	<b>D x W x H</b> 20 x 72 x 29.5-3	100	286	30	\$2059	\$2564	\$677	\$384

Center Storage Credenza\*\*

Standard with box/file pedestals on both sides and self-closing hinged center doors covering one adjustable shelf. Pedestals and doors lock, keyed alike. Two pencil trays.



Kneespace Credenza\*

Z2472CK	24 x 72 x 29.5-30	125	262	35.50	\$1671	\$1954	N/A	\$384
Z2466CK	24 x 66 x 29.5-30	125	250	33	\$1671	\$1893	N/A	\$384
Z2072CK	20 x 72 x 29.5-30	125	235	30	\$1596	\$1758	N/A	\$384
Z2066CK	20 x 66 x 29.5-30	100	225	27.75	\$1596	\$1723	N/A	\$384
Z2060CK	20 x 60 x 29.5-30	100	219	25.25	\$1535	\$1637	N/A	\$319

Standard with box/file pedestals on both sides. Center is open. Pedestals lock, keyed alike. Two pencil trays. Grommet in worksurface.



Full to Floor Single Pedestal Credenza- LEFT\*

Z2472CS2L	24 x 72 x 29.5-30	100	228	25.75	\$1571	\$1731	N/A	\$384
Z2466CS2L	24 x 66 x 29.5-30	125	217	32.75	\$1542	\$1690	N/A	\$384
Z2072CS2L	20 x 72 x 29-29.5	125	203	30.25	\$1440	\$1573	N/A	\$384
72066CS2I	20 x 66 x 29-29 5	125	193	27 75	\$1386	\$1506	N/A	\$384

Standard with full to floor file/file pedestal on the left. Pedestal locks. Grommet in worksurface.



Full to Floor Single Pedestal Credenza- RIGHT\*

Z2472CS2R	24 x 72 x 29.5-30	100	228	25.75	\$1571	\$1731	N/A	\$384
Z2466CS2R	24 x 66 x 29.5-30	125	217	32.75	\$1542	\$1690	N/A	\$384
Z2072CS2R	20 x 72 x 29.5-30	125	203	30.25	\$1440	\$1573	N/A	\$384
72066CS2R	20 x 66 x 29 5-30	125	193	27 75	\$1386	\$1506	N/A	\$384

Standard with full to floor file/file pedestal on the right. Pedestal locks. Grommet in worksurface.



Full to Floor Single Pedestal Credenza- LEFT\*

Z2472CS4L	24 x 72 x 29-29.5	125	228	35.75	\$1635	\$1795	N/A	\$384
Z2466CS4L	24 x 66 x 29-29.5	125	217	32.75	\$1609	\$1757	N/A	\$384
Z2072CS4L	20 x 72 x 29-29.5	125	203	30.25	\$1492	\$1622	N/A	\$384
Z2066CS4L	20 x 66 x 29-29.5	125	193	25.75	\$1440	\$1567	N/A	\$384

Standard with full to floor box/box/file pedestal on the **left**. File drawer and lower box drawer lock. One pencil tray. Grommet in worksurface.



Full to Floor Single Pedestal Credenza- RIGHT\*

Z2472CS4R	24 x 72 x 29-29.5	125	228	35.75	\$1635 \$1	1 <b>795</b> N/A	\$384
Z2466CS4R	24 x 66 x 29-29.5	125	217	32.75	\$1609 \$1	1 <b>757</b> N/A	\$384
Z2072CS4R	20 x 72 x 29-29.5	125	203	30.25	\$1492 \$1	<b>1624</b> N/A	\$384
Z2066CS4R	20 x 66 x 29-29.5	125	193	25.75	\$1440 \$1	<b>1567</b> N/A	\$384

Standard with full to floor box/box/file pedestal on the **right**. File drawer and lower box drawer lock. One pencil tray. Grommet in worksurface.

Required	Specification
Top finish	
Top/edge	detail
Base finish	1
Lock finish	*

Optional Speci	fications		
HP laminate	Handles*		
Key #*	Glazed door**		
Modesty type (only Z2xxxxCK)			
Crammat pasitio	m ar marriar black and and		

Accessories
Keyboard\*\*
Power block (not Z2072C)
Pencil drawer (Z2472S2L/R only)





MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD H	P ADD
	DxWxH							
Z2472SCSC	24 x 72 x 29.5-3	0 100	345	35.75	\$2254	\$2410	\$1516	\$384
Z2072SCSC	20 x 72 x 29.5-3	0 92.5	315	30.25	\$1981	\$2148	\$1516	\$384

Storage Cabinet Credenza\*\*

Two storage cabinets side-by-side. Hinged doors cover one adjustable shelf. Locking doors keyed alike.

	/	$\rightarrow$
/	/	
/3/		<b>'</b>
	1	

Z2472LF2 24 x 72 x 29.5-30 100 345 35.75 \$2600 \$2966 N/A \$384 Z2072LF2 20 x 72 x 29.5-30 92.5 315 30.25 \$2963 \$384 \$2547 N/A

Lateral File Credenza\*\*

Two 2-drawer lateral files side-by-side. Locking drawers, keyed alike. File bars included for side-to-side and front-to-back letter and legal filing capability. Anti-lock tilt suspension





Z2472LS	24 x 72 x 29.5-30	100	321	35.75	\$2326	\$2679	\$760	\$384	
Z2072LS	20 x 72 x 29.5-30	100	286	30.25	\$2273	\$2677	\$760	\$384	

Lateral File/Storage Cabinet Credenza\*\*

One 2-drawer lateral file and one storage cabinet. Locking door/drawers, keyed alike. Storage cabinet includes one adjustable shelf. File bars included for side-to-side and front-to-back letter and legal filing capability. Anti-lock tilt suspension.

• File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.






Z482036BD	20 x 48 x 36	125	163	22.50	\$2209	\$2338	\$953	\$415

**Buffet Credenza\*\*** 

Buffet credenza with one locking storage compartment with two doors. Hinged doors cover one three-position height adjustable shelf. Two 6" drawers above storage compartment are non-locking.

125

125





Z722036BD

20 x 72 x 36

20 x 60 x 36

Glazed door option

**Buffet Credenza\*** 

Buffet credenza with two locking storage compartments side by side. Hinged doors cover 1 three-position height adjustable shelf. Two 6" drawers above storage compartment are non-locking.

242

188

33.50

28

\$3203

\$2777

\$3360

\$2919

\$1902

\$1747

\$668

\$542



Z2472LKL	24 x 72 x 29.5-30	125	262	35.75	\$2045	\$2359	N/A	\$384
Z2072LKL	20 x 72 x 29.5-30	125	235	30.25	\$1993	\$2360	N/A	\$384

Kneespace Lateral File Credenza - LEFT

One 2-drawer lateral file on the left. Locking drawers. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension. Grommet in worksurface.


• File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Required Specifications	Optional Specifications			
Top finish	HP laminate	Handles*	Keyt	
Top/edge detail	Key #*	Glazed door**	Pow	
Base finish	Modesty type (or	nly Z2xxxxCK)	Pend	
Lock finish*	Grommet positio	n or power block cut-out		

cessories /board\*\* ver block (not Z2072C) ncil drawer (Z2472S2L/R only)



V		F:1-	0	DICHT
Kneespace	Laterai	riie	Gredenza	- KIGNI



One 2-drawer lateral file on the right. Locking drawers. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension. Grommet in worksurface.

• File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.





<b>Kneespace Storage</b>	Cabinet
Credenza- LFFT**	

Z2472SKL	24 x 72 x 29.5-30	125	241	35.75	\$1612	\$1939	\$760	\$384
Z2072SKL	20 x 72 x 29.5-30	125	207	30.25	\$1559	\$1936	\$760	\$384

One storage cabinet on the left. Locking doors. Storage cabinet has one adjustable shelf. Grommet in worksurface.





	Z2472SKR	24 x 72 x 29.5-30	125	241	35.75	\$1612	\$1939	\$760	\$384
	Z2072SKR	20 x 72 x 29.5-30	125	207	30.25	\$1559	\$1936	\$760	\$384
74									

**Kneespace Storage Cabinet** Credenza- RIGHT\*\*

One storage cabinet on the right. Locking doors. Storage cabinet has one adjustable shelf. Grommet in worksurface.

**Required Specifications** 

Top finish Base finish Top/edge detail Handles\* Lock finish\*

**Optional Specifications** 

HP laminate Handles Glazed door\* Grommet position or power block cut-out Accessories

Power block


2-2INEN CORNERS	
	42°

5-Sided Corner, 24" Throat

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. 1.5" TOP GLAZE ADD HP ADD 1"TOP DxWxH Z42245C 42 x 42 x 29.5-30 65 133 5.75 \$978 \$1187 N/A \$513

Connects to **30"D** space saver connectable surfaces, **24"D** connectables, returns and bridge. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not Freestanding*.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge




5-Sided Corner, 20" Throat

242205C 42 x 42 x 29.5-30 /0 129 5./5 <b>\$978 \$1187</b> N/A <b>\$</b> 5	Z42205C		70	129	5.75	\$978	\$1187	N/A	\$513
---	---------	--	----	-----	------	-------	--------	-----	-------

Connects to **24"D** space saver connectable surfaces, **20"D** returns, lateral files, storage/lateral file credenzas, credenzas, and bridges. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not freestanding*.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge




5-Sided Corner, 16" Throat

	Z42165C	42 x 42 x 29.5-30	70	124	5.75	\$1007	\$1159	N/A	\$510	
--	---------	-------------------	----	-----	------	--------	--------	-----	-------	--

Connects to **20"D** space saver connectable surfaces, **16"D** returns, lateral files, storage/lateral file credenzas, credenzas, and bridges. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not freestanding*.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge




5-Sided Corner, 20" Throat

Z36205C	36 x 36 x 29.5-30	65	109	4.80	\$827	\$947	N/A	\$332

Connects to **24"D** space saver connectable surfaces, **20"D** returns, lateral files, storage/lateral file credenzas, credenzas, and bridges. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not freestanding*.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge



5-Sided Corner, 16" Throat

Z36165C	36 x 36 x 29.5-30	70	105	4.80	\$881	\$999	N/A	\$289

Connects to **20"D** space saver connectable surfaces, **16"D** returns, lateral files, storage/lateral file credenzas, credenzas, and bridges. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not freestanding*.


- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge

Required Specifications
Top finish
Ton/odgo dotail

Base finish

Optional Specifications
HP laminate
Grommet position or power block cut-out

Accessories
Power block
Keyboard (*Not available on Z36165C*)



Single Pedestal Bow Top Extended Corner Desk - LEFT\*



Extended worksurface on right. Standard with **Freestanding** full to floor file/file pedestal on **left** and faux pedestal on **right**. Pedestal locks. Connects to returns or bridges with a 16" throat. Corner has one grommet. Bow top overhangs 2¼" at ends and 6" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.

Z4284EB3L	42 x 84 x 29.5-30	70	315	20.50	\$2106	\$2395	\$916	\$1015
Z4272EB3L	42 x 72 x 29.5-30	150	329	59	\$2083	\$2333	\$760	\$762
Z3672EB3L	36 x 72 x 29.5-30	150	270.90	50.75	\$1910	\$2129	\$760	\$573
Z3666EB3L	36 x 66 x 29.5-30	150	259.35	46.75	\$1856	\$2057	\$678	\$573
Z3660EB3L	36 x 60 x 29.5-30	125	255.15	42.50	\$1825	\$2008	\$600	\$477

Extended worksurface on right. Standard with **Freestanding** full to floor box/box/file pedestal on **left** and faux pedestal on **right**. File drawer and lower box drawer lock. Connects to returns or bridges with a 16" throat. Corner has one grommet. Bow top overhangs 2¼" at ends and 6" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- · Hutches may not be placed on this desk.

Z4284E2L	42 x 84 x 29.5-30	70	321.30	20.50	\$2171	\$2447	\$916	\$1015
Z3684E2L	36 x 84 x 29.5-30	250	311.85	118	\$2082	\$2358	\$916	\$762
Z3672E2L	36 x 72 x 29.5-30	150	278.25	50.75	\$1867	\$2074	\$760	\$573
Z3666E2L	36 x 66 x 29.5-30	150	265.65	46.75	\$1817	\$2006	\$678	\$573
Z3660E2L	36 x 60 x 29.5-30	125	259.35	42.50	\$1786	\$1958	\$600	\$477


Extended worksurface on right. Standard with **Freestanding** full to floor file/file pedestal on **left** and faux pedestal on **right**. Pedestal locks. Connects to returns or bridges with a 16" throat. Corner has one grommet. Top overhangs 2¼"

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk


Z4284E3L	42 x 84 x 29.5-30	70	318.15	20.50	\$2098	\$2374	\$916	\$1015
Z3684E3L	36 x 84 x 29.5-30	250	309.75	118	\$2115	\$2390	\$916	\$762
Z3672E3L	36 x 72 x 29.5-30	150	275.10	50.75	\$1905	\$2112	\$760	\$573
Z3666E3L	36 x 66 x 29.5-30	150	263.55	46.75	\$1853	\$2042	\$678	\$573
Z3660E3L	36 x 60 x 29.5-30	125	257.25	42.50	\$1821	\$1991	\$600	\$477

Extended worksurface on right. Standard with **Freestanding** full to floor box/box/file pedestal on **left** and faux pedestal on **right**. File drawer and lower box drawer lock. Connects to returns or bridges with a 16" throat. Corner has one grommet. Top overhangs 2¼".


- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.



Single Pedestal Bow Top Extended Corner Desk - LEFT\*



Single Pedestal Extended Corner Desk - LEFT\*



Single Pedestal Extended Corner Desk - LEFT


Required Specifications
Top finish
Top/edge detail
Lock finish
Base finish

Optional Specifications

HP laminate Handles

Key # Modesty panel type

Grommet position or power block cut-out



Single Pedestal Bow Top **Extended Corner Desk - RIGHT** 



Extended worksurface on right. Standard with faux pedestal on left and Freestanding full to floor file/file pedestal on right. Pedestal locks. Connects to returns or bridges with a 16" throat. Corner has one grommet. Bow top overhangs 21/4" at ends and 6" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.

Z4284EB3R	42 x 84 x 29.5-30	70	315	20.50	\$2106	\$2395	\$916	\$1015
Z4272EB3R	42 x 72 x 29.5-30	150	329	59	\$2083	\$2333	\$760	\$762
Z3672EB3R	36 x 72 x 29.5-30	150	270.90	50.75	\$1910	\$2129	\$760	\$573
Z3666EB3R	36 x 66 x 29.5-30	150	259.35	46.75	\$1856	\$2057	\$678	\$573
Z3660EB3R	36 x 60 x 29.5-30	125	255.15	42.50	\$1825	\$2008	\$600	\$477

Extended worksurface on right. Standard with faux pedestal on left and Freestanding full to floor box/box/file pedestal on right. File drawer and lower box drawer lock. Connects to returns or bridges with a 16" throat. Corner has one grommet. Bow top overhangs 21/4" at ends and 6" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- · Hutches may not be placed on this desk.

Z4284E2R	42 x 84 x 29.5-30	70	321.30	20.50	\$2171	\$2447	\$916	\$1015
Z3684E2R	36 x 84 x 29.5-30	250	311.85	118	\$2082	\$2358	\$916	\$762
Z3672E2R	36 x 72 x 29.5-30	150	278.25	50.75	\$1867	\$2074	\$760	\$573
Z3666E2R	36 x 66 x 29.5-30	150	265.65	46.75	\$1817	\$2006	\$678	\$573
Z3660E2R	36 x 60 x 29.5-30	125	259.35	42.50	\$1786	\$1958	\$600	\$477


Extended worksurface on right. Standard with Freestanding full to floor file/file pedestal on right and faux pedestal on left. Pedestal locks. Connects to returns or bridges with a 16" throat. Corner has one grommet. Top overhangs 2¼"

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk


Z4284E3R	42 x 84 x 29.5-30	70	318.15	20.50	\$2098	\$2374	\$916	\$1015
Z3684E3R	36 x 84 x 29.5-30	250	309.75	118	\$2115	\$2390	\$916	\$762
Z3672E3R	36 x 72 x 29.5-30	150	275.10	50.75	\$1905	\$2112	\$760	\$573
Z3666E3R	36 x 66 x 29.5-30	150	263.55	46.75	\$1853	\$2042	\$678	\$573
Z3660E3R	36 x 60 x 29.5-30	125	257.25	42.50	\$1821	\$1991	\$600	\$477

Extended worksurface on right. Standard with Freestanding full to floor box/box/file pedestal on right and faux pedestal on left. File drawer and lower box drawer lock. Connects to returns or bridges with a 16" throat. Corner has one grommet. Top overhangs 21/4".


- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.



Single Pedestal Bow Top **Extended Corner Desk - RIGHT** 




Single Pedestal Extended **Corner Desk - RIGHT** 



Single Pedestal Extended **Corner Desk - RIGHT** 

**Required Specifications Optional Specifications** Accessories Top finish **HP** laminate Handles Power block Top/edge detail Modesty panel type Keyboard Grommet position or power block cut-out Lock finish Pencil drawer Base finish





WODEL#	DIMILIAGIONS	THEIGHT GLASS	WI/LDS.	CODIC FI.	I IUF	1.5 10F	GLAZE ADD I	IF ADD
	D x W x H							
Z2472FFL	36 x 72 x 29.5-30	65	184	7	\$1247	\$1412	N/A	\$548
Z2466FFL	36 x 66 x 29.5-30	65	175	7	\$1247	\$1406	N/A	\$548

Left Extended Corner, 24" Throat Freestanding

Extended worksurface on right. Full end panels on left and right. Cannot be connected on left or right, due to full end panel. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466FFL cannot accept pedestals

Z2072FFL	36 x 72 x 29.5-30	65	171	7	\$1212 \$1406	N/A	\$526
Z2066FFL	36 x 66 x 29.5-30	65	164	7	\$1212 \$1370	N/A	\$526






Left Extended Corner, 20" Throat

Extended worksurface on right. Full end panels on left and right. Can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.





DIMENSIONS MODEL# FREIGHT CLASS WT/LBS. CUBIC FT. 1.5" TOP GLAZE ADD HP ADD 1"TOP Z2472FNL \$548 36 x 72 x 29.5-30 65 175 \$1212 \$1377 N/A Z2466FNL 36 x 66 x 29.5-30 65 167 7 \$1212 \$1370 N/A \$548

Extended worksurface on right. Narrow end panel on right. Full end panel on left. Connects to 30"D space saver connectables, 24"D returns, 24"D connectable tables or "D" and "P" islands with 'T" or "H" bases. Full end panel can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466FNL cannot accept pedestals.





Left Extended Corner, 20" Throat

Z2072FNL	36 x 72 x 29.5-30	65	165	7	\$1176	\$1370	N/A	\$526
Z2066FNL	36 x 66 x 29.5-30	65	158	7	\$1176	\$1334	N/A	\$526

Extended worksurface on right. Narrow end panel on right. Full end panel on left. Connects to 24"D space saver connectables, 20"D returns, 20"D connectable tables or "D" and "P" islands with "T" or "H" bases. Full end panel can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- FNL end panels can be switched to make NFL.


Required Specifications	
Top finish	
Top/edge detail	
Lock finish	
Base finish	

Optional Specifications						
HP laminate	Handles					
Key #	Modesty panel type					
Grommet position or	power block cut-out					

LEFT EXTENDED CORNERS (CONNECTS ON THROAT	SIDE



Left Extended Corner, 24" Throat



Extended worksurface on right. Narrow end panel on left. Full end panel on right. Connects to 30"D space saver connectables, 30"D space saver returns, 24"D returns or 24"D connectable tables. Full end panel can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

### • Modesty Panel is 1" off of ground.

• Z2466NFL cannot accept pedestals.




Left Extended Corner, 20" Throat

Z2072NFL	36 x 72 x 29.5-30	65	165	7	\$1176 \$13	<b>70</b> N/A	\$548
Z2066NFL	36 x 66 x 29.5-30	65	158	7	\$1176 \$13	<b>34</b> N/A	\$526

Extended worksurface on right. Narrow end panel on left. Full end panel on right. Connects to 24"D space saver connectables and 20"D returns. Full end panel can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

## • Modesty Panel is 1" off of ground.

• NFL end panels can be switched to make FNL.





Left Extended Corner, 16" Throat


Extended worksurface on right. No narrow end panel on left. Full end panel on right. Connects to returns and bridges with 16" throat on the left. Full end panel can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Does not accept pencil drawers. Shipped RTA (ready to assemble).

Req	uired	Spec	cifica	tions
Top	finish			
T	/l	dead of		

Top/edge detail Lock finish Base finish

# **Optional Specifications**

**HP** laminate Handles Modesty panel type Key # Grommet position or power block cut-out





								ADD
	DxWxH							
Z2472NNL	36 x 72 x 29.5-30	65	166	7	\$1176	\$1341	N/A \$5	48
Z2466NNL	36 x 66 x 29.5-30	65	158	7	\$1176	\$1334	N/A <b>\$5</b>	48

Left Extended Corner, 24" Throat

Extended worksurface on right. Narrow end panels on left and right. Connects to 30"D space saver connectables, 30"D space saver returns, 24"D returns or 24"D connectable tables or "D" and "P" islands with 'T" or "H" bases on either end. Full end panel can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466NNL cannot accept pedestals.






Z2072NNL	36 x 72 x 29.5-30	65	160	7	\$1140	\$1334	N/A	\$548
Z2066NNL	36 x 66 x 29.5-30	70	152	7	\$1140	\$1299	N/A	\$526

Left Extended Corner, 20" Throat

Extended worksurface on right. Narrow end panels on left and right. Connects to 24"D space saver connectables and 20"D returns, bridges or "D" and "P" islands with 'T" or "H" bases one either end. Full end panel can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

# • Modesty Panel is 1" off of ground.



Left Extended Corner, 16" Throat

RIGHT EXTENDED CORNERS (DOES NOT CONNECT)

Z2484ECNL	36 x 84 x 29.5-30	65	186.90	8	\$1180	\$1469	N/A	\$762
Z2472ECNL	36 x 72 x 29.5-30	70	168	7.50	\$1051	\$1306	N/A	\$573
Z2466ECNL	36 x 66 x 29.5-30	70	158.55	7.50	\$999	\$1233	N/A	\$573
Z2460ECNL	36 x 60 x 29.5-30	65	150.15	6	\$935	\$1144	N/A	\$477
Z2084ECNL	36 x 84 x 29.5-30	70	178.50	8	\$1176	\$1465	N/A	\$762
Z2072ECNL	36 x 72 x 29.5-30	70	161.70	7.50	\$1048	\$1300	N/A	\$573
Z2066ECNL	36 x 66 x 29.5-30	70	153.30	7.50	\$996	\$1230	N/A	\$573
Z2060ECNL	36 x 60 x 29.5-30	65	145.95	6	\$930	\$1140	N/A	\$477

Extended worksurface on right. No narrow end panel on left. Narrow end panel on right. Connects to returns and bridges with 16" throat on the left. Full end panel can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Does not accept pencil drawers. Shipped RTA (ready to assemble).



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z2472FFR	36 x 72 x 29.5-3	0 65	184	7	\$1247	\$1412	N/A	\$548
Z2466FFR	36 x 66 x 29.5-3	0 65	175	7	\$1247	\$1406	N/A	\$548

Right Extended Corner, 24" Throat Freestanding

Extended worksurface on left. Full end panels on left and right. Cannot be connected on left or right, due to full end panel. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466FFR cannot accept pedestals

5 SA - Weld minus: 6,9 32 = 77 40	22" 36" 36" 100 100 100 100 100 100 100 100 100 10
--------------------------------------	--

Z2072FFR	36 x 72 x 29.5-30	65	171	7	\$1212 \$1406	N/A	\$526
Z2066FFR	36 x 66 x 29.5-30	65	164	7	\$1212 \$1370	N/A	\$526

Right Extended Corner, 20" Throat

Extended worksurface on left. Full end panels on left and right. Can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Req	uir	ed	Spe	ecifi	cations

Top finish Top/edge detail Base finish

# **Optional Specifications**


**HP** laminate Modesty panel type Grommet position or power block cut-out

# Accessories

Power block

Keyboard (Not available on 16" throat) Pencil drawer (Not available on 16" throat)

RIGHT EXTENDED CORNERS (CONNECTS ON THROAT	SID




Right	Extended	Corner	2/1"	Throat
RIUIIL	extenuea	Corner.	24	Turoai

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. GLAZE ADD HP ADD 1"TOP 1.5" TOP DxWxH Z2472FNR 36 x 72 x 29.5-30 175 \$548 65 \$1212 \$1377 N/A **Z2466FNR** 36 x 66 x 29.5-30 65 167 7 \$1212 \$1370 N/A \$548

Extended worksurface on left. **Narrow end panel on right. Full end panel on left.** Connects to 30"D space saver connectables, 24"D returns, 24"D connectable tables or "D" and "P" islands with 'T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466FNR cannot accept pedestals.




Right Extended Corner, 20" Throat

Z2072FNR	36 x 72 x 29.5-30	65	165	7	\$1176	\$1370	N/A	\$526
Z2066FNR	36 x 66 x 29.5-30	65	158	7	\$1176	\$1334	N/A	\$526

Extended worksurface on left. **Narrow end panel on right. Full end panel on left.** Connects to 24"D space saver connectables, 20"D returns, 20"D connectable tables or "D" and "P" islands with "T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- FNR end panels can be switched to make NFR.



Right Extended Corner, 16" Throat

704045050	00 04 00 5 00	05	400.05		44045	44500	N1 / A	4=00
Z2484ECFR	36 x 84 x 29.5-30	65	196.35	8	\$1215	\$1502	N/A	\$762
Z2472ECFR	36 x 72 x 29.5-30	65	176.40	7.50	\$1087	\$1339	N/A	\$573
Z2466ECFR	36 x 66 x 29.5-30	70	168	7.50	\$1034	\$1268	N/A	\$573
Z2460ECFR	36 x 60 x 29.5-30	65	158.55	6	\$983	\$1198	N/A	\$477
Z2084ECFR	36 x 84 x 29.5-30	65	184.80	8	\$1212	\$1501	N/A	\$762
Z2072ECFR	36 x 72 x 29.5-30	70	168	7.50	\$1082	\$1335	N/A	\$573
Z2066ECFR	36 x 66 x 29.5-30	70	159.60	7.50	\$1030	\$1265	N/A	\$573
Z2060ECFR	36 x 60 x 29.5-30	65	151.20	6	\$965	\$1175	N/A	\$477
Z1684ECFR	36 x 84 x 29.5-30	70	175.35	8	\$1207	\$1496	N/A	\$762
Z1672ECFR	36 x 72 x 29.5-30	70	159.60	7.50	\$1078	\$1331	N/A	\$573
Z1666ECFR	36 x 66 x 29.5-30	70	153.30	7.50	\$1026	\$1261	N/A	\$573
Z1660ECFR	36 x 60 x 29.5-30	65	147	6	\$957	\$1166	N/A	\$477

Extended worksurface on left. **No narrow end panel on right. Full end panel on left.** Connects to returns and bridges with 16" throat on the right. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. **Does not accept pencil drawers**. Shipped RTA (ready to assemble).


**Required Specifications** 

Top finish Top/edge detail Base finish **Optional Specifications** 

HP laminate Modesty panel type Grommet position or power block cut-out Accessories

Power block

Keyboard (Not available on 16" throat)
Pencil drawer (Not available on 16" throat)




Right Extended Corner, 24" Throat

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z2472NFR	36 x 72 x 29.5-30	65	175	7	\$1212	\$1377	N/A	\$548
Z2466NFR	36 x 66 x 29.5-30	65	167	7	\$1212	\$1370	N/A	\$548

Extended worksurface on left. **Narrow end panel on left. Full end panel on right.** Connects to 30"D space saver connectables, 24"D returns, 24"D connectable tables, or "D" and "P" islands with "T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466NFR cannot accept pedestals.



Right Extended Corner, 20" Throat

Z2072NFR	36 x 72 x 29.5-30	65	165	7	\$1176 \$1370	N/A	\$548
Z2066NFR	36 x 66 x 29.5-30	65	158	7	\$1176 \$1334	N/A	\$526

Extended worksurface on left. **Narrow end panel on left. Full end panel on right.** Connects to 24"D space saver connectables, 20"D returns or "D" and "P" islands with "T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- NFR end panels can be switched to make FNR.


RIGHT EXTENDED CORNERS	S (CONNECTS ON BOTH SIDE
	24 22 36 SA Alba Society Section 10 10 10 10 10 10 10 10 10 10 10 10 10

Left Extended Corner, 24" Throat

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP ADD
Z2472NNR	36 x 72 x 29.5-30	0 65	166	7	\$1176	\$1341	N/A <b>\$548</b>
Z2466NNR	36 x 66 x 29.5-30	0 65	158	7	\$1176	\$1334	N/A <b>\$548</b>

Extended worksurface on left. **Narrow end panels on left and right.** Connects to 30"D space saver connectables, 30"D space saver returns, 24"D returns, 24"D connectable tables or "D" and "P" islands with 'T" or "H" bases on either end. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466NNR cannot accept pedestals.



Right Extended Corner, 20" Throat

Z2072NNR	36 x 72 x 29.5-30	65	160	7	\$1140 \$1334	N/A	\$548
Z2066NNR	36 x 66 x 29.5-30	70	152	7	\$1140 \$1284	N/A	<b>\$526</b>

Extended worksurface on left. **Narrow end panels on left and right.** Connects to 24"D space saver connectables and 20"D returns, bridges or "D" and "P" islands with 'T" or "H" bases one either end. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Rec	Įμ	ir	ed	<b>Specifications</b>
-		$\overline{}$	$\overline{}$	

Top finish Top/edge detail Base finish

# **Optional Specifications**


HP laminate Modesty panel type Grommet position or power block cut-out

RIGHT EXTENDED CORNERS	(CONNECTS ON BOTH SIDES)	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	60°66° 72°84°		DxWxH							
	24" 30" 36"	Z2484ECNR	36 x 84 x 29.5-30	) 65	186.90	8	\$1180	\$1469	N/A	\$762
	SA	Z2472ECNR	36 x 72 x 29.5-30	70	168	7.50	\$1051	\$1306	N/A	\$573
	(Space Available)	Z2466ECNR	36 x 66 x 29.5-30	70	158.55	7.50	\$999	\$1233	N/A	\$573
	eg. 28" = 72"-44"	Z2460ECNR	36 x 60 x 29.5-30	) 65	150.15	6	\$935	\$1144	N/A	\$477
	- 60°66° 72°84°	Z2084ECNR	36 x 84 x 29.5-30	70	178.50	8	\$1176	\$1465	N/A	\$762
	20" 36"	Z2072ECNR	36 x 72 x 29.5-30	70	161.70	7.50	\$1048	\$1300	N/A	\$573
	' ] <u>.</u>	Z2066ECNR	36 x 66 x 29.5-30	70	153.30	7.50	\$996	\$1230	N/A	\$573
	SA = (Space Available) SA = Width minus 44 Throat	Z2060ECNR	36 x 60 x 29.5-30	) 65	145.95	6	\$930	\$1140	N/A	\$477

**Right Extended Corner, 16" Throat** 

Extended worksurface on left. **No narrow end panel on right. Narrow end panel on left.** Connects to returns and bridges with 16" throat on the right. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. **Does not accept pencil drawers**. Shipped RTA (ready to assemble).

FREESTANDING TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
F 60'66'72'	Z3072T Z3066T Z3060T Z3048T Z3042T Z3036T Z3030T	29.7 x 72 x 29.5-3 29.7 x 66 x 29.5-3 29.7 x 60 x 29.5-3 29.7 x 48 x 29.5-3 29.7 x 42 x 29.5-3 29.7 x 36 x 29.5-3 29.7 x 30 x 29.5-3	0 65 0 60 0 65 0 65 0 65	176 166 159 135 125 111	6 6 5.25 5.25 5.25 4.30 3.60	\$1031 \$1031 \$941 \$852 \$852 \$753 \$706	\$1192 \$1183 \$1083 \$979 \$970 \$861 \$795	N/A N/A N/A N/A N/A N/A	\$513 \$513 \$477 \$404 \$367 \$332 \$296
30" Deep Freestanding Table	Two full end panels assemble).  • Modesty Panel is		cted on left or r	right side.	Grommet in w	orksurfac	e. Shippe	d RTA (ready	to



24" Deep Freestanding Table

Z2472T	24 x 72 x 29.5-30	65	152	6	\$926	\$1078	N/A	\$384
Z2466T	24 x 66 x 29.5-30	65	144	6	\$926	\$1078	N/A	\$384
Z2460T	24 x 60 x 29.5-30	65	133	5.25	\$843	\$960	N/A	\$353
Z2448T	24 x 48 x 29.5-30	65	114	4.30	\$761	\$863	N/A	\$281
Z2442T	24 x 42 x 29.5-30	65	105	4.30	\$761	\$850	N/A	\$236
Z2436T	24 x 36 x 29.5-30	65	95	4.20	\$680	\$755	N/A	\$178
Z2430T	24 x 30 x 29.5-30	65	85	3.60	\$645	\$702	N/A	\$178

Two full end panels. Cannot be connected on left or right side. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

|--|

Top finish Top/edge detail Base finish

# **Optional Specifications**


HP laminate Modesty panel type Grommet position or power block cut-out

# Accessories

Power block

Keyboard (Not available on 16" throat)
Pencil drawer (Not available on 16" throat)

**CONNECTABLE TABLES - LEFT** 




30" Deep Connectable Table - Left

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z3072L	29.7 x 72 x 29.5	-30 65	168	6	\$996	\$1157	N/A	\$513
Z3066L	29.7 x 66 x 29.5	-30 65	158	6	\$996	\$1148	N/A	\$513
Z3060L	29.7 x 60 x 29.5	-30 65	150	5.25	\$906	\$1048	N/A	\$477
Z3048L	29.7 x 48 x 29.5	-30 65	124	4.30	\$815	\$942	N/A	\$404
Z3042L	29.7 x 42 x 29.5	-30 65	115	4.30	\$815	\$933	N/A	\$367
Z3036L	29.7 x 36 x 29.5	-30 65	103	4.20	\$718	\$828	N/A	\$332
Z3030L	29.7 x 30 x 29.5	-30 65	92	3.60	\$672	\$761	N/A	\$296

**Full end panel on left.** Right narrow end panel connects to **30"D** center/right connectable table, or at 90° angle to a freestanding table; and "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




24" Deep Connectable Table - Left

**CONNECTABLE TABLES - RIGHT** 

Z2472L	24 x 72 x 29.5-30	65	144	6	\$880	\$1036	N/A	\$384
Z2466L	24 x 66 x 29.5-30	65	135	6	\$880	\$1015	N/A	\$384
Z2460L	24 x 60 x 29.5-30	65	125	5.25	\$796	\$914	N/A	\$353
Z2448L	24 x 48 x 29.5-30	65	106	4.30	\$725	\$827	N/A	\$281
Z2442L	24 x 42 x 29.5-30	65	95	3.80	\$725	\$814	N/A	\$236
Z2436L	24 x 36 x 29.5-30	65	86	3.30	\$637	\$710	N/A	\$178
Z2430L	24 x 30 x 29.5-30	70	77	3.60	\$600	\$658	N/A	\$178

**Full end panel on left.** Right narrow end panel connects to **24"D** center/right connectable table, or at 90° angle to a freestanding table; 24"D extended corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




30" Deep Connectable Table - Right

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
73072B	29.7 x 72 x 29.5	-30 65	168	6	\$996	\$1157	N/A	\$513
Z3066R	29.7 x 66 x 29.5		158	6	\$996	\$1148	N/A	\$513
Z3060R	29.7 x 60 x 29.5		150	5.25	\$906	\$1048	N/A	\$477
Z3048R	29.7 x 48 x 29.5		124	4.30	\$815	\$942	N/A	\$404
Z3042R	29.7 x 42 x 29.5		115	4.30	\$815	\$933	N/A	\$367
Z3036R	29.7 x 36 x 29.5		103	4.20	\$718	\$828	N/A	\$332
Z3030R	29.7 x 30 x 29.5	-30 65	92	3.60	\$672	\$761	N/A	\$296

**Full end panel on right.** Left narrow end panel connects to **30"D** center/right connectable table, or at 90° angle to a freestanding table; and "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



24" Deep Connectable Table - Right

Z2472R	24 x 72 x 29.5-30	65	144	6	\$880	\$1036	N/A	\$384
Z2466R	24 x 66 x 29.5-30	65	135	6	\$880	\$1015	N/A	\$384
Z2460R	24 x 60 x 29.5-30	65	125	5.25	\$796	\$914	N/A	\$353
Z2448R	24 x 48 x 29.5-30	65	106	4.30	\$725	\$827	N/A	\$281
Z2442R	24 x 42 x 29.5-30	65	95	3.80	\$725	\$814	N/A	\$236
Z2436R	24 x 36 x 29.5-30	65	86	3.30	\$637	\$710	N/A	\$178
Z2430R	24 x 30 x 29.5-30	70	77	3.60	\$600	\$658	N/A	\$178

**Full end panel on right.** Left narrow end panel connects to **24"D** center/right connectable table, or at 90° angle to a freestanding table; 24"D extended corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Required	Specifications	

Top finish Top/edge detail Base finish

# **Optional Specifications**

HP laminate Modesty panel type Grommet position or power block cut-out

ccessories							
ower block							
eyboard							
encil drawer							

global globalfurnituregroup.com


30" Deep Connectable Table

CONNECTABLE TABLES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z3072N	29.7 x 72 x 29.5	-30 65	159	6	\$958	\$1120	N/A	\$513
Z3066N	29.7 x 66 x 29.5	-30 65	149	6	\$958	\$1114	N/A	\$513
Z3060N	29.7 x 60 x 29.5	-30 65	142	5.25	\$859	\$1003	N/A	\$477
Z3048N	29.7 x 48 x 29.5	-30 65	116	4.30	\$753	\$879	N/A	\$404
Z3042N	29.7 x 42 x 29.5	-30 65	106	3.80	\$753	\$870	N/A	\$367
Z3036N	29.7 x 36 x 29.5	-30 65	94	3.30	\$672	\$782	N/A	\$332
Z3030N	29.7 x 30 x 29.5	-30 65	83	3.60	\$637	\$726	N/A	\$296

Narrow end panels on both sides connect to 30"D worksurfaces, "D" islands or "P" islands with "T" and "H" bases; or at 90° angle to freestanding table(s). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



24" Deep Connectable Table

Z2472N	24 x 72 x 29.5-30	65	135	6	\$835	\$987	N/A	\$384
Z2466N	24 x 66 x 29.5-30	70	127	6	\$835	\$968	N/A	\$384
Z2460N	24 x 60 x 29.5-30	65	116	4.50	\$753	\$870	N/A	\$353
Z2448N	24 x 48 x 29.5-30	65	97	4.30	\$680	\$782	N/A	\$281
Z2442N	24 x 42 x 29.5-30	65	87	3.80	\$680	\$764	N/A	\$236
Z2436N	24 x 36 x 29.5-30	65	77	3.30	\$589	\$662	N/A	\$178
Z2430N	24 x 30 x 29.5-30	70	68	3.60	\$553	\$610	N/A	\$178

Narrow end panels on both sides connect to 24"D worksurfaces, "D" islands or "P" islands with "T" and "H" bases; or at 90° angle to freestanding table(s). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

30"36"42"48"
1 - 60"66"72" - 1 30" - 24" - 7 500"6466 - 7 4 - 54"-77" W


SPACE SAVER CONNECTABLE TABLES - LEFT

30" Deep Space Saver Connectable Table - Left

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z3072LK	29.7 x 72 x 29.5	-30 65	161	6	\$1015	\$1189	N/A	\$513
Z3066LK	29.7 x 66 x 29.5	-30 65	151	6	\$1015	\$1180	N/A	\$513
Z3060LK	29.7 x 60 x 29.5	-30 65	144	5.25	\$926	\$1084	N/A	\$477
Z3048LK	29.7 x 48 x 29.5	-30 65	118	4.30	\$835	\$973	N/A	\$404
Z3042LK	29.7 x 42 x 29.5	-30 65	107	3.80	\$835	\$965	N/A	\$367
Z3036LK	29.7 x 36 x 29.5	-30 70	96	4.30	\$736	\$856	N/A	\$332
Z3030LK	29.7 x 30 x 29.5	-30 65	85	3.60	\$691	\$797	N/A	\$296

Full end panel on left. Narrow right end panel connects to any corner unit with a 24" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



24" Deep Space Saver Connectable Table - Left

Z2472LK	24 x 72 x 29.5-30	65	140	6	\$906	\$1071	N/A	\$384
Z2466LK	24 x 66 x 29.5-30	70	134	6	\$906	\$1054	N/A	\$384
Z2460LK	24 x 60 x 29.5-30	65	123	5.25	\$827	\$957	N/A	\$353
Z2448LK	24 x 48 x 29.5-30	65	104	4.30	\$753	\$865	N/A	\$281
Z2442LK	24 x 42 x 29.5-30	65	94	3.80	\$753	\$858	N/A	\$236
Z2436LK	24 x 36 x 29.5-30	65	85	3.30	\$663	\$750	N/A	\$178
Z2430LK	24 x 30 x 29.5-30	70	75	3.60	\$627	\$697	N/A	\$178

Full end panel on left. Narrow right end panel connects to any corner unit with a 20" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.


**Required Specifications** 

Top finish Top/edge detail Base finish

**Optional Specifications** 

**HP** laminate Modesty panel type

Grommet position or power block cut-out




SPACE SAVER CONNECTABLE TABLES - RIGHT

30" Deep Space Saver Connectable Table - Right

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z3072RK	29.7 x 72 x 29.5	-30 65	161	6	\$1015	\$1189	N/A	\$513
Z3066RK	29.7 x 66 x 29.5	-30 65	151	6	\$1015	\$1180	N/A	\$513
Z3060RK	29.7 x 60 x 29.5	-30 65	144	5.25	\$926	\$1084	N/A	\$477
Z3048RK	29.7 x 48 x 29.5	-30 65	119	4.30	\$835	\$973	N/A	\$404
Z3042RK	29.7 x 42 x 29.5	-30 65	107	3.80	\$835	\$965	N/A	\$367
Z3036RK	29.7 x 36 x 29.5	-30 70	96	4.30	\$736	\$856	N/A	\$332
Z3030RK	29.7 x 30 x 29.5	-30 65	85	3.60	\$691	\$797	N/A	\$296

**Full end panel on right.** Narrow left end panel connects to any corner unit with a 24" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




24" Deep Space Saver Connectable Table - Right

SPACE SAVER CONNECTABLE TABLES

Z2472RK	24 x 72 x 29.5-30	65	142	6	\$906	\$1071	N/A	\$384
Z2466RK	24 x 66 x 29.5-30	70	134	6	\$906	\$1054	N/A	\$384
Z2460RK	24 x 60 x 29.5-30	65	123	5.25	\$827	\$957	N/A	\$353
Z2448RK	24 x 48 x 29.5-30	65	104	4.30	\$753	\$865	N/A	\$281
Z2442RK	24 x 42 x 29.5-30	65	94	3.80	\$753	\$858	N/A	\$236
Z2436RK	24 x 36 x 29.5-30	65	85	3.30	\$663	\$750	N/A	\$178
Z2430RK	24 x 30 x 29.5-30	70	75	3.60	\$627	\$697	N/A	\$178

**Full end panel on right.** Narrow left end panel connects to any corner unit with a 20" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




30" Deep Space Saver Connectable Table

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
70070111	007 70 005	00 05	450		4070		N1 / A	<b>A-40</b>
Z3072LN	29.7 x 72 x 29.5	-30 65	153	6	\$978	\$1152	N/A	\$513
Z3066LN	29.7 x 66 x 29.5	-30 65	143	6	\$978	\$1143	N/A	\$513
Z3060LN	29.7 x 60 x 29.5	-30 65	136	5.25	\$880	\$1039	N/A	\$477
Z3048LN	29.7 x 48 x 29.5	-30 65	110	4.30	\$769	\$908	N/A	\$404
Z3042LN	29.7 x 42 x 29.5	-30 65	100	3.80	\$769	\$900	N/A	\$367
Z3036LN	29.7 x 36 x 29.5	-30 65	88	3.30	\$691	\$812	N/A	\$332
Z3030LN	29.7 x 30 x 29.5	-30 70	77	3.60	\$653	\$759	N/A	\$296

**Narrow end panels on both sides.** Connects the **right end only** to any corner unit with a 24" throat. Left end allows the continuation of additional 30" connectable center or left connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



24" Deep Space Saver Connectable Table

Z2472LN	24 x 72 x 29.5-30	70	134	6	\$859	\$1026	N/A	\$384
Z2466LN	24 x 66 x 29.5-30	70	125	6	\$859	\$1009	N/A	\$384
Z2460LN	24 x 60 x 29.5-30	70	115	5.25	\$780	\$919	N/A	\$353
Z2448LN	24 x 48 x 29.5-30	70	96	4.30	\$706	\$819	N/A	\$281
Z2442LN	24 x 42 x 29.5-30	70	85	3.80	\$706	\$812	N/A	\$236
Z2436LN	24 x 36 x 29.5-30	65	76	3.30	\$618	\$704	N/A	\$178
Z2430LN	24 x 30 x 29.5-30	70	67	3.60	\$580	\$651	N/A	\$178

**Narrow end panels on both sides.** Connects the **right end only** to any corner unit with a 24" throat. Left end allows the continuation of additional 24" connectable center or left connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Required	Specifications
To a Cartala	

Top finish Top/edge detail Base finish

# **Optional Specifications**

HP laminate
Modesty panel type
Grommet position or power block cut-out

Accessories
Power block
Keyboard
Pencil drawer

\$513

\$513

\$477

\$404

\$367

\$332

\$296

GLAZE ADD HP ADD

N/A

N/A

N/A

N/A

N/A

N/A

N/A

SPACE SAVER CONNECTABLE TABLES	MIUDEL#	DIIMENSIONS
		D x W x H
	Z3072RN	29.7 x 72 x 29.5-30
	Z3066RN	29.7 x 66 x 29.5-30
	Z3060RN	29.7 x 60 x 29.5-30
30°36°42′48	Z3048RN	29.7 x 48 x 29.5-30
21	Z3042RN	29.7 x 42 x 29.5-30
	Z3036RN	29.7 x 36 x 29.5-30

Z3030RN

30" Deep Space Saver Connectable Table

Narrow end panels on both sides. Connects the left end only to any corner unit with a 24" throat. Right end allows the continuation of additional 30" connectable center or right connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

WT/LBS.

153

143

136

110

99

88

77

CUBIC FT.

6

6

5.25

4.30

3.80

3.30

3.60

1.5" TOP

\$1152

\$1143

\$1039

\$908

\$900

\$812

\$759

1"TOP

\$978

\$978

\$880

\$769

\$769

\$691

\$653

FREIGHT CLASS

65

65

65

65


65

65

70

29.7 x 30 x 29.5-30

#### • Modesty Panel is 1" off of ground.



24" Deep Space Saver Connectable Table

Z2472RN	24 x 72 x 29.5-30	70	134	6	\$859	\$1026	N/A	\$384
Z2466RN	24 x 66 x 29.5-30	70	125	6	\$859	\$1009	N/A	\$384
Z2460RN	24 x 60 x 29.5-30	70	115	5.25	\$780	\$919	N/A	\$353
Z2448RN	24 x 48 x 29.5-30	70	95	4.30	\$706	\$819	N/A	\$281
Z2442RN	24 x 42 x 29.5-30	70	85	3.80	\$706	\$812	N/A	\$236
Z2436RN	24 x 36 x 29.5-30	65	76	3.30	\$618	\$704	N/A	\$178
Z2430RN	24 x 30 x 29.5-30	70	67	3.60	\$580	\$651	N/A	\$178

Narrow end panels on both sides. Connects the left end only to any corner unit with a 20" throat. Right end allows the continuation of additional 30" connectable center or right connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

# • Modesty Panel is 1" off of ground.


EXTENDED CORNER ISTAINDS
16-1-19-1-19-1-19-1-19-1-19-1-19-1-19-1

**Extended Corner Island - LEFT** Full End Panel & Post (T-Base)\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
740045071	40 04 00 5 00	, 70	400.00	40.70	44007	44=40	N1/A	
Z4284EDTL	42 x 84 x 29.5-30	70	180.60	10.76	\$1227	\$1546	N/A	\$1015
Z4272EDTL	42 x 72 x 29.5-30	70	164.85	9.50	\$1154	\$1437	N/A	\$762
Z3672EDTL	36 x 72 x 29.5-30	70	139.65	8.76	\$1053	\$1252	N/A	\$573
Z3666EDTL	36 x 66 x 29.5-30	70	133.35	8.76	\$1008	\$1205	N/A	\$573
Z3660EDTL	36 x 60 x 29.5-30	70	127.05	6.50	\$961	\$1160	N/A	\$477

Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Grommet in worksurface. Shipped RTA (ready to assemble).

• Post is shipped in separate carton.



**Extended Corner Island - RIGHT** Full End Panel & Post (T-Base)\*

Z4272EDTR       42 x 72 x 29.5-30       70       164.85       9.50       \$1154       \$1437       N/A       \$762         Z3672EDTR       36 x 72 x 29.5-30       70       139.65       8.76       \$1053       \$1252       N/A       \$573         Z3666EDTR       36 x 66 x 29.5-30       70       133.35       8.76       \$1008       \$1205       N/A       \$573         Z3660EDTR       36 x 60 x 29.5-30       70       127.05       6.50       \$961       \$1160       N/A       \$477	Z4284EDTR	42 x 84 x 29.5-30	70	180.60	10.76	\$1227 \$1546	N/A	\$1015
Z3666EDTR 36 x 66 x 29.5-30 70 133.35 8.76 <b>\$1008 \$1205</b> N/A <b>\$573</b>	Z4272EDTR	42 x 72 x 29.5-30	70	164.85	9.50	\$1154 \$1437	N/A	\$762
	Z3672EDTR	36 x 72 x 29.5-30	70	139.65	8.76	\$1053 \$1252	N/A	\$573
Z3660EDTR 36 x 60 x 29.5-30 70 127.05 6.50 <b>\$961 \$1160</b> N/A <b>\$477</b>	Z3666EDTR	36 x 66 x 29.5-30	70	133.35	8.76	\$1008 \$1205	N/A	\$573
	Z3660EDTR	36 x 60 x 29.5-30	70	127.05	6.50	\$961 \$1160	N/A	\$477

Extended island worksurface on right. Connects to returns or bridges with a 16" throat on the left. Not freestanding. Grommet in worksurface. Shipped RTA (ready to assemble).

Post is shipped in separate carton.

	Required	Spec	cifica	tions
--	----------	------	--------	-------


Top finish Top/edge detail Base finish

# **Optional Specifications**

**HP** laminate Modesty panel type Grommet position or power block cut-out

# Accessories Power block


Keyboard Pencil drawer



**Extended Corner Island - LEFT Faux Pedestal and Post** 



Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Faux pedestal on the right is ideal for concealing a CPU. % modesty panel is standard. Grommet in worksurface. Shipped RTA (ready to assemble) in 2 cartons.



**Extended Corner Island - RIGHT Faux Pedestal and Post** 

Laminate Modesty	/:	Glazed M	lodesty:					
Z4884EDFR	48 x 84 x 29.5-30	70	214.20	12	\$1535	\$1891	\$690	\$1015
Z4872EDFR	48 x 72 x 29.5-30	70	192.15	10.76	\$1423	\$1733	\$570	\$762
Z4284EDFR	42 x 84 x 29.5-30	70	186.90	10.76	\$1441	\$1760	\$690	\$1015
Z4272EDFR	42 x 72 x 29.5-30	70	168	8.76	\$1341	\$1619	\$570	\$762
Z4266EDFR	42 x 66 x 29.5-30	70	158.55	8.76	\$1288	\$1547	\$510	\$762

Extended island worksurface on right. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Faux pedestal on the left is ideal for concealing a CPU. 34 modesty panel is standard. Grommet in worksurface. Shipped RTA (ready to assemble) in 2 cartons.



Glazed Modesty:


= 84',72',66',60' —

EXTENDED CORNER ISLANDS (WITH RECESSED

**Extended Corner Island - LEFT Recessed Modesty and Post** 

Y)	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	Z4284EDRL	42 x 84 x 29.5-30	70	199	10.76	\$1361	\$1681	\$810	\$1015
	Z4272EDRL	42 x 72 x 29.5-30	• •	180	9.50	\$1278	\$1560	\$738	\$762
	Z3672EDRL	36 x 72 x 29.5-30	70	154	8.76	\$1132	\$1372	\$738	\$573
	Z3666EDRL	36 x 66 x 29.5-30	70	144	8.76	\$1091	\$1314	\$678	\$573
	Z3660EDRL	36 x 60 x 29.5-30	70	136	6.50	\$1048	\$1255	\$620	\$477

Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Grommet in worksurface. % recessed modesty panel is standard Shipped RTA (ready to assemble) in 2 cartons.



**Extended Corner Island - RIGHT Recessed Modesty and Post** 

Laminate Modesty :		Glazed IVI	odesty:					
Z4284EDRR	42 x 84 x 29.5-30	70	199	10.76	\$1361	\$1681	\$810	\$1015
Z4272EDRR	42 x 72 x 29.5-30	70	180	9.50	\$1278	\$1560	\$738	\$762
Z3672EDRR	36 x 72 x 29.5-30	70	154	8.76	\$1132	\$1372	\$738	\$573
Z3666EDRR	36 x 66 x 29.5-30	70	144	8.76	\$1091	\$1314	\$678	\$573
Z3660EDRR	36 x 60 x 29.5-30	70	136	6.50	\$1048	\$1255	\$620	\$477

Extended island worksurface on right. Connects to returns or bridges with a 16" throat on the left. Not freestanding. Grommet in worksurface. % recessed modesty panel is standard Shipped RTA (ready to assemble) in 2 cartons.



Glazed Modesty:



Req	uired	Speci	ificat	ions
Top	finish			
Ton	ladaa i	dotoil		

Top/edge detail Base finish Monopost finish\*

# **Optional Specifications**


**HP** laminate Modesty panel type Grommet position or power block cut-out

ACCC33011C
Power block
Keyboard
Pencil drawe


**Extended Corner Island - LEFT Flush Modesty and Post** 




Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Grommet in worksurface. 34 flush modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.



**Extended Corner Island - RIGHT Flush Modesty and Post** 



Extended island worksurface on right. Connects to returns or bridges with a 16" throat on the left. Not freestanding. Grommet in worksurface. 34 flush modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.




Extended Corner "P" Island - LEFT Full End Panel & Post (T-Base)

Laminate Modesty:		Glazed M	odesty:					
Z4284EPTL	42 x 84 x 29.5-30	70	178.50	10.76	\$1219	\$1538	N/A	\$1015
Z3684EPTL	36 x 84 x 29.5-30	100	153.30	19	\$1124	\$1407	N/A	\$762
Z3672EPTL	36 x 72 x 29.5-30	70	144.90	8.76	\$1036	\$1246	N/A	\$573
Z3666EPTL	36 x 66 x 29.5-30	70	138.60	8.76	\$994	\$1220	N/A	\$573
Z3660EPTL	36 x 60 x 29.5-30	70	129.15	6.50	\$957	\$1167	N/A	\$477

Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Grommet in worksurface. Shipped RTA (ready to assemble).

· Post is shipped in separate carton.



Extended Corner "P" Island - RIGHT Full End Panel & Post (T-Base)

Z4284EPTR	42 x 84 x 29.5-30	70	178.50	10.76	\$1219	\$1538	N/A	\$1015
Z3684EPTR	36 x 84 x 29.5-30	100	153.30	19	\$1124	\$1407	N/A	\$762
Z3672EPTR	36 x 72 x 29.5-30	70	144.90	8.76	\$1036	\$1246	N/A	\$573
Z3666EPTR	36 x 66 x 29.5-30	70	138.60	8.76	\$994	\$1220	N/A	\$573
Z3660EPTR	36 x 60 x 29.5-30	70	129.15	6.50	\$957	\$1167	N/A	\$477

Extended island worksurface on right. Connects to returns or bridges with a 16" throat on the left. Not freestanding. Grommet in worksurface. Shipped RTA (ready to assemble).


• Post is shipped in separate carton.

Req	uired	S	peci	fica	tions
Top	finish				

Top/edge detail Base finish Monopost finish

# **Optional Specifications**

**HP** laminate Glazing - modesty panel Grommet position or power block cut-out



**EXTENDED CORNER ISLANDS (WITH FAUX MODESTY)** 

Extended Corner "P" Island - LEFT **Faux Pedestal and Post** 



Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Faux pedestal on the right is ideal for concealing a CPU. 34 modesty panel is standard. Grommet in worksurface. Shipped RTA (ready to assemble) in 2 cartons.



Glazed Modesty

487, 427, 567 Throat	
-------------------------	--

Extended Corner "P" Island - RIGHT **Faux Pedestal and Post** 

EXTENDED CORNER ISLANDS (WITH RECESSED MODESTY)

Z4884EPFR 12 \$1888 \$690 \$1015 48 x 84 x 29.5-30 70 217 \$1535 Z4872EPFR 48 x 72 x 29.5-30 70 194 10.50 \$1731 \$570 \$762 \$1422 Z4284EPFR 42 x 84 x 29.5-30 70 191 10.76 \$1759 \$690 \$1015 \$1441 Z4272EPFR 42 x 72 x 29.5-30 70 172 8.76 \$1340 \$1618 \$570 \$762 70 \$762 Z4266EPFR 42 x 66 x 29.5-30 160 8.76 \$1286 \$1544 \$510

Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Faux pedestal on the right is ideal for concealing a CPU. % modesty panel is standard. Grommet in worksurface. Shipped RTA (ready to assemble) in 2 cartons.



Glazed Modesty

^	
	,

**Extended Corner "P" Island - LEFT Recessed Modesty and Post** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
Z4284EPRL	42 x 84 x 29.5-30	70	199.50	10.76	\$1358	\$1677	\$810	\$1015
Z3684EPRL	36 x 84 x 29.5-30	70	173.25	9.50	\$1231	\$1543	\$810	\$762
Z3672EPRL	36 x 72 x 29.5-30	70	156.45	8.76	\$1132	\$1372	\$738	\$573
Z3666EPRL	36 x 66 x 29.5-30	70	149.10	8.76	\$1103	\$1330	\$678	\$573
Z3660EPRL	36 x 60 x 29.5-30	70	140.70	6.50	\$1056	\$1266	\$620	\$477

Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Grommet in worksurface. % recessed modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.










Laminate Modesty:

Glazed Modesty:



Z4284EPRR	42 x 84 x 29.5-30	70	199.50	10.76	\$1358	\$1677	\$810	\$1015
Z3684EPRR	36 x 84 x 29.5-30	70	173.25	9.50	\$1231	\$1543	\$810	\$762
Z3672EPRR	36 x 72 x 29.5-30	70	156.45	8.76	\$1132	\$1372	\$738	\$573
Z3666EPRR	36 x 66 x 29.5-30	70	149.10	8.76	\$1103	\$1330	\$678	\$573
Z3660EPRR	36 x 60 x 29.5-30	70	140.70	6.50	\$1056	\$1266	\$620	\$477



**Recessed Modesty and Post** 

Extended island worksurface on right. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Grommet in worksurface. % recessed modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons









Laminate Modesty:

Glazed Modesty:



**Required Specifications** 

Top finish Top/edge detail Base finish Monopost finish **Optional Specifications** 

**HP** laminate

Glazing - modesty panel Grommet position or power block cut-out

**HP ADD** \$1015 \$762 \$573


\$573

\$477

EXTENDED CORNER ISLANDS (WITH RECESSED MODESTY)	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD
		DxWxH						
	Z4284EPML	42 x 84 x 29.5-30	70	200	10.76	\$1373	\$1692	\$810
	Z3684EPML	36 x 84 x 29.5-30	70	172	9.50	\$1244	\$1527	\$810
	Z3672EPML	36 x 72 x 29.5-30	70	156	8.76	\$1141	\$1380	\$738

36 x 66 x 29.5-30

36 x 60 x 29.5-30





Extended Corner "P" Island - LEFT **Flush Modesty and Post** 

Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Grommet in worksurface. 34 flush modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.

150

141





70

70

Laminate Modesty:

Glazed Modesty:

8.76

6.50

\$1096

\$1063

\$1296

\$1272



\$678

\$620

Extended Corner "P" Island - RIGHT **Flush Modesty and Post** 

\$1015 Z4284EPMR 42 x 84 x 29.5-30 70 200 10.76 \$1373 \$1692 \$810 Z3684EPMR 36 x 84 x 29.5-30 70 172 9.50 \$1244 \$1527 \$810 \$762 156 \$738 Z3672EPMR 36 x 72 x 29.5-30 70 8.76 \$1141 \$1380 \$573 Z3666EPMR 36 x 66 x 29.5-30 70 150 8.76 \$1096 \$1296 \$678 \$573 Z3660EPMR 36 x 60 x 29.5-30 70 141 6.50 \$1272 \$620 \$477 \$1063

Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Grommet in worksurface. 34 flush modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.



Z3666EPML

Z3660EPML







Laminate Modesty:


Glazed Modesty:

**Required Specifications** 

Top finish Top/edge detail Base finish Monopost finish **Optional Specifications** 

**HP** laminate Glazing - modesty panel Remove standard grommet (RSG)

'D" ISLANDS




"D" Island with Monopost

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z3672I	36 x 72 x 29.5-30	70	144	8.50	\$789	\$1003	N/A	\$548
Z3066I	29.7 x 66 x 29.5-30	70	115	7.50	\$736	\$905	N/A	\$513
Z3060I	29.7 x 60 x 29.5-30	70	104	6.76	\$736	\$897	N/A	\$477
Z2466I	24 x 66 x 29.5-30	85	101	7.50	\$672	\$822	N/A	\$384
Z2460I	24 x 60 x 29.5-30	85	92	6.76	\$637	\$770	N/A	\$353
Z2448I	24 x 48 x 29.5-30	85	74	5.76	\$589	\$707	N/A	\$281

Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. Shipped RTA (ready to assemble).

• Post is shipped in separate carton.




"D" Island - Full End Panel and Monopost (T-Base)

Z3672FI	36 x 72 x 29.5-30	85	123	8.50	\$967	\$1181	N/A	\$548
Z3072FI	29.7 x 72 x 29.5-30	85	106	7.50	\$967	\$1145	N/A	\$515
Z3066FI	29.7 x 66 x 29.5-30	85	101	7.50	\$880	\$1049	N/A	\$513
Z3060FI	29.7 x 60 x 29.5-30	85	94	6.76	\$827	\$988	N/A	\$477
Z2466FI	24 x 66 x 29.5-30	85	90	7.50	\$815	\$967	N/A	\$384
Z2460FI	24 x 60 x 29.5-30	85	84	6.76	\$780	\$915	N/A	\$353
Z2448FI	24 x 48 x 29.5-30	85	74	5.76	\$736	\$853	N/A	\$281

Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. Not freestanding. Shipped RTA (ready to assemble).

· Post is shipped in separate carton.



"D" Island LEFT - Full Modesty Panel (H-Base)

Z3672FIL	36 x 72 x 29.5-30	65	171	7	\$913	\$1127	N/A	\$548
Z3066FIL	29.7 x 66 x 29.5-30	65	140	6	\$815	\$1044	N/A	\$513
Z3060FIL	29.7 x 60 x 29.5-30	65	128	5.25	\$742	\$903	N/A	\$477


Connects to the left side of a worksurface. Attaching hardware included. Accommodates all 19" pedestals (mobile and hanging pedestals and 19.3" deep storage shells). Includes grommet as shown. Shipped RTA (ready to assemble).



"D" Island RIGHT - Full Modesty Panel (H-Base)

Z3672FIR	36 x 72 x 29.5-30	65	171	7	\$913	\$1127	N/A	\$548
Z3066FIR	29.7 x 66 x 29.5-30	65	140	6	\$815	\$1044	N/A	\$513
Z3060FIR	29.7 x 60 x 29.5-30	65	128	5.25	\$742	\$903	N/A	\$477

Connects to the right side of a worksurface. Attaching hardware included. Accommodates all 19" pedestals (mobile and hanging pedestals and 19.3" deep storage shells). Includes grommet as shown. Shipped RTA (ready to assemble).



"D" Island CENTER - Full Modesty Panel (H-Base)

Z3672FIC	36 x 72 x 29.5-30	65	171	7	\$913	\$1127	N/A	\$548
Z3066FIC	29.7 x 66 x 29.5-30	65	140	6	\$815	\$1044	N/A	\$513
Z3060FIC	29.7 x 60 x 29.5-30	65	123	5.25	\$742	\$903	N/A	\$477


Connects in between two worksurfaces. Attaching hardware included. Will not accommodate pedestals. Includes grommet as shown. Shipped RTA (ready to assemble).

Required Specifications
Top finish

Top/edge detail Base finish Monopost finish **Optional Specifications** 

**HP** laminate


Remove standard grommet (RSG)



"D"	leland	I FFT with	Doct

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP AD	D
	DxWxH							
Z3672IPL	42 x 72 x 29.5-30	85	128	9.26	\$899	\$1118	N/A <b>\$731</b>	
Z3666IPL	42 x 66 x 29.5-30	85	119	8.76	\$899	\$1068	N/A \$731	1
Z3660IPL	42 x 60 x 29.5-30	85	110	8	\$815	\$984	N/A <b>\$623</b>	}


Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. Shipped RTA (ready to assemble). • Post is shipped in separate carton.




"P" Island RIGHT with Post

Z3672IPR	42 x 72 x 29.5-30	85	128	9.26	\$899	\$1118	N/A	\$731
Z3666IPR	42 x 66 x 29.5-30	85	119	8.76	\$899	\$1068	N/A	\$731
Z3660IPR	42 x 60 x 29.5-30	85	110	8	\$815	\$984	N/A	\$623

Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. Shipped RTA (ready to assemble).






"P" Island LEFT - Full End Panel and Post (T-Base)

Z3672FPL	42 x 72 x 29.5-30	70	163	9.26	\$1077	\$1296	N/A	\$731
Z3666FPL	42 x 66 x 29.5-30	70	155	8.76	\$1077	\$1255	N/A	\$731
Z3660FPL	42 x 60 x 29.5-30	70	145	8	\$996	\$1165	N/A	\$623

Connects to left side of worksurface. Attaching hardware included. Not freestanding. Includes grommet as shown. Shipped RTA (ready to assemble).

• Post is shipped in separate carton.




"P" Island RIGHT - Full End Panel and Post (T-Base)

Z3672FPR	42 x 72 x 29.5-30	70	163	9.26	\$1077	\$1296	N/A	\$731
Z3666FPR	42 x 66 x 29.5-30	70	155	8.76	\$1077	\$1255	N/A	\$731
Z3660FPR	42 x 60 x 29.5-30	70	145	8	\$996	\$1165	N/A	\$623

Connects to right side of worksurface. Attaching hardware included. Not freestanding. Includes grommet as shown. Shipped RTA (ready to assemble).


• Post is shipped in separate carton.



"P" Island LEFT - Full Modesty Panel (H-Base)

Z3672PL	42 x 72 x 29.5-30	65	178	7.75	\$1015	\$1233	N/A	\$731
Z3666PL	42 x 66 x 29.5-30	65	167	7.25	\$926	\$1095	N/A	\$731
Z3660PL	42 x 60 x 29.5-30	65	155	6.50	\$852	\$1022	N/A	\$623

Connects to the left side of a worksurface. Attaching hardware included. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Includes grommet as shown. Shipped RTA (ready to assemble).



"P" Island RIGHT - Full Modesty Panel (H-Base)


Z3672PR	42 x 72 x 29.5-30	65	178	7.75	\$1015	\$1233	N/A	\$731
Z3666PR	42 x 66 x 29.5-30	65	167	7.25	\$926	\$1095	N/A	\$731
Z3660PR	42 x 60 x 29.5-30	65	155	6.50	\$852	\$1022	N/A	\$623

Connects to the left side of a worksurface. Attaching hardware included. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Includes grommet as shown. Shipped RTA (ready to assemble).

Required Specifications
Top finish
Top/edge detail
Base finish
Monopost finish

Optional	Specifications
HP lamina	te

Remove standard grommet (RSG)



RECTANGULAR ISLANDS

Rectangular Island w/Monopost

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD	
	DxWxH								Π
Z3672RI	36 x 72 x 29.5-30	125	90	14.50	\$780	\$993	N/A	\$624	
Z3066RI	30 x 66 x 29.5-30	150	72	12.50	\$728	\$895	N/A	\$513	
Z3060RI	30 x 60 x 29.5-30	125	66	10.50	\$728	\$888	N/A	\$480	
Z2466RI	24 x 66 x 29.5-30	150	63	15	\$664	\$820	N/A	\$384	
Z2460RI	24 x 60 x 29.5-30	150	57	13	\$630	\$763	N/A	\$356	
Z2448RI	24 x 48 x 29.5-30	150	47	11.50	\$586	\$706	N/A	\$285	

Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. Shipped RTA (ready to assemble). **Not freestanding.** 

• Post is shipped in separate carton.

Z3672RFIL	36 x 72 x 29.5-30	70	145	7.25	\$904	\$1117	N/A	\$624
Z3084RFIL	29.69 x 84 x 29.5-30	70	146	7.25	\$900	\$1112	N/A	\$618
Z3066RFIL	29.69 x 66 x 29.5-30	70	121	6.25	\$807	\$1040	N/A	\$513
Z3060RFIL	29.69 x 60 x 29.5-30	70	110	5.25	\$736	\$896	N/A	\$480
Z2472RFIL	24 x 72 x 29.5-30	70	116	6.25	\$691	\$856	N/A	\$390
Z2466RFIL	24 x 66 x 29.5-30	70	109	5.75	\$656	\$823	N/A	\$384
Z2460RFIL	24 x 60 x 29.5-30	70	99	5.25	\$624	\$757	N/A	\$356
Z2448RFIL	24 x 48 x 29.5-30	70	85	4.20	\$590	\$694	N/A	\$285

Connects to the **left** side of a worksurface. Attaching hardware included. 36" and 30"D accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Includes grommet as shown. Shipped RTA (ready to assemble). **Not freestanding.** 

Z3672RFIR	36 x 72 x 29.5-30	70	145	7.25	\$904	\$1117	N/A	\$624
Z3084RFIR	29.69 x 84 x 29.5-30	70	146	7.25	\$900	\$1112	N/A	\$618
Z3066RFIR	29.69 x 66 x 29.5-30	70	121	6.25	\$807	\$1040	N/A	\$513
Z3060RFIR	29.69 x 60 x 29.5-30	70	110	5.25	\$736	\$896	N/A	\$480
Z2472RFIR	24 x 72 x 29.5-30	70	116	6.25	\$691	\$856	N/A	\$390
Z2466RFIR	24 x 66 x 29.5-30	70	109	5.75	\$656	\$823	N/A	\$384
Z2460RFIR	24 x 60 x 29.5-30	70	99	5.25	\$624	\$757	N/A	\$356
Z2448RFIR	24 x 48 x 29.5-30	70	85	4.20	\$590	\$694	N/A	\$285

Connects to the **right** side of a worksurface. Attaching hardware included. 36" and 30"D accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Includes grommet as shown. Shipped RTA (ready to assemble). **Not freestanding.** 



Rectangular Island LEFT -Full Modesty Panel (H-Base)

Rectangular Island RIGHT -Full Modesty Panel (H-Base)

Required Specifications
Top finish

Top finish Top/edge detail Leg finish

UNIVERSAL TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	ZUT1696	16 x 96 x 1	100	42	5	\$556	\$742	N/A	\$334
	ZUT1690	16 x 90 x 1	100	39	4.75	\$525	\$700	N/A	\$310
	ZUT1684	16 x 84 x 1	100	37	4.50	\$476	\$637	N/A	\$291
	ZUT1678	16 x 78 x 1	100	34	4.25	\$457	\$607	N/A	\$274
	ZUT1672	16 x 72 x 1	85	31	2.25	\$427	\$565	N/A	\$250
	ZUT1666	16 x 66 x 1	85	29	2	\$397	\$522	N/A	\$232
	ZUT1660	16 x 60 x 1	85	26	1.75	\$367	\$479	N/A	\$212
	ZUT1654	16 x 54 x 1	85	24	1.75	\$329	\$436	N/A	\$186
	ZUT1648	16 x 48 x 1	85	21	1.50	\$299	\$392	N/A	\$168
	ZUT1642	16 x 42 x 1	85	18	1.25	\$267	\$350	N/A	\$151
	ZUT1636	16 x 36 x 1	85	16	1.25	\$232	\$302	N/A	\$126
	ZUT1630	16 x 30 x 1	85	13	1	\$200	\$257	N/A	\$107
	ZUT1896	18 x 96 x 1	100	47	5.50	\$567	\$749	N/A	\$372
	ZUT1890	18 x 90 x 1	100	44	5.25	\$538	\$706	N/A	\$353
	ZUT1884	18 x 84 x 1	100	41	4.75	\$501	\$663	N/A	\$329
	ZUT1878	18 x 78 x 1	100	38	4.50	\$470	\$614	N/A	\$303
	ZUT1872	18 x 72 x 1	70	35	2.25	\$439	\$577	N/A	\$280
	ZUT1866	18 x 66 x 1	85	32	2.25	\$401	\$527	N/A	\$261
	ZUT1860	18 x 60 x 1	85	29	2	\$372	\$485	N/A	\$236
	ZUT1854	18 x 54 x 1	85	26	1.75	\$334	\$441	N/A	\$212
	ZUT1848	18 x 48 x 1	85	23	1.75	\$310	\$403	N/A	\$186
	ZUT1842	18 x 42 x 1	85	20	1.50	\$280	\$363	N/A	\$168
	ZUT1836	18 x 36 x 1	85	18	1.25	\$236	\$306	N/A	\$144
	ZUT1830	18 x 30 x 1	85	15	1.25	\$206	\$264	N/A	\$119
	71.170.00								****
	ZUT2096	20 x 96 x 1	100	52	6	\$575	\$761	N/A	\$415
	ZUT2090	20 x 90 x 1	100	49	5.50	\$545	\$720	N/A	\$390
	ZUT2084	20 x 84 x 1	100	45	5.25	\$507	\$668	N/A	\$367
	ZUT2078	20 x 78 x 1	100	42	4.75	\$447	\$597	N/A	\$341
	ZUT2072	20 x 72 x 1	70	39	2.50	\$447	\$585	N/A	\$310
	ZUT2066	20 x 66 x 1	70	36	2.25	\$409	\$540	N/A	\$285
	ZUT2060	20 x 60 x 1	85	32	2.25	\$377	\$489	N/A	\$261
	ZUT2054	20 x 54 x 1	85	29	2	\$348	\$449	N/A	\$236
	ZUT2048	20 x 48 x 1	85	26	1.75	\$318	\$405	N/A	\$212
	ZUT2042	20 x 42 x 1	70	23	1.50	\$285	\$361	N/A	\$186
	ZUT2036	20 x 36 x 1	85	20	1.50	\$242	\$312	N/A	\$157
	ZUT2030	20 x 30 x 1	85	16	1.25	\$212	\$270	N/A	\$132
	ZUT2496	24 x 96 x 1	100	62	6.75	\$661	\$879	N/A	\$495
	ZUT2490	24 x 90 x 1	100	58	6.25	\$624	\$830	N/A	\$465
	ZUT2484	24 x 84 x 1	100	55	6	\$580	\$773	N/A	\$434
	ZUT2478	24 x 78 x 1	100	51	5.50	\$545	\$726	N/A	\$401
	ZUT2472	24 x 72 x 1	100	47	5.25	\$507	\$664	N/A	\$372
	ZUT2466	24 x 66 x 1	100	43	4.75	\$470	\$627	N/A	\$341
	ZUT2460	24 x 60 x 1	100	39	4.50	\$434	\$571	N/A	\$310
	ZUT2454	24 x 54 x 1	100	35	4	\$397	\$522	N/A	\$280
	ZUT2448	24 x 48 x 1	70	31	2	\$359	\$471	N/A	\$250
	ZUT2442	24 x 42 x 1	70	27	1.75	\$318	\$419	N/A	\$219
	ZUT2436	24 x 36 x 1	70	23	1.50	\$280	\$368	N/A	\$186
	ZUT2430	24 x 30 x 1	85	20	1.50	\$242	\$312	N/A	\$157
Laminate Tops	•	placement over Zira st	•						



- Contact Global for pricing on special size tops.
- No drilling or hardware included.

Required	Specifications

Top finish
Top/edge detail

Optional Specifications
HP laminate
Grommet position or power block cut-out

Accessories Power block

ERSAL TOPS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	ZUT3096	29.7 x 96 x 1	100	77	8	\$778	\$1056	N/A	\$617
	ZUT3090	29.7 x 90 x 1	100	72	7.50	\$735	\$996	N/A	\$580
	ZUT3084	29.7 x 84 x 1	100	67	7.25	\$692	\$934	N/A	\$545
	ZUT3078	29.7 x 78 x 1	100	62	6.75	\$642	\$866	N/A	\$507
	ZUT3072	29.7 x 72 x 1	100	58	6.25	\$624	\$834	N/A	\$465
	ZUT3066	29.7 x 66 x 1	100	53	5.75	\$556	\$742	N/A	\$427
	ZUT3060	29.7 x 60 x 1	100	48	5.25	\$513	\$681	N/A	\$390
	ZUT3054	29.7 x 54 x 1	100	43	4.75	\$470	\$620	N/A	\$353
	ZUT3048	29.7 x 48 x 1	70	38	2.50	\$422	\$566	N/A	\$310
	ZUT3042	29.7 x 42 x 1	70	34	2.25	\$377	\$496	N/A	\$274
	ZUT3036	29.7 x 36 x 1	85	29	2	\$329	\$436	N/A	\$236
	ZUT3030	29.7 x 30 x 1	85	24	1.75	\$285	\$373	N/A	\$200
	ZUT3696	36 x 96 x 1	92.5	93	9.25	\$907	\$1235	N/A	\$740
	ZUT3690	36 x 90 x 1	100	87	8.75	\$852	\$1162	N/A	\$698
	ZUT3684	36 x 84 x 1	100	81	8.25	\$785	\$1076	N/A	\$648
	ZUT3678	36 x 78 x 1	100	76	7.75	\$748	\$1013	N/A	\$604
	ZUT3672	36 x 72 x 1	100	70	7.25	\$698	\$946	N/A	\$556
	ZUT3666	36 x 66 x 1	100	64	6.75	\$630	\$853	N/A	\$513
	ZUT3660	36 x 60 x 1	100	58	6.25	\$587	\$793	N/A	\$465
	ZUT3654	36 x 54 x 1	100	52	5.50	\$545	\$726	N/A	\$422
	ZUT3648	36 x 48 x 1	100	47	5	\$489	\$657	N/A	\$372
	ZUT3642	36 x 42 x 1	100	41	4.50	\$439	\$583	N/A	\$329
	ZUT3636	36 x 36 x 1	100	35	4	\$385	\$510	N/A	\$280
	ZUT3630	36 x 30 x 1	100	29	3.50	\$329	\$436	N/A	\$236
	ZUT4296	42 x 96 x 1	92.5	108	10	\$1024	\$1408	N/A	\$864
	ZUT4290	42 x 90 x 1	92.5	102	10	\$967	\$1326	N/A	\$815
	ZUT4284	42 x 84 x 1	92.5	95	9.50	\$888	\$1222	N/A	\$760
	ZUT4278	42 x 78 x 1	92.5	88	8.75	\$852	\$1162	N/A	\$704
	ZUT4272	42 x 72 x 1	100	81	8.25	\$790	\$1081	N/A	\$648
	ZUT4266	42 x 66 x 1	92.5	75	7.50	\$735	\$996	N/A	\$600
	ZUT4260	42 x 60 x 1	100	68	7	\$673	\$915	N/A	\$545
	ZUT4254	42 x 54 x 1	100	61	6.25	\$613	\$831	N/A	\$489
	ZUT4248	42 x 48 x 1	100	54	5.75	\$556	\$750	N/A	\$434
	ZUT4242	42 x 42 x 1	100	48	5.25	\$495	\$663	N/A	\$385
	ZUT4236	42 x 36 x 1	100	41	4.50	\$422	\$608	N/A	\$329
	ZUT4230	42 x 30 x 1	100	34	4	\$341	\$467	N/A	\$274
	ZUT4896	48 x 96 x 1	92.5	124	11.25	\$1153	\$1592	N/A	\$987
	ZUT4890	48 x 90 x 1	92.5	116	10.50	\$1092	\$1500	N/A	\$926
	ZUT4884	48 x 84 x 1	92.5	108	10.50	\$1018	\$1402	N/A	\$864
	ZUT4878	48 x 78 x 1	92.5	101	10	\$950	\$1303	N/A	\$802
	ZUT4872	48 x 72 x 1	92.5	93	9.25	\$888	\$1217	N/A	\$740
	ZUT4866	48 x 66 x 1	92.5	85	8.50	\$819	\$1122	N/A	\$680
	ZUT4860	48 x 60 x 1	92.5	77	7.25	\$760	\$1034	N/A	\$617
	ZUT4854	48 x 54 x 1	100	70	7.25	\$692	\$940	N/A	\$556
	ZUT4848	48 x 48 x 1	100	62	6.50	\$617	\$841	N/A	\$495
	ZUT4842	48 x 42 x 1	100	54	5.75	\$556	\$750	N/A	\$434
	ZUT4836	48 x 36 x 1	100	47	5	\$489	\$651	N/A	\$372
	ZUT4830	48 x 30 x 1	100	36	4.25	\$415	\$553	N/A	\$310



- Contact Global for pricing on special size tops.
- No drilling or hardware included.

Reauired	Specifications	


Top finish
Top/edge detail

# Optional Specifications HP laminate

Grommet position or power block cut-out

Accessories Power block

									ZIRA
UNIVERSAL TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	71.175.400	DxWxH		400	40.50	****	****	• • • • • • • • • • • • • • • • • • • •	****
	ZUT5496	54 x 96 x 1	92.5	139	12.50	\$1281	\$1770	N/A	\$1110
	ZUT5490	54 x 90 x 1	92.5	131	11.75	\$1208	\$1672	N/A	\$1043
	ZUT5484	54 x 84 x 1	92.5	122	11	\$1141	\$1573	N/A	\$976
	ZUT5478	54 x 78 x 1	92.5	113	10.25	\$1074	\$1470	N/A	\$907
	ZUT5472	54 x 72 x 1	92.5	105	9.50	\$999	\$1371	N/A	\$832
	ZUT5466	54 x 66 x 1	92.5	96	9.50	\$931	\$1265	N/A	\$766
	ZUT5460	54 x 60 x 1	100	87	8.75	\$857	\$1166	N/A	\$698
	ZUT5454	54 x 54 x 1	100	78	8	\$766	\$1044	N/A	\$630
	ZUT5448	54 x 48 x 1	100	70	7.25	\$692	\$940	N/A	\$556
	ZUT5442	54 x 42 x 1	100	61	6.25	\$613	\$831	N/A	\$489
	ZUT5436	54 x 36 x 1	100	52	5.50	\$470	\$651	N/A	\$422
	ZUT5430	54 x 30 x 1	100	44	4.75	\$470	\$627	N/A	\$353
	ZUT6096	60 x 96 x 1	92.5	155	14	\$1411	\$1954	N/A	\$1232
	ZUT6090	60 x 90 x 1	92.5	145	13	\$1330	\$1843	N/A	\$1158
	ZUT6084	60 x 84 x 1	92.5	135	12.25	\$1251	\$1733	N/A	\$1079
	ZUT6078	60 x 78 x 1	92.5	126	11.50	\$1178	\$1623	N/A	\$1005
	ZUT6072	60 x 72 x 1	92.5	116	10.50	\$1079	\$1487	N/A	\$926
	ZUT6066	60 x 66 x 1	92.5	106	9.75	\$999	\$1376	N/A	\$852
$\wedge$	ZUT6060	60 x 60 x 1	92.5	97	8.75	\$926	\$1267	N/A	\$772
	ZUT6054	60 x 54 x 1	100	87	8.75	\$857	\$1166	N/A	\$698
	≥ ZUT6048	60 x 48 x 1	100	77	7.75	\$760	\$1034	N/A	\$617
	ZUT6042	60 x 42 x 1	100	68	7	\$673	\$915	N/A	\$545
	ZUT6036	60 x 36 x 1	100	58	6.25	\$617	\$823	N/A	\$465
	ZUT6030	60 x 30 x 1	100	49	5.25	\$513	\$681	N/A	\$390
Laminate Tops	• Contact Global	placement over Zira s for pricing on special hardware included	size tops.						
	ZPHAT2370	23 x 70 x 1	100	39	4.5	\$501	\$663	N/A	\$348
	ZPHAT2364	23 x 64 x 1	100	39	4.5	\$457	\$614	N/A	\$322
	ZPHAT2358	23 x 58 x 1	70	35	2.25	\$422	\$560	N/A	\$291
	ZPHAT2352	23 x 52 x 1	70	32	2	\$385	\$510	N/A	\$261



ZPHAT2352 23 x 52 x 1 70 32 \$385 \$510 N/A \$261 ZPHAT2346 23 x 46 x 1 85 29 2 \$348 \$460 N/A \$232 ZPHAT2340 23 x 40 x 1 85 25 1.75 \$310 \$403 N/A \$200 ZPHAT2334 85 21 1.5 \$357 N/A 23 x 34 x 1 \$274 \$175

100 43 \$593 \$799 \$439 ZPHAT2970 29 x 70 x 1 5 N/A ZPHAT2964 29 x 64 x 1 100 49 5.5 \$550 \$735 N/A \$801 100 ZPHAT2958 29 x 58 x 1 45 5 \$501 \$676 N/A \$367 ZPHAT2952 70 40 2.5 \$457 N/A \$329 29 x 52 x 1 \$614 ZPHAT2946 70 35 2.25 \$415 \$553 \$291 29 x 46 x 1 N/A ZPHAT2940 29 x 40 x 1 70 31 2 \$367 \$492 \$255 N/A ZPHAT2934 85 1.75 \$322 29 x 34 x 1 26 \$429 N/A \$219

Laminate tops for placement over height adjustable tables.

- Contact Global for pricing on special size tops.
- No drilling or hardware included.

Required	Cnaail	icationa
Keauirea	Specii	ications

Top finish Top/edge detail

# Optional Specifications

HP laminate

Grommet position or power block cut-out

Accessories

Power block


ZIRA									
FILE TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	ZUFT1896	18.11 x 96.10 x 1	100	47	5.50	\$567	\$749	N/A	\$377
	ZUFT1890	18.11 x 90.12 x 1	100	44	5.25	\$538	\$706	N/A	\$353
	ZUFT1884	18.11 x 84.09 x 1	100	41	4.75	\$501	\$663	N/A	\$329
	ZUFT1878	18.11 x 78.11 x 1	100	38	4.50	\$470	\$614	N/A	\$310
	ZUFT1872	18.11 x 72.13 x 1	70	35	2.25	\$439	\$577	N/A	\$285
	ZUFT1866	18.11 x 66.10 x 1	85	32	2.25	\$401	\$527	N/A	\$261
	ZUFT1860	18.11 x 60.12 x 1	85	29	2	\$372	\$485	N/A	\$236
	ZUFT1854	18.11 x 54.09 x 1	70	27	1.75	\$334	\$441	N/A	\$219
	ZUFT1848	18.11 x 48.11 x 1	85	24	1.75	\$299	\$400	N/A	\$194
	ZUFT1842	18.11 x 42.13 x 1	85	21	1.50	\$267	\$354	N/A	\$168
	ZUFT1836	18.11 x 36.10 x 1	85	18	1.25	\$236	\$294	N/A	\$144
	ZUFT1830	18.11 x 30.12 x 1	85	15	1.25	\$206	\$264	N/A	\$119
	ZUFT1996	19.25 x 96.10 x 1	100	50	5.75	\$575	\$761	N/A	\$401
	ZUFT1990	19.25 x 90.12 x 1	100	47	5.50	\$545	\$720	N/A	\$377
	ZUFT1984	19.25 x 84.09 x 1	100	44	5	\$507	\$668	N/A	\$353
	ZUFT1978	19.25 x 78.11 x 1	100	41	4.75	\$476	\$626	N/A	\$329
	ZUFT1972	19.25 x 72.13 x 1	70	38	2.50	\$447	\$585	N/A	\$303
	ZUFT1966	19.25 x 66.10 x 1	70	34	2.25	\$409	\$535	N/A	\$280
	ZUFT1960	19.25 x 60.12 x 1	70	31	2	\$377	\$489	N/A	\$255
	ZUFT1954	19.25 x 54.09 x 1	85	27	2	\$348	\$449	N/A	\$232
	ZUFT1948	19.25 x 48.11 x 1	85	25	1.75	\$310	\$403	N/A	\$206
Yan and a same and a same	ZUFT1942	19.25 x 42.13 x 1	85	22	1.50	\$280	\$363	N/A	\$182
	ZUFT1936	19.25 x 36.10 x 1	70	19	1.25	\$242	\$312	N/A	\$157
	ZUFT1930	19.25 x 30.12 x 1	85	16	1.25	\$212	\$270	N/A	\$132



Laminate tops for placement over 1900 Series Lateral Files + Storage. **No drilling or hardware included.** 

• Contact Global for pricing on special size tops.

ZUFT3696	36.14 x 96.10 x 1	100	93	9.50	\$907	\$1235	N/A	\$748
ZUFT3690	36.14 x 90.12 x 1	92.5	88	8.75	\$852	\$1162	N/A	\$704
ZUFT3684	36.14 x 84.09 x 1	92.5	82	7.75	\$785	\$1076	N/A	\$654
ZUFT3678	36.14 x 78.11 x 1	100	76	7.75	\$748	\$1013	N/A	\$613
ZUFT3672	36.14 x 72.13 x 1	100	70	7.25	\$698	\$920	N/A	\$563
ZUFT3666	36.14 x 66.10 x 1	100	64	6.75	\$630	\$853	N/A	\$513
ZUFT3660	36.14 x 60.12 x 1	100	59	6.25	\$587	\$793	N/A	\$470
ZUFT3654	36.14 x 54.09 x 1	100	53	5.50	\$545	\$726	N/A	\$422
ZUFT3648	36.14 x 48.11 x 1	100	47	5	\$489	\$657	N/A	\$377
ZUFT3642	36.14 x 42.13 x 1	100	41	4.50	\$439	\$583	N/A	\$329
ZUFT3636	36.14 x 36.10 x 1	70	35	2.25	\$385	\$510	N/A	\$285
ZUFT3630	36.14 x 30.12 x 1	85	29	2	\$334	\$436	N/A	\$236
ZUFT3896	38.62 x 96.10 x 1	92.5	100	10	\$1011	\$1395	N/A	\$796
ZUFT3890	38.62 x 90.12 x 1	100	94	9.50	\$950	\$1309	N/A	\$748
ZUFT3884	38.62 x 84.09 x 1	100	87	8.75	\$894	\$1228	N/A	\$698
ZUFT3878	38.62 x 78.11 x 1	100	81	8.25	\$832	\$1150	N/A	\$648
ZUFT3872	38.62 x 72.13 x 1	100	75	7.75	\$778	\$1063	N/A	\$600
ZUFT3866	38.62 x 66.10 x 1	100	69	7	\$717	\$982	N/A	\$550
ZUFT3860	38.62 x 60.12 x 1	100	62	6.50	\$661	\$901	N/A	\$501
ZUFT3854	38.62 x 54.09 x 1	100	56	6	\$604	\$816	N/A	\$451
ZUFT3848	38.62 x 48.11 x 1	100	50	5.25	\$545	\$738	N/A	\$401
ZUFT3842	38.62 x 42.13 x 1	100	44	4.75	\$483	\$657	N/A	\$353
ZUFT3836	38.62 x 36.10 x 1	100	38	4.25	\$427	\$569	N/A	\$303
ZUFT3830	38.62 x 30.12 x 1	100	31	3.75	\$367	\$492	N/A	\$255



Lateral File Tops - Back to Back

Laminate tops for placement over back-to-back metal filing + storage. No drilling or hardware included.

- Use ZUFT36xx models for 18"D laterals back-to-back
- Use ZUFT38xx models for 19.25"D laterals back-to-back
- Contact Global for pricing on special size tops.

Req	uir	ed	Spe	ecifi	cations

Top finish Top/edge detail

# **Optional Specifications**

HP laminate

Grommet position or power block cut-out

Accessories

Power block



DEDECTALC	MODEL#	DIMENSIONS	EDELCHT OF ACC	WT/I DC	CUDIC ET	4″TOD	4 F" TOD	GLAZE ADD	IR/
PEDESTALS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.				HP AUI
	ZMPFF28 ZMPFF22	29 x 16 x 28 23 x 16 x 28	92.5 92.5	106 95	10.25 8.25	\$1286 \$1221	N/A N/A	N/A N/A	\$223 \$223
Mobile Pedestal with Overhang*	· ·	s on fully progressive ba ang with built-in grip fo s are locking.	,			U	0 0		
	ZMPFF19	19 x 16 x 28	85	97	7.25	\$1155	N/A	N/A	\$223
Mobile Pedestal*		s on fully progressive bant casters are locking.	ll bearing slides, a	accommodat	te letter and le	egal size ha	anging files	s. Drawers	are
	ZMPBBF28 ZMPBBF22	29 x 16 x 28 23 x 16 x 28	92.5 92.5	105 92	10.25 8.25	\$1179 \$1134	N/A N/A	N/A N/A	\$223 \$221
Mobile Pedestal with Overhang*	features 1" overh	rawers on fully progress nang with built-in grip fo ocking. Only front caster	r ease of mobility.			•	•	•	
	ZMPBBF19	19 x 16 x 28	85	96	7.25	\$1076	N/A	N/A	\$223
Mobile Pedestal*		rawers on fully progress awer are locking. Only t			modate letter	and legal s	ize hangin	g files. File	drawer
	ZMPBF28 ZMPBF22	29 x 16 x 22 23 x 16 x 22	92.5 92.5	83 73	8.25 6.75	\$1036 \$1010	N/A N/A	N/A N/A	\$223 \$223
Mobile Pedestal with Overhang*		s on fully progressive ba lang with built-in grip fo s are locking.							
	ZMPBF19	19 x 16 x 22	85	77	6.25	\$949	N/A	N/A	\$223
Mobile Pedestal*		s on fully progressive bant casters are locking.	ıll bearing slides,	accommoda	te letter and l	egal size ha	anging file	s. Drawers	are
	ZHPBF18	19 x 16 x 18	92.5	48	4.50	\$706	N/A	N/A	N/A
Hanging Pedestal	<b>Box/File</b> drawer locking.	s on fully progressive ba	III bearing slides,	accommoda	te letter and l	egal size ha	anging file	s. Drawers	are

Optional Specifications
HP laminate\*
Handles

Required Specifications
Top finish
Base finish
Lock finish



STORAGE SHELLS - 16.87" HIGH

**Open Storage Shell** 



MODEL#

Z36L21SNS

DIMENSIONS

DxWxH

24 x 36 x 16.87

24 x 30 x 16.87

20 x 36 x 16.87

20 x 30 x 16.87



**Lateral File Shell** 

Z36L21ES	24 x 36 x 16.87	125	82	11.25	\$935	N/A	N/A	N/A
Z30L21ES	24 x 30 x 16.87	100	77	9.50	\$816	N/A	N/A	N/A
Z36M21ES	20 x 36 x 16.87	100	78	9.50	\$901	N/A	N/A	N/A
Z30M21ES	20 x 30 x 16.87	100	73	8	\$780	N/A	N/A	N/A

WT/LBS.

62

55

56

49

CUBIC FT.

11.25

9.50

9.50

8

1"TOP

\$639

\$573

\$589

\$526

1.5" TOP

N/A

N/A

N/A

N/A

GLAZE ADD HP ADD

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

For use under Zxxxx1TB 17.37"H top and back kit. No top or back. For filing capabilities, see page 130.

FREIGHT CLASS

150

150

150

125

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.






Closed Storage Shell\*\*

Z36L21SHS	24 x 36 x 16.87	125	71	11.25	\$850	N/A	\$407	N/A
Z30L21SHS	24 x 30 x 16.87	125	62	9.50	\$767	N/A	\$362	N/A
Z36M21SHS	20 x 36 x 16.87	125	65	9.50	\$801	N/A	\$407	N/A
Z30M21SHS	20 x 30 x 16.87	125	57	8	\$722	N/A	\$361	N/A

For use under Zxxxx1TB 17.37"H top and back kit. No top or back. Laminate doors are standard. Standard with lock.




Split Drawer Storage Shell\* - LEFT

Z36L21XSL	24 x 36 x 16.87	125	81	11.25	\$866	N/A	N/A	N/A
Z30L21XSL	24 x 30 x 16.87	125	72	9.50	\$790	N/A	N/A	N/A
Z36M21XSL	20 x 36 x 16.87	100	78	9.50	\$831	N/A	N/A	N/A
Z30M21XSL	20 x 30 x 16.87	100	69	8	\$756	N/A	N/A	N/A

For use under Zxxxx1TB 17.37"H top and back kit. No top or back. Pull out drawer includes filing space on left and storage on right. Front-to-back letter capability.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.



Split Drawer Storage Shell\* - RIGHT

Z36L21XSR	24 x 36 x 16.87	125	81	11.25	\$866	N/A	N/A	N/A
Z30L21XSR	24 x 30 x 16.87	125	72	9.50	\$790	N/A	N/A	N/A
Z36M21XSR	20 x 36 x 16.87	100	78	9.50	\$831	N/A	N/A	N/A
Z30M21XSR	20 x 30 x 16.87	100	69	8	\$756	N/A	N/A	N/A

For use under Zxxxx1TB 17.37"H top and back kit. No top or back. Pull out drawer includes filing space on right and storage on left. Front-to-back letter capability.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Reauired	Specifications	

Base finish Handles\*

# **Optional Specifications**

Key #\*

Glazed doors\*\*

TOP AND BACK KITS FOR 16.87"H SHELLS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z24961TB	24 x 96 x 17.37	'-17.87 70	104	6.75	\$802	\$979	N/A	\$520
	Z24901TB	24 x 90 x 17.37	'-17.87 70	97	6.25	\$762	\$927	N/A	\$488
	Z24841TB	24 x 84 x 17.37	'-17.87 70	91	6	\$717	\$873	N/A	\$454
	Z24781TB	24 x 78 x 17.37	'-17.87 70	86	5.50	\$672	\$814	N/A	\$423
	Z24721TB	24 x 72 x 17.37	'-17.87 85	78	5.25	\$624	\$757	N/A	\$390
	Z24661TB	24 x 66 x 17.37	'-17.87 70	72	4.75	\$577	\$700	N/A	\$358
	Z24601TB	24 x 60 x 17.37	'-17.87 85	66	4.50	\$529	\$640	N/A	\$327
	Z24541TB	24 x 54 x 17.37	'-17.87 85	59	4	\$479	\$580	N/A	\$294
	Z24481TB	24 x 48 x 17.37	'-17.87 85	55	3.75	\$441	\$530	N/A	\$261
	Z24421TB	24 x 42 x 17.37	'-17.87 85	47	3.25	\$390	\$470	N/A	\$229
	Z24361TB	24 x 36 x 17.37	'-17.87 85	40	3	\$337	\$406	N/A	\$197
	Z24301TB	24 x 30 x 17.37	'-17.87 85	34	2.50	\$291	\$348	N/A	\$164
	Z20961TB	20 x 96 x 17.37	'-17.87 70	93	6	\$739	\$885	N/A	\$434
	Z20901TB	20 x 90 x 17.37	'-17.87 70	86	5.50	\$693	\$831	N/A	\$407
	Z20841TB	20 x 84 x 17.37	'-17.87 70	76	4.75	\$652	\$782	N/A	\$378
	Z20781TB	20 x 78 x 17.37	'-17.87 70	80	5.25	\$616	\$736	N/A	\$353
	Z20721TB	20 x 72 x 17.37	'-17.87 70	69	4.50	\$570	\$681	N/A	\$327
	Z20661TB	20 x 66 x 17.37	'-17.87 70	64	4.25	\$526	\$628	N/A	\$299
	Z20601TB	20 x 60 x 17.37	'-17.87 70	58	3.75	\$484	\$577	N/A	\$273
	Z20541TB	20 x 54 x 17.37	'-17.87 70	53	3.50	\$442	\$527	N/A	\$246
	Z20481TB	20 x 48 x 17.37	'-17.87 70	50	3.25	\$407	\$482	N/A	\$219
	Z20421TB	20 x 42 x 17.37	'-17.87 70	42	2.75	\$358	\$424	N/A	\$189
	Z20361TB	20 x 36 x 17.37		35	2.50	\$309	\$366	N/A	\$164
	Z20301TB	20 x 30 x 17.37		28	2.25	\$265	\$312	N/A	\$138
						<b>-</b>	+- ·	, - ,	+



Credenza Top and Back Kit

For use with 16.87" high storage shells. Shipped RTA (ready to assemble).

• Does not include hardware to attach to storage shells.

Required Specifications
Top finish
Top/edge detail Base finish

Optional Specifications
HP laminate



1.5H Open Storage Shell

STURAGE SHELLS - 22.75 HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WI/LDS.	CUDIC FI.	I IUP	1.5 101	GLAZE AUD F	TIP AUU
		D x W x H							
	Z36L2HSHNS	24 x 36 x 22.75	150	83	14.50	\$791	N/A	N/A	N/A
	Z30L2HSHNS	24 x 30 x 22.75	125	75	12.25	\$715	N/A	N/A	N/A
	Z24L2HSHNS	24 x 24 x 22.75	125	66	10	\$636	N/A	N/A	N/A
	Z36M2HSHNS	20 x 36 x 22.75	150	73	12.25	\$722	N/A	N/A	N/A
	Z30M2HSHNS	20 x 30 x 22.75	125	64	10.50	\$645	N/A	N/A	N/A
	Z24M2HSHNS	20 x 24 x 22.75	125	55	8.50	\$576	N/A	N/A	N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back.

1.5H Open/Lateral File Shell\*

Z36L2HFS	24 x 36 x 22.75	125	102	14.50	\$1087	N/A	N/A	N/A
Z30L2HFS	24 x 30 x 22.75	125	97	12.25	\$957	N/A	N/A	N/A
Z36M2HFS	20 x 36 x 22.75	125	95	12.25	\$1034	N/A	N/A	N/A
Z30M2HFS	20 x 30 x 22.75	100	88	10.50	\$900	N/A	N/A	N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back. Open shelf and lateral file storage. For filing capablities, see page 130.

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom



1.5H Box/Lateral File Shell\*

Z36L2HES	24 x 36 x 22.75	125	103	14.50	\$1143	N/A	N/A	N/A
Z30L2HES	24 x 30 x 22.75	100	99	12.25	\$1015	N/A	N/A	N/A
Z36M2HES	20 x 36 x 22.75	100	98	12.25	\$1105	N/A	N/A	N/A
Z30M2HES	20 x 30 x 22.75	100	92	10.50	\$969	N/A	N/A	N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back. Box drawer and lateral file storage. For filing capablities, see page 130.

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom



1.5H Mixed Storage Shell - LEFT\*

Z36L2HXSL	24 x 36 x 22.75	125	110	14.50	\$1232	N/A	N/A	N/A
Z30L2HXSL	24 x 30 x 22.75	100	105	12.25	\$1104	N/A	N/A	N/A
Z36M2HXSL	20 x 36 x 22.75	100	104	12.25	\$1164	N/A	N/A	N/A
Z30M2HXSL	20 x 30 x 22.75	100	97	10.50	\$1030	N/A	N/A	N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back. Open shelf on right, box drawer on left and lateral file storage below. For filing capabilties, see page 130.

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom



1.5H Mixed Storage Shell - RIGHT\*

Z36L2HXSR	24 x 36 x 22.75	125	110	14.50	\$1232	N/A	N/A	N/A
Z30L2HXSR	24 x 30 x 22.75	100	105	12.25	\$1104	N/A	N/A	N/A
Z36M2HXSR	20 x 36 x 22.75	100	104	12.25	\$1164	N/A	N/A	N/A
Z30M2HXSR	20 x 30 x 22.75	100	97	10.50	\$1030	N/A	N/A	N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back. Open shelf on left, box drawer on right and lateral file storage below. For filing capabilties, see page 130.

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom





1.5H Closed Storage Shell\*\*

Z36L2HSHS	24 x 36 x 22.75	125	96	14.50	\$1044	N/A	\$505	N/A
Z30L2HSHS	24 x 30 x 22.75	125	86	12.25	\$943	N/A	\$449	N/A
Z36M2HSHS	20 x 36 x 22.75	125	86	12.25	\$976	N/A	\$505	N/A
Z30M2HSHS	20 x 30 x 22.75	125	75	10.50	\$873	N/A	\$449	N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back. Laminate doors are standard. Standard with lock.

Requ	ire	ed	Specifications

Base finish Handles\*

**Optional Specifications** Key #\*

Glazed doors\*\*


STORAGE SHE	LLS - 22.75" HIGH

1.5H Split Drawer Storage Shell\* - LEFT

FREIGHT CLASS MODEL# DIMENSIONS WT/LBS. CUBIC FT. 1.5" TOP GLAZE ADD HP ADD 1"TOP DxWxH Z36L2HCSL 24 x 36 x 22.75 125 N/A 110 14.50 \$1174 N/A N/A Z30L2HCSL 24 x 30 x 22.75 100 101 12.25 \$1095 N/A N/A N/A 20 x 36 x 22.75 Z36M2HCSL 100 104 12.25 \$1104 N/A N/A N/A Z30M2HCSL 20 x 30 x 22.75 100 92 10.50 \$1019 N/A N/A N/A

For use under ZxxxHTB 23.25"H top and back kit. No top or back. Open shelf on right, box drawer on left. Pull out drawer includes filing space on left and storage on right. Front-to-back letter capability.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.



1.5H Split Drawer Storage Shell\* - RIGHT

Z36L2HCSR	24 x 36 x 22.75	125	110	14.50	\$1174	N/A	N/A	N/A
Z30L2HCSR	24 x 30 x 22.75	100	101	12.25	\$1095	N/A	N/A	N/A
Z36M2HCSR	20 x 36 x 22.75	100	104	12.25	\$1104	N/A	N/A	N/A
Z30M2HCSR	20 x 30 x 22.75	100	92	10.50	\$1019	N/A	N/A	N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back. Open shelf on left, box drawer on right. Pull out drawer includes filing space on right and storage on left. Front-to-back letter capability.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

	Lateral life drav	ver construction is for accomi	nouating na	nging incon	IOT TOT STACKIT	iy materia	iis oii tii <del>c</del> t	arawer bullu	111.
TOP AND BACK KITS FOR 22.75"H SHELLS	MODEL#	DIMENSIONS FREIO	GHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	Z2496HTB	24 x 96 x 23.25-23.75	70	114	6.75	\$849	\$1026	N/A	\$520
		24 x 90 x 23.25-23.75					\$971	,	
	Z2490HTB			107	6.25	\$806		N/A	\$488
	Z2484HTB	24 x 84 x 23.25-23.75		100	6	\$756	\$912	N/A	\$454
	Z2478HTB	24 x 78 x 23.25-23.75		94	5.50	\$710	\$854	N/A	\$423
	Z2472HTB	24 x 72 x 23.25-23.75		87	5.25	\$659	\$792	N/A	\$390
	Z2466HTB	24 x 66 x 23.25-23.75		80	4.75	\$610	\$733	N/A	\$358
	Z2460HTB	24 x 66 x 23.25-23.75		72	4.50	\$561	\$672	N/A	\$327
	Z2454HTB	24 x 54 x 23.25-23.75	70	65	4	\$507	\$608	N/A	\$294
	Z2448HTB	24 x 48 x 23.25-23.75	85	55	3.75	\$463	\$552	N/A	\$261
	Z2442HTB	24 x 42 x 23.25-23.75	70	51	3.25	\$411	\$491	N/A	\$229
	Z2436HTB	24 x 36 x 23.25-23.75	85	44	3	\$357	\$426	N/A	\$197
	Z2430HTB	24 x 30 x 23.25-23.75	85	37	2.50	\$309	\$366	N/A	\$164
	Z2096HTB	20 x 96 x 23.25-23.75	70	103	6.25	\$793	\$939	N/A	\$434
	Z2090HTB	20 x 90 x 23.25-23.75	70	97	6	\$750	\$888	N/A	\$407
	Z2084HTB	20 x 84 x 23.25-23.75	70	91	5.75	\$705	\$835	N/A	\$378
	Z2078HTB	20 x 78 x 23.25-23.75	70	86	5.25	\$660	\$780	N/A	\$353
	Z2072HTB	20 x 72 x 23.25-23.75	70	78	5	\$616	\$727	N/A	\$327
	Z2066HTB	20 x 66 x 23.25-23.75	70	71	4.50	\$564	\$666	N/A	\$299
	Z2060HTB	20 x 66 x 23.25-23.75	70	65	4.25	\$520	\$612	N/A	\$273
	Z2054HTB	20 x 54 x 23.25-23.75	70	59	3.75	\$474	\$559	N/A	\$246
	Z2048HTB	20 x 48 x 23.25-23.75	70	55	3.50	\$434	\$509	N/A	\$219
	Z2042HTB	20 x 42 x 23.25-23.75		47	3	\$384	\$450	N/A	\$189
	Z2036HTB	20 x 36 x 23.25-23.75	85	40	2.75	\$331	\$388	N/A	\$164
	Z2030HTB	20 x 30 x 23.25-23.75	85	33	2.25	\$286	\$333	N/A	\$138



Credenza Top and Back Kit\*\*

For use with 22.75" high storage shells. Shipped RTA (ready to assemble).

• Does not include hardware to attach to storage shells.

Required Specifications
Top finish\*\*

Top/edge detail\*\* Base finish Handles\*

**Optional Specifications** 

HP laminate\*



STORAGE SHELLS - 28" HIGH



Glazed door option

Storage Shell\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP A	DD
	D x W x H							
Z36L2SHS	23.4 x 36 x 28-28.	5 150	100	18.50	\$978	N/A	<b>\$762</b> N/A	Δ
Z30L2SHS	23.4 x 30 x 28-28.	5 150	88	15.50	\$873	N/A	\$699 N/A	Δ
Z36M2SHS	19.3 x 36 x 28-28.	5 150	89	15.50	\$856	N/A	<b>\$762</b> N/A	Δ
Z30M2SHS	19.3 x 30 x 28-28.	5 150	78	13.25	\$777	N/A	\$699 N/A	Δ

For use under 29"H returns, extended corners, freestanding and connectable tables of the same depth. No top or back. One adjustable shelf. Standard with lock.

		222-447	
1555		أبيا	
3 L 3	$\vdash$		



Storage Shell - LEFT\*

Z21L2SHSL	23.4 x 21 x 28-28.5	125	70	11	\$674	N/A	\$432	N/A
Z18L2SHSL	23.4 x 18 x 28-28.5	125	64	9.75	\$646	N/A	\$395	N/A
Z16L2SHSL	23.4 x 16 x 28-28.5	125	60	9	\$607	N/A	\$386	N/A
Z15L2SHSL	23.4 x 15 x 28-28.5	125	59	8.25	\$587	N/A	\$348	N/A
Z12L2SHSL	23.4 x 12 x 28-28.5	125	53	6.75	\$548	N/A	\$314	N/A
Z21M2SHSL	19.3 x 21 x 28-28.5	125	61	9.50	\$577	N/A	\$432	N/A
Z18M2SHSL	19.3 x 18 x 28-28.5	125	56	8.25	\$551	N/A	\$395	N/A
Z16M2SHSL	19.3 x 16 x 28-28.5	125	52	7	\$523	N/A	\$386	N/A
Z15M2SHSL	19.3 x 15 x 28-28.5	125	52	6.75	\$495	N/A	\$348	N/A
Z12M2SHSL	19.3 x 12 x 28-28.5	100	47	5.75	\$465	N/A	\$314	N/A

For use under 29"H returns, extended corners, freestanding and connectable tables of the same depth. No top or back. One adjustable shelf. Standard with lock.






Storage Shell - RIGHT\*

Z18L2SHSR       23.4 x 18 x 28-28.5       125       64       9.75       \$646       N/A       \$395       N/A         Z16L2SHSR       23.4 x 16 x 28-28.5       125       60       9       \$607       N/A       \$386       N/A         Z15L2SHSR       23.4 x 15 x 28-28.5       125       59       8.25       \$587       N/A       \$348       N/A         Z12L2SHSR       23.4 x 12 x 28-28.5       125       53       6.75       \$548       N/A       \$314       N/A         Z21M2SHSR       19.3 x 21 x 28-28.5       125       61       9.50       \$577       N/A       \$432       N/A         Z18M2SHSR       19.3 x 18 x 28-28.5       125       56       8.25       \$551       N/A       \$395       N/A         Z16M2SHSR       19.3 x 16 x 28-28.5       125       52       7       \$523       N/A       \$386       N/A         Z15M2SHSR       19.3 x 15 x 28-28.5       125       52       6.75       \$495       N/A       \$348       N/A									
Z16L2SHSR       23.4 x 16 x 28-28.5       125       60       9       \$607       N/A       \$386       N/Z         Z15L2SHSR       23.4 x 15 x 28-28.5       125       59       8.25       \$587       N/A       \$348       N/Z         Z12L2SHSR       23.4 x 12 x 28-28.5       125       53       6.75       \$548       N/A       \$314       N/Z         Z21M2SHSR       19.3 x 21 x 28-28.5       125       61       9.50       \$577       N/A       \$432       N/Z         Z18M2SHSR       19.3 x 18 x 28-28.5       125       56       8.25       \$551       N/A       \$395       N/Z         Z16M2SHSR       19.3 x 16 x 28-28.5       125       52       7       \$523       N/A       \$386       N/Z         Z15M2SHSR       19.3 x 15 x 28-28.5       125       52       6.75       \$495       N/A       \$348       N/Z	Z21L2SHSR	23.4 x 21 x 28-28.5	125	70	11	\$674	N/A	\$432	N/A
Z15L2SHSR       23.4 x 15 x 28-28.5       125       59       8.25       \$587       N/A       \$348       N/         Z12L2SHSR       23.4 x 12 x 28-28.5       125       53       6.75       \$548       N/A       \$314       N/         Z21M2SHSR       19.3 x 21 x 28-28.5       125       61       9.50       \$577       N/A       \$432       N/         Z18M2SHSR       19.3 x 18 x 28-28.5       125       56       8.25       \$551       N/A       \$395       N/         Z16M2SHSR       19.3 x 16 x 28-28.5       125       52       7       \$523       N/A       \$386       N/         Z15M2SHSR       19.3 x 15 x 28-28.5       125       52       6.75       \$495       N/A       \$348       N/	Z18L2SHSR	23.4 x 18 x 28-28.5	125	64	9.75	\$646	N/A	\$395	N/A
Z12L2SHSR       23.4 x 12 x 28-28.5       125       53       6.75       \$548       N/A       \$314       N/         Z21M2SHSR       19.3 x 21 x 28-28.5       125       61       9.50       \$577       N/A       \$432       N/         Z18M2SHSR       19.3 x 18 x 28-28.5       125       56       8.25       \$551       N/A       \$395       N/         Z16M2SHSR       19.3 x 16 x 28-28.5       125       52       7       \$523       N/A       \$386       N/         Z15M2SHSR       19.3 x 15 x 28-28.5       125       52       6.75       \$495       N/A       \$348       N/	Z16L2SHSR	23.4 x 16 x 28-28.5	125	60	9	\$607	N/A	\$386	N/A
Z21M2SHSR       19.3 x 21 x 28-28.5       125       61       9.50       \$577       N/A       \$432       N/         Z18M2SHSR       19.3 x 18 x 28-28.5       125       56       8.25       \$551       N/A       \$395       N/         Z16M2SHSR       19.3 x 16 x 28-28.5       125       52       7       \$523       N/A       \$386       N/         Z15M2SHSR       19.3 x 15 x 28-28.5       125       52       6.75       \$495       N/A       \$348       N/	Z15L2SHSR	23.4 x 15 x 28-28.5	125	59	8.25	\$587	N/A	\$348	N/A
Z18M2SHSR       19.3 x 18 x 28-28.5       125       56       8.25       \$551       N/A       \$395       N/         Z16M2SHSR       19.3 x 16 x 28-28.5       125       52       7       \$523       N/A       \$386       N/         Z15M2SHSR       19.3 x 15 x 28-28.5       125       52       6.75       \$495       N/A       \$348       N/	Z12L2SHSR	23.4 x 12 x 28-28.5	125	53	6.75	\$548	N/A	\$314	N/A
Z16M2SHSR       19.3 x 16 x 28-28.5       125       52       7       \$523       N/A       \$386       N/         Z15M2SHSR       19.3 x 15 x 28-28.5       125       52       6.75       \$495       N/A       \$348       N/	Z21M2SHSR	19.3 x 21 x 28-28.5	125	61	9.50	\$577	N/A	\$432	N/A
Z15M2SHSR 19.3 x 15 x 28-28.5 125 52 6.75 <b>\$495</b> N/A <b>\$348</b> N/	Z18M2SHSR	19.3 x 18 x 28-28.5	125	56	8.25	\$551	N/A	\$395	N/A
	Z16M2SHSR	19.3 x 16 x 28-28.5	125	52	7	\$523	N/A	\$386	N/A
Z12M2SHSR 19.3 x 12 x 28-28.5 100 47 5.75 <b>\$465</b> N/A <b>\$314</b> N/	Z15M2SHSR	19.3 x 15 x 28-28.5	125	52	6.75	\$495	N/A	\$348	N/A
	Z12M2SHSR	19.3 x 12 x 28-28.5	100	47	5.75	\$465	N/A	\$314	N/A

For use under 29"H returns, extended corners, freestanding and connectable tables of the same depth. No top or back. One adjustable shelf. Standard with lock.



File/File Shell

Z36L2ES	23.4 x 36 x 28-28.5	125	121	18.50	\$1469	N/A	N/A	N/A
Z30L2ES	23.4 x 30 x 28-28.5	125	110	15.50	\$1347	N/A	N/A	N/A
Z16L2ES	23.4 x 16 x 28-28.5	100	75	9	\$812	N/A	N/A	N/A
Z15L2ES	23.4 x 15 x 28-28.5	100	75	8.25	\$791	N/A	N/A	N/A
Z36M2ES	19.3 x 36 x 28-28.5	125	114	15.50	\$1353	N/A	N/A	N/A
Z30M2ES	19.3 x 30 x 28-28.5	125	102	13.25	\$1265	N/A	N/A	N/A
Z16M2ES	19.3 x 16 x 28-28.5	100	69	7	\$741	N/A	N/A	N/A
Z15M2ES	19.3 x 15 x 28-28.5	92.5	68	6.75	\$723	N/A	N/A	N/A

For use under 29"H returns, extended corners, freestanding and connectable tables of the same depth. No top or back. Two file drawers. Lock secures all drawers. For filing capabilities, see page 130.

- 15" wide models have only side-to side filing capability
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

**Required Specifications** 

Base finish Handles

**Optional Specifications** 

Glazed doors - storage shell doors\*

Key #




Box/Box/File Shell\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z16L2BFS	23.4 x 16 x 28-2	28.5 100	77	9	\$935	N/A	N/A	N/A
Z15L2BFS	23.4 x 15 x 28-2	28.5 100	77	8.25	\$915	N/A	N/A	N/A
Z16M2BFS	19.3 x 16 x 28-2	28.5 92.5	71	7	\$847	N/A	N/A	N/A
Z15M2BFS	19.3 x 15 x 28-2	28.5 92.5	71	6.75	\$831	N/A	N/A	N/A

For use under 29"H returns, extended corners, freestanding and connectable tables of the same depth. No top or back. Two box and one file drawer. One pencil tray. Lock secures all drawers.

• 15" wide models have only side-to side filing capability



For use under 29"H returns, extended corners, freestanding and connectable tables of the same depth. No top or back. One file drawer. Lock secures file drawer. For filing capabilties, see page 130.

- 15" wide models have only side-to side filing capability
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.


Z36L2SHSN	23.4 x 36 x 28-28.5	150	84.03	18.50	\$699	N/A	N/A	N/A
Z30L2SHSN	23.4 x 30 x 28-28.5	150	74.69	15.50	\$620	N/A	N/A	N/A
Z21L2SHSN	23.4 x 21 x 28-28.5	150	60.69	11	\$522	N/A	N/A	N/A
Z18L2SHSN	23.4 x 18 x 28-28.5	150	56.02	9.75	\$503	N/A	N/A	N/A
Z16L2SHSN	23.4 x 16 x 28-28.5	150	52.90	9	\$467	N/A	N/A	N/A
Z15L2SHSN	23.4 x 15 x 28-28.5	125	52.35	8.25	\$456	N/A	N/A	N/A
Z12L2SHSN	23.4 x 12 x 28-28.5	125	47.68	6.75	\$428	N/A	N/A	N/A
Z36M2SHSN	19.3 x 36 x 28-28.5	150	73.03	15.50	\$579	N/A	N/A	N/A
Z30M2SHSN	19.3 x 30 x 28-28.5	150	64.69	13.25	<b>\$526</b>	N/A	N/A	N/A
Z21M2SHSN	19.3 x 21 x 28-28.5	150	51.69	9.50	\$424	N/A	N/A	N/A
Z18M2SHSN	19.3 x 18 x 28-28.5	150	48.02	8.25	\$408	N/A	N/A	N/A
Z16M2SHSN	19.3 x 16 x 28-28.5	125	44.90	7	\$382	N/A	N/A	N/A
Z15M2SHSN	19.3 x 15 x 28-28.5	125	45.35	6.75	\$367	N/A	N/A	N/A
Z12M2SHSN	19.3 x 12 x 28-28.5	125	41.68	5.75	\$344	N/A	N/A	N/A

For use under 29"H returns, extended corners, freestanding and connectable tables of the same depth. No top or back. One adjustable shelf.


Z36L2XSL	23.4 x 36 x 28-28.5	100	152	18.50	\$1770	N/A	N/A	N/A
Z30L2XSL	23.4 x 30 x 28-28.5	100	136	15.50	\$1619	N/A	N/A	N/A
Z36M2XSL	19.3 x 36 x 28-28.5	100	139	15.50	\$1668	N/A	N/A	N/A
Z30M2XSL	19.3 x 30 x 28-28.5	100	124	13.25	\$1550	N/A	N/A	N/A

For use under 29"H returns, extended corners, freestanding and connectable tables of the same depth. No top or back. Two box drawers on left, one file drawer on right accommodates letter filing side to side, and one lateral file drawer on bottom (see filing orientations on page 120). Right lock secures one file drawer, the left lock secures two box and the lateral file. One pencil tray. For filing capablities, see page 130.


- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.



File Shell with Open Shelf\*



**Open Shelving Shell** 




Mixed Storage Shell - LEFT\*

**Required Specifications** 

Base finish Handles\*


**Optional Specifications** 

Box Drawer Option (no upcharge - not available on Open Shelving Shell) Key #



STORAGE SHELLS - 28" HIGH

Mixed Storage Shell - RIGHT\*\*



For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back**. Two box drawers on **right**, one file drawer on **left** accommodates letter filing side to side, and one lateral file drawer on bottom (see filing orientations on page 120). Right lock secures two box and lateral file, the left lock secures one file drawer. One pencil tray. For filing capabilities, see page 130.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.


		Z36L2XNSL
		Z30L2XNSL
*		Z36M2XNSL
		Z30M2XNSL
	* Accepts collator	

Mixed Storage Shell with Open Shelf - LEFT\*

Z36L2XNSL	23.4 x 36 x 28.5	125	133	18.50	\$1495	N/A	N/A	N/A
Z30L2XNSL	23.4 x 30 x 28.5	125	121	15.50	\$1361	N/A	N/A	N/A
Z36M2XNSL	19.3 x 36 x 28.5	125	121	15.50	\$1393	N/A	N/A	N/A
Z30M2XNSL	19 3 x 30 x 28 5	100	109	13 25	\$1296	N/A	N/A	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back.** Two box drawers on **left**, one open shelf on **right** and one lateral file drawer on bottom. Lock secures all drawers. One pencil tray. For filing capabilities, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.



Mixed Storage Shell with Open Shelf - RIGHT\*

Z36L2XNSR	23.4 x 36 x 28-28.5	125	133	18.50	\$1495	N/A	N/A	N/A
Z30L2XNSR	23.4 x 30 x 28-28.5	125	121	15.50	\$1361	N/A	N/A	N/A
Z36M2XNSR	19.3 x 36 x 28-28.5	125	121	15.50	\$1393	N/A	N/A	N/A
Z30M2XNSR	19.3 x 30 x 28-28.5	100	109	13.25	\$1296	N/A	N/A	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back.** Two box drawers on **right**, one open shelf on **left** and one lateral file drawer on bottom. Lock secures all drawers. One pencil tray. For filing capabilities, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Required Specifications
Base finish

Handles

Optional Specifications

Box drawer - no upcharge Collator (open shelves)

LS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	70.40070	DxWxH		400			****		
	Z2496TB	24 x 96 x 29-29.5		126	7.75	\$930	\$1107	N/A	\$520
	Z2490TB	24 x 90 x 29-29.5		118	7.25	\$877	\$1042	N/A	\$488
	Z2484TB	24 x 84 x 29-29.5	5 70	111	6.75	\$827	\$983	N/A	\$454
	Z2478TB	24 x 78 x 29-29.5	5 70	104	6.25	\$769	\$913	N/A	\$423
	Z2472TB	24 x 72 x 29-29.5	70	117	5.90	\$681	\$842	N/A	\$384
	Z2466TB	24 x 66 x 29-29.5	70	117	5.90	\$656	\$804	N/A	\$384
	Z2460TB	24 x 60 x 29-29.5	5 70	117	5.90	\$598	\$731	N/A	\$319
	Z2454TB	24 x 54 x 29-29.5	i 70	72	4.50	\$550	\$651	N/A	\$294
	Z2448TB	24 x 48 x 29-29.5	5 70	66	4	\$503	\$592	N/A	\$261
	Z2442TB	24 x 42 x 29-29.5	5 70	57	3.75	\$449	\$529	N/A	\$229
	Z2436TB	24 x 36 x 29-29.5	5 70	49	3.25	\$378	\$447	N/A	\$197
	Z2430TB	24 x 30 x 29-29.5	85	41	2.75	\$336	\$393	N/A	\$164
	Z2096TB	20 x 96 x 29-29.5	85	116	7.75	\$877	\$1023	N/A	\$434
	Z2090TB	20 x 90 x 29-29.5	70	102	6.75	\$828	\$966	N/A	\$407
	Z2084TB	20 x 84 x 29-29.5	5 70	102	6.75	\$778	\$908	N/A	\$378
	Z2078TB	20 x 78 x 29-29.5	5 70	95	6.25	\$725	\$845	N/A	\$353
	Z2072TB	20 x 72 x 29-29.5	5 70	106	6	\$656	\$789	N/A	\$384
	Z2066TB	20 x 66 x 29-29.5	5 70	106	6	\$643	\$756	N/A	\$384
	Z2060TB	20 x 60 x 29-29.5	5 70	106	6	\$564	\$684	N/A	\$319
	Z2054TB	20 x 54 x 29-29.5	5 85	66	4.50	\$521	\$606	N/A	\$246
	Z2048TB	20 x 48 x 29-29.5	5 70	61	4	\$475	\$550	N/A	\$219
	Z2042TB	20 x 42 x 29-29.5	5 85	52	3.75	\$424	\$490	N/A	\$189
	Z2036TB	20 x 36 x 29-29.5	5 85	45	3.25	\$358	\$415	N/A	\$164
	Z2030TB	20 x 30 x 29-29.5	85	38	2.75	\$319	\$366	N/A	\$138



Top and Back Kits - 29"H

TOP AND BACK KITS FOR 28"H STORAGE SHELL

For use with 28" high storage shells. Shipped RTA (ready to assemble).

• Does not include hardware to attach to storage shells.



Z24FL	23.4 x 1 x 28.5	92.5	20	1.70	\$261	N/A	N/A	N/A
Z20FL	19.3 x 1 x 28.5	65	16	.60	\$261	N/A	N/A	N/A


For use at either end of 29"H top and back kits. Non-handed; can be used left or right. Shipped RTA (ready to assemble).

- For 24" deep worksurfaces, order **Z24FL**.
- For 20" deep worksurfaces, order **Z20FL**.
- Does not include hardware for installation.

Rear	iired	Sne	cific	atin	n

Top finish Top/edge detail Base finish

Optional Specifications
HP laminate



**Open Storage** 




Lateral File\*




Glazed door option

Storage Cabinet\*



Split Drawer Storage\* - LEFT



Split Drawer Storage\* - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z36L21SHN	24 x 36 x 17.87	-18.37 125	82	11.75	\$753	\$822	N/A	\$197
Z30L21SHN	24 x 30 x 17.87	-18.37 125	74	10	\$691	\$748	N/A	\$164
Z36M21SHN	20 x 36 x 17.87	-18.37 125	71	10	\$683	\$740	N/A	\$164
Z30M21SHN	20 x 30 x 17.87	-18.37 125	62	8.50	\$615	\$662	N/A	\$138

Open Shelf.

Z36L21E	24 x 36 x 17.87-18.37 100	103	11.75	\$1112 \$1181	N/A	\$197
Z30L21E	24 x 30 x 17.87-18.37 100	97	10	\$950 \$1007	N/A	\$164
Z36M21E	20 x 36 x 17.87-18.37 100	95	10	\$1056 \$1113	N/A	\$164
Z30M21E	20 x 30 x 17.87-18.37 92.5	88	8.50	\$887 \$934	N/A	\$138

One file drawer. Lock secures drawer. For filing capabilities, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L21SH	24 x 36 x 17.87-18.37 125	90	11.75	\$964	\$1033	\$407	\$197
Z30L21SH	24 x 30 x 17.87-18.37 100	81	10	\$886	\$943	\$361	\$164
Z36M21SH	20 x 36 x 17.87-18.37 100	80	10	\$893	\$950	\$407	\$164
Z30M21SH	20 x 30 x 17.87-18.37 100	69	8.50	\$810	\$857	\$361	\$138

Laminate doors are standard. Standard with lock.

Z36L21XHL	24 x 36 x 17.87-18.37 100	102	11.75	\$1045	\$1114	N/A	\$197
Z30L21XHL	24 x 30 x 17.87-18.37 100	92	10	\$928	\$985	N/A	\$164
Z36M21XHL	20 x 36 x 17.87-18.37 100	95	10	\$989	\$1046	N/A	\$164
Z30M21XHL	20 x 30 x 17.87-18.37 100	83	8.50	\$866	\$913	N/A	\$138

Pull out drawer includes filing space on left and storage on right. Lock secures drawer. For filing capabilities, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L21XHR	24 x 36 x 17.87-18.37 100	102	11.75	\$1045 \$1114	N/A	\$197
Z30L21XHR	24 x 30 x 17.87-18.37 100	92	10	\$928 \$985	N/A	\$164
Z36M21XHR	20 x 36 x 17.87-18.37 100	95	10	\$989 \$1046	N/A	\$164
Z30M21XHR	20 x 30 x 17.87-18.37 100	83	8.50	\$866 \$913	N/A	\$138

Pull out drawer includes filing space on right and storage on left. Lock secures drawer. For filing capabilities, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Required	l Speci	fications

Top finish
Top/edge detail
Base finish
Handles\*

#### **Optional Specifications**


HP laminate Key #

\$197

\$164 \$164

\$138

1"TOP 1.5" TOP GLAZE ADD HP ADD



1.5H Open Storage

	DxWxH					
Z36L2HSHN	24 x 36 x 23.75-24.25 125	106	15	\$926	\$995	N/A
Z30L2HSHN	24 x 30 x 23.75-24.25 125	94	12.75	\$839	\$896	N/A
Z36M2HSHN	20 x 36 x 23.75-24.25 125	92	12.75	\$834	\$891	N/A
Z30M2HSHN	20 x 30 x 23.75-24.25 125	80	10.75	\$749	\$796	N/A

DIMENSIONS

One adjustable shelf.

MODEL#

<u> </u>	\
	A

1.5H Open/Lateral File Storage\*

Z36L2HFN	24 x 36 x 23.75-24.25 100	127	15	\$1284 \$1353	N/A	\$197
Z30L2HFN	24 x 30 x 23.75-24.25 100	118	12.75	\$1097 \$1154	N/A	\$164
Z36M2HFN	20 x 36 x 23.75-24.25 100	116	12.75	\$1207 \$1264	N/A	\$164
Z30M2HFN	20 x 30 x 23.75-24.25 100	106	10.75	\$1020 \$1067	N/A	\$138

WT/LBS.

CUBIC FT.

Open shelf on top. Lateral file below. Lock secures drawer. For filing capabilities, see page 130.

FREIGHT CLASS

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom



1.5H Box/Lateral File Storage\*†

Z36L2HE	24 x 36 x 23.75-24.25 100	126	15	\$1357	\$1426	N/A	\$197
Z30L2HE	24 x 30 x 23.75-24.25 100	118	12.75	\$1357	\$1414	N/A	\$164
Z36M2HE	20 x 36 x 23.75-24.25 100	118	12.75	\$1295	\$1352	N/A	\$164
Z30M2HE	20 x 30 x 23.75-24.25 92.5	108	10.75	\$1102	\$1149	N/A	\$138

Box drawer on top. Lateral file below. Lock secures both drawers. For filing capabilities, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom



1.5H Mixed Storage - LEFT\*

Z36L2HXNL	24 x 36 x 23.75-24.25 100	132	15	\$1401 \$1470	N/A	\$197
Z30L2HXNL	24 x 30 x 23.75-24.25 100	123	12.75	\$1217 \$1274	N/A	\$164
Z36M2HXNL	20 x 36 x 23.75-24.25 100	121	12.75	\$1328 \$1385	N/A	\$164
Z30M2HXNL	20 x 30 x 23.75-24.25 92.5	111	10.75	\$1142 \$1189	N/A	\$138

Open shelf on right, box drawer on left and lateral file storage below. Lock secures both drawers. For filing capabilities, see page 130.

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom



1.5H Mixed Storage - RIGHT\*

Z36L2HXNR	24 x 36 x 23.75-24.25 100	132	15	\$1401 \$1470	N/A	\$197
Z30L2HXNR	24 x 30 x 23.75-24.25 100	123	12.75	\$1217 \$1274	N/A	\$164
Z36M2HXNR	20 x 36 x 23.75-24.25 100	121	12.75	\$1328 \$1385	N/A	\$164
Z30M2HXNR	20 x 30 x 23.75-24.25 92.5	111	10.75	\$1142 \$1189	N/A	\$138

Open shelf on left, box drawer on right and lateral file storage below. Lock secures both drawers. For filing capabilities, see

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom



Glazed door option Closed Storage\*\*

Z36L2HSH	24 x 36 x 23.75-24.25 125	119	15	\$1177	\$1246	\$505	\$197
Z30L2HSH	24 x 30 x 23.75-24.25 100	105	12.75	\$1066	\$1123	\$449	\$164
Z36M2HSH	20 x 36 x 23.75-24.25 100	105	12.75	\$1086	\$1143	\$505	\$164
Z30M2HSH	20 x 30 x 23.75-24.25 100	91	10.75	\$977	\$1024	\$449	\$138


Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

**Required Specifications** 

Top finish Top/edge detail Base finish Handles\*

**Optional Specifications** 

**HP** laminate Key# Glazed doors\*\* Box drawer\* - no upcharge



1.5H Split Drawer Storage - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36L2HXHL	24 x 36 x 23.75	-24.25 100	132	15	\$1345	\$1414	N/A	\$197
Z30L2HXHL	24 x 30 x 23.75	-24.25 100	118	12.75	\$1207	\$1264	N/A	\$164
Z36M2HXHL	20 x 36 x 23.75	-24.25 100	121	12.75	\$1272	\$1329	N/A	\$164
Z30M2HXHL	20 x 30 x 23.75	-24.25 100	107	10.75	\$1132	\$1179	N/A	\$138

Open shelf on right, box drawer on left. Pull out drawer includes filing space on left and storage on right.



1.5H Split Drawer Storage - RIGHT

STORAGE MODULES - 29.5" / 30" HIGH

Z36L2HXHR	24 x 36 x 23.75-24.25 100	132	15	\$1345 \$1414	N/A \$	197
Z30L2HXHR	24 x 30 x 23.75-24.25 100	118	12.75	\$1207 \$1264	N/A <b>\$</b>	164
Z36M2HXHR	20 x 36 x 23.75-24.25 100	121	12.75	\$1272 \$1329	N/A <b>\$</b>	164
Z30M2HXHR	20 x 30 x 23.75-24.25 100	107	10.75	\$1132 \$1179	N/A \$	138

Open shelf on left, box drawer on right. Pull out drawer includes filing space on right and storage on left.





Storage Cabinet with Doors\*

MIUDEL#	DIMENSIONS FR	EIGHT CLASS	WI/LDS.	CUBIC FI.	I IUP	1.5 101	GLAZE ADD	MP AUU
Z36L2SH	24 x 36 x 29.5-30	125	142.80	18.50	\$1305	\$1385	\$762	\$195
Z30L2SH	24 x 30 x 29.5-30	125	123.90	15.50	\$1174	\$1241	\$699	\$162
Z36M2SH	20 x 36 x 29.5-30	100	126	15.50	\$1197	\$1267	\$762	\$195
Z30M2SH	20 x 30 x 29.5-30	100	109.20	13.25	\$1086	\$1144	\$699	\$162
Z36S2SH	16 x 36 x 29.5-30	100	110.25	12.50	\$1105	\$1172	\$762	\$146
Z30S2SH	16 x 30 x 29.5-30	100	93.45	10.50	\$976	\$1022	\$699	\$131

Laminate doors are standard. Includes one adjustable shelf. Standard with lock.





Storage Cabinet with Door - LEFT\*

24 x 21 x 29.5-30	100	94.50	11	\$957	\$1013	\$432	\$131
24 x 18 x 29.5-30	100	85.05	9.75	\$903	\$950	\$395	\$101
24 x 16 x 29.5-30	100	79.80	9	\$866	\$912	\$386	\$76
24 x 15 x 29.5-30	100	76.65	8.25	\$801	\$839	\$348	\$76
24 x 12 x 29.5-30	92.5	68.25	6.75	\$759	\$792	\$314	\$69
20 x 21 x 29.5-30	100	84	9.50	\$849	\$896	\$432	\$101
20 x 18 x 29.5-30	100	75.60	8.25	\$804	\$847	\$395	\$101
20 x 16 x 29.5-30	100	69.30	7	\$762	\$804	\$386	\$76
20 x 15 x 29.5-30	100	66.15	6.75	\$725	\$760	\$348	\$69
20 x 12 x 29.5-30	92.5	60	5.75	\$675	\$705	\$314	\$69
16 x 21 x 29.5-30	100	71.40	7.50	\$777	\$814	\$432	\$69
16 x 18 x 29.5-30	100	64.05	6.75	\$742	\$780	\$395	\$69
16 x 16 x 29.5-30	100	58.80	6	\$711	\$749	\$386	\$69
16 x 15 x 29.5-30	100	56.70	5.75	\$671	\$704	\$348	\$69
16 x 12 x 29.5-30	92.5	50.40	4.75	\$624	\$654	\$314	\$69

Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Required Specifications

Top finish Handles Top/edge detail Base finish

**Optional Specifications** 


Glazed doors HP laminate Key #

								Z	'IRA
STORAGE MODULES - 29.5" / 30" HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
		DxWxH							
	Z21L2SHR	24 x 21 x 29.5-30	100	94.50	11	\$957	\$1013	\$432	\$131
	Z18L2SHR	24 x 18 x 29.5-30	100	85.05	9.75	\$903	\$950	\$395	\$101
	Z16L2SHR	24 x 16 x 29.5-30	100	79.80	9	\$866	\$912	\$386	\$76
	Z15L2SHR	24 x 15 x 29.5-30	100	76.65	8.25	\$801	\$839	\$348	\$76
	Z12L2SHR	24 x 12 x 29.5-30	92.5	68.25	6.75	\$759	\$792	\$314	\$69
	Z21M2SHR	20 x 21 x 29.5-30	100	84	9.50	\$849	\$896	\$432	\$101
	Z18M2SHR	20 x 18 x 29.5-30	100	75.60	8.25	\$804	\$847	\$395	\$101
	Z16M2SHR	20 x 16 x 29.5-30	100	69.30	7	\$762	\$804	\$386	\$76
	Z15M2SHR	20 x 15 x 29.5-30	100	66.15	6.75	\$725	\$760	\$348	\$69
	Z12M2SHR	20 x 12 x 29.5-30	92.5	60	5.75	\$675	\$705	\$314	\$69
	Z21S2SHR	16 x 21 x 29.5-30	100	71.40	7.50	\$777	\$814	\$432	\$69
	Z18S2SHR	16 x 18 x 29.5-30	100	64.05	6.75	\$742	\$780	\$395	\$69
	Z16S2SHR	16 x 16 x 29.5-30	100	58.80	6	\$711	\$749	\$386	\$69
	Z15S2SHR	16 x 15 x 29.5-30	100	56.70	5.75	\$671	\$704	\$348	\$69
	Z12S2SHR	16 x 12 x 29.5-30	92.5	50.40	4.75	\$624	\$654	\$314	\$69
Glazed door option  Storage Cabinet with Door - RIGHT**	Laminate doors are	standard. <b>Includes (</b>	one adjustable s	shelf. Stand	ard with lock				
	Z36L2SHN	24 x 36 x 29.5-30		127	18.50	\$1029	\$1109	N/A	\$195
	Z30L2SHN	24 x 30 x 29.5-30		111	15.50	\$925	\$994	N/A	\$162
	Z21L2SHN	24 x 21 x 29.5-30	125	86	11	\$804	\$860	N/A	\$131





**Open Storage Cabinet** 



File Module with Open Shelf\*†

7001001111		405	407	40.50	*****	****		***
Z36L2SHN	24 x 36 x 29.5-30	125	127	18.50	\$1029	\$1109	N/A	\$195
Z30L2SHN	24 x 30 x 29.5-30	125	111	15.50	\$925	\$994	N/A	\$162
Z21L2SHN	24 x 21 x 29.5-30	125	86	11	\$804	\$860	N/A	\$131
Z18L2SHN	24 x 18 x 29.5-30	100	78	9.75	\$760	\$807	N/A	\$101
Z16L2SHN	24 x 16 x 29.5-30	100	73	9	\$725	\$771	N/A	\$76
Z15L2SHN	24 x 15 x 29.5-30	100	71	8.25	\$673	\$711	N/A	\$69
Z12L2SHN	24 x 12 x 29.5-30	100	63	6.75	\$638	\$671	N/A	\$69
Z36M2SHN	20 x 36 x 29.5-30	125	111.95	15.50	\$918	\$987	N/A	\$146
Z30M2SHN	20 x 30 x 29.5-30	125	97.14	13.25	\$835	\$895	N/A	\$131
Z21M2SHN	20 x 21 x 29.5-30	125	74.40	9.50	\$696	\$743	N/A	\$101
Z18M2SHN	20 x 18 x 29.5-30	100	67.53	8.25	\$660	\$703	N/A	\$84
Z16M2SHN	20 x 16 x 29.5-30	100	62.59	7	\$623	\$665	N/A	\$69
Z15M2SHN	20 x 15 x 29.5-30	100	60.65	6.75	<b>\$596</b>	\$631	N/A	\$69
Z12M2SHN	20 x 12 x 29.5-30	100	55	5.75	\$552	\$583	N/A	\$69
Z36S2SHN	16 x 36 x 29.5-30	125	96.24	12.50	\$829	\$896	N/A	\$146
Z30S2SHN	16 x 30 x 29.5-30	125	82.82	10.50	\$723	\$769	N/A	\$131
Z21S2SHN	16 x 21 x 29.5-30	100	62.70	7.50	\$623	\$660	N/A	\$101
Z18S2SHN	16 x 18 x 29.5-30	100	55.99	6.75	\$601	\$643	N/A	\$84
Z16S2SHN	16 x 16 x 29.5-30	100	52.22	6	\$572	\$610	N/A	\$69
Z15S2SHN	16 x 15 x 29.5-30	100	50.34	5.75	\$540	\$572	N/A	\$69
Z12S2SHN	16 x 12 x 29.5-30	100	44.68	4.75	\$502	\$532	N/A	\$69

_				-	
One	adi	iustab	le	sh	elf

Z36L2FN	24 x 36 x 29.5-30	100	153.30	18.50	\$1473	\$1552	N/A	\$195
Z30L2FN	24 x 30 x 29.5-30	100	134.40	15.50	\$1330	\$1399	N/A	\$162
Z16L2FN	24 x 16 x 29.5-30	100	87.15	9	\$930	\$976	N/A	\$101
Z15L2FN	24 x 15 x 29.5-30	92.5	82.95	8.25	\$876	\$914	N/A	\$84
Z36M2FN	20 x 36 x 29.5-30	100	135.45	15.50	\$1361	\$1430	N/A	\$195
Z30M2FN	20 x 30 x 29.5-30	100	118.65	13.25	\$1252	\$1310	N/A	\$162
Z16M2FN	20 x 16 x 29.5-30	92.5	75.60	7	\$830	\$872	N/A	\$101
Z15M2FN	20 x 15 x 29.5-30	92.5	72.45	6.75	\$793	\$828	N/A	\$84
Z36S2FN	16 x 36 x 29.5-30	100	114.45	12.50	\$1231	\$1298	N/A	\$146
Z30S2FN	16 x 30 x 29.5-30	100	97.65	10.50	\$1091	\$1137	N/A	\$131
Z16S2FN	16 x 16 x 29.5-30	92.5	63	6	\$769	\$807	N/A	\$76
Z15S2FN	16 x 15 x 29.5-30	92.5	60.90	5.75	\$736	\$768	N/A	\$69

Open shelf and one file drawer on bottom. Lock secures file drawer. For filing capabilities, see page 130.

- 15" wide models have only side-to side filing capability
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Required Specifications	Optional Specifications	
Top finish	Glazed doors**	Box drawer <sup>†</sup> - no upcharge (30" - 36" wide
Handles*	HP laminate	models only)
Top/edge detail	Key #	
Base finish		

STORAGE MODULES - 29.5" / 30" HIGH





Two File Module<sup>†</sup>



Two file drawers. Lock secures all drawers. For filing capablities, see page 130.

- 15" wide models have only side-to side filing capability
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2SE	24 x 36 x 29.5-30	100	180	18.50	\$2183	\$2262	N/A	\$195
Z36M2SE	20 x 36 x 29.5-30	92.5	164	15.50	\$2038	\$2108	N/A	\$195

Two lateral file drawers with steel drawer interior. Steel drawer construction includes metal sides and masonite bottoms. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. For filing capabilities, see page 130.

- Front-to-back filing bars sold separately. Order **FBB** bars. See "FBB" on page 41.
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom
- To prevent overloading, steel drawers do not include a back panel

Z16L2BF	24 x 16 x 29.5-30	92.5	97.65	0	\$1197 \$1243	N/A	¢101
				9	T		\$101
Z15L2BF	24 x 15 x 29.5-30	92.5	93.45	8.25	\$1142 \$1180	N/A	\$101
Z16M2BF	20 x 16 x 29.5-30	85	87.15	7	\$1097 \$1139	N/A	\$101
Z15M2BF	20 x 15 x 29.5-30	85	84	6.75	\$1069 \$1104	N/A	\$101
Z16S2BF	16 x 16 x 29.5-30	85	73.50	6	\$1023 \$1061	N/A	\$76
Z15S2BF	16 x 15 x 29.5-30	85	71.40	5.75	\$977 \$1010	N/A	\$76

Two box and one file drawer. One pencil tray. Lock secures all drawers.

Z36L2XL	24 x 36 x 29.5-30	92.5	187	18.50	\$2058	\$2130	N/A	\$195
Z30L2XL	24 x 30 x 29.5-30	92.5	166	15.50	\$1876	\$1945	N/A	\$162
Z36M2XL	20 x 36 x 29.5-30	92.5	177	15.50	\$1933	\$2002	N/A	\$195
Z30M2XL	20 x 30 x 29.5-30	92.5	152	13.25	\$1779	\$1839	N/A	\$162
Z36S2XL	16 x 36 x 29.5-30	92.5	145	12.50	\$1658	\$1720	N/A	\$146
Z30S2XL	16 x 30 x 29.5-30	92.5	124	10.50	\$1485	\$1539	N/A	\$131

Two box drawers on **left**, one file drawer on **right** which accommodates letter filing side to side, and one lateral file drawer on bottom. Right lock secures one file drawer, the left lock secures two box and lateral file. One pencil tray. For filing capabilities, see page 130.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.

-	

Two File Module<sup>†</sup>



Box/Box/File Module<sup>†</sup>



Mixed Storage Cabinet - LEFT<sup>†</sup>

Required Specifications

Top finish
Top/edge detail
Handles
Base finish

**Optional Specifications** 

HP laminate Key #

Box drawer\* - no upcharge (30"- 36" wide models only)





STORAGE MODULES - 29.5" / 30" HIGH

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36L2XR	24 x 36 x 29.5-30	92.5	187	18.50	\$2058	\$2130	N/A	\$195
Z30L2XR	24 x 30 x 29.5-30	92.5	166	15.50	\$1876	\$1945	N/A	\$162
Z36M2XR	20 x 36 x 29.5-30	92.5	177	15.50	\$1933	\$2002	N/A	\$195
Z30M2XR	20 x 30 x 29.5-30	92.5	152	13.25	\$1779	\$1839	N/A	\$162
Z36S2XR	16 x 36 x 29.5-30	92.5	145	12.50	\$1658	\$1720	N/A	\$146
Z30S2XR	16 x 30 x 29.5-30	92.5	124	10.50	\$1485	\$1539	N/A	\$131

Two box drawers on **right**, one file drawer on **left** which accommodates letter filing side to side, and one lateral file drawer on bottom. Right lock secures two box and lateral file, the left lock secures one file drawer. One pencil tray. For filing capabilities, see page 130.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.





Mixed Drawer Cabinet with Open Shelf - LEFT\*

Z36L2XNL	24 x 36 x 29.5-30	100	176.40	18.50	\$1781	\$1861	N/A	\$195
Z30L2XNL	24 x 30 x 29.5-30	92.5	155.40	15.50	\$1636	\$1705	N/A	\$162
Z36M2XNL	20 x 36 x 29.5-30	92.5	157.50	15.50	\$1667	\$1736	N/A	\$195
Z30M2XNL	20 x 30 x 29.5-30	92.5	138.60	13.25	\$1542	\$1602	N/A	\$162
Z36S2XNL	16 x 36 x 29.5-30	92.5	128.10	12.50	\$1494	\$1552	N/A	\$146
Z30S2XNL	16 x 30 x 29.5-30	92.5	114.45	10.50	\$1354	\$1396	N/A	\$131

Two box drawers on **left**, open shelf on **right** and one lateral file drawer on bottom. Right lock secures two box and one file drawer, the left lock secures the lateral file. One pencil tray. For filing capabilities, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom





Mixed Drawer Cabinet with Open Shelf - RIGHT\*

24 x 36 x 29.5-30	100	176.40	18.50	\$1781	1861	N/A	\$195
24 x 30 x 29.5-30	92.5	155.40	15.50	\$1636	1705	N/A	\$162
20 x 36 x 29.5-30	92.5	157.50	15.50	\$1667	1736	N/A	\$195
20 x 30 x 29.5-30	92.5	138.60	13.25	\$1542	\$1602	N/A	\$162
16 x 36 x 29.5-30	92.5	128.10	12.50	\$1494	1552	N/A	\$146
16 x 30 x 29.5-30	92.5	114.45	10.50	\$1354	\$1396	N/A	\$131
	24 x 30 x 29.5-30 20 x 36 x 29.5-30 20 x 30 x 29.5-30 16 x 36 x 29.5-30	24 x 30 x 29.5-30 92.5 20 x 36 x 29.5-30 92.5 20 x 30 x 29.5-30 92.5 16 x 36 x 29.5-30 92.5	24 x 30 x 29.5-30     92.5     155.40       20 x 36 x 29.5-30     92.5     157.50       20 x 30 x 29.5-30     92.5     138.60       16 x 36 x 29.5-30     92.5     128.10	24 x 30 x 29.5-30     92.5     155.40     15.50       20 x 36 x 29.5-30     92.5     157.50     15.50       20 x 30 x 29.5-30     92.5     138.60     13.25       16 x 36 x 29.5-30     92.5     128.10     12.50	24 x 30 x 29.5-30       92.5       155.40       15.50       \$1636       \$         20 x 36 x 29.5-30       92.5       157.50       15.50       \$1667       \$         20 x 30 x 29.5-30       92.5       138.60       13.25       \$1542       \$         16 x 36 x 29.5-30       92.5       128.10       12.50       \$1494       \$	24 x 30 x 29.5-30       92.5       155.40       15.50       \$1636       \$1705         20 x 36 x 29.5-30       92.5       157.50       15.50       \$1667       \$1736         20 x 30 x 29.5-30       92.5       138.60       13.25       \$1542       \$1602         16 x 36 x 29.5-30       92.5       128.10       12.50       \$1494       \$1552	24 x 30 x 29.5-30       92.5       155.40       15.50       \$1636       \$1705       N/A         20 x 36 x 29.5-30       92.5       157.50       15.50       \$1667       \$1736       N/A         20 x 30 x 29.5-30       92.5       138.60       13.25       \$1542       \$1602       N/A         16 x 36 x 29.5-30       92.5       128.10       12.50       \$1494       \$1552       N/A

Two box drawers on **right**, open shelf on **left** and one lateral file drawer on bottom. Right lock secures two box and one file drawer, the left lock secures the lateral file. One pencil tray. For filing capabilities, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Required Specifications
Top finish

Top finish
Top/edge detail
Base finish
Handles

**Optional Specifications** 

HP laminate Key # Collator\*





Storage Cabinet with Doors\*\*

STORAGE MODULES - 41.3"/41.8" HIGH

MOI	DEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD	
		DxWxH								
Z36	L4SH	24 x 36 x 41.3-41	.8 125	185.85	25	\$1591	\$1671	\$1016	\$195	
Z30	L4SH	24 x 30 x 41.3-41	.8 125	161.70	21.25	\$1457	\$1524	\$887	\$162	
Z36	M4SH	20 x 36 x 41.3-41	.8 125	165.90	21.25	\$1485	\$1555	\$1016	\$195	
Z30	M4SH	20 x 30 x 41.3-41	.8 125	143.85	18	\$1344	\$1404	\$887	\$162	
Z36	S4SH	16 x 36 x 41.3-41	.8 100	142.80	17.50	\$1345	\$1412	\$1016	\$146	
Z30	S4SH	16 x 30 x 41.3-41	.8 100	121.80	14.50	\$1207	\$1253	\$887	\$84	

Laminate doors are standard. Includes two 3-position fixed/height adjustable shelves. Standard with lock.

Z21L4SHL	24 x 21 x 41.3-41.8	100	123.90	15.25	\$1180	\$1237	\$560	\$131
Z18L4SHL	24 x 18 x 41.3-41.8	100	112.35	13.25	\$1112	\$1158	\$503	\$101
Z16L4SHL	24 x 16 x 41.3-41.8	100	105	12	\$1045	\$1092	\$496	\$101
Z15L4SHL	24 x 15 x 41.3-41.8	100	100.80	11.25	\$1002	\$1039	\$441	\$101
Z12L4SHL	24 x 12 x 41.3-41.8	100	89.25	9.25	\$928	\$961	\$398	\$69
Z21M4SHL	20 x 21 x 41.3-41.8	100	116.55	13	\$1064	\$1111	\$560	\$131
Z18M4SHL	20 x 18 x 41.3-41.8	100	98.70	11.25	\$1007	\$1049	\$503	\$101
Z16M4SHL	20 x 16 x 41.3-41.8	100	91.35	10.25	\$945	\$987	\$496	\$84
Z15M4SHL	20 x 15 x 41.3-41.8	100	88.20	9.50	\$906	\$939	\$441	\$84
Z12M4SHL	20 x 12 x 41.3-41.8	100	78.75	8	\$842	\$872	\$398	\$69
Z21S4SHL	16 x 21 x 41.3-41.8	100	94.50	10.50	\$951	\$989	\$560	\$101
Z18S4SHL	16 x 18 x 41.3-41.8	100	84	9.50	\$912	\$950	\$503	\$84
Z16S4SHL	16 x 16 x 41.3-41.8	100	76.65	8.50	\$855	\$893	\$496	\$84
Z15S4SHL	16 x 15 x 41.3-41.8	100	73.50	8	\$809	\$842	\$441	\$84
Z12S4SHL	16 x 12 x 41.3-41.8	92.5	65.10	6.50	\$749	\$778	\$398	\$69





Storage Cabinet with Door - LEFT\*

Laminate doors are standard. Includes two 3-position fixed/height adjustable shelves. Standard with lock.

Z21L4SHR	24 x 21 x 41.3-41.8	100	123.90	15.25	\$1180	\$1237	\$560	\$131
Z18L4SHR	24 x 18 x 41.3-41.8	100	112.35	13.25	\$1112	\$1158	\$503	\$101
Z16L4SHR	24 x 16 x 41.3-41.8	100	105	12	\$1045	\$1092	\$496	\$101
Z15L4SHR	24 x 15 x 41.3-41.8	100	100.80	11.25	\$1002	\$1039	\$441	\$101
Z12L4SHR	24 x 12 x 41.3-41.8	100	89.25	9.25	\$928	\$961	\$398	\$69
Z21M4SHR	20 x 21 x 41.3-41.8	100	116.55	13	\$1064	\$1111	\$560	\$131
Z18M4SHR	20 x 18 x 41.3-41.8	100	98.70	11.25	\$1007	\$1049	\$503	\$101
Z16M4SHR	20 x 16 x 41.3-41.8	100	91.35	10.25	\$945	\$987	\$496	\$84
Z15M4SHR	20 x 15 x 41.3-41.8	100	88.20	9.50	\$906	\$939	\$441	\$84
Z12M4SHR	20 x 12 x 41.3-41.8	100	78.75	8	\$842	\$872	\$398	\$69
Z21S4SHR	16 x 21 x 41.3-41.8	100	94.50	10.50	\$951	\$989	\$560	\$101
Z18S4SHR	16 x 18 x 41.3-41.8	100	84	9.50	\$912	\$950	\$503	\$84
Z16S4SHR	16 x 16 x 41.3-41.8	100	76.65	8.50	\$855	\$893	\$496	\$84
Z15S4SHR	16 x 15 x 41.3-41.8	100	73.50	8	\$809	\$842	\$441	\$84
Z12S4SHR	16 x 12 x 41.3-41.8	92.5	65.10	6.50	\$749	\$778	\$398	\$69





Storage Cabinet with Door - RIGHT\*

Laminate doors are standard. Includes two 3-position fixed/height adjustable shelves. Standard with lock.

Required Specifications
Top finish

Top finish
Top/edge detail
Handles\*
Base finish


**Optional Specifications** 

HP laminate Glazed doors\*\* Key #

STORAGE MODULES - 41.3"/41.8" HIGH	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
OTOTIALE MODULES 41.5 /41.5 HIGH	MODELIF	DxWxH	IIEIGIII OEAGO	WI/LDO.	OODIOTI.	1 101	1.5 101	GLAZE ADD	III ADD
	Z36L4SHN	24 x 36 x 41.3-41.8	125	162.55	25	\$1253	\$1332	N/A	\$195
	Z30L4SHN	24 x 30 x 41.3-41.8		142.46	21.25	\$1155	\$1224	N/A	\$162
	Z21L4SHN	24 x 21 x 41.3-41.8		111.80	15.25	\$991	\$1047	N/A	\$131
	Z18L4SHN	24 x 18 x 41.3-41.8		101.23	13.25	\$937	\$984	N/A	\$101
	Z16L4SHN	24 x 16 x 41.3-41.8		94.53	12.23	\$874	\$920	N/A	\$101
	Z15L4SHN	24 x 15 x 41.3-41.8		91.70	11.25	\$845	\$883	N/A	\$101
	Z12L4SHN	24 x 12 x 41.3-41.8		81.13	9.25	\$786	\$819	N/A	\$69
	Z36M4SHN	20 x 36 x 41.3-41.8		141.59	21.25	\$1147	\$1216	N/A	\$195
	Z30M4SHN	20 x 30 x 41.3-41.8		123.94	18	\$1043	\$1103	N/A	\$162
	Z21M4SHN	20 x 21 x 41.3-41.8		102.19	13	\$876	\$923	N/A	\$131
	Z18M4SHN	20 x 18 x 41.3-41.8		86.54	11.25	\$835	\$877	N/A	\$101
<del>1</del> 4	Z16M4SHN	20 x 16 x 41.3-41.8		81.01	10.25	\$773	\$815	N/A	\$101
21",18",16",15" & 12"	Z15M4SHN	20 x 15 x 41.3-41.8		78.24	9.50	\$750	\$783	N/A	\$101
	Z12M4SHN	20 x 12 x 41.3-41.8		69.95	8	\$698	\$728	N/A	\$69
	Z36S4SHN	16 x 36 x 41.3-41.8		119.57	17.50	\$1004	\$1073	N/A	\$146
	Z30S4SHN	16 x 30 x 41.3-41.8	125	111.72	14.50	\$906	\$953	N/A	\$131
	Z21S4SHN	16 x 21 x 41.3-41.8	125	81.04	10.50	\$762	\$799	N/A	\$101
**	Z18S4SHN	16 x 18 x 41.3-41.8	125	72.91	9.50	\$738	\$780	N/A	\$84
	Z16S4SHN	16 x 16 x 41.3-41.8	125	67.49	8.50	\$683	\$721	N/A	\$84
* Accepts collator 11*high	Z15S4SHN	16 x 15 x 41.3-41.8	100	64.78	8	\$653	\$685	N/A	\$84
**Accepts collator 11.3*high	Z12S4SHN	16 x 12 x 41.3-41.8		57.71	6.50	\$604	\$634	N/A	\$69
36" & 30"									7
Open Storage Cabinet**	Includes two 3-po	osition fixed/height ad	justable shelv	/es.					
	Z36L4EN	24 x 36 x 41.3-41.8	125	199.50	25	\$2025	\$2104	N/A	\$195
**	Z30L4EN	24 x 30 x 41.3-41.8		178.50	21.25	\$1934	\$2001	N/A	\$162
	Z16L4EN	24 x 16 x 41.3-41.8		116.55	12	\$1215	\$1262	N/A	\$101
	Z15L4EN	24 x 15 x 41.3-41.8		112.35	11.25	\$1181	\$1219	N/A	\$101
	Z36M4EN	20 x 36 x 41.3-41.8		182	21.25	\$1932	\$2001	N/A	\$195
- 36" & 30"	Z30M4EN	20 x 30 x 41.3-41.8		163	18	\$1831	\$1889	N/A	\$162
F 30 & 30						\$1118	\$1160		\$102
	Z16M4EN	20 x 16 x 41.3-41.8		105	10.25			N/A	
	Z15M4EN	20 x 15 x 41.3-41.8		101	9.50	\$1087	\$1120	N/A	\$101
	Z36S4EN	16 x 36 x 41.3-41.8		153.30	17.50	\$1771	\$1838	N/A	\$146
	Z30S4EN	16 x 30 x 41.3-41.8		131.25	14.50	\$1612	\$1658	N/A	\$131
* Accepts collator 11" high	Z16S4EN	16 x 16 x 41.3-41.8		85.05	8.50	\$1026	\$1064	N/A	\$84
*** Accepts collator 11.3**high	Z15S4EN	16 x 15 x 41.3-41.8	92.5	82.95	8	\$1001	\$1033	N/A	\$84
16"&15" Two File Module with Open Shelf*†	•	d two file drawers on bo						•	om.
	Z36L43F	24 x 36 x 41.3-41.8	100	210	25	\$2380	\$2459	N/A	\$195
	Z30L43F	24 x 30 x 41.3-41.8		190.05	21.25	\$2261	\$2330	N/A	\$162
	Z16L43F	24 x 16 x 41.3-41.8		126	12	\$1398	\$1444	N/A	\$84
	Z15L43F	24 x 15 x 41.3-41.8		120.75	11.25	\$1360	\$1398	N/A	\$84
	Z36M43F	20 x 36 x 41.3-41.8		198.45	21.25	\$2316	\$2385	N/A	\$195
- 36″ & 30″ <sup>-</sup>	Z30M43F	20 x 30 x 41.3-41.8		177.45	18	\$2163	\$2223	N/A	\$162
, 50 450	Z16M43F	20 x 16 x 41.3-41.8		114.45	10.25	\$1304	\$1346	N/A	\$84
	Z15M43F	20 x 15 x 41.3-41.8		110.25	9.50	\$1304	\$1304	N/A	\$84
	Z36S43F	16 x 36 x 41.3-41.8		165.90	17.50	\$2090	\$2157	N/A	\$146
	Z30S43F	16 x 30 x 41.3-41.8		148.05	14.50	\$1925	\$1972	N/A	\$131
	Z16S43F	16 x 16 x 41.3-41.8		94.50	8.50	\$1233	\$1271	N/A	\$84
₩ <u> </u>	Z15S43F	16 x 15 x 41.3-41.8	92.5	91.35	8	\$1193	\$1226	N/A	\$84
16″k15″									
Three File Module <sup>†</sup>		Lock secures all drawer er construction is for acc				ng materi	als on the	drawer bott	om.

Optional Specifications
Glazed door\*
HP laminate
Collator\*\*

Required Specifications Top finish Top/edge detail Handles\* Base finish



Base finish


STORAGE MODULES - 53" / 53.5" HIGH	MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
		DxWxH							
	Z36L5SHN	24 x 36 x 53-53.5	125	198.49	31.25	\$1493	\$1573	N/A	\$195
	Z30L5SHN	24 x 30 x 53-53.5	125	173.45	27	\$1395	\$1464	N/A	\$162
	Z21L5SHN	24 x 21 x 53-53.5	125	136.43	19.50	\$1147	\$1204	N/A	\$131
	Z18L5SHN	24 x 18 x 53-53.5	125	124.44	17	\$1102	\$1149	N/A	\$101
	Z16L5SHN	24 x 16 x 53-53.5	125	116.10	15.50	\$1030	\$1076	N/A	\$101
	Z15L5SHN	24 x 15 x 53-53.5	125	112.45	14.25	\$996	\$1034	N/A	\$101
	Z12L5SHN	24 x 12 x 53-53.5	100	100.46	11.75	\$930	\$963	N/A	\$69
	Z36M5SHN	20 x 36 x 53-53.5	125	172.27	27	\$1359	\$1429	N/A	\$195
**	Z30M5SHN	20 x 30 x 53-53.5	125	158.08	22.75	\$1215	\$1275	N/A	\$162
*	Z21M5SHN	20 x 21 x 53-53.5	125	123.68	16.50	\$1026	\$1073	N/A	\$131
	Z18M5SHN	20 x 18 x 53-53.5	125	106.61	14.25	\$980	\$1023	N/A	\$101
	Z16M5SHN	20 x 16 x 53-53.5	125	99.43	13	\$916	\$958	N/A	\$101
36" & 30"	Z15M5SHN	20 x 15 x 53-53.5	125	95.84	12.25	\$885	\$920	N/A	\$101
	Z12M5SHN	20 x 12 x 53-53.5	100	85.07	10	\$822	\$853	N/A	\$69
	Z36S5SHN	16 x 36 x 53-53.5	125	145.01	21.75	\$1187	\$1254	N/A	\$146
	Z30S5SHN	16 x 30 x 53-53.5	125	126.96	18.50	\$1069	\$1115	N/A	\$131
	Z21S5SHN	16 x 21 x 53-53.5	125	98.33	13.25	\$902	\$940	N/A	\$101
	Z18S5SHN	16 x 18 x 53-53.5	125	88.78	11.50	\$864	\$906	N/A	\$84
	Z16S5SHN	16 x 16 x 53-53.5	125	82.76	10.50	\$807	\$845	N/A	\$84
* Accepts collator 11* high	Z15S5SHN	16 x 15 x 53-53.5	100	78.18	9.75	\$794	\$826	N/A	\$84
** Accepts collator 11.3*high	Z12S5SHN	16 x 12 x 53-53.5	100	69.69	8.25	\$736	\$766	N/A	\$69
21",18",16",15"&12"									
Open Storage Cabinet*	Includes three 3-	position fixed/height ac	ljustable she	lves					
	Z36L5E	24 x 36 x 53-53.5	100	250.95	31.25	\$2602	\$2682	\$762	\$195
	Z30L5E	24 x 30 x 53-53.5	100	222.60	27	\$2427	\$2496	\$668	\$162
	Z36M5E	20 x 36 x 53-53.5	100	229.95	27	\$2482	\$2552	\$792	\$195
*S = 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 = 2 =	Z30M5E	20 x 30 x 53-53.5	100	201.60	22.75	\$2261	\$2321	\$699	\$162
	2001/102	20 X 00 X 00 00.0	100	201.00	22.10	Ψ2201	72021	ψ000	¥102

Two File Module with Doors\*†

\$146 Z36S5E 193.20 16 x 36 x 53-53.5 100 21.75 \$2190 \$2257 \$792 Z30S5E 16 x 30 x 53-53.5 100 170.10 18.50 \$2015 \$2061 \$699 \$131

Two lateral file drawers on bottom. Laminate doors are standard. Includes one 3-position fixed/height adjustable shelf. Upper lock secures storage compartment. Lower lock secures two file drawers. For filing capabilities, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.



Two File Module with Door - LEFT Two file drawers on bottom. Laminate door is standard. Includes one 3-position fixed/height adjustable shelf. Upper lock secures storage compartment. Lower lock secures two file drawers.

24 x 16 x 53-53.5	100	144.90	15.50	\$1512	ė4FF0	6007	***
		1 17.00	10.00	<b>PICI</b> ¢	\$1558	\$387	\$101
24 x 15 x 53-53.5	100	139.65	14.25	\$1456	\$1494	\$348	\$101
20 x 16 x 53-53.5	92.5	130.20	13	\$1406	\$1448	\$386	\$10
20 x 15 x 53-53.5	92.5	126	12.25	\$1350	\$1385	\$348	\$10
16 x 16 x 53-53.5	92.5	109.20	10.50	\$1290	\$1328	\$386	\$84
16 x 15 x 53-53.5	92.5	105	9.75	\$1266	\$1299	\$348	\$84
	20 x 16 x 53-53.5 20 x 15 x 53-53.5 16 x 16 x 53-53.5	20 x 16 x 53-53.5 92.5 20 x 15 x 53-53.5 92.5 16 x 16 x 53-53.5 92.5	20 x 16 x 53-53.5 92.5 130.20 20 x 15 x 53-53.5 92.5 126 16 x 16 x 53-53.5 92.5 109.20	20 x 16 x 53-53.5     92.5     130.20     13       20 x 15 x 53-53.5     92.5     126     12.25       16 x 16 x 53-53.5     92.5     109.20     10.50	20 x 16 x 53-53.5       92.5       130.20       13       \$1406         20 x 15 x 53-53.5       92.5       126       12.25       \$1350         16 x 16 x 53-53.5       92.5       109.20       10.50       \$1290	20 x 16 x 53-53.5       92.5       130.20       13       \$1406       \$1448         20 x 15 x 53-53.5       92.5       126       12.25       \$1350       \$1385         16 x 16 x 53-53.5       92.5       109.20       10.50       \$1290       \$1328	20 x 16 x 53-53.5       92.5       130.20       13       \$1406       \$1448       \$386         20 x 15 x 53-53.5       92.5       126       12.25       \$1350       \$1385       \$348         16 x 16 x 53-53.5       92.5       109.20       10.50       \$1290       \$1328       \$386

Two file drawers on bottom. Laminate door is standard. Includes one 3-position fixed/height adjustable shelf. Upper lock secures storage compartment. Lower lock secures two file drawers.





Two File Module with Door - RIGHT

**Required Specifications** 

Top finish Top/edge detail Handles Base finish

**Optional Specifications** 

**HP** laminate Collator\*

Box drawer\* - no upcharge (30"- 36" wide models only)








Two File Module with Open Shelves\*1

STORAGE MODULES - 53" / 53.5" HIGH



Two open shelves and two file drawers on bottom. **Includes one 3-position fixed/height adjustable shelf**. Lock secures all drawers. For filing capabilities, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.





Four File Module<sup>†</sup>

7001 5 4 5	04 00 50505	100	050.00	04.05	00004	00040	N1 /A	0405
Z36L54F	24 x 36 x 53-53.5	100	256.20	31.25	\$2934	\$3013	N/A	\$195
Z30L54F	24 x 30 x 53-53.5	100	234.15	27	\$2814	\$2883	N/A	\$162
Z16L54F	24 x 16 x 53-53.5	92.5	155.40	15.50	\$1684	\$1730	N/A	\$101
Z15L54F	24 x 15 x 53-53.5	92.5	148.05	14.25	\$1628	\$1666	N/A	\$101
Z36M54F	20 x 36 x 53-53.5	100	239.40	27	\$2843	\$2912	N/A	\$195
Z30M54F	20 x 30 x 53-53.5	100	218.40	22.75	\$2670	\$2730	N/A	\$162
Z16M54F	20 x 16 x 53-53.5	92.5	141.75	13	\$1590	\$1632	N/A	\$101
Z15M54F	20 x 15 x 53-53.5	92.5	136.50	12.25	\$1535	\$1568	N/A	\$101
Z36S54F	16 x 36 x 53-53.5	100	205	21.75	\$2544	\$2611	N/A	\$146
Z30S54F	16 x 30 x 53-53.5	100	180	18.50	\$2318	\$2364	N/A	\$131
Z16S54F	16 x 16 x 53-53.5	92.5	122	10.50	\$1562	\$1600	N/A	\$84
Z15S54F	16 x 15 x 53-53.5	92.5	116	9.75	\$1505	\$1538	N/A	\$84

Four file drawers. Lock secures all drawers. For filing capabilities, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.



Four File Module

Z36L5S4F	24 x 36 x 53-53.5	100	286	31.25	\$3508	\$3587	N/A	\$195
Z36M5S4F	20 x 36 x 53-53.5	100	269	27	\$3582	\$3652	N/A	\$195

Four file drawers with steel drawer interior. Steel drawer construction includes metal sides and masonite bottoms. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. For filing capabilities, see page 130.

- Front-to-back filing bars sold separately. Order FBB bars. See "FBB" on page 41.
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- To prevent overloading, steel drawers do not include a back panel





Storage Cabinet with Doors\*\*

Z36L6SH	24 x 36 x 65.5-66	125	273	39	\$2273	\$2353	\$1475	N/A
Z30L6SH	24 x 30 x 65.5-66	125	238.35	32.75	\$1987	\$2056	\$1276	N/A
Z36M6SH	20 x 36 x 65.5-66	125	246.75	33.25	\$2109	\$2179	\$1475	N/A
Z30M6SH	20 x 30 x 65.5-66	125	212.10	27.75	\$1840	\$1898	\$1276	N/A
Z36S6SH	16 x 36 x 65.5-66	125	210	26.50	\$1908	\$1975	\$1475	N/A
Z30S6SH	16 x 30 x 65.5-66	100	183.75	22.50	\$1640	\$1687	\$1276	N/A

Laminate doors are standard. Includes four 3-position fixed/height adjustable shelves. Standard with lock.


Req	ui	r	ed	Specifications

Top finish
Top/edge detail
Handles
Base finish

#### **Optional Specifications**

HP laminate Collator\* Glazed doors\*\*

STORAGE MODULES - 53" / 53.5" HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	7011 00111	D x W x H	105	105.05	22.50	64000	64000	6047	NI/A
	Z21L6SHL Z18L6SHL	24 x 21 x 65.5-66 24 x 18 x 65.5-66	125 100	185.85 168	23.50 20.50	\$1629 \$1521	\$1686 \$1568	\$817 \$736	N/A N/A
	Z16L6SHL		100	156.45	18.75	\$1434	\$1300	\$736 \$728	N/A N/A
	Z15L6SHL	24 x 16 x 65.5-66 24 x 15 x 65.5-66	100	149.10	17.50	\$1434	\$1400	\$/28 \$637	N/A N/A
	Z12L6SHL	24 x 12 x 65.5-66	100	133.35	14.50	\$1263	\$1298	\$572	N/A
	Z21M6SHL	20 x 21 x 65.5-66	100	170.10	20	\$1457	\$1504	\$372 \$817	N/A N/A
	Z18M6SHL	20 x 18 x 65.5-66	100	148.05	17.25	\$1390	\$1432	\$736	N/A
	Z16M6SHL	20 x 16 x 65.5-66	100	137.55	15.75	\$1308	\$1350	\$730 \$728	N/A
	Z15M6SHL	20 x 15 x 65.5-66	100	133.35	14.75	\$1300	\$1282	\$637	N/A
	Z12M6SHL	20 x 12 x 65.5-66	100	116.55	12.25	\$1155	\$1186	\$572	N/A
	Z21S6SHL	16 x 21 x 65.5-66	100	140.70	16	\$1344	\$1381	\$817	N/A
NAME OF THE PARTY	Z18S6SHL	16 x 18 x 65.5-66	100	126	14	\$1245	\$1283	\$736	N/A
	Z16S6SHL	16 x 16 x 65.5-66	100	116.55	13	\$1170	\$1208	\$738	N/A
	Z15S6SHL	16 x 15 x 65.5-66	100	111.30	12	\$1112	\$1145	\$637	N/A
	Z12S6SHL	16 x 12 x 65.5-66	100	96.60	10	\$1020	\$1050	\$572	N/A
Glazed door option	Z1200011E	10 % 12 % 00.5 00	100	30.00	10	ψ1020	ψ1030	ψ372	11//
Storage Cabinet with Door - LEFT**	Laminate doors are	standard. <b>Includes fo</b>	our 3-position fix	ked/height	adjustable :	shelves.	Standard	with lock.	
	Z21L6SHR	24 x 21 x 65.5-66	125	185.85	23.50	\$1629	\$1686	\$817	N/A
	Z18L6SHR	24 x 18 x 65.5-66	100	168	20.50	\$1023	\$1568	\$736	N/A
	Z16L6SHR	24 x 16 x 65.5-66	100	156.45	18.75	\$1434	\$1480	\$730 \$728	N/A N/A
	Z15L6SHR	24 x 15 x 65.5-66	100	149.10	17.50	\$1390	\$1428	\$637	N/A
	Z12L6SHR	24 x 12 x 65.5-66	100	133.35	14.50	\$1263	\$1420	\$572	N/A N/A
	Z21M6SHR	20 x 21 x 65.5-66	100	170.10	20	\$1203	\$1504	\$372 \$817	N/A N/A
	Z18M6SHR	20 x 18 x 65.5-66	100	148.05	17.25	\$1390	\$1432	\$736	N/A
	Z16M6SHR	20 x 16 x 65.5-66	100	137.55	15.75	\$1308	\$1350	\$728	N/A
	Z15M6SHR	20 x 15 x 65.5-66	100	133.35	14.75	\$1247	\$1282	\$637	N/A
	Z12M6SHR	20 x 12 x 65.5-66	100	116.55	12.25	\$1155	\$1186	\$572	N/A
	Z21S6SHR	16 x 21 x 65.5-66	100	140.70	16	\$1344	\$1381	\$817	N/A
	Z18S6SHR	16 x 18 x 65.5-66	100	126	14	\$1245	\$1283	\$736	N/A
	Z16S6SHR	16 x 16 x 65.5-66	100	116.55	13	\$1170	\$1208	\$728	N/A
	Z15S6SHR	16 x 15 x 65.5-66	100	111.30	12	\$1112	\$1145	\$637	N/A
Glazed door option	Z12S6SHR	16 x 12 x 65.5-66	100	96.60	10	\$1020	\$1050	\$572	N/A
Storage Cabinet with Door - RIGHT**	Laminate doors are	standard. Includes fo	our 3-position fix	xed/height	adjustable :	shelves.	Standard	with lock.	
	Z36L6SHN	24 x 36 x 65.5-66	125	234.42	39	\$1761	\$1841	N/A	N/A
	Z30L6SHN	24 x 30 x 65.5-66	125	205.50	32.75	\$1560	\$1629	N/A	N/A
	Z21L6SHN	24 x 21 x 65.5-66	125	163.17	23.50	\$1354	\$1411	N/A	N/A
	Z18L6SHN	24 x 18 x 65.5-66	125	148.71	20.50	\$1271	\$1318	N/A	N/A
	Z16L6SHN	24 x 16 x 65.5-66	125	139.77	18.75	\$1183	\$1229	N/A	N/A
	Z15L6SHN	24 x 15 x 65.5-66	125	134.25	17.50	\$1171	\$1209	N/A	N/A
	Z12L6SHN	24 x 12 x 65.5-66	100	119.79	14.50	\$1063	\$1096	N/A	N/A
	Z36M6SHN	20 x 36 x 65.5-66	125	206.11	33.25	\$1593	\$1662	N/A	N/A
	Z30M6SHN	20 x 30 x 65.5-66	125	178.58	27.75	\$1410	\$1468	N/A	N/A
	Z21M6SHN	20 x 21 x 65.5-66	125	146.22	20	\$1183	\$1230	N/A	N/A
	Z18M6SHN	20 x 18 x 65.5-66		127.73	17.25	\$1142	\$1185	N/A	N/A
<b> </b>	Z16M6SHN	20 x 16 x 65.5-66		119.95	15.75	\$1061	\$1103	N/A	N/A
	Z15M6SHN	20 x 15 x 65.5-66	125	116.59	14.75	\$1001	\$1103	N/A N/A	N/A N/A
- 36"a 30" -1	Z12M6SHN	20 x 12 x 65.5-66		102.30	12.25	\$957	\$987	N/A	N/A
	Z36S6SHN	16 x 36 x 65.5-66		172.54	26.50	\$1397	\$1464	N/A	N/A
	Z30S6SHN	16 x 30 x 65.5-66	125	151.66	22.50	\$1213	\$1260	N/A	N/A
	Z21S6SHN	16 x 21 x 65.5-66		117.71	16	\$1068	\$1106	N/A	N/A
	Z18S6SHN	16 x 18 x 65.5-66		105.70	14	\$996	\$1034	N/A	N/A
	Z16S6SHN	16 x 16 x 65.5-66	125	99.09	13	\$926	\$964	N/A	N/A
* Accepts collator 11"high	Z15S6SHN Z12S6SHN	16 x 15 x 65.5-66 16 x 12 x 65.5-66		94.73 83.76	12 10	\$893 \$822	\$926 \$852	N/A N/A	N/A
217,18″,16″,15″a12″	LIZSUSTIN	10 X 12 X 00.0-00	100	03.70	10	φ022	φύJZ	IN/A	N/A
Open Storage Cabinet	Includes four 3-po	sition fixed/height a	djustable shelv	es.					
	Required Specificati	ons	Optional Specifi	cations					
	Top finish		HP laminate	- 20.010					
	Top/edge detail		Collator*						
	Handles		Glazed doors**						
	Base finish								





Two File Module with Doors\*†



Two lateral file drawers on bottom. Laminate doors are standard. **Includes two 3-position fixed/height adjustable shelves**. Upper lock secures storage compartment. Lower lock secures two file drawers. For filing capabilities, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.





Two File Module with Door - LEFT

Z16L6EL	24 x 16 x 65.5-66	100	171.15	18.75	\$1698	\$1745	\$499	N/A
Z15L6EL	24 x 15 x 65.5-66	100	163.80	17.50	\$1658	\$1696	\$444	N/A
Z16M6EL	20 x 16 x 65.5-66	100	153.30	15.75	\$1579	\$1621	\$499	N/A
Z15M6EL	20 x 15 x 65.5-66	92.5	148.05	14.75	\$1521	\$1556	\$444	N/A
Z16S6EL	16 x 16 x 65.5-66	100	129.15	13	\$1442	\$1480	\$499	N/A
715S6FI	16 x 15 x 65 5-66	92 5	123 90	12	\$1397	\$1430	\$444	N/A

Two file drawers on bottom. Laminate door is standard. **Includes two 3-position fixed/height adjustable shelves**. Upper lock secures storage compartment. Lower lock secures two file drawers.





Two File Module with Door - RIGHT

Z16L6ER	24 x 16 x 65.5-66	100	171.15	18.75	\$1698	1745	\$499	N/A
Z15L6ER	24 x 15 x 65.5-66	100	163.80	17.50	\$1658	1696	\$444	N/A
Z16M6ER	20 x 16 x 65.5-66	100	153.30	15.75	\$1579	1621	\$499	N/A
Z15M6ER	20 x 15 x 65.5-66	92.5	148.05	14.75	\$1521	1556	\$444	N/A
Z16S6ER	16 x 16 x 65.5-66	100	129.15	13	\$1442	1480	\$499	N/A
Z15S6ER	16 x 15 x 65.5-66	92.5	123.90	12	\$1397	1430	\$444	N/A

Two file drawers on bottom. Laminate door is standard. **Includes three 3-position fixed/height adjustable shelves**. Upper lock secures storage compartment. Lower lock secures two file drawers.







Two File Module with Open Shelves<sup>†</sup>

Z36L6EN	24 x 36 x 65.5-66	125	271.38	39	\$2504	\$2584	N/A	N/A
Z30L6EN	24 x 30 x 65.5-66	125	240.85	32.75	\$2295	\$2364	N/A	N/A
Z16L6EN	24 x 16 x 65.5-66	100	161.56	18.75	\$1524	\$1570	N/A	N/A
Z15L6EN	24 x 15 x 65.5-66	100	155.60	17.50	\$1503	\$1541	N/A	N/A
Z36M6EN	20 x 36 x 65.5-66	125	243.07	33.25	\$2381	\$2450	N/A	N/A
Z30M6EN	20 x 30 x 65.5-66	125	213.93	27.75	\$2158	\$2218	N/A	N/A
Z16M6EN	20 x 16 x 65.5-66	100	142.80	15.75	\$1407	\$1449	N/A	N/A
Z15M6EN	20 x 15 x 65.5-66	100	137.94	14.75	\$1365	\$1400	N/A	N/A
Z36S6EN	16 x 36 x 65.5-66	125	202.15	26.50	\$1983	\$2052	N/A	N/A
Z30S6EN	16 x 30 x 65.5-66	125	177.56	22.50	\$1921	\$1967	N/A	N/A
Z16S6EN	16 x 16 x 65.5-66	100	118.78	13	\$1267	\$1305	N/A	N/A
Z15S6EN	16 x 15 x 65.5-66	100	113.98	12	\$1242	\$1275	N/A	N/A

Three open shelves and two file drawers on bottom. **Includes two 3-position fixed/height adjustable shelves**. Lock secures all drawers. For filing capabilities, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

**Required Specifications** 

Top finish
Top/edge detail
Handles
Base finish

Optional Specifications

HP laminate Collator\* Glazed doors\*\* Box drawer\* - no upcharge (30"- 36" wide models only)

WARDROBE MODULES - 65.5" / 66" HIGH	MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	Z36L6WA	<b>D x W x H</b> 24 x 36 x 65.5-66	150	216.20	20	¢1047	¢202c	NI/A	NI/A
<u> </u>			150	216.30	39	\$1947	\$2026	N/A	N/A
.   .	Z30L6WA	24 x 30 x 65.5-66	150	192.15	32.75	\$1753	\$1822	N/A	N/A
	Z36M6WA	20 x 36 x 65.5-66	125	200.55	33.25	\$1865	\$1934	N/A	N/A
	Z30M6WA	20 x 30 x 65.5-66	125	173.25	27.75	\$1651	\$1711	N/A	N/A
				0					
Wardrobe Cabinet	Laminate doors ar	e standard. Full length har	nging rod includ	led. Standa	rd with lock.				
	70.41.0\4/41	04 04 05 5 00	405	105.00	00.75	04000	<b>0400</b> F	N1 / A	NI /A
	Z24L6WAL	24 x 24 x 65.5-66	125	165.90	26.75	\$1608	\$1665	N/A	N/A
	Z21L6WAL	24 x 21 x 65.5-66	125	152.25	23.50	\$1480	\$1536	N/A	N/A
	Z18L6WAL	24 x 18 x 65.5-66	125	139.65	20.50	\$1314	\$1361	N/A	N/A
	Z16L6WAL	24 x 16 x 65.5-66	125	132.30	18.75	\$1286	\$1333	N/A	N/A
	Z15L6WAL	24 x 15 x 65.5-66	125	128.10	17.50	\$1233	\$1271	N/A	N/A
	Z12L6WAL	24 x 12 x 65.5-66	125	115.50	14.50	\$1140	\$1173	N/A	N/A
	Z24M6WAL	20 x 24 x 65.5-66	125	149.10	22.50	\$1383	\$1430	N/A	N/A
	Z21M6WAL	20 x 21 x 65.5-66	125	143.85	20	\$1341	\$1387	N/A	N/A
	Z18M6WAL		125	124.95	17.25	\$1214	\$1256	N/A	N/A
-   1		20 x 18 x 65.5-66							
	Z16M6WAL	20 x 16 x 65.5-66	125	116.55	15.75	\$1183	\$1225	N/A	N/A
	Z15M6WAL	20 x 15 x 65.5-66	125	113.40	14.75	\$1113	\$1148	N/A	N/A
	Z12M6WAL	20 x 12 x 65.5-66	100	102.90	12.25	\$1061	\$1091	N/A	N/A
Wardrobe Cabinet - LEFT	Laminate doors ar	e standard. Full length har	nging rod includ	led. Standa	rd with lock.				
	724LC\\\AD	24 × 24 × 65 5 66	125	105.00	20.75	¢1000	¢1CCE	NI/A	NI/A
	Z24L6WAR	24 x 24 x 65.5-66	125	165.90	26.75	\$1608	\$1665	N/A	N/A
	Z21L6WAR	24 x 21 x 65.5-66	125	152.25	23.50	\$1480	\$1536	N/A	N/A
	Z18L6WAR	24 x 18 x 65.5-66	125	139.65	20.50	\$1314	\$1361	N/A	N/A
	Z16L6WAR	24 x 16 x 65.5-66	125	132.30	18.75	\$1286	\$1333	N/A	N/A
	Z15L6WAR	24 x 15 x 65.5-66	125	128.10	17.50	\$1233	\$1271	N/A	N/A
	Z12L6WAR	24 x 12 x 65.5-66	125	115.50	14.50	\$1140	\$1173	N/A	N/A
		2 1 N 12 N 00.0 00							
	Z24M6WAR	20 x 24 x 65.5-66		149.10	22.50	\$1383	\$1430	N/A	N/A
	Z24M6WAR	20 x 24 x 65.5-66	125						N/A N/A
deci-trib	Z24M6WAR Z21M6WAR	20 x 24 x 65.5-66 20 x 21 x 65.5-66	125 125	143.85	20	\$1341	\$1387	N/A	N/A
\$\frac{1}{2}	Z24M6WAR Z21M6WAR Z18M6WAR	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66	125 125 125	143.85 124.95	20 17.25	\$1341 \$1214	\$1387 \$1256	N/A N/A	N/A N/A
<u>3-</u> 1-3-5	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66	125 125 125 125	143.85 124.95 116.55	20 17.25 15.75	\$1341 \$1214 \$1183	\$1387 \$1256 \$1225	N/A N/A N/A	N/A N/A N/A
<u>â</u>	Z24M6WAR Z21M6WAR Z18M6WAR	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66	125 125 125	143.85 124.95	20 17.25	\$1341 \$1214	\$1387 \$1256	N/A N/A	N/A
Wardrobe Cabinet - RIGHT	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66	125 125 125 125 125 125 100	143.85 124.95 116.55 113.40 102.90	20 17.25 15.75 14.75 12.25	\$1341 \$1214 \$1183 \$1113	\$1387 \$1256 \$1225 \$1148	N/A N/A N/A N/A	N/A N/A N/A N/A
Wardrobe Cabinet - RIGHT	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length har	125 125 125 125 125 125 100 nging rod includ	143.85 124.95 116.55 113.40 102.90 ded. Standa	20 17.25 15.75 14.75 12.25 rd with lock.	\$1341 \$1214 \$1183 \$1113 \$1061	\$1387 \$1256 \$1225 \$1148 \$1091	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A
Wardrobe Cabinet - RIGHT	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR Z12M6WAR	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length har	125 125 125 125 125 125 100 nging rod includ	143.85 124.95 116.55 113.40 102.90 ded. Standa	20 17.25 15.75 14.75 12.25 rd with lock.	\$1341 \$1214 \$1183 \$1113 \$1061 \$2325	\$1387 \$1256 \$1225 \$1148 \$1091	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A
Wardrobe Cabinet - RIGHT	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR Z12M6WAR Laminate doors ar	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length har 24 x 36 x 65.5-66 24 x 30 x 65.5-66	125 125 125 125 125 100 nging rod includ	143.85 124.95 116.55 113.40 102.90 ded. Standa 269.85 240.45	20 17.25 15.75 14.75 12.25 rd with lock.	\$1341 \$1214 \$1183 \$1113 \$1061 \$2325 \$2060	\$1387 \$1256 \$1225 \$1148 \$1091 \$2405 \$2127	N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A
Wardrobe Cabinet - RIGHT	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR Z12M6WAR  Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66 20 x 12 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length har 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66	125 125 125 125 125 100 nging rod include 125 125	143.85 124.95 116.55 113.40 102.90 ded. Standa 269.85 240.45 208.95	20 17.25 15.75 14.75 12.25 rd with lock. 39 32.75 26.75	\$1341 \$1214 \$1183 \$1113 \$1061 \$2325 \$2060 \$1922	\$1387 \$1256 \$1225 \$1148 \$1091 \$2405 \$2127 \$1980	N/A N/A N/A N/A N/A N/A S1475 \$1276 \$1153	N/A N/A N/A N/A N/A N/A
Wardrobe Cabinet - RIGHT	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR Z12M6WAR  Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length har 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 24 x 65.5-66	125 125 125 125 125 100 nging rod include 125 125 125	143.85 124.95 116.55 113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20	20 17.25 15.75 14.75 12.25 rd with lock. 39 32.75 26.75 23.50	\$1341 \$1214 \$1183 \$1113 \$1061 \$2325 \$2060 \$1922 \$1805	\$1387 \$1256 \$1225 \$1148 \$1091 \$2405 \$2127 \$1980 \$1862	N/A N/A N/A N/A N/A N/A S1475 \$1276 \$1153 \$1142	N/A N/A N/A N/A N/A N/A N/A
Wardrobe Cabinet - RIGHT	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR Z12M6WAR  Laminate doors ar  Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z36M6DIL	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length har 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66 20 x 36 x 65.5-66	125 125 125 125 125 100 nging rod include 125 125 125 100 125	143.85 124.95 116.55 113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60	20 17.25 15.75 14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25	\$1341 \$1214 \$1183 \$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187	\$1387 \$1256 \$1225 \$1148 \$1091 \$2405 \$2127 \$1980 \$1862 \$2256	N/A N/A N/A N/A N/A N/A S1475 \$1276 \$1153 \$1142 \$1475	N/A N/A N/A N/A N/A N/A N/A N/A
Wardrobe Cabinet - RIGHT	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR Z12M6WAR  Laminate doors ar  Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z36M6DIL Z30M6DIL	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length har 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66 20 x 36 x 65.5-66 20 x 30 x 65.5-66	125 125 125 125 125 100 nging rod include 125 125 125 100 125 100	143.85 124.95 116.55 113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60 226.80	20 17.25 15.75 14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75	\$1341 \$1214 \$1183 \$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187 \$1910	\$1387 \$1256 \$1225 \$1148 \$1091 \$2405 \$2127 \$1980 \$1862 \$2256 \$1970	N/A N/A N/A N/A N/A N/A S1475 \$1276 \$1153 \$1142 \$1475 \$1276	N/A N/A N/A N/A N/A N/A N/A N/A
Wardrobe Cabinet - RIGHT	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR Z12M6WAR  Laminate doors ar  Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z36M6DIL Z30M6DIL Z24M6DIL	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length har 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66 20 x 36 x 65.5-66 20 x 30 x 65.5-66 20 x 30 x 65.5-66	125 125 125 125 100 125 125 100 125 125 125 125 100 125 100 100	143.85 124.95 116.55 113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60	20 17.25 15.75 14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75 22.50	\$1341 \$1214 \$1183 \$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187	\$1387 \$1256 \$1225 \$1148 \$1091 \$2405 \$2127 \$1980 \$1862 \$2256 \$1970 \$1760	N/A N/A N/A N/A N/A N/A S1475 \$1276 \$1153 \$1142 \$1475	N/A N/A N/A N/A N/A N/A N/A N/A
	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR Z12M6WAR  Laminate doors ar  Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z36M6DIL Z30M6DIL	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length har 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66 20 x 36 x 65.5-66 20 x 30 x 65.5-66	125 125 125 125 125 100 nging rod include 125 125 125 100 125 100	143.85 124.95 116.55 113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60 226.80	20 17.25 15.75 14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75	\$1341 \$1214 \$1183 \$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187 \$1910	\$1387 \$1256 \$1225 \$1148 \$1091 \$2405 \$2127 \$1980 \$1862 \$2256 \$1970 \$1760	N/A N/A N/A N/A N/A N/A S1475 \$1276 \$1153 \$1142 \$1475 \$1276	N/A N/A N/A N/A N/A N/A N/A N/A N/A
Glazed door option  Wardrobe Cabinet/Shelving Combo	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR Z12M6WAR  Laminate doors ar  Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z30M6DIL Z24M6DIL Z24M6DIL Z21M6DIL Z21M6DIL Z21M6DIL Z21M6DIL Z21M6DIL	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length har 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66 20 x 36 x 65.5-66 20 x 30 x 65.5-66 20 x 30 x 65.5-66	125 125 125 125 120 125 100 125 125 125 125 125 100 125 100 100 100 100 artment on <b>left</b>	143.85 124.95 116.55 113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60 226.80 184.80 171.15	20 17.25 15.75 14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75 22.50 20	\$1341 \$1214 \$1183 \$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187 \$1910 \$1713 \$1664	\$1387 \$1256 \$1225 \$1148 \$1091 \$2405 \$2127 \$1980 \$1862 \$2256 \$1970 \$1760 \$1711	N/A N/A N/A N/A N/A N/A N/A S1475 \$1276 \$1153 \$1142 \$1475 \$1276 \$1153 \$1142	N/A N/A N/A N/A N/A N/A N/A N/A N/A
	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR Z12M6WAR  Laminate doors ar  Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z30M6DIL Z24M6DIL Z24M6DIL Z21M6DIL Z21M6DIL Z21M6DIL Z21M6DIL Z21M6DIL	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length har 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66 20 x 36 x 65.5-66 20 x 24 x 65.5-66 20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 21 x 65.5-66 20 x 21 x 65.5-66	125 125 125 125 100 125 125 100 125 125 100 125 100 125 100 100 100 artment on <b>left</b>	143.85 124.95 116.55 113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60 226.80 184.80 171.15 includes f	20 17.25 15.75 14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75 22.50 20	\$1341 \$1214 \$1183 \$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187 \$1910 \$1713 \$1664	\$1387 \$1256 \$1225 \$1148 \$1091 \$2405 \$2127 \$1980 \$1862 \$2256 \$1970 \$1760 \$1711	N/A N/A N/A N/A N/A N/A N/A S1475 \$1276 \$1153 \$1142 \$1475 \$1276 \$1153 \$1142	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Glazed door option  Wardrobe Cabinet/Shelving Combo	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR Z12M6WAR Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z30M6DIL Z24M6DIL Z21M6DIL Z21M6DIL Z4M6DIL Z4M6DIL Z6M6DIL Z6M6DIL Z7M6DIL Z7M6DIL Z7M6DIL Z7M6DIL Z7M6DIL	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length har 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66 20 x 30 x 65.5-66 20 x 24 x 65.5-66 20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 21 x 65.5-66	125 125 125 125 120 125 100  125 125 125 125 125 100 125 100 100 100 artment on left nging rod. Two	143.85 124.95 116.55 113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60 226.80 184.80 171.15 includes f	20 17.25 15.75 14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75 22.50 20	\$1341 \$1214 \$1183 \$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187 \$1910 \$1713 \$1664	\$1387 \$1256 \$1225 \$1148 \$1091 \$2405 \$2127 \$1980 \$1862 \$2256 \$1970 \$1760 \$1711	N/A N/A N/A N/A N/A N/A N/A S1475 \$1276 \$1153 \$1142 \$1475 \$1276 \$1153 \$1142	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
Glazed door option  Wardrobe Cabinet/Shelving Combo	Z24M6WAR Z21M6WAR Z18M6WAR Z16M6WAR Z15M6WAR Z12M6WAR Z12M6WAR Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z30M6DIL Z24M6DIL Z21M6DIL Z21M6DIL Z21M6DIC Z21M6DIC Z21M6DIC Z21M6DIC Z21M6DIC Z21M6DIC Z21M6DIC	20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 18 x 65.5-66 20 x 16 x 65.5-66 20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length har 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66 20 x 30 x 65.5-66 20 x 24 x 65.5-66 20 x 24 x 65.5-66 20 x 21 x 65.5-66 20 x 21 x 65.5-66	125 125 125 125 125 100  nging rod include  125 125 125 100 125 100 100 100 artment on left nging rod. Two	143.85 124.95 116.55 113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60 226.80 184.80 171.15 includes f	20 17.25 15.75 14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75 22.50 20	\$1341 \$1214 \$1183 \$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187 \$1910 \$1713 \$1664	\$1387 \$1256 \$1225 \$1148 \$1091 \$2405 \$2127 \$1980 \$1862 \$2256 \$1970 \$1760 \$1711	N/A N/A N/A N/A N/A N/A N/A S1475 \$1276 \$1153 \$1142 \$1475 \$1276 \$1153 \$1142	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A







WARDROBE MODULES - 65.5" / 66" HIGH



Laminate doors are standard. Storage compartment on **right includes four 3-position fixed/height adjustable shelves** Wardrobe compartment on **left** includes hanging rod. Two locks secure storage and wardrobe compartments.

Z36L6DINL	24 x 36 x 65.5-66	125	251.50	39	\$2077	\$2157	\$737	N/A
Z30L6DINL	24 x 30 x 65.5-66	125	224.46	32.75	\$1856	\$1925	\$638	N/A
Z24L6DINL	24 x 24 x 65.5-66	125	196.37	26.75	\$1750	\$1807	\$573	N/A
Z21L6DINL	24 x 21 x 65.5-66	125	183.37	23.50	\$1633	\$1690	\$570	N/A
Z36M6DINL	20 x 36 x 65.5-66	125	223.19	33.25	\$1943	\$2013	\$737	N/A
Z30M6DINL	20 x 30 x 65.5-66	125	197.54	27.75	\$1707	\$1767	\$638	N/A
Z24M6DINL	20 x 24 x 65.5-66	125	174.14	22.50	\$1542	\$1589	\$573	N/A
Z21M6DINL	20 x 21 x 65.5-66	125	159.07	20	\$1492	\$1539	\$570	N/A

Laminate door is standard. Storage compartment on **left includes four 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod. Single lock secures storage and wardrobe compartments.

Z36L6DINR	24 x 36 x 65.5-66	125	251.50	39	\$2077	\$2157	\$737	N/A
Z30L6DINR	24 x 30 x 65.5-66	125	224.46	32.75	\$1856	\$1925	\$638	N/A
Z24L6DINR	24 x 24 x 65.5-66	125	196.37	26.75	\$1750	\$1807	\$573	N/A
Z21L6DINR	24 x 21 x 65.5-66	125	183.37	23.50	\$1633	\$1690	\$570	N/A
Z36M6DINR	20 x 36 x 65.5-66	125	223.19	33.25	\$1943	\$2013	\$737	N/A
Z30M6DINR	20 x 30 x 65.5-66	125	197.54	27.75	\$1707	\$1767	\$638	N/A
Z24M6DINR	20 x 24 x 65.5-66	125	174.14	22.50	\$1542	\$1589	\$573	N/A
Z21M6DINR	20 x 21 x 65.5-66	125	159.07	20	\$1492	\$1539	\$570	N/A

Laminate door is standard. Storage compartment on **right includes four 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod. Single lock secures storage and wardrobe compartments.







Wardrobe Cabinet/Open Shelving Combo - LEFT\*





Wardrobe Cabinet/Open Shelving Combo - RIGHT\*

## PERSONAL TOWERS - 65.5" / 66" HIGH





**Personal Tower with Doors - LEFT** 

Samuel	



**Personal Tower with Doors - RIGHT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L6EL	24 x 36 x 65.5-66	3 125	290.85	39	\$2551	\$2630	\$1239	N/A
Z30L6EL	24 x 30 x 65.5-66	3 100	266.70	32.75	\$2360	\$2429	\$1128	N/A
Z24L6EL	24 x 24 x 65.5-66	5 100	243.24	26.75	\$2263	\$2320	\$988	N/A
Z36M6EL	20 x 36 x 65.5-66	5 125	256.20	33.25	\$2414	\$2483	\$1239	N/A
Z30M6EL	20 x 30 x 65.5-66	5 100	229.95	27.75	\$2205	\$2265	\$1128	N/A
Z24M6EL	20 x 24 x 65.5-66	5 100	217	22.50	\$2114	\$2161	\$988	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.

Z36L6ER	24 x 36 x 65.5-66	125	290.85	39	\$2551	\$2630	\$1239	N/A
Z30L6ER	24 x 30 x 65.5-66	100	266.70	32.75	\$2360	\$2429	\$1128	N/A
Z24L6ER	24 x 24 x 65.5-66	100	243.24	26.75	\$2263	\$2320	\$988	N/A
Z36M6ER	20 x 36 x 65.5-66	125	256.20	33.25	\$2414	\$2483	\$1239	N/A
Z30M6ER	20 x 30 x 65.5-66	100	229.95	27.75	\$2205	\$2265	\$1128	N/A
Z24M6ER	20 x 24 x 65.5-66	100	217	22.50	\$2114	\$2161	\$988	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on right includes four 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.

	Required	l Speci	ifications
--	----------	---------	------------

Top finish
Top/edge detail
Handles
Base finish

#### **Optional Specifications**

Collator Glazed doors\*

## PERSONAL TOWERS - 65.5" / 66" HIGH







**Personal Tower with Doors** and cavity - LEFT\*



Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed/ height adjustable shelf. Wardrobe compartment on right includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.

Z36L6ECR	24 x 36 x 65.5-66	125	288.74	39	\$2518	\$2598	\$1181	N/A
Z30L6ECR	24 x 30 x 65.5-66	100	264.24	32.75	\$2328	\$2397	\$1074	N/
Z24L6ECR	24 x 24 x 65.5-66	100	239.24	26.75	\$2232	\$2289	\$931	N/
Z36M6ECR	20 x 36 x 65.5-66	125	252.03	33.25	\$2371	\$2440	\$1181	N/
Z30M6ECR	20 x 30 x 65.5-66	100	226.82	27.75	\$2160	\$2218	\$1074	N/
Z24M6ECR	20 x 24 x 65.5-66	100	213	22.50	\$2085	\$2132	\$931	N/

Two file drawers on bottom. Laminate doors are standard. Storage compartment on right includes one 3-position fixed/ height adjustable shelf. Wardrobe compartment on left includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.








**Personal Tower with Doors** and cavity - RIGHT\*







Personal Tower with Open Shelves - LEFT\*



Two file drawers on bottom. Laminate doors are standard on wardrobe section. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod. Upper lock secures storage and wardrobe compartments. Lower lock secures all drawers.







Personal Tower with Open\*

Z36L6ENR	24 x 36 x 65.5-66	125	280.48	39	\$2380	\$2459	\$741	N/A
Z30L6ENR	24 x 30 x 65.5-66	125	257.36	32.75	\$2187	\$2256	\$634	N/A
Z24L6ENR	24 x 24 x 65.5-66	100	230.24	26.75	\$2094	\$2151	\$492	N/A
Z36M6ENR	20 x 36 x 65.5-66	125	243.77	33.25	\$2230	\$2299	\$741	N/A
Z30M6ENR	20 x 30 x 65.5-66	125	219.94	27.75	\$2020	\$2080	\$634	N/A
Z24M6ENR	20 x 24 x 65.5-66	100	204	22.50	\$1915	\$1978	\$492	N/A

Two file drawers on bottom. Laminate doors is standard on wardrobe section. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod. Upper lock secures storage and wardrobe compartments. Lower lock secures all drawers.





**Personal Tower with Doors - LEFT** 

Z36L6BFL	24 x 36 x 65.5-66	125	294	39	\$2682	\$2761	\$1239	N/A
Z30L6BFL	24 x 30 x 65.5-66	100	268.80	32.75	\$2492	\$2561	\$1128	N/A
Z24L6BFL	24 x 24 x 65.5-66	100	244.24	26.75	\$2368	\$2426	\$988	N/A
Z36M6BFL	20 x 36 x 65.5-66	125	258.30	33.25	\$2554	\$2623	\$1239	N/A
Z30M6BFL	20 x 30 x 65.5-66	100	232.05	27.75	\$2343	\$2403	\$1128	N/A
Z24M6BFL	20 x 24 x 65.5-66	100	218	22.50	\$2222	\$2269	\$988	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.

#### **Required Specifications**

Top finish Top/edge detail Handles Base finish

## **Optional Specifications**

Collator\* Glazed doors\*

Box drawer\* - no upcharge (30"- 36" wide models only)







**Personal Tower with Doors - RIGHT** 

PERSONAL TOWERS - 65.5" / 66" HIGH

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD 1	HP ADD
	DxWxH							
Z36L6BFR	24 x 36 x 65.5-66	5 125	294	39	\$2682	\$2761	\$1239	N/A
Z30L6BFR	24 x 30 x 65.5-66	3 100	268.80	32.75	\$2492	\$2561	\$1128	N/A
Z24L6BFR	24 x 24 x 65.5-66	5 100	244.24	26.75	\$2368	\$2426	\$988	N/A
Z36M6BFR	20 x 36 x 65.5-66	5 125	258.30	33.25	\$2554	\$2623	\$1239	N/A
Z30M6BFR	20 x 30 x 65.5-66	5 100	232.05	27.75	\$2343	\$2403	\$1128	N/A
Z24M6BFR	20 x 24 x 65.5-66	5 100	218	22.50	\$2222	\$2269	\$988	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







Personal Tower with Doors\*

Z36L6BFCL	24 x 36 x 65.5-66	125	291.89	39	\$2652	\$2732	\$1181	N/A
Z30L6BFCL	24 x 30 x 65.5-66	100	266.34	32.75	\$2462	\$2531	\$1074	N/A
Z24L6BFCL	24 x 24 x 65.5-66	100	240.24	26.75	\$2338	\$2396	\$931	N/A
Z36M6BFCL	20 x 36 x 65.5-66	125	254.13	33.25	\$2503	\$2572	\$1181	N/A
Z30M6BFCL	20 x 30 x 65.5-66	100	228.92	27.75	\$2290	\$2350	\$1074	N/A
Z24M6BFCL	20 x 24 x 65.5-66	100	214	22.50	\$2191	\$2238	\$931	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed/height adjustable shelf. Wardrobe compartment on right includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







**Personal Tower with Doors** and Cavity - RIGHT\*

Z36L6BFCR	24 x 36 x 65.5-66	125	291.89	39	\$2652	\$2732	\$1181	N/A
Z30L6BFCR	24 x 30 x 65.5-66	100	266.34	32.75	\$2462	\$2531	\$1074	N/A
Z24L6BFCR	24 x 24 x 65.5-66	100	240.24	26.75	\$2338	\$2396	\$931	N/A
Z36M6BFCR	20 x 36 x 65.5-66	125	254.13	33.25	\$2503	\$2572	\$1181	N/A
Z30M6BFCR	20 x 30 x 65.5-66	100	228.92	27.75	\$2290	\$2350	\$1074	N/A
Z24M6BFCR	20 x 24 x 65.5-66	100	214	22.50	\$2191	\$2238	\$931	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed/height adjustable shelf. Wardrobe compartment on right includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







Personal Tower with Open Shelves - LEFT\*

Z36L6BFNL	24 x 36 x 65.5-66	125	280	39	\$2513	\$2592	\$741	N/A
Z30L6BFNL	24 x 30 x 65.5-66	125	257	32.75	\$2322	\$2391	\$634	N/A
Z24L6BFNL	24 x 24 x 65.5-66	100	232	26.75	\$2202	\$2259	\$492	N/A
Z36M6BFNL	20 x 36 x 65.5-66	125	242	33.25	\$2383	\$2452	\$741	N/A
Z30M6BFNL	20 x 30 x 65.5-66	125	219	27.75	\$2172	\$2232	\$634	N/A
Z24M6BFNL	20 x 24 x 65.5-66	100	206	22.50	\$2072	\$2119	\$492	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod. Upper lock secures storage and wardrobe compartments. Lower lock secures all drawers.







Personal Tower with Open Shelves - RIGHT\*

Z36L6BFNR	24 x 36 x 65.5-66	125	280	39	\$2513	\$2592	\$741	N/A
Z30L6BFNR	24 x 30 x 65.5-66	125	257	32.75	\$2322	\$2391	\$634	N/A
Z24L6BFNR	24 x 24 x 65.5-66	100	232	26.75	\$2202	\$2259	\$492	N/A
Z36M6BFNR	20 x 36 x 65.5-66	125	242	33.25	\$2383	\$2452	\$741	N/A
Z30M6BFNR	20 x 30 x 65.5-66	125	219	27.75	\$2172	\$2232	\$634	N/A
Z24M6BFNR	20 x 24 x 65.5-66	100	206	22.50	\$2072	\$2119	\$492	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod. Upper lock secures storage and wardrobe compartments. Lower lock secures all drawers.

Req	uired	Specific	ations

Top finish Top/edge detail Handles Base finish

#### **Optional Specifications**

Collator\* Glazed doors

Box drawer - no upcharge\* (30"-36" wide models only)

Z36L7SH Z30L7SH Z36M7SH Z30M7SH Z36S7SH Z30S7SH	D x W x H 24 x 36 x 71.9-72.4 24 x 30 x 71.9-72.4 20 x 36 x 71.9-72.4 20 x 30 x 71.9-72.4 16 x 36 x 71.9-72.4	125 125 125 125	295.05 253.05 261.45	43.25	\$2374			
Z30L7SH Z36M7SH Z30M7SH Z36S7SH	24 x 30 x 71.9-72.4 20 x 36 x 71.9-72.4 20 x 30 x 71.9-72.4 16 x 36 x 71.9-72.4	125 125	253.05	40.20		\$2453	\$1590	N/A
Z36M7SH Z30M7SH Z36S7SH	20 x 36 x 71.9-72.4 20 x 30 x 71.9-72.4 16 x 36 x 71.9-72.4	125		36.25	\$2072	\$2141	\$1376	N/A
Z30M7SH Z36S7SH	20 x 30 x 71.9-72.4 16 x 36 x 71.9-72.4			36.75	\$2204	\$2273	\$1590	N/A
Z36S7SH	16 x 36 x 71.9-72.4		225.75	30.50	\$1910	\$1968	\$1376	N/A
		125	225.75	29.50	\$1976	\$2043	\$1590	N/A
20007011	16 x 30 x 71.9-72.4	125	195.30	25	\$1736	\$1782	\$1376	N/A
	10 X 00 X 71.0 72.4	120	100.00	20	<b>41700</b>	Ψ1702	ψ1070	14//1
Laminate doors a	re standard. <b>Includes four</b>	3-position fix	xed/height	adjustable :	shelves.	Standard w	vith lock.	
721I 7SHI	24 v 21 v 71 Q-72 A	125	106 25	26	\$1716	¢1772	¢883	N/A
								N/A
								N/A
								N/A
								N/A
								N/A
								N/A
								N/A
								N/A
								N/A
								N/A
								N/A
								N/A
								N/A
Z12S7SHL	16 x 12 x 71.9-72.4	100	103.95	11	\$1066	\$1096	\$614	N/A
Laminate doors a	re standard. <b>Includes four</b>	3-position fix	xed/height	adjustable :	shelves.	Standard w	ith lock.	
Z21L7SHR	24 x 21 x 71.9-72.4	125	196.35	26	\$1716	\$1773	\$883	N/A
Z18L7SHR	24 x 18 x 71.9-72.4	125	178.50	22.75	\$1600	\$1647	\$792	N/A
Z16L7SHR	24 x 16 x 71.9-72.4	100	166.95	20.75	\$1504	\$1551	\$787	N/A
Z15L7SHR	24 x 15 x 71.9-72.4	100	160.65	19.25	\$1439	\$1477	\$683	N/A
Z12L7SHR	24 x 12 x 71.9-72.4	100	136.50	16	\$1321	\$1356	\$614	N/A
Z21M7SHR	20 x 21 x 71.9-72.4				\$1535		\$883	N/A
Z18M7SHR	20 x 18 x 71.9-72.4	100	156.45	19.25	\$1465	\$1508	\$792	N/A
Z16M7SHR	20 x 16 x 71.9-72.4	100	147	17.50	\$1376	\$1418	\$787	N/A
Z15M7SHR	20 x 15 x 71.9-72.4	100	139.65	16.25	\$1313	\$1346	\$683	N/A
Z12M7SHR	20 x 12 x 71.9-72.4	100	123.90	13.25	\$1205	\$1235	\$614	N/A
Z21S7SHR	16 x 21 x 71.9-72.4	100	150.15	18	\$1416	\$1454	\$883	N/A
Z18S7SHR	16 x 18 x 71.9-72.4	100	134.40	15.50	\$1316	\$1358	\$792	N/A
Z16S7SHR	16 x 16 x 71.9-72.4	100	124.95	14	\$1263	\$1301	\$787	N/A
Z15S7SHR	16 x 15 x 71.9-72.4	100	118.65	12.50	\$1214	\$1246	\$683	N/A
Z12S7SHR	16 x 12 x 71.9-72.4	100	103.95	11	\$1066	\$1096	\$614	N/A
	Z21L7SHR Z18L7SHR Z18L7SHR Z16L7SHR Z15L7SHR Z15L7SHR Z21M7SHR Z21M7SHR Z16M7SHR Z15M7SHR Z15M7SHR Z15M7SHR Z15M7SHR Z157SHR Z18S7SHR Z18S7SHR Z16S7SHR Z15S7SHR	Z18L7SHL       24 x 18 x 71.9-72.4         Z16L7SHL       24 x 16 x 71.9-72.4         Z15L7SHL       24 x 15 x 71.9-72.4         Z12L7SHL       24 x 12 x 71.9-72.4         Z21M7SHL       20 x 21 x 71.9-72.4         Z18M7SHL       20 x 18 x 71.9-72.4         Z16M7SHL       20 x 16 x 71.9-72.4         Z15M7SHL       20 x 15 x 71.9-72.4         Z12M7SHL       20 x 12 x 71.9-72.4         Z18S7SHL       16 x 21 x 71.9-72.4         Z18S7SHL       16 x 18 x 71.9-72.4         Z15S7SHL       16 x 15 x 71.9-72.4         Z15S7SHL       16 x 15 x 71.9-72.4         Z12S7SHL       16 x 12 x 71.9-72.4         Z12S7SHR       24 x 18 x 71.9-72.4         Z15L7SHR       24 x 18 x 71.9-72.4         Z15L7SHR       24 x 15 x 71.9-72.4         Z12L7SHR       24 x 12 x 71.9-72.4         Z12L7SHR       20 x 12 x 71.9-72.4         Z1M7SHR       20 x 18 x 71.9-72.4         Z1M7SHR       20 x 18 x 71.9-72.4         Z1M7SHR       20 x 18 x 71.9-72.4         Z1SM7SHR       20 x 12 x 71.9-72.4	Z18L7SHL       24 x 18 x 71.9-72.4       125         Z16L7SHL       24 x 16 x 71.9-72.4       100         Z15L7SHL       24 x 15 x 71.9-72.4       100         Z12L7SHL       24 x 12 x 71.9-72.4       100         Z21M7SHL       20 x 21 x 71.9-72.4       100         Z18M7SHL       20 x 18 x 71.9-72.4       100         Z16M7SHL       20 x 16 x 71.9-72.4       100         Z15M7SHL       20 x 15 x 71.9-72.4       100         Z12M7SHL       20 x 12 x 71.9-72.4       100         Z18S7SHL       16 x 21 x 71.9-72.4       100         Z18S7SHL       16 x 18 x 71.9-72.4       100         Z15S7SHL       16 x 16 x 71.9-72.4       100         Z15S7SHL       16 x 15 x 71.9-72.4       100         Z12S7SHL       16 x 17.9-72.4       100         Z12S7SHR       24 x 18 x 71.9-72.4       100         Z12S7SHR       24 x 18 x 71.9-72.4       100         Z15L7SHR       24 x 18 x 71.9-72.4       100         Z1M	Z18L7SHL       24 x 18 x 71.9-72.4       125       178.50         Z16L7SHL       24 x 16 x 71.9-72.4       100       166.95         Z15L7SHL       24 x 15 x 71.9-72.4       100       160.65         Z12L7SHL       24 x 12 x 71.9-72.4       100       136.50         Z21M7SHL       20 x 21 x 71.9-72.4       100       174.30         Z18M7SHL       20 x 18 x 71.9-72.4       100       156.45         Z16M7SHL       20 x 16 x 71.9-72.4       100       147         Z15M7SHL       20 x 15 x 71.9-72.4       100       139.65         Z12M7SHL       20 x 12 x 71.9-72.4       100       139.65         Z12M7SHL       20 x 12 x 71.9-72.4       100       123.90         Z21S7SHL       16 x 21 x 71.9-72.4       100       150.15         Z18S7SHL       16 x 16 x 71.9-72.4       100       124.95         Z15S7SHL       16 x 15 x 71.9-72.4       100       124.95         Z15S7SHL       16 x 12 x 71.9-72.4       100       139.65         Z1L7SHR       24 x 21 x 71.9-72.4       100       103.95         Laminate doors are standard.       Includes four 3-position fixed/height         Z1L7SHR       24 x 18 x 71.9-72.4       100       166.95	Z18L7SHL         24 x 18 x 71.9-72.4         125         178.50         22.75           Z16L7SHL         24 x 16 x 71.9-72.4         100         166.95         20.75           Z15L7SHL         24 x 15 x 71.9-72.4         100         160.65         19.25           Z12L7SHL         24 x 12 x 71.9-72.4         100         136.50         16           Z21M7SHL         20 x 21 x 71.9-72.4         100         174.30         21.25           Z18M7SHL         20 x 18 x 71.9-72.4         100         156.45         19.25           Z16M7SHL         20 x 16 x 71.9-72.4         100         147         17.50           Z15M7SHL         20 x 15 x 71.9-72.4         100         139.65         16.25           Z12M7SHL         20 x 12 x 71.9-72.4         100         123.90         13.25           Z21S7SHL         16 x 21 x 71.9-72.4         100         150.15         18           Z18S7SHL         16 x 18 x 71.9-72.4         100         134.40         15.50           Z16S7SHL         16 x 15 x 71.9-72.4         100         149.55         14           Z15S7SHL         16 x 15 x 71.9-72.4         100         136.65         12.50           Z12S7SHL         16 x 12 x 71.9-72.4         100         1	Z18L7SHL         24 x 18 x 71.9-72.4         125         178.50         22.75         \$1600           Z16L7SHL         24 x 16 x 71.9-72.4         100         166.95         20.75         \$1504           Z15L7SHL         24 x 15 x 71.9-72.4         100         160.65         19.25         \$1439           Z12L7SHL         24 x 12 x 71.9-72.4         100         136.50         16         \$1321           Z21M7SHL         20 x 21 x 71.9-72.4         100         174.30         21.25         \$1535           Z18M7SHL         20 x 18 x 71.9-72.4         100         147         17.50         \$1376           Z16M7SHL         20 x 16 x 71.9-72.4         100         147         17.50         \$1376           Z15M7SHL         20 x 15 x 71.9-72.4         100         139.65         16.25         \$1313           Z12M7SHL         20 x 12 x 71.9-72.4         100         123.90         13.25         \$1205           Z21S7SHL         16 x 21 x 71.9-72.4         100         150.15         18         \$1416           Z18S7SHL         16 x 18 x 71.9-72.4         100         134.40         15.50         \$1214           Z1E7SSHL         16 x 15 x 71.9-72.4         100         118.65         12.50         \$	Tight	Tight

Required Specifications
Top finish
Top/edge detail
Handles
Base finish

Optional Specifications
Collator\*
Glazed doors\*\*
Box drawer\* - no upcharge (30"- 36" wide models only)

	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP AD
	Z36L7SHN	24 x 36 x 71.9-72	2.4 150	249.61	43.25	\$1855	\$1935	N/A	N/A
	Z30L7SHN	24 x 30 x 71.9-72		216.23	36.25	\$1644	\$1713	N/A	N/A
	Z21L7SHN	24 x 21 x 71.9-72		171.94	26	\$1424	\$1481	N/A	N/A
	Z18L7SHN	24 x 18 x 71.9-72		156.83	22.75	\$1340	\$1387	N/A	N/A
	Z16L7SHN	24 x 16 x 71.9-72		147.10	20.75	\$1244	\$1290	N/A	N/A
	Z15L7SHN	24 x 15 x 71.9-72		141.72	19.25	\$1207	\$1245	N/A	N/A
*	Z12L7SHN	24 x 12 x 71.9-72		121.35	16	\$1117	\$1235	N/A	N/A
*	Z36M7SHN	20 x 36 x 71.9-72		217.09	36.75	\$1684	\$1753	N/A	N/A
	Z30M7SHN	20 x 30 x 71.9-72		188.26	30.50	\$1482	\$1542	N/A	N/A
	Z21M7SHN	20 x 21 x 71.9-72		148.69	21.25	\$1128	\$1174	N/A	N/A
6" • 30"	Z18M7SHN	20 x 18 x 71.9-72		134.80	19.25	\$1200	\$1243	N/A	N/A
0 %30	Z16M7SHN	20 x 16 x 71.9-72		127.29	17.50	\$1113	\$1155	N/A	N/A
	Z15M7SHN	20 x 15 x 71.9-72		121.96	16.25	\$1080	\$1115	N/A	N/A
	Z12M7SHN	20 x 13 x 71.9-72		109.11	13.25	\$999	\$1029	N/A	N/A
	Z36S7SHN	16 x 36 x 71.9-72		181.43	29.50	\$1457	\$1526	N/A	N/A
									N/A
7	Z30S7SHN	16 x 30 x 71.9-72		158.19	25	\$1309	\$1355	N/A	
	Z21S7SHN	16 x 21 x 71.9-72		124.38	18	\$1125	\$1162	N/A	N/A
T:	Z18S7SHN	16 x 18 x 71.9-72		112.77	15.50	\$1055	\$1097	N/A	N/A
	Z16S7SHN	16 x 16 x 71.9-72		105.37	14	\$999	\$1037	N/A	N/A
* Accepts collator 11" high	Z15S7SHN	16 x 15 x 71.9-72		100.10	12.50	\$985	\$1017	N/A	N/A
5°,15°&12"	Z12S7SHN	16 x 12 x 71.9-72	2.4 100	89.53	11	\$861	\$891	N/A	N/A
n Storage Cabinet	Four adjustable	shelves.							
	Z36L7E	24 x 36 x 71.9-72	2.4 125	316.05	43.25	\$3028	\$3107	\$1252	N/A
	Z30L7E	24 x 30 x 71.9-72		276.15	36.25	\$2765	\$2834	\$1091	N/A
	Z36M7E	20 x 36 x 71.9-72		285.60	36.75	\$2866	\$2935	\$1252	N/A
	Z30M7E	20 x 30 x 71.9-72		249.90	30.50	\$2613	\$2673	\$1091	N/A
				244.65	29.50			\$1252	
	/36S/F	Ih X 3h X / I 9-//				3/h14	SZHXX		IN/A
	Z36S7E 730S7E	16 x 36 x 71.9-72				\$2619 \$2361	\$2688 \$2407		
Glazed door option	Z30S7E Z30S7E	16 x 30 x 71.9-72		213.15	25	\$2361	\$2688 \$2407	\$1091	
·	Z30S7E Two lateral file dra	16 x 30 x 71.9-72 awers. Laminate doors	2.4 100 are standard. <b>In</b>	213.15 cludes two	25 adjustable s	\$2361 shelves.	\$2407	\$1091	N/A
· ·	Z30S7E  Two lateral file dracompartment. Lov	16 x 30 x 71.9-72	2.4 100 are standard. <b>In</b> e drawers.For fili	213.15  cludes two ng capablitie	25 <b>adjustable s</b> s, see page 13	<b>\$2361 shelves</b> . U	<b>\$2407</b> Upper lock	\$1091	N/A
·	Z30S7E  Two lateral file dracompartment. Low  • Lateral file dracompartment.	16 x 30 x 71.9-72 awers. Laminate doors wer lock secures two file wer construction is for ac	2.4 100 are standard. In e drawers.For filin	213.15 cludes two ng capablitie anging files N	25 <b>adjustable s</b> s, see page 13 <i>IOT for stackin</i>	\$2361 shelves. U 30. ng materia	\$2407 Upper lock	\$1091  c secures stor	N/A rage
·	Z30S7E  Two lateral file dracompartment. Low • Lateral file drave  Z16L7EL	16 x 30 x 71.9-72  awers. Laminate doors wer lock secures two file ver construction is for ac  24 x 16 x 71.9-72	2.4 100 are standard. In a drawers.For filing commodating has a commodating that a commod	213.15  cludes two ng capablitie anging files N	25  adjustable s s, see page 13 IOT for stacking 20.75	\$2361 shelves. U 30. ang materia \$1786	\$2407 Upper lock als on the \$1833	\$1091  a secures stor  drawer botto  \$617	N/A rage om.
· ·	Z30S7E  Two lateral file dracompartment. Lov. • Lateral file drav.  Z16L7EL Z15L7EL	16 x 30 x 71.9-72  awers. Laminate doors awer lock secures two file over construction is for acceptance with the construction of the construction	2.4 100 are standard. In a drawers.For filing commodating has 2.4 100	213.15  cludes two ng capablitie anging files N  181.65 176.40	adjustable s s, see page 13 IOT for stackin 20.75 19.25	\$2361 shelves. U 30. ng materia \$1786 \$1716	\$2407 Upper lock als on the \$1833 \$1754	\$1091 s secures stored arawer botton  \$617 \$542	N/A rage om. N/A N/A
· ·	Z30S7E  Two lateral file dracompartment. Lov. • Lateral file drav.  Z16L7EL Z15L7EL Z16M7EL	16 x 30 x 71.9-72  awers. Laminate doors awer lock secures two file over construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction	2.4 100 are standard. In e drawers.For filin commodating he commodating he 2.4 100 2.4 100 2.4 100	213.15  cludes two ng capablitie anging files N  181.65 176.40 162.75	25 <b>adjustable s</b> s, see page 13 IOT for stackin 20.75 19.25 17.50	\$2361 shelves. U 30. ng materia \$1786 \$1716 \$1659	\$2407 Upper lock als on the \$1833 \$1754 \$1701	\$1091	N/A rage nm. N/A N/A
· ·	Z30S7E  Two lateral file dracompartment. Lov. • Lateral file drav.  Z16L7EL Z15L7EL Z16M7EL Z15M7EL	16 x 30 x 71.9-72  awers. Laminate doors awer lock secures two file over construction is for acceptance with the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction	2.4 100  are standard. In e drawers.For filing commodating has 2.4 100 2.4 100 2.4 100 2.4 100	213.15  cludes two ng capablitie anging files N  181.65 176.40 162.75 155.40	25  adjustable s s, see page 13 IOT for stackin  20.75 19.25 17.50 16.25	\$2361 shelves. ( 30. ang materia \$1786 \$1716 \$1659 \$1593	\$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628	\$1091	N/A rage nm. N/A N/A N/A
· ·	Z30S7E  Two lateral file dracompartment. Lov. • Lateral file drav.  Z16L7EL Z15L7EL Z16M7EL Z15M7EL Z16S7EL	16 x 30 x 71.9-72  awers. Laminate doors awer lock secures two file over construction is for acceptance with the construction in the construction is for acceptance with the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the constru	2.4 100  are standard. In e drawers.For filing commodating has 2.4 100 2.4 100 2.4 100 2.4 100 2.4 100 2.4 100	213.15  cludes two ng capablitie anging files N  181.65 176.40 162.75 155.40 137.55	25  adjustable s s, see page 13 IOT for stackin  20.75 19.25 17.50 16.25 14	\$2361 shelves. Uso. 30. \$1786 \$1716 \$1659 \$1593 \$1544	\$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628 \$1582	\$1091	N/A rage om.  N/A N/A N/A N/A
·	Z30S7E  Two lateral file dracompartment. Lov. • Lateral file drav.  Z16L7EL Z15L7EL Z16M7EL Z15M7EL	16 x 30 x 71.9-72  awers. Laminate doors awer lock secures two file over construction is for acceptance with the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction in the construction in the construction is for acceptance with the construction in the construction	2.4 100  are standard. In e drawers.For filing commodating has 2.4 100 2.4 100 2.4 100 2.4 100 2.4 100 2.4 100	213.15  cludes two ng capablitie anging files N  181.65 176.40 162.75 155.40	25  adjustable s s, see page 13 IOT for stackin  20.75 19.25 17.50 16.25	\$2361 shelves. ( 30. ang materia \$1786 \$1716 \$1659 \$1593	\$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628	\$1091	N/A rage om.  N/A N/A N/A N/A
File Module with Doors*	Z30S7E  Two lateral file drawn compartment. Low Lateral file drawn Z16L7EL Z15L7EL Z16M7EL Z15M7EL Z15S7EL  Two file drawers of the compartment of	16 x 30 x 71.9-72  awers. Laminate doors awer lock secures two file over construction is for acceptance with the construction in the construction is for acceptance with the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the construction in the construction is for a construction in the constru	2.4 100 are standard. In e drawers.For filing commodating has been seen as a	213.15  cludes two ng capablitie anging files \( \)  181.65 176.40 162.75 155.40 137.55 132.30  ncludes two	25  adjustable s s, see page 13 IOT for stackin  20.75 19.25 17.50 16.25 14 12.50 2 3-position f	\$2361 shelves. Use and material street stree	\$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628 \$1582 \$1542	\$1091 drawer botto \$617 \$542 \$617 \$542 \$617 \$542 \$617 \$542	N/A rage nm.  N/A N/A N/A N/A N/A
File Module with Doors*	Z30S7E  Two lateral file drawn compartment. Low Lateral file drawn Z16L7EL Z15L7EL Z16M7EL Z15M7EL Z15S7EL  Two file drawers of the compartment of	16 x 30 x 71.9-72  awers. Laminate doors awer lock secures two file over construction is for acceptance with the construction is acceptance with the construction	2.4 100 are standard. In a drawers.For filit commodating has 2.4 100	213.15  cludes two ng capablitie anging files \( \)  181.65 176.40 162.75 155.40 137.55 132.30  ncludes two	25  adjustable s s, see page 13 IOT for stackin  20.75 19.25 17.50 16.25 14 12.50 2 3-position f	\$2361 shelves. Use and material street stree	\$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628 \$1582 \$1542	\$1091 drawer botto \$617 \$542 \$617 \$542 \$617 \$542 \$617 \$542	N/A N/A N/A N/A N/A N/A
File Module with Doors*	Z30S7E  Two lateral file draves of the compartment. Low and the lateral file draves of the lateral file draves of the lateral file draves of the lateral file drawers of lock secures storal lateral file drawers of lock secures storal lateral file drawers of lock secures storal file drawers of the lateral file drawers of lateral f	awers. Laminate doors wer lock secures two file wer construction is for acceptance of the secure of	2.4 100 are standard. In a drawers.For filit commodating has 2.4 100	213.15  cludes two ng capablitie anging files A  181.65 176.40 162.75 155.40 137.55 132.30  ncludes two of file drawer	25  adjustable s s, see page 13 IOT for stackin  20.75 19.25 17.50 16.25 14 12.50 23-position f s.	\$2361 shelves. (30. ang material \$1786 \$1716 \$1659 \$1593 \$1544 \$1510	\$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628 \$1582 \$1542 yht adjus	\$1091 drawer botto \$617 \$542 \$617 \$542 \$617 \$542 \$617 \$542	N/A rage  N/A N/A N/A N/A N/A N/A
File Module with Doors*	Z30S7E  Two lateral file draves of the compartment. Low and the lateral file draves of the lateral file draves of the lateral file draves of the lateral file drawers of lock secures storal z16L7ER	16 x 30 x 71.9-72  awers. Laminate doors wer lock secures two file wer construction is for active construction in construction is for active construction in construction in construction is for active construction in construction i	2.4 100 are standard. In a drawers.For filit commodating has been seen as a	213.15  cludes two ng capablitie anging files N  181.65 176.40 162.75 155.40 137.55 132.30  ncludes two of file drawer	25  adjustable s s, see page 13  IOT for stackin  20.75 19.25 17.50 16.25 14 12.50 20.75 20.75	\$2361 shelves. Using material \$1786 \$1716 \$1659 \$1593 \$1544 \$1510 fixed/heig	\$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628 \$1582 \$1542 yht adjus \$1833	\$1091 drawer stored \$617 \$542 \$617 \$542 \$617 \$542 \$617 \$542	N/A rage  N/A N/A N/A N/A N/A N/A
File Module with Doors*	Z30S7E  Two lateral file dracompartment. Loo  • Lateral file drave  Z16L7EL Z15L7EL Z16M7EL Z15M7EL Z15S7EL  Two file drawers of lock secures storal  Z16L7ER Z15L7ER	16 x 30 x 71.9-72  awers. Laminate doors wer lock secures two file wer construction is for active construction in construction is for active construction in construction in construction is for active construction in construction in construction in construction is for active construction in construction is for active construction in construction in construction in construction is for active construction in construction in construction in construction is for active construction in construction in construction in construction is for active construction in construction	2.4 100 are standard. In a drawers.For filit commodating has been seen as a	213.15  cludes two ng capablitie anging files N  181.65 176.40 162.75 155.40 137.55 132.30  ncludes two of file drawer  181.65 176.40	25  adjustable s s, see page 13  10T for stackin  20.75 19.25 17.50 16.25 14 12.50 20.75 19.25 20.75 19.25	\$2361 shelves. 0 30. ang materia \$1786 \$1716 \$1593 \$1544 \$1510 fixed/heig \$1786 \$1716	\$2407  Upper lock  als on the  \$1833 \$1754 \$1701 \$1628 \$1582 \$1542  ght adjus  \$1833 \$1754	\$1091 c secures stored drawer botto \$617 \$542 \$617 \$542 \$617 \$542 table shelver	N/A rage nm.  N/A N/A N/A N/A N/A N/A N/A N/A
File Module with Doors*	Z30S7E  Two lateral file dracompartment. Loo  • Lateral file drav  Z16L7EL Z15L7EL Z16M7EL Z15S7EL  Two file drawers of lock secures storal  Z16L7ER Z15L7ER Z16M7ER	16 x 30 x 71.9-72  awers. Laminate doors wer lock secures two file wer construction is for active construction in construction is for active construction in construction in construction is for active construction in construction in construction in construction is for active construction in construction is for active construction in construction in construction in construction is for active construction in construction in construction in construction is for active construction in construction in construction in construction is for active construction in construction	2.4 100 are standard. In a drawers.For filit commodating has been seen as a	213.15  cludes two ng capablitie anging files N  181.65 176.40 162.75 155.40 137.55 132.30  ncludes two of file drawer  181.65 176.40 162.75	25  adjustable s s, see page 13  IOT for stackin  20.75 19.25 17.50 16.25 14 12.50  3-position f ss.  20.75 19.25 17.50	\$2361 shelves. Uso. 30. mg materia \$1786 \$1716 \$1659 \$1593 \$1544 \$1510 sheed/heig	\$2407  Upper lock  als on the  \$1833 \$1754 \$1701 \$1628 \$1582 \$1542  ght adjus  \$1833 \$1754 \$1701	\$1091 drawer botto \$617 \$542 \$617 \$542 \$617 \$542 table shelve	N/A N

Two File Module w	ith Door - RIGHT
	Glazed door option

Z16L7ER	24 x 16 x 71.9-72.4	100	181.65	20.75	\$1786	\$1833	\$617	N/A
Z15L7ER	24 x 15 x 71.9-72.4	100	176.40	19.25	\$1716	\$1754	\$542	N/A
Z16M7ER	20 x 16 x 71.9-72.4	100	162.75	17.50	\$1659	\$1701	\$617	N/A
Z15M7ER	20 x 15 x 71.9-72.4	100	155.40	16.25	\$1593	\$1628	\$542	N/A
Z16S7ER	16 x 16 x 71.9-72.4	100	137.55	14	\$1544	\$1582	\$617	N/A
Z15S7ER	16 x 15 x 71.9-72.4	92.5	132.30	12.50	\$1510	\$1542	\$542	N/A

Two file drawers on bottom. Laminate door is standard. Includes two 3-position fixed/height adjustable shelves. Upper lock secures storage compartment. Lower lock secures two file drawers.

Req	uir	ed	Sp	ecifi	cati	ions

Top finish Top/edge detail Handles Base finish

# Optional Specifications Collator\*

Glazed doors\*\*

Box drawer\* - no upcharge (30"- 36" wide models only)

STORAGE MODULES - 72"/72.5" HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z36L7EN	24 x 36 x 71.9-	72.4 125	286.57	43.25	\$2628	\$2708	N/A	N/A
	Z30L7EN	24 x 30 x 71.9-	72.4 125	252.63	36.25	\$2419	\$2488	N/A	N/A
*	Z16L7EN	24 x 16 x 71.9-	72.4 100	168.90	20.75	\$1586	\$1632	N/A	N/A
	Z15L7EN	24 x 15 x 71.9-	72.4 100	164.12	19.25	\$1539	\$1577	N/A	N/A
	Z36M7EN	20 x 36 x 71.9-	72.4 125	257.21	36.75	\$2472	\$2542	N/A	N/A
- 36° a 30°	Z30M7EN	20 x 30 x 71.9-	72.4 125	225.71	30.50	\$2265	\$2325	N/A	N/A
	Z16M7EN	20 x 16 x 71.9-	72.4 100	150.13	17.50	\$1458	\$1500	N/A	N/A
	Z15M7EN	20 x 15 x 71.9-	72.4 100	144.36	16.25	\$1419	\$1452	N/A	N/A
	Z36S7EN	16 x 36 x 71.9-	72.4 125	216.29	29.50	\$2223	\$2290	N/A	N/A
	Z30S7EN	16 x 30 x 71.9-	72.4 125	189.34	25	\$2015	\$2061	N/A	N/A
	Z16S7EN	16 x 16 x 71.9-	72.4 100	125.06	14	\$1345	\$1383	N/A	N/A
* Accepts collator 11" high	Z15S7EN	16 x 15 x 71.9-	72.4 100	120.40	12.50	\$1332	\$1365	N/A	N/A
F 1 2									

Two File Module with Open Shelves\*

Three open shelves and two file drawers on bottom. Includes two 3-position fixed/height adjustable shelves. Lock secures all drawers. For filing capablities, see page 130.

	• Lateral file draw	ver construction is for accord	nmodating ha	nging files ∖\	IOT for stackii	ng materi	als on the d	drawer bott	om.
WARDROBE CABINETS - 72"/72.5" HIGH	MODEL#	DIMENSIONS FRE	EIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
September 1	Z36L7WA	24 x 36 x 71.9-72.4	150	252	43.25	\$2158	\$2237	N/A	N/A
	Z30L7WA	24 x 30 x 71.9-72.4	125	218.40	36.25	\$2015	\$2084	N/A	N/A
	Z36M7WA	20 x 36 x 71.9-72.4	125	226.80	36.75	\$2029	\$2098	N/A	N/A
	Z30M7WA	20 x 30 x 71.9-72.4	125	196.35	30.50	\$1801	\$1861	N/A	N/A
						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	*****	,	.,
Wardrobe Cabinet	Laminate doors ar	e standard. Full length han	ging rod inclu	ded. <b>Includ</b>	es one 3-po	sition fix	ed/height	adjustable	shelf
	above hanging rod	. Standard with lock.							
	Z24L7WAL	24 x 24 x 71.9-72.4	125	191.10	29.75	\$1635	\$1692	N/A	N/A
	Z21L7WAL	24 x 21 x 71.9-72.4	125	178.50	26	\$1577	\$1634	N/A	N/A
	Z18L7WAL	24 x 18 x 71.9-72.4	125	158.55	22.75	\$1448	\$1495	N/A	N/A
	Z16L7WAL	24 x 16 x 71.9-72.4	125	149.10	20.75	\$1390	\$1436	N/A	N/A
	Z15L7WAL	24 x 15 x 71.9-72.4	125	144.90	19.25	\$1322	\$1360	N/A	N/A
	Z12L7WAL	24 x 12 x 71.9-72.4	100	130.20	16	\$1232	\$1265	N/A	N/A
	Z24M7WAL	20 x 24 x 71.9-72.4	125	171.15	25.25	\$1512	\$1561	N/A	N/A
den mod	Z21M7WAL	20 x 21 x 71.9-72.4	125	154.35	21.25	\$1449	\$1496	N/A	N/A
	Z18M7WAL	20 x 18 x 71.9-72.4	125	139.65	19.25	\$1340	\$1382	N/A	N/A
	Z16M7WAL	20 x 16 x 71.9-72.4	125	131.25	17.50	\$1278	\$1320	N/A	N/A
	Z15M7WAL	20 x 15 x 71.9-72.4	125	126	16.25	\$1214	\$1249	N/A	N/A
	Z12M7WAL	20 x 12 x 71.9-72.4	100	113.40	13.25	\$1139	\$1169	N/A	N/A
Wardrobe Cabinet - LEFT		e standard. Full length han	ging rod inclu	ded. <b>Includ</b>	es one 3-po	sition fix	ed/height	adjustable	shelf
	above hanging rod	. Standard with lock.							
	Z24L7WAR	24 x 24 x 71.9-72.4	125	191.10	29.75	\$1635	\$1692	N/A	N/A
	Z21L7WAR	24 x 21 x 71.9-72.4	125	178.50	26	\$1577	\$1634	N/A	N/A
	Z18L7WAR	24 x 18 x 71.9-72.4	125	158.55	22.75	\$1448	\$1495	N/A	N/A
	Z16L7WAR	24 x 16 x 71.9-72.4	125	149.10	20.75	\$1390	\$1436	N/A	N/A
	Z15L7WAR	24 x 15 x 71.9-72.4	125	144.90	19.25	\$1322	\$1360	N/A	N/A
	Z12L7WAR	24 x 12 x 71.9-72.4	100	130.20	16	\$1232	\$1265	N/A	N/A
	Z24M7WAR	20 x 24 x 71.9-72.4	125	171.15	25.25	\$1512	\$1561	N/A	N/A
december 1	Z21M7WAR	20 x 21 x 71.9-72.4	125	154.35	21.25	\$1449	\$1496	N/A	N/A
	Z18M7WAR	20 x 18 x 71.9-72.4	125	139.65	19.25	\$1340	\$1382	N/A	N/A
	Z16M7WAR	20 x 16 x 71.9-72.4	125	131.25	17.50	\$1278	\$1320	N/A	N/A
	Z15M7WAR	20 x 15 x 71.9-72.4	125	126	16.25	\$1214	\$1249	N/A	N/A
	Z12M7WAR	20 x 12 x 71.9-72.4	100	113.40	13.25	\$1139	\$1169	N/A	N/A
Wardrobe Cabinet - RIGHT	Laminate doors ar	e standard. Full length han	ging rod inclu	ded. <b>Includ</b>	es one 3-po	sition fix	ed/height	adjustable	shelf

above hanging rod. Standard with lock.

Required Specifications
Top finish
Top/edge detail Handles Base finish

Optional Specifications
Glazed doors\*







**Wardrobe Cabinet/Shelving Combo** with Doors - LEFT



Laminate doors are standard. Storage compartment on left includes four 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Storage and wardrobe compartments lock independently. Each door lock keyed alike.






_	
Wardrobe Cabinet/Shelving Combo	)
with Doors - RIGHT	

Z36L7DIR	24 x 36 x 71.9-72.4	125	300.30	43.25	\$2544	\$2624	\$1590	N/A
Z30L7DIR	24 x 30 x 71.9-72.4	125	262.50	36.25	\$2223	\$2292	\$1376	N/A
Z24L7DIR	24 x 24 x 71.9-72.4	125	232.05	29.75	\$2022	\$2079	\$1239	N/A
Z21L7DIR	24 x 21 x 71.9-72.4	125	200.55	26	\$1963	\$2019	\$1228	N/A
Z36M7DIR	20 x 36 x 71.9-72.4	125	276.15	36.75	\$2388	\$2457	\$1590	N/A
Z30M7DIR	20 x 30 x 71.9-72.4	125	241.50	30.50	\$2073	\$2133	\$1376	N/A
Z24M7DIR	20 x 24 x 71.9-72.4	100	214.20	25.25	\$1901	\$1948	\$1239	N/A
Z21M7DIR	20 x 21 x 71.9-72.4	100	196.35	21.25	\$1825	\$1872	\$1228	N/A

Laminate doors are standard. Storage compartment on right includes four 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Storage and wardrobe compartments lock independently. Each door lock keyed alike.






Wardrobe Cabinet/Open Shelving Combo - LEFT

Z36L7DINL	24 x 36 x 71.9-72.4	125	277.47	43.25	\$2295	\$2375	\$793	N/A
Z30L7DINL	24 x 30 x 71.9-72.4	125	244.53	36.25	\$2020	\$2089	\$686	N/A
Z24L7DINL	24 x 24 x 71.9-72.4	125	217.88	29.75	\$1840	\$1897	\$617	N/A
Z21L7DINL	24 x 21 x 71.9-72.4	125	189.33	26	\$1777	\$1834	\$611	N/A
Z36M7DINL	20 x 36 x 71.9-72.4	125	254.41	36.75	\$2139	\$2208	\$793	N/A
Z30M7DINL	20 x 30 x 71.9-72.4	125	222.86	30.50	\$1868	\$1928	\$686	N/A
Z24M7DINL	20 x 24 x 71.9-72.4	100	202.22	25.25	\$1716	\$1763	\$617	N/A
Z21M7DINL	20 x 21 x 71.9-72.4	100	183.93	21.25	\$1641	\$1688	\$611	N/A

Laminate door is standard on wardrobe section. Storage compartment on left includes four 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment.



Wardrobe Cabinet/Open Shelving Combo - RIGHT

Z36L7DINR	24 x 36 x 71.9-72.4	125	277.47	43.25	\$2295	\$2375	\$793	N/A
						*	7	,
Z30L7DINR	24 x 30 x 71.9-72.4	125	244.53	36.25	\$2020	\$2089	\$686	N/A
Z24L7DINR	24 x 24 x 71.9-72.4	125	217.88	29.75	\$1840	\$1897	\$617	N/A
Z21L7DINR	24 x 21 x 71.9-72.4	125	189.33	26	\$1777	\$1834	\$611	N/A
Z36M7DINR	20 x 36 x 71.9-72.4	125	254.41	36.75	\$2139	\$2208	\$793	N/A
Z30M7DINR	20 x 30 x 71.9-72.4	125	222.86	30.50	\$1868	\$1928	\$686	N/A
Z24M7DINR	20 x 24 x 71.9-72.4	100	202.22	25.25	\$1716	\$1763	\$617	N/A
Z21M7DINR	20 x 21 x 71.9-72.4	100	183.93	21.25	\$1641	\$1688	\$611	N/A

Laminate door is standard on wardrobe section. Storage compartment on right includes four 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment.

Req	ui	r	ed	Spe	cific	cati	ons	

Top finish Top/edge detail Handles Base finish

#### **Optional Specifications**

Collator\* Glazed doors

#### PERSONAL TOWERS - 72"/72.5" HIGH





**Personal Tower with Doors - LEFT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36L7EL	24 x 36 x 71.9-7	2.4 125	324.45	43.25	\$2788	\$2867	\$1410	N/A
Z30L7EL	24 x 30 x 71.9-7	2.4 125	289.80	36.25	\$2557	\$2626	\$1294	N/A
Z24L7EL	24 x 24 x 71.9-7	2.4 100	260.76	29.75	\$2436	\$2494	\$1145	N/A
Z36M7EL	20 x 36 x 71.9-7	2.4 125	288.75	36.75	\$2607	\$2677	\$1410	N/A
Z30M7EL	20 x 30 x 71.9-7	2.4 100	259.35	30.50	\$2391	\$2451	\$1294	N/A
Z24M7EL	20 x 24 x 71.9-7	2.4 100	231.65	25.25	\$2276	\$2323	\$1145	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/ height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.





**Personal Tower with Doors - RIGHT** 

Z36L7ER	24 x 36 x 71.9-72.4	125	324.45	43.25	\$2788	\$2867	\$1410	N/A
Z30L7ER	24 x 30 x 71.9-72.4	125	289.80	36.25	\$2557	\$2626	\$1294	N/A
Z24L7ER	24 x 24 x 71.9-72.4	100	260.76	29.75	\$2436	\$2494	\$1145	N/A
Z36M7ER	20 x 36 x 71.9-72.4	125	288.75	36.75	\$2607	\$2677	\$1410	N/A
Z30M7ER	20 x 30 x 71.9-72.4	100	259.35	30.50	\$2391	\$2451	\$1294	N/A
Z24M7ER	20 x 24 x 71.9-72.4	100	231.65	25.25	\$2276	\$2323	\$1145	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/ height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







**Personal Tower with Doors** and cavity - LEFT

Z36L7ECL	24 x 36 x 71.9-72.4	125	320.24	43.25	\$2770	\$2850	\$1284	N/A
Z30L7ECL	24 x 30 x 71.9-72.4	125	287.34	36.25	\$2541	\$2610	\$1166	N/A
Z24L7ECL	24 x 24 x 71.9-72.4	100	257.23	29.75	\$2410	\$2467	\$1016	N/A
Z36M7ECL	20 x 36 x 71.9-72.4	125	285.63	36.75	\$2565	\$2634	\$1284	N/A
Z30M7ECL	20 x 30 x 71.9-72.4	100	256.22	30.50	\$2351	\$2409	\$1166	N/A
Z24M7ECL	20 x 24 x 71.9-72.4	100	228.11	25.25	\$2233	\$2280	\$1016	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed/ height adjustable shelf. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







**Personal Tower with Doors** and cavity - RIGHT

Z36L7ECR	24 x 36 x 71.9-72.4	125	320.24	43.25	\$2770	\$2850	\$1284	N/A
Z30L7ECR	24 x 30 x 71.9-72.4	125	287.34	36.25	\$2541	\$2610	\$1166	N/A
Z24L7ECR	24 x 24 x 71.9-72.4	100	257.23	29.75	\$2410	\$2467	\$1016	N/A
Z36M7ECR	20 x 36 x 71.9-72.4	125	285.63	36.75	\$2565	\$2634	\$1284	N/A
Z30M7ECR	20 x 30 x 71.9-72.4	100	256.22	30.50	\$2351	\$2409	\$1166	N/A
Z24M7ECR	20 x 24 x 71.9-72.4	100	228.11	25.25	\$2233	\$2280	\$1016	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed/ height adjustable shelf. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







Personal	Tower with	ı Open	Shelves -	LEFT
----------	------------	--------	-----------	------

Z36L7ENL	24 x 36 x 71.9-72.4	125	309.60	43.25	\$2630	\$2710	\$799	N/A
Z30L7ENL	24 x 30 x 71.9-72.4	125	278.48	36.25	\$2405	\$2474	\$681	N/A
Z24L7ENL	24 x 24 x 71.9-72.4	100	247.90	29.75	\$2286	\$2343	\$533	N/A
Z36M7ENL	20 x 36 x 71.9-72.4	125	274.99	36.75	\$2439	\$2508	\$799	N/A
Z30M7ENL	20 x 30 x 71.9-72.4	100	247.36	30.50	\$2226	\$2286	\$681	N/A
Z24M7ENL	20 x 24 x 71.9-72.4	100	218.79	25.25	\$2124	\$2173	\$533	N/A

Two file drawers on bottom. Laminate door is standard on wardrobe section. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment. Lower lock secures all drawers.

Required	Specif	ications

Top finish Top/edge detail Handles Base finish

#### **Optional Specifications**

Collator\* Glazed doors



Personal Tower with Open Shelves - RIGHT

MODEL# DIME	NSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Dx	WxH							
Z36L7ENR 24 x 3	36 x 71.9-72.4	125	309.60	43.25	\$2630	\$2710	\$799	N/A
Z30L7ENR 24 x 3	30 x 71.9-72.4	125	278.48	36.25	\$2405	\$2474	\$681	N/A
Z24L7ENR 24 x :	24 x 71.9-72.4	100	247.90	29.75	\$2286	\$2343	\$533	N/A
Z36M7ENR 20 x	36 x 71.9-72.4	125	274.99	36.75	\$2439	\$2508	\$799	N/A
Z30M7ENR 20 x	30 x 71.9-72.4	100	247.36	30.50	\$2226	\$2286	\$681	N/A
Z24M7ENR 20 x	24 x 71.9-72.4	100	218.79	25.25	\$2124	\$2173	\$533	N/A

Two file drawers on bottom. Laminate door is standard on wardrobe section. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment. Lower lock secures all drawers.





	Z36L7BFL	24 x 36 x 71.9-72.4	125	326.55	43.25	\$2928	\$3007	\$1410	N/A
	Z30L7BFL	24 x 30 x 71.9-72.4	100	292.95	36.25	\$2704	\$2773	\$1294	N/A
	Z24L7BFL	24 x 24 x 71.9-72.4	100	262.10	29.75	\$2544	\$2601	\$1145	N/A
	Z36M7BFL	20 x 36 x 71.9-72.4	125	291.90	36.75	\$2745	\$2814	\$1410	N/A
	Z30M7BFL	20 x 30 x 71.9-72.4	100	262.50	30.50	\$2562	\$2620	\$1219	N/A
	Z24M7BFL	20 x 24 x 71.9-72.4	100	232.98	25.25	\$2383	\$2430	\$1145	N/A
d door option									

**Personal Tower with Doors - LEFT** 

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.





Z36L7BFR	24 x 36 x 71.9-72.4	125	326.55	43.25	\$2928	\$3007	\$1410	N/A
Z30L7BFR	24 x 30 x 71.9-72.4	100	292.95	36.25	\$2704	\$2773	\$1294	N/A
Z24L7BFR	24 x 24 x 71.9-72.4	100	262.10	29.75	\$2544	\$2601	\$1145	N/A
Z36M7BFR	20 x 36 x 71.9-72.4	125	291.90	36.75	\$2745	\$2814	\$1410	N/A
Z30M7BFR	20 x 30 x 71.9-72.4	100	262.50	30.50	\$2562	\$2620	\$1219	N/A
Z24M7BFR	20 x 24 x 71.9-72.4	100	232.98	25.25	\$2383	\$2430	\$1145	N/A

**Personal Tower with Doors - RIGHT** 

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







**Personal Tower with Doors** and Cavity - LEFT

Z36L7BFCL	24 x 36 x 71.9-72.4	125	317.68	43.25	\$2895	\$2942	\$1284	N/A
Z30L7BFCL	24 x 30 x 71.9-72.4	125	287	36.25	\$2675	\$2713	\$1166	N/A
Z24L7BFCL	24 x 24 x 71.9-72.4	100	258.59	29.75	\$2503	\$2560	\$1016	N/A
Z36M7BFCL	20 x 36 x 71.9-72.4	125	288.78	36.75	\$2695	\$2764	\$1284	N/A
Z30M7BFCL	20 x 30 x 71.9-72.4	100	259.37	30.50	\$2509	\$2569	\$1166	N/A
Z24M7BFCL	20 x 24 x 71.9-72.4	100	229.45	25.25	\$2339	\$2386	\$1016	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







**Personal Tower with Doors** and Cavity - RIGHT

Z36L7BFCR	24 x 36 x 71.9-72.4	125	317.68	43.25	\$2895	\$2942	\$1284	N/A
Z30L7BFCR	24 x 30 x 71.9-72.4	125	287	36.25	\$2675	\$2713	\$1166	N/A
Z24L7BFCR	24 x 24 x 71.9-72.4	100	258.59	29.75	\$2503	\$2560	\$1016	N/A
Z36M7BFCR	20 x 36 x 71.9-72.4	125	288.78	36.75	\$2695	\$2764	\$1284	N/A
Z30M7BFCR	20 x 30 x 71.9-72.4	100	259.37	30.50	\$2509	\$2569	\$1166	N/A
Z24M7BFCR	20 x 24 x 71.9-72.4	100	229.45	25.25	\$2339	\$2386	\$1016	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed/height adjustable shelves Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.

Required	Specifications	

Top finish Top/edge detail Handles Base finish

#### **Optional Specifications**

Collator<sup>5</sup> Glazed doors




**Personal Tower with Open Shelves - LEFT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36L7BFNL	24 x 36 x 71.9-7	2.4 125	309	43.25	\$2762	\$2816	\$799	N/A
Z30L7BFNL	24 x 30 x 71.9-7	2.4 125	277	36.25	\$2535	\$2577	\$681	N/A
Z24L7BFNL	24 x 24 x 71.9-7	2.4 100	249.24	29.75	\$2335	\$2392	\$533	N/A
Z36M7BFNL	20 x 36 x 71.9-7	2.4 125	274	36.75	\$2553	\$2623	\$799	N/A
Z30M7BFNL	20 x 30 x 71.9-7	2.4 100	246	30.50	\$2366	\$2426	\$681	N/A
Z24M7BFNL	20 x 24 x 71.9-7	2.4 100	220.12	25.25	\$2173	\$2220	\$533	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable **shelf** above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.

125

125



Personal Tower with Open Shelves - RIGHT

Z24L7BFNR 24 x 24 x 71.9-72.4 100 249.24 29.75 \$2335 \$2392 \$533 N/A Z36M7BFNR 20 x 36 x 71.9-72.4 125 274 36.75 \$2553 \$2623 \$799 N/A \$681 Z30M7BFNR 20 x 30 x 71.9-72.4 100 246 30.50 \$2366 \$2426 N/A Z24M7BFNR 20 x 24 x 71.9-72.4 100 220.12 25.25 \$2173 \$2220 \$533 N/A

309

277

43.25

36.25

\$2762

\$2535

\$2816

\$2577

\$799

\$681

N/A

N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
70010011	04 00 04 4 0	4.0	000.05	F0	40740	40700	****	N1 / A
Z36L8SH	24 x 36 x 84.4-84	4.9 125	332.85	50	\$2716	\$2796	\$1934	N/A
Z30L8SH	24 x 30 x 84.4-84	4.9 125	290.85	42	\$2409	\$2478	\$1655	N/A
Z36M8SH	20 x 36 x 84.4-84	4.9 125	299.25	42.25	\$2504	\$2573	\$1934	N/A
Z30M8SH	20 x 30 x 84.4-84	4.9 125	259.35	35.50	\$2239	\$2299	\$1655	N/A
Z36S8SH	16 x 36 x 84.4-84	4.9 125	259.35	34	\$2256	\$2323	\$1934	N/A
Z30S8SH	16 x 30 x 84.4-84	4.9 125	224.70	29	\$2011	\$2058	\$1655	N/A

Laminate doors are standard. Includes five 3-position fixed/height adjustable shelves. Standard with lock.

24 x 21 x 84.4-84.9	125	226.80	30.25	\$1965	\$2022	\$1079	N/A
24 x 18 x 84.4-84.9	125	205.80	26.25	\$1848	\$1895	\$964	N/A
24 x 16 x 84.4-84.9	125	186.90	24	\$1734	\$1780	\$957	N/A
24 x 15 x 84.4-84.9	100	181.65	22.50	\$1711	\$1749	\$823	N/A
24 x 12 x 84.4-84.9	100	163.80	18.50	\$1593	\$1626	\$736	N/A
20 x 21 x 84.4-84.9	125	201.60	25.50	\$1774	\$1820	\$1079	N/A
20 x 18 x 84.4-84.9	100	180.60	22.25	\$1700	\$1742	\$964	N/A
20 x 16 x 84.4-84.9	100	169.05	20.25	\$1593	\$1635	\$957	N/A
20 x 15 x 84.4-84.9	100	162.75	19	\$1527	\$1560	\$823	N/A
20 x 12 x 84.4-84.9	100	144.90	15.75	\$1415	\$1445	\$736	N/A
16 x 21 x 84.4-84.9	100	172.20	21	\$1622	\$1659	\$1079	N/A
16 x 18 x 84.4-84.9	100	154.35	18	\$1518	\$1556	\$964	N/A
16 x 16 x 84.4-84.9	100	142.80	16.50	\$1423	\$1461	\$957	N/A
16 x 15 x 84.4-84.9	100	137.55	15.50	\$1357	\$1389	\$823	N/A
16 x 12 x 84.4-84.9	100	120.75	13	\$1252	\$1281	\$736	N/A
	24 x 18 x 84.4-84.9 24 x 16 x 84.4-84.9 24 x 15 x 84.4-84.9 24 x 12 x 84.4-84.9 20 x 21 x 84.4-84.9 20 x 18 x 84.4-84.9 20 x 16 x 84.4-84.9 20 x 15 x 84.4-84.9 20 x 12 x 84.4-84.9 16 x 21 x 84.4-84.9 16 x 18 x 84.4-84.9 16 x 16 x 84.4-84.9 16 x 15 x 84.4-84.9	24 x 18 x 84.4-84.9 125 24 x 16 x 84.4-84.9 125 24 x 15 x 84.4-84.9 100 24 x 12 x 84.4-84.9 100 20 x 21 x 84.4-84.9 125 20 x 18 x 84.4-84.9 100 20 x 16 x 84.4-84.9 100 20 x 15 x 84.4-84.9 100 20 x 12 x 84.4-84.9 100 16 x 21 x 84.4-84.9 100 16 x 18 x 84.4-84.9 100 16 x 16 x 84.4-84.9 100 16 x 15 x 84.4-84.9 100 16 x 15 x 84.4-84.9 100	24 x 18 x 84.4-84.9 125 205.80 24 x 16 x 84.4-84.9 125 186.90 24 x 15 x 84.4-84.9 100 181.65 24 x 12 x 84.4-84.9 100 163.80 20 x 21 x 84.4-84.9 125 201.60 20 x 18 x 84.4-84.9 100 180.60 20 x 16 x 84.4-84.9 100 169.05 20 x 15 x 84.4-84.9 100 162.75 20 x 12 x 84.4-84.9 100 144.90 16 x 21 x 84.4-84.9 100 172.20 16 x 18 x 84.4-84.9 100 154.35 16 x 16 x 84.4-84.9 100 142.80 16 x 15 x 84.4-84.9 100 137.55	24 x 18 x 84.4-84.9     125     205.80     26.25       24 x 16 x 84.4-84.9     125     186.90     24       24 x 15 x 84.4-84.9     100     181.65     22.50       24 x 12 x 84.4-84.9     100     163.80     18.50       20 x 21 x 84.4-84.9     125     201.60     25.50       20 x 18 x 84.4-84.9     100     180.60     22.25       20 x 16 x 84.4-84.9     100     169.05     20.25       20 x 15 x 84.4-84.9     100     162.75     19       20 x 12 x 84.4-84.9     100     144.90     15.75       16 x 21 x 84.4-84.9     100     172.20     21       16 x 18 x 84.4-84.9     100     154.35     18       16 x 16 x 84.4-84.9     100     142.80     16.50       16 x 15 x 84.4-84.9     100     137.55     15.50	24 x 18 x 84.4-84.9       125       205.80       26.25       \$1848         24 x 16 x 84.4-84.9       125       186.90       24       \$1734         24 x 15 x 84.4-84.9       100       181.65       22.50       \$1711         24 x 12 x 84.4-84.9       100       163.80       18.50       \$1593         20 x 21 x 84.4-84.9       125       201.60       25.50       \$1774         20 x 18 x 84.4-84.9       100       180.60       22.25       \$1700         20 x 16 x 84.4-84.9       100       169.05       20.25       \$1593         20 x 12 x 84.4-84.9       100       162.75       19       \$1527         20 x 12 x 84.4-84.9       100       144.90       15.75       \$1415         16 x 21 x 84.4-84.9       100       172.20       21       \$1622         16 x 18 x 84.4-84.9       100       154.35       18       \$1518         16 x 16 x 84.4-84.9       100       142.80       16.50       \$1423         16 x 15 x 84.4-84.9       100       137.55       15.50       \$1357	24 x 18 x 84.4-84.9       125       205.80       26.25       \$1848       \$1895         24 x 16 x 84.4-84.9       125       186.90       24       \$1734       \$1780         24 x 15 x 84.4-84.9       100       181.65       22.50       \$1711       \$1749         24 x 12 x 84.4-84.9       100       163.80       18.50       \$1593       \$1626         20 x 21 x 84.4-84.9       125       201.60       25.50       \$1774       \$1820         20 x 18 x 84.4-84.9       100       180.60       22.25       \$1700       \$1742         20 x 16 x 84.4-84.9       100       169.05       20.25       \$1593       \$1635         20 x 12 x 84.4-84.9       100       162.75       19       \$1527       \$1560         20 x 12 x 84.4-84.9       100       144.90       15.75       \$1415       \$1445         16 x 21 x 84.4-84.9       100       172.20       21       \$1622       \$1659         16 x 18 x 84.4-84.9       100       154.35       18       \$1518       \$1556         16 x 16 x 84.4-84.9       100       142.80       16.50       \$1423       \$1461         16 x 15 x 84.4-84.9       100       137.55       15.50       \$1357       \$1389	24 x 18 x 84.4-84.9       125       205.80       26.25       \$1848       \$1895       \$964         24 x 16 x 84.4-84.9       125       186.90       24       \$1734       \$1780       \$957         24 x 15 x 84.4-84.9       100       181.65       22.50       \$1711       \$1749       \$823         24 x 12 x 84.4-84.9       100       163.80       18.50       \$1593       \$1626       \$736         20 x 21 x 84.4-84.9       125       201.60       25.50       \$1774       \$1820       \$1079         20 x 18 x 84.4-84.9       100       180.60       22.25       \$1700       \$1742       \$964         20 x 15 x 84.4-84.9       100       169.05       20.25       \$1593       \$1635       \$957         20 x 12 x 84.4-84.9       100       162.75       19       \$1527       \$1560       \$823         20 x 12 x 84.4-84.9       100       144.90       15.75       \$1415       \$1445       \$736         16 x 21 x 84.4-84.9       100       172.20       21       \$1622       \$1659       \$1079         16 x 18 x 84.4-84.9       100       154.35       18       \$1518       \$1556       \$964         16 x 15 x 84.4-84.9       100       142.80

Storage Cabinet with Door - LEFT

Laminate doors are standard. Includes five 3-position fixed/height adjustable shelves. Standard with lock.

**Required Specifications** 

Top finish Top/edge detail Handles Base finish

Z36L7BFNR

Z30L7BFNR

24 x 36 x 71.9-72.4

24 x 30 x 71.9-72.4

**Optional Specifications** 

Collator\* Glazed doors



STORAGE MODULES - 84.5"/85" HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z21L8SHR	24 x 21 x 84.4-8	34.9 125	226.80	30.25	\$1965	\$2022	\$1079	N/A
	Z18L8SHR	24 x 18 x 84.4-8	34.9 125	205.80	26.25	\$1848	\$1895	\$964	N/A
	Z16L8SHR	24 x 16 x 84.4-8	34.9 125	186.90	24	\$1734	\$1780	\$957	N/A
	Z15L8SHR	24 x 15 x 84.4-8	34.9 100	181.65	22.50	\$1711	\$1749	\$823	N/A
	Z12L8SHR	24 x 12 x 84.4-8	34.9 100	163.80	18.50	\$1593	\$1626	\$736	N/A
	Z21M8SHR	20 x 21 x 84.4-8	34.9 125	201.60	25.50	\$1774	\$1820	\$1079	N/A
	Z18M8SHR	20 x 18 x 84.4-8	34.9 100	180.60	22.25	\$1700	\$1742	\$964	N/A
	Z16M8SHR	20 x 16 x 84.4-8	34.9 100	169.05	20.25	\$1593	\$1635	\$957	N/A
	Z15M8SHR	20 x 15 x 84.4-8	34.9 100	162.75	19	\$1527	\$1560	\$823	N/A
	Z12M8SHR	20 x 12 x 84.4-8	34.9 100	144.90	15.75	\$1415	\$1445	\$736	N/A
	Z21S8SHR	16 x 21 x 84.4-8	34.9 100	172.20	21	\$1622	\$1659	\$1079	N/A
	Z18S8SHR	16 x 18 x 84.4-8	34.9 100	154.35	18	\$1518	\$1556	\$964	N/A
	Z16S8SHR	16 x 16 x 84.4-8	34.9 100	142.80	16.50	\$1423	\$1461	\$957	N/A
	Z15S8SHR	16 x 15 x 84.4-8		137.55	15.50	\$1357	\$1389	\$823	N/A
	Z12S8SHR	16 x 12 x 84.4-8		120.75	13	\$1252	\$1281	\$736	N/A
Glazed door option	2.23301111	13 % 12 % 01.11	3	.20.70		Ţ. <b>L</b> UL	7.201	7,00	,,,,

Storage Cabinet with Door - RIGHT

Laminate doors are standard. Includes five 3-position fixed/height adjustable shelves. Standard with lock.









**Open Storage Cabinet** 





Two File Module with Doors\*

Z36L8SHN	24 x 36 x 84.4-84.9	150	281.34	50	\$2111	\$2190	N/A	N/A
Z30L8SHN	24 x 30 x 84.4-84.9	150	247.23	42	\$1880	\$1949	N/A	N/A
Z21L8SHN	24 x 21 x 84.4-84.9	125	227.72	30.25	\$1626	\$1682	N/A	N/A
Z18L8SHN	24 x 18 x 84.4-84.9	125	206.74	26.25	\$1541	\$1588	N/A	N/A
Z16L8SHN	24 x 16 x 84.4-84.9	125	189.25	24	\$1430	\$1477	N/A	N/A
Z15L8SHN	24 x 15 x 84.4-84.9	100	182.61	22.50	\$1407	\$1445	N/A	N/A
Z12L8SHN	24 x 12 x 84.4-84.9	100	164.78	18.50	\$1350	\$1385	N/A	N/A
Z36M8SHN	20 x 36 x 84.4-84.9	150	245.68	42.25	\$1898	\$1967	N/A	N/A
Z30M8SHN	20 x 30 x 84.4-84.9	125	215.06	35.50	\$1711	\$1771	N/A	N/A
Z21M8SHN	20 x 21 x 84.4-84.9	125	170.18	25.50	\$1437	\$1484	N/A	N/A
Z18M8SHN	20 x 18 x 84.4-84.9	125	154.86	22.25	\$1390	\$1433	N/A	N/A
Z16M8SHN	20 x 16 x 84.4-84.9	125	145.71	20.25	\$1291	\$1333	N/A	N/A
Z15M8SHN	20 x 15 x 84.4-84.9	125	140.60	19	\$1257	\$1290	N/A	N/A
Z12M8SHN	20 x 12 x 84.4-84.9	100	126.34	15.75	\$1171	\$1201	N/A	N/A
Z36S8SHN	16 x 36 x 84.4-84.9	125	206.87	34	\$1651	\$1718	N/A	N/A
Z30S8SHN	16 x 30 x 84.4-84.9	125	180.79	29	\$1483	\$1529	N/A	N/A
Z21S8SHN	16 x 21 x 84.4-84.9	125	141.67	21	\$1285	\$1322	N/A	N/A
Z18S8SHN	16 x 18 x 84.4-84.9	125	127.58	18	\$1152	\$1190	N/A	N/A
Z16S8SHN	16 x 16 x 84.4-84.9	125	119.59	16.50	\$1118	\$1156	N/A	N/A
Z15S8SHN	16 x 15 x 84.4-84.9	125	115.59	15.50	\$1088	\$1120	N/A	N/A
Z12S8SHN	16 x 12 x 84.4-84.9	125	102.56	13	\$1007	\$1037	N/A	N/A

#### Five adjustable shelves.

Z36L8E	24 x 36 x 84.4-84.9	125	365.40	50	\$3369	\$3448	\$1443	N/A
Z30L8E	24 x 30 x 84.4-84.9	125	306.60	42	\$3068	\$3135	\$1246	N/A
Z36M8E	20 x 36 x 84.4-84.9	125	323.40	42.25	\$3167	\$3236	\$1443	N/A
Z30M8E	20 x 30 x 84.4-84.9	100	284.55	35.50	\$2916	\$2976	\$1246	N/A
Z36S8E	16 x 36 x 84.4-84.9	100	285	34	\$2892	\$2961	\$1443	N/A
Z30S8E	16 x 30 x 84.4-84.9	100	244.65	29	\$2614	\$2660	\$1246	N/A

Two lateral file drawers. Laminate doors are standard. Includes three adjustable shelves. Upper lock secures storage compartment. Lower lock secures two file drawers. For filing capabilties, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Required Specifications Finishes

Top/Edge Detail Handles

Optional Specifications
Glazing - Doors Collator (Open Shelves)

~~~~			
west.	ittee		
act)	iire		
	-5		



Two File Module with Door - LEFT

STORAGE MODULES - 84.5"/85" HIGH

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD H	P ADD
	DxWxH							
Z16L8EL	24 x 16 x 84.4-8	4.9 100	205.80	24	\$2006	\$2053	\$712	N/A
Z15L8EL	24 x 15 x 84.4-8	4.9 100	192.15	22.50	\$1950	\$1988	\$620	N/A
Z16M8EL	20 x 16 x 84.4-8	4.9 100	185.85	20.25	\$1880	\$1922	\$712	N/A
Z15M8EL	20 x 15 x 84.4-8	4.9 100	179.55	19	\$1807	\$1842	\$620	N/A
Z16S8EL	16 x 16 x 84.4-8	4.9 100	156.45	16.50	\$1708	\$1746	\$712	N/A
Z15S8EL	16 x 15 x 84.4-8	4.9 100	149.10	15.50	\$1653	\$1685	\$620	N/A

Two file drawers on bottom. Laminate door is standard. Includes three 3-position fixed/height adjustable shelves. Upper lock secures storage compartment. Lower lock secures two file drawers.





Two File Module with Door - RIGHT

Z16L8ER	24 x 16 x 84.4-84.9	100	205.80	24	\$2006	\$2053	\$712	N/A
Z15L8ER	24 x 15 x 84.4-84.9	100	192.15	22.50	\$1950	\$1988	\$620	N/A
Z16M8ER	20 x 16 x 84.4-84.9	100	185.85	20.25	\$1880	\$1922	\$712	N/A
Z15M8ER	20 x 15 x 84.4-84.9	100	179.55	19	\$1807	\$1842	\$620	N/A
Z16S8ER	16 x 16 x 84.4-84.9	100	156.45	16.50	\$1708	\$1746	\$712	N/A
Z15S8ER	16 x 15 x 84.4-84.9	100	149.10	15.50	\$1653	\$1685	\$620	N/A

Two file drawers on bottom. Laminate door is standard. Includes three 3-position fixed/height adjustable shelves. Upper lock secures storage compartment. Lower lock secures two file drawers.







Two File Module with Open Shelves\*

Z36L8EN	24 x 36 x 84.4-84.9	125	329.85	50	\$2888	\$2967	N/A	N/A
Z30L8EN	24 x 30 x 84.4-84.9	125	276.28	42	\$2644	\$2713	N/A	N/A
Z16L8EN	24 x 16 x 84.4-84.9	125	191.52	24	\$1762	\$1809	N/A	N/A
Z15L8EN	24 x 15 x 84.4-84.9	125	177.51	22.50	\$1736	\$1774	N/A	N/A
Z36M8EN	20 x 36 x 84.4-84.9	125	285.79	42.25	\$2685	\$2754	N/A	N/A
Z30M8EN	20 x 30 x 84.4-84.9	125	253.56	35.50	\$2497	\$2557	N/A	N/A
Z16M8EN	20 x 16 x 84.4-84.9	100	169.60	20.25	\$1636	\$1678	N/A	N/A
Z15M8EN	20 x 15 x 84.4-84.9	100	164.05	19	\$1592	\$1627	N/A	N/A
Z36S8EN	16 x 36 x 84.4-84.9	125	247	34	\$2232	\$2299	N/A	N/A
Z30S8EN	16 x 30 x 84.4-84.9	125	213	29	\$2014	\$2060	N/A	N/A
Z16S8EN	16 x 16 x 84.4-84.9	100	139.28	16.50	\$1465	\$1503	N/A	N/A
Z15S8EN	16 x 15 x 84.4-84.9	100	133.79	15.50	\$1437	\$1469	N/A	N/A

Four open shelves and two file drawers on bottom. Includes two 3-position fixed/height adjustable shelves. Lock secures all drawers. For filing capabilties, see page 130.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Base finish Top/edge detail Handles

#### **Optional Specifications**

Glazing - Doors Collator (Open Shelves)

WARDROBE CABINETS - 84.5"/85" HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
\$columnation (	Z36L8WA	24 x 36 x 84.4-84.	.9 150	290.85	50	\$2519	\$2598	N/A	N/A
	Z30L8WA	24 x 30 x 84.4-84.	.9 125	256.20	42	\$2262	\$2331	N/A	N/A
·   +p	Z36M8WA	20 x 36 x 84.4-84.	.9 125	264.60	42.25	\$2354	\$2423	N/A	N/A
	Z30M8WA	20 x 30 x 84.4-84.		231	35.50	\$2127	\$2187	N/A	N/A
	2001010007	20 7 00 7 04.4 04.	.5 120	201	00.00	QZ1Z7	Ψ2107	14// (	14//1
Wardrobe Cabinet	Laminate doors are	e standard. Full length h	nanging rod includ	ded. <b>One a</b> c	ljustable sh	elf above l	hanging roo	d. Standard	l with lock.
	70.11.01.11.1			200 50	0.1.05				
	Z24L8WAL	24 x 24 x 84.4-84.		220.50	34.25	\$1888	\$1945	N/A	N/A
	Z21L8WAL	24 x 21 x 84.4-84.		192.15	30.25	\$1819	\$1875	N/A	N/A
	Z18L8WAL	24 x 18 x 84.4-84.	.9 125	184.80	26.25	\$1695	\$1742	N/A	N/A
	Z16L8WAL	24 x 16 x 84.4-84.	.9 125	172.20	24	\$1617	\$1663	N/A	N/A
	Z15L8WAL	24 x 15 x 84.4-84.	.9 125	161.70	22.50	\$1571	\$1609	N/A	N/A
	Z12L8WAL	24 x 12 x 84.4-84.	.9 100	150.15	18.50	\$1444	\$1479	N/A	N/A
	Z24M8WAL	20 x 24 x 84.4-84.		197.40	28.50	\$1759	\$1806	N/A	N/A
300	Z21M8WAL	20 x 21 x 84.4-84.		182.70	25.50	\$1694	\$1741	N/A	N/A
	Z18M8WAL	20 x 18 x 84.4-84.		164.85	22.25	\$1570	\$1612	N/A	N/A
	Z16M8WAL	20 x 16 x 84.4-84.		154.35	20.25	\$1496	\$1538	N/A	N/A
	Z15M8WAL	20 x 15 x 84.4-84.		149.10	19	\$1436	\$1471	N/A	N/A
	Z12M8WAL	20 x 12 x 84.4-84.	.9 100	133.35	15.75	\$1341	\$1371	N/A	N/A
Wardrobe Cabinet - LEFT	Laminate doors are	e standard. Full length h	nanging rod includ	ded. One ac	ljustable sh	<b>elf</b> above l	hanging roo	d. Standard	l with lock.
	Z24L8WAR	24 x 24 x 84.4-84.	.9 125	220.50	34.25	\$1888	\$1945	N/A	N/A
	Z21L8WAR	24 x 21 x 84.4-84.		192.15	30.25	\$1819	\$1875	N/A	N/A
	Z18L8WAR	24 x 18 x 84.4-84.		184.80	26.25	\$1695	\$1742	N/A	N/A
	Z16L8WAR	24 x 16 x 84.4-84.		172.20	24	\$1617	\$1663	N/A	N/A
	Z15L8WAR	24 x 15 x 84.4-84.		161.70	22.50	\$1571	\$1609	N/A	N/A
	Z12L8WAR	24 x 12 x 84.4-84.		150.15	18.50	\$1444	\$1479	N/A	N/A
	Z24M8WAR	20 x 24 x 84.4-84.		197.40	28.50	\$1759	\$1806	N/A	N/A
Sugar.	Z21M8WAR	20 x 21 x 84.4-84.		182.70	25.50	\$1694	\$1741	N/A	N/A
•	Z18M8WAR	20 x 18 x 84.4-84.		164.85	22.25	\$1570	\$1612	N/A	N/A
<b> </b>	Z16M8WAR	20 x 16 x 84.4-84.	.9 125	154.35	20.25	\$1496	\$1538	N/A	N/A
	Z15M8WAR	20 x 15 x 84.4-84.	.9 125	149.10	19	\$1436	\$1471	N/A	N/A
	Z12M8WAR	20 x 12 x 84.4-84.	.9 100	133.35	15.75	\$1341	\$1371	N/A	N/A
Nardrobe Cabinet - RIGHT	Laminate doors are	e standard. Full length h	nanging rod includ	ded. One ac	ljustable sh	elf above l	hanging roo	d. Standard	l with lock
	Z36L8DIL	24 x 36 x 84.4-84.	.9 125	339	50	\$2913	\$2992	\$1934	N/A
	Z30L8DIL	24 x 30 x 84.4-84.		301	42	\$2557	\$2626	\$1655	N/A
	Z24L8DIL	24 x 24 x 84.4-84.		269	34.25	\$2313	\$2020	\$1518	N/A
##### \$0000F	Z21L8DIL			252	34.25	\$2313	\$2370		
		24 x 21 x 84.4-84.						\$1505	N/A
	Z36M8DIL	20 x 36 x 84.4-84.		306	42.25	\$2742	\$2811	\$1934	N/A
	Z30M8DIL	20 x 30 x 84.4-84.		266	35.50	\$2416	\$2476	\$1655	N/A
	Z24M8DIL	20 x 24 x 84.4-84.		233	28.50	\$2180	\$2229	\$1518	N/A
Glazed door option	Z21M8DIL	20 x 21 x 84.4-84.	.9 100	215	25.50	\$2072	\$2130	\$1505	N/A
Vardrobe Cabinet/Shelving Combo		e standard. Storage con							ment on
vith Doors - LEFT		ging rod and <b>one adjus</b>			locks secure				
	Z36L8DIR	24 x 36 x 84.4-84.		339	50	\$2913	\$2992	\$1934	N/A
	Z30L8DIR	24 x 30 x 84.4-84.		301	42	\$2557	\$2626	\$1655	N/A
3:00	Z24L8DIR	24 x 24 x 84.4-84.		269	34.25	\$2313	\$2370	\$1518	N/A
	Z21L8DIR	24 x 21 x 84.4-84.		252	30.25	\$2239	\$2272	\$1505	N/A
	Z36M8DIR	20 x 36 x 84.4-84.		306	42.25	\$2742	\$2811	\$1934	N/A
	Z30M8DIR	20 x 30 x 84.4-84.	.9 125	266	35.50	\$2416	\$2476	\$1655	N/A
	Z24M8DIR	20 x 24 x 84.4-84.	.9 100	233	28.50	\$2180	\$2229	\$1518	N/A
Glazed door option	Z21M8DIR	20 x 21 x 84.4-84.	.9 100	215	25.50	\$2072	\$2130	\$1505	N/A
Wardrobe Cabinet/Shelving Combo		e standard. Storage con						obe compa	rtment on
with Doors - RIGHT	left includes hang	ing rod and one adjusta	<b>able shelf</b> above	rod. Two lo	cks secure st	torage and	wardrobe.		

Optional Specifications
Glazing - Doors
Collator (Open Shelves)

Box drawer\* - no upcharge (30"- 36" wide models only)

Required Specifications
Top finish

Base finish Top/Edge Detail Handles



Wardrobe Cabinet/Open Shelving Combo - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36L8DINL	24 x 36 x 84.4-8	4.9 125	312	50	\$2608	\$2687	\$964	N/A
Z30L8DINL	24 x 30 x 84.4-8	4.9 125	278	42	\$2289	\$2358	\$823	N/A
Z24L8DINL	24 x 24 x 84.4-8	4.9 125	245	34.25	\$2095	\$2152	\$736	N/A
Z21L8DINL	24 x 21 x 84.4-8	4.9 125	236	30.25	\$2041	\$2066	\$731	N/A
Z36M8DINL	20 x 36 x 84.4-8	4.9 125	275	42.25	\$2436	\$2505	\$964	N/A
Z30M8DINL	20 x 30 x 84.4-8	4.9 125	243	35.50	\$2153	\$2213	\$823	N/A
Z24M8DINL	20 x 24 x 84.4-8	4.9 125	215	28.50	\$1962	\$2009	\$736	N/A
Z21M8DINL	20 x 21 x 84.4-8	4.9 125	199	25.50	\$1875	\$1922	\$731	N/A

Laminate door is standard on wardrobe section. Storage compartment on left includes five adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment.







Wardrobe Cabinet/Open Shelving Combo - RIGHT

PERSONAL TOWERS - 84.5"/85" HIGH

Z36L8DINR	24 x 36 x 84.4-84.9	125	312	50	\$2608	\$2687	\$964	N/A
Z30L8DINR	24 x 30 x 84.4-84.9	125	278	42	\$2289	\$2358	\$823	N/A
Z24L8DINR	24 x 24 x 84.4-84.9	125	245	34.25	\$2095	\$2152	\$736	N/A
Z21L8DINR	24 x 21 x 84.4-84.9	125	236	30.25	\$2041	\$2066	\$731	N/A
Z36M8DINR	20 x 36 x 84.4-84.9	125	275	42.25	\$2436	\$2505	\$964	N/A
Z30M8DINR	20 x 30 x 84.4-84.9	125	243	35.50	\$2153	\$2213	\$823	N/A
Z24M8DINR	20 x 24 x 84.4-84.9	125	215	28.50	\$1962	\$2009	\$736	N/A
Z21M8DINR	20 x 21 x 84.4-84.9	125	199	25.50	\$1875	\$1922	\$731	N/A

Laminate door is standard on wardrobe section. Storage compartment on right includes five adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment.





**Personal Tower with Doors - LEFT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
Z36L8EL	24 x 36 x 84.4-84.	9 125	368.55	50	\$3112	\$3192	\$1676	N/A
Z30L8EL	24 x 30 x 84.4-84.	9 125	334.95	42	\$2841	\$2910	\$1530	N/A
Z24L8EL	24 x 24 x 84.4-84.	9 100	299.24	34.25	\$2746	\$2804	\$1320	N/A
Z36M8EL	20 x 36 x 84.4-84.	9 125	332.85	42.25	\$2941	\$3010	\$1676	N/A
Z30M8EL	20 x 30 x 84.4-84.	9 100	298.20	35.50	\$2712	\$2772	\$1530	N/A
Z24M8EL	20 x 24 x 84.4-84.	9 100	266	29	\$2586	\$2633	\$1320	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes three adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.





**Personal Tower with Doors - RIGHT** 

Z36L8ER	24 x 36 x 84.4-84.9	125	368.55	50	\$3112	\$3192	\$1676	N/A
Z30L8ER	24 x 30 x 84.4-84.9	125	334.95	42	\$2841	\$2910	\$1530	N/A
Z24L8ER	24 x 24 x 84.4-84.9	100	299.24	34.25	\$2746	\$2804	\$1320	N/A
Z36M8ER	20 x 36 x 84.4-84.9	125	332.85	42.25	\$2941	\$3010	\$1676	N/A
Z30M8ER	20 x 30 x 84.4-84.9	100	298.20	35.50	\$2712	\$2772	\$1530	N/A
Z24M8ER	20 x 24 x 84.4-84.9	100	266	29	\$2586	\$2633	\$1320	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on right includes three adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.







**Personal Tower with Doors** and cavity - LEFT

Z36L8ECL	24 x 36 x 84.4-84.9	125	366.44	50	\$3082	\$3161	\$1583	N/A
Z30L8ECL	24 x 30 x 84.4-84.9	125	332.49	42	\$2812	\$2881	\$1436	N/A
Z24L8ECL	24 x 24 x 84.4-84.9	100	295.24	34.25	\$2705	\$2762	\$1227	N/A
Z36M8ECL	20 x 36 x 84.4-84.9	125	328.68	42.25	\$2895	\$2964	\$1583	N/A
Z30M8ECL	20 x 30 x 84.4-84.9	100	295.07	35.50	\$2667	\$2725	\$1436	N/A
Z24M8ECL	20 x 24 x 84.4-84.9	100	263	29	\$2544	\$2591	\$1227	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/ height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.

#### **Required Specifications**

Top finish Base finish Top/Edge Detail Handles

#### **Optional Specifications**

Glazing - Doors Collator (Open Shelves) Box drawer - no upcharge\* (30"-36" wide

models only)



PERSONAL TOWERS - 84.5"/85" HIGH






**Personal Tower with Doors** and cavity - RIGHT




**Personal Tower with Open Shelves - LEFT** 



Personal Tower with Open Shelves - RIGHT



**Personal Tower with Doors - LEFT** 



**Personal Tower with Doors - RIGHT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36L8ECR	24 x 36 x 84.4-8	4.9 125	366.44	50	\$3082	\$3161	\$1583	N/A
Z30L8ECR	24 x 30 x 84.4-8	4.9 125	332.49	42	\$2812	\$2881	\$1436	N/A
Z24L8ECR	24 x 24 x 84.4-8	4.9 100	295.24	34.25	\$2705	\$2762	\$1227	N/A
Z36M8ECR	20 x 36 x 84.4-8	4.9 125	328.68	42.25	\$2895	\$2964	\$1583	N/A
Z30M8ECR	20 x 30 x 84.4-8	4.9 100	295.07	35.50	\$2667	\$2725	\$1436	N/A
Z24M8ECR	20 x 24 x 84.4-8	4.9 100	263	29	\$2544	\$2591	\$1227	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/ height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.

Z36L8ENL	24 x 36 x 84.4-84.9	125	351.72	50	\$2914	\$2993	\$969	N/A
Z30L8ENL	24 x 30 x 84.4-84.9	125	320.22	42	\$2643	\$2712	\$819	N/A
Z24L8ENL	24 x 24 x 84.4-84.9	100	283.24	34.25	\$2507	\$2564	\$613	N/A
Z36M8ENL	20 x 36 x 84.4-84.9	125	313.96	42.25	\$2729	\$2798	\$964	N/A
Z30M8ENL	20 x 30 x 84.4-84.9	125	282.80	35.50	\$2502	\$2560	\$823	N/A
Z24M8ENL	20 x 24 x 84.4-84.9	100	249	29	\$2349	\$2396	\$613	N/A

Two file drawers on bottom. Laminate door is standard on wardrobe section. Storage compartment on left includes three 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.

Z36L8ENR	24 x 36 x 84.4-84.9	125	351.72	50	\$2914	\$2993	\$969	N/A
Z30L8ENR	24 x 30 x 84.4-84.9	125	320.22	42	\$2643	\$2712	\$819	N/A
Z24L8ENR	24 x 24 x 84.4-84.9	100	283.24	34.25	\$2507	\$2564	\$613	N/A
Z36M8ENR	20 x 36 x 84.4-84.9	125	313.96	42.25	\$2729	\$2798	\$964	N/A
Z30M8ENR	20 x 30 x 84.4-84.9	125	282.80	35.50	\$2502	\$2560	\$823	N/A
Z24M8ENR	20 x 24 x 84.4-84.9	100	249	29	\$2349	\$2396	\$613	N/A

Two file drawers on bottom. Laminate door is standard on wardrobe section. Storage compartment on right includes three 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable **shelf** above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.

Z36L8BFL	24 x 36 x 84.4-84.9	125	371.70	50	\$3258	\$3337	\$1676	N/A
Z30L8BFL	24 x 30 x 84.4-84.9	100	337.05	42	\$3001	\$3070	\$1530	N/A
Z24L8BFL	24 x 24 x 84.4-84.9	100	301.24	34.25	\$2856	\$2913	\$1320	N/A
Z36M8BFL	20 x 36 x 84.4-84.9	125	334.95	42.25	\$3074	\$3143	\$1676	N/A
Z30M8BFL	20 x 30 x 84.4-84.9	100	300.30	35.50	\$2856	\$2916	\$1530	N/A
Z24M8BFL	20 x 24 x 84.4-84.9	100	268	29	\$2695	\$2742	\$1320	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes three 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.

Z36L8BFR	24 x 36 x 84.4-84.9	125	371.70	50	\$3258	\$3337	\$1676	N/A
Z30L8BFR	24 x 30 x 84.4-84.9	100	337.05	42	\$3001	\$3070	\$1530	N/A
Z24L8BFR	24 x 24 x 84.4-84.9	100	301.24	34.25	\$2856	\$2913	\$1320	N/A
Z36M8BFR	20 x 36 x 84.4-84.9	125	334.95	42.25	\$3074	\$3143	\$1676	N/A
Z30M8BFR	20 x 30 x 84.4-84.9	100	300.30	35.50	\$2856	\$2916	\$1530	N/A
Z24M8BFR	20 x 24 x 84.4-84.9	100	268	29	\$2695	\$2742	\$1320	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on right includes three 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.

Required	Specifications	

Top finish Base finish Top/Edge Detail Handles

#### **Optional Specifications**

Glazing - Doors Collator (Open Shelves)

Box drawer\* - no upcharge (30"- 36" wide

models only)

## PERSONAL TOWERS - 84.5"/85" HIGH



**Personal Tower with Doors** and Cavity - LEFT


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36L8BFCL	24 x 36 x 84.4-8	4.9 125	369.59	50	\$3215	\$3295	\$1583	N/A
Z30L8BFCL	24 x 30 x 84.4-8	4.9 125	334.59	42	\$2955	\$3024	\$1436	N/A
Z24L8BFCL	24 x 24 x 84.4-8	4.9 100	297.24	34.25	\$2812	\$2870	\$1227	N/A
Z36M8BFCL	20 x 36 x 84.4-8	4.9 125	330.78	42.25	\$3030	\$3099	\$1583	N/A
Z30M8BFCL	20 x 30 x 84.4-8	4.9 100	299.27	35.50	\$2812	\$2872	\$1436	N/A
Z24M8BFCL	20 x 24 x 84.4-8	4.9 100	265	29	\$2652	\$2699	\$1227	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.

|--|

and Cavity - RIGHT

**Personal Tower with Doors** 



Z36L8BFCR	24 x 36 x 84.4-84.9	125	369.59	50	\$3215	\$3295	\$1583	N/A
Z30L8BFCR	24 x 30 x 84.4-84.9	125	334.59	42	\$2955	\$3024	\$1436	N/A
Z24L8BFCR	24 x 24 x 84.4-84.9	100	297.24	34.25	\$2812	\$2870	\$1227	N/A
Z36M8BFCR	20 x 36 x 84.4-84.9	125	330.78	42.25	\$3030	\$3099	\$1583	N/A
Z30M8BFCR	20 x 30 x 84.4-84.9	100	299.27	35.50	\$2812	\$2872	\$1436	N/A
Z24M8BFCR	20 x 24 x 84.4-84.9	100	265	29	\$2652	\$2699	\$1227	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.







		* Accepts collator 11" high	Z30M8BFNL	20 x 30 x
=	Glazed door option	* Accepts collator 11 high	Z24M8BFNL	20 x 24 x

Z36L8BFNL	24 x 36 x 84.4-84.9	125	354.87	50	\$3044	\$3124	\$969	N/A
Z30L8BFNL	24 x 30 x 84.4-84.9	125	322.32	42	\$2790	\$2859	\$819	N/A
Z24L8BFNL	24 x 24 x 84.4-84.9	100	285.24	34.25	\$2616	\$2673	\$613	N/A
Z36M8BFNL	20 x 36 x 84.4-84.9	125	316.06	42.25	\$2861	\$2944	\$964	N/A
Z30M8BFNL	20 x 30 x 84.4-84.9	100	287	35.50	\$2643	\$2703	\$823	N/A
Z24M8BFNL	20 x 24 x 84.4-84.9	100	251	29	\$2454	\$2501	\$613	N/A

Two box and one file drawer on bottom. Laminate door is standard on wardrobe section. Storage compartment on left includes three 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.









Personal Tower with Open Shelves - RIGHT

CLOSED FRONT OVERHEAD STORAGE - 33"H

Z36L8BFNR	24 x 36 x 84.4-84.9	125	354.87	50	\$3044	\$3124	\$969	N/A
Z30L8BFNR	24 x 30 x 84.4-84.9	125	322.32	42	\$2790	\$2859	\$819	N/A
Z24L8BFNR	24 x 24 x 84.4-84.9	100	285.24	34.25	\$2616	\$2673	\$613	N/A
Z36M8BFNR	20 x 36 x 84.4-84.9	125	316.06	42.25	\$2861	\$2944	\$964	N/A
Z30M8BFNR	20 x 30 x 84.4-84.9	100	287	35.50	\$2643	\$2703	\$823	N/A
Z24M8BFNR	20 x 24 x 84.4-84.9	100	251	29	\$2454	\$2501	\$613	N/A

Two box and one file drawer on bottom. Laminate door is standard on wardrobe section. Storage compartment on right includes three 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.

33"/33.5"	/
84"/85"	(
	GL



**Closed Front Overhead Storage** with Doors - 32.5"/33"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD H	IP ADD
Z42S330S	16 x 42 x 32.5-3	3 100	135.98	16.25	\$1140	\$1216	\$1105	N/A
Z36S33OS	16 x 36 x 32.5-3	3 100	119.70	14	\$1034	\$1101	\$998	N/A
Z30S330S	16 x 30 x 32.5-3	3 100	104.42	11.75	\$926	\$969	\$870	N/A
724\$330\$	16 x 24 x 32 5-3	3 100	81 13	9 75	\$830	\$876	\$761	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Required	Specif	ications

Top finish Base finish Top/Edge Detail Handles

#### **Optional Specifications**

Glazing - Doors Collator (Open Shelves) OVERHEAD STORAGE - 33"H





Closed Front Overhead Storage with Pigeon Hole - 32.5"/33"H





Closed Front Overhead Storage with Pigeon Hole - 32.5"/33"H





Overhead Storage, 2 Outer Doors with Pigeon Hole - 32.5"/33"H





Overhead Storage, 2 Center Doors with Pigeon Hole - 32.5"/33"H





Overhead Storage, 1 Door - LEFT with Pigeon Hole - 32.5"/33" H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP A	DD
	D x W x H							
Z42S330P	16 x 42 x 32.5-3	3 100	140	16.25	\$1455	\$1534	<b>\$729</b> N/.	Α
Z36S330P	16 x 36 x 32.5-3	3 100	122	14	\$1257	\$1328	<b>\$664</b> N/	Α
Z30S330P	16 x 30 x 32.5-3	3 100	105	12	\$1126	\$1184	<b>\$590</b> N/.	Α
Z24S330P	16 x 24 x 32.5-3	3 100	88	9.75	\$1011	\$1065	<b>\$537</b> N/	Α

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S330S	16 x 72 x 32.5-33	100	230	26	\$2356 \$2460	\$1329	N/A
Z66S33OS	16 x 66 x 32.5-33	100	215	24	\$2264 \$2358	\$1305	N/A
Z60S330S	16 x 60 x 32.5-33	100	199	22	\$2088 \$2175	\$1182	N/A
Z54S33OS	16 x 54 x 32.5-33	100	184	21	\$1984 \$2067	\$1158	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S33SOS	16 x 72 x 32.5-33	100	215	26	\$2131	\$2235	\$666	N/A
Z66S33SOS	16 x 66 x 32.5-33	100	201	24	\$2035	\$2129	\$654	N/A
Z60S33SOS	16 x 60 x 32.5-33	100	187	22	\$1912	\$1999	\$642	N/A
Z54S33SOS	16 x 54 x 32.5-33	100	173	21	\$1779	\$1862	\$580	N/A

6 compartments. **Doors on outer compartments only**. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S330S0	16 x 72 x 32.5-33	100	214	26	\$2090 \$2	194 \$666	N/A
Z66S33OSO	16 x 66 x 32.5-33	100	200	24	\$2000 \$2	094 \$654	N/A
Z60S330S0	16 x 60 x 32.5-33	100	186	22	\$1876 \$1	963 \$593	N/A
Z54S33OSO	16 x 54 x 32.5-33	100	172	21	\$1774 \$1	857 \$580	N/A

6 compartments. **Doors on inner compartments only**. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z36S33OSL	16 x 36 x 32.5-33	100	119	14	\$1177	\$1248	\$333	N/A
Z30S330SL	16 x 30 x 32.5-33	100	104	11.75	\$1074	\$1132	\$297	N/A
Z24S330SL	16 x 24 x 32.5-33	100	88	9.75	\$964	\$1018	\$260	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks. Open storage on right.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Required	l Speci	fications

Top finish
Base finish
Top/Edge Detail
Handles

**Optional Specifications** 

Glazing - Doors





Overhead Storage, 1 Door - RIGHT with Pigeon Hole - 32.5"/33"H





Overhead Storage, 1 Door - LEFT with Pigeon Hole - 32.5"/33"H





Overhead Storage, 1 Door - RIGHT with Pigeon Hole - 32.5"/33"H\*





Overhead Storage, 1 Door - LEFT with Pigeon Hole - 32.5"/33"H\*





Overhead Storage, 1 Door - RIGHT with Pigeon Hole - 32.5"/33"H\*



**Overhead Storage, Glass Doors** with Pigeon Hole - 32.5"/33"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP	ADD
	DxWxH							
Z36S33OSR	16 x 36 x 32.5-33	3 100	119	14	\$1177	\$1248	<b>\$333</b> N	N/A
Z30S330SR	16 x 30 x 32.5-33	3 100	104	11.75	\$1074	\$1132	<b>\$297</b>	N/A
Z24S330SR	16 x 24 x 32.5-33	3 100	88	9.75	\$964	\$1018	<b>\$260</b>	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks. Open storage on left.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z48S330SL	16 x 48 x 32.5-33	100	135	16.25	\$1522	\$1605	\$375	N/A
Z42S33OSL	16 x 42 x 32.5-33	100	135	16.25	\$1354	\$1433	\$367	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks. Open storage on right.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners, Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z48S330SR	16 x 48 x 32.5-33	100	135	16.25	\$1522	\$1605	\$375	N/A
Z42S33OSR	16 x 42 x 32.5-33	100	135	16.25	\$1354	\$1433	\$367	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks. Open storage on left.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S330SL	16 x 72 x 32.5-33	125	207	26	\$2047 \$2	151 \$665	N/A
Z66S33OSL	16 x 66 x 32.5-33	100	193	24	\$1953 \$2	2047 \$656	N/A
Z60S330SL	16 x 60 x 32.5-33	100	179	22	\$1809 \$1	896 \$596	N/A
Z54S330SL	16 x 54 x 32.5-33	125	166	21	\$1711 \$1	794 \$578	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock. Open storage on right.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S33OSR	16 x 72 x 32.5-33	125	207	26	\$2047	\$2151	\$665	N/A
Z66S33OSR	16 x 66 x 32.5-33	100	193	24	\$1953	\$2047	\$656	N/A
Z60S330SR	16 x 60 x 32.5-33	100	179	22	\$1809	\$1896	\$596	N/A
Z54S33OSR	16 x 54 x 32 5-33	125	166	21	\$1711	\$1794	\$578	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock. Open storage on left.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z36S33OSD	16 x 36 x 32.5-33	100	127	14	\$2497	\$2568	N/A	N/A
Z30S330SD	16 x 30 x 32.5-33	100	110	12	\$2197	\$2255	N/A	N/A
Z24S33OSD	16 x 24 x 32.5-33	100	91	9.75	\$1947	\$2001	N/A	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Sliding glass doors do not lock. Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.


• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Required Specifications
-------------------------

Top finish Base finish Top/Edge Detail Handles

#### **Optional Specifications**

Glazing - Doors Key #\*



Overhead Storage, Glass Doors with Pigeon Hole - 32.5"/33"H



Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Sliding glass doors do not lock. Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z42S200S	16 x 42 x 20-20.5	100	93.99	10.50	\$815	\$890	\$789	N/A
Z36S200S	16 x 36 x 20-20.5	100	82.70	9	\$747	\$814	\$721	N/A
Z30S200S	16 x 30 x 20-20.5	100	72.42	7.50	\$674	\$717	\$640	N/A
Z24S200S	16 x 24 x 20-20.5	100	56.13	6.25	\$633	\$680	\$572	N/A

Includes steel hanging rail for wall mount applications. Doors lock.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z48S200SL	16 x 48 x 20-20.5	125	95	12.50	\$926	\$1009	\$321	N/A
Z42S20OSL	16 x 42 x 20-20.5	100	85	10.50	\$818	\$897	\$297	N/A
Z36S200SL	16 x 36 x 20-20.5	100	76	9	\$750	\$821	\$273	N/A
Z30S200SL	16 x 30 x 20-20.5	100	67	7.60	\$687	\$745	\$234	N/A
Z24S200SL	16 x 24 x 20-20.5	100	58	6.50	\$637	\$691	\$214	N/A

Door on **left**. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z48S200SR	16 x 48 x 20-20.5	125	95	12.50	\$926	\$1009	\$321	N/A
Z42S200SR	16 x 42 x 20-20.5	100	85	10.50	\$818	\$897	\$297	N/A
Z36S200SR	16 x 36 x 20-20.5	100	76	9	\$750	\$821	\$273	N/A
Z30S200SR	16 x 30 x 20-20.5	100	67	7.60	\$687	\$745	\$234	N/A
Z24S200SR	16 x 24 x 20-20.5	100	58	6.50	\$637	\$691	\$214	N/A

Door on **right**. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks.


NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S200S	16 x 72 x 20-20.5	100	149	18	\$1560	\$1664	\$1076	N/A
Z66S20OS	16 x 66 x 20-20.5	100	139	16.50	\$1487	\$1581	\$1052	N/A
Z60S200S	16 x 60 x 20-20.5	100	129	15	\$1372	\$1459	\$963	N/A
Z54S200S	16 x 54 x 20-20.5	100	119	13.75	\$1307	\$1390	\$938	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

hardware used should be based	l on wall material. Consult an installation profes
Di1 Cifi	0-4
Required Specifications	Optional Specifications
Top finish	Glazed doors*
Base finish	Key #*
Top/Edge Detail	•
Handles	




Closed Front Overhead Storage with Doors - 20"/20.5"H\*





Overhead Storage w/1 door - LEFT\* 20"/20.5"H



Overhead Storage w/1 door - RIGHT 20"/20.5"H\*






Closed Front Overhead Storage w/Center Divider- 20/20.5"H\*





Overhead Storage w/2 Outer Doors 20/20.5"H\*



4 compartments. Doors on outer compartments only. Includes steel hanging rail for wall mount applications. Doors lock. • NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.





Overhead Storage w/2 Inner Doors 20/20.5"H\*

Z72S200S0	16 x 72 x 20-20.5	125	137	18	\$1357	\$1461	\$539	N/A
Z66S20OSO	16 x 66 x 20-20.5	125	128	16.50	\$1286	\$1380	\$526	N/A
Z60S200S0	16 x 60 x 20-20.5	100	120	15	\$1209	\$1296	\$483	N/A
Z54S20OSO	16 x 54 x 20-20.5	100	110	13.75	\$1129	\$1212	\$470	N/A

4 compartments. Doors on inner compartments only. Includes steel hanging rail for wall mount applications. Doors lock. • NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.





Overhead Storage w/2 Doors - LEFT 20/20.5"H\*

Z72S200SL	16 x 72 x 20-20.5	125	132	18	\$1301	\$1405	\$540	N/A
Z66S20OSL	16 x 66 x 20-20.5	125	123	16.50	\$1230	\$1324	\$528	N/A
Z60S200SL	16 x 60 x 20-20.5	125	114	15	\$1137	\$1224	\$484	N/A
Z54S200SL	16 x 54 x 20-20.5	125	105	13.75	\$1074	\$1157	\$471	N/A

2 doors on left cavity. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.





Overhead Storage w/2 Doors - RIGHT 20/20.5"H\*

Z72S20OSR	16 x 72 x 20-20.5	125	132	18	\$1301	\$1405	\$540	N/A
Z66S20OSR	16 x 66 x 20-20.5	125	123	16.50	\$1230	\$1324	\$528	N/A
Z60S200SR	16 x 60 x 20-20.5	125	114	15	\$1137	\$1224	\$484	N/A
754S200SR	16 x 54 x 20-20 5	125	105	13 75	\$1074	\$1157	\$471	N/Δ

2 doors on right cavity. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S20OSD	16 x 72 x 20-20.5	100	145	18	\$3291	\$3395	N/A	N/A
Z66S20OSD	16 x 66 x 20-20.5	100	135	16	\$3064	\$3158	N/A	N/A
Z60S20OSD	16 x 60 x 20-20.5	100	125	15	\$2826	\$2913	N/A	N/A
Z54S20OSD	16 x 54 x 20-20.5	100	115	13.75	\$2704	\$2787	N/A	N/A
Z48S200SD	16 x 48 x 20-20.5	100	104	12.50	\$2391	\$2474	N/A	N/A
Z42S20OSD	16 x 42 x 20-20.5	100	93	10.50	\$2136	\$2215	N/A	N/A
Z36S20OSD	16 x 36 x 20-20.5	100	83	9	\$1888	\$1959	N/A	N/A
Z30S200SD	16 x 30 x 20-20.5	100	75	7.60	\$1691	\$1749	N/A	N/A
Z24S200SD	16 x 24 x 20-20.5	100	63	6.40	\$1566	\$1620	N/A	N/A

Includes steel hanging rail for wall mount applications. Sliding glass doors do not lock. Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

	/	


Overhead Storage, w/Glass Doors 20/20.5"H

**Required Specifications** 


Top finish Base finish Top/Edge Detail Handles

**Optional Specifications** 

Glazed doors Key #\*



Closed Front Overhead Storage\* with Doors - 16"/16.5"H\*



Closed Front Overhead Storage\* with Doors - 16"/16.5" High, 60" Wide

**OVERHEAD STORAGE W/OPEN FRONTS - 33"** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD HP A	DD
	D x W x H							
Z48S16OS	15 x 48 x 16-16.	5 92.5	98.63	9.25	\$813	\$884	<b>\$761</b> N/	Ά
Z42S16OS	15 x 42 x 16-16.	5 92.5	87.42	7.75	\$705	\$767	<b>\$737</b> N/	Ά
Z36S16OS	15 x 36 x 16-16.	5 92.5	77.22	6.75	\$643	\$699	<b>\$665</b> N/	Ά
Z30S160S	15 x 30 x 16-16.	5 92.5	64.02	5.75	\$587	\$634	\$584 N/	Ά

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z60S160S	15 x 60 x 16-16.5	92.5	118.03	11	\$1068 \$1153	\$1159	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Open Front Overhead Storage w/Pigeon Hole - 32.5"/33"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
Z42S330PN	16 x 42 x 32.5-33	3 125	116	16.25	\$1117	\$1196	N/A	N/A
Z36S330PN	16 x 36 x 32.5-33	3 125	101	14	\$951	\$1022	N/A	N/A
Z30S330PN	16 x 30 x 32.5-33	3 125	88	12	\$854	\$912	N/A	N/A
724S330PN	16 x 24 x 32 5-33	125	74	9 75	\$762	\$816	N/A	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Open Front Overhead Storage w/Pigeon Hole - 32.5"/33"H

Z72S330N	16 x 72 x 32.5-33	125	194	26	\$1846 \$1940	N/A	N/A
Z66S330N	16 x 66 x 32.5-33	125	181	24	\$1734 \$1821	N/A	N/A
Z60S330N	16 x 60 x 32.5-33	125	169	22	\$1608 \$1691	N/A	N/A
Z54S330N	16 x 54 x 32.5-33	125	157	21	\$1507 \$1590	N/A	N/A

6 compartments. Includes steel hanging rail for wall mount applications. Includes one fixed shelf.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Open Front Overhead Storage w/Pigeon Hole - 32.5"/33"H

Z72S330SN	16 x 72 x 32.5-33	125	187	26	\$1739 \$1833	N/A	N/A
Z66S33OSN	16 x 66 x 32.5-33	125	174	24	\$1651 \$1738	N/A	N/A
Z60S330SN	16 x 60 x 32.5-33	125	162	22	\$1542 \$1625	N/A	N/A
Z54S33OSN	16 x 54 x 32.5-33	125	149	21	\$1441 \$1524	N/A	N/A

4 compartments. Includes steel hanging rail for wall mount applications. Includes one fixed shelf.


• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Required	Specifications
Top finish	
Daga finish	

Top finish
Base finish
Top/Edge Detail
Handles

Optional Specifications

Glazed doors Key #\*



**Open Front Overhead Storage** 33"/33.5"H

**OVERHEAD STORAGE W/OPEN FRONTS - 33"** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP ADD
	D x W x H						
Z42S33OSN	16 x 42 x 32.5-33	3 125	108.98	16.25	\$772	\$848	N/A N/A
Z36S33OSN	16 x 36 x 32.5-33	3 125	96.70	14	\$700	\$767	N/A N/A
Z30S330SN	16 x 30 x 32.5-33	3 125	84.42	11.75	\$627	\$670	N/A N/A
Z24S33OSN	16 x 24 x 32.5-33	3 125	67.20	9.75	\$578	\$625	N/A N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

7 20.5"/21"	
711/2"/72/5"	

**Open Front Overhead Storage** 20"/20.5" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD HP AD	D
Z42S200SN	16 x 42 x 20-20.	5 125	77.98	10.50	\$539	\$615	N/A N/A	
Z36S200SN	16 x 36 x 20-20.	5 125	69.70	9	\$489	\$556	N/A N/A	
Z30S200SN	16 x 30 x 20-20.	5 100	60.42	7.50	\$439	\$482	N/A N/A	
Z24S20OSN	16 x 24 x 20-20.	5 125	48.13	6.25	\$397	\$444	N/A N/A	

Includes steel hanging rail for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Open Front Overhead Storage** 20/20.5"H

Z72S200N	16 x 72 x 20-20.5	125	122	18	\$1083	\$1187	N/A	N/A
Z66S200N	16 x 66 x 20-20.5	125	114	16.50	\$1015	\$1109	N/A	N/A
Z60S200N	16 x 60 x 20-20.5	125	106	15	\$945	\$1032	N/A	N/A
Z54S200N	16 x 54 x 20-20.5	125	99	13.75	\$883	\$966	N/A	N/A

4 compartments. Includes steel hanging rail for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Open Front Overhead Storage** w/Center Divider - 20"/20.5"H

OVERHEAD STORAGE W/OPEN FRONTS - 16"H

Z72S20OSN	16 x 72 x 20-20.5	125	117	18	\$1046	\$1150	N/A	N/A
Z66S200SN	16 x 66 x 20-20.5	125	109	16.50	\$976	\$1070	N/A	N/A
Z60S200SN	16 x 60 x 20-20.5	125	101	15	\$906	\$993	N/A	N/A
Z54S200SN	16 x 54 x 20-20.5	125	94	13.75	\$843	\$926	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

16"/16.5"
65"/66"

**Open Front Overhead Storage** 16"/16.5"H


M	IODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD 1	HP ADD
_	100400011	15 10 10 10 5		70.00					
Zι	48S16OSN	15 x 48 x 16-16.5	5 100	79.63	9.25	\$539	\$610	N/A	N/A
Zμ	42S16OSN	15 x 42 x 16-16.5	5 100	70.42	7.75	\$470	\$533	N/A	N/A
Z	36S16OSN	15 x 36 x 16-16.5	5 100	63.22	6.75	\$432	\$488	N/A	N/A
Z	30S160SN	15 x 30 x 16-16.5	5 100	54.02	5.75	\$395	\$441	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

# **Required Specifications**

Top finish Base finish Top/Edge Detail





Open Hutch w/Closed Back - 36"H



Open Hutch w/Closed Back - 36"H

Z48S36HN	15 x 48 x 35.5-36	125	123	19	\$836	\$907	N/A	N/A
Z42S36HN	15 x 42 x 35.5-36	125	112	16.75	\$773	\$835	N/A	N/A
Z36S36HN	15 x 36 x 35.5-36	125	100	14.50	\$709	\$765	N/A	N/A
Z30S36HN	15 x 30 x 35.5-36	125	89	12.25	\$646	\$692	N/A	N/A

One fixed shelf. Closed back features one grommet and flexible sweep for wire management. All hutches shipped preassembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z72S36OHN	15 x 72 x 35.5-36	150	162	27.75	\$1332	\$1439	N/A	N/A
Z66S36OHN	15 x 66 x 35.5-36	150	152	25.50	\$1264	\$1364	N/A	N/A
Z60S360HN	15 x 60 x 35.5-36	125	142	23.25	\$1188	\$1277	N/A	N/A
Z54S36OHN	15 x 54 x 35.5-36	125	133	21	\$1113	\$1196	N/A	N/A

Four compartments. Closed back features one grommet and flexible sweep for wire management. All hutches shipped preassembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

Required Specifications	
Top finish	
Base finish	
Ton/Edge Detail	

Accessories Tackboard Pigeon-hole storage

GLAZE ADD HP ADD

N/A



**OPEN HUTCHES** 

Open Hutch w/Closed Back - 42.4"H

Open Hutch w/Closed Back - 42.4"H

Open Hutch w/Closed Back - 42.4"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z84S42HN	15 x 84 x 41.9-4	2.4 150	223	38.50	\$1346	\$1463	N/A	N/A
Z72S42HN	15 x 72 x 41.9-4	2.4 150	196	33	\$1246	\$1348	N/A	N/A
Z71S42HN	15 x 71.7 x 41.9	-42.4 150	188	33	\$1239	\$1341	N/A	N/A
Z66S42HN	15 x 66 x 41.9-4	2.4 150	175	30.75	\$1166	\$1257	N/A	N/A
Z60S42HN	15 x 60 x 41.9-4	2.4 150	164	27.75	\$1091	\$1176	N/A	N/A
Z54S42HN	15 x 54 x 41.9-4	2.4 150	140	24.50	\$1091	\$1176	N/A	N/A

One fixed shelf and fixed shelf divider. Closed back features one grommet and flexible sweep for wire management. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z72S42OHN	15 x 72 x 41.9-42.4	150	177	32.50	\$1487	\$1585	N/A	N/A
Z66S42OHN	15 x 66 x 41.9-42.4	150	166	29.75	\$1363	\$1452	N/A	N/A
Z60S420HN	15 x 60 x 41.9-42.4	150	155	27.25	\$1281	\$1364	N/A	N/A
Z54S420HN	15 x 54 x 41.9-42.4	150	145	24.50	\$1201	\$1273	N/A	N/A

Four compartments. Closed back features one grommet and flexible sweep for wire management. All hutches shipped preassembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z48S42HN	15 x 48 x 41.9-42.4	125	134	22.25	\$906	\$977	N/A	N/A
Z42S42HN	15 x 42 x 41.9-42.4	125	123	19.50	\$836	\$899	N/A	N/A
Z36S42HN	15 x 36 x 41.9-42.4	125	110	17	\$766	\$822	N/A	N/A
Z30S42HN	15 x 30 x 41.9-42.4	125	105	14.25	\$694	\$741	N/A	N/A

One fixed shelf. Closed back features one grommet and flexible sweep for wire management. All hutches shipped preassembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z84S55HN	15 x 84 x 54.4-54.9	150	306	62.37	\$2208	\$2328	N/A	N/A
Z72S55HN	15 x 72 x 54.4-54.9	150	272	53.65	\$2060	\$2166	N/A	N/A
Z71S55HN	15 x 71.7 x 54.4-54.9	150	271	53.65	\$2049	\$2156	N/A	N/A
Z66S55HN	15 x 66 x 54.4-54.9	150	254	49.40	\$1980	\$2085	N/A	N/A
Z60S55HN	15 x 60 x 54.4-54.9	150	238	45.15	\$1772	\$1860	N/A	N/A
Z54S55HN	15 x 54 x 54.4-54.9	100	190	19.75	\$2278	\$2366	N/A	N/A

One fixed shelf and one adjustable shelf (per compartment). Closed back features one grommet and flexible sweep for wire management. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z48S55HN	15 x 48 x 54.4-54.9	150	183	36	\$1334	\$1405	N/A	N/A
Z42S55HN	15 x 42 x 54.4-54.9	150	168	31.50	\$1233	\$1296	N/A	N/A
Z36S55HN	15 x 36 x 54.4-54.9	150	149	27.26	\$1124	\$1180	N/A	N/A
Z30S55HN	15 x 30 x 54.4-54.9	150	132	23	\$1020	\$1069	N/A	N/A

One fixed shelf and one adjustable shelf. Closed back features one grommet and flexible sweep for wire management. Shipped RTA (ready to assemble).

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

San	84" /85"
	CRETTANTO


54.9"/55.4"H

Open Hutch w/Closed Back 54.9"/55.4"H

Open Hutch w/Closed Back

**Required Specifications** 

Top finish Base finish Top/Edge Detail



CLOSED HUTCHES

Open Hutch w/Closed Back 54.9"/55.4"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z72S550HN	15 x 72 x 54.4-5	4.9 100	242	26	\$2191	\$2295	N/A	N/A
Z66S550HN	15 x 66 x 54.4-5	4.9 100	228	24	\$2064	\$2158	N/A	N/A
Z60S550HN	15 x 60 x 54.4-5	4.9 100	214	22	\$1943	\$2029	N/A	N/A
Z54S550HN	15 x 54 x 54.4-5	4.9 92.5	199	19.76	\$1824	\$1903	N/A	N/A

Four compartments. Closed back features one grommet and flexible sweep for wire management.

Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Slazed door option

Hutch w/2 Outer Doors - 36"H\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z72S36H0H	15 x 72 x 35.5-36	125	172	27.75	\$1561	\$1668	\$471	N/A
Z66S36H0H	15 x 66 x 35.5-36	125	161	25.50	\$1492	\$1592	\$458	N/A
Z60S36H0H	15 x 60 x 35.5-36	125	151	23.25	\$1397	\$1488	\$423	N/A
Z54S36H0H	15 x 54 x 35.5-36	125	140	21	\$1320	\$1403	\$410	N/A

4 compartments. **Doors on outer compartments only**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.





Hutch w/2 Inner Doors - 36"H\*

Z72S36OHO	15 x 72 x 35.5-36	125	173	27.75	\$1559	\$1672	\$476	N/A
Z66S36OHO	15 x 66 x 35.5-36	125	162	25.50	\$1494	\$1594	\$464	N/A
Z60S360H0	15 x 60 x 35.5-36	125	151	23.25	\$1416	\$1505	\$447	N/A
Z54S36OHO	15 x 54 x 35.5-36	125	141	21	\$1323	\$1406	\$415	N/A

4 compartments. **Doors on inner compartments only**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.





Hutch w/2 Doors - LEFT, 36"H\*

Z66S36HSL       15 x 66 x 35.5-36       125       157       25.50       \$1456       \$1556       \$454       N/A         Z60S36HSL       15 x 60 x 35.5-36       125       146       23.25       \$1363       \$1454       \$424       N/A         Z54S36HSL       15 x 54 x 35.5-36       125       135       21       \$1286       \$1370       \$411       N/A	Z72S36HSL	15 x 72 x 35.5-36	125	169	27.75	\$1529	\$1635	\$470	N/A
	Z66S36HSL	15 x 66 x 35.5-36	125	157	25.50	\$1456	\$1556	\$454	N/A
Z54S36HSL 15 x 54 x 35.5-36 125 135 21 <b>\$1286 \$1370 \$411</b> N/A	Z60S36HSL	15 x 60 x 35.5-36	125	146	23.25	\$1363	\$1454	\$424	N/A
	Z54S36HSL	15 x 54 x 35.5-36	125	135	21	\$1286	\$1370	\$411	N/A

4 compartments. Doors on **left** side, open storage on **right**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.





Hutch w/2 Doors - RIGHT, 36"H\*

Z72S36HSR	15 x 72 x 35.5-36	125	169	27.75	\$1529	\$1635	\$470	N/A
Z66S36HSR	15 x 66 x 35.5-36	125	157	25.50	\$1456	\$1556	\$454	N/A
Z60S36HSR	15 x 60 x 35.5-36	125	146	23.25	\$1363	\$1454	\$424	N/A
Z54S36HSR	15 x 54 x 35.5-36	125	135	21	\$1286	\$1370	\$411	N/A

4 compartments. Doors on **right** side, open storage on **left**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

Required	Specifications
Top finish	
Rase finish	

Top/Edge Detail

0	pti	ional	l Spe	cific	ations

Glazing - Doors\*

Accessories	
Tackboard	
Pigeon-hole storage	



**CLOSED HUTCHES** 

Hutch w/Sliding Glass Doors - 36"H

Closed Hutch with Doors - 36"H\*

Closed Hutch with Doors - 36"H\*

Glazed door option

Glazed door option



Sliding glass doors do not lock. Closed back features one grommet and flexible sweep for wire management. Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z84S36H	15 x 84 x 35.5-36	125	231	33	\$1731	\$1849	\$1386	N/A
Z72S36H	15 x 72 x 35.5-36	125	201	28.25	\$1612	\$1716	\$1266	N/A
Z71S36H	15 x 71.7 x 35.5-36	125	193	28.25	\$1598	\$1702	\$1264	N/A
Z66S36H	15 x 66 x 35.5-36	125	179	26	\$1519	\$1613	\$1205	N/A
Z60S36H	15 x 60 x 35.5-36	125	167	23.75	\$1416	\$1501	\$1132	N/A


One fixed shelf and fixed shelf divider. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z48S36H	15 x 48 x 35.5-36	125	136	19	\$1110	\$1181	\$719	N/A
Z42S36H	15 x 42 x 35.5-36	125	124	16.75	\$1007	\$1070	\$696	N/A
Z36S36H	15 x 36 x 35.5-36	125	110	14.50	\$923	\$979	\$637	N/A
Z30S36H	15 x 30 x 35.5-36	100	98	12.25	\$840	\$887	\$570	N/A

One fixed shelf. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- · Woodgrain runs horizontal on both the upper and lower back panels.



4 compartments. Doors on outer compartments only. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z72S420H0	15 x 72 x 41.9-42.4	150	188	32.50	\$1721	\$1819	\$476	N/A
Z66S420H0	15 x 66 x 41.9-42.4	150	176	29.75	\$1592	\$1681	\$464	N/A
Z60S420H0	15 x 60 x 41.9-42.4	125	165	27.25	\$1510	\$1591	\$447	N/A
Z54S420H0	15 x 54 x 41.9-42.4	125	153	24.50	\$1414	\$1487	\$415	N/A

4 compartments. Doors on inner compartments only. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Glazed door op
ors - 42.4"H*



Hutch w/2 Inner Doors - 42.4"H\*

**Required Specifications** Top finish Base finish

Top/Edge Detail

**Optional Specifications** Glazing - Doors\*





Glazed door option

Hutch w/2 Doors - LEFT, 42.4"H\*

Hutch w/2 Doors - RIGHT, 42.4"H\*



4 compartments. Doors on **left** side, open storage on **right**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

772S42HSR	15 x 72 x 41 9-42 4	150	184	32.50	\$1683	\$1781	\$470	N/A
Z66S42HSR	15 x 66 x 41.9-42.4	150	171	29.75		\$1645	\$454	N/A
Z60S42HSR	15 x 60 x 41.9-42.4	150	159	27.25	\$1457	\$1538	\$424	N/A
Z54S42HSR	15 x 54 x 41.9-42.4	125	148	24.50	\$1373	\$1446	\$411	N/A

4 compartments. Doors on **right** side, open storage on **left**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25"
- Woodgrain runs horizontal on both the upper and lower back panels.

Z72S42HSD	15 x 72 x 41.9-42.4	150	193	32.50	\$3480	\$3578	N/A	N/A
Z66S42HSD	15 x 66 x 41.9-42.4	125	180	29.75	\$3208	\$3297	N/A	N/A
Z60S42HSD	15 x 60 x 41.9-42.4	125	168	27.25	\$2979	\$3062	N/A	N/A
Z54S42HSD	15 x 54 x 41.9-42.4	125	156	24.50	\$2759	\$2831	N/A	N/A

Sliding glass doors do not lock. Closed back features one grommet and flexible sweep for wire management. Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z84S42H	15 x 84 x 41.9-42.4	125	247	38.50	\$1923	\$2041	\$1386	N/A
Z72S42H	15 x 72 x 41.9-42.4	125	217	33	\$1706	\$1808	\$1266	N/A
Z71S42H	15 x 71.7 x 41.9-42.4	125	207	33	\$1694	\$1796	\$1264	N/A
Z66S42H	15 x 66 x 41.9-42.4	125	194	30.75	\$1600	\$1694	\$1205	N/A
760S42H	15 x 60 x 41 9-42 4	125	180	27 75	\$1494	\$1579	\$1132	N/A

One fixed shelf **and fixed shelf divider**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z48S42H	15 x 48 x 41.9-42.4	125	148	22.25	\$1180	\$1251	\$719	N/A
Z42S42H	15 x 42 x 41.9-42.4	125	134	19.50	\$1069	\$1132	\$696	N/A
Z36S42H	15 x 36 x 41.9-42.4	125	120	17	\$978	\$1035	\$637	N/A
Z30S42H	15 x 30 x 41.9-42.4	125	106	14.25	\$899	\$945	\$570	N/A

One fixed shelf. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

4:	2.4"	
	711/2	
Closed Huto	ch v	



Closed Hutch with Doors - 42.4" High

Hutch w/Sliding Glass Doors - 42.4"H






Closed Hutch with Doors - 42.4" High

Required Specifications
Top finish
Base finish

Top/Edge Detail

Optional Specifications
Glazing - Doors\*





Hutch w/2 Outer Doors - 55"H\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HE	ADD
	D x W x H							
Z72S55H0H	15 x 72 x 54.4-5	64.9 92.5	262	26	\$2502	\$2604	\$674	N/A
Z66S55H0H	15 x 66 x 54.4-5	64.9 92.5	246	24	\$2372	\$2466	<b>\$661</b>	N/A
Z60S55H0H	15 x 60 x 54.4-5	64.9 92.5	229	22	\$2217	\$2373	\$600	N/A
Z54S55H0H	15 x 54 x 54.4-5	64.9 92.5	213	19.76	\$2095	\$2240	<b>\$588</b>	N/A

4 compartments. **Doors on outer compartments only**. Closed back features one grommet and flexible sweep for wire management. Doors lock. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

		$\geq$
	<b>4</b>   }	
		J
L.		



Hutch w/2 Inner Doors - 55"H\*

Z72S550H0	15 x 72 x 54.4-54.9	92.5	263	26	\$2504	\$2608	\$677	N/A
Z66S550H0	15 x 66 x 54.4-54.9	92.5	247	24	\$2375	\$2469	\$665	N/A
Z60S550H0	15 x 60 x 54.4-54.9	92.5	230	22	\$2251	\$2337	\$603	N/A
Z54S550H0	15 x 54 x 54.4-54.9	92.5	214	19.76	\$2097	\$2176	\$590	N/A

4 compartments. **Doors on inner compartments only**. Closed back features one grommet and flexible sweep for wire management. Doors lock. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.





Hutch w/2 Doors - LEFT, 55"H\*

Z72S55HSL	15 x 72 x 54.4-54.9	100	258	26	\$2416	\$2520	\$651	N/A
Z66S55HSL	15 x 66 x 54.4-54.9	100	237	24	\$2307	\$2401	\$639	N/A
Z60S55HSL	15 x 60 x 54.4-54.9	92.5	221	22	\$2141	\$2228	\$600	N/A
Z54S55HSL	15 x 54 x 54.4-54.9	92.5	204	19.76	\$2031	\$2111	\$588	N/A

4 compartments. Doors on **left** side, open storage on **right**. Closed back features one grommet and flexible sweep for wire management. Doors lock. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.





Hutch w/2 Doors - RIGHT, 55"H\*

Z72S55HSR	15 x 72 x 54.4-54.9	100	258	26	\$2416	\$2520	\$651	N/A
Z66S55HSR	15 x 66 x 54.4-54.9	100	237	24	\$2307	\$2401	\$639	N/A
Z60S55HSR	15 x 60 x 54.4-54.9	92.5	221	22	\$2141	\$2228	\$600	N/A
Z54S55HSR	15 x 54 x 54.4-54.9	92.5	204	19.76	\$2031	\$2111	\$588	N/A

4 compartments. Doors on **right** side, open storage on **left**. Closed back features one grommet and flexible sweep for wire management. Doors lock. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

S	

Hutch w/Sliding Glass Doors - 55"H

Z72S55HSD	15 x 72 x 54.4-54.9	92.5	271	26	\$4729	\$4831	N/A	N/A
Z66S55HSD	15 x 66 x 54.4-54.9	92.5	253	24	\$4421	\$4514	N/A	N/A
Z60S55HSD	15 x 60 x 54.4-54.9	92.5	235	22	\$4092	\$4178	N/A	N/A
Z54S55HSD	15 x 54 x 54.4-54.9	92.5	217	19.75	\$3789	\$3868	N/A	N/A

Sliding glass doors do not lock. Closed back features one grommet and flexible sweep for wire management. Shipped easy to assemble in 3 cartons. Glass doors shipped separately. Finger pull is silver.


- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Required	Specifications
Top finish	
Raca finich	1

Top/Edge Detail

Optional	Sp	eci	ific	ati	on

Glazing - Doors\*





Closed Hutch w/Doors - 55"H



One fixed shelf and one adjustable shelf (per compartment). Closed back features one grommet and flexible sweep for wire management. Doors lock. Shipped RTA (ready to assemble).

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

54.9"/55.4" 84"/85"	
	Glazed door option

Closed Hutch w/Doors - 55"H


Z48S55H 15 x 48 x 54.4-54.9 150 207 36 \$1695 \$1752 \$1117 742S55H 15 x 42 x 54.4-54.9 150 188 31.50 \$1608 \$1008	N/A	64446							
7/2855H 15 v /2 v 5/ /L-5/ 9 150 188 3150 \$15/5 \$1608 \$100		\$1112	<b>\$1752</b>	\$1695	36	207	150	15 x 48 x 54.4-54.9	Z48S55H
	N/A	\$1008	\$1608	\$1545	31.50	188	150	15 x 42 x 54.4-54.9	742S55H
Z36S55H 15 x 36 x 54.4-54.9 125 167 27.26 <b>\$1408 \$1464 \$91</b>	N/A	\$912	\$1464	\$1408	27.26	167	125	15 x 36 x 54 4-54 9	736S55H
	N/A	\$799						10 / 00 / 0 / 11 / 0 / 10	

One fixed shelf and one adjustable shelf. Closed back features one grommet and flexible sweep for wire management. Doors lock. Shipped RTA (ready to assemble).

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

PIGEON-HOLE STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	ZHS84	12 x 82 x 5.66	70	49	3	\$840	N/A	N/A	N/A
	ZHS72	12 x 70 x 5.66	70	49	3	\$756	N/A	N/A	N/A
	ZHS71	12 x 69.6 x 5.66	70	49	3	\$756	N/A	N/A	N/A
	ZHS66	12 x 63.9 x 5.66	70	46	2.80	\$715	N/A	N/A	N/A
	ZHS60	12 x 58 x 5.66	70	42	2.50	\$683	N/A	N/A	N/A
mumum.	ZHS48	12 x 45.9 x 5.66	70	33	2	\$511	N/A	N/A	N/A
and the state of t	ZHS42	12 x 40 x 5.66	85	29	2	\$479	N/A	N/A	N/A
	ZHS36	12 x 33.9 x 5.66	85	26	2	\$450	N/A	N/A	N/A
lorizontal Pigeon-Hole Storage	For additional sto	rage. Can be top or bot	ttom mounted. Fo	r use inside	hutch. Shippe	ed RTA (re	ady to ass	emble).	
	Cannot be used	d on overstorage units.							

• Available in all standard laminate finishes (see page 113).



**Vertical Pigeon-Hole Storage** 

ZVS21	11.8 x 13.42 x 20.75	70	30	1.80	\$377	N/A	N/A	N/A
ZVS14	11.8 x 13.42 x 14.3	85	24	1.80	\$307	N/A	N/A	N/A

For use in conjunction with the horizontal pigeon-hole storage. Can be used **under** or **over** horizontal unit. Not freestanding. Shipped RTA (ready to assemble).

Vertical pigeon-hole shell - available in all standard laminate finishes (see page 113).

- Collator shelves available in Black (K) or Brushed Cobalt (T) finish. Please specify. Use Brushed Cobalt to match Silver finish handles.
- When used together with tackboard and hutch, reduce tackboard width by 12.5"

Required S	pecifications
Top finish	Base/door finish*
Wall finish	
Top/Edge De	etail
Handles*	

**Optional Specifications** Glazing - Doors\* Grommet position Key # End filler cap

\$2014

\$1820

\$1799

\$1713

\$1593


N/A


N/A

N/A

N/A

N/A






**Vertical Pigeon-Hole Storage** 

TRANSITIONAL PIGEON-HOLE STORA

Used alone with a hutch. **Not freestanding**. Shipped easy to assemble in 1 carton.

- Vertical pigeon-hole shell available in all standard laminate finishes (see page 113).
- Collator shelves available in Black (K) or Brushed Cobalt (T) finish. Please specify.
   Use Brushed Cobalt to match Silver finish handles.
- When used together with tackboard and hutch, reduce tackboard width by 12.5"
- · Removal of valance required.

AGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	Z24L12PH	24 x 24 x 11.25	-11.75 65	63	2.70	\$747	\$823	N/A	N/A
	Z20L12PH	24 x 20 x 11.25	-11.75 70	56	2.70	\$659	\$725	N/A	N/A
	Z16L12PH	24 x 16 x 11.25	-11.75 65	46	1.60	\$603	\$660	N/A	N/A
	Z24M12PH	20 x 24 x 11.25	-11.75 70	55	2.70	\$659	\$725	N/A	N/A
	Z20M12PH	20 x 20 x 11.25	-11.75 70	48	2.70	\$585	\$639	N/A	N/A
	Z16M12PH	20 x 16 x 11.25	-11.75 65	40	1.60	\$530	\$576	N/A	N/A
	Z24S12PH	16 x 24 x 11.25	-11.75 65	43	1.60	\$607	\$663	N/A	N/A
	Z20S12PH	16 x 20 x 11.25	-11.75 65	38	1.60	\$533	\$578	N/A	N/A
	Z16S12PH	16 x 16 x 11.25	-11.75 70	33	1.60	\$499	\$537	N/A	N/A



Designed to fit on top of returns and transition worksurface to match 40.8"/41.3" high storage modules. Pigeon-hole shell and four collator shelves. Shipped RTA (ready to assemble).

- Pigeon-Hole Shell Available in all standard laminate finishes (page 113).
- Collator Shelves Available in Black (K) or Brushed Cobalt (T) finish. Please Specify.
   Use Brushed Cobalt to match silver finish handles.

Z24L23PH	24 x 24 x 23-23.5	60	101	2.70	\$1344 \$14	120 N/A	N/A
Z20L23PH	24 x 20 x 23-23.5	60	88	2.70	\$1176 \$12	2 <b>39</b> N/A	N/A
Z16L23PH	24 x 16 x 23-23.5	65	76	2.70	\$1103 \$1	1 <b>60</b> N/A	N/A
Z24M23PH	20 x 24 x 23-23.5	60	87	2.70	\$1179 \$12	2 <b>42</b> N/A	N/A
Z20M23PH	20 x 20 x 23-23.5	65	76	2.70	\$1031 \$10	<b>085</b> N/A	N/A
Z16M23PH	20 x 16 x 23-23.5	60	64	1.60	\$948 \$9	<b>94</b> N/A	N/A
Z24S23PH	16 x 24 x 23-23.5	65	74	2.70	\$1115 \$1°	1 <b>71</b> N/A	N/A
Z20S23PH	16 x 20 x 23-23.5	65	65	2.70	\$974 \$10	<b>)20</b> N/A	N/A
Z16S23PH	16 x 16 x 23-23.5	60	54	1.60	\$890 \$9	<b>32</b> N/A	N/A



Transitional Pigeon-Hole Storage 23.5"H

Designed to fit on top of returns and transition worksurface to match 52.5"/53"" high storage modules. Pigeon-hole shell and eight collator shelves. Shipped RTA (ready to assemble).

- Pigeon-Hole Shell Available in all standard laminate finishes (page 113).
- Collator Shelves Available in Black (K) or Brushed Cobalt (T) finish. Please Specify.
   Use Brushed Cobalt to match silver finish handles.

**Required Specifications** 

Top finish Wall finish Top/Edge Detail Shelf finish **Optional Specifications** 

$ZIRA^{\scriptscriptstyleTM}$
FLOATING SHELVES
Floating Shelf - 20"H

$\triangleleft$	

Double Floating Shelf - 32.5"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD H	P ADD
	D x W x H							
ZFS4220	14.25 x 42 x 20	70	55	2.75	\$610	\$648	N/A	N/A
ZFS3620	14.25 x 36 x 20	70	47	2.40	\$548	\$582	N/A	N/A
ZFS3020	14.25 x 30 x 20	70	39	2	\$466	\$496	N/A	N/A
ZFS2420	14.25 x 24 x 20	70	33	1.90	\$411	\$441	N/A	N/A

To match 71.9/72.4"H units. Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF2S4232	14.25 x 42 x 32.5	65	85	3.30	\$870	\$908	N/A	N/A
ZF2S3632	14.25 x 36 x 32.5	65	73	2.90	\$779	\$813	N/A	N/A
ZF2S3032	14.25 x 30 x 32.5	65	60	2.50	\$664	\$694	N/A	N/A
ZF2S2432	14.25 x 24 x 32.5	70	50	2.40	\$588	\$618	N/A	N/A

To match 84.4/84.9"H units. Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

WALLS W/OVERHEAD STORAGE
Wall w/Closed Storage - 66"H*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD HP ADD
Z4266WS	16 x 42 x 65.5-66	85	122	8.26	\$1465	\$1528	<b>\$515</b> N/A
Z3666WS	16 x 36 x 65.5-66	85	113	8.80	\$1233	\$1289	<b>\$474</b> N/A
Z3066WS	16 x 30 x 65.5-66	85	97	7.50	\$1233	\$1269	<b>\$424</b> N/A
72466WS	16 x 24 x 65.5-66	92.5	79	6.60	\$1088	\$1126	\$382 N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. End cap required at the end of a run of wall units. End cap sold separately, see page 233.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z4266WS0	16 x 42 x 65.5-66	125	112	18.60	\$1562	\$1625	\$515	N/A
Z3666WS0	16 x 36 x 65.5-66	125	100	16.20	\$1421	\$1477	\$474	N/A
Z3066WS0	16 x 30 x 65.5-66	125	85	13.50	\$1239	\$1290	\$424	N/A
Z2466WS0	16 x 24 x 65.5-66	92.5	70	6.20	\$1099	\$1137	\$382	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of wall units. End cap sold separately, see page 233.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z4272WS	16 x 42 x 71.9-72.4	85	134	10.20	\$1562	\$1641	\$590	N/A
Z3672WS	16 x 36 x 71.9-72.4	85	119	9.46	\$1505	\$1575	\$539	N/A
Z3072WS	16 x 30 x 71.9-72.4	85	102	8.10	\$1322	\$1380	\$483	N/A
Z2472WS	16 x 24 x 71.9-72.4	85	84	6.60	\$1159	\$1207	\$439	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. End cap required at the end of a run of wall units. End cap sold separately, see page 233.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.


Wall w/Closed Storage - 66"H\*



Wall w/Closed Storage - 72"H\*


**Required Specifications** 

Top finish Base/door finish\* Wall finish Handles\* Top/Edge Detail Shelf finish Optional Specifications
End filler cap
Key #\*
Grommet position
Glazed doors\*




Wall w/Closed Storage - 72"H\*





Wall w/Closed Storage - 84"H\*



Wall w/Closed Storage - 84"H\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP	ADD
	D x W x H							
Z4272WS0	16 x 42 x 71.9-7	72.4 85	120	9.30	\$1578	\$1657	<b>\$590</b> N	I/A
Z3672WS0	16 x 36 x 71.9-7	72.4 85	105	8.66	\$1518	\$1588	<b>\$539</b> N	I/A
Z3072WS0	16 x 30 x 71.9-7	72.4 85	91	7.50	\$1333	\$1413	<b>\$483</b> N	I/A
Z2472WS0	16 x 24 x 71.9-7	72.4 92.5	74	6.20	\$1170	\$1218	<b>\$439</b> N	I/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of wall units. End cap sold separately, see page 233.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z4284WS	16 x 42 x 84.4-84.9	85	134	10.20	\$1932	2011	\$819	N/A
Z3684WS	16 x 36 x 84.4-84.9	85	119	9.46	\$1835	1918	\$748	N/A
Z3084WS	16 x 30 x 84.4-84.9	85	102	8.10	\$1613	1671	\$664	N/A
Z2484WS	16 x 24 x 84.4-84.9	85	84	6.60	\$1421	1469	\$603	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. End cap required at the end of a run of wall units. End cap sold separately, see page 233.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z4284WS0	16 x 42 x 84.4-84.9	85	120	9.30	\$1946	\$2025	\$819	N/A
Z3684WS0	16 x 36 x 84.4-84.9	85	105	8.66	\$1848	\$1931	\$748	N/A
Z3084WS0	16 x 30 x 84.4-84.9	85	91	7.50	\$1625	\$1683	\$664	N/A
Z2484WS0	16 x 24 x 84.4-84.9	92.5	74	6.20	\$1430	\$1478	\$603	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of wall units. End cap sold separately, see page 233.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

WALLS W/FLOATING SHELVES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	ZF1S4266	14.25 x 42 x 65.	5-66 70	117	7.50	\$1141	\$1179	N/A	N/A
	ZF1S3666	14.25 x 36 x 65.	5-66 70	103	6.60	\$994	\$1028	N/A	N/A
	ZF1S3066	14.25 x 30 x 65.	5-66 70	86	5.70	\$857	\$891	N/A	N/A
	ZF1S2466	14.25 x 24 x 65.	5-66 85	69	4.70	\$735	\$764	N/A	N/A
Wall w/Floating Shelf* - 66"H	Standard with pro	e-mounted "J" bracket f	or wall mount app	lications. Er	ıd cap require	d at the e	nd of a rur	of floating s	shelves.

elves. End cap sold separately, see page 233.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to

ZF1S42660	14.25 x 42 x 65.5-66	85	110	7.50	\$1153	\$1191	N/A	N/A
ZF1S36660	14.25 x 36 x 65.5-66	85	97	6.60	\$1005	\$1039	N/A	N/A
ZF1S30660	14.25 x 30 x 65.5-66	85	81	5.70	\$864	\$898	N/A	N/A
ZF1S24660	14.25 x 24 x 65.5-66	85	66	4.70	\$740	\$769	N/A	N/A

do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF1S42660	14.25 x 42 x 65.5-66	85	110	7.50	\$1153	\$1191	N/A	N/A
ZF1S36660	14.25 x 36 x 65.5-66	85	97	6.60	\$1005	\$1039	N/A	N/A
ZF1S30660	14.25 x 30 x 65.5-66	85	81	5.70	\$864	\$898	N/A	N/A
ZF1S24660	14.25 x 24 x 65.5-66	85	66	4.70	\$740	\$769	N/A	N/A

Required S	pecifications
Top finish	Base/door finish*
Wall finish	Handles*
Top/Edge De	tail
Chalf finish	

**Optional Specifications** End filler cap Grommet\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
ZF1S4272	14.25 x 42 x 71.	9-72.4 70	127	8	\$1201	\$1239	N/A	N/A
ZF1S3672	14.25 x 36 x 71.	9-72.4 70	110	7.10	\$1049	\$1083	N/A	N/A
ZF1S3072	14.25 x 30 x 71.	9-72.4 70	92	6.10	\$926	\$960	N/A	N/A
ZF1S2472	14.25 x 24 x 71.	9-72.4 85	74	5	\$785	\$814	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF1S42720	14.25 x 42 x 71.9-72.4 70	120	8	\$1215 \$1253	N/A	N/A
ZF1S36720	14.25 x 36 x 71.9-72.4 85	104	7.10	\$1061 \$1095	N/A	N/A
ZF1S30720	14.25 x 30 x 71.9-72.4 85	87	6.10	\$938 \$972	N/A	N/A
ZF1S24720	14.25 x 24 x 71.9-72.4 85	71	5	\$790 \$819	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF2S4284	14.25 x 42 x 84.4-84.9 70	158	9.50	\$1411 \$1449	N/A	N/A
ZF2S3684	14.25 x 36 x 84.4-84.9 70	136	8.40	\$1215 \$1261	N/A	N/A
ZF2S3084	14.25 x 30 x 84.4-84.9 70	113	7.10	\$1074 \$1103	N/A	N/A
ZF2S2484	14.25 x 24 x 84.4-84.9 85	91	6.25	\$931 \$960	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF2S42840	14.25 x 42 x 84.4-84.9 70	148	9.50	\$1423 \$1461	N/A	N/A
ZF2S36840	14.25 x 36 x 84.4-84.9 70	128	8.40	\$1232 \$1270	N/A	N/A
ZF2S30840	14.25 x 30 x 84.4-84.9 85	106	7.10	\$1166 \$1195	N/A	N/A
ZF2S24840	14.25 x 24 x 84.4-84.9 85	86	6.25	\$938 \$967	N/A	N/A


Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF2S4266	14.25 x 42 x 65.5-66	70	132	7.50	\$1177 \$1215	N/A	N/A
ZF2S3666	14.25 x 36 x 65.5-66	70	115	6.60	\$1021 \$1055	N/A	N/A
ZF2S3066	14.25 x 30 x 65.5-66	70	96	5.70	\$887 \$917	N/A	N/A
ZF2S2466	14.25 x 24 x 65.5-66	70	77	4.70	\$759 \$789	N/A	N/A


Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Wall w/Floating Shelves - 84"H

Wall w/Floating Shelf\* - 72"H



Wall w/Floating Shelves - 84"H



Wall w/Floating Shelves - 66"H

**Required Specifications** 

Top finish Wall finish Top/Edge Detail Shelf finish

**Optional Specifications** 

1"TOP 1.5" TOP GLAZE ADD HP ADD



Wall w/Floating Shelves - 66"H

WALLS W/FLOATING SHELVES

	D x W x H							
ZF2S42660	14.25 x 42 x 65.5-66	70	125	7.50	\$1192	\$1230	N/A	N/A
ZF2S36660	14.25 x 36 x 65.5-66	70	109	6.60	\$1033	\$1067	N/A	N/A
ZF2S30660	14.25 x 30 x 65.5-66	70	91	5.70	\$899	\$929	N/A	N/A
ZF2S24660	14.25 x 24 x 65.5-66	70	74	4.70	\$766	\$796	N/A	N/A

FREIGHT CLASS

DIMENSIONS

MODEL#

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

WT/LBS.

CUBIC FT.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF2S4272	14.25 x 42 x 71.9-72.4	70	142	8	\$1239	\$1277	N/A	N/A
ZF2S3672	14.25 x 36 x 71.9-72.4	70	122	7.10	\$1077	\$1111	N/A	N/A
ZF2S3072	14.25 x 30 x 71.9-72.4	70	102	6.10	\$954	\$984	N/A	N/A
ZF2S2472	14.25 x 24 x 71.9-72.4	70	82	5	\$807	\$837	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF2S42720	14.25 x 42 x 71.9-72.4 70	135	8	\$1253	\$1291	N/A	N/A
ZF2S36720	14.25 x 36 x 71.9-72.4 70	116	7.10	\$1091	\$1125	N/A	N/A
ZF2S30720	14.25 x 30 x 71.9-72.4 70	97	6.10	\$965	\$995	N/A	N/A
ZF2S24720	14.25 x 24 x 71.9-72.4 70	79	5	\$815	\$845	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF3S4284	14.25 x 42 x 84.4-84.9	70	173	9.50	\$1447	\$1477	N/A	N/A
ZF3S3684	14.25 x 36 x 84.4-84.9	70	148	8.40	\$1253	\$1287	N/A	N/A
ZF3S3084	14.25 x 30 x 84.4-84.9	70	116	7.10	\$1102	\$1132	N/A	N/A
ZF3S2484	14.25 x 24 x 84.4-84.9	70	99	6.25	\$956	\$986	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF3S42840	14.25 x 42 x 84.4-84.9 70	163	9.50	\$1462 \$1500	N/A	N/A
ZF3S36840	14.25 x 36 x 84.4-84.9 70	140	8.40	\$1267 \$1301	N/A	N/A
ZF3S30840	14.25 x 30 x 84.4-84.9 70	116	7.10	\$1196 \$1226	N/A	N/A
ZF3S24840	14.25 x 24 x 84.4-84.9 70	94	6.25	\$962 \$992	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.


• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.




Wall w/Floating Shelves - 72"H



Wall w/Floating Shelves - 72"H



Wall w/Floating Shelves - 84"H




Wall w/Floating Shelves - 84"H

# **Required Specifications**

Top finish Wall finish Top/Edge Detail Shelf finish

# **Optional Specifications**

ZIRA™ WALL PANELS
Wall Panel - 66"H
Wall Panel - 66"H
Wall Panel - 72"H
Wall Panel - 72"H



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	IP ADD	
	DxWxH								
ZWHP4266	3.5 x 42 x 65.5-6	6 85	99	7.50	\$1011	\$1049	N/A	N/A	
ZWHP3666	3.5 x 36 x 65.5-6	6 85	90	6.60	\$804	\$838	N/A	N/A	
ZWHP3066	3.5 x 30 x 65.5-6	6 85	75	5.70	\$697	\$727	N/A	N/A	
ZWHP2466	3.5 x 24 x 65.5-6	6 85	61	4.70	\$597	\$627	N/A	N/A	

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHP42660	3.5 x 42 x 65.5-66	85	90	7.50	\$1026 \$1064	N/A	N/A
ZWHP36660	3.5 x 36 x 65.5-66	85	82	6.60	\$816 \$850	N/A	N/A
ZWHP30660	3.5 x 30 x 65.5-66	85	69	5.70	\$709 \$739	N/A	N/A
ZWHP24660	3.5 x 24 x 65.5-66	92.5	56	4.70	\$603 \$633	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHP4272	3.5 x 42 x 71.9-72.4	85	113	8	\$988	\$1026	N/A	N/A
ZWHP3672	3.5 x 36 x 71.9-72.4	85	97	7.10	\$861	\$895	N/A	N/A
ZWHP3072	3.5 x 30 x 71.9-72.4	85	81	6.10	\$765	\$795	N/A	N/A
ZWHP2472	3.5 x 24 x 71.9-72.4	85	67	5	\$645	\$675	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHP42720	3.5 x 42 x 71.9-72.4	85	104	8	\$1003	\$1041	N/A	N/A
ZWHP36720	3.5 x 36 x 71.9-72.4	85	89	7.10	\$873	\$907	N/A	N/A
ZWHP30720	3.5 x 30 x 71.9-72.4	85	75	6.10	\$776	\$806	N/A	N/A
ZWHP24720	3.5 x 24 x 71.9-72.4	85	62	5	\$653	\$683	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHP4284	3.5 x 42 x 84.4-84.9	85	128	9.50	\$1053	\$1091	N/A	N/A
ZWHP3684	3.5 x 36 x 84.4-84.9	85	111	8.40	\$928	\$962	N/A	N/A
ZWHP3084	3.5 x 30 x 84.4-84.9	85	92	7.10	\$827	\$857	N/A	N/A
ZWHP2484	3.5 x 24 x 84.4-84.9	85	75	6.25	\$713	\$743	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 233.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Req	Ιu	ir	ed	Specifications

Top finish Wall finish Top/Edge Detail

# **Optional Specifications**

WALL PANELS	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP AD
	ZWHP42840	<b>D x W x H</b> 3.5 x 42 x 84.4-84	1.9 85	119	9.50	\$1068	\$1106	N/A	N/A
[	ZWHP36840	3.5 x 36 x 84.4-84		103	8.40	\$940	\$974	N/A	N/A
	ZWHP30840	3.5 x 30 x 84.4-84		92	7.10	\$836	\$866	N/A	N/A
	ZWHP24840	3.5 x 24 x 84.4-84		70	6.25	\$721	\$751	N/A	N/A
	21111121616	0.0 % 2 1 % 0 11 1 0 1	02.0	7.5	0.20	<b>V</b>	4701		,
Wall Panel - 84″H	electrical. End cap • <b>NOTE</b> : Care sho do so may result	mounted "J" bracket fo required at the end of a uld be taken to mount th in collapse of the unit a hould be based on wall	run of floating s ne units. Units sh and subsequent p	helves. End lould be mou personal inju	cap sold sepa inted to wall : ry. <b>Fastenin</b>	arately, se studs usin <b>g hardwa</b>	e page 23 g correct f re not in	3. asteners. Fa <b>cluded</b> . Moi	ilure to
END FILLER CAPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP AD
	ZEFC19	.75 x 2.5 x 17	70	1.50	.25	\$168	N/A	N/A	N/A
∐ End Cap	For ZFSxxxx 20"H f	oating shelf.							
	ZEFC32	.75 x 2.5 x 30	300	2	2	\$274	N/A	N/A	N/A
ind Cap	For ZF2Sxxxx 32.5"	H floating shelf.							
	ZEFC49	.75 x 2.5 x 47	250	3	1.20	\$359	N/A	N/A	N/A
nd Cap	For Zxx66WS/Zxx6	6WSO 65.5/66"H walls	with overhead.						
	ZEFC52	.75 x 2.5 x 50	250	4	1.30	\$385	N/A	N/A	N/A
End Cap	For Zxx72WS/Zxx7	2WS0/Zxx84WS/Zxx84	WS0 71.9/72.4"	H or 84.4/84	.9"H walls w	ith overhe	ad.		
	ZEFC66	.75 x 2.5 x 64	300	4	4	\$470	N/A	N/A	N/A
End Cap	For ZF1Sxx66/ZF1S	xx660/ZF2Sxx66/ZF2Sx	xx660/ZWHPxx66	6/ZWHPxx66	0 65.5/66"H	wall pane	ls, with or	without she	lves.
	Required Specifica Top finish Wall finish	tions	Optional Specification End filler cap	fications					

# **Z** ZIRA<sup>™</sup>

D FILLER CAPS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	ZEFC72	.75 x 2.5 x 70.5	300	4	4	\$507	N/A	N/A	N/A
ар	For 7F1 Syy72/7F	- - - - - - - - - - - - - - - - - - -	\$xx720/7W/HPxx72	/7\N/HPxx721	∩ 71 9 <i>/</i> 72 <b>4</b> ″	H wall nan	els with o	nr without sl	nelves
,a þ	101 21 13///2/21	13/4/20/21/20/4/2/21/20	0AA720/2VVIII AA72,	/	0 / 1.3/ / 2.4	i i wali pai	icis, with t	or without si	icives.
	ZEFC84	.75 x 2.5 x 83	300	5	4.50	\$593	N/A	N/A	N/A
•	F 7540 04/75	240 040 (7500 04 (7500	0.40 /7\\/\          0.40	/7\A/IID 044	0.04.4/04.0//		1 21	20	
Cap	For ZF1Sxx84/ZF	1Sxx840/ZF2Sxx84/ZF2S	Sxx840/ZWHPxx84	/ZWHPxx840	0 84.4/84.9″	H wall par	iels, with c	or without sl	nelves.

Required Specifications
Finish

TACKBOARDS FOR HUTCHES		DxWxH							
		otes: Tackboards can be uph		of the follow	ing fabrics:				
	Grade 1: Jenny	, Quilt, Terrace, Urban, Wate	erfall						
	Grade 2: Imprin	t, Lola							
	Grade 3: Ancho	rage, Merge							
TACKBOARDS - 23" / 23.5" HIGH	MODEL#	DIMENSIONS FF	REIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	ZTB8217	.62 x 82 x 16.5-17	150	8.20	2	1	\$773	7	\$2015
						2	\$930	8	\$2319
						3	\$1112	9	\$2668
						4	\$1329	10	\$3066
						5	\$1527	11	\$3524
						6	\$1754	12	\$4050
Tackboard	For use on <b>Z84S</b>	23HN hutch. Includes mount	ting screws.						
	ZTB7017	.62 x 70 x 16.5-17	150	7	1.30	1	\$513	7	\$1342
	2107017	.02 X 70 X 10.0 17	100		1.00	2	\$619	8	\$1542
						3	\$741	9	\$1773
						4	\$882	10	\$2040
						5	\$1016	11	\$2344
						6	\$1167	12	\$2697
Tackboard	For use on <b>Z72S</b>	23HN hutch. Includes mount	ting screws.						
	ZTB6917	.62 x 69 x 16.5-17	150	7	1.30	1	\$510	7	\$1330
	2100017	.02 X 00 X 10.0 17	100		1.00	2	\$616	8	\$1531
						3	\$738	9	\$1761
						4	\$877	10	\$2024
						5	\$1006	11	\$2329
						6	\$1157	12	\$2678
Tackboard	For use on <b>Z71S</b>	<b>23HN</b> hutch. Includes mount	ting screws.						
	ZTB6417	.62 x 64 x 16.5-17	150	6.40	1.30	1	\$506	7	\$1313
	ZIBOTII	.02 X 04 X 10.0 17	100	0.40	1.00	2	\$609	8	\$1511
						3	\$725	9	\$1737
						4	\$864	10	\$1999
						5	\$994	11	\$2297
						6	\$1143	12	\$2643
Tackboard	For use on <b>Z66S</b>	<b>23HN</b> hutch. Includes mount	ting screws.						
_	7TDE 01.7	.62 x 58 x 16.5-17	150	E 00	1.00	1	6402	7	61200
	ZTB5817	.02 X 36 X 10.3-17	100	5.80	1.08	1	\$493	7	\$1286
						2	\$593 \$712	8	\$1478 \$1702
						4	\$848	10	\$1702
						5	\$975	11	\$2251
						6	\$1120	12	\$2588
Tackboard	For use on <b>Z60S</b>	<b>23HN</b> hutch. Includes mount	ting screws.						

BOARDS - 23" / 23.5" HIGH	MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	ZTB4617	.62 x 46 x 16.5-17	150	4.60	.85	1	\$331	7	\$861
						2	\$400	8	\$987
						3	\$477	9	\$1136
						4	\$566	10	\$1305
						5	\$649	11	\$1499
						6	\$746	12	\$1724
ooard	For use on <b>Z48S</b> 2	<b>23HN</b> hutch. Includes mount	ing screws.						
	ZTB4017	.62 x 40 x 16.5-17	150	4	.85	1	\$318	7	\$824
						2	\$383	8	\$948
						3	\$458	9	\$1089
						4	\$541	10	\$1252
						5	\$623	11	\$1441
						6	\$715	12	\$1657
oard	For use on <b>Z42S</b> 2	<b>23HN</b> hutch. Includes mount	ing screws.						
	7TD2417	62 v 24 v 16 E 17	150	2.40	OE	1	eann	7	ėzoa
	ZTB3417	.62 x 34 x 16.5-17	150	3.40	.85	1	\$308	7	\$793
						2	\$373	8	\$912
						3	\$445	9	\$1048
						4	\$523	10	\$1207
						5	\$601	11	\$1386
						6	\$692	12	\$1593
oard	For use on <b>Z36S</b> 2	23HN hutch. Includes mount	ing screws.						
	ZTB2817	.62 x 28 x 16.5-17	250	2.80	.85	1	\$295	7	\$767
						2	\$359	8	\$882
						3	\$428	9	\$1015
						4	\$507	10	\$1167
						5	\$582	11	\$1342
						6	\$667	12	\$1544
oard	For use on <b>Z30S</b>	<b>23HN</b> hutch. Includes mount	ing screws.						
BOARDS FOR HUTCHES - 36" / 36.5" HI						FABRI	C GRADE	LIST PRICE	
_	ZTB8216	.62 x 82 x 15-15.5	150	0.20	2	1	<b>677</b> 2	7	\$2015
	<u> </u>	.02 X 02 X 10-10.5	150	8.20	2	1	\$773	7 8	
						2	\$930		\$2319
						3	\$1112	9	\$2668
						4	\$1329	10	\$3066
						5 6	\$1527	11 12	\$3524
						Ь	\$1754	12	\$4050
oard	For use on <b>Z84S</b> :	36H and Z84S36HN hutche	s.Includes mo	ounting screws	S.				
	ZTB7016	.62 x 70 x 15-15.5	150	7	1.30	1	\$513	7	\$1342
				•		2	\$619	8	\$1542
						3	\$741	9	\$1773
						4	\$882	10	\$2040
						5	\$1016	11	\$2344
						6	\$1167	12	\$2697
ooard	For use on <b>Z72S</b> 3	<b>36xxx</b> hutches. Includes mo	ounting screw	/S.					

	ZTB6916	DxWxH							
		.62 x 69.5 x 15-15.	5 150	7	1.30	1	\$510	7	\$1330
	2100010	.02 x 00.0 x 10 10.0	0 100	,	1.00	2	\$616	8	\$1531
						3	\$738	9	\$1761
						4	\$877	10	\$2024
						5	\$1006	11	\$2329
						6	\$1157	12	\$2678
Tackboard	For use on <b>Z71S</b> 3	36H and Z71S36HN hutch	es. Includes mou	unting screw	S.				
	ZTB6416	.62 x 64 x 15-15.5	150	6.40	1.30	1	\$506	7	\$1313
	2100410	.02 / 04 / 10 10.0	100	0.40	1.50	2	\$609	8	\$1511
						3	\$725	9	\$1737
						4	\$864	10	\$1999
						5	\$994	11	\$2297
						6	\$1143	12	\$2643
Tackboard	For use on <b>Z66S</b> :	<b>36xxx</b> hutches. Includes m	ounting screws.						
_	ZTB5816	.62 x 58 x 15-15.5	150	5.80	1.08	1	\$493	7	\$1286
	2100010	.02 X 30 X 13-13.3	130	5.00	1.00	2	\$593	8	\$1478
						3	\$712	9	\$1702
						4	\$848	10	\$1956
						5	\$975	11	\$2251
						6	\$1120	12	\$2588
ackboard	For use on <b>Z60S</b> :	<b>36xxx</b> hutches. Includes m	ounting screws.						
			450						
	ZTB4616	.62 x 46 x 15-15.5	150	4.60	.85	1	\$331	7	\$861
						2	\$400	8	\$987
						3	\$477	9	\$1136
						4	\$566	10	\$1305
						5	\$649	11	\$1499
	- Z400	2400001111	1 1 1			6	\$746	12	\$1724
Tackboard Tackboard	For use on <b>Z485</b> .	36H and Z48S36HN hutch	es. Includes mot	unting screw	S.				
	ZTB4016	.62 x 40 x 15-15.5	150	4	.85	1	\$318	7	\$824
						2	\$383	8	\$948
						3	\$458	9	\$1089
						4	\$541	10	\$1252
						5	\$623	11	\$1441
						6	\$715	12	\$1657
Fackboard Fackboard	For use on <b>Z42S</b>	36H and Z42S36HN hutch	. Includes mour	nting screws					
	ZTB3416	.62 x 34 x 15-15.5	150	3.40	.85	1	\$308	7	\$793
						2	\$373	8	\$912
						3	\$445	9	\$1048
						4	\$523	10	\$1207
						5	\$601	11	\$1386
						6	\$692	12	\$1593

	MODEL#	DIMENSIONS FR D x W x H	EIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	ZTB2816	.62 x 28 x 15-15.5	250	2.80	.85	1	\$295	7	\$767
						2	\$359	8	\$882
						3	\$428	9	\$1015
						4	\$507	10	\$1167
						5	\$582	11	\$1342
						6	\$667	12	\$1544
Tackboard	For use on <b>Z30S</b>	36H and Z30S36HN hutch. I	ncludes moun	iting screws.					
	ZTB8221	.62 x 82 x 20.5-21	150	12.80	2.30	1	\$941	7	\$2455
						2	\$1127	8	\$2824
						3	\$1353	9	\$3246
						4	\$1615	10	\$3734
						5	\$1855	11	\$4294
						6	\$2135	12	\$4937
ackboard	For use on <b>Z84S</b> 4	42H, Z84S42HN, Z84S55H a	and Z84S55H	<b>N</b> hutches. Ir	ncludes mour	nting screw	S.		
	ZTB7021	.62 x 70 x 20.5-21	125	11	1.50	1	\$633	7	\$1644
						2	\$757	8	\$1891
						3	\$908	9	\$2172
						4	\$1081	10	\$2501
						5	\$1244	11	\$2876
						6	\$1429	12	\$3304
	ZTB6921	.62 x 69 x 20.5-21	125	10.70	1.50	1 2 3 4 5	\$620 \$749 \$895 \$1067 \$1226	7 8 9 10 11	\$1623 \$1865 \$2145 \$2467 \$2838
						6	\$1226	12	\$2830
ackboard	For use on <b>Z71S</b>	42H, Z71S42HN, Z71S55H a	and Z71S55H	<b>N</b> hutches. Ir	ncludes mour			12	φ3202
	ZTB6421	.62 x 64 x 20.5-21	125	10	1.50	1	\$586	7	\$1530
						2	\$706	8	\$1763
						3	\$848	9	\$2024
						4	\$1008	10	\$2331
						5	\$1158	11	\$2678
						6	\$1330	12	\$3079
ackboard	For use on <b>Z66S</b> 4	42xxx and Z66S55xxx huto	hes. Includes	mounting sci	rews.				
	ZTB5821	.62 x 58 x 20.5-21	125	9	1.50	1	\$582	7	\$1516
						2	\$705	8	\$1742
						3	\$842	9	\$2005
						4	\$998	10	\$2304
						5	\$1148	11	\$2650
						6	\$1319	12	\$3044

Z

								Z	IRA
TACKBOARDS - 42.4", 42.9" & 54.9", 55.4" HIGH	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	ZTB4621	<b>D x W x H</b> .62 x 46 x 20.5-21	1 125	7.20	1	1	\$360	7	\$937
						2	\$435	8	\$1075
						3	\$519	9	\$1237
						4	\$616	10	\$1421
						5	\$707	11	\$1636
						6	\$814	12	\$1880
Tackboard	For use on <b>Z48S42H,</b>	Z48S42HN, Z48S55	iH and Z48S55H	<b>N</b> hutches. I	ncludes moui	nting screws	S.		
	ZTB4021	.62 x 40 x 20.5-21	1 125	6.20	1	1	\$347	7	\$907
						2	\$419	8	\$1041
						3	\$505	9	\$1200
						4	\$595	10	\$1377
						5	\$686	11	\$1583
						6	\$789	12	\$1821
Tackboard	For use on <b>Z42S42H</b> ,	Z42S42HN, Z42S55	iH and Z42S55H	<b>N</b> hutches. I	ncludes moui	nting screws	S.		
	ZTB3421	.62 x 34 x 20.5-21	1 150	5.30	1	1	\$343	7	\$889
	2100421	.02 X 34 X 20.3-2	1 130	5.50	ı	2	\$413	8	\$1024
						3	\$496	9	\$1176
						4	\$585	10	\$1352
						5	\$674	11	\$1554
						6	\$775	12	\$1789
Tackboard	For use on <b>Z36S42H</b> ,  ZTB2821	<b>Z36S42HN, Z36S55</b> .62 x 28 x 20.5-2		N hutches. In 4.50	ncludes moui	nting screws	\$339	7	\$879
	ZIDZOZI	.02 X 20 X 20.3-2	1 100	4.30	ı	2	\$408	8	\$1010
						3	\$486	9	\$1159
						4	\$578	10	\$1335
						5	\$662	11	\$1534
						6	\$763	12	\$1765
Tackboard	For use on <b>Z30S42H</b> ,	Z30S42HN, Z30S55	H and Z30S55H	<b>N</b> hutches. I	ncludes moui	nting screws	3.		
14" WALL-MOUNTED TACKBOARDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	ZWHT3014	1.25 x 30 x 13.5-1	14 150	4.70	1	1	\$333	7	\$768
						2	\$386	8	\$879
						3	\$443	9	\$1011
						4	\$507	10	\$1162
						5	\$581	11	\$1335
						6	\$668	12	\$1532
Wall Mounted Tackboard		nt applications.	he units. Units sh and subsequent p	nould be mou personal inju	inted to wall	studs using <b>g hardwar</b>	correct f	asteners. Fa	ilure to



#### **Wall Mounted Tackboard**

4" WALL-MOUNTED TACKBOARDS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	D x W x H							
ZWHT3614	1.25 x 36 x 13.5	5-14 150	5.60	1	1	\$367	7	\$849
					2	\$427	8	\$973
					3	\$487	9	\$1119
					4	\$561	10	\$1285
					5	\$642	11	\$1478
					6	\$738	12	\$1697

For use under **Z36S200S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4214	1.25 x 42 x 13.5-14	125	6.50	1	1	\$430	7	\$988
					2	\$496	8	\$1135
					3	\$569	9	\$1304
					4	\$652	10	\$1498
					5	\$748	11	\$1720
					6	\$862	12	\$1979

For use under **Z42S200S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4814 1.25 x 48 x 13.5-14 125 7.50 1	1	\$464	7	\$1069
	2	\$536	8	\$1229
	3	\$614	9	\$1414
	4	\$706	10	\$1623
	5	\$810	11	\$1865
	6	\$930	12	\$2143

For use under **Z48S200S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT6014	1.25 x 60 x 13.5-14	150	9.30	1.80	1	\$578	7	\$1333
					2	\$666	8	\$1531
					3	\$765	9	\$1760
					4	\$880	10	\$2024
					5	\$1010	11	\$2325
					6	\$1161	12	\$2673

For use under **Z60S200S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

**Required Specifications** 

LIST

\$1418

\$1628

\$1868

\$2149

\$2470

\$2839



14" WALL-MOUNTED TACKBOARDS

Wall Mounted Tackboard	For use under <b>Zxx\$200\$/0\$N</b> ,

MODEL#

ZWHT6614

DIMENSIONS

DxWxH

1.25 x 66 x 13.5-14

FREIGHT CLASS

150

N/OSD/OSR/OSL/OSO/SOS for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount applications.

WT/LBS.

10.30

CUBIC FT.

1.80

FAB GRD

2

3

4

5

LIST

\$614

\$707

\$812

\$932

\$1071

\$1233

**FAB GRD** 

8

9

10

11 12

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7214     1.25 x 72 x 13.5-14     125     11.20     1.80     1     \$673     7     \$1555       2     \$778     8     \$1785       3     \$892     9     \$2054       4     \$1027     10     \$2358       5     \$1178     11     \$2711       6     \$1354     12     \$3119									
3 \$892 9 \$2054 4 \$1027 10 \$2358 5 \$1178 11 \$2711	ZWHT7214	1.25 x 72 x 13.5-14	125	11.20	1.80	1	\$673	7	\$1555
4 \$1027 10 \$2358 5 \$1178 11 \$2711						2	\$778	8	\$1785
5 <b>\$1178</b> 11 <b>\$2711</b>						3	\$892	9	\$2054
						4	\$1027	10	\$2358
6 <b>\$1354</b> 12 <b>\$3119</b>						5	\$1178	11	\$2711
						6	\$1354	12	\$3119

For use under ZxxS200S/0SN/0SD/OSR/OSL/OSO/SOS for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7814	1.25 x 78 x 13.5-14	125	12.10	1.80	1	\$710	7	\$1639
					2	\$820	8	\$1883
					3	\$943	9	\$2163
					4	\$1079	10	\$2487
					5	\$1242	11	\$2858
					6	\$1425	12	\$3284

For use under ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT8414	1.25 x 84 x 13.5-14	125	13.10	1.80	1	\$767	7	\$1775
					2	\$886	8	\$2041
					3	\$1019	9	\$2345
					4	\$1171	10	\$2696
					5	\$1344	11	\$3097
					6	\$1544	12	\$3563

For use under ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

**Required Specifications** 



#### **Wall Mounted Tackboard**

18" WALL-MOUNTED TACKBOARDS

MODEL#

DIMENSIONS

	DxWxH							
ZWHT3018	1.25 x 30 x 17.5-18	125	6	1	1	\$343	7	\$791
					2	\$399	8	\$909
					3	\$457	9	\$1045
					4	\$525	10	\$1202
					5	\$602	11	\$1381
					6	\$689	12	\$1585

CUBIC FT.

FAB GRD

FREIGHT CLASS

For use under **Z30S16OS/OSN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT3618	1.25 x 36 x 17.5-18	125	7.20	1	1	\$381	7	\$876
					2	\$442	8	\$1008
					3	\$506	9	\$1158
					4	\$580	10	\$1332
					5	\$667	11	\$1530
					6	\$766	12	\$1757

For use under **Z36S16OS/OSN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4218	1.25 x 42 x 17.5-18	100	8.40	1	1	\$442	7	\$1020
					2	\$511	8	\$1173
					3	\$585	9	\$1346
					4	\$674	10	\$1545
					5	\$773	11	\$1775
					6	\$886	12	\$2042

For use under **Z42S160S/OSN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4818	1.25 x 48 x 17.5-18	100	9.60	1	1	\$481	7	\$1108
					2	\$555	8	\$1272
					3	\$639	9	\$1462
					4	\$733	10	\$1680
					5	\$841	11	\$1930
					6	\$965	12	\$2216

For use under **Z48S16OS/OSN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



Wall Mounted Tackboard

**Required Specifications** 



### **Wall Mounted Tackboard**

18" WALL-MOUNTED TACKBOARDS

**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	D x W x H							
ZWHT6018	1.25 x 60 x 17.5	5-18 125	12	1.80	1	\$591	7	\$1367
					2	\$681	8	\$1571
					3	\$785	9	\$1803
					4	\$900	10	\$2073
					5	\$1034	11	\$2386
					6	\$1188	12	\$2740

For use under Z60S160S/0SN for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT6618	1.25 x 66 x 17.5-18	125	13.20	1.80	1	\$630	7	\$1456
					2	\$728	8	\$1672
					3	\$837	9	\$1921
					4	\$961	10	\$2208
					5	\$1102	11	\$2538
					6	\$1267	12	\$2917

For use under ZxxS160S/OSN for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

714 // ITTO 4 0		400		4.00		4		*
ZWHT7218	1.25 x 72 x 17.5-18	100	14.40	1.80	1	\$692	/	\$1598
					2	\$799	8	\$1834
					3	\$915	9	\$2111
					4	\$1053	10	\$2424
					5	\$1208	11	\$2788
					6	\$1388	12	\$3206

For use under ZxxS16OS/OSN for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7818	1.25 x 78 x 17.5-18	100	15.60	1.80	1	\$729	7	\$1682
					2	\$842	8	\$1932
					3	\$965	9	\$2220
					4	\$1111	10	\$2554
					5	\$1273	11	\$2935
					6	\$1464	12	\$3373

For use under ZxxS16OS/OSN for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

**Required Specifications** 



**Wall Mounted Tackboard** 

DxWxH       ZWHT8418     1.25 x 84 x 17.5-18     100     16.80     1.80     1     \$789     7     \$1824       2     \$909     8     \$2096       3     \$1047     9     \$2409       4     \$1202     10     \$2769       5     \$1380     11     \$3184       6     \$1585     12     \$3660	MIUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	FAB GKD	LIST	FAB GRD	ri21
2       \$909       8       \$2096         3       \$1047       9       \$2409         4       \$1202       10       \$2769         5       \$1380       11       \$3184		D x W x H							
3 \$1047 9 \$2409 4 \$1202 10 \$2769 5 \$1380 11 \$3184	ZWHT8418	1.25 x 84 x 17.5	5-18 100	16.80	1.80	1	\$789	7	\$1824
4 \$1202 10 \$2769 5 \$1380 11 \$3184						2	\$909	8	\$2096
5 <b>\$1380</b> 11 <b>\$3184</b>						3	\$1047	9	\$2409
						4	\$1202	10	\$2769
6 <b>\$1585</b> 12 <b>\$3660</b>						5	\$1380	11	\$3184
						6	\$1585	12	\$3660

For use under **ZxxS160S/0SN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT3021	1.25 x 30 x 20.5-21	125	7	1	1	\$351	7	\$808
					2	\$408	8	\$929
					3	\$466	9	\$1066
					4	\$535	10	\$1226
					5	\$614	11	\$1409
					6	\$706	12	\$1617

For use under **Z30S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z30S330S/OSN** for a finished height of **84"/84.5"** 

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT3621	1.25 x 36 x 20.5-21	100	8.40	1	1	\$388	7	\$895
					2	\$451	8	\$1029
					3	\$514	9	\$1181
					4	\$593	10	\$1357
					5	\$680	11	\$1561
					6	\$781	12	\$1794

For use under **Z36S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z36S330S/OSN** for a finished height of **84"/84.5"** 

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4221	1.25 x 42 x 20.5-21	100	9.80	1	1	\$448	7	\$1037
					2	\$518	8	\$1190
					3	\$595	9	\$1370
					4	\$684	10	\$1573
					5	\$785	11	\$1808
					6	¢ans	12	¢2078

For use under **Z42S21OS/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z42S33OS/OSN** for a finished height of **84"/84.5"** 

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4821	1.25 x 48 x 20.5-21	92.5	11.20	1	1	\$488	7	\$1126
					2	\$563	8	\$1294
					3	\$647	9	\$1489
					4	\$744	10	\$1706
					5	\$854	11	\$1964
					6	\$980	12	\$2256

For use under **Z48S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z48S330S/OSN** for a finished height of **84"/84.5"** 

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

**Required Specifications** 



**Wall Mounted Tackboard** 

MUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	COBIC FI.	FAB GKD	LIST	FAB GKD	LIST
	D x W x H							
ZWHT6021	1.25 x 60 x 20.5	5-21 125	14	1.80	1	\$604	7	\$1394
					2	\$696	8	\$1605
					3	\$801	9	\$1842
					4	\$920	10	\$2116
					5	\$1057	11	\$2433
					6	\$1214	12	\$2798

For use under **Z60S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z60S330S/OSN** for a finished height of **84"/84.5"** 

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT6621	1.25 x 66 x 20.5-21	100	15.40	1.80	1	\$641	7	\$1481
					2	\$741	8	\$1702
					3	\$850	9	\$1957
					4	\$977	10	\$2250
					5	\$1124	11	\$2587
					6	\$1288	12	\$2973

For use under Z66S210S/OSN/OSD/OSR/OSL/OSO/SOS for a finished height of 71.5"/72". Standard with pre-mounted "J" bracket for wall mount applications. For use under Z66S330S/OSN for a finished height of 84"/84.5"

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7221	1.25 x 72 x 20.5-21	100	16.80	1.80	1	\$704	7	\$1626
	11.E0 X 7 E X E0.10 E1	.00			2	\$812	8	\$1865
					3	\$932	9	\$2146
					4	\$1071	10	\$2466
					5	\$1232	11	\$2834
					6	\$1415	12	\$3259

For use under **Z72S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z72S330S/OSN** for a finished height of **84"/84.5"** 

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7821	1.25 x 78 x 20.5-21	92.5	18.20	1.80	1	\$740	7	\$1709
					2	\$854	8	\$1968
					3	\$982	9	\$2261
					4	\$1128	10	\$2598
					5	\$1296	11	\$2987
					6	\$1489	12	\$3435

For use under **Z78S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z78S330S/OSN** for a finished height of **84"/84.5"** 

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT8421	1.25 x 84 x 20.5-21	92.5	19.60	1.80	1	\$806	7	\$1861
					2	\$929	8	\$2137
					3	\$1068	9	\$2457
					4	\$1223	10	\$2825
					5	\$1409	11	\$3247
					6	\$1619	12	\$3731

For use under **Z84S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z84S330S/OSN** for a finished height of **84"/84.5"** 

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

**Required Specifications** 



**Wall Mounted Tackboard** 

MUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	FAB GKD	TI21	FAB GKD	LIST
	D x W x H							
ZWHT3025	1.25 x 30 x 24.5-	-25 100	8.30	1	1	\$361	7	\$831
					2	\$419	8	\$955
					3	\$479	9	\$1097
					4	\$548	10	\$1263
					5	\$630	11	\$1449
					6	\$725	12	\$1665

For use under **Z30S160S/0SN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT3625	1.25 x 36 x 24.5-25	92.5	10	1	1	\$400	7	\$924
					2	\$464	8	\$1061
					3	\$532	9	\$1218
					4	\$612	10	\$1402
					5	\$699	11	\$1609
					6	\$805	12	\$1849

For use under **Z36S16OS/OSN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4225	1.25 x 42 x 24.5-25	92.5	11.70	1	1	\$464	7	\$1069
					2	\$536	8	\$1229
					3	\$614	9	\$1414
					4	\$706	10	\$1623
					5	\$810	11	\$1865
					6	\$930	12	\$2143

For use under **Z42S16OS/OSN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4825	1.25 x 48 x 24.5-25	85	13.30	1	1	\$504	7	\$1164
					2	\$582	8	\$1336
					3	\$669	9	\$1534
					4	\$767	10	\$1763
					5	\$882	11	\$2026
					6	\$1012	12	\$2329

For use under **Z48S16OS/OSN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT6025	1.25 x 60 x 24.5-25	100	16.70	1.80	1	\$621	7	\$1434
					2	\$715	8	\$1649
					3	\$823	9	\$1895
					4	\$943	10	\$2178
					5	\$1086	11	\$2502
					6	\$1248	12	\$2878

For use under **Z60S160S/0SN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Wall Mounted Tackboard



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

## **Required Specifications**



**Wall Mounted Tackboard** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	D x W x H							
ZWHT6625	1.25 x 66 x 24.5	5-25 92.5	18.30	1.80	1	\$661	7	\$1525
					2	\$764	8	\$1753
					3	\$876	9	\$2015
					4	\$1005	10	\$2317
					5	\$1155	11	\$2662
					6	\$1327	12	\$3061

For use under **ZxxS160S/0SN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7225	1.25 x 72 x 24.5-25	92.5	20	1.80	1	\$725	7	\$1675
					2	\$837	8	\$1923
					3	\$960	9	\$2208
					4	\$1103	10	\$2541
					5	\$1267	11	\$2919
					6	\$1457	12	\$3356

For use under **ZxxS160S/0SN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7825	1.25 x 78 x 24.5-25	85	21.70	1.80	1	\$763	7	\$1765
					2	\$881	8	\$2026
					3	\$1010	9	\$2331
					4	\$1160	10	\$2678
					5	\$1334	11	\$3079
					6	\$1534	12	\$3539

For use under **ZxxS160S/0SN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT8425	1.25 x 84 x 24.5-25	85	23.30	1.80	1	\$829	7	\$1912
					2	\$955	8	\$2198
					3	\$1096	9	\$2526
					4	\$1261	10	\$2904
					5	\$1448	11	\$3336
					6	\$1663	12	\$3837

For use under **ZxxS160S/0SN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 




**Wall Mounted Tackboard** 

**Required Specifications** 


BOOKCASES	MODEL#		EIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	ZHBC72	<b>DxWxH</b> 12 x 36 x 71.9-72.4	125	176	23	\$1150	\$1217	N/A	N/A
cookcase - 72" High	One fixed shelf.								
	ZHBC65	12 x 36 x 65.5-66	125	156	21	\$1113	\$1179	N/A	N/A
Bookcase - 65.5" High	One fixed shelf and tw	vo adjustable shelves.							
	ZHBC48	12 x 36 x 48.5-49	125	122	15.75	\$843	\$909	N/A	N/A
Bookcase - 48.5" High	Two adjustable shelve	<b>9</b> \$.							
	ZHSHELF	11 x 34 x .5-1	100	13	1.50	\$295	N/A	N/A	N/A
Bookcase Shelf	Extra shelf for bookca	ses. 1" thick.							
ABLE TOP BOOKCASES	NOTE: UNITS UNDER 3	30"W MUST BE SECURE	LY FASTENED	TO THE WAL	L OR GANGED	TO AN AD	JACENT U	NIT 30"W 0	R WIDER
11.75"/12.25" 1 40.8"/41.8"	Z36S12TN Z30S12TN	16 x 36 x 11.25-11.7 16 x 30 x 11.25-11.7		44.91 39.33	5.25 4.30	\$336 \$308	\$403 \$366	N/A N/A	N/A N/A
Table Top Bookcase 11.75"/12.25" High	To be placed on top o to achieve 52.5"/53.	of 29"/29.5" high units 5" final height.	to achieve	40.8"/41.8" f	inal height (	or placed o	n top of <b>4</b> 0	0.8"/41.3"	high unit
<u> </u>	Z21S12TN Z18S12TN	16 x 21 x 11.25-11.7		28.87 27.13	3.10 2.70	\$258 \$247	\$304 \$289	N/A N/A	N/A N/A
11.75"/12.25"		16 x 18 x 11.25-11.7			2.40	\$235	\$273	N/A	N/A
11.75"/12.25" 1 52.5" /53.5"	Z16S12TN Z15S12TN Z15S12TN Z12S12TN	16 x 18 x 11.25-11.7 16 x 16 x 11.25-11.7 16 x 15 x 11.25-11.7 16 x 12 x 11.25-11.7	5 92.5 5 92.5	24.57 24.34 21.55	2.30 1.90	\$225 \$213	\$258 \$242	N/A N/A	N/A N/A
$\mathcal{L}_{2}$	Z16S12TN Z15S12TN	16 x 16 x 11.25-11.7 16 x 15 x 11.25-11.7	5 92.5 5 92.5	24.34	2.30				
11.75"/12.25" 140.8"/41.8"	Z16S12TN Z15S12TN Z12S12TN	16 x 16 x 11.25-11.7 16 x 15 x 11.25-11.7 16 x 12 x 11.25-11.7	5 92.5 5 92.5 5 92.5	24.34 21.55	2.30 1.90	\$213	\$242	N/A	N/A

IABLE TUP BUUNCASES	
7.7/48.2"   65.5/66"	Glazed door option


# **Closed Table Top Bookcase** 47.7" High




**Closed Table Top Bookcase** 41" High



# **Closed Table Top Bookcase** 54" High



# **Closed Table Top Bookcase** 48" High



**Closed Table Top Bookcase** 61" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36S48T	16 x 36 x 47.2-47	.7 125	149	20.25	\$1370	\$1437	\$1443	N/A
Z30S48T	16 x 30 x 47.2-47	.7 125	130	17	\$1251	\$1309	\$1246	N/A

Designed to be placed on top of 17.87"/18.37" high units to achieve 65.5"/66" final height. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Z36S41T	16 x 36 x 41.35-41.85 125	128	17.75	\$1126	¢1102	\$1252	N/A
2303411	10 X 30 X 41.33-41.03 123	120	17.75	\$11ZU	<b>\$1133</b>	φ 1232	IN/A
Z30S41T	16 x 30 x 41.35-41.85 125	111	15	\$1179	\$1237	\$1091	N/A

Designed to be placed on top of 23.75"/24.25" high units to achieve 65.5"/66" final height. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Z36S54T	16 x 36 x 53.63-54.13 125	163	22.75	\$1617	\$1684	\$1443	N/A
Z30S54T	16 x 30 x 53.63-54.13 125	142	19	\$1251	\$1309	\$1246	N/A

Designed to be placed on top of 17.87"/18.37" high units to achieve 71.9"/72.4" final height. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Z36S49T	16 x 36 x 47.76-48.26	125	141	20.25	\$1437	\$1504	\$952	N/A
Z30S49T	16 x 30 x 47.76-48.26	125	123	17.25	\$1289	\$1346	\$850	N/A

Designed to be placed on top of 23.75"/24.25" high units to achieve 71.9"/72.4" final height. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Z36S61T	16 x 36 x 60.25-60.75 125	176	25.25	\$1697	\$1764	\$1132	N/A
Z30S61T	16 x 30 x 60.25-60.75 125	153	21.25	\$1517	\$1574	\$1010	N/A

Designed to be placed on top of 23.75"/24.25" high units to achieve 84.4"/84.9" final height.

Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

**Required Specifications** 

Top finish Base finish Top/Edge Detail **Optional Specifications** 

Glazed doors



Table Top Bookcase 23.5"/24" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36S23T	16 x 36 x 23-23.5	5 100	87.45	9.50	\$804	\$871	\$792	N/A
Z30S23T	16 x 30 x 23-23.5	5 100	75.78	8	\$732	\$790	\$699	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 52.5"/53.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

<b>23.5"</b> /24" 52.5"/53.5"	
	Glazed door option

**Table Top Bookcase with Door - LEFT** 23.5"/24" High

Z21S23TL	16 x 21 x 23-23.5	92.5	58.83	5.75	\$573	\$618	\$432	N/A
Z18S23TL	16 x 18 x 23-23.5	92.5	54.65	5	\$552	\$590	\$395	N/A
Z16S23TL	16 x 16 x 23-23.5	92.5	46.71	4.50	\$490	\$528	\$386	N/A
Z15S23TL	16 x 15 x 23-23.5	92.5	46.06	4.20	\$465	\$498	\$348	N/A
Z12S23TL	16 x 12 x 23-23.5	92.5	40.77	3.50	\$434	\$463	\$314	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 52.5"/53.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. Includes one adjustable shelf. Standard with lock.





Z21S23TR	16 x 21 x 23-23.5	92.5	58.83	5.75	\$573	\$618	\$432	N/A
Z18S23TR	16 x 18 x 23-23.5	92.5	54.65	5	\$552	\$590	\$395	N/A
Z16S23TR	16 x 16 x 23-23.5	92.5	46.71	4.50	\$490	\$528	\$386	N/A
Z15S23TR	16 x 15 x 23-23.5	92.5	46.06	4.20	\$465	\$498	\$348	N/A
Z12S23TR	16 x 12 x 23-23.5	92.5	40.77	3.50	\$434	\$463	\$314	N/A

Table Top Bookcase with Door - RIGHT 23.5"/24" High

Designed to be placed on top of 29"/29.5" high units to achieve 52.5"/53.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. Includes one adjustable shelf. Standard with lock.




	52.5"/53.5"
N	
	1

Z36S23TN	16 x 36 x 23-23.5	125	69.06	9.50	\$526	\$593	N/A	N/A
Z30S23TN	16 x 30 x 23-23.5	125	60.33	8	\$483	\$540	N/A	N/A

Table Top Bookcase 23.5"/24" High

Designed to be placed on top of 29"/29.5" high units to achieve 52.5"/53.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Includes one adjustable shelf.



Tab	le Top	) Boo	kcase	23.5"	/24"	High*
-----	--------	-------	-------	-------	------	-------

Z21S23TN	16 x 21 x 23-23.5	100	47.77	5.75	\$411	\$456	N/A	N/A
Z18S23TN	16 x 18 x 23-23.5	100	44.98	5	\$404	\$442	N/A	N/A
Z16S23TN	16 x 16 x 23-23.5	100	38.22	4.50	\$343	\$381	N/A	N/A
Z15S23TN	16 x 15 x 23-23.5	100	37	4.20	\$329	\$361	N/A	N/A
Z12S23TN	16 x 12 x 23-23.5	100	34.15	3.50	\$307	\$337	N/A	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 52.5"/53.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Includes one adjustable shelf.





Z36S36T	16 x 36 x 35.5-36	100	124.30	14.25	\$1033	\$1100	\$1021	N/A
Z30S36T	16 x 30 x 35.5-36	100	106.67	12	\$894	\$951	\$893	N/A

**Table Top Bookcase with Doors** 36"/36.5" High

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Laminate doors are standard. Includes two adjustable shelves. Standard with lock.

Required Specifications
Top finish
Base finish

Top/Edge Detail

<b>Optional Specifications</b>
Collator*
Glazed doors

TABLE TOP BOOKCASES



**Table Top Bookcase with Doors** 36"/36.5" High - LEFT





**Table Top Bookcase with Doors** 36"/36.5" High - RIGHT





**Table Top Bookcase with Doors and** Cavity - 36"/36.5" High







Table Top Bookcase with Doors and\* Cavity - 36"/36.5" High - LEFT







Table Top Bookcase with Doors and\* Cavity - 36"/36.5" High - RIGHT



Table Top Bookcase 36"/36.5" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP A	DD
	D x W x H							
Z21S36TL	16 x 21 x 35.5-3	6 100	82.99	8.75	\$732	\$778	<b>\$561</b> N/A	Α
Z18S36TL	16 x 18 x 35.5-3	6 100	74.72	7.50	\$700	\$738	<b>\$507</b> N/.	Α
Z16S36TL	16 x 16 x 35.5-3	6 92.5	67.82	6.75	\$640	\$678	<b>\$499</b> N/A	Α
Z15S36TL	16 x 15 x 35.5-3	6 92.5	66.46	6.50	\$609	\$642	<b>\$444</b> N/A	Α
Z12S36TL	16 x 12 x 35.5-3	6 92.5	59.30	5.25	\$565	\$594	<b>\$400</b> N/A	Α

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Laminate door is standard. Includes two adjustable shelves. Standard with lock.

Z21S36TR	16 x 21 x 35.5-36	100	82.99	8.75	\$732	\$778	\$561	N/A
Z18S36TR	16 x 18 x 35.5-36	100	74.72	7.50	\$700	\$738	\$507	N/A
Z16S36TR	16 x 16 x 35.5-36	92.5	67.82	6.75	\$640	\$678	\$499	N/A
Z15S36TR	16 x 15 x 35.5-36	92.5	66.46	6.50	\$609	\$642	\$444	N/A
Z12S36TR	16 x 12 x 35.5-36	92.5	59.30	5.25	\$565	\$594	\$400	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Laminate door is standard. Includes two adjustable shelves. Standard with lock.

Z36S36TC	16 x 36 x 35.5-36	100	116.98	14.25	\$976	\$1043	\$902	N/A
Z30S36TC	16 x 30 x 35.5-36	100	100.58	12	\$845	\$903	\$786	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Z21S36TCL	16 x 21 x 35.5-36	100	78.72	8.75	\$697	\$743	\$501	N/A
Z18S36TCL	16 x 18 x 35.5-36	100	71.07	7.50	\$672	\$714	\$451	N/A
Z16S36TCL	16 x 16 x 35.5-36	100	64.57	6.75	\$610	\$648	\$444	N/A
Z15S36TCL	16 x 15 x 35.5-36	100	63.42	6.50	\$586	\$618	\$394	N/A
Z12S36TCL	16 x 12 x 35.5-36	92.5	56.87	5.25	\$545	\$575	\$353	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Laminate door is standard. Includes one adjustable shelf. Standard with lock.

Z21S36TCR	16 x 21 x 35.5-36	100	78.72	8.75	\$697	\$743	\$501	N/A
Z18S36TCR	16 x 18 x 35.5-36	100	71.07	7.50	\$672	\$714	\$451	N/A
Z16S36TCR	16 x 16 x 35.5-36	100	64.57	6.75	\$610	\$648	\$444	N/A
Z15S36TCR	16 x 15 x 35.5-36	100	63.42	6.50	\$586	\$618	\$394	N/A
Z12S36TCR	16 x 12 x 35.5-36	92.5	56.87	5.25	\$545	\$575	\$353	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Laminate door is standard. Includes one adjustable shelf. Standard with lock.

Z36S36TN	16 x 36 x 35.5-36	125	95.31	14.25	\$694	\$763	N/A	N/A
Z30S36TN	16 x 30 x 35.5-36	125	82.38	12	\$591	\$649	N/A	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Includes two adjustable shelves.

**Required Specifications** 

Top finish Base finish Top/Edge Detail **Optional Specifications** 

Collator\* Glazed doors




Table Top Bookcase 36"/36.5" High\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z21S36TN	16 x 21 x 35.5-36	125	65.62	8.75	\$537	\$583	N/A	N/A
Z18S36TN	16 x 18 x 35.5-36	125	59.68	7.50	\$523	\$565	N/A	N/A
Z16S36TN	16 x 16 x 35.5-36	100	56	6.75	\$463	\$501	N/A	N/A
Z15S36TN	16 x 15 x 35.5-36	100	53.74	6.50	\$448	\$481	N/A	N/A
Z12S36TN	16 x 12 x 35.5-36	125	48.85	6.25	\$418	\$447	N/A	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Includes two adjustable shelves

16 x 36 x 23.75-24.25 100

16 x 30 x 23.75-24.25 100

24.25	<b>"</b> /24.75"	
1	65"/66"	

Glazed door option

Z36S24T

Z30S24T

**Table Top Bookcase with Doors** 24.25"/24.75" High

89.26

77.47

\$806

\$736

\$873

\$793

10

8.25

\$902

\$786

N/A

N/A

Designed to be placed on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.





Z18S24TL       16 x 18 x 23.75-24.25       92.5       56.11       5.25       \$553       \$591       \$451       N/A         Z16S24TL       16 x 16 x 23.75-24.25       92.5       48.13       4.60       \$491       \$529       \$444       N/A         Z15S24TL       16 x 15 x 23.75-24.25       92.5       46.35       4.30       \$466       \$499       \$394       N/A         Z12S24TL       16 x 12 x 23.75-24.25       85       44.32       3.60       \$435       \$464       \$353       N/A	Z21S24TL	16 x 21 x 23.75-24.25 100	59.24	6	\$573	\$619	\$501	N/A
Z15S24TL 16 x 15 x 23.75-24.25 92.5 46.35 4.30 <b>\$466 \$499 \$394</b> N/A	Z18S24TL	16 x 18 x 23.75-24.25 92.5	56.11	5.25	\$553	\$591	\$451	N/A
	Z16S24TL	16 x 16 x 23.75-24.25 92.5	48.13	4.60	\$491	\$529	\$444	N/A
Z12S24TL 16 x 12 x 23.75-24.25 85 44.32 3.60 <b>\$435 \$464 \$353</b> N/A	Z15S24TL	16 x 15 x 23.75-24.25 92.5	46.35	4.30	\$466	\$499	\$394	N/A
	Z12S24TL	16 x 12 x 23.75-24.25 85	44.32	3.60	\$435	\$464	\$353	N/A

**Table Top Bookcase with Door - LEFT** 24.25"/24.75" High

Designed to be placed on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Laminate door is standard. Includes one adjustable shelf. Standard with lock.





Z21S24TR	16 x 21 x 23.75-24.25 100	59.24	6	\$573	\$619	\$501	N/A
Z18S24TR	16 x 18 x 23.75-24.25 92.5	56.11	5.25	\$553	\$591	\$451	N/A
Z16S24TR	16 x 16 x 23.75-24.25 92.5	48.13	4.60	\$491	\$529	\$444	N/A
Z15S24TR	16 x 15 x 23.75-24.25 92.5	46.35	4.30	\$466	\$499	\$394	N/A
Z12S24TR	16 x 12 x 23.75-24.25 85	44.32	3.60	\$435	\$464	\$353	N/A

Table Top Bookcase with Door - RIGHT 24.25"/24.75" High

Designed to be placed on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Laminate door is standard. Includes one adjustable shelf. Standard with lock.



Z36S24TN	16 x 36 x 23.75-24.25 125	70.11	10	\$526	\$595	N/A	N/A
Z30S24TN	16 x 30 x 23.75-24.25 125	61.38	8.25	\$483	\$541	N/A	N/A

**Table Top Bookcase** 24.25"/24.75" High

Designed to be placed on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes one adjustable shelf.





Z21S24TN	16 x 21 x 23.75-24.25 125	47.77	6	\$411	\$457	N/A	N/A
Z18S24TN	16 x 18 x 23.75-24.25 100	46.03	5.25	\$404	\$446	N/A	N/A
Z16S24TN	16 x 16 x 23.75-24.25 100	39.27	4.60	\$344	\$382	N/A	N/A
Z15S24TN	16 x 15 x 23.75-24.25 100	37.99	4.30	\$329	\$362	N/A	N/A
Z12S24TN	16 x 12 x 23.75-24.25 92.5	37.30	3.60	\$308	\$337	N/A	N/A

Table Top Bookcase\* 24.25"/24.75" High

Designed to be placed on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes one adjustable shelf.

Required	l Speci	fications

Top finish Base finish Top/Edge Detail

# **Optional Specifications**

Collator<sup>5</sup> Glazed doors



TABLE TOP BOOKCASES



**Table Top Bookcase with Doors** 42.4"/42.9" High



**Table Top Bookcase with Door - LEFT** 42.4"/42.9" High





Table Top Bookcase with Door - RIGHT 42.4"/42.9" High





**Table Top Bookcase with Doors and** Cavity 42.4"/42.9" High






Table Top Bookcase with Door and\* Cavity 42.4"/42.9" High - LEFT



Table Top Bookcase with Door and\* Cavity 42.4"/42.9" High - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z36S42T	16 x 36 x 41.9-4	2.4 100	137.40	16.75	\$1126	\$1193	\$1252	N/A
Z30S42T	16 x 30 x 41.9-4	2.4 100	119.06	14	\$983	\$1041	\$1091	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 71.5"/72.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate doors are standard. Includes two adjustable shelves. Standard with lock.

Z21S42TL	16 x 21 x 41.9-42.4	300	119	70	\$798	\$844	\$693	N/A
Z18S42TL	16 x 18 x 41.9-42.4	85	117	8.75	\$766	\$804	\$623	N/A
Z16S42TL	16 x 16 x 41.9-42.4	300	112	62	\$691	\$729	\$617	N/A
Z15S42TL	16 x 15 x 41.9-42.4	250	109	54	\$655	\$687	\$542	N/A
Z12S42TL	16 x 12 x 41.9-42.4	250	105	49	\$609	\$639	\$489	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 71.5"/72.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. Includes two adjustable shelves. Standard with lock.

Z21S42TR	16 x 21 x 41.9-42.4	300	119	70	\$798	\$844	\$693	N/A
Z18S42TR	16 x 18 x 41.9-42.4	85	117	8.75	\$766	\$804	\$623	N/A
Z16S42TR	16 x 16 x 41.9-42.4	300	112	62	\$691	\$729	\$617	N/A
Z15S42TR	16 x 15 x 41.9-42.4	250	109	54	\$655	\$687	\$542	N/A
Z12S42TR	16 x 12 x 41.9-42.4	250	105	49	\$609	\$639	\$489	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 71.5"/72.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. Includes two adjustable shelves. Standard with lock.

Z36S42TC	16 x 36 x 41.9-42.4	125	130.09	16.75	\$1091	\$1158	\$985	N/A
Z30S42TC	16 x 30 x 41.9-42.4	100	112.97	14	\$953	\$1011	\$857	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 71.5"/72.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Z21S42TCL	16 x 21 x 41.9-42.4	100	87.84	10	\$780	\$825	\$547	N/A
Z18S42TCL	16 x 18 x 41.9-42.4	100	79.83	8.75	\$749	\$787	\$492	N/A
Z16S42TCL	16 x 16 x 41.9-42.4	100	73.75	8	\$672	\$710	\$488	N/A
Z15S42TCL	16 x 15 x 41.9-42.4	100	70.71	7.50	\$640	\$672	\$429	N/A
Z12S42TCL	16 x 12 x 41.9-42.4	92.5	62.70	6	\$593	\$623	\$386	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 71.5"/72.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. Includes one adjustable shelf. Standard with lock.

Z21S42TCR	16 x 21 x 41.9-42.4	100	87.84	10	\$780	\$825	\$547	N/A
Z18S42TCR	16 x 18 x 41.9-42.4	100	79.83	8.75	\$749	\$787	\$492	N/A
Z16S42TCR	16 x 16 x 41.9-42.4	100	73.75	8	\$672	\$710	\$488	N/A
Z15S42TCR	16 x 15 x 41.9-42.4	100	70.71	7.50	\$640	\$672	\$429	N/A
Z12S42TCR	16 x 12 x 41.9-42.4	92.5	62.70	6	\$593	\$623	\$386	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 71.5"/72.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. Includes one adjustable shelf. Standard with lock.

Rem	nired	Sne	cifii	ation	10

Top finish Base finish Top/Edge Detail

# **Optional Specifications**



Table Top Bookcase 42.4"/42.9" High





Table Top Bookcase\* 42.4"/42.9" High





Table Top Bookcase with Doors 30.7"/31.2" High





Table Top Bookcase with Door 30.7"/31.2" High - LEFT





Table Top Bookcase with Door 30.7"/31.2" High - RIGHT



Table Top Bookcase 30.7"/31.2" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP A	ADD
	DxWxH							
Z36S42TN	16 x 36 x 41.9-4	2.4 125	103.71	16.75	\$756	\$823	N/A N/	Ά
Z30S42TN	16 x 30 x 41.9-4	2.4 125	90.78	14	\$658	\$716	N/A N/	Ά

Designed to be placed **on top of 29"/29.5" high units to achieve 71.5"/72.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. **Includes two adjustable shelves**. Standard with lock.

Z21S42TN	16 x 21 x 41.9-42.4	125	71.92	10	\$586	\$632	N/A	N/A
Z18S42TN	16 x 18 x 41.9-42.4	125	65.98	8.75	\$573	\$611	N/A	N/A
Z16S42TN	16 x 16 x 41.9-42.4	125	61.32	8	\$495	\$533	N/A	N/A
Z15S42TN	16 x 15 x 41.9-42.4	125	58.99	7.50	\$483	\$516	N/A	N/A
Z12S42TN	16 x 12 x 41.9-42.4	100	53.05	6	\$450	\$479	N/A	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 71.5"/72.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. **Includes two adjustable shelves**. Standard with lock.

Z36S31T	16 x 36 x 30.2-30.7	100	104.19	12.25	\$886	\$953	\$985	N/A
Z30S31T	16 x 30 x 30.2-30.7	100	89.36	10.50	\$793	\$851	\$857	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** Laminate doors are standard. **Includes one adjustable shelf.** Standard with lock.

Z21S31TL	16 x 21 x 30.2-30.7	100	69.88	7.50	\$634	\$680	\$547	N/A
Z18S31TL	16 x 18 x 30.2-30.7	92.5	65.22	6.50	\$580	\$618	\$492	N/A
Z16S31TL	16 x 16 x 30.2-30.7	92.5	59.18	5.75	\$553	\$591	\$488	N/A
Z15S31TL	16 x 15 x 30.2-30.7	92.5	56.15	5.50	\$528	\$560	\$429	N/A
Z12S31TL	16 x 12 x 30.2-30.7	92.5	50.39	4.40	\$492	\$522	\$386	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** Laminate door is standard. **Includes one adjustable shelf.** Standard with lock.

Z21S31TR	16 x 21 x 30.2-30.7	100	69.88	7.50	\$634	\$680	\$547	N/A
Z18S31TR	16 x 18 x 30.2-30.7	92.5	65.22	6.50	\$580	\$618	\$492	N/A
Z16S31TR	16 x 16 x 30.2-30.7	92.5	59.18	5.75	\$553	\$591	\$488	N/A
Z15S31TR	16 x 15 x 30.2-30.7	92.5	56.15	5.50	\$528	\$560	\$429	N/A
Z12S31TR	16 x 12 x 30.2-30.7	92.5	50.39	4.40	\$492	\$522	\$386	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** Laminate door is standard. **Includes one adjustable shelf.** Standard with lock.

Z36S31TN	16 x 36 x 30.2-30.7	125	79.56	12.25	\$577	\$644	N/A	N/A
Z30S31TN	16 x 30 x 30.2-30.7	125	68.73	10.50	\$520	\$577	N/A	N/A

Designed to be placed on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height. Includes one adjustable shelf.

Required	Specifications

Top finish Base finish Top/Edge Detail

# **Optional Specifications**



TABLE TOP BOOKCASES



MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. 1.5" TOP GLAZE ADD HP ADD 1"TOP DxWxH Z21S31TN 16 x 21 x 30.2-30.7 125 55.12 7.50 \$454 \$499 N/A N/A 16 x 18 x 30.2-30.7 100 52.33 6.50 \$416 \$454 N/A Z18S31TN N/A Z16S31TN 16 x 16 x 30.2-30.7 100 47.67 5.75 \$394 \$432 N/A N/A Z15S31TN 16 x 15 x 30.2-30.7 100 45.34 5.50 \$381 \$413 N/A N/A Z12S31TN 16 x 12 x 30.2-30.7 100 41.50 4.40 \$354 \$383 N/A N/A

Table Top Bookcase\* 30.7"/31.2" High





Designed to be placed on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height. Includes one adjustable shelf.

Z36S55T	16 x 36 x 54.4-54.9	100	174.25	21.50	\$1370	\$1437	\$1443	N/A
Z30S55T	16 x 30 x 54.4-54.9	100	152.16	18	\$1251	\$1309	\$1246	N/A

**Table Top Bookcase with Doors** 54.9"/55.4" High





Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Includes three adjustable shelves. Standard with lock.

Z21S55TL	16 x 21 x 54.4-54.9	100	116.26	13	\$972	\$1018	\$804	N/A
Z18S55TL	16 x 18 x 54.4-54.9	100	104.66	11.25	\$913	\$955	\$719	N/A
Z16S55TL	16 x 16 x 54.4-54.9	100	97.67	10	\$870	\$908	\$712	N/A
Z15S55TL	16 x 15 x 54.4-54.9	100	94.17	9.50	\$830	\$862	\$620	N/A
Z12S55TL	16 x 12 x 54.4-54.9	92.5	83.67	7.75	\$769	\$798	\$553	N/A

Table Top Bookcase with Door - LEFT 54.9"/55.4" High





Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Laminate door is standard. Includes three adjustable shelves. Standard with lock.

Z21S55TR	16 x 21 x 54.4-54.9	100	116.26	13	\$972	\$1018	\$804	N/A
Z18S55TR	16 x 18 x 54.4-54.9	100	104.66	11.25	\$913	\$955	\$719	N/A
Z16S55TR	16 x 16 x 54.4-54.9	100	97.67	10	\$870	\$908	\$712	N/A
Z15S55TR	16 x 15 x 54.4-54.9	100	94.17	9.50	\$830	\$862	\$620	N/A
Z12S55TR	16 x 12 x 54.4-54.9	92.5	83.67	7.75	\$769	\$798	\$553	N/A

**Table Top Bookcase with Door - RIGHT** 54.9"/55.4" High





Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Laminate door is standard. Includes three adjustable shelves. Standard with lock.

Z36S55TC	16 x 36 x 54.4-54.9	125	166.94	21.50	\$1334	\$1401	\$1257	N/A	
Z30S55TC	16 x 30 x 54.4-54.9	100	146.06	18	\$1219	\$1277	\$1095	N/A	

**Table Top Bookcase with Doors** and Cavity 54.9"/55.4" High







Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Laminate doors are standard. Includes two adjustable shelves. Standard with lock.

Z21S55TCL	16 x 21 x 54.4-54.9	100	112	13	\$939	\$984	\$696	N/A
Z18S55TCL	16 x 18 x 54.4-54.9	100	101.01	11.25	\$885	\$923	\$625	N/A
Z16S55TCL	16 x 16 x 54.4-54.9	100	94.42	10	\$837	\$879	\$618	N/A
Z15S55TCL	16 x 15 x 54.4-54.9	100	91.12	9.50	\$799	\$832	\$545	N/A
Z12S55TCL	16 x 12 x 54.4-54.9	92.5	81.24	7.75	\$742	\$771	\$491	N/A

**Table Top Bookcase with Door - LEFT** and Cavity 54.9"/55.4" High\*

Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Laminate door is standard. Includes two adjustable shelves. Standard with lock.

Req	uired	S	peci	ific	ati	ions

Top finish Base finish Top/Edge Detail

# **Optional Specifications**




Table Top Bookcase with Door - RIGHT and Cavity - 54.9"/55.4" High\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z21S55TCR	16 x 21 x 54.4-54	1.9 100	112	13	\$939	\$984	\$696	N/A
Z18S55TCR	16 x 18 x 54.4-54	1.9 100	101.01	11.25	\$885	\$923	\$625	N/A
Z16S55TCR	16 x 16 x 54.4-54	1.9 100	94.42	10	\$837	\$879	\$618	N/A
Z15S55TCR	16 x 15 x 54.4-54	1.9 100	91.12	9.50	\$799	\$832	\$545	N/A
Z12S55TCR	16 x 12 x 54.4-54	1.9 92.5	81.24	7.75	\$742	\$771	\$491	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 84"/85" final height.** Laminate door is standard. **Includes two adjustable shelves.** Standard with lock.

Z36S55TN	16 x 36 x 54.4-54.9	125	129.96	21.50	\$912	\$979	N/A	N/A
Z30S55TN	16 x 30 x 54.4-54.9	125	114.93	18	\$849	\$906	N/A	N/A

Table Top Bookcase 54.9"/55.4" High





Table Top Bookcase\* 54.9"/55.4" High





Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Includes three adjustable shelves.

Z21S55TN	16 x 21 x 54.4-54.9	125	89.77	13	\$711	\$756	N/A	N/A
Z18S55TN	16 x 18 x 54.4-54.9	125	81.73	11.25	\$677	\$715	N/A	N/A
Z16S55TN	16 x 16 x 54.4-54.9	125	77.07	10	\$633	\$671	N/A	N/A
Z15S55TN	16 x 15 x 54.4-54.9	125	74.74	9.50	\$618	\$651	N/A	N/A
Z12S55TN	16 x 12 x 54.4-54.9	100	67.75	7.75	\$577	\$606	N/A	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Includes three adjustable shelves.

Z36S43T	16 x 36 x 42.7-43.2	100	139.22	17	\$1151	\$1218	\$1257	N/A
Z30S43T	16 x 30 x 42.7-43.2	100	120.76	14.50	\$983	\$1041	\$1095	N/A

Table Top Bookcase with Doors 43.2"/43.7" High





Designed to be placed **on top of 40.8"/41.3" high units to achieve 84"/85" final height.** Laminate doors are standard. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. **Includes two adjustable shelves.** Standard with lock.

Z21S43TL	16 x 21 x 42.7-43.2	100	93.62	10.25	\$815	\$860	\$696	N/A
Z18S43TL	16 x 18 x 42.7-43.2	100	84.94	9	\$780	\$818	\$625	N/A
Z16S43TL	16 x 16 x 42.7-43.2	100	78.42	8	\$699	\$737	\$618	N/A
Z15S43TL	16 x 15 x 42.7-43.2	92.5	75.16	7.50	\$658	\$690	\$545	N/A
Z12S43TL	16 x 12 x 42.7-43.2	92.5	66.48	6.25	\$610	\$640	\$491	N/A

kcase with Door
Designed to be placed on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height. Laminate door is standard.

DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes two adjustable shelves. Standard with lock.

Table Top Bookcase with Door 43.2"/43.7" High





Table Top Bookcase with Door 43.2"/43.7" High

Z21S43TR	16 x 21 x 42.7-43.2	100	93.62	10.25	\$815	\$860	\$696	N/A
Z18S43TR	16 x 18 x 42.7-43.2	100	84.94	9	\$780	\$818	\$625	N/A
Z16S43TR	16 x 16 x 42.7-43.2	100	78.42	8	\$699	\$737	\$618	N/A
Z15S43TR	16 x 15 x 42.7-43.2	92.5	75.16	7.50	\$658	\$690	\$545	N/A
Z12S43TR	16 x 12 x 42.7-43.2	92.5	66.48	6.25	\$610	\$640	\$491	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** Laminate door is standard. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. **Includes two adjustable shelves.** Standard with lock.

Required	l Specifications	

Top finish Base finish Top/Edge Detail


# **Optional Specifications**





MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z36S43TC	16 x 36 x 42.7-4	13.2 125	131.91	17	\$1113	\$1180	\$989	N/A
Z30S43TC	16 x 30 x 42.7-4	13.2 125	114.67	14.50	\$974	\$1031	\$843	N/A

Table Top Bookcase with Doors and Cavity - 43.2"/43.7" High\*



and Cavity - 43.2"/43.7" High - LEFT\*\*

**Table Top Bookcase with Door** 

Z21S43TCL 16 x 21 x 42.7-43.2 100 89.36 10.25 \$793 \$839 \$546 N/A Z18S43TCL 16 x 18 x 42.7-43.2 100 81.29 \$491 9 \$761 \$799 N/A Z16S43TCL 16 x 16 x 42.7-43.2 100 75.17 8 \$681 \$719 \$486 N/A Z15S43TCL 16 x 15 x 42.7-43.2 100 72.11 7.50 \$642 \$674 \$428 N/A Z12S43TCL 16 x 12 x 42.7-43.2 92.5 64.05 6.25 \$596 \$626 \$386 N/A

Designed to be placed on top of 40.8"/41.3" high units to achieve 84"/85" final height. Laminate doors are standard.

DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes two adjustable shelves. Standard with lock.

Designed to be placed **on top of 40.8"/41.3" high units to achieve 84"/85" final height.** Laminate door is standard. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. **Includes one adjustable shelf.** Standard with lock.

43.2"/43. * 84"/8	





Z21S43TCR	16 x 21 x 42.7-43.2	100	89.36	10.25	\$793	\$839	\$546	N/A
Z18S43TCR	16 x 18 x 42.7-43.2	100	81.29	9	\$761	\$799	\$491	N/A
Z16S43TCR	16 x 16 x 42.7-43.2	100	75.17	8	\$681	\$719	\$486	N/A
Z15S43TCR	16 x 15 x 42.7-43.2	100	72.11	7.50	\$642	\$674	\$428	N/A
Z12S43TCR	16 x 12 x 42.7-43.2	92.5	64.05	6.25	\$596	\$626	\$386	N/A


Table Top Bookcase with Door and Cavity - 43.2"/43.7" High - RIGHT\*\*

Designed to be placed **on top of 40.8"/41.3" high units to achieve 84"/85" final height.** Laminate door is standard. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. **Includes one adjustable shelf.** Standard with lock.



Z36S43TN	16 x 36 x 42.7-43.2	125	104.76	17	\$779	\$846	N/A	N/A
Z30S43TN	16 x 30 x 42.7-43.2	125	91.83	14.50	\$675	\$733	N/A	N/A

Table Top Bookcase 43.2"/43.7" High







Z21S43TN	16 x 21 x 42.7-43.2	125	72.97	10.25	\$601	\$647	N/A	N/A
Z18S43TN	16 x 18 x 42.7-43.2	125	67.03	9	\$585	\$623	N/A	N/A
Z16S43TN	16 x 16 x 42.7-43.2	125	62.37	8	\$503	\$541	N/A	N/A
Z15S43TN	16 x 15 x 42.7-43.2	100	60.04	7.50	\$484	\$517	N/A	N/A
Z12S43TN	16 x 12 x 42.7-43.2	100	54.10	6.25	\$451	\$480	N/A	N/A

Table Top Bookcase\* 43.2"/43.7" High Designed to be placed **on top of 40.8"/41.3" high units to achieve 84"/85" final height.** DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. **Includes two adjustable shelves**.

**Required Specifications** 

Top finish Base finish Top/Edge Detail **Optional Specifications** 



**END SHELVES** 

End Shelf - LEFT 29"/29.5" High\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP AI	DD
	DxWxH							
Z24L2ESHL	24 x 24 x 29.5-3	0 70	99.75	4.75	\$667	\$724	N/A \$13	1
Z20M2ESHL	20 x 20 x 29.5-3	0 70	76.65	3.75	\$553	\$596	N/A <b>\$84</b>	ļ
Z16S2ESHL	16 x 16 x 29.5-3	0 65	53.55	2.25	\$470	\$508	N/A <b>\$84</b>	ļ

For use at LEFT end of 29"/29.5"H units. One adjustable shelf. Shipped RTA (ready to assemble).



End Shelf - RIGHT 29"/29.5" High\*

Z24L2ESHR	24 x 24 x 29.5-30	70	99.75	4.75	\$667	\$724	N/A	\$131
Z20M2ESHR	20 x 20 x 29.5-30	70	76.65	3.75	\$553	\$596	N/A	\$84
Z16S2ESHR	16 x 16 x 29.5-30	65	53.55	2.25	\$470	\$508	N/A	\$84

For use at RIGHT end of 29"/29.5"H units. One adjustable shelf. Shipped RTA (ready to assemble).





End Shelf - LEFT 40.8"/41.3" High\*\*

Z24L4ESHL	24 x 24 x 41.3-41.8	65	130.20	4.75	\$856	\$914	N/A	N/A
Z20M4ESHL	20 x 20 x 41.3-41.8	60	101	3.25	\$719	\$762	N/A	N/A
Z16S4ESHL	16 x 16 x 41.3-41.8	65	73.87	2.50	\$611	\$649	N/A	N/A

For use at **LEFT end of 40.8"/41.3"H units**. Two adjustable shelves. Shipped RTA (ready to assemble).

· Collator only available on Z16S4ESHL





End Shelf - RIGHT 40.8"/41.3" High\*\*

Z24L4ESHR	24 x 24 x 41.3-41.8	65	130.20	4.75	\$856	\$914	N/A	N/A
Z20M4ESHR	20 x 20 x 41.3-41.8	60	101	3.25	\$719	\$762	N/A	N/A
Z16S4ESHR	16 x 16 x 41.3-41.8	65	73.87	2.50	\$611	\$649	N/A	N/A

For use at RIGHT end of 40.8"/41.3"H units. Two adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S4ESHR





End Shelf - LEFT 52.5"/53" High\*\*

Z24L5ESHL	24 x 24 x 53-53.5	60	162.75	4.75	\$1061	\$1118	N/A	N/A
Z20M5ESHL	20 x 20 x 53-53.5	60	125.69	4	\$875	\$918	N/A	N/A
Z16S5ESHL	16 x 16 x 53-53.5	65	91.35	3.25	\$738	\$780	N/A	N/A

For use at LEFT end of 52.5"/53"H units. Three adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S5ESHL





End Shelf - RIGHT 52.5"/53" High\*\*

Z24L5ESHR	24 x 24 x 53-53.5	60	162.75	4.75	\$1061	1118	N/A	N/A
Z20M5ESHR	20 x 20 x 53-53.5	60	125.69	4	\$875	\$918	N/A	N/A
Z16S5ESHR	16 x 16 x 53-53.5	65	91.35	3.25	\$738	\$780	N/A	N/A

For use at RIGHT end of 52.5"/53"H units. Three adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S5ESHR

**Required Specifications** 

Top finish Base finish Top/Edge Detail Optional Specifications
Collator\*\*

Glazed doors\*



**END SHELVES** 



End Shelf - LEFT 65"/65.5" High



For use at LEFT end of 65"/65.5"H units. Four adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S6ESHL





End	Shelf -	RIGHT	65"/65.5"	High
-----	---------	-------	-----------	------

Z24L6ESHR	24 x 24 x 65.5-66	60	196	6	\$1240	\$1298	N/A	N/A
Z20M6ESHR	20 x 20 x 65.5-66	60	152	5	\$1031	\$1074	N/A	N/A
Z16S6ESHR	16 x 16 x 65.5-66	65	111.30	4.25	\$880	\$918	N/A	N/A

For use at RIGHT end of 65"/65.5"H units. Four adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S6ESHR





End Shelf - LEFT 71.5"/72" High

Z24L7ESHL	24 x 24 x 71.9-72.4	60	206.85	6.50	\$1302	\$1359	N/A	N/A
Z20M7ESHL	20 x 20 x 71.9-72.4	65	160.65	5.75	\$1087	\$1130	N/A	N/A
Z16S7ESHL	16 x 16 x 71.9-72.4	65	117.60	4.75	\$925	\$963	N/A	N/A

For use at LEFT end of 71.5"/72"H units. Four adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S7ESHL





End Shelf - RIGHT 71.5"/72" High

Z24L7ESHR	24 x 24 x 71.9-72.4	60	206.85	6.50	\$1302	\$1359	N/A	N/A
Z20M7ESHR	20 x 20 x 71.9-72.4	65	160.65	5.75	\$1087	\$1130	N/A	N/A
Z16S7ESHR	16 x 16 x 71.9-72.4	65	117.60	4.75	\$925	\$963	N/A	N/A

For use at RIGHT end of 71.5"/72"H units. Four adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S7ESHR





End Shelf - LEFT 84"/84.5" High

Z24L8ESHL	24 x 24 x 84.4-84.9	60	241.50	7.75	\$1494	\$1551	N/A	N/A
Z20M8ESHL	20 x 20 x 84.4-84.9	65	185.85	6.50	\$1246	\$1289	N/A	N/A
Z16S8ESHL	16 x 16 x 84.4-84.9	65	136.50	5.50	\$1058	\$1096	N/A	N/A

For use at **LEFT end of 84"/84.5"H units. Five adjustable shelves**. Shipped RTA (ready to assemble).

• Collator only available on Z16S8ESHL

None and a second		
	Tanana and American	
7.0		
200		
Sec. 11		- ×
7.5		
201		
1 1		



End Shelf - RIGHT 84"/84.5" High

Z24L8ESHR	24 x 24 x 84.4-84.9	60	241.50	7.75	\$1494 \$1551	N/A	N/A
Z20M8ESHR	20 x 20 x 84.4-84.9	65	185.85	6.50	\$1246 \$1289	N/A	N/A
Z16S8ESHR	16 x 16 x 84.4-84.9	65	136.50	5.50	\$1058 \$1096	N/A	N/A

For use at RIGHT end of 84"/84.5"H units. Five adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S8ESHR

**Required Specifications** 

**Optional Specifications** Collator

Top finish Base finish

Top/Edge Detail





MODEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	1" I OP	1.5" IOP	GLAZE ADD	HP AUU
	DxWxH							
Z16S12DL	16 x 16 x 11.25	-11.75 70	26	1.60	\$239	\$277	N/A	N/A

Table Top End Shelf - LEFT 11.75"/12.25" High

To be placed **on top of 29"/29.5" units.** For use at **LEFT end of 40.8"/41.8"H units.** Shipped RTA (ready to assemble).



	Z16S12DR	16 x 16 x 11.25-11.75 70	26	1.60	\$239	\$277	N/A	N/A
--	----------	--------------------------	----	------	-------	-------	-----	-----

Table Top End Shelf - RIGHT 11.75"/12.25" High

To be placed on top of 29"/29.5" units. For use at RIGHT end of 40.8"/41.8"H units. Shipped RTA (ready to assemble).



Z16S23DL 16 x 16 x 23-23.5 65 42 1.60 **\$367 \$409** N/A N/A

Table Top End Shelf - LEFT 23.5"/24" High


To be placed **on top of 29"/29.5" units.** For use at **LEFT end of 52.5"/53"H units.** Shipped RTA (ready to assemble). **One adjustable shelf**.



Z16S23DR	16 x 16 x 23-23.5	65	42	1.60	\$367	\$409	N/A	N/A

Table Top End Shelf - RIGHT 23.5"/24" High


To be placed **on top of 29"/29.5" units.** For use at **RIGHT end of 52.5"/53"H units.** Shipped RTA (ready to assemble). **One adjustable shelf**.



Z16S36DL	16 x 16 x 35.5-36	70	62.84	2.80	\$511	\$549	N/A	N/A

Table Top End Shelf - LEFT 36"/36.5" High

To be placed **on top of 29"/29.5" units.** For use at **LEFT end of 65"/65.5"H units.** Shipped RTA (ready to assemble). **Two adjustable shelves**.



Z16S36DR 16 x 16 x 35.5-36 70 62.84 2.80 <b>\$511 \$549</b> N/A N/							
	Z16S36DR	10 / 10 / 25 5 20	70	2.80	\$549	N/A	N/A

Table Top End Shelf - RIGHT 36"/36.5" High

To be placed **on top of 29"/29.5" units.** For use at **RIGHT end of 65"/65.5"H units.** Shipped RTA (ready to assemble). **Two adjustable shelves**.

Required Specifica	itions
Top finish	
Base finish	

Top/Edge Detail

**Optional Specifications** 

Collator

TABLE TOP END SHELVES	
42.4" /42.9" 71.5"/72.5"	* Accepts collator 11" high

Table Top End Shelf - LEFT\* 42.4"/42.9" High




Table Top End Shelf - RIGHT\* 42.4"/42.9" High





Table Top End Shelf - LEFT\* 54.9"/55.4" High





Table Top End Shelf - RIGHT\* 54.9"/55.4" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z16S42DL	16-36 x 16 x 41	.9-42.4 65	70	2.80	\$552	\$590	N/A	N/A

To be placed **on top of 29"/29.5" units.** For use at **LEFT end of 71.5"/72"H units.** Shipped RTA (ready to assemble). **Two adjustable shelves**.

210012511 10 00 X 10 X 11.0 12.1 00 70 2.00 <b>4002 4000</b> 14/X	Z16S42DR	16-36 x 16 x 41.9-42.4 65	70	2.80	\$552	\$590	N/A	N/A
-------------------------------------------------------------------	----------	---------------------------	----	------	-------	-------	-----	-----

To be placed on top of 29"/29.5" units. For use at RIGHT end of 71.5"/72"H units. Shipped RTA (ready to assemble). Two adjustable shelves.

Z16S55DL 16-36 x 16 x 54.4-54.9 60	89	2.80	\$681	\$723	N/A	N/A
------------------------------------	----	------	-------	-------	-----	-----

To be placed **on top of 29"/29.5" units.** For use at **LEFT end of 84"/84.5"H units.** Shipped RTA (ready to assemble). **Three adjustable shelves**.

Z16S55DR	16-36 x 16 x 54.4-54.9 60	89	2.80	\$681	\$723	N/A	N/A

To be placed **on top of 29"/29.5" units.** For use at **RIGHT end of 84"/84.5"H units.** Shipped RTA (ready to assemble). **Three adjustable shelves**.

Required Specifications
Top finish

Optional Specifications
Collator

Base finish Top/Edge Detail

CESSORIES	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	APOKL28	<b>D x W x H</b> 17 x 28 x 3.5	85	13	.90	\$337
	APOKL22	17 x 22 x 3.5	85	12	.90	\$305
	7 II OKLEZ	17 X ZZ X 0.0	00	12	.50	ψ000
II-Out Keyboard	APOKL28 will ac Z42205C.	commodate keyboard and	d mousepad. AP	OKL28 will o	only fit on a s	single pedestal desk, freestanding ta
	W1518PDR	18 x 15 x 2.25	92.5	4	0.4	\$274
cil Drawer	Black ABS plastic	Provides space for writi	ng instruments a	nd small iter	ns at the wo	orkspace. Attaches to underside of a
		rorksurface with included				
	MLB90		70	1	.01	\$60
racket	Used to attach w	orksurfaces to end panels	3.			
	Z1425SKL	13.9-36 x 25 x 3.2	2-3.7 100	13	1.50	\$137
	(left)					
	Z1425SKR ( <b>right</b> )	13.9-36 x 25 x 3.2	2-3.7 100	13	1.50	\$137
EFT RIGHT teboard		er designed to fit inside 'f	aux' pedestals of	a single pe	destal desk.	
	CD20	18 x 20 x 3	100	8	1	\$214
		front is attached to a 4 c	ided frame. Reco	mmended fo	r use on sma	all L-shaped units, and on 30" x 60" a
ter Drawer		IIUIIL IS ALIACIIEU LU A 4-5				
ter Drawer	Laminate drawer desks.	nont is attached to a 4-5				
ter Drawer		HOIR IS ALIACHEU TO A 4-S				

Required Specifications
Finish

# zira boardroom + reception



Zira Boardroom + Reception

258


# ZIRA™ BOARDROOM - NOTES


# **TOP AND BASE FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	ΩТМ	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
СМВ	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

# **BASE TRIM FINISHES**

BRC	Brushed Cobalt
RIK	Black







**TOP THICKNESS/EDGE DETAIL** 







C3 1.5" top, standard

CR 1.5" top, bicut edge


CF 1.5" top, fluted edge

# **BASES**


- 2 doors on base for wire management access from both sides
- Because of base sizes, custom width less than 96" cannot be accommodated.

# TOPS

- 1.5" thick tops are made of 45 lb. density particleboard core with thermally fused laminate surfaces (TFL) or optional high pressure laminate surface (HPL) with kraft paper bottom surfaces.
- 96" tops are standard in one piece. All tops 120", 144" and 168" tops are standard in two equal size pieces. Woodgrain laminate finishes may NOT align where the two tops join. Tops 192" and larger are standard in 3 equal pieces.
- 96" tops are standard with **two bases**
- Tops 120", 144" and 168" are standard with three bases
- Tops 192" and larger are standard with four bases
- Four top shapes: boat shaped, bow end, rectangular and racetrack



# POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS



# PRODUCT CODE DIAGRAM


**PMSPDM** 




PRTMCS401B PRTMCS401T PRTMCS401W PRTMCS421B PRTMCS421T PRTMCS421W









# **CUT-OUTS**

- Boardroom and collaborative tables offer optional cut-outs for in-surface mounted power modules in three standard locations (left, center or right) as shown above for all table shapes excluding square boardroom tables.
- Order as E1, M1, R1, T1, V1, etc. Add \$96 for each cut-out.
- Cut-out options for **square boardroom tables** in centered position only. Order as E2, M2, R2, T2, or V2. Add \$96 for each cut-out.
- Cut-out options for **media tables** in position 1 only. Order as **E1**, **M1**, **R1**, **T1**, or **V1**. Add \$96 for each cut-out.
- Select power block from **Productivity Solutions**, beginning on page 491.
- Match power block desired with cut-out code and location from above grid.
- Optional custom sized cut-out available in standard locations (left, center or right) for all table shapes. Submit appropriate form beginning on page 743 with order. Add \$294 for each cut-out.

# **AUDIOVISUAL**

Three components: **Multimedia Cart** 









Lectern








Visual Board









**Multimedia Cart and Lectern:** 

- Available in all standard laminates
- · Color of casters will match base trim
- Offered in the following top thickness and edge details:





A3 1" top, standard

AR 1" top, bicut edge







C3 1.5" top, standard

CR 1.5" top, bicut edge

CF 1.5" top, fluted edge

# **Visual Board:**

- · Available in all laminates listed above
- Push Bar available in Black (BLK) or Tungsten (TUN)
- · Color of casters and aluminum trim will match push bar
- · Visual Board comes standard in white color

# **BUFFET**

### Three components: Buffet Carts, Buffets and Serving Carts

- Top and/or base available in all laminates
- Push Bar on Buffet Carts and Serving Carts and Aluminum Trim on Open and Mixed Buffets available in Black (BLK) or Tungsten (TUN)
- Optional glazing available on Serving Carts with doors and Buffets with doors

# **Buffet Carts**









**Serving Cart with Doors** 









**Serving Cart - Open** 









**Buffet - Open** 











**Buffet with Doors** 







**Buffet - Mixed** 









Glazing (Doors - Serving Cart and Buffets)





Z1 frosted glazing, Tungsten (TUN) frame Z2 frosted glazing, Black (BLK) frame





**Z3** ribbed glazing, Tungsten (TUN) frame **Z4** ribbed glazing, Black (BLK) frame

# **Handles**

• Handles are standard on models with doors. Each handle is identified by the letters "HU", "HV", "HW", "HX" "HS", "HZ", "HO", "HQ", and "HR". To specify a handle, please specify the code after the model number.



• Use the following for determining the size of a table and the number of chairs needed for a conference area. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.


Top Size	Rectangular	Bow End	Boat	Racetrack
48x96	6-8	6-8	6-8	6-8
48x120	8-10	8-10	8-10	8-10
48x144	10-12	10-12	10-12	10-12
48x168	12-14	12-14	12-14	12-14
48x192	14-16	14-16	14-16	14-16
48x216	16-18	16-18	16-18	16-18
48x240	18-20	18-20	18-20	18-20
48x264	20-22	20-22	20-22	20-22
48x288	22-24	22-24	22-24	22-24

globalfurnituregroup.com global

ARDROOM TABLES	MODEL#	DIMENSIONS D x W x H (1.5" TOP)	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	700000		OΓ	120	10	NI/A	60405	NI/A	<b>POEC</b>
	Z3636SQ Z4242SQ	36 x 36 x 30 42 x 42 x 30	85 85	129 165.50	10 13.50	N/A N/A	\$2405 \$2738	N/A N/A	\$356 \$488
	Z4848SQ	48 x 48 x 30	85	190	14.24	N/A	\$2966	N/A	\$630
	Z5454SQ	54 x 54 x 30	85	262	21.24	N/A	\$3318	N/A	\$799
	Z6060SQ	60 x 60 x 30	85	300	22.74	N/A	\$3546	N/A	\$982
ardroom Table - Square	Square Table inc	ludes one base with wire	access doors on	each side of	base. Shippe	d easy to	assemble	in 2 cartons	
	Z3636QR	36 x 36 x 30.1	100	125	14.5	N/A	\$2532	N/A	\$356
	Z4242QR	42 x 42 x 30.1	100	160	18	N/A	\$3150	N/A	\$488
	Z4848QR	48 x 48 x 30.1	100	181	19.24	N/A	\$3444	N/A	\$630
	Z5454QR	54 x 54 x 30.1	92.5	257	21.5	N/A	\$4319	N/A	\$799
	Z6060QR	60 x 60 x 30.1	85	288	23.24	N/A	\$4681	N/A	\$982
ardroom Table - Squircle	Includes one bas	se with wire access doors	on each side of b	oase. Shippe	d easy to ass	emble in :	2 cartons.		
	Z4896BE	48 x 96 x 30	70	342	21.95	N/A	\$3920	N/A	\$967
ardroom Table - Boat Shaped	Boat Shaped Tal bases. Shipped								
ardroom Table - Boat Shaped	Boat Shaped Tat		vith wire access	doors on ead	ch side of base 35.39	e and wire	e concealm	nent runners N/A	\$1571
ardroom Table - Boat Shaped ardroom Table - Boat Shaped	Boat Shaped Tal bases. Shipped Z6096BE	in 3 cartons.  60 x 96 x 30  ole includes TWO BASES v	85	432	35.39	N/A	\$6361	N/A	\$1571
	Boat Shaped Tat bases. Shipped Z6096BE Boat Shaped Tat	in 3 cartons.  60 x 96 x 30  ole includes TWO BASES v	85	432	35.39	N/A	\$6361	N/A	\$1571
	Boat Shaped Tat bases. Shipped Z6096BE Boat Shaped Tat bases. Shipped	in 3 cartons.  60 x 96 x 30  ole includes TWO BASES win 3 cartons.	85 vith wire access	432 doors on ead	35.39 th side of base	N/A	\$6361 e concealm	N/A nent runners	<b>\$157</b> betwe
	Boat Shaped Tat bases. Shipped Z6096BE Boat Shaped Tat bases. Shipped	in 3 cartons.  60 x 96 x 30  ole includes TWO BASES win 3 cartons.  48 x 120 x 30	85 vith wire access	432 doors on ead 452	35.39 th side of base 23.48	N/A e and wire	\$6361 e concealm \$5635	N/A nent runners N/A	\$157° betwe \$120° \$144°
	Boat Shaped Tat bases. Shipped  Z6096BE  Boat Shaped Tat bases. Shipped  Z48120BE Z48144BE Z48168BE  Boat Shaped Tat	in 3 cartons.  60 x 96 x 30  ble includes TWO BASES win 3 cartons.  48 x 120 x 30  48 x 144 x 30	with wire access  70 70 85  with wire access	432 doors on ead 452 502 557 s doors on e	35.39 ch side of base 23.48 25.72 37.25 ach side of ba	N/A e and wire N/A N/A N/A N/A	\$6361 e concealm \$5635 \$5690 \$7593	N/A nent runners N/A N/A N/A	\$157' betwee \$1200 \$1440 \$183'
ardroom Table - Boat Shaped	Boat Shaped Tat bases. Shipped  Z6096BE  Boat Shaped Tat bases. Shipped  Z48120BE Z48144BE Z48168BE  Boat Shaped Tat bases. Z48144BI	in 3 cartons.  60 x 96 x 30  cole includes TW0 BASES with 3 cartons.  48 x 120 x 30  48 x 144 x 30  48 x 168 x 30  cole includes THREE BASES  E and Z48120BE shipped in	85  vith wire access  70  70  85  with wire access a 4 cartons. Z481	doors on each	35.39  ch side of base  23.48  25.72  37.25  ach side of ba	N/A N/A N/A N/A N/A	\$6361 e concealm \$5635 \$5690 \$7593	N/A nent runners N/A N/A N/A ment runner	\$1577 betwee \$1200 \$1444 \$1837
ardroom Table - Boat Shaped	Boat Shaped Tat bases. Shipped  Z6096BE  Boat Shaped Tat bases. Shipped  Z48120BE Z48144BE Z48168BE  Boat Shaped Tat bases. Z48144BI	in 3 cartons.  60 x 96 x 30  cole includes TWO BASES which is 3 cartons.  48 x 120 x 30  48 x 144 x 30  48 x 168 x 30  cole includes THREE BASES  and Z48120BE shipped in  60 x 120 x 30	85  vith wire access  70  70  85  with wire access a 4 cartons. Z481	432 doors on ead 452 502 557 s doors on e 168BE shippe	35.39  Sh side of base  23.48  25.72  37.25  ach side of ba	N/A N/A N/A N/A N/A	\$6361 e concealm \$5635 \$5690 \$7593	N/A N/A N/A Ment runner	\$1577 betwee \$1200 \$1440 \$1837
ardroom Table - Boat Shaped	Boat Shaped Tat bases. Shipped  Z6096BE  Boat Shaped Tat bases. Shipped  Z48120BE Z48144BE Z48168BE  Boat Shaped Tat bases. Z48144BI	in 3 cartons.  60 x 96 x 30  cole includes TW0 BASES with 3 cartons.  48 x 120 x 30  48 x 144 x 30  48 x 168 x 30  cole includes THREE BASES  E and Z48120BE shipped in	85  vith wire access  70  70  85  with wire access a 4 cartons. Z481	doors on each	35.39  ch side of base  23.48  25.72  37.25  ach side of ba	N/A N/A N/A N/A N/A	\$6361 e concealm \$5635 \$5690 \$7593	N/A nent runners N/A N/A N/A ment runner	\$157 betwee \$120 \$144 \$183

bases. Shipped in 5 cartons.

Required Specifications	Optional Specifications	Accessories	
Top finish	HP laminate	Power block	
Top/edge detail Base finish Base trim finish	Additional grommet		



**Boardroom Table - Boat Shaped** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H (1.5" TOP)							
Z48192BE	48 x 192 x 30	70	688	45.66	N/A	\$9483	N/A	\$2091
Z48216BE	48 x 216 x 30	70	746	48.67	N/A	\$9929	N/A	\$2354
Z48240BE	48 x 240 x 30	70	803	51.68	N/A	\$10556	N/A	\$2614
Z48264BE	48 x 264 x 30	70	855	54.69	N/A	\$11181	N/A	\$2875
Z48288BE	48 x 288 x 30	70	906	57.69	N/A	\$11181	N/A	\$3136

Boat Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.

 >
11

**Boardroom Table - Boat Shaped** 

Z60192BE	60 x 192 x 30	85	912.45	71.19	N/A	\$13999	N/A	\$3136
Z60216BE	60 x 216 x 30	85	980.70	75.94	N/A	\$14784	N/A	\$3526
Z60240BE	60 x 240 x 30	85	1062.60	80.98	N/A	\$15419	N/A	\$3920
Z60264BE	60 x 264 x 30	85	1129.80	85.73	N/A	\$16031	N/A	\$4311
Z60288BE	60 x 288 x 30	85	1198.05	90.49	N/A	\$17007	N/A	\$4704

Boat Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.



**Boardroom Table - Racetrack** 

Z4896RTE	48 x 96 x 30	70	336	21.95	N/A	\$3811	N/A	\$967

Racetrack Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.



**Boardroom Table - Racetrack** 

Z6096RTE	60 x 96 x 30	92.5	417	35.39	N/A	\$6361	N/A	\$1571

Racetrack Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.



**Boardroom Table - Racetrack** 

Z48120RTE	48 x 120 x 30	70	453	28.28	N/A	\$5299	N/A	\$1208
Z48144RTE	48 x 144 x 30	70	506	25.72	N/A	\$5648	N/A	\$1448
Z48168RTE	48 x 168 x 30	70	563	37.25	N/A	\$7639	N/A	\$1297

Racetrack Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Z48144RTE and Z48120RTE shipped in 4 cartons. Z48168RTE shipped in 5 cartons.

Required Specifications
Top finish
Tan /adaa datail

Top/edge detail Base finish Base trim finish

# **Optional Specifications**

HP laminate Additional grommet

A	C	C	e	S	s	0	r	i	e	S

Power block



**Boardroom Table - Racetrack** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H (1.5" TOP)							
Z60120RTE	60 x 120 x 30	85	585.90	48.50	N/A	\$9643	N/A	\$1961
Z60144RTE	60 x 144 x 30	85	656.25	53.25	N/A	\$10321	N/A	\$2354
Z60168RTE	60 x 168 x 30	85	737.10	58	N/A	\$11129	N/A	\$2745

Racetrack Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 5 cartons.

Z48192RTE	48 x 192 x 30	70	689	45.45	N/A	\$9530	N/A	\$2091
Z48216RTE	48 x 216 x 30	70	749	48.95	N/A	\$9974	N/A	\$2354
Z48240RTE	48 x 240 x 30	70	809	51.75	N/A	\$10601	N/A	\$2614
Z48264RTE	48 x 264 x 30	70	862	54.55	N/A	\$11227	N/A	\$2875
Z48288RTE	48 x 288 x 30	70	917	58.04	N/A	\$11227	N/A	\$3136

Racetrack Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.

Z60192RTE	60 x 192 x 30	85	901.95	71.19	N/A	\$13999	N/A	\$3136
Z60216RTE	60 x 216 x 30	85	972.30	75.94	N/A	\$14784	N/A	\$3526
Z60240RTE	60 x 240 x 30	85	1057.35	80.98	N/A	\$15419	N/A	\$3920
Z60264RTE	60 x 264 x 30	85	1127.70	85.73	N/A	\$16031	N/A	\$4311
Z60288RTE	60 x 288 x 30	85	1198.05	90.49	N/A	\$17007	N/A	\$4704

Racetrack Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.

Z4896REE	48 x 96 x 30	70	356	21.95	N/A	\$3900	N/A	\$967

Rectangular Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.


Z6096REE	60 x 96 x 30	85	448	35.39	N/A	\$5831	N/A	\$1571

Rectangular Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.


Z48120REE	48 x 120 x 30	70	472	23.48	N/A	\$5281	N/A	\$1208
Z48144REE	48 x 144 x 30	70	525	25.72	N/A	\$5653	N/A	\$1448
Z48168REE	48 x 168 x 30	70	583	37.25	N/A	\$7527	N/A	\$1831

Rectangular Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Z48144REE and Z48120REE shipped in 4 cartons. Z48168REE shipped in 5 cartons.


Described Considerations	Outional Succifications	A	
Required Specifications	Optional Specifications	Accessories	
Top finish	HP laminate	Power block	
Top/edge detail	Additional grommet		
Base finish			
Base trim finish			



**Boardroom Table - Racetrack** 




**Boardroom Table - Racetrack** 



**Boardroom Table - Rectangular** 



**Boardroom Table - Rectangular** 



**Boardroom Table - Rectangular** 

global globalfurnituregroup.com

270	LICA
<i>//</i> ()	115 /


# ZIRA™BOARDROOM **Z**

BOAKDKOOM JABLES
√\p\\

**Boardroom Table - Rectangular** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP ADD
	D x W x H (1.5" TOP)						
Z60120REE	60 x 120 x 30	85	618	48.50	N/A	\$8839	N/A \$1961
Z60144REE	60 x 144 x 30	85	688	53.25	N/A	\$9460	N/A <b>\$2354</b>
Z60168REE	60 x 168 x 30	85	769	58	N/A	\$10188	N/A <b>\$2745</b>


Rectangular Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 5 cartons.



**Boardroom Table - Rectangular** 

Z48192REE	48 x 192 x 30	70	708	45.45	N/A	\$9419	N/A	\$2091
Z48216REE	48 x 216 x 30	70	768	48.95	N/A	\$9864	N/A	\$2354
Z48240REE	48 x 240 x 30	70	828	51.75	N/A	\$10489	N/A	\$2614
Z48264REE	48 x 264 x 30	70	882	54.55	N/A	\$11117	N/A	\$2875
Z48288REE	48 x 288 x 30	70	936	58.04	N/A	\$11117	N/A	\$3136

Rectangular Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.



**Boardroom Table - Rectangular** 

Z60192REE	60 x 192 x 30	85	941.85	71.12	N/A	\$12833	N/A	\$3136
Z60216REE	60 x 216 x 30	85	1003.80	75.94	N/A	\$13544	N/A	\$3526
Z60240REE	60 x 240 x 30	85	1088.85	80.98	N/A	\$14125	N/A	\$3920
Z60264REE	60 x 264 x 30	85	1159.20	85.73	N/A	\$14680	N/A	\$4311
Z60288REE	60 x 288 x 30	85	1229.55	90.49	N/A	\$15568	N/A	\$4704

Rectangular Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.



**Boardroom Table - Bow End** 

Z4896BW	48 x 96 x 30	85	329	21.95	N/A	\$4039	N/A	\$967

Bow End Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.



**Boardroom Table - Bow End** 

Z6096BW	60 x 96 x 30	85	436	35.39	N/A	\$6361	N/A	\$1571

Bow End Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.

Required Specifications
Top finish

Top/edge detail Base finish Base trim finish

**Optional Specifications** 

HP laminate Additional grommet Accessories

Power block


# **ZIRA™ BOARDROOM**

BOA	RDRO	OM TAB	LES	
	/			•
_			_	

Roardroom	Table -	Row	Fnd

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD F	IP ADD
	D x W x H (1.5" TOP)							
Z48120BW	48 x 120 x 30	70	476	29.35	N/A	\$5378	N/A	\$1208
Z48144BW	48 x 144 x 30	70	513	25.72	N/A	\$5759	N/A	\$1448
Z48168BW	48 x 168 x 30	70	573	37.25	N/A	\$7560	N/A	\$1831


Bow End Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Z48144BW and Z48120BW shipped in 4 cartons. Z48168BW shipped in 5 cartons.



**Boardroom Table - Bow End** 

Z60120BW	60 x 120 x 30	85	602	48.50	N/A	\$9643	N/A	\$1961
Z60144BW	60 x 144 x 30	85	673	53.25	N/A	\$10321	N/A	\$2354
Z60168BW	60 x 168 x 30	85	753	58	N/A	\$11129	N/A	\$2745


Bow End Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 5 cartons.



**Boardroom Table - Bow End** 

Z48192BW	48 x 192 x 30	70	698	45.45	N/A	\$9454	N/A	\$2091
Z48216BW	48 x 216 x 30	70	758	48.95	N/A	\$9895	N/A	\$2354
Z48240BW	48 x 240 x 30	70	818	51.75	N/A	\$10522	N/A	\$2614
Z48264BW	48 x 264 x 30	70	872	54.55	N/A	\$11150	N/A	\$2875
Z48288BW	48 x 288 x 30	70	926	58.04	N/A	\$11150	N/A	\$3136

Bow End Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.



**Boardroom Table - Bow End** 

Z60192BW	60 x 192 x 30	85	917.70	71.19	N/A	\$13999	N/A	\$3136
Z60216BW	60 x 216 x 30	85	988.05	75.94	N/A	\$14784	N/A	\$3526
Z60240BW	60 x 240 x 30	85	1073.10	80.98	N/A	\$15419	N/A	\$3920
Z60264BW	60 x 264 x 30	85	1143.45	85.73	N/A	\$16031	N/A	\$4311
Z60288BW	60 x 288 x 30	85	1213.80	90.49	N/A	\$17007	N/A	\$4704

Bow End Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.



**Boardroom Table - Wedge** 

Z6096WE	60 x 96 x 30	70	398	26.17	N/A	\$6361	N/A	\$1571

Wedge Table includes TWO BASES with wire access doors on each side of base. Wedge tapers from 60"w to 48"w. Shipped in 3 cartons.

Required Specifications Top finish

Top finish
Top/edge detail
Base finish
Base trim finish

Optional Specifications

HP laminate Additional grommet Accessories

Power block

BOARDROOM TABLES	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADI
_	Z60120WE	<b>D x W x H (1.5" TOP)</b> 60 x 120 x 30	85	544.95	36.50	N/A	\$9643	N/A	\$1961
	Z60144WE	60 x 144 x 30	70	603.75	39.50	N/A	\$10321	N/A	\$2354
	Z60168WE	60 x 168 x 30	70	673.05	42.50	N/A	\$11129	N/A	\$2745
Boardroom Table - Wedge	Wedge Table inc	ludes THREE BASES with	wire access doc	ors on each sid	le of base. V	Vedge tap	ers from 60"	'w to 48" w	. Shipp
	Z60192WE	60 x 192 x 30	85	824.25	63.71	N/A	\$13999	N/A	\$3136
	Z60216WE	60 x 216 x 30	85	884.10	68.25	N/A	\$14784	N/A	\$3526
	Z60240WE	60 x 240 x 30	85	948.15	72.94	N/A	\$15419	N/A	\$3920
	Z60264WE	60 x 264 x 30	85	1006.95	77.48	N/A	\$16031	N/A	\$4311
	Z60288WE	60 x 288 x 30	85	1065.75	81.96	N/A	\$17007	N/A	\$470
Boardroom Table - Wedge	Wedge Table inc in 7 cartons.	ludes FOUR BASES with w	rire access door	rs on each side	e of base. W	edge tape	rs from 60"v	v to 48"w.	Shipp
BOARDROOM TABLES, SLIM BASE	MODEL#	DIMENSIONS D x W x H (1.5" TOP)	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP AD
	ZS3636QR	36 x 36 x 30.1	85	111	9.24	N/A	\$2228	N/A	\$356
							-		
	ZS4242QR	42 x 42 x 30.1	92.5	144	13.24	N/A	\$2542	N/A	\$488
	ZS4848QR	48 x 48 x 30.1	92.5	168	14.24	N/A	\$2846	N/A	\$630
	ZS5454QR	54 x 54 x 30.1	85	243	18.74	N/A	\$3612	N/A	\$799
	ZS6060QR	60 x 60 x 30.1	85	276	20.24	N/A	\$3989	N/A	\$982
Boardroom Table - Squircle, Slim Base	ZS3636SQ	e with hinged door for wir 36 x 36 x 30.1	85	112	9.24	N/A	\$2405	N/A	\$356
	ZS4242SQ	42 x 42 x 30.1	92.5	145	13.24	N/A	\$2738	N/A	\$92
	ZS4848SQ	48 x 48 x 30.1	92.5	169	14.24	N/A	\$2966	N/A	\$630
	ZS5454SQ	54 x 54 x 30.1	85	244	18.74	N/A	\$3318	N/A	\$799
	ZS6060SQ	60 x 60 x 30.1	85	277	20.24	N/A	\$3546	N/A	\$982
Boardroom Table - Square, Slim Base	Includes one bas assemble in 2 ca	e with hinged door for wir rtons.	e access. Option	nal with 3″ ra	dius corners,	upcharge	applies. Shi	ipped easy	to
	ZS4896REE	48 x 96 x 30.1	70	326	18.44	N/A	\$3900	N/A	\$967
	ZS6096REE	60 x 96 x 30.1	70	426	25.45	N/A	\$5831	N/A	\$157°
Rectangular Boardroom Table, Slim Base		ude two bases each with a us corners, upcharge applic					ve two hinge	ed doors pe	er base.
	ZS4896BW	48 x 96 x 30.1	70	326	18.44	N/A	\$4039	N/A	\$967
Bow End Boardroom Table, Slim Base		60 x 96 x 30.1					\$6361 we two hinge	N/A ed doors pe	\$157 er base
	Uptional 3" radiu	ıs corners, upcharge applie	es. Shipped easy	y to assemble	in 3 cartons			_	
	Required Specific	cations	Optional Speci	ifications		Acces	sories		
	Top finish Top/edge detail		HP laminate Additional gromi			Power			

	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP (	GLAZE ADD	HP ADD
	70400005	D x W x H (1.5" TOP)	70	000	10.41	N1.74	<b>ACCO</b> -	N1 / 4	A0
	ZS4896BE	48 x 96 x 30.1	70	326	18.44	N/A	\$3920	N/A	\$967
	ZS6096BE	60 x 96 x 30.1	70	426	25.45	N/A	\$6361	N/A	\$1571
10 TH 01 D	40″D	1.50		,	00"0				ļ
at Boardroom Table, Slim Base		le two bases, each with corners, upcharge appl					ve two ninge	ea aoors p	oer base.
	ZS4896RTE ZS6096RTE	48 x 96 x 30.1 60 x 96 x 30.1	70 70	326 426	18.44 25.45	N/A N/A	\$3811 \$6361	N/A N/A	\$967 \$1571
	2300301112	00 X 30 X 30.1	70	420	20.40	N/A	<b>\$0301</b>	NA	φ1371
cetrack Boardroom Table, Slim Base		le two bases, each with	0 0				ve two hinge	ed doors p	oer base.
	Optional 3 Tadius	corners, upcharge appl	es. Snippeu easy	to assembli	e iii 3 cartons.				
	ZS6096WE	60 x 96 x 30.1	70	426	25.45	N/A	\$6361	N/A	\$1571
edge Boardroom Table, Slim Base	48″D tahlas inclur	le two bases, each with	a single hinged de	oor for wire	2002	hases ha	ve two hings	ad doors r	nor haso
age Boardroom Table, Chim Base		corners, upcharge appl					ve two mig	54 40015 p	or buso.
	ZS48120REE	48 x 120 x 30.1	70	426	24	N/A	\$5281	N/A	\$1208
	ZS48144REE	48 x 144 x 30.1	70	480	25.24	N/A	\$5653	N/A	\$1448
	ZS48168REE	48 x 168 x 30.1	70	572	32.75	N/A	\$7527	N/A	\$1831
	ZS60120REE	60 x 120 x 30.1	70	585	35	N/A	\$8839	N/A	\$1961
	ZS60144REE	60 x 144 x 30.1	70	655	38.5	N/A	\$9460	N/A	\$2354
	ZS60168REE	60 x 168 x 30.1	70	734	41.75	N/A	\$10188	N/A	\$2745
ctangular Boardroom Table, Slim Base	48"D tables includ	le three bases, each wit	h a single hinged	door for wir	e access. 60"	D bases h	ave two hing	ged doors	per base
ectangular Boardroom Table, Slim Base		le three bases, each wit corners, upcharge appl	0 0					J	per base
ctangular Boardroom Table, Slim Base	Optional 3" radius ZS48120BW	corners, upcharge appl 48 x 120 x 30.1	ies. Shipped easy	to assemble	e, 48"D - 4 cal	rtons; 60" N/A	D - 5 cartons	N/A	\$1208
stangular Boardroom Table, Slim Base	Optional 3" radius ZS48120BW ZS48144BW	48 x 120 x 30.1 48 x 144 x 30.1	es. Shipped easy 70 70	to assemble 416 470	e, 48"D - 4 car 24 26.24	ntons; 60" N/A N/A	D - 5 cartons \$5378 \$5759	N/A N/A	\$1208 \$1448
etangular Boardroom Table, Slim Base	Optional 3" radius ZS48120BW	corners, upcharge appl 48 x 120 x 30.1	ies. Shipped easy	to assemble	e, 48"D - 4 cal	rtons; 60" N/A	D - 5 cartons	N/A	\$1208
atangular Boardroom Table, Slim Base	Optional 3" radius ZS48120BW ZS48144BW	48 x 120 x 30.1 48 x 144 x 30.1	es. Shipped easy 70 70	to assemble 416 470	e, 48"D - 4 car 24 26.24	ntons; 60" N/A N/A	D - 5 cartons \$5378 \$5759	N/A N/A	\$1208 \$1448
tangular Boardroom Table, Slim Base	Optional 3" radius ZS48120BW ZS48144BW ZS48168BW	48 x 120 x 30.1 48 x 144 x 30.1 48 x 168 x 30.1	70 70 70 70	416 470 562	24 26.24 32.75	N/A N/A N/A N/A	55378 \$5759 \$7560	N/A N/A N/A	\$1208 \$1448 \$1831
ctangular Boardroom Table, Slim Base	Optional 3" radius  ZS48120BW  ZS48144BW  ZS48168BW  ZS60120BW	48 x 120 x 30.1 48 x 144 x 30.1 48 x 168 x 30.1 60 x 120 x 30.1	70 70 70 70 70	416 470 562 569	24 26.24 32.75	N/A N/A N/A N/A	S5378 \$5759 \$7560	N/A N/A N/A	\$1208 \$1448 \$1831 \$1961 \$2354
	ZS48120BW ZS48144BW ZS48168BW ZS60120BW ZS60144BW ZS60168BW	48 x 120 x 30.1 48 x 144 x 30.1 48 x 168 x 30.1 60 x 120 x 30.1 60 x 144 x 30.1	70 70 70 70 70 70 70	416 470 562 569 639 718	24 26.24 32.75 35 38.5 41.25	N/A N/A N/A N/A N/A N/A	\$5378 \$5759 \$7560 \$9643 \$10321 \$11129	N/A N/A N/A N/A N/A	\$1208 \$1448 \$1831 \$1961 \$2354 \$2745
	ZS48120BW ZS48144BW ZS48168BW ZS60120BW ZS60144BW ZS60168BW	48 x 120 x 30.1 48 x 144 x 30.1 48 x 168 x 30.1 60 x 120 x 30.1 60 x 144 x 30.1 60 x 168 x 30.1	70 70 70 70 70 70 70 70 70	416 470 562 569 639 718	24 26.24 32.75 35 38.5 41.25	N/A N/A N/A N/A N/A N/A	\$5378 \$5759 \$7560 \$9643 \$10321 \$11129	N/A N/A N/A N/A N/A N/A	\$1208 \$1448 \$1831 \$1961 \$2354 \$2745
	ZS48120BW ZS48144BW ZS48168BW ZS60120BW ZS60144BW ZS60168BW	48 x 120 x 30.1 48 x 144 x 30.1 48 x 168 x 30.1 60 x 120 x 30.1 60 x 144 x 30.1 60 x 168 x 30.1	70 70 70 70 70 70 70 70 70	416 470 562 569 639 718	24 26.24 32.75 35 38.5 41.25	N/A N/A N/A N/A N/A N/A	\$5378 \$5759 \$7560 \$9643 \$10321 \$11129	N/A N/A N/A N/A N/A N/A	\$1208 \$1448 \$1831 \$1961 \$2354 \$2745
ectangular Boardroom Table, Slim Base ow End Boardroom Table, Slim Base	ZS48120BW ZS48144BW ZS48168BW ZS60120BW ZS60144BW ZS60168BW	48 x 120 x 30.1 48 x 144 x 30.1 48 x 168 x 30.1 60 x 120 x 30.1 60 x 144 x 30.1 60 x 168 x 30.1	70 70 70 70 70 70 70 70 70 a a single hinged of thes. Shipped easy	416 470 562 569 639 718 door for wird to assemble	24 26.24 32.75 35 38.5 41.25	N/A N/A N/A N/A N/A N/A	\$5378 \$5759 \$7560 \$9643 \$10321 \$11129 ave two hing D - 5 cartons	N/A N/A N/A N/A N/A N/A	\$1208 \$1448 \$1831 \$1961 \$2354 \$2745
	ZS48120BW ZS48144BW ZS48168BW ZS60120BW ZS60144BW ZS60168BW  48"D tables include Optional 3" radius  Required Specification in the company of	48 x 120 x 30.1 48 x 144 x 30.1 48 x 168 x 30.1 60 x 120 x 30.1 60 x 144 x 30.1 60 x 168 x 30.1	70 70 70 70 70 70 70 70 0 70 0 0 0 0 0	416 470 562 569 639 718 door for wire to assemble	24 26.24 32.75 35 38.5 41.25	N/A N/A N/A N/A N/A N/A N/A O bases hartons; 60"	\$5378 \$5759 \$7560 \$9643 \$10321 \$11129 ave two hing D - 5 cartons	N/A N/A N/A N/A N/A N/A	\$1208 \$1448 \$1831 \$1961 \$2354 \$2745
	ZS48120BW ZS48144BW ZS48168BW ZS60120BW ZS60144BW ZS60168BW  48"D tables include Optional 3" radius  Required Specification for finish Top/edge detail	48 x 120 x 30.1 48 x 144 x 30.1 48 x 168 x 30.1 60 x 120 x 30.1 60 x 144 x 30.1 60 x 168 x 30.1	70 70 70 70 70 70 70 70 6 s single hinged cles. Shipped easy	416 470 562 569 639 718 door for wire to assemble	24 26.24 32.75 35 38.5 41.25	N/A N/A N/A N/A N/A N/A N/A N/A N/A A N/A A A A	\$5378 \$5759 \$7560 \$9643 \$10321 \$11129 ave two hing D - 5 cartons	N/A N/A N/A N/A N/A N/A	\$1208 \$1448 \$1831 \$1961 \$2354 \$2745
	ZS48120BW ZS48144BW ZS48168BW ZS60120BW ZS60144BW ZS60168BW  48"D tables include Optional 3" radius  Required Specification in the company of	48 x 120 x 30.1 48 x 144 x 30.1 48 x 168 x 30.1 60 x 120 x 30.1 60 x 144 x 30.1 60 x 168 x 30.1	70 70 70 70 70 70 70 70 0 70 0 0 0 0 0	416 470 562 569 639 718 door for wire to assemble	24 26.24 32.75 35 38.5 41.25	N/A N/A N/A N/A N/A N/A N/A N/A N/A A N/A A A A	\$5378 \$5759 \$7560 \$9643 \$10321 \$11129 ave two hing D - 5 cartons	N/A N/A N/A N/A N/A N/A	\$1208 \$1448 \$1831 \$1961 \$2354 \$2745

	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	) HP ADD
	70 404 20DE	D x W x H (1.5" TOP)	70	407	24	NI/A	ėrear	NI / A	64200
	ZS48120BE ZS48144BE	48 x 120 x 30.1	70 65	407 458	24 20.2	N/A N/A	\$5635 \$5690	N/A	\$1208 \$1448
		48 x 144 x 30.1						N/A	-
	ZS48168BE	48 x 168 x 30.1	70	545	32.75	N/A	<b>\$7593</b>	N/A	\$1831
	ZS60120BE	60 x 120 x 30.1	70	565	35	N/A	\$9643	N/A	\$1961
	ZS60144BE	60 x 144 x 30.1	70	632	38.5	N/A	\$10321	N/A	\$2354
	ZS60168BE	60 x 168 x 30.1	70	707	41.75	N/A	\$11129	N/A	\$2745
Boat Boardroom Table, Slim Base		de three bases each with s corners, upcharge appli						_	per base.
	ZS48120RTE	48 x 120 x 30.1	70	406	24	N/A	\$5299	N/A	\$1208
	ZS48144RTE	48 x 144 x 30.1	70	461	26.24	N/A	\$5648	N/A	\$1448
	ZS48168RTE	48 x 168 x 30.1	70	552	32.75	N/A	\$7639	N/A	\$1831
			_						
	ZS60120RTE	60 x 120 x 30.1	70	624	35	N/A	\$9643	N/A	\$1961
	ZS60144RTE	60 x 144 x 30.1	85	553	38.5	N/A	\$10321	N/A	\$2354
	ZS60168RTE	60 x 168 x 30.1	70	703	41.75	N/A	\$11129	N/A	\$2745
Racetrack Boardroom Table, Slim Base	48"D tables inclu	de three bases each with	a single hinged o	loor for wire	arress 60"[	) hases ha	ave two hin	ned doors	ner hase
nacetrack boardroom lable, Simi base		s corners, upcharge appli							per base
	ZS60120WE	60 x 120 x 30.1	85	513	36.71	N/A	\$9643	N/A	\$1961
	ZS60144WE	60 x 144 x 30.1	85	572	39.94	N/A	\$10321	N/A	\$2354
	ZS60168WE	60 x 168 x 30.1	85	641	43.17	N/A	\$11129	N/A	\$274
Wedge Boardroom Table, Slim Base		ses - two with a single h	nged door each fo	or wire acce	ss, one with	two hinge	d doors. Sh	ipped easy	to to
Wedge Boardroom Table, Slim Base	Includes three ba		nged door each fo	or wire acce	ss, one with	two hinge	d doors. Sh	ipped easy	' to
Wedge Boardroom Table, Slim Base			nged door each fo		ss, one with 1		d doors. Sh		to \$2091
Wedge Boardroom Table, Slim Base	assemble in 6 car	tons.		691 754		N/A N/A		N/A	
Wedge Boardroom Table, Slim Base	assemble in 6 car ZS48192REE	tons. 48 x 192 x 30.1	70	691	39.23	N/A	\$9419		\$2091
Wedge Boardroom Table, Slim Base	assemble in 6 car ZS48192REE ZS48216REE	48 x 192 x 30.1 48 x 216 x 30.1	70 70	691 754	39.23 42.24	N/A N/A	\$9419 \$9864	N/A N/A	\$2091 \$2354
Wedge Boardroom Table, Slim Base	assemble in 6 car ZS48192REE ZS48216REE ZS48240REE	48 x 192 x 30.1 48 x 216 x 30.1 48 x 240 x 30.1	70 70 70	691 754 741	39.23 42.24 45.24	N/A N/A N/A	\$9419 \$9864 \$10489	N/A N/A N/A	\$2091 \$2354 \$2614 \$2875
	ZS48192REE ZS48216REE ZS48240REE ZS48264REE ZS48264REE ZS48288REE	48 x 192 x 30.1 48 x 216 x 30.1 48 x 240 x 30.1 48 x 264 x 30.1	70 70 70 70 70 70	691 754 741 875 930	39.23 42.24 45.24 48.25 51.26	N/A N/A N/A N/A N/A	\$9419 \$9864 \$10489 \$11117 \$11117	N/A N/A N/A N/A N/A	\$209 \$235 \$261 \$287 \$313
	ZS48192REE ZS48216REE ZS48240REE ZS48264REE ZS48264REE ZS48288REE	48 x 192 x 30.1 48 x 216 x 30.1 48 x 240 x 30.1 48 x 264 x 30.1 48 x 288 x 30.1	70 70 70 70 70 70	691 754 741 875 930	39.23 42.24 45.24 48.25 51.26	N/A N/A N/A N/A N/A	\$9419 \$9864 \$10489 \$11117 \$11117	N/A N/A N/A N/A N/A	\$2091 \$2354 \$2614 \$2875 \$3136
	ZS48192REE ZS48216REE ZS48240REE ZS48264REE ZS48288REE	48 x 192 x 30.1 48 x 216 x 30.1 48 x 240 x 30.1 48 x 264 x 30.1 48 x 288 x 30.1	70 70 70 70 70 70	691 754 741 875 930	39.23 42.24 45.24 48.25 51.26 tional 3" radii	N/A N/A N/A N/A N/A	\$9419 \$9864 \$10489 \$11117 \$11117	N/A N/A N/A N/A N/A	\$2091 \$2354 \$2614 \$2875 \$3136
	ZS48192REE ZS48216REE ZS48240REE ZS48264REE ZS48288REE Includes four bass to assemble in 7 of	48 x 192 x 30.1 48 x 216 x 30.1 48 x 240 x 30.1 48 x 264 x 30.1 48 x 288 x 30.1 es, each with a single hir cartons.	70 70 70 70 70 70	691 754 741 875 930 access. Op	39.23 42.24 45.24 48.25 51.26	N/A N/A N/A N/A N/A	\$9419 \$9864 \$10489 \$11117 \$11117	N/A N/A N/A N/A N/A	\$2091 \$2354 \$2614 \$2875 \$3136
	ZS48192REE ZS48216REE ZS48240REE ZS48264REE ZS48288REE Includes four bass to assemble in 7 of ZS60192REE	48 x 192 x 30.1 48 x 216 x 30.1 48 x 240 x 30.1 48 x 264 x 30.1 48 x 288 x 30.1 es, each with a single hir cartons.	70 70 70 70 70 70 aged door for wire	691 754 741 875 930 access. Op	39.23 42.24 45.24 48.25 51.26 tional 3" radii	N/A N/A N/A N/A N/A	\$9419 \$9864 \$10489 \$11117 \$11117 , upcharge	N/A N/A N/A N/A N/A	\$2091 \$2354 \$2614 \$2875 \$3136 nipped e
	ZS48192REE ZS48216REE ZS48240REE ZS48264REE ZS48288REE  Includes four bass to assemble in 7 of the company of t	48 x 192 x 30.1 48 x 216 x 30.1 48 x 240 x 30.1 48 x 264 x 30.1 48 x 288 x 30.1 es, each with a single hir cartons.	70 70 70 70 70 70 sged door for wire	691 754 741 875 930 access. Op	39.23 42.24 45.24 48.25 51.26 tional 3" radii	N/A N/A N/A N/A N/A	\$9419 \$9864 \$10489 \$11117 \$11117 , upcharge	N/A N/A N/A N/A N/A applies. St	\$209° \$2354 \$2614 \$287° \$3136 nipped 6
	ZS48192REE ZS48216REE ZS48240REE ZS48264REE ZS48288REE  Includes four bass to assemble in 7 of the company of t	48 x 192 x 30.1 48 x 216 x 30.1 48 x 240 x 30.1 48 x 264 x 30.1 48 x 288 x 30.1 es, each with a single hir cartons.	70 70 70 70 70 70 1ged door for wire	691 754 741 875 930 access. Op 889 960 1045	39.23 42.24 45.24 48.25 51.26 tional 3" radii 51.26 54.76 57.97	N/A N/A N/A N/A N/A N/A N/A N/A N/A	\$9419 \$9864 \$10489 \$11117 \$11117 , upcharge \$12833 \$13544 \$14125	N/A N/A N/A N/A N/A applies. St	\$209 \$235 \$261 \$287 \$313 mipped of \$313 \$352 \$392 \$431
Rectangular Boardroom Table, Slim Base	ZS48192REE ZS48216REE ZS48240REE ZS48264REE ZS48288REE  Includes four bass to assemble in 7 of the company of t	48 x 192 x 30.1 48 x 216 x 30.1 48 x 240 x 30.1 48 x 264 x 30.1 48 x 288 x 30.1 es, each with a single hir cartons. 60 x 192 x 30.1 60 x 216 x 30.1 60 x 264 x 30.1 60 x 288 x 30.1	70 70 70 70 70 70 1ged door for wire 70 70 70 70	691 754 741 875 930 access. Op 889 960 1045 1115 1185	39.23 42.24 45.24 48.25 51.26 tional 3" radio 51.26 54.76 57.97 61.47 64.69	N/A	\$9419 \$9864 \$10489 \$11117 \$11117 , upcharge \$12833 \$13544 \$14125 \$14680 \$15568	N/A N/A N/A N/A N/A N/A applies. St N/A N/A N/A N/A	\$209 \$235 \$261 \$287 \$313 \$313 \$352 \$392 \$431 \$470
Rectangular Boardroom Table, Slim Base  Rectangular Boardroom Table, Slim Base	ZS48192REE ZS48216REE ZS48240REE ZS48264REE ZS48288REE  Includes four base to assemble in 7 of the company of t	48 x 192 x 30.1 48 x 216 x 30.1 48 x 240 x 30.1 48 x 264 x 30.1 48 x 288 x 30.1 es, each with a single hir cartons. 60 x 192 x 30.1 60 x 216 x 30.1 60 x 264 x 30.1 60 x 288 x 30.1	70 70 70 70 70 70 1ged door for wire 70 70 70 70	691 754 741 875 930 access. Op 889 960 1045 1115 1185	39.23 42.24 45.24 48.25 51.26 tional 3" radio 51.26 54.76 57.97 61.47 64.69	N/A	\$9419 \$9864 \$10489 \$11117 \$11117 , upcharge \$12833 \$13544 \$14125 \$14680 \$15568	N/A N/A N/A N/A N/A N/A applies. St N/A N/A N/A N/A	\$209 \$235 \$261 \$287 \$313 hipped 6 \$313 \$352 \$392 \$431 \$470
Rectangular Boardroom Table, Slim Base	ZS48192REE ZS48216REE ZS48240REE ZS48264REE ZS48288REE  Includes four base to assemble in 7 of the company of t	48 x 192 x 30.1 48 x 216 x 30.1 48 x 240 x 30.1 48 x 264 x 30.1 48 x 288 x 30.1 48 x 288 x 30.1 48 x 288 x 30.1 60 x 192 x 30.1 60 x 216 x 30.1 60 x 240 x 30.1 60 x 264 x 30.1 60 x 288 x 30.1	70 70 70 70 70 70 1ged door for wire 70 70 70 70	691 754 741 875 930 access. Op 889 960 1045 1115 1185	39.23 42.24 45.24 48.25 51.26 tional 3" radio 51.26 54.76 57.97 61.47 64.69	N/A	\$9419 \$9864 \$10489 \$11117 \$11117 , upcharge \$12833 \$13544 \$14125 \$14680 \$15568	N/A N/A N/A N/A N/A N/A applies. St N/A N/A N/A N/A	\$209° \$235° \$261° \$287° \$3130° hipped 6 \$3130° \$3520° \$3920° \$431° \$470°

MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADI	HP ADD
7040102DW	D x W x H (1.5" TOP)	70	601	20.22	NI/A	¢0/E/	NI/A	\$2091
								\$2354
								\$2354 \$2614
								\$2875
Z548Z88BVV	48 X 288 X 30.1	70	919	51.20	N/A	\$11150	N/A	\$3136
Includes four base	s, each with a single hir	nged door for wire	access. Shi	ipped easy to	assemble	in 7 cartons	S.	
7000400004	20 100 001	-	070	- L 00		*****		*****
								\$3136
								\$3526
								\$3920
								\$4311 \$4704
							,	
Includes four base	s, each with two hinged	doors for wire ac	cess. Shipp	ed easy to ass	semble in	7 cartons.		
								\$2091
								\$2354
	48 x 240 x 30.1					\$10601		\$2614
	48 x 264 x 30.1							\$2875
ZS48288RTE	48 x 288 x 30.1	70	909	51.26	N/A	\$11227	N/A	\$3136
Includes four base	s each with a single hir	naed door for wire	access Shi	inned easy to	assemble	in 7 cartons	S	
	o, odon vnar d omgro im		400000.011			our our cont		
ZS60192RTE	60 x 192 x 30.1	70	858	51.26	N/A	\$13999	N/A	\$3136
						-		\$3526
								\$3920
								\$4311
ZS60288RTE	60 x 288 x 30.1	70	1154	64.69	N/A	\$17007	N/A	\$4704
Includes four base	s, each with two hinged	doors for wire ac	cess. Shipp	ed easy to ass	semble in	7 cartons.		
								\$3136
								\$3526
								\$3920
						-		\$4311
ZS60288WE	60 x 288 x 30.1	92.5	1024	99.44	N/A	\$17007	N/A	\$4704
Includes four base	s, each with two hinged	doors for wire ac	cess. Shipp	ed easy to ass	semble in	7 cartons.		
	ZS60192BW ZS60216BW ZS60240BW ZS60264BW ZS60288BW  Includes four base ZS48192RTE ZS48216RTE ZS48240RTE ZS48264RTE ZS48288RTE  Includes four base ZS60192RTE ZS60216RTE ZS60240RTE ZS60288RTE	ZS48192BW	ZS48192BW 48 x 192 x 30.1 70 ZS48246BW 48 x 216 x 30.1 70 ZS48240BW 48 x 240 x 30.1 70 ZS48264BW 48 x 264 x 30.1 70 ZS4828BW 48 x 288 x 30.1 70  Includes four bases, each with a single hinged door for wire acceptable of the process	ZS48192BW 48 x 192 x 30.1 70 681 ZS48216BW 48 x 216 x 30.1 70 744 ZS48240BW 48 x 240 x 30.1 70 807 ZS48264BW 48 x 264 x 30.1 70 863 ZS48288BW 48 x 264 x 30.1 70 919  Includes four bases, each with a single hinged door for wire access. Sh  ZS60192BW 60 x 192 x 30.1 70 944 ZS60240BW 60 x 216 x 30.1 70 1029 ZS60264BW 60 x 264 x 30.1 70 1099 ZS60268BW 60 x 288 x 30.1 70 1169  Includes four bases, each with two hinged doors for wire access. Shipp  ZS48192RTE 48 x 192 x 30.1 70 671 ZS48240RTE 48 x 216 x 30.1 70 733 ZS48240RTE 48 x 264 x 30.1 70 797 ZS4826ARTE 48 x 264 x 30.1 70 853 ZS4828BRTE 48 x 288 x 30.1 70 909  Includes four bases, each with a single hinged door for wire access. Shipp  ZS60192RTE 60 x 192 x 30.1 70 909  Includes four bases, each with a single hinged door for wire access. Shipp  ZS60240RTE 60 x 264 x 30.1 70 928 ZS60240RTE 60 x 264 x 30.1 70 928 ZS60240RTE 60 x 264 x 30.1 70 928 ZS60240RTE 60 x 264 x 30.1 70 1013 ZS60264RTE 60 x 288 x 30.1 70 1013 ZS60268RTE 60 x 288 x 30.1 70 1013 ZS6028RTE 60 x 288 x 30.1 70 1013 ZS60264WTE 60 x 288 x 30.1 70 1083 ZS6028RTE 60 x 288 x 30.1 70 1083 ZS60264WTE 60 x 216 x 30.1 92.5 782 ZS60216WF 60 x 216 x 30.1 92.5 905 ZS60264WF 60 x 264 x 30.1 92.5 905 ZS60264WF 60 x 264 x 30.1 92.5 905	ZS48192BW 48 x 192 x 30.1 70 681 39.23 ZS48216BW 48 x 216 x 30.1 70 744 42.24 ZS48240BW 48 x 240 x 30.1 70 807 45.24 ZS48264BW 48 x 264 x 30.1 70 863 48.25 ZS4828BW 48 x 288 x 30.1 70 919 51.26  Includes four bases, each with a single hinged door for wire access. Shipped easy to ZS60192BW 60 x 192 x 30.1 70 873 51.26 ZS60216BW 60 x 216 x 30.1 70 944 54.76 ZS60240BW 60 x 264 x 30.1 70 1029 57.97 ZS60264BW 60 x 264 x 30.1 70 1099 61.47 ZS6028BBW 60 x 288 x 30.1 70 1169 64.69  Includes four bases, each with two hinged doors for wire access. Shipped easy to ass ZS48192RTE 48 x 192 x 30.1 70 733 42.24 ZS48240RTE 48 x 216 x 30.1 70 797 45.24 ZS48240RTE 48 x 264 x 30.1 70 853 48.25 ZS4828BRTE 48 x 288 x 30.1 70 909 51.26  Includes four bases, each with a single hinged door for wire access. Shipped easy to ass ZS4828BRTE 48 x 288 x 30.1 70 909 51.26  Includes four bases, each with a single hinged door for wire access. Shipped easy to ass ZS60192RTE 60 x 264 x 30.1 70 909 51.26  Includes four bases, each with a single hinged door for wire access. Shipped easy to ass ZS60192RTE 60 x 216 x 30.1 70 909 51.26  Includes four bases, each with two hinged doors for wire access. Shipped easy to ass ZS60192RTE 60 x 264 x 30.1 70 1013 57.97 ZS6026ARTE 60 x 264 x 30.1 70 1083 61.47 ZS6028BRTE 60 x 264 x 30.1 70 1083 61.47 ZS6028BRTE 60 x 226 x 30.1 70 1083 61.47 ZS60240RTE 60 x 240 x 30.1 70 1083 61.47 ZS60240RTE 60 x 240 x 30.1 70 1083 61.47 ZS60240RTE 60 x 240 x 30.1 70 1083 61.47 ZS60240RTE 60 x 240 x 30.1 70 1083 61.47 ZS60240RTE 60 x 240 x 30.1 70 1083 61.47 ZS60240WE 60 x 240 x 30.1 92.5 841 78.46 ZS60240WE 60 x 240 x 30.1 92.5 905 85.45 ZS60264WE 60 x 264 x 30.1 92.5 905 85.45 ZS60264WE 60 x 264 x 30.1 92.5 905 85.45	ZS48192BW	ZS48192BW	SASB192BW



Media Table - D Island

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H (1.5" TOP)							
Z4860DMIL	48 x 60 x 30	70	267	17.69	N/A	\$3965	N/A	\$788
Z4872DMIL	48 x 72 x 30	70	298.20	19.67	N/A	\$4251	N/A	\$943
Z4884DMIL	48 x 84 x 30	70	326.55	21.44	N/A	\$4528	N/A	\$1101
Z4896DMIL	48 x 96 x 30	85	347.55	23.41	N/A	\$4795	N/A	\$1255

D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Z6060DMIL	60 x 60 x 30	85	323.93	23.17	N/A	\$4756	N/A	\$982
Z6072DMIL	60 x 72 x 30	85	359.10	25.66	N/A	\$5094	N/A	\$1179
Z6084DMIL	60 x 84 x 30	85	397.95	27.90	N/A	\$5433	N/A	\$1376
Z6096DMIL	60 x 96 x 30	85	433.65	30.39	N/A	\$5754	N/A	\$1571

D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Z6060WMIL	60 x 60 x 30	85	306.60	20.69	N/A	\$4756	N/A	\$982
Z6072WMIL	60 x 72 x 30	85	338.10	22.90	N/A	\$5094	N/A	\$1179
Z6084WMIL	60 x 84 x 30	85	374.85	25.42	N/A	\$5433	N/A	\$1376
Z6096WMIL	60 x 96 x 30	85	407.40	27.90	N/A	\$5754	N/A	\$1571

Wedge Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"w to 48"w. Shipped in 3 cartons.

Z4860RMIL	48 x 60 x 30	70	279.30	17.69	N/A	\$3651	N/A	\$788
Z4872RMIL	48 x 72 x 30	70	307.65	19.67	N/A	\$3913	N/A	\$943
Z4884RMIL	48 x 84 x 30	70	337.05	21.44	N/A	\$4163	N/A	\$1101
Z4896RMIL	48 x 96 x 30	70	357	23.41	N/A	\$4403	N/A	\$1255

Rectangular Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Z6060RMIL	60 x 60 x 30	70	339.15	22.22	N/A	\$4368	N/A	\$982
Z6072RMIL	60 x 72 x 30	85	373.80	25.66	N/A	\$4677	N/A	\$1179
Z6084RMIL	60 x 84 x 30	85	414.75	27.90	N/A	\$4984	N/A	\$1376
Z6096RMIL	60 x 96 x 30	85	449.40	30.39	N/A	\$5276	N/A	\$1571

Rectangular Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Z4860DMIM	48 x 60 x 36.5	70	291.90	19.19	N/A	\$4339	N/A	\$788
Z4872DMIM	48 x 72 x 36.5	70	321.30	21.17	N/A	\$4625	N/A	\$943
Z4884DMIM	48 x 84 x 36.5	70	349.65	22.90	N/A	\$4893	N/A	\$1101
Z4896DMIM	48 x 96 x 36.5	85	370.65	24.91	N/A	\$5166	N/A	\$1255

D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Required Specifications	Optional Specifications	Accessories
Top finish	HP laminate	Power block
Top/edge detail	Additional grommet	
Base finish	, and the second	
Base trim finish		



Media Table - D Island



Media Table - D Wedge



Media Table - Rectangular Island



Media Table - Rectangular Island



Media Table - D Island, 36"H

# ZIRA™ BOARDROOM

**MEDIA TABLES** 

Media Table - D Island, 36"H

DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD HP	ADD
D x W x H (1.5" TOP)							
60 x 60 x 36.5	85	352.28	25.42	N/A	\$5128	N/A \$9	982
60 x 72 x 36.5	85	386.4	27.66	N/A	\$5460	N/A <b>\$1</b>	179
60 x 84 x 36.5	85	426.3	30.15	N/A	\$5800	N/A <b>\$1</b>	376
60 x 96 x 36.5	85	462	32.63	N/A	\$6119	N/A <b>\$1</b>	571
	60 x 60 x 36.5 60 x 72 x 36.5 60 x 84 x 36.5	<b>D x W x H (1.5" TOP)</b> 60 x 60 x 36.5 85  60 x 72 x 36.5 85  60 x 84 x 36.5 85	0 x W x H (1.5" TOP)       60 x 60 x 36.5     85     352.28       60 x 72 x 36.5     85     386.4       60 x 84 x 36.5     85     426.3	D x W x H (1.5" TOP)       60 x 60 x 36.5     85     352.28     25.42       60 x 72 x 36.5     85     386.4     27.66       60 x 84 x 36.5     85     426.3     30.15	D x W x H (1.5" TOP)       60 x 60 x 36.5     85     352.28     25.42     N/A       60 x 72 x 36.5     85     386.4     27.66     N/A       60 x 84 x 36.5     85     426.3     30.15     N/A	60 x 60 x 36.5       85       352.28       25.42       N/A       \$5128         60 x 72 x 36.5       85       386.4       27.66       N/A       \$5460         60 x 84 x 36.5       85       426.3       30.15       N/A       \$5800	D x W x H (1.5" TOP)         60 x 60 x 36.5       85       352.28       25.42       N/A       \$5128       N/A       \$5         60 x 72 x 36.5       85       386.4       27.66       N/A       \$5460       N/A       \$1         60 x 84 x 36.5       85       426.3       30.15       N/A       \$5800       N/A       \$1

D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

	Z6060WMIM	60 x 60 x 36.5	85	331.8	22.16	N/A	\$5128	N/A	\$982
/ >	Z6072WMIM	60 x 72 x 36.5	85	364.35	24.67	N/A	\$5460	N/A	\$1179
	Z6084WMIM	60 x 84 x 36.5	70	424.2	26.92	N/A	\$5800	N/A	\$1376
	Z6096WMIM	60 x 96 x 36.5	85	424.2	29.4	N/A	\$6119	N/A	\$1571

Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"w to 48"w. Shipped in 3 cartons.

Z4860RMIM	48 x 60 x 36.5	70	301.35	19.19	N/A	\$3985	N/A	\$788
Z4872RMIM	48 x 72 x 36.5	70	330.75	21.17	N/A	\$4247	N/A	\$943
Z4884RMIM	48 x 84 x 36.5	70	360.15	22.9	N/A	\$4493	N/A	\$1101
Z4896RMIM	48 x 96 x 36.5	70	380.1	24.91	N/A	\$4742	N/A	\$1255

Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Z6060RMIM	60 x 60 x 36.5	85	367.5	25.42	N/A	\$4704	N/A	\$982
Z6072RMIM	60 x 72 x 36.5	85	402.15	27.66	N/A	\$5004	N/A	\$1179
Z6084RMIM	60 x 84 x 36.5	85	442.05	30.15	N/A	\$5315	N/A	\$1376
Z6096RMIM	60 x 96 x 36.5	85	477.75	32.63	N/A	\$5609	N/A	\$1571

Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Z4860DMIH	48 x 60 x 42.5	70	312.9	20.69	N/A	\$4612	N/A	\$788
Z4872DMIH	48 x 72 x 42.5	70	342.3	22.66	N/A	\$4898	N/A	\$943
Z4884DMIH	48 x 84 x 42.5	70	371.7	24.4	N/A	\$5174	N/A	\$1101
Z4896DMIH	48 x 96 x 42.5	85	391.65	26.41	N/A	\$5440	N/A	\$1255

Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Z6060DMIH	60 x 60 x 42.5	85	378	27.4	N/A	\$5399	N/A	\$982
Z6072DMIH	60 x 72 x 42.5	85	413.7	29.91	N/A	\$5733	N/A	\$1179
Z6084DMIH	60 x 84 x 42.5	85	453.6	32.4	N/A	\$6080	N/A	\$1376
76096DMIH	60 x 96 x 42 5	85	488 25	34 88	N/A	\$6392	N/A	\$1571

Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Required Specifications	Optional Specifications	Accessories	
Top finish	HP laminate	Power block	
Top/edge detail	Additional grommet		
Base finish	Ŭ		
Base trim finish			



Media Table - D Wedge, 36"H



Media Table - Rectangular Island, 36"H



Media Table - Rectangular Island, 36"H



Media Table - D Island, 42"H



Media Table - D Island, 42"H

278	USA

MEDIA TABLES	MODEL#
	Z6060W Z6072W Z6084W Z6096W
Media Table - Wedge, 42"H	Includes panel. G cartons.
	Z4860RI Z4872RI Z4884RI Z4896RI

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	IP ADD
	D x W x H (1.5" TOP)							
Z6060WMIH	60 x 60 x 42.5	85	355	23.92	N/A	\$5399	N/A	\$982
Z6072WMIH	60 x 72 x 42.5	85	387	26.17	N/A	\$5733	N/A	\$1179
Z6084WMIH	60 x 84 x 42.5	85	424	28.65	N/A	\$6080	N/A	\$1376
Z6096WMIH	60 x 96 x 42.5	85	457	31.14	N/A	\$6392	N/A	\$1571

es ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"w to 48"w. Shipped in 3

Z4860RMIH	48 x 60 x 42.5	70	324	20.69	N/A	\$4239	N/A	\$788
Z4872RMIH	48 x 72 x 42.5	70	353	22.66	N/A	\$4500	N/A	\$943
Z4884RMIH	48 x 84 x 42.5	70	382	24.4	N/A	\$4747	N/A	\$1101
Z4896RMIH	48 x 96 x 42.5	70	402	26.41	N/A	\$4991	N/A	\$1255

Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

85

85

	1
	*

		_	
Media	Table -	Rectangular	r Island, 42"H

Media Table - Rectangular Island, 42"H

Z6060RMIH

Z6072RMIH

Z6084RMIH 60 x 84 x 42.5 85 \$1376 469 32.4 N/A \$5571 N/A Z6096RMIH 60 x 96 x 42.5 85 504 34.88 N/A \$5856 N/A \$1571

394

429

27.4

29.91

N/A

N/A

\$4957

\$5257

N/A

N/A

\$982

\$1179

Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

MEDIA TABLES, SLIM BASE - 30"H	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	ZS4860DMIL	48 x 60 x 30.1	70	258	13.23	N/A	\$3965	N/A	\$788
	ZS4872DMIL	48 x 72 x 30.1	70	287	14.49	N/A	\$4251	N/A	\$943
	ZS4884DMIL	48 x 84 x 30.1	70	316	15.99	N/A	\$4528	N/A	\$1101
	ZS4896DMIL	48 x 96 x 30.1	70	337	17.22	N/A	\$4795	N/A	\$1255
Media Table - D Island, Slim Base	Includes one base	with single hinged do	or for wire access a	and wire cor	ncealment run	ners betw	een base a	and end pan	el.
	Grommet centered	at the top of the end	panel for wire pass	through. Sh	nipped easy to	assemble	e, 3 carton	S.	
	ZS6060DMIL	60 x 60 x 30.1	70	313	17.49	N/A	\$4756	N/A	\$982
	ZS6072DMIL	60 x 72 x 30.1	70	348	19.22	N/A	\$5094	N/A	\$1179
	ZS6084DMIL	60 x 84 x 30.1	70	387	20.96	N/A	\$5433	N/A	\$1370
	ZS6096DMIL	60 x 96 x 30.1	70	423	22.72	N/A	\$5754	N/A	\$1571
fedia Table - D Island, Slim Base	Includes one hase	with two hinged doors	s for wire access ar	nd wire cond	realment runn	ers hetwe	en hase a	nd end nane	l Grom
iodia labio Biolana, omii Baoo		of the end panel for						na ona pane	ii. Groin
			1 0						
	ZS6060WMIL	60 x 60 x 30.1	70	295	15.48	N/A	\$4756	N/A	\$982
	ZS6060WMIL ZS6072WMIL								
	ZS6072WMIL	60 x 72 x 30.1	70	327	16.98	N/A	\$5094	N/A	\$1179
									\$982 \$1179 \$1376 \$1571

60 x 60 x 42.5

60 x 72 x 42.5

Grommet centered at the top of the end panel for wire pass through. Optional 3" radius corners, upcharge applies. Shipped easy to assemble, 3 cartons.

Required Specifications	Optional Specifications	Accessories	
Top finish	HP laminate	Power block	
Top/edge detail	Additional grommet		
Base finish	·		
Rase trim finish			

MEDIA TABLES, SLIM BASE - 30"H	MODEL#	DIMENSIONS D x W x H (1.5" TOP)	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	70 4000DB 411		70	000	10.00	NI/A	eace4	NI /A	6700
	ZS4860RMIL	48 x 60 x 30.1	70	268	13.23	N/A	\$3651	N/A	\$788
	ZS4872RMIL ZS4884RMIL	48 x 72 x 30.1 48 x 84 x 30.1	70 70	297 326	14.49 15.99	N/A N/A	\$3913 \$4163	N/A N/A	\$943 \$1101
	ZS4896RMIL	48 x 96 x 30.1	70	347	17.22	N/A	\$4103 \$4403	N/A	\$1255
			_						
Media Table - Rectangular, Slim Base		with single hinged doc						•	
	easy to assemble, 3	at the top of the end p 3 cartons.	anel for wire pass	through. Up	otional 3" radi	us corner	s, upcharge	applies. S	hipped
	ZS6060RMIL	60 x 60 x 30.1	70	328	17.49	N/A	\$4368	N/A	\$982
	ZS6072RMIL ZS6084RMIL	60 x 72 x 30.1	70 70	363 403	19.22 20.96	N/A N/A	\$4677 \$4984	N/A N/A	\$1179 \$1376
	ZS6096RMIL	60 x 84 x 30.1 60 x 96 x 30.1	70	438	20.96	N/A N/A	\$4984 \$5276	N/A N/A	\$1376 \$1571
edia Table - Rectangular, Slim Base	Includes one base	vith two hinged doors		nd wire conc	ealment runn				
		of the end panel for v						•	
MEDIA TABLES, SLIM BASE - 36"H	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	70 10000011111	10 00 00 5		070			****		1
	ZS4860DMIM	48 x 60 x 36.5	70	278	14.49	N/A	\$4339	N/A	\$788
	ZS4872DMIM	48 x 72 x 36.5	70	308	15.72	N/A	\$4625	N/A	\$943
	ZS4884DMIM ZS4896DMIM	48 x 84 x 36.5 48 x 96 x 36.5	250 70	336 357	90.39 18.47	N/A N/A	\$4893 \$5166	N/A N/A	\$1101 \$1255
ledia Table - D Island, Slim Base - 36"H		with single hinged doc at the top of the end p							nel.
ledia Table - D Island, Slim Base - 36"H	Grommet centered	at the top of the end p	anel for wire pass	through. Sh	ipped easy to	assembl	e, 3 cartons.		
ledia Table - D Island, Slim Base - 36"H	Grommet centered ZS6060DMIM	at the top of the end p	anel for wire pass 70	through. Sh	ipped easy to 19.46	assembl N/A	e, 3 cartons. \$5128	N/A	\$982
ledia Table - D Island, Slim Base - 36″H	ZS6060DMIM ZS6072DMIM	60 x 60 x 36.5 60 x 72 x 36.5	anel for wire pass 70 70	338 373	19.46 20.96	N/A N/A	e, 3 cartons. \$5128 \$5460	N/A N/A	\$982 \$1179
fledia Table - D Island, Slim Base - 36"H	Grommet centered ZS6060DMIM	at the top of the end p	anel for wire pass 70	through. Sh	ipped easy to 19.46	assembl N/A	e, 3 cartons. \$5128	N/A	\$982
	ZS6060DMIM ZS6072DMIM ZS6084DMIM ZS6096DMIM	60 x 60 x 36.5 60 x 72 x 36.5 60 x 84 x 36.5 60 x 96 x 36.5	70 70 70 70 70 70	338 373 412 448	19.46 20.96 22.72 24.46	N/A N/A N/A N/A	\$5128 \$5460 \$5800 \$6119	N/A N/A N/A	\$982 \$1179 \$1376 \$1571
	ZS6060DMIM ZS6072DMIM ZS6084DMIM ZS6096DMIM	60 x 60 x 36.5 60 x 72 x 36.5 60 x 84 x 36.5	70 70 70 70 70 70 70	338 373 412 448	19.46 20.96 22.72 24.46	N/A N/A N/A N/A	\$5128 \$5460 \$5800 \$6119	N/A N/A N/A	\$982 \$1179 \$1376 \$1571
	ZS6060DMIM ZS6072DMIM ZS6084DMIM ZS6096DMIM	60 x 60 x 36.5 60 x 72 x 36.5 60 x 84 x 36.5 60 x 96 x 36.5	70 70 70 70 70 70 70	338 373 412 448	19.46 20.96 22.72 24.46	N/A N/A N/A N/A	\$5128 \$5460 \$5800 \$6119	N/A N/A N/A	\$982 \$1179 \$1376 \$1571
	ZS6060DMIM ZS6072DMIM ZS6084DMIM ZS6096DMIM Includes one base value of the top	60 x 60 x 36.5 60 x 72 x 36.5 60 x 72 x 36.5 60 x 84 x 36.5 60 x 96 x 36.5 with two hinged doors of the end panel for v 60 x 60 x 36.5 60 x 72 x 36.5	70 70 70 70 70 70 for wire access an vire pass through. \$	338 373 412 448 and wire conc Shipped eas	19.46 20.96 22.72 24.46 ealment runn y to assemble 16.74 18.47	N/A N/A N/A N/A N/A N/A N/A N/A N/A	\$5128 \$5460 \$5800 \$6119 een base and as.	N/A N/A N/A N/A d end pane	\$982 \$1179 \$1376 \$1571 el. Grommet
	ZS6060DMIM ZS6072DMIM ZS6084DMIM ZS6096DMIM  Includes one base v centered at the top  ZS6060WMIM ZS6072WMIM ZS6072WMIM ZS6084WMIM	60 x 60 x 36.5 60 x 72 x 36.5 60 x 72 x 36.5 60 x 84 x 36.5 60 x 96 x 36.5 with two hinged doors of the end panel for v 60 x 60 x 36.5 60 x 72 x 36.5 60 x 72 x 36.5 60 x 84 x 36.5	70 70 70 70 70 70 for wire access an vire pass through. \$	338 373 412 448 and wire conc Shipped eas 318 350 386	19.46 20.96 22.72 24.46 ealment runn y to assemble 16.74 18.47 20.21	N/A N/A N/A N/A ers betwee, 3 cartor	\$5128 \$5460 \$5800 \$6119 een base and as.	N/A N/A N/A N/A d end pane	\$982 \$1179 \$1376 \$1571 el. Grommet \$982 \$1179 \$1376
	ZS6060DMIM ZS6072DMIM ZS6084DMIM ZS6096DMIM Includes one base value of the top	60 x 60 x 36.5 60 x 72 x 36.5 60 x 72 x 36.5 60 x 84 x 36.5 60 x 96 x 36.5 with two hinged doors of the end panel for v 60 x 60 x 36.5 60 x 72 x 36.5	70 70 70 70 70 70 for wire access an vire pass through. \$	338 373 412 448 and wire conc Shipped eas	19.46 20.96 22.72 24.46 ealment runn y to assemble 16.74 18.47	N/A N/A N/A N/A N/A N/A N/A N/A N/A	\$5128 \$5460 \$5800 \$6119 een base and as.	N/A N/A N/A N/A d end pane	\$982 \$1179 \$1376 \$1571 el. Grommet
Media Table - D Island, Slim Base - 36"H	ZS6060DMIM ZS6072DMIM ZS6084DMIM ZS6096DMIM  Includes one base v centered at the top  ZS6060WMIM ZS6072WMIM ZS6072WMIM ZS6096WMIM Includes one base v	60 x 60 x 36.5 60 x 72 x 36.5 60 x 72 x 36.5 60 x 84 x 36.5 60 x 96 x 36.5 with two hinged doors of the end panel for v 60 x 60 x 36.5 60 x 72 x 36.5 60 x 96 x 36.5	70 70 70 70 70 for wire access an vire pass through. \$ 70 70 70 70 70 70 70 70 70 70	338 373 412 448 and wire conc Shipped eas 318 350 386 419	19.46 20.96 22.72 24.46 ealment runn y to assemble 16.74 18.47 20.21 21.71	N/A N/A N/A N/A ers betwee, 3 carton N/A N/A N/A N/A N/A N/A N/A	\$5128 \$5460 \$5800 \$6119 een base and ss. \$5128 \$5460 \$5800 \$6119	N/A N/A N/A d end pane N/A N/A N/A N/A	\$982 \$1179 \$1376 \$1571 el. Grommet \$982 \$1179 \$1376 \$1571
Media Table - D Island, Slim Base - 36"H	ZS6060DMIM ZS6072DMIM ZS6084DMIM ZS6096DMIM  Includes one base v centered at the top  ZS6060WMIM ZS6072WMIM ZS6072WMIM ZS6096WMIM Includes one base v Grommet centered	60 x 60 x 36.5 60 x 72 x 36.5 60 x 72 x 36.5 60 x 84 x 36.5 60 x 96 x 36.5 with two hinged doors of the end panel for v 60 x 60 x 36.5 60 x 72 x 36.5 60 x 96 x 36.5 with single hinged doors of the end panel for v	70 70 70 70 70 for wire access an vire pass through. \$ 70 70 70 70 70 70 70 70 70 70	338 373 412 448 and wire conc Shipped eas 318 350 386 419	19.46 20.96 22.72 24.46 ealment runn y to assemble 16.74 18.47 20.21 21.71	N/A N/A N/A N/A ers betwee, 3 carton N/A N/A N/A N/A N/A N/A N/A	\$5128 \$5460 \$5800 \$6119 een base and ss. \$5128 \$5460 \$5800 \$6119	N/A N/A N/A d end pane N/A N/A N/A N/A	\$982 \$1179 \$1376 \$1571 el. Grommet \$982 \$1179 \$1376 \$1571
Media Table - D Island, Slim Base - 36"H	ZS6060DMIM ZS6072DMIM ZS6084DMIM ZS6096DMIM  Includes one base v centered at the top  ZS6060WMIM ZS6072WMIM ZS6072WMIM ZS6096WMIM Includes one base v	60 x 60 x 36.5 60 x 72 x 36.5 60 x 72 x 36.5 60 x 84 x 36.5 60 x 96 x 36.5 with two hinged doors of the end panel for v 60 x 60 x 36.5 60 x 72 x 36.5 60 x 96 x 36.5 with single hinged doors of the end panel for v	70 70 70 70 70 for wire access an vire pass through. \$ 70 70 70 70 70 70 70 70 70 70	338 373 412 448 and wire conc Shipped eas 318 350 386 419	19.46 20.96 22.72 24.46 ealment runn y to assemble 16.74 18.47 20.21 21.71	N/A N/A N/A N/A ers betwee, 3 carton N/A N/A N/A N/A N/A N/A N/A	\$5128 \$5460 \$5800 \$6119 een base and ss. \$5128 \$5460 \$5800 \$6119	N/A N/A N/A d end pane N/A N/A N/A N/A	\$982 \$1179 \$1376 \$1571 el. Grommet \$982 \$1179 \$1376 \$1571
Media Table - D Island, Slim Base - 36"H  Media Table - D Island, Slim Base - 36"H	ZS6060DMIM ZS6072DMIM ZS6084DMIM ZS6096DMIM  Includes one base v centered at the top  ZS6060WMIM ZS6072WMIM ZS6072WMIM ZS6096WMIM Includes one base v Grommet centered	60 x 60 x 36.5 60 x 72 x 36.5 60 x 72 x 36.5 60 x 84 x 36.5 60 x 96 x 36.5 with two hinged doors of the end panel for v 60 x 60 x 36.5 60 x 72 x 36.5 60 x 96 x 36.5 with single hinged doors of the end panel for v	70 70 70 70 70 for wire access an vire pass through. \$ 70 70 70 70 70 70 70 70 70 70	338 373 412 448 and wire conc Shipped eas 318 350 386 419	19.46 20.96 22.72 24.46 ealment runn y to assemble 16.74 18.47 20.21 21.71	N/A N/A N/A N/A ers betwee, 3 carton N/A N/A N/A N/A N/A N/A N/A	\$5128 \$5460 \$5800 \$6119 een base and ss. \$5128 \$5460 \$5800 \$6119	N/A N/A N/A d end pane N/A N/A N/A N/A	\$982 \$1179 \$1376 \$1571 el. Grommet \$982 \$1179 \$1376 \$1571
Media Table - D Island, Slim Base - 36"H	ZS6060DMIM ZS6072DMIM ZS6094DMIM ZS6096DMIM  Includes one base v centered at the top  ZS6060WMIM ZS6072WMIM ZS6096WMIM ZS6096WMIM  Includes one base v Grommet centered easy to assemble, 3	60 x 60 x 36.5 60 x 72 x 36.5 60 x 72 x 36.5 60 x 96 x 36.5 60 x 96 x 36.5 with two hinged doors of the end panel for v 60 x 60 x 36.5 60 x 72 x 36.5 60 x 96 x 36.5 60 x 96 x 36.5	70 70 70 70 70 70 for wire access an vire pass through. \$ 70 70 70 70 70 70 70 70 70 70 70 70 70	338 373 412 448 and wire conc Shipped eas 318 350 386 419	19.46 20.96 22.72 24.46 ealment runn y to assemble 16.74 18.47 20.21 21.71	N/A N/A N/A N/A ers betwee, 3 carton N/A N/A N/A N/A N/A N/A N/A	\$5128 \$5460 \$5800 \$6119 een base and as. \$5128 \$5460 \$5800 \$6119	N/A N/A N/A d end pane N/A N/A N/A N/A	\$982 \$1179 \$1376 \$1571 el. Grommet \$982 \$1179 \$1376 \$1571
Media Table - D Island, Slim Base - 36"H	ZS6060DMIM ZS6072DMIM ZS6096DMIM ZS6096DMIM  Includes one base v centered at the top  ZS6060WMIM ZS6072WMIM ZS6072WMIM ZS6096WMIM  Includes one base v Grommet centered easy to assemble, 3	60 x 60 x 36.5 60 x 72 x 36.5 60 x 72 x 36.5 60 x 96 x 36.5 60 x 96 x 36.5 with two hinged doors of the end panel for v 60 x 60 x 36.5 60 x 72 x 36.5 60 x 96 x 36.5 60 x 96 x 36.5	70 70 70 70 70 70 70 70 70 70 70 70 70 7	338 373 412 448 ad wire conc Shipped eas 318 350 386 419 and wire con through. Op	19.46 20.96 22.72 24.46 ealment runn y to assemble 16.74 18.47 20.21 21.71	N/A	\$5128 \$5460 \$5800 \$6119 een base and as. \$5128 \$5460 \$5800 \$6119	N/A N/A N/A d end pane N/A N/A N/A N/A	\$982 \$1179 \$1376 \$1571 el. Grommet \$982 \$1179 \$1376 \$1571
ledia Table - D Island, Slim Base - 36"H	ZS6060DMIM ZS6072DMIM ZS6094DMIM ZS6096DMIM  Includes one base v centered at the top  ZS6060WMIM ZS6072WMIM ZS6096WMIM ZS6096WMIM  Includes one base v Grommet centered easy to assemble, 3	60 x 60 x 36.5 60 x 72 x 36.5 60 x 72 x 36.5 60 x 96 x 36.5 60 x 96 x 36.5 with two hinged doors of the end panel for v 60 x 60 x 36.5 60 x 72 x 36.5 60 x 96 x 36.5 60 x 96 x 36.5	70 70 70 70 70 70 for wire access an vire pass through. \$ 70 70 70 70 70 70 70 70 70 70 70 70 70	338 373 412 448 ad wire conc Shipped eas 318 350 386 419 and wire con through. Op	19.46 20.96 22.72 24.46 ealment runn y to assemble 16.74 18.47 20.21 21.71	N/A	\$5128 \$5460 \$5800 \$6119 een base and as. \$5128 \$5460 \$5800 \$6119	N/A N/A N/A d end pane N/A N/A N/A N/A	\$982 \$1179 \$1376 \$1571 el. Grommet \$982 \$1179 \$1376 \$1571

MEDIA TABLES, SLIM BASE - 36"H	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADI	HP AD
	70 4000 01 41 4	D x W x H (1.5" TOP)		200		N1/4	*		4
	ZS4860RMIM	48 x 60 x 36.5	70	288	14.49	N/A	\$3985	N/A	\$788
	ZS4872RMIM ZS4884RMIM	48 x 72 x 36.5	70	318	15.72	N/A	\$4247	N/A	\$943
	ZS4896RMIM	48 x 84 x 36.5 48 x 96 x 36.5	70 70	347 367	17.22 18.47	N/A N/A	\$4493 \$4742	N/A N/A	\$1101 \$1255
	20 1000111111111	10 X 00 X 00.0	, 0	007	10.17	14/7	<b>VIII</b>	14/7	Ç IZO
edia Table - Rectangular, im Base - 36″H		with single hinged door at the top of the end pa						•	
	easy to assemble, 3			anough op			-, -pg-		
	ZS6060RMIM	60 x 60 x 36.5	70	354	16.74	N/A	\$4704	N/A	\$982
	ZS6072RMIM	60 x 72 x 36.5	70	389	18.47	N/A	\$5004	N/A	\$1179
	ZS6084RMIM	60 x 84 x 36.5	70	428	20.21	N/A	\$5315	N/A	\$137
	ZS6096RMIM	60 x 96 x 36.5	70	464	21.71	N/A	\$5609	N/A	\$157
edia Table - Rectangular, im Base - 36″H		with two hinged doors at the top of the end pa							
	easy to assemble, 3			W##.P0		4//700	4 - "	0.435.40	
EDIA TABLES, SLIM BASE - 42"H	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADI	J HP AD
	ZS4860DMIH	48 x 60 x 42.5	70	297	15.48	N/A	\$4612	N/A	\$788
	ZS4872DMIH	48 x 72 x 42.5	70	326	16.98	N/A	\$4898	N/A	\$943
	ZS4884DMIH	48 x 84 x 42.5	70	355	18.23	N/A	\$5174	N/A	\$110
	ZS4896DMIH	48 x 96 x 42.5	70	376	19.73	N/A	\$5440	N/A	\$125
edia Table - D Island, Slim Base - 42″H		with single hinged door at the top of the end pa							nel.
	ZS6060DMIH	60 x 60 x 42.5	70	362	20.96	N/A	\$5399	N/A	\$982
	ZS6072DMIH	60 x 72 x 42.5	70	397	22.72	N/A	\$5733	N/A	\$117
	ZS6084DMIH ZS6096DMIH	60 x 84 x 42.5 60 x 96 x 42.5	70 70	436 472	24.46 25.96	N/A N/A	\$6080 \$6392	N/A N/A	\$137 \$157
edia Table - D Island, Slim Base - 42″H		with two hinged doors of the end panel for w						d end pane	el. Gron
	ZS6060WMIH	60 x 60 x 42.5	70	339	17.96	N/A	\$5399	N/A	\$982
	ZS6072WMIH	60 x 72 x 42.5	70	371	19.73	N/A	\$5733	N/A	\$117
	ZS6084WMIH ZS6096WMIH	60 x 84 x 42.5 60 x 96 x 42.5	70 70	407 440	21.47 22.96	N/A N/A	\$6080 \$6392	N/A N/A	\$137 \$157
edia Table - Wedge, Slim Base - 42″H		with single hinged door at the top of the end page 3 cartons.							
	Required Specificat	tions	Optional Specifi	ications	_	Acces	sories		_

IEDIA TABLES, SLIM BASE - 42"H	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADI
	ZS4860RMIH	D x W x H (1.5" TOP) 48 x 60 x 42.5	70	307	15.48	N/A	\$4239	N/A	\$788
	ZS4872RMIH	48 x 72 x 42.5	70	337	16.98	N/A	\$4500	N/A	\$943
	ZS4884RMIH	48 x 84 x 42.5	70	365	18.23	N/A	\$4747	N/A	\$1101
	ZS4896RMIH	48 x 96 x 42.5	70	386	19.73	N/A	\$4991	N/A	\$1255
edia Table - Rectangular,	Includes one base	with single hinged doo	or for wire access a	and wire con	cealment run	ners betw	een base a	nd end par	nel.
im Base - 42"H	Grommet centered	at the top of the end p	panel for wire pass	through. Op	tional 3" rad	ius corners	s, upcharge	applies. S	hipped
	easy to assemble,		·						
	ZS6060RMIH	60 x 60 x 42.5	70	378	20.96	N/A	\$4957	N/A	\$982
	ZS6072RMIH	60 x 72 x 42.5	70	413	22.72	N/A	\$5257	N/A	\$1179
	ZS0U/ZNIVIIN	00 X /2 X 42.5	, ,						
	ZS6084RMIH	60 x 84 x 42.5	70	452	24.46	N/A	\$5571	N/A	
•	ZS6084RMIH ZS6096RMIH Includes one base		70 70 for wire access ar	452 488 and wire conc	24.46 25.96 ealment runn	N/A N/A ers betwe	\$5571 \$5856 een base an	N/A N/A d end pane	
edia Table - Rectangular, im Base - 42″H	ZS6084RMIH ZS6096RMIH Includes one base	60 x 84 x 42.5 60 x 96 x 42.5 with two hinged doors at the top of the end p	70 70 for wire access ar	452 488 and wire conc	24.46 25.96 ealment runn	N/A N/A ers betwe	\$5571 \$5856 een base an	N/A N/A d end pane	<b>\$1571</b> el.
•	ZS6084RMIH ZS6096RMIH Includes one base Grommet centered easy to assemble,	60 x 84 x 42.5 60 x 96 x 42.5 with two hinged doors at the top of the end p 3 cartons.	70 70 for wire access ar panel for wire pass	452 488 and wire conc through. Op	24.46 25.96 ealment runn tional 3" rad	N/A N/A ers betwe	\$5571 \$5856 een base an	N/A N/A d end pane	<b>\$1571</b> el.
•	ZS6084RMIH ZS6096RMIH Includes one base Grommet centered	60 x 84 x 42.5 60 x 96 x 42.5 with two hinged doors at the top of the end p	70 70 for wire access ar panel for wire pass	452 488 and wire conc	24.46 25.96 ealment runn	N/A N/A ers betwe	\$5571 \$5856 een base an	N/A N/A d end pane	<b>\$1571</b> el.

Required Specifications
Top finish
Top/edge detail
Base finish
Base trim finish

Optional Specifications
HP laminate
Additional grommet

Accessories Power block

					ZI	RA™l	BOAI	RDR	100
COLLABORATIVE TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
^	Z367229BT	<b>D x W x H (1.5" TOP)</b> 36 x 72 x 30	70	237	12.93	N/A	\$1961	N/A	\$709
	Z368429BT	36 x 84 x 30	70	237	14.70	N/A	\$2280	N/A	\$828
	Z369629BT	36 x 96 x 30	70	289	16.44	N/A	\$2472	N/A	\$943
Collaborative Table - 29″H	Collaborative tab	ole with full end panels.	Wire managemen	t runners spa	an the length	of the tab	le between	end panels	. Shipped
	Z487229BT	48 x 72 x 30	70	302	13.95	N/A	\$2464	N/A	\$943
	Z488429BT	48 x 84 x 30	70	335	15.69	N/A	\$2654	N/A	\$1101
	Z489629BT	48 x 96 x 30	70	360	17.43	N/A	\$2868	N/A	\$1255
Collaborative Table - 29"H	Collaborative tab	ole with full end panels.	Wire managemen	t runners spa	an the length	of the tab	le between	end panels	: Shipped
	Z367236BT	36 x 72 x 36.5	70	249	13.20	N/A	\$2034	N/A	\$709
	Z368436BT	36 x 84 x 36.5	70	275	14.94	N/A	\$2360	N/A	\$828
	Z369636BT	36 x 96 x 36.5	70	301	16.68	N/A	\$2549	N/A	\$943
Collaborative Table - 36"H	Collaborative tab	ole with full end panels.	Wire managemen	t runners spa	an the length	of the tab	le between	end panels	. Shipped
	Z487236BT	48 x 72 x 36.5	70	319	14.43	N/A	\$2555	N/A	\$943
	Z488436BT	48 x 84 x 36.5	70	351	16.20	N/A	\$2752	N/A	\$1101
	Z489636BT	48 x 96 x 36.5	70	376	17.93	N/A	\$2966	N/A	\$1255
Collaborative Table - 36"H	Collaborative tal	ole with full end panels.	Wire managemen	t runners spa	an the length	of the tab	le between	end panels	. Shipped
	Z367242BT	36 x 72 x 42.5	70	283	14.19	N/A	\$2276	N/A	\$709
	Z368442BT	36 x 84 x 42.5	70	312	15.93	N/A	\$2627	N/A	\$828
	Z369642BT	36 x 96 x 42.5	70	342	17.93	N/A	\$2842	N/A	\$943
Collaborative Table - 42″H	Collaborative tab in 3 cartons.	ole with full end panels.	Wire managemen	t runners spa	an the length	of the tab	le between	end panels	. Shippe
	Z487242BT	48 x 72 x 42.5	65	356	15.45	N/A	\$2816	N/A	\$943
	Z488442BT	48 x 84 x 42.5	70	392	17.43	N/A	\$3032	N/A	\$1101
	Z489642BT	48 x 96 x 42.5	70	421	19.19	N/A	\$3279	N/A	\$1255



Collaborative Table - 42"H

Required Specifications
Top finish
Top/edge detail
Base finish
Base trim finish

in 3 cartons.

Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped



**Multimedia Cart\*** 



Lectern



Serving Cart with Doors\*\*



Serving Cart\*



**Buffet Cart\*** 



Visual Board\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H (1.5" TOP)							
Z2822MCE	22.25 x 28 x 29.5	125	86	13.50	\$928	\$1001	N/A	\$184

Multimedia cart features one non-locking hinged door on the back. Includes 3 fixed shelves, 1 grommet on top and 1 grommet in bottom panel for wire pass thru. 4 locking casters included.

Z2444LEC	18 x 24 x 44.3	150	100	17	\$902	\$962	N/A	\$184

Features angled stand and storage with 2 fixed shelves. 2 locking casters included.

Z361836KD	18 x 36 x 36	125	150	20	\$1885	N/A	\$453	N/A
Z361829KD	18 x 36 x 29	125	113	16	\$1595	N/A	\$382	N/A

Cart features 2 doors with lock and 1 fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray. Unique push handles are standard on both sides of the cart. 4 locking casters included.

Z361836KO	18 x 36 x 36	125	121	20	\$2045	N/A	N/A	N/A
Z361829KO	18 x 36 x 29	125	108	16	\$1710	N/A	N/A	N/A

Cart features 1 fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray. Decorative aluminum trim is standard on the lip of each shelf. Unique push handles are standard on both sides of the cart. 4 locking casters included.

Z261836BK	18 x 26 x 36	150	79	15	\$1944	N/A	N/A	\$184

Cart features 1 fixed shelf. Top is recessed within side and end panels to act as a tray. Unique push handles are standard. Decorative aluminum trim is standard on the lip of each shelf. Locking casters included. Height aligns with 36" buffets.


Z361872VB	18 x 36 x 72.4	100	187	19.25	\$2954	N/A	N/A	N/A
-----------	----------------	-----	-----	-------	--------	-----	-----	-----

Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are standard. Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buffets. Shipped RTA (ready to assemble).

• Wallmounted Visual Boards are available in Desk Accessories section.

Required S	pecifications
Top finish	Push bar finish*
Base finish	Handles
Top/edge de	tail*
Rase trim fin	ish (not 73618vvKD)

Optional Specifications
HP laminate
Glazed door (only Z3618xxKD)
Key #\*\*



**ACCESSORIES** 




**Buffet with Doors\*\*** 



**Buffet with Doors\*\*** 



**Buffet Credenza\*\*** 



**Buffet Credenza\*\*** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD HP AD	D
	D x W x H (1.5" TOP)							
Z481836B0	18 x 48 x 36	125	152.50	22.50	\$1799	N/A	N/A <b>\$246</b>	j
Z481829BO	18 x 48 x 29	125	135	18	\$1659	N/A	N/A <b>\$246</b>	j
Z361836BO	18 x 36 x 36	125	126	18	\$1483	N/A	N/A \$184	ļ
Z361829B0	18 x 36 x 29	100	112	14	\$1365	N/A	N/A \$184	ļ

Buffet features 1 fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray. Decorative aluminum trim is standard on the lip of each shelf.

Z481836BD	18 x 48 x 36	125	171	22.50	\$1872	N/A	\$398	\$246
Z481829BD	18 x 48 x 29	100	148	18	\$1672	N/A	\$454	\$246
Z361836BD	18 x 36 x 36	125	138.50	18	\$1664	N/A	\$453	\$184
Z361829BD	18 x 36 x 29	100	119	14	\$1399	N/A	\$382	\$184

Buffet features 2 doors with lock and 1 fixed height adjustable shelf. Top is recessed within side and end panels to act as a

Z721836BU	18 x 72 x 36	125	242	33.50	\$2769	N/A	\$548	\$366
Z721829BU	18 x 72 x 29	125	211	27	\$2503	N/A	\$453	\$453
Z601836BU	18 x 60 x 36	125	188	28	\$2487	N/A	\$453	\$305
Z601829BU	18 x 60 x 29	125	163	22.50	\$2278	N/A	\$382	\$305

Buffet features 3 separate compartments. The two outer compartments come standard with locking doors and each features 1 fixed height adjustable shelf. The center compartment is open with 1 fixed height adjustable shelf. Decorative aluminum trim is standard on the lip of the open shelf. Top is recessed within side and end panels to act as a tray.

Z482036BD	20 x 48 x 36	100	199	24.70	\$2209	\$2338	\$953	\$415

Buffet credenza with one locking storage compartment with two doors. Hinged doors cover one three-position height adjustable shelf. Two 6" drawers above storage compartment are non-locking.

Z722036BD	20 x 72 x 36	125	265	36.50	\$3203	\$3360	\$1902	\$668
Z602036BD	20 x 60 x 36	125	228	30.75	\$2777	\$2919	\$1747	\$542

Buffet credenza with two locking storage compartments side by side. Hinged doors cover 1 three-position height adjustable shelf. Two 6" drawers above storage compartment are non-locking.

**Required Specifications** 

Top finish Top/edge detail\* Base finish

Handles

Aluminum trim finish (only ZxxxxxBO/BU)

**Optional Specifications** 

HP laminate Glazed door\*\* Key #\*\*

# Interconnecting Cables - Common Cable Lengths (in inches)

Female/Female	42FF-86\$188	42FM-41\$139
42FF-27\$116	42FF-97\$216	42FM-50\$151
42FF-38\$129	42FF-98\$216	42FM-63\$167
42FF-41\$133	42FF-100\$205	42FM-75\$181
42FF-50\$145	42FF-110\$219	42FM-82\$190
42FF-53\$149		42FM-86\$195
42FF-63\$159	Female/Male	42FM-97\$216
42FF-75\$175	42FM-12\$104	42FM-98\$216
42FF-76\$176	42FM-27\$121	42FM-100\$230
42FF-82\$184	42FM-38\$134	42FM-110\$230

# VILLA DAISYLINK OR OASIS MINI CABLE LENGTHS NEEDED FOR DAISY-CHAINING

Model #	Villa DaisyLink, Oasis Mini USB Oasis Mini A Oasis Mini B	Villa DaisyLink, Oasis Mini USB Oasis Mini A Oasis Mini B	Oasis Mini USB Oasis Mini A	Oasis Mini USB Oasis Mini A	Villa DaisyLink or Oasis Mini B	Villa DaisyLink or Oasis Mini B
<b>Cutout Positions</b>	V1, V3, M1, M3	V1, V3, M1, M3	M1, M2 & M3	M1, M2 & M3	V1, V2, V3, M1, M2, M3	V1, V2, V3, M1, M2, M3
Infeed Position	Left or Right	Center	Left or Right	Center	Left or Right	Center
Reference	Drawing 1A/1B	Drawing 2A/2B	Drawing 3	Drawing 4	Drawing 5	Drawing 6
Z4896BE Z4896RTE Z4896REE Z4896BW	(1) 42FF-53 SPECIFY INFEED	(1) 42FF-27 (1) 42FM-27 (1) DAISY-T SPECIFY INFEED	N/A	N/A	N/A	N/A
Z48120BE Z48120RTE Z48120REE Z48120BW	(1) 42FF-76 SPECIFY INFEED	(1) 42FF-38 (1) 42FM-38 (1) DAISY-T SPECIFY INFEED	(3) 42FF-41 SPECIFY INFEED	(3) 42FF-41 SPECIFY INFEED	(2) 42FF-41 SPECIFY INFEED	(2) 42FF-41 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48144BE Z48144RTE Z48144REE Z48144BW	(1) 42FF-100 SPECIFY INFEED	(1) 42FF-50 (1) 42FM-50 (1) DAISY-T SPECIFY INFEED	(3) 42FF-53 SPECIFY INFEED	(3) 42FF-53 SPECIFY INFEED	(2) 42FF-53 SPECIFY INFEED	(2) 42FF-53 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48168BE Z48168RTE Z48168REE Z48168BW	(1) 42FF-63 (1) 42FM-63 SPECIFY INFEED	1) 42FF-63 (1) 42FM-63 (1) DAISY-T SPECIFY INFEED	(3) 42FF-65 SPECIFY INFEED	(3) 42FF-65 SPECIFY INFEED	(2) 42FF-65 SPECIFY INFEED	(2) 42FF-65 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48192BE Z48192RTE Z48192REE Z48192BW	(1) 42FF-75 (1) 42FM-75 SPECIFY INFEED	1) 42FF-75 (1) 42FM-75 (1) DAISY-T SPECIFY INFEED	(3) 42FF-77 SPECIFY INFEED	(3) 42FF-77 SPECIFY INFEED	(2) 42FF-77 SPECIFY INFEED	(2) 42FF-77 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48216BE Z48216RTE Z48216REE Z48216BW	(1) 42FF-86 (1) 42FM-86 SPECIFY INFEED	1) 42FF-85 (1) 42FM-85 (1) DAISY-T SPECIFY INFEED	(3) 42FF-89 SPECIFY INFEED	(3) 42FF-89 SPECIFY INFEED	(2) 42FF-89 SPECIFY INFEED	(2) 42FF-89 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48240BE Z48240RTE Z48240REE Z48240BW	(1) 42FF-98 (1) 42FM-98 SPECIFY INFEED	1) 42FF-97 (1) 42FM-97 (1) DAISY-T SPECIFY INFEED	(3) 42FF-101 SPECIFY INFEED	(3) 42FF-101 SPECIFY INFEED	(2) 42FF-101 SPECIFY INFEED	(2) 42FF-101 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48264BE Z48264RTE Z48264REE Z48264BW	(1) 42FF-110 (1) 42FM-110 SPECIFY INFEED	(1) 42FF-110 (1) 42FM-110 (1) DAISY-T SPECIFY INFEED	(3) 42FF-113 SPECIFY INFEED	(3) 42FF-113 SPECIFY INFEED	(2) 42FF-113 SPECIFY INFEED	(2) 42FF-113 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48288BE Z48288RTE Z48288REE Z48288BW	(1) 42FF-82 (2) 42FM-82 SPECIFY INFEED	(2) 42FF-41 (2) 42FM-41 (1) DAISY-T SPECIFY INFEED	(3) 42FF-63 (3) 42FM-63 SPECIFY INFEED	(3) 42FF-63 (3) 42FM-63 SPECIFY INFEED	(2) 42FF-63 (2) 42FM-63 SPECIFY INFEED	(2) 42FF-63 (2) 42FM-63 (1) DAISY-T SPECIFY INFEED

#### **RECEPTION DESKS AND RETURNS**

- Offered with Straight and Bow front
- Transactional tops available in 1" or 1 ½" thick top with a variety of edge details
- Worksurface available in 1" thickness with A3 edge only


#### **TOP AND BASE FINISHES**

OI AILD DAGE I IILIOIIEG			
ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

# **Reception Desks:**








# **Reception Returns:**







# TRANSACTION TOP THICKNESS/EDGE DETAIL





A3 1" top, standard

AR 1" top, bicut edge







C3 1.5" top, standard

CR 1.5" top, bicut edge

CF 1.5" top, fluted edge

# **GLAZING (Center Panels)**





**Z1** frosted glazing, Tungsten (TUN) frame **Z2** frosted glazing, Black (BLK) frame




**GROMMETS - RECEPTION DESKS ONLY** 



Z3 ribbed glazing, Tungsten (TUN) frame Z4 ribbed glazing, Black (BLK) frame

# • Two grommets are standard in position AG1 and AG3

- · Standard grommets can be removed at an upcharge
- Optional grommets available in AG2







• Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.

# **POWER BLOCK**

- A Power Block (model **PMSPDM**) may be ordered on transaction tops.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9 foot black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330. Power Blocks are available in standard worksurface locations (left, center or right). Order as E1, E2 or E3. Add \$96.






Power Block PMSPDM Add \$330

Specify location E1, E2 or E3 Add \$96

# **TASK LIGHT**

- Illuminates worksurface and optional glazed center panel
- Specify LED task light separately. Use PLED50 for 60", 66" and 72" wide reception units. Use PLED50 or PLED100 for 84" and 96" wide units. See page 468 for details.



# **RECEPTION RETURNS - PIGEON**

- Available in all laminates
- Worskurface available in 1" thickness with A3 edge only
- Collator shelves offered in Black (BLK) or Brushed Cobalt (BRC)
- One grommet is standard in position AG3
- Standard grommet can be removed at an upcharge
- Optional grommet available in position AG2, see upcharges above
- Power blocks are available in positions E2 and E3








# **RECEPTION RETURNS - BOOKCASE**


- · Available in all laminates listed above
- · Worksurface available in 1" thickness with A3 edge only
- One grommet is standard in position AG2
- · Standard grommet can be removed at an upcharge
- Optional grommet available in position AG3 for 54", 60" and 72" wide units only
- Power blocks are available in positions E2 and E3 for 54", 60" and 72" wide units only



MODEL#	DIMENSIONS	FREIG	HT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH								
Z3096RDS	35.5 x 96 x 42.8-4	3.3	70	385	23.23	\$3581	\$3782	\$749	\$847
Z3084RDS	35.5 x 89.4 x 42.	8-43.3	70	351	20.48	\$3182	\$3363	\$646	\$741
Z3072RDS	35.5 x 77.4 x 42.	8-43.3	70	315	17.99	\$2935	\$3091	\$542	\$637
Z3066RDS	35.5 x 71.4 x 42.	8-43.3	70	298	16.98	\$2788	\$2939	\$490	\$585
Z3060RDS	35.5 x 65.4 x 42.	8-43.3	70	280	15.48	\$2657	\$2795	\$438	\$530
Z2496RDS	30 x 96 x 42.8-43	3.3	70	353	21.98	\$3375	\$3576	\$749	\$725
Z2484RDS	30 x 89.4 x 42.8-	43.3	70	320	19.49	\$3008	\$3189	\$646	\$637
Z2472RDS	30 x 77.4 x 42.8-	43.3	70	287	16.98	\$2770	\$2930	\$542	<b>\$</b> 546
Z2466RDS	30 x 71.4 x 42.8-	43.3	70	272	15.99	\$2625	\$2776	\$490	\$501
Z2460RDS	30 x 65.4 x 42.8-	43.3	70	256	15	\$2502	\$2640	\$438	\$454

**Z24xxRDS units are not freestanding; they must be connected to a return. Z30xxRDS** units can be specified as freestanding. Standard with two grommets. Accommodates shells of all depths. Shipped RTA (ready to assemble) in 3 cartons.

• Zxx96RDS units feature a 90"w worksurface



Z3096RDB	35.5 x 96 x 42.8-43.3	70	382	23.23	\$3581	\$3782	\$749	\$847
Z3084RDB	35.5 x 89.4 x 42.8-43.3	70	348	20.48	\$3182	\$3363	\$646	\$741
Z3072RDB	35.5 x 77.4 x 42.8-43.3	70	312	17.99	\$2935	\$3091	\$542	\$637
Z3066RDB	35.5 x 71.4 x 42.8-43.3	70	295	16.98	\$2788	\$2939	\$490	\$585
Z3060RDB	35.5 x 65.4 x 42.8-43.3	70	277	15.99	\$2657	\$2795	\$438	\$530
Z2496RDB	30 x 96 x 42.8-43.3	70	350	21.98	\$3375	\$3556	\$749	\$725
Z2484RDB	30 x 89.4 x 42.8-43.3	70	317	19.49	\$3008	\$3189	\$646	\$637
Z2472RDB	30 x 77.4 x 42.8-43.3	70	284	16.98	\$2770	\$2930	\$542	\$546
Z2466RDB	30 x 71.4 x 42.8-43.3	70	269	15.99	\$2625	\$2776	\$490	\$501
Z2460RDB	30 x 65.4 x 42.8-43.3	70	253	15	\$2502	\$2640	\$438	\$454

**Z24xxRDB** units are not freestanding; they must be connected to a return. **Z30xxRDB** units can be specified as freestanding. Standard with two grommets. Accommodates shells of all depths. Shipped RTA (ready to assemble) in 3 cartons.

• Zxx96RDB units feature a 90"w worksurface

Required Specifications
Top finish

Top finish Top/edge detail Base/surround finish Transaction top finish Optional Specifications
HP laminate

HP laminate Additional grommet Glazed center panel Accessories



HIGH RECEPTION RETURNS

**High Reception Return - LEFT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP AD	D
	DxWxH							
Z2472HRRL	25 x 75.7 x 39.8	70	151	8.2	\$1340	N/A	N/A <b>\$366</b>	
Z2460HRRL	25 x 63.7 x 39.8	70	131.2	7	\$1171	N/A	N/A <b>\$305</b>	
Z2454HRRL	25 x 57.7 x 39.8	70	120.9	5.75	\$1063	N/A	N/A <b>\$275</b>	
Z2448HRRL	25 x 51.7 x 39.8	70	110.9	5.25	\$987	N/A	N/A <b>\$246</b>	
Z2442HRRL	25 x 45.7 x 39.8	70	100.8	4.8	\$910	N/A	N/A <b>\$214</b>	
Z2436HRRL	25 x 39.7 x 39.8	70	90.7	4.3	\$832	N/A	N/A <b>\$184</b>	_

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2072HRRL	20.9 x 75.7 x 39.8	70	139	8.2	\$1181	N/A	N/A	\$305
Z2060HRRL	20.9 x 63.7 x 39.8	70	121	7	\$1030	N/A	N/A	\$256
Z2054HRRL	20.9 x 57.7 x 39.8	70	111	5.75	\$929	N/A	N/A	\$229
Z2048HRRL	20.9 x 51.7 x 39.8	70	102	5.25	\$863	N/A	N/A	\$206
Z2042HRRL	20.9 x 45.7 x 39.8	70	92	4.8	\$792	N/A	N/A	\$180
Z2036HRRL	20.9 x 39.7 x 39.8	70	83	4.3	\$722	N/A	N/A	\$156

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2472HRRR	25 x 75.7 x 39.8	70	151	8.2	\$1340	N/A	N/A	\$366
Z2460HRRR	25 x 63.7 x 39.8	70	131.2	7	\$1171	N/A	N/A	\$305
Z2454HRRR	25 x 57.7 x 39.8	70	120.9	5.75	\$1063	N/A	N/A	\$275
Z2448HRRR	25 x 51.7 x 39.8	70	110.9	5.25	\$987	N/A	N/A	\$246
Z2442HRRR	25 x 45.7 x 39.8	70	100.8	4.8	\$910	N/A	N/A	\$214
Z2436HRRR	25 x 39.7 x 39.8	70	90.7	4.3	\$832	N/A	N/A	\$184

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2072HRRR	20.9 x 75.7 x 39.8	70	139	8.2	\$1181	N/A	N/A	\$305
Z2060HRRR	20.9 x 63.7 x 39.8	70	121	7	\$1030	N/A	N/A	\$256
Z2054HRRR	20.9 x 57.7 x 39.8	70	111	5.75	\$929	N/A	N/A	\$229
Z2048HRRR	20.9 x 51.7 x 39.8	70	102	5.25	\$863	N/A	N/A	\$206
Z2042HRRR	20.9 x 45.7 x 39.8	70	92	4.8	\$792	N/A	N/A	\$180
Z2036HRRR	20.9 x 39.7 x 39.8	70	83	4.3	\$722	N/A	N/A	\$156

**Not freestanding, must be connected to a reception desk**. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.



**High Reception Return - LEFT** 



**High Reception Return - RIGHT** 




**High Reception Return - RIGHT** 

Required Specifications

Top finish Top/edge detail Base/surround finish **Optional Specifications** 

HP laminate Additional grommet Accessories

## **ZIRA™ RECEPTION**



LOW RECEPTION RETURNS

**Low Reception Return - LEFT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP ADD
	DxWxH						
Z2472LRRL	25 x 75.7 x 29.1	70	141	6.75	\$1302	N/A	N/A <b>\$366</b>
Z2460LRRL	25 x 63.7 x 29.1	70	122	5.75	\$1124	N/A	N/A <b>\$305</b>
Z2454LRRL	25 x 57.7 x 29.1	70	112.9	5.5	\$1029	N/A	N/A <b>\$275</b>
Z2448LRRL	25 x 51.7 x 29.1	70	103.4	5	\$954	N/A	N/A <b>\$246</b>
Z2442LRRL	25 x 45.7 x 29.1	70	94	4.5	\$877	N/A	N/A <b>\$214</b>
Z2436LRRL	25 x 39.7 x 29.1	70	84.3	4	\$799	N/A	N/A <b>\$184</b>

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2072LRRL	20.9 x 75.7 x 29.1	70	128.8	6.75	\$1145	N/A	N/A	\$305
Z2060LRRL	20.9 x 63.7 x 29.1	70	111.3	5.75	\$983	N/A	N/A	\$256
Z2054LRRL	20.9 x 57.7 x 29.1	70	102.8	5.5	\$900	N/A	N/A	\$229
Z2048LRRL	20.9 x 51.7 x 29.1	70	94.1	5	\$832	N/A	N/A	\$206
Z2042LRRL	20.9 x 45.7 x 29.1	70	85.3	4.5	\$763	N/A	N/A	\$180
Z2036LRRL	20.9 x 39.7 x 29.1	70	76.3	4	\$694	N/A	N/A	\$156

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of 20" depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2472LRRR	25 x 75.7 x 29.1	70	141	6.75	<b>\$1302</b>	I/A N/A	\$366
Z2460LRRR	25 x 63.7 x 29.1	70	122	5.75	<b>\$1124</b>	I/A N/A	\$305
Z2454LRRR	25 x 57.7 x 29.1	70	112.9	5.5	\$1029 N	I/A N/A	\$275
Z2448LRRR	25 x 51.7 x 29.1	70	103.4	5	<b>\$954</b>	I/A N/A	\$246
Z2442LRRR	25 x 45.7 x 29.1	70	94	4.5	<b>\$877</b>	I/A N/A	\$214
Z2436LRRR	25 x 39.7 x 29.1	70	84.3	4	<b>\$799</b> N	I/A N/A	\$184

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2072LRRR	20.9 x 75.7 x 29.1	70	128.8	6.75	\$1145	N/A	N/A	\$305
Z2060LRRR	20.9 x 63.7 x 29.1	70	111.3	5.75	\$983	N/A	N/A	\$256
Z2054LRRR	20.9 x 57.7 x 29.1	70	102.8	5.5	\$900	N/A	N/A	\$229
Z2048LRRR	20.9 x 51.7 x 29.1	70	94.1	5	\$832	N/A	N/A	\$206
Z2042LRRR	20.9 x 45.7 x 29.1	70	85.3	4.5	\$763	N/A	N/A	\$180
Z2036LRRR	20.9 x 39.7 x 29.1	70	76.3	4	\$694	N/A	N/A	\$156


Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of 20" depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.



**Low Reception Return - LEFT** 



Low Reception Return - RIGHT



Req	ui	r	ed	Sp	ec	ifi	ca	tions	•

Top finish Top/edge detail Base/surround finish **Optional Specifications** 

HP laminate Additional grommet Accessories



TRANSACTIONAL RETURNS

Transactional Return - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD HP	ADD
	D x W x H							
Z2472TSRL	29.7 x 75.7 x 36	6.5-37 70	166	9.75	\$1593	\$1719	N/A <b>\$</b>	366
Z2460TSRL	29.7 x 63.7 x 36	6.5-37 70	144	8.75	\$1376	\$1484	N/A \$	305
Z2454TSRL	29.7 x 57.7 x 36	6.5-37 70	132	7.5	\$1250	\$1351	N/A \$	275
Z2448TSRL	29.7 x 51.7 x 36	6.5-37 70	121	7	\$1150	\$1238	N/A <b>\$</b>	246
Z2442TSRL	29.7 x 45.7 x 36	6.5-37 70	109	6.25	\$1055	\$1136	N/A \$	214
72436TSBI	29 7 x 39 7 x 36	5 5-37 70	96	5.5	\$956	\$1027	N/A \$	184

**Not freestanding, must be connected to a reception desk**. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z2072TSRL	25.6 x 75.7 x 36.5-37	70	153	8.25	\$1434	\$1560	N/A	\$305
Z2060TSRL	25.6 x 63.7 x 36.5-37	70	132	7.25	\$1231	\$1339	N/A	\$256
Z2054TSRL	25.6 x 57.7 x 36.5-37	70	120	6.25	\$1115	\$1216	N/A	\$229
Z2048TSRL	25.6 x 51.7 x 36.5-37	70	110	5.5	\$1023	\$1111	N/A	\$206
Z2042TSRL	25.6 x 45.7 x 36.5-37	70	100	5	\$931	\$1012	N/A	\$180
Z2036TSRL	25.6 x 39.7 x 36.5-37	70	89	4.4	\$845	\$916	N/A	\$156

**Not freestanding**, **must be connected to a reception desk**. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z2472TSRR	29.7 x 75.7 x 36.5-37	70	166	9.75	\$1593	\$1719	N/A	\$366
Z2460TSRR	29.7 x 63.7 x 36.5-37	70	144	8.75	\$1376	\$1484	N/A	\$305
Z2454TSRR	29.7 x 57.7 x 36.5-37	70	132	7.5	\$1250	\$1351	N/A	\$275
Z2448TSRR	29.7 x 51.7 x 36.5-37	70	121	7	\$1150	\$1238	N/A	\$246
Z2442TSRR	29.7 x 45.7 x 36.5-37	70	109	6.25	\$1055	\$1136	N/A	\$214
Z2436TSRR	29.7 x 39.7 x 36.5-37	70	96	5.5	\$956	\$1027	N/A	\$184

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z2072TSRR	25.6 x 75.7 x 36.5-37	70	153	8.25	\$1434	\$1560	N/A	\$305
Z2060TSRR	25.6 x 63.7 x 36.5-37	70	132	7.25	\$1231	\$1339	N/A	\$256
Z2054TSRR	25.6 x 57.7 x 36.5-37	70	120	6.25	\$1115	\$1216	N/A	\$229
Z2048TSRR	25.6 x 51.7 x 36.5-37	70	110	5.5	\$1023	\$1111	N/A	\$206
Z2042TSRR	25.6 x 45.7 x 36.5-37	70	100	5	\$931	\$1012	N/A	\$180
Z2036TSRR	25.6 x 39.7 x 36.5-37	70	89	4.4	\$845	\$916	N/A	\$156

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z2472TBRL	32.7 x 75.7 x 36.5-37	70	168.2	9.75	\$1593	\$1719	N/A	\$366
Z2460TBRL	32.7 x 63.7 x 36.5-37	70	145.3	8.5	\$1376	\$1484	N/A	\$305
Z2454TBRL	32.7 x 57.7 x 36.5-37	70	134.4	7.5	\$1250	\$1351	N/A	\$275
Z2448TBRL	32.7 x 51.7 x 36.5-37	70	122.2	7	\$1150	\$1238	N/A	\$246
Z2442TBRL	32.7 x 45.7 x 36.5-37	70	110.9	6.25	\$1055	\$1136	N/A	\$214
Z2436TBRL	32.7 x 39.7 x 36.5-37	70	98.4	5.5	\$956	\$1027	N/A	\$184

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.



**Transactional Return - RIGHT** 

|--|

**Transactional Return - RIGHT** 

|--|

Transactional Return, Bow Front - LEFT

Required Specifications
Top finish

Base/surround finish Transaction top finish Optional Specifications

HP laminate Additional grommet Accessories



TRANSACTIONAL RETURNS

**Transactional Return, Bow Front - LEFT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z2072TBRL	28.6 x 75.7 x 36	3.5-37 70	155.6	8.25	\$1434	\$1560	N/A	\$305
Z2060TBRL	28.6 x 63.7 x 36	6.5-37 70	134.2	7.5	\$1231	\$1339	N/A	\$256
Z2054TBRL	28.6 x 57.7 x 36	6.5-37 70	124	6.5	\$1115	\$1216	N/A	\$229
Z2048TBRL	28.6 x 51.7 x 36	6.5-37 70	112.6	6	\$1023	\$1111	N/A	\$206
Z2042TBRL	28.6 x 45.7 x 36	6.5-37 70	101.9	5.25	\$931	\$1012	N/A	\$180
Z2036TBRL	28.6 x 39.7 x 36	6.5-37 70	90.1	4.7	\$845	\$916	N/A	\$156

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

**Transactional Return, Bow Front - RIGHT** 

Z2472TBRR	32.7 x 75.7 x 36.5-37	70	168.2	9.75	\$1593	\$1719	N/A	\$366
Z2460TBRR	32.7 x 63.7 x 36.5-37	70	145.3	8.5	\$1376	\$1484	N/A	\$305
Z2454TBRR	32.7 x 57.7 x 36.5-37	70	134.4	7.5	\$1250	\$1351	N/A	\$275
Z2448TBRR	32.7 x 51.7 x 36.5-37	70	122.2	7	\$1150	\$1238	N/A	\$246
Z2442TBRR	32.7 x 45.7 x 36.5-37	70	110.9	6.25	\$1055	\$1136	N/A	\$214
Z2436TBRR	32.7 x 39.7 x 36.5-37	70	98.4	5.5	\$956	\$1027	N/A	\$184

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.



**Transactional Return, Bow Front - RIGHT** 

Z2072TBRR	28.6 x 75.7 x 36.5-37 7	0	155.6	8.25	\$1434	\$1560	N/A	\$305
Z2060TBRR	28.6 x 63.7 x 36.5-37 7	0	134.2	7.5	\$1231	\$1339	N/A	\$256
Z2054TBRR	28.6 x 57.7 x 36.5-37 7	0	124	6.5	\$1115	\$1216	N/A	\$229
Z2048TBRR	28.6 x 51.7 x 36.5-37 7	0	112.6	6	\$1023	\$1111	N/A	\$206
Z2042TBRR	28.6 x 45.7 x 36.5-37 7	0	101.9	5.25	\$931	\$1012	N/A	\$180
Z2036TBRR	28.6 x 39.7 x 36.5-37 7	0	90.1	4.7	\$845	\$916	N/A	\$156

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Required Specifications Top finish

Transaction top finish Base/surround finish **Optional Specifications** 

HP laminate Additional grommet Accessories



Pigeon Reception Return - LEFT\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD HP ADD
	D x W x H						
Z2472PRRL	31 x 75.7 x 39.8	70	171.3	9.75	\$1805	N/A	N/A <b>\$366</b>
Z2460PRRL	31 x 63.7 x 39.8	70	149	8.25	\$1586	N/A	N/A <b>\$305</b>
Z2454PRRL	31 x 57.7 x 39.8	70	136.4	7.5	\$1475	N/A	N/A <b>\$275</b>

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z2072PRRL	26.9 x 75.7 x 39.8	70	159	9.75	\$1650	N/A	N/A	\$305
Z2060PRRL	26.9 x 63.7 x 39.8	70	138.2	8.25	\$1444	N/A	N/A	\$256
Z2054PRRL	26.9 x 57.7 x 39.8	70	126.2	7.5	\$1342	N/A	N/A	\$229


**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z2472PRRR	31 x 75.7 x 39.8	70	171.3	9.75	\$1805	N/A	N/A	\$366
Z2460PRRR	31 x 63.7 x 39.8	70	149	8.25	\$1586	N/A	N/A	\$305
Z2454PRRR	31 x 57.7 x 39.8	70	136.4	7.5	\$1475	N/A	N/A	\$275

**Not freestanding**, **must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z2072PRRR	26.9 x 75.7 x 39.8	70	159	9.75	\$1650	N/A	N/A	\$305
Z2060PRRR	26.9 x 63.7 x 39.8	70	138.2	8.25	\$1444	N/A	N/A	\$256
Z2054PRRR	26.9 x 57.7 x 39.8	70	126.2	7.5	\$1342	N/A	N/A	\$229

**Not freestanding, must be connected to a reception desk**. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.



Pigeon Reception Return - LEFT\*



Pigeon Reception Return - RIGHT\*



Pigeon Reception Return - RIGHT\*

Required Specifications
Top finish

Base/surround finish Pigeon hole finish Collator finish Optional Specifications

HP laminate Additional grommet Accessories

## **ZIRA™ RECEPTION**

TRANSACTIONAL RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	
_		D x W x H		_
	Z1272BRRL	13.7 x 75.7 x 39.	8 70	
	Z1260BRRL	13.7 x 63.7 x 39.	8 70	
	21200011112	10.7 % 00.7 % 00.	0 70	

**Bookcase Reception Return - LEFT** 

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

WT/LBS.

158

139

CUBIC FT.

7.5

6.25

1"TOP

\$1443

\$1276

N/A

N/A

<b>\</b>

**Bookcase Reception Return - LEFT** 

Z1254BRRL	13.7 x 57.7 x 39.8	65	131	5.75	\$1181	N/A	N/A	\$139
Z1248BRRL	13.7 x 51.7 x 39.8	70	114	5.25	\$1051	N/A	N/A	\$125
Z1242BRRL	13.7 x 45.7 x 39.8	65	106	4.6	\$988	N/A	N/A	\$110
71236BRBI	13 7 x 39 7 x 39 8	65	98	4 1	\$926	N/A	N/A	\$94

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.



**Bookcase Reception Return - RIGHT** 

Z1272BRRR	13.7 x 75.7 x 39.8	70	158	7.5	\$1443	N/A	N/A	\$184
Z1260BRRR	13.7 x 63.7 x 39.8	70	139	6.25	\$1276	N/A	N/A	\$156

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.



**Bookcase Reception Return - RIGHT** 

RECEPTION DESK VERTICAL STORAGE

Z1254BRRR	13.7 x 57.7 x 39.8	65	131	5.75	\$1181	N/A	N/A	\$139
Z1248BRRR	13.7 x 51.7 x 39.8	70	114	5.25	\$1051	N/A	N/A	\$125
Z1242BRRR	13.7 x 45.7 x 39.8	65	106	4.6	\$988	N/A	N/A	\$110
Z1236BRRR	13.7 x 39.7 x 39.8	65	98	4.1	\$926	N/A	N/A	\$94

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

_	^
1	$\mathbb{Z}$

Reception	Desk -	Vertical	Storage*
-----------	--------	----------	----------

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP	ADD
ZRDVS13	8.6 x 13.4 x 12.2	70	12.50	.80	\$237	N/A	N/A N/	/Α

Collator shelves for use under Zira Reception transaction top. Shipped assembled in 1 carton.

Required Specifications
Top finish
Transaction top finish
Base/surround finish

**Optional Specifications** HP laminate Additional grommet

Accessories

Power block

1.5" TOP GLAZE ADD HP ADD

N/A

N/A

\$184

\$156

						ZIRA	<sup>™</sup> RE	CEP	TION
RECEPTION DESKS W/LAMINATE OVERLAY	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
		DxWxH							
	Z3696RFSLL	36 x 96 x 44.7	70	307	15.72	\$5273	n/a	n/a	\$740
	Z3690RFSLL	36 x 90 x 44.7	70	297	14.73	\$5051	n/a	n/a	\$698
	Z3684RFSLL	36 x 84 x 44.7	70	297	13.74	\$4339	n/a	n/a	\$648
	Z3678RFSLL	36 x 78 x 44.7	70	248	12.72	\$4152	n/a	n/a	\$604
	Z3672RFSLL	36 x 72 x 44.7	70	235	11.74	\$3960	n/a	n/a	<b>\$556</b>
	Z3096RFSLL	29.7 x 96 x 44.7	70	287	15.21	\$5096	n/a	n/a	\$617
	Z3090RFSLL	29.7 x 90 x 44.7	70	279	14.49	\$4910	n/a	n/a	\$580
	Z3084RFSLL	29.7 x 84 x 44.7	70	245	13.23	\$4208	n/a	n/a	\$545
	Z3078RFSLL	29.7 x 78 x 44.7	70	232	12.72	\$4026	n/a	n/a	\$507
	Z3072RFSLL	29.7 x 72 x 44.7	70	221	12.25	\$3859	n/a	n/a	\$465
Reception Desk, Laminate Overlay, Left	Not freestanding	; for use with Zxxxxl	FRRR returns. 1"	thick works	urface with m	natching e	dge. Transa	action top is	3 1.5" thick
	only, edge profile o	ptional. Shipped RTA (	ready to assemble	e) in 3 cartor	IS.				
	<ul> <li>Slatting detail is</li> </ul>	17.9"W for 72", 78" a	nd 84" wide units	; 30"W for 9	0" and 96" w	ride units.			
	· ·	ill not accommodate bo					s recomme	nded.	
	Z3696RFSLR	36 x 96 x 44.7	70	307	15.72	\$5273	n/a	n/a	\$740



Z3690RFSLR 70 297 14.73 \$5051 n/a \$698 36 x 90 x 44.7 n/a Z3684RFSLR 70 \$648 36 x 84 x 44.7 297 13.74 \$4339 n/a n/a Z3678RFSLR 70 248 \$604 36 x 78 x 44.7 12.72 \$4152 n/a n/a Z3672RFSLR 36 x 72 x 44.7 70 235 11.74 \$3960 n/a \$556 n/a 70 287 \$5096 \$617 Z3096RFSLR 29.7 x 96 x 44.7 15.21 n/a n/a Z3090RFSLR 29.7 x 90 x 44.7 70 279 14.49 \$4910 \$580 n/a n/a 70 \$545 Z3084RFSLR 29.7 x 84 x 44.7 245 13.23 \$4208 n/a n/a Z3078RFSLR 29.7 x 78 x 44.7 70 232 12.72 \$4026 n/a n/a \$507 Z3072RFSLR 29.7 x 72 x 44.7 70 221 12.25 \$3859 n/a \$465 n/a

## Reception Desk, Laminate Overlay, Right

Not freestanding; for use with ZxxxxFRRL returns. 1" thick worksurface with matching edge. Transaction top is 1.5" thick only, edge profile optional. Shipped RTA (ready to assemble) in 3 cartons.

- Slatting detail is 17.9"W for 72", 78" and 84" wide units; 30"W for 90" and 96" wide units.
- Z30xx models will not accommodate both a monitor and a keyboard; undermount keyboard tray is recommended.

DOUBLE RECEPTION DESK W/LAMINATE OV	/ERLAY	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		Z36120RFDL	36 x 120 x 44.7	70	308	14.97	\$6096	n/a	n/a	\$1538
		Z36114RFDL	36 x 114 x 44.7	70	294	13.98	\$5905	n/a	n/a	\$1463
		Z36108RFDL	36 x 108 x 44.7	70	281	13.23	\$5637	n/a	n/a	\$1385
		Z36102RFDL	36 x 102 x 44.7	70	268	12.49	\$5450	n/a	n/a	\$1311
		Z3696RFDL	36 x 96 x 44.7	70	237	11.23	\$5197	n/a	n/a	\$617
		Z30120RFDL	29.7 x 120 x 44.7	7 70	286	14.22	\$5935	n/a	n/a	\$1385
		Z30114RFDL	29.7 x 114 x 44.7	7 70	274	13.47	\$5753	n/a	n/a	\$1315
		Z30108RFDL	29.7 x 108 x 44.7	7 70	261	12.72	\$5495	n/a	n/a	\$1246
		Z30102RFDL	29.7 x 102 x 44.7	7 70	249	11.98	\$5314	n/a	n/a	\$1181
		Z3096RFDL	29.7 x 96 x 44.7	70	254	11.74	\$5071	n/a	n/a	\$617

## **Laminate Overlay**

Transaction top is 1.5" thick only, edge profile optional. Slatting detail is 30"W. Shipped RTA (ready to assemble) in 3 cartons. • Z30xx models will not accommodate both a monitor and a keyboard; undermount keyboard tray is recommended.

Req	uired	Sı	pec	ific	Cé	ations	

Top surface material (TFL or HPL) Top finish Top/edge detail Base/surround finish

Transaction top finish Glazing (GF or RG)

## **Optional Specifications**

Grommet or cut-out

Accessories Power block

28990FRR    36 x 90 x 30.9   70   201   11.26   \$1990   1/2   23878FRP    36 x 84 x 30.9   70   192   10.76   \$1925   1/3   23872FRP    36 x 72 x 30.9   70   192   10   \$1944   1/4   23872FRP    36 x 72 x 30.9   70   172   9.5   \$1763   1/4   1/4   23872FRP    36 x 72 x 30.9   70   172   9.5   \$1763   1/4   1/4   23872FRP    36 x 72 x 30.9   70   172   9.5   \$1763   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1/4   1	ZE ADD HP A
25909FRR    36 x 90 x 30 9	n/a <b>\$74</b>
23864FRRL   36 x 84 x 30 9	n/a <b>\$74</b> n/a <b>\$69</b>
ADA Compliant. Not freestanding: for use with ZxxxxxFSLL or RFDL models. 1" thick worksurface with straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8". Shipped RTA (ready to assemble) in 2 cartons.    ADA Compliant. Not freestanding: for use with ZxxxxxRFSLL or RFDL models. 1" thick worksurface with straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8". Shipped RTA (ready to assemble) in 2 cartons.    ADA Compliant. Not freestanding: for use with ZxxxxxFSLL or RFDL models. 1" thick worksurface with straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8". Shipped RTA (ready to assemble) in 2 cartons.    ADA Compliant. Not freestanding: for use with ZxxxxxFSLL or RFDL models. 1" thick worksurface with straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8". Shipped RTA (ready to assemble) in 2 cartons.    ADA Compliant. Not freestanding: for use with ZxxxxxFSLL or RFDL models. 1" thick worksurface with straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8". Shipped RTA (ready to assemble) in 2 cartons.    ADA Compliant. Not freestanding: for use with ZxxxxxFSLL or RFDL models. 1" thick worksurface with matching straight edge. ADA accessible; worksurface with matching straightedge. ADA accessible; worksurface wi	n/a <b>\$64</b>
ADA Compliant. Not freestanding; for use with ZxxxxRFSLR or RFDL models. 1" thick worksurface with straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8". Shipped RTA (ready to assemble) in 2 cartons.    23696FRRR 36 x96 x 30.9 70 211 11.74 \$2066 n/a 23696FRRR 36 x90 x 30.9 70 201 11.26 \$1990 n/a 23694FRRR 36 x 94 x 30.9 70 192 10.76 \$1992 n/a 23678FRRR 36 x 94 x 30.9 70 192 10.76 \$1992 n/a 23678FRRR 36 x 72 x 30.9 70 192 10.76 \$1992 n/a 23678FRRR 36 x 72 x 30.9 70 192 10.76 \$1992 n/a 23678FRRR 36 x 72 x 30.9 70 192 10.76 \$1992 n/a 23678FRRR 36 x 72 x 30.9 70 192 10.76 \$1992 n/a 23678FRRR 36 x 72 x 30.9 70 192 10.76 \$1992 n/a 23678FRRR 36 x 72 x 30.9 70 192 9.5 \$1763 n/a 23678FRRR 36 x 72 x 30.9 70 172 9.5 \$1763 n/a 23678FRRR 36 x 72 x 30.9 70 172 9.5 \$1763 n/a 23678FRRR 36 x 72 x 30.9 70 173 9.76 \$1793 n/a 22496FRRL 24 x 90 x 30.9 70 171 9.76 \$1793 n/a 22496FRRL 24 x 90 x 30.9 70 171 9.76 \$1793 n/a 22496FRRL 24 x 90 x 30.9 70 171 9.76 \$1793 n/a 22496FRRL 24 x 90 x 30.9 70 171 9.76 \$1793 n/a 22496FRRL 24 x 90 x 30.9 70 173 9.5 \$1738 n/a 22478FRRL 24 x 90 x 30.9 70 174 4.25 \$1607 n/a 22478FRRL 24 x 90 x 30.9 70 175 9.5 \$1738 n/a 22478FRRL 24 x 90 x 30.9 70 175 9.5 \$1738 n/a 22478FRRL 24 x 90 x 30.9 70 175 9.5 \$1738 n/a 22478FRRL 24 x 90 x 30.9 70 175 9.5 \$1738 n/a 22478FRRL 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22478FRRL 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22478FRRL 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22478FRRL 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22478FRRR 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22498FRRR 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22498FRRR 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22498FRRR 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22498FRRR 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22498FRRR 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22498FRRR 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22498FRRR 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22498FRRR 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22498FRRR 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22498FRRR 24 x 90 x 30.9 70 177 9.76 \$1793 n/a 22498FR	n/a <b>\$60</b>
Shipped RTA (ready to assemble) in 2 cartons.	n/a <b>\$55</b>
Straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8".	
Shipped RTA (ready to assemble) in 2 cartons.	:h matching
Z3690FRRR	
Z3690FRRR	
ADA Compliant. Not freestanding; for use with ZxxxxRFSLL or RFDL models. 1" thick worksurface with matching straight sception Return, Flush Front - Left	n/a <b>\$74</b>
ADA Compliant. Not freestanding; for use with ZxxxxRFSLL or RFDL models. 1" thick worksurface with straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8". Shipped RTA (ready to assemble) in 2 cartons.    Z2496FRRL	n/a <b>\$69</b>
ADA Compliant. Not freestanding; for use with ZxxxxRFSLL or RFDL models. 1" thick worksurface with straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8". Shipped RTA (ready to assemble) in 2 cartons.    Z2496FRRL	n/a <b>\$64</b>
ADA Compliant. Not freestanding; for use with ZxxxxRFSLL or RFDL models. 1" thick worksurface with straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8". Shipped RTA (ready to assemble) in 2 cartons.  Z2496FRRL	n/a <b>\$60</b>
straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8". Shipped RTA (ready to assemble) in 2 cartons.    Z2496FRRL	n/a <b>\$55</b>
straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8". Shipped RTA (ready to assemble) in 2 cartons.    Z2496FRRL	h matching
T2496FRRL   24 x 96 x 30.9   70   179   10.26   \$1859   n/a	n matching
Z2490FRRL   24 x 90 x 30.9   70   171   9.76   \$1793   n/a	
Z2490FRRL   24 x 90 x 30.9   70   171   9.76   \$1793   n/a	
Z2484FRRL   24 x 84 x 30.9   70   163   9.5   \$1738   n/a     Z2478FRRL   24 x 78 x 30.9   70   155   9   \$1672   n/a     Z2472FRRL   24 x 72 x 30.9   60   147   4.25   \$1607   n/a	n/a <b>\$49</b>
Z2478FRRL   Z4 x 78 x 30.9   70   155   9   \$1672   n/a	n/a <b>\$46</b>
Not freestanding; for use with ZxxxxRFSLR or RFDL models. 1" thick worksurface with matching straight Shipped RTA (ready to assemble) in 2 cartons.	n/a <b>\$43</b>
Not freestanding; for use with ZxxxxRFSLR or RFDL models. 1" thick worksurface with matching straight Shipped RTA (ready to assemble) in 2 cartons.	n/a <b>\$40</b>
Z2496FRRR   24 x 96 x 30.9   70   179   10.26   \$1859   n/a     Z2490FRRR   24 x 90 x 30.9   70   171   9.76   \$1793   n/a     Z2490FRRR   24 x 90 x 30.9   70   171   9.76   \$1793   n/a     Z2484FRRR   24 x 84 x 30.9   70   163   9.5   \$1738   n/a     Z2478FRRR   24 x 78 x 30.9   70   155   9   \$1672   n/a     Z2472FRRR   24 x 72 x 30.9   60   147   4.25   \$1607   n/a       C2472FRRR   24 x 72 x 30.9   60   147   4.25   \$1607   n/a	n/a <b>\$37</b>
Z2496FRRR	
Z2496FRRR       24 x 96 x 30.9       70       179       10.26       \$1859       n/a         Z2490FRRR       24 x 90 x 30.9       70       171       9.76       \$1793       n/a         Z2484FRRR       24 x 84 x 30.9       70       163       9.5       \$1738       n/a         Z2478FRRR       24 x 78 x 30.9       70       155       9       \$1672       n/a         Z2472FRRR       24 x 72 x 30.9       60       147       4.25       \$1607       n/a	it edge.
Z2490FRRR       24 x 90 x 30.9       70       171       9.76       \$1793       n/a         Z2484FRRR       24 x 84 x 30.9       70       163       9.5       \$1738       n/a         Z2478FRRR       24 x 78 x 30.9       70       155       9       \$1672       n/a         Z2472FRRR       24 x 72 x 30.9       60       147       4.25       \$1607       n/a	
Z2484FRRR       24 x 84 x 30.9       70       163       9.5       \$1738       n/a         Z2478FRRR       24 x 78 x 30.9       70       155       9       \$1672       n/a         Z2472FRRR       24 x 72 x 30.9       60       147       4.25       \$1607       n/a	n/a <b>\$49</b>
Z2484FRRR       24 x 84 x 30.9       70       163       9.5       \$1738       n/a         Z2478FRRR       24 x 78 x 30.9       70       155       9       \$1672       n/a         Z2472FRRR       24 x 72 x 30.9       60       147       4.25       \$1607       n/a	n/a <b>\$46</b>
Z2478FRRR 24 x 78 x 30.9 70 155 9 \$1672 n/a Z2472FRRR 24 x 72 x 30.9 60 147 4.25 \$1607 n/a  Reception Return, Flush Front - Right  Not freestanding; for use with ZxxxxRFSLL or RFDL models. 1" thick worksurface with matching straight	n/a <b>\$43</b>
Not freestanding; for use with ZxxxxRFSLL or RFDL models. 1" thick worksurface with matching straigh	n/a <b>\$40</b>
, , , , , , , , , , , , , , , , , , , ,	n/a <b>\$37</b>
Snipped NTA (ready to assemble) in 2 cartons.	t edge.
Required Specifications Optional Specifications Optional Specifications Grommet or cut-out Power block	

FREESTANDING RECEPTION DESKS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z2496RD	24 x 96 x 47.5	65	262	10.5	\$3500	n/a	n/a	\$495
	Z2484RD	24 x 84 x 47.5	65	238	9.24	\$3278	n/a	n/a	\$434
	Z2472RD	24 x 72 x 47.5	65	217	8.5	\$3112	n/a	n/a	\$372
	Z2466RD	24 x 66 x 47.5	65	206	8	\$3006	n/a	n/a	\$341
	Z2460RD	24 x 60 x 47.5	65	196	7.5	\$2920	n/a	n/a	\$310

## **Reception Desk, Freestanding**

1" thick worksurface with matching edge. Transaction top 1" thick only, edge profile optional. Freestanding unit; does not accept returns. Shipped RTA (ready to assemble) in 2 cartons.

• Slatting detail is 17.9"W for 60"-84" wide units; 30"W for 96" wide units.

## L-SHAPED RECEPTION DESKS W/RIGHT HAND RETURNS

<b>60" wide</b> : 724607224R	96 x 60 x 47.5	65	314	12.28	\$4758	2/2	2/0	\$682
Z24607224R Z24606024R	96 X 60 X 47.5 84 x 60 x 47.5	65	297	12.28	\$4758 \$4551	n/a	n/a	\$620
						n/a	n/a	
Z24605424R	78 x 60 x 47.5	65	288	11.17	\$4460	n/a	n/a	\$590
Z24604824R	72 x 60 x 47.5	65	279	10.87	\$4369	n/a	n/a	\$560
Z24604224R	66 x 60 x 47.5	65	271	10.57	\$4278	n/a	n/a	\$529
Z24603624R	60 x 60 x 47.5	65	262	10.18	\$4167	n/a	n/a	\$496
66" wide:								
Z24667224R	96 x 66 x 47.5	65	324	12.66	\$4869	n/a	n/a	\$713
Z24666024R	84 x 66 x 47.5	65	306	11.98	\$4667	n/a	n/a	\$651
Z24665424R	78 x 66 x 47.5	65	298	11.56	\$4571	n/a	n/a	\$621
Z24664824R	72 x 66 x 47.5	65	289	11.26	\$4460	n/a	n/a	\$59°
Z24664224R	66 x 66 x 47.5	65	280	10.96	\$4394	n/a	n/a	\$56
Z24663624R	60 x 66 x 47.5	65	271	10.57	\$4278	n/a	n/a	\$52
72" wide:								
724727224R	96 x 72 x 47.5	65	334	12.96	\$4960	n/a	n/a	\$74
724726024R	84 x 72 x 47.5	65	316	12.16	\$4783	n/a	n/a	\$682
724725424R	78 x 72 x 47.5	65	309	11.86	\$4687	n/a	n/a	\$65
Z24724824R	72 x 72 x 47.5	65	299	11.56	\$4596	n/a	n/a	\$62
724724224R	66 x 72 x 47.5	65	290	11.26	\$4511	n/a	n/a	\$59
Z24723624R	60 x 72 x 47.5	65	282	10.87	\$4369	n/a	n/a	\$55
84" wide:								
Z24847224R	96 x 84 x 47.5	65	354	13.56	\$5167	n/a	n/a	\$80
Z24846024R	84 x 84 x 47.5	65	337	12.75	\$5006	n/a	n/a	\$74
Z24845424R	78 x 84 x 47.5	65	328	12.46	\$4915	n/a	n/a	\$71
Z24844824R	72 x 84 x 47.5	65	319	12.16	\$4829	n/a	n/a	\$68
Z24844224R	66 x 84 x 47.5	65	311	11.86	\$4733	n/a	n/a	\$65
22404422411	00 X 04 X 47.0	00	011	11.00	Ψ σσ	11, G	11/ 4	ΨUU

## L-Shaped Reception Desk, Freestanding w/Right Hand Return

Primary and return surfaces are 24"D nominally. 1" thick worksurface with matching edge. Transaction top 1" thick only, edge profile optional. Freestanding unit with right hand return. Return is standard with center grommet, not optional. Shipped RTA (ready to assemble) in 3 cartons.

• Slatting detail is 17.9"W for 60"-84" wide units; 30"W for 96" wide units.

**Required Specifications** 

Top surface material (TFL or HPL) Worksurface finish Transaction top edge detail Base finish

Transaction top finish

Optional Specifications

Grommet or cut-out

Accessories Power block

	60" wide: Z24607224L Z24606024L Z24605424L Z24604824L Z24604224L Z24603624L 66" wide: Z24667224L	96 x 60 x 47.5 84 x 60 x 47.5 78 x 60 x 47.5 72 x 60 x 47.5 66 x 60 x 47.5 60 x 60 x 47.5	65 65 65 65 65	314 297 288 279 271	12.28 11.47 11.17 10.87	\$4758 \$4551 \$4460	n/a n/a	n/a n/a	\$682 \$620
	Z24607224L Z24606024L Z24605424L Z24604824L Z24604224L Z24603624L	84 x 60 x 47.5 78 x 60 x 47.5 72 x 60 x 47.5 66 x 60 x 47.5	65 65 65 65	297 288 279	11.47 11.17	\$4551 \$4460	n/a	n/a	
	Z24606024L Z24605424L Z24604824L Z24604224L Z24603624L	84 x 60 x 47.5 78 x 60 x 47.5 72 x 60 x 47.5 66 x 60 x 47.5	65 65 65 65	297 288 279	11.47 11.17	\$4551 \$4460	n/a	n/a	
	Z24604824L Z24604224L Z24603624L	72 x 60 x 47.5 66 x 60 x 47.5	65 65 65	279		-			φOZU
	Z24604224L Z24603624L <b>66" wide</b> :	66 x 60 x 47.5	65		10.87		n/a	n/a	\$590
	Z24603624L <b>66" wide</b> :			271		\$4369	n/a	n/a	\$560
	66" wide:	60 x 60 x 47.5	65	2/1	10.57	\$4278	n/a	n/a	\$529
			00	262	10.18	\$4167	n/a	n/a	\$496
	Z24667224L								
		96 x 66 x 47.5	65	324	12.66	\$4869	n/a	n/a	\$713
	Z24666024L	84 x 66 x 47.5	65	306	11.98	\$4667	n/a	n/a	\$651
	Z24665424L	78 x 66 x 47.5	65	298	11.56	\$4571	n/a	n/a	\$621
	Z24664824L	72 x 66 x 47.5	65	289	11.26	\$4460	n/a	n/a	\$591
	Z24664224L	66 x 66 x 47.5	65	280	10.96	\$4394	n/a	n/a	\$560
	Z24663624L	60 x 66 x 47.5	65	271	10.57	\$4278	n/a	n/a	\$527
	<b>72" wide</b> :								
	Z24727224L	96 x 72 x 47.5	65	334	12.96	\$4960	n/a	n/a	\$744
	Z24726024L	84 x 72 x 47.5	65	316	12.16	\$4783	n/a	n/a	\$682
	Z24725424L	78 x 72 x 47.5	65	309	11.86	\$4687	n/a	n/a	\$652
	Z24724824L	72 x 72 x 47.5	65	299	11.56	\$4596	n/a	n/a	\$622
	Z24724224L	66 x 72 x 47.5	65	290	11.26	\$4511	n/a	n/a	\$591
	Z24723624L	60 x 72 x 47.5	65	282	10.87	\$4369	n/a	n/a	\$558
	84" wide:	22 24 17 5			10.50	<b></b>			****
	Z24847224L	96 x 84 x 47.5	65	354	13.56	\$5167	n/a	n/a	\$806
	Z24846024L	84 x 84 x 47.5	65 05	337	12.75	\$5006	n/a	n/a	\$744
	Z24845424L	78 x 84 x 47.5	65 CF	328	12.46	\$4915	n/a	n/a	\$714 \$684
	Z24844824L	72 x 84 x 47.5	65 65	319	12.16	\$4829	n/a	n/a	
	Z24844224L	66 x 84 x 47.5	65 65	311	11.86	\$4733	n/a	n/a	\$653
	Z24843624L	60 x 84 x 47.5	00	302	11.47	\$4622	n/a	n/a	\$620
Chaped Reception Desk, Freestanding		surfaces are 24"D no	•			_			-
Left Hand Return	profile optional. Free (ready to assemble	estanding unit with I	eft hand return. R	leturn is stai	ndard with cer	nter gromr	net, not op	tional. Ship	ped RTA
		17.9"W for 60"-84" v	wide units; 30"W fo	or 96" wide	units.				
	Z24967224D	96 x 96 x 47.5	65	505	20.4	\$7031	n/a	n/a	\$1239
	Z24966024D	96 x 84 x 47.5	65	469	18.88	\$6596	n/a	n/a	\$1115
	Z24965424D	96 x 78 x 47.5	65	452	18.2	\$6415	n/a	n/a	\$1055
	Z24964824D	96 x 72 x 47.5	65	434	17.6	\$6238	n/a	n/a	\$995
	Z24964224D	96 x 66 x 47.5	65	417	16.88	\$6096	n/a	n/a	\$933
	Z24963624D	96 x 60 x 47.5	65	399	16.2	\$5804	n/a	n/a	\$867
Shaped Reception Desk, Freestanding	Primary and return	surfaces are 24"D no	minally. 1" thick wo	orksurface v	vith matching	edge. Trar	nsaction to	p 1" thick o	nly, edg
Left & Right Hand Returns	profile optional. Sla	itting detail is 30" wi	de. Freestanding ur	nit with left	and right ha	nd return	s. Returns	each have	one
	standard with cent	er grommet, not optio	onal. Shipped RTA (	ready to ass	emble) in 4 ca	irtons.			

Required Specifications
Top surface material (TFL or HPL)
Top/overlay finish
Base finish

Optional Specifications
Grommet or cut-out

Accessories Power block

#### **GENERAL INFORMATION**

- Comprehensive range of personal storage in a variety of sizes and configurations starting at 27.5"/28"H single column widths up to 66.5"/67"H triple column widths.
- Configurations include units with 1, 2, 3, 4, 6, 8 or 9 compartments depending on size.
- Lockers adapt to any space plan; in personal or shared work spaces, individually tailored to suit storage needs. Ideal for flex spaces or used to define space and used as barriers between work areas and to help guide workplace foot traffic flow.
- Available in two depths with door front in thermally fused laminate to add warmth and complement desking products or millwork.
- Multiple door pull options to match Global Desking series
- Units have internal drill points for optional ganging.
- Ships fully assembled.

#### CONSTRUCTION

- Tops are available in 1" or 1.5" thick thermally fused laminate tops with a variety of edge details
- Side panels utilize 1" thick material
- Shelves and backs utilize 11/16" thick material.
- Tops are sealed with Global's preferred edge in matching color. Woodgrain surfaces feature edging with matching printed woodgrain
- Constructed of 45 lb. density particleboard with high performance thermally fused laminate
- · Virtually no loose hardware
- · Leveling glides are standard

#### LOCKS

- Locks are standard on all lockers. Finish will coordinate with handles and/or aluminum doors.
- Please note that Flared Brass (HW) handle defaults to Black locks

#### SHIPPING

• Shipped assembled, 1 per carton, unless otherwise noted.

#### PRODUCT CODE BREAKDOWN:

- **ZL** indicates Zira locker
- ## 3rd & 4th position indicates height
- ## 5th & 6th position indicates width
- **F** indicates 18"D overall / **L** indicates 24"D overall
- # 8th position indicates the number of columns side to side
- # 9th position indicates the number of rows top to bottom
- L or R indicates doors installed for left or right hand hinge

#### **FINISH OPTIONS**

• Must specify finish for top, case and doors separately

#### Thermally fused laminate finish options

h	ermally	tused laminate finish options:		
_	ACJ	Absolute Acajou	FCL	First Class
	ASN	Asian Night	NBL	Noce Biondo
	AWC	Avant Cherry	NGL	Noce Grigio
	AWH	Avant Honey	NEL	Noce Leggero
	BLK	Black	NML	Noce Medio
	BZD	Blizzard	MTD	Quartered Mahogany
	BRC	Brushed Cobalt	SBY	Sheer Beauty
	CMB	Clear Maple	SOG	Storm Grey
	CGY	Custom Grey	SDT	Stonedust
	DES	Dark Espresso	WHE	Walnut Heights
	DWT	Designer White	WHC	White Chocolate
	FAS	Fashionista	WCR	Winter Cherry

## Top Thickness/Edge Detail





A3 1" top, standard flat edge

AR 1" top, bicut edge







C3 1.5" top, standard flat edge

CR 1.5" top, bicut edge

CF 1.5" top, fluted edge

#### **HANDLES**

 To order handles, please specify corresponding code to image as below (HS, H0, HW, HX, HV, HU, H0, HZ, or HR):




#### INTERIOR SHELF AND HANGING OPTIONS

- Hooks and hat shelves are standard in certain units. See individual product description for details
- When standard, hat shelf is 11/16" thick and includes 9" of clearance.
- A chrome coat hook is affixed to the left or right side wall of the opening (based on left and right handed units) on single row lockers 40.5" and up, and on double row lockers 53.5"h and up.
- When standard, a chrome coat hook is affixed to the door.

#### **GANGING**

- All units 12", 15" or 18" wide must be ganged to another locker or anchored to a fixed wall or adjacent cabinet for compliance with applicable ANSI/BIFMA X5.6 Storage standards.
- Units ship factory ready for ganging and include pre-drills on cabinet interiors as well as the necessary hardware to connect unit to unit.


## **ZIRA™ LOCKERS**



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
	DxWxH					
ZL2712F11L	18 x 12 x 27.5-28	92.5	52	5	\$702	\$720
ZL2712F11R	18 x 12 x 27.5-28	92.5	52	5	\$702	\$720

- Select suffix (L) for left hand / (R) for right hand opening.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

ZL4012F11L	18 x 12 x 40.5-41	92.5	71	7.09	\$907	\$942
ZL4015F11L	18 x 15 x 40.5-41	100	74	8.75	\$980	\$1015
ZL4018F11L	18 x 18 x 40.5-41	100	86	10.25	\$1071	\$1106
ZL4012L11L	24 x 12 x 40.5-41	100	89	9.35	\$997	\$1032
ZL4015L11L	24 x 15 x 40.5-41	100	97	11.25	\$1088	\$1106
ZL4018L11L	24 x 18 x 40.5-41	125	105	13.25	\$1179	\$1218
ZL4012F11R	18 x 12 x 40.5-41	92.5	71	7.09	\$907	\$942
ZL4015F11R	18 x 15 x 40.5-41	100	74	8.75	\$980	\$1015
ZL4018F11R	18 x 18 x 40.5-41	100	86	10.25	\$1071	\$1106
ZL4012L11R	24 x 12 x 40.5-41	100	89	9.35	\$997	\$1032
ZL4015L11R	24 x 15 x 40.5-41	100	97	11.25	\$1088	\$1106
ZL4018L11R	24 x 18 x 40.5-41	125	105	13.25	\$1179	\$1218



<ul><li>12".</li></ul>	15" or 18"	wide lockers to	be ganged or anchor	ed for compliance	with ANSI/	BIFMA X5.6 storage standards.
------------------------	------------	-----------------	---------------------	-------------------	------------	-------------------------------

ZL5312F11L	18 x 12 x 53.5-54	100	92	9.25	\$1161	\$1179
ZL5315F11L	18 x 15 x 53.5-54	100	101	11.25	\$1275	\$1309
ZL5318F11L	18 x 18 x 53.5-54	100	111	13	\$1399	\$1456
ZL5312L11L	24 x 12 x 53.5-54	100	115	12	\$1275	\$1309
ZL5315L11L	24 x 15 x 53.5-54	100	126	14.5	\$1366	\$1400
ZL5318L11L	24 x 18 x 53.5-54	100	136	17	\$1495	\$1546
ZL5312F11R	18 x 12 x 53.5-54	100	92	9.25	\$1161	\$1179
ZL5315F11R	18 x 15 x 53.5-54	100	101	11.25	\$1275	\$1309
ZL5318F11R	18 x 18 x 53.5-54	100	111	13	\$1399	\$1456
ZL5312L11R	24 x 12 x 53.5-54	100	115	12	\$1275	\$1309
ZL5315L11R	24 x 15 x 53.5-54	100	126	14.5	\$1366	\$1400
ZL5318L11R	24 x 18 x 53.5-54	100	136	17	\$1495	\$1546

- Select suffix (L) for left hand / (R) for right hand opening. Includes hat shelf and coat hook.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

One Colu	On	Left shown e <b>Row - 40.5/4</b> 1	<b>"</b> L
One Colu	IIIII, UIIE	e now - 40.5/4 i	Г

		Left shown
One Colu	mn, One	Row - 53.5/54"H

Required Specifications
Top Finish Base

Door Finish Top/Edge Detail Handles

Base Finish

Key #

**Optional Specifications** 

Α	CCE	esso	m	es

SINGLE COLUMN LOCKERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
		D x W x H					
	ZL6612F11L	18 x 12 x 66.5-67	7 100	111	11.5	\$1326	\$1349
	ZL6615F11L	18 x 15 x 66.5-67	7 100	122	13.75	\$1422	\$1456
	ZL6618F11L	18 x 18 x 66.5-67	7 125	127	16.25	\$1586	\$1620
	ZL6612L11L	24 x 12 x 66.5-67	7 100	139	15	\$1473	\$1513
	ZL6615L11L	24 x 15 x 66.5-67	7 100	151	18	\$1569	\$1620
	ZL6618L11L	24 x 18 x 66.5-67	7 125	163	22	\$1717	\$1768
	ZL6612F11R	18 x 12 x 66.5-67	7 100	111	11.5	\$1326	\$1349
	ZL6615F11R	18 x 15 x 66.5-67	7 100	122	13.75	\$1422	\$1456
	ZL6618F11R	18 x 18 x 66.5-67	7 125	127	16.25	\$1586	\$1620
	ZL6612L11R	24 x 12 x 66.5-67	7 100	139	15	\$1473	\$1513
	ZL6615L11R	24 x 15 x 66.5-67	7 100	151	18	\$1569	\$1620
	ZL6618L11R	24 x 18 x 66.5-67	7 125	163	22	\$1717	\$1768


- Select suffix (L) for left hand / (R) for right hand opening. Includes hat shelf and coat hook.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

ONE COLUMN LOCKERS, TWO ROWS
Left shown One Column, Two Rows - 27.5/28"H

One Column, One Row - 66.5/67"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	
ZL2712F12L	18 x 12 x 27.5-28	92.5	55	5	\$833	\$862	-
ZL2712F12R	18 x 12 x 27.5-28	92.5	55	5	\$833	\$862	

- Select suffix (L) for left hand / (R) for right hand opening.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.



ZL6612F12L	18 x 12 x 66.5-67	100	112	11.5	\$1478	\$1508
ZL6618F12L	18 x 18 x 66.5-67	100	135	16.25	\$1727	\$1773
ZL6612L12L	24 x 12 x 66.5-67	100	140	15	\$1619	\$1654
ZL6618L12L	24 x 18 x 66.5-67	125	165	21.25	\$1881	\$1932
ZL6612F12R	18 x 12 x 66.5-67	100	112	11.5	\$1478	\$1508
ZL6618F12R	18 x 18 x 66.5-67	100	135	16.25	\$1727	\$1773
ZL6612L12R	24 x 12 x 66.5-67	100	140	15	\$1619	\$1654
ZL6618L12R	24 x 18 x 66.5-67	125	165	21.25	\$1881	\$1932

- Select suffix (L) for left hand / (R) for right hand opening. Includes coat hook in each opening
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Required Specifications	S
Top Finish	Base Finish
Door Finish	


Top/Edge Detail Handles

**Optional Specifications** Key #

Accessories

## **ZIRA™ LOCKERS**

ONE COLUMN LOCKERS, THREE ROWS



DIMENSIONS

• Select suffix (L) for left hand / (R) for right hand.

MODEL#

• 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

FREIGHT CLASS

WT/LBS.

CUBIC FT.

1"TOP

\$1308

\$1563

\$1427

\$1694

\$1308

\$1563

\$1427

\$1694

1.5" TOP

\$1337

\$1603

\$1462


\$1801

\$1337

\$1603

\$1462

\$1801



ZL6612F13L	18 x 12 x 66.5-67	92.5	115	11.5	\$1478	\$1508
ZL6618F13L	18 x 18 x 66.5-67	100	140	16.25	\$1750	\$1807
ZL6612L13L	24 x 12 x 66.5-67	100	144	15	\$1614	\$1649
ZL6618L13L	24 x 18 x 66.5-67	100	171	21.25	\$1909	\$1960
ZL6612F13R	18 x 12 x 66.5-67	92.5	115	11.5	\$1478	\$1508
ZL6618F13R	18 x 18 x 66.5-67	100	140	16.25	\$1750	\$1807
ZL6612L13R	24 x 12 x 66.5-67	100	144	15	\$1614	\$1649
ZL6618L13R	24 x 18 x 66.5-67	100	171	21.25	\$1909	\$1960

- Select suffix (L) for left hand / (R) for right hand opening.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

ONE COLUMN LOCKERS, FOUR ROWS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP
	ZL6612F14L	18 x 12 x 66.5-67	92.5	119	11.5	\$1642	\$1672
	ZL6612L14L	24 x 12 x 66.5-67	100	149	15	\$1784	\$1819
	ZL6612F14R	18 x 12 x 66.5-67	92.5	119	11.5	\$1642	\$1672
	ZL6612L14R	24 x 12 x 66.5-67	100	149	15	\$1784	\$1819
Left shown							
One Column, Four Rows - 66.5/67"H	<ul> <li>Select suffix (L) for left hand / (R) for right hand opening.</li> <li>12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.</li> </ul>						

Required Specifica		Optional Specifications	Accessories	
Top Finish Door Finish Top/Edge Detail Handles	Base Finish	Key #		


TWO COLUMN LOCKERS, ONE ROW	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP
		DxWxH	02.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	ZL4024F21L	18 x 24 x 40.5-41	100	118	13.25	\$1535	\$1591
	ZL4030F21L	18 x 30 x 40.5-41	100	133	16.5	\$1659	\$1728
	ZL4024L21L	24 x 24 x 40.5-41	100	149	17.25	\$1687	\$1750
	ZL4030L21L	24 x 30 x 40.5-41	125	166	21.25	\$1818	\$1897
	22.100022.12	21X00X101011	.20		21120	Ų	4.002
	ZL4024F21R	18 x 24 x 40.5-41	100	118	13.25	\$1535	\$1591
	ZL4030F21R	18 x 30 x 40.5-41	100	133	16.5	\$1659	\$1728
	ZL403012111 ZL4024L21R	24 x 24 x 40.5-41	100	149	17.25	\$1687	\$1720
				166			
	ZL4030L21R	24 x 30 x 40.5-41	125	100	21.25	\$1818	\$1897
Left shown							
Two Columns, One Row - 40.5/41"H	• Select suffix (L)	for <b>left</b> hand / ( <b>R</b> ) for <b>rig</b>	<b>ht</b> hand opening.	Includes co	oat hook in each	n opening	
TWO COLUMN LOCKERS, TWO ROWS	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP
	71.07045001	10 v 24 v 27 E 20	100	0.4	0.5	¢1/107	¢1.470
	ZL2724F22L	18 x 24 x 27.5-28	100	94	9.5	\$1427	\$1478
	ZL2724F22R	18 x 24 x 27.5-28	100	94	9.5	\$1427	\$1478
Left shown							
Two Columns, Two Rows - 27.5/28"H	<ul> <li>Select suffix (L)</li> </ul>	for left hand / (R) for rig	ht hand opening.				
	ZL4024F22L	18 x 24 x 40.5-41	100	125	13.25	\$1677	\$1728
	ZL4030F22L	18 x 30 x 40.5-41	100	142	16.25	\$1818	\$1881
	ZL4024L22L	24 x 24 x 40.5-41	100	158	17.25	\$1841	\$1904
	ZL4030L22L	24 x 30 x 40.5-41	100	178	21.25	\$1993	\$2073
	ZL4024F22R	18 x 24 x 40.5-41	100	125	13.25	\$1677	\$1728
	ZL4030F22R	18 x 30 x 40.5-41	100	142	16.25	\$1818	\$1881
	ZL4024L22R	24 x 24 x 40.5-41	100	158	17.25	\$1841	\$1904
	ZL4030L22R	24 x 30 x 40.5-41	100	178	21.25	\$1993	\$2073
Left shown						*	<del></del>
Two Columns, Two Rows - 40.5/41"H	• Select suffix (L)	for left hand / (R) for rig	ht hand opening.				
	71.000 45001	40 04 00 5 07	100	107	04.05	<b>*</b> 0=00	00554
	ZL6624F22L	18 x 24 x 66.5-67	100	187	21.25	\$2503	\$2554
	ZL6636F22L	18 x 36 x 66.5-67	125	235	31	\$2939	\$3013
	ZL6636L22L	24 x 36 x 66.5-67	125	283	40	\$3159	\$3250
	ZL6624F22R	18 x 24 x 66.5-67	100	187	21.25	\$2503	\$2554
	ZL6636F22R	18 x 36 x 66.5-67	125	235	31	\$2939	\$3013
	ZL6636L22R	24 x 36 x 66.5-67	125	283	40	\$3159	\$3250
Left shown							
	Select suffix (L)	for left hand / (R) for rig	ht hand opening	Includes co	oat hook in each	h opening and or	each door.
4	(=)	,					
4							
4							
4							
4							
4							
4							
4							
4							
4							
4							
4							
Two Columns, Two Rows - 66.5/67"H							
4							
4							
4	Required Specifica		Optional Specifi	cations		Accessories	
4	Top Finish	<b>ations</b> Base Finish	<b>Optional Specifi</b> Key #	cations		Accessories	
4	Top Finish Door Finish			cations		Accessories	
4	Top Finish			cations		Accessories	

TWO COLUMN LOCKERS, THREE ROWS	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
		D x W x H					
	ZL5324F23L	18 x 24 x 53.5-54	100	163	17.25	\$2237	\$2294
	ZL5330F23L	18 x 30 x 53.5-54	100	185	21.25	\$2429	\$2492
	ZL5336F23L	18 x 36 x 53.5-54	100	207	25.25	\$2662	\$2741
	ZL5324L23L	24 x 24 x 53.5-54	100	205	22.5	\$2447	\$2509
	ZL5330L23L	24 x 30 x 53.5-54	100	230	27.5	\$2650	\$2730
	ZL5336L23L	24 x 36 x 53.5-54	125	252	32.75	\$2887	\$2978
	ZL5324F23R	18 x 24 x 53.5-54	100	163	17.25	\$2237	\$2294
	ZL5330F23R	18 x 30 x 53.5-54	100	185	21.25	\$2429	\$2492
	ZL5336F23R	18 x 36 x 53.5-54	100	207	25.25	\$2662	\$2741
	ZL5324L23R	24 x 24 x 53.5-54	100	205	22.5	\$2447	\$2509
	ZL5330L23R	24 x 30 x 53.5-54	100	230	27.5	\$2650	\$2730
	ZL5336L23R	24 x 36 x 53.5-54	125	252	32.75	\$2887	\$2978
Loft chown							



- Select suffix (L) for left hand / (R) for right hand.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

\$2548	\$2497	21.25	194	100	18 x 24 x 66.5-67	ZL6624F23L
\$2775	\$2712	26	219	100	18 x 30 x 66.5-67	ZL6630F23L
\$3064	\$2985	31	246	125	18 x 36 x 66.5-67	ZL6636F23L
\$2792	\$2730	27.5	243	100	24 x 24 x 66.5-67	ZL6624L23L
\$3036	\$2962	33.75	271	100	24 x 30 x 66.5-67	ZL6630L23L
\$3319	\$3228	40	297	125	24 x 36 x 66.5-67	ZL6636L23L
\$2548	\$2497	21.25	194	100	18 x 24 x 66.5-67	ZL6624F23R
\$2775	\$2712	26	219	100	18 x 30 x 66.5-67	ZL6630F23R
\$3064	\$2985	31	246	125	18 x 36 x 66.5-67	ZL6636F23R
\$2792	\$2730	27.5	243	100	24 x 24 x 66.5-67	ZL6624L23R
\$3036	\$2962	33.75	271	100	24 x 30 x 66.5-67	ZL6630L23R
\$3319	\$3228	40	297	125	24 x 36 x 66.5-67	ZL6636L23R



- Select suffix (L) for left hand / (R) for right hand.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

TWO COLUMN LOCKERS, FOUR ROWS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
	ZL6624F24L	18 x 24 x 66.5-67	100	201	21.25	\$2826	\$2877
	ZL6624L24L	24 x 24 x 66.5-67	100	252	27.5	\$3069	\$3138
	ZL6624F24R	18 x 24 x 66.5-67	100	201	21.25	\$2826	\$2877
	ZL6624L24R	24 x 24 x 66.5-67	100	252	27.5	\$3069	\$3138
Left shown							
Two Columns, Four Rows - 66.5/67"H	<ul> <li>Select suffix (L) for left hand / (R) for right hand opening.</li> </ul>						


	left skerer
	Left shown
Two Columns, Fo	ur Rows - 66.5/67"

<b>Required Specifications</b>	
Top Finish	Base Finish
Door Finish	
Top/Edge Detail	

Optional	Specifications
Key #	

Accessories

Handles




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
	D x W x H					
ZL4036F31L	18 x 36 x 40.5-41	100	165	19.5	\$2129	\$2209
ZL4036L31L	24 x 36 x 40.5-41	100	203	25.25	\$2305	\$2395
ZL4036F31R	18 x 36 x 40.5-41	100	165	19.5	\$2129	\$2209
ZL4036L31R	24 x 36 x 40.5-41	100	203	25.25	\$2305	\$2395

• Select suffix (L) for left hand / (R) for right hand opening. Includes coat hook in each opening

Thron C	alumns O	Left shown
Tilree C	oiumns, u	ne Row - 53.5/54"H

ZL5336F31L	18 x 36 x 53.5-54	100	215	25.25	\$2627	\$2707
ZL5336L31L	24 x 36 x 53.5-54	100	265	32.75	\$2882	\$2973
ZL5336F31R	18 x 36 x 53.5-54	100	215	25.25	\$2627	\$2707
ZL5336L31R	24 x 36 x 53.5-54	100	265	32.75	\$2882	\$2973

• Select suffix (L) for left hand / (R) for right hand opening. Includes hat shelf and coat hook in each opening.



ZL6636F31L	18 x 36 x 66.5-67	100	258	31	\$2985	\$3059
ZL6636L31L	24 x 36 x 66.5-67	125	317	40	\$3267	\$3357
ZL6636F31R	18 x 36 x 66.5-67	100	258	31	\$2985	\$3059
ZL6636L31R	24 x 36 x 66.5-67	125	317	40	\$3267	\$3357

• Select suffix (L) for left hand / (R) for right hand opening. Includes hat shelf and coat hook in each opening.

	Left shown
Three Columns, T	wo Rows - 40.5/41"H

THREE COLUMN LOCKERS, TWO ROWS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP
ZL4036F32L	18 x 36 x 40.5-41	100	176	19.5	\$2339	\$2413
ZL4036L32L	24 x 36 x 40.5-41	100	218	25.25	\$2537	\$2627
ZL4036F32R	18 x 36 x 40.5-41	100	176	19.5	\$2339	\$2413
ZL4036L32R	24 x 36 x 40.5-41	100	218	25.25	\$2537	\$2627

• Select suffix (L) for left hand / (R) for right hand opening.

	Loft abour
	Left shown
Three Columns Two	Rows - 53 5/54"

ZL5336F	32L	18 x 36 x 53.5-54	100	219	25.25	\$3159	\$3233
ZL53361	32L	24 x 36 x 53.5-54	100	269	32.75	\$3392	\$3482
ZL5336F	32R	18 x 36 x 53.5-54	100	219	25.25	\$3159	\$3233
ZL53361	32R	24 x 36 x 53.5-54	100	269	32.75	\$3392	\$3482

• Select suffix (L) for left hand / (R) for right hand opening. Includes coat hook in each opening and on each door.

Required Specification	IS
Top Finish	Base Finish
Door Finish	
Top/Edge Detail	

<b>Optional</b>	Specifications
Key #	


1	٩c	ce	SS	10	ies	6

Handles

## **Z** ZIRA™LOCKERS

Three Columns, Two Rows - 66.5/67"H

Three Columns, Three Rows - 66.5/67"H



• Select suffix (L) for left hand / (R) for right hand opening. Includes coat hook in each opening and on each door.

THREE COLUMN LOCKERS, THREE ROWS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
	ZL5336F33L	18 x 36 x 53.5-54	100	229	25.25	\$3154	\$3228
	ZL5336L33L	24 x 36 x 53.5-54	100	283	32.75	\$3402	\$3493
	ZL5336F33R	18 x 36 x 53.5-54	100	229	25.25	\$3154	\$3228
	ZL5336L33R	24 x 36 x 53.5-54	100	283	32.75	\$3402	\$3493
Timee Guiumiis, Timee ROWS - 55.5/54 H	• Select suffix (L)	for <b>left</b> hand / ( <b>R</b> ) for <b>rig</b>	<b>ht</b> hand opening.				
Three Columns, Three Rows - 53.5/54"H	• Select suffix (L)	for <b>left</b> hand / ( <b>R</b> ) for <b>rig</b>	<b>ht</b> hand opening.				
Tillee Columns, Tillee Rows - 33.3/34 T	• Select suffix (L)  ZL6636F33L	for <b>left</b> hand / ( <b>R</b> ) for <b>rig</b> 18 x 36 x 66.5-67	ht hand opening.	272	31	\$3550	\$3624
Tillee Columns, Tillee Nows - 55.3/94 H				272 336	31 40	\$3550 \$3850	\$3624 \$3941
Tillee Columns, Tillee Rows - 33.3/34 H	ZL6636F33L	18 x 36 x 66.5-67	100				

• Select suffix (L) for left hand / (R) for right hand opening.

Required Specifications		Optional Specifications	Accessories	
Top Finish	Base Finish	Key #		
Door Finish				
Top/Edge Detail				
Handles				

# benching



Bridges II

292



# benching



Bridges II

292










Our desire was to develop an environment for collaborative teamwork which would facilitate connection, or bridging of people and ideas. A set of components which would even serve as a catalyst, inviting team members out of their cocooned comfort zones and encouraging them to engage, co-create. With Bridges II you can develop an environment of collaborative teamwork through workspace configuration that enhances line communication and bridges people with a spectrum of ideas and interfaces. Bridges II features a set of components that facilitate communication and streamline interaction through product that efficiently adapts and creatively configures. The product focuses on advancing engagement and collaborative creation through quick adaptations necessary to meet the needs of a fast paced and ever changing work environment. With flexible building components, Bridges II fits numerous applications, from boardrooms to multi-person workstations. It is easy to customize and reconfigure to fit specific requirements.

Rectangular Leg



Power Trough



Round Leg

## **Features and Benefits**

- · High performance thermally fused laminate tops are 1"
- · High pressure laminate tops are 1-1/16" thick
- Flat 3mm edge profile on all
- · Worksurfaces provided with pilot holes for alignment
- Numerous Power/Data accessories
- Interconnected storage units can form a spine to create space division, storage, cable management and worksurface support
- · Leg Options: Height adjustable round legs Fixed height rectangular legs

#### **GENERAL INFORMATION**

## Flexible Building components

- Single leg tables (freestanding or mobile)
- Training Rooms
- Boardrooms
- Libraries
- 1 person general and private office
- 2 person workstation
- 3 person workstation
- 6+ person workstation
- Storage spine-based workstation

**Easy to customize and reconfigure** to fit specific requirements. From the facility manager's perspective, all workstations can be standardized to form a linear worksurface and power/data services, and their respective function or purpose can be governed by the type, quantity and placement of adjacent components like dividers, storage cabinets, shelves and accessories. These adjacent components can be easily reconfigured with minimal down time - without having to invite electrical and IT crews.

## **Compatible with various environments**

 Clean, simple, elegant design language, with finishes suggesting comfortable, even domestic flavor. Understated to designer combinations, like anodized aluminum and white, give a hint of subtle sophistication.

## Choice of two functionally and visually different leg supports

- Casters or levelers
- · Height adjustable round legs
- Fixed height rectangular legs
- Optional anodized aluminum finish (Rectangular legs only). Refer to individual models for upcharge.

## Various power/data delivery levels to choose from

- Wire basket to organize cable access under worksurfaces and storage units
- Vertical cable manager integrated into rectangular leg
- Worksurface edge-mounted power/data units (easy to reconfigure, plug into wall/floor outlets), or power troughs
- Single-sided and double-sided below worksurface power/data trough (desktop/floor standing computers and office equipment)
- Worksurface access door (access to below worksurface power outlets and data terminals)
- Above worksurface power/data trough provides immediate access for laptops, tablets and phones
- Storage integrated power/data unit
- Horizontal cable management under storage units with optional wire basket

**Interconnected storage units** can form a spine to create space division, storage, cable management and worksurface support. Storage leg can be configured to act as a ganging bracket.

• For environmental certifications, please visit globalfurnituregroup.com.

## BRIDGES II™ - NOTES

#### WORKSURFACES

- Standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- · Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- Doors and Drawer Fronts feature a matching 3mm edge. All other surfaces feature a matching self edge.

#### **TABLES**

- · All multiple linear workstations are standard with levelers
- Tops square for flush surface-to-surface abutment and to accept desk mounted accessories
- · Worksurfaces provided with pilot holes for alignment purposes

#### **CODES**

• This price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of a worksurface:

Product code: BRTWS2472AWC + HP

BRT = Bridges II

WS = Type of Worksurface

2472 = Size: Depth x Width

AWC = High Pressure Laminate

HP = Finish

#### **RECTANGULAR LEG**

- · For single and shared worksurface support
- · Bridges II Rectangular legs are available with: Locking Casters (BRTLCS) or Levelers (BRTLVS)





- Casters and Levelers CANNOT be retrofitted
- Levelers have a 2" height range, with 5/16" thread
- · Levelers are available in Black only
- Casters are 45mm high with 8mm thread, available in White body / Grey tire combination only
- Leg frame is offered in 8 standard paint finishes and anodized aluminum finish
- Paint finish is a durable, environmentally friendly epoxy powder coating
- When anodized finish is selected, crossbeam is always White

#### **ROUND LEG**

- · For single and shared worksurface support
- Tubular steel legs are adjustable in 1" increments
- Height adjustment allows the user to easily set the height of a table
- Legs have a height adjustment of 24" 32" in 1" increments with levelers and 27" - 35" with casters
- Bridges II Round legs are available with: Locking Casters (BRTLCR) or Levelers (BRTLVR)







- Levelers have a 1" height range, with 3/8-16" thread
- Levelers are available in Chrome only
- · Casters available in Tungsten/Black combination only
- Casters are 3" diameter with an overall height of 3 3/4" with 3/8-16" thread
- Inner legs are available in Chrome only
- Leg frame is offered in 8 standard paint finishes
- · Paint finish is a durable, environmentally friendly epoxy powder coating

#### **FINISHES**

TUN

#### **Metal Frame Finishes:**

BLK Black CHR Charcoal **DWT** Designer White FOG Fog NEV Nevada SIL Silver **TPE** Taupe

ANO\* Anodized Aluminum - Upcharge applies. Refer to models for upcharge.

#### **Laminate Top Finishes:**

Tunasten

ACJ Absolute Acajou ASN Asian Night Avant Cherry AWC **AWH** Avant Honey

BLK Black - Coordinates with BLK Metal Frame Finish

BZD Blizzard

Brushed Cobalt - Coordinates with TUN Metal Frame Finish BRC CMB Clear Maple

CGY

Custom Grey - Coordinates with SIL Metal Frame Finish

DES Dark Espresso

Designer White - Coordinates with DWT Metal Frame Finish **DWT** 

FAS Fashionista FCL First Class

NBL Noce Biondo

NGL Noce Grigio

NEL Noce Leggero NML Noce Medio

QTM Quartered Mahogany

SBY Sheer Beauty SDT Stonedust

SOG Storm Grey - Coordinates with CHR Metal Frame Finish STG String - Coordinates with NEV Metal Frame Finish

Walnut Heights WHE

WHC White Chocolate

WCR Winter Cherry

<sup>\*</sup>ANO is a process, not a paint finish.

#### **Edgeband Finishes:**

AAE Absolute Acajou

ASE Asian Night

ACE Avant Cherry

AHE Avant Honey

BLK Black

BRC **Brushed Cobalt** 

BZD Blizzard

CHR Charcoal (use w/SOG)

CGY Custom Grey -

CME Clear Maple

DEE

Dark Espresso

DWE Designer White

FAS Fashionista

FCL First Class

NEV Nevada (use w/STG)

Quartered Mahogany QTM

SBY Sheer Beauty

SIL Silver

SDT

Stonedust

TPE Taupe

WHE Walnut Heights

CBE White Chocolate

WCE Winter Cherry

## **Chassis/Accent Finishes:**

ACJ Absolute Acajou

ASN Asian Night

AWC Avant Cherry

AWH Avant Honey

BLK Black - Coordinates with BLK Metal Frame Finish

BRC Brushed Cobalt - Coordinates with TUN Metal Frame Finish

BZD Blizzard

CGY Custom Grey - Coordinates with SIL Metal Frame Finish

CMB Clear Maple

DES Dark Espresso

**DWT** Designer White - Coordinates with DWT Metal Frame Finish

FAS Fashionista

FCL First Class

NBL Noce Biondo

NGL Noce Grigio

NEL Noce Leggero

NML Noce Medio

QTM Quartered Mahogany

SBY Sheer Beauty

SOG Storm Grey - Coordinates with CHR Metal Frame Finish

SDT Stonedust

STG String - Coordinates with NEV Metal Frame Finish

WHC White Chocolate

WHE Walnut Heights

WCR Winter Cherry

## **Metal Beam Finishes:**

BLK Black

CHR Charcoal

DWT Designer White

FOG Fog

NEV Nevada

SIL Silver

TPE Taupe

TUN Tungsten

#### **FABRIC TABLE DIVIDERS / SEAT PRIVACY PARTITIONS**

Bridges II Fabric Table Dividers are available in: Anchorage, Lola, Merge

#### **COLLABORATIVE SEATING**

· All standard seating fabrics and grades apply.

## 30"W UNITS STORAGE CAPACITY CHART

Side to Side




Side to Side Letter/Front to Back Legal




## **36"W UNITS STORAGE CAPACITY CHART**

Side to Side Letter



LETTER LETTER

Side to Side Legal



LETTER LEGAL

Side to Side Letter/Front to Back Legal



RECTANGULAR LEG F

D x W x H	PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
BRTS1P2478L 24 x 78 x 29 85 72 4.82 \$1538 \$148 BRTS1P2472L 24 x 72 x 29 85 69 4.73 \$1484 \$153 BRTS1P2466L 24 x 66 x 29 85 66 4.65 \$1468 \$136 BRTS1P2463L 24 x 62.5 x 29 85 63 4.57 \$1457 \$132 BRTS1P2460L 24 x 60 x 29 85 60 4.48 \$1441 \$131 BRTS1P2454L 24 x 54 x 29 85 57 4.4 \$1391 \$114 BRTS1P2451L 24 x 50.5 x 29 85 54 4.3 \$1353 \$109 BRTS1P2448L 24 x 48 x 29 85 51 4.2 \$1317 \$104 BRTS1P2448L 24 x 42 x 29 92.5 48 4.1 \$1260 \$85 BRTS1P2436L 24 x 36 x 29 92.5 48 4.1 \$1260 \$85 BRTS1P2436L 24 x 36 x 29 92.5 45 4 \$1181 \$73 BRTS1P3078L 30 x 78 x 29 70 81 5.1 \$1597 \$153 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3066L 30 x 60 x 29 85 69 4.73 \$1495 \$151 \$161 BRTS1P3051L 30 x 54 x 29 85 69 4.73 \$1495 \$131 BRTS1P3051L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 54 x 29 85 66 4.5 \$1434 \$119 BRTS1P3042L 30 x 48 x 29 85 66 4.5 \$1434 \$119 BRTS1P3048L 30 x 48 x 29 85 66 4.5 \$1434 \$119 BRTS1P3042L 30 x 42 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112		DDT04D04041		70	7.5	4.00	44504	****
BRTS1P2472L 24 x 72 x 29 85 69 4.73 \$1484 \$153 BRTS1P2466L 24 x 66 x 29 85 66 4.65 \$1468 \$136 BRTS1P2463L 24 x 62.5 x 29 85 63 4.57 \$1457 \$132 BRTS1P2460L 24 x 60 x 29 85 60 4.48 \$1441 \$131 BRTS1P2454L 24 x 54 x 29 85 57 4.4 \$1391 \$114 BRTS1P2451L 24 x 50.5 x 29 85 57 4.4 \$1391 \$114 BRTS1P2448L 24 x 48 x 29 85 51 4.2 \$1317 \$104 BRTS1P2442L 24 x 42 x 29 92.5 48 4.1 \$1260 \$85 BRTS1P24436L 24 x 36 x 29 92.5 45 4 \$1181 \$73  BRTS1P3084L 30 x 84 x 29 70 84 5.2 \$1661 \$165 BRTS1P3078L 30 x 78 x 29 70 81 5.1 \$1597 \$153 BRTS1P3066L 30 x 66 x 29 70 78 5.01 \$1559 \$151 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3060L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3054L 30 x 54 x 29 85 63 4.5 \$1434 \$119 BRTS1P3048L 30 x 48 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112								
BRTS1P2466L 24 x 66 x 29 85 66 4.65 \$1468 \$136 BRTS1P2463L 24 x 62.5 x 29 85 63 4.57 \$1457 \$132 BRTS1P2460L 24 x 60 x 29 85 60 4.48 \$1441 \$131 BRTS1P2454L 24 x 54 x 29 85 57 4.4 \$1391 \$114 BRTS1P2451L 24 x 50.5 x 29 85 54 4.3 \$1353 \$109 BRTS1P2448L 24 x 48 x 29 85 51 4.2 \$1317 \$104 BRTS1P2442L 24 x 42 x 29 92.5 48 4.1 \$1260 \$85 BRTS1P2436L 24 x 36 x 29 92.5 45 4 \$1181 \$73 \$\$BRTS1P3084L 30 x 84 x 29 70 81 5.1 \$1597 \$153 BRTS1P3072L 30 x 72 x 29 70 70 81 5.1 \$1597 \$153 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3060L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 50.5 x 29 85 63 4.5 \$1434 \$119 BRTS1P3048L 30 x 48 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112			24 x 78 x 29			4.82	\$1538	\$148
BRTS1P2463L 24 x 62.5 x 29 85 63 4.57 \$1457 \$132 BRTS1P2460L 24 x 60 x 29 85 60 4.48 \$1441 \$131 BRTS1P2454L 24 x 54 x 29 85 57 4.4 \$1391 \$114 BRTS1P2451L 24 x 50.5 x 29 85 54 4.3 \$1353 \$109 BRTS1P2448L 24 x 48 x 29 85 51 4.2 \$1317 \$104 BRTS1P2442L 24 x 42 x 29 92.5 48 4.1 \$1260 \$85 BRTS1P2436L 24 x 36 x 29 92.5 45 4 \$1181 \$73 \$\$BRTS1P2436L 24 x 36 x 29 92.5 45 4 \$1181 \$73 \$\$BRTS1P3078L 30 x 78 x 29 70 81 5.1 \$1597 \$153 BRTS1P3072L 30 x 72 x 29 70 78 5.01 \$1559 \$151 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3063L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 50.5 x 29 85 63 4.5 \$1434 \$119 BRTS1P3042L 30 x 42 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112		BRTS1P2472L	24 x 72 x 29	85	69	4.73	\$1484	\$153
BRTS1P2460L 24 x 60 x 29 85 60 4.48 \$1441 \$131 BRTS1P2454L 24 x 54 x 29 85 57 4.4 \$1391 \$114 BRTS1P2451L 24 x 50.5 x 29 85 54 4.3 \$1353 \$109 BRTS1P2448L 24 x 48 x 29 85 51 4.2 \$1317 \$104 BRTS1P2442L 24 x 42 x 29 92.5 48 4.1 \$1260 \$85 BRTS1P2436L 24 x 36 x 29 92.5 45 4 \$1181 \$73 \$\$\$\$BRTS1P2436L 30 x 84 x 29 70 84 5.2 \$1661 \$165 BRTS1P3078L 30 x 78 x 29 70 81 5.1 \$1597 \$153 BRTS1P3072L 30 x 72 x 29 70 78 5.01 \$1559 \$151 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3063L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 50.5 x 29 85 63 4.5 \$1434 \$119 BRTS1P3042L 30 x 42 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112		BRTS1P2466L	24 x 66 x 29	85	66	4.65	\$1468	\$136
BRTS1P2454L 24 x 54 x 29 85 57 4.4 \$1391 \$114 BRTS1P2451L 24 x 50.5 x 29 85 54 4.3 \$1353 \$109 BRTS1P2448L 24 x 48 x 29 85 51 4.2 \$1317 \$104 BRTS1P2442L 24 x 42 x 29 92.5 48 4.1 \$1260 \$85 BRTS1P2436L 24 x 36 x 29 92.5 45 4 \$1181 \$73 \$\$\$\$BRTS1P2436L 30 x 84 x 29 70 84 5.2 \$1661 \$165 BRTS1P3078L 30 x 78 x 29 70 81 5.1 \$1597 \$153 BRTS1P3072L 30 x 72 x 29 70 78 5.01 \$1559 \$151 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3063L 30 x 62.5 x 29 70 72 4.8 \$1510 \$140 BRTS1P3060L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 50.5 x 29 85 63 4.5 \$1434 \$119 BRTS1P3048L 30 x 48 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112		BRTS1P2463L	24 x 62.5 x 29	85	63	4.57	\$1457	\$132
BRTS1P2451L 24 x 50.5 x 29 85 54 4.3 \$1353 \$109 BRTS1P2448L 24 x 48 x 29 85 51 4.2 \$1317 \$104 BRTS1P2442L 24 x 42 x 29 92.5 48 4.1 \$1260 \$85 BRTS1P2436L 24 x 36 x 29 92.5 45 4 \$1181 \$73 \$\$\$\$ BRTS1P2436L 30 x 84 x 29 70 84 5.2 \$1661 \$165 BRTS1P3078L 30 x 78 x 29 70 81 5.1 \$1597 \$153 BRTS1P3072L 30 x 72 x 29 70 78 5.01 \$1559 \$151 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3063L 30 x 62.5 x 29 70 72 4.8 \$1510 \$140 BRTS1P3060L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3051L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 42 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112		BRTS1P2460L	24 x 60 x 29	85	60	4.48	\$1441	\$131
BRTS1P2448L 24 x 48 x 29 85 51 4.2 \$1317 \$104 BRTS1P2442L 24 x 42 x 29 92.5 48 4.1 \$1260 \$85 BRTS1P2436L 24 x 36 x 29 92.5 45 4 \$1181 \$73 \$104 \$1260 \$105 BRTS1P2436L 24 x 36 x 29 92.5 45 4 \$1181 \$73 \$105 BRTS1P3078L 30 x 78 x 29 70 81 5.1 \$1597 \$153 BRTS1P3072L 30 x 72 x 29 70 78 5.01 \$1559 \$151 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3063L 30 x 62.5 x 29 70 72 4.8 \$1510 \$140 BRTS1P3060L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 50.5 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112		BRTS1P2454L	24 x 54 x 29	85	57	4.4	\$1391	\$114
BRTS1P2442L 24 x 42 x 29 92.5 48 4.1 \$1260 \$85 BRTS1P2436L 24 x 36 x 29 92.5 45 4 \$1181 \$73  BRTS1P3084L 30 x 84 x 29 70 84 5.2 \$1661 \$165 BRTS1P3078L 30 x 78 x 29 70 81 5.1 \$1597 \$153 BRTS1P3072L 30 x 72 x 29 70 78 5.01 \$1559 \$151 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3063L 30 x 62.5 x 29 70 72 4.8 \$1510 \$140 BRTS1P3060L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 50.5 x 29 85 63 4.5 \$1434 \$119 BRTS1P3048L 30 x 48 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112		BRTS1P2451L	24 x 50.5 x 29	85	54	4.3	\$1353	\$109
BRTS1P2436L 24 x 36 x 29 92.5 45 4 \$1181 \$73  BRTS1P3084L 30 x 84 x 29 70 84 5.2 \$1661 \$165  BRTS1P3078L 30 x 78 x 29 70 81 5.1 \$1597 \$153  BRTS1P3072L 30 x 72 x 29 70 78 5.01 \$1559 \$151  BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145  BRTS1P3063L 30 x 62.5 x 29 70 72 4.8 \$1510 \$140  BRTS1P3060L 30 x 60 x 29 85 69 4.73 \$1495 \$136  BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113  BRTS1P3051L 30 x 50.5 x 29 85 63 4.5 \$1434 \$119  BRTS1P3048L 30 x 48 x 29 85 60 4.41 \$1410 \$114  BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112		BRTS1P2448L	24 x 48 x 29	85	51	4.2	\$1317	\$104
BRTS1P3084L 30 x 84 x 29 70 84 5.2 \$1661 \$165 BRTS1P3078L 30 x 78 x 29 70 81 5.1 \$1597 \$153 BRTS1P3072L 30 x 72 x 29 70 78 5.01 \$1559 \$151 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3063L 30 x 62.5 x 29 70 72 4.8 \$1510 \$140 BRTS1P3060L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 50.5 x 29 85 63 4.5 \$1434 \$119 BRTS1P3048L 30 x 48 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112		BRTS1P2442L	24 x 42 x 29	92.5	48	4.1	\$1260	\$85
BRTS1P3078L 30 x 78 x 29 70 81 5.1 \$1597 \$153 BRTS1P3072L 30 x 72 x 29 70 78 5.01 \$1559 \$151 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3063L 30 x 62.5 x 29 70 72 4.8 \$1510 \$140 BRTS1P3060L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 50.5 x 29 85 63 4.5 \$1434 \$119 BRTS1P3048L 30 x 48 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112		BRTS1P2436L	24 x 36 x 29	92.5	45	4	\$1181	\$73
BRTS1P3078L 30 x 78 x 29 70 81 5.1 \$1597 \$153 BRTS1P3072L 30 x 72 x 29 70 78 5.01 \$1559 \$151 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3063L 30 x 62.5 x 29 70 72 4.8 \$1510 \$140 BRTS1P3060L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 50.5 x 29 85 63 4.5 \$1434 \$119 BRTS1P3048L 30 x 48 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112		RRTS1P308/II	30 v 8/l v 29	70	8/1	5.2	\$1661	\$165
BRTS1P3072L 30 x 72 x 29 70 78 5.01 \$1559 \$151 BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3063L 30 x 62.5 x 29 70 72 4.8 \$1510 \$140 BRTS1P3060L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 50.5 x 29 85 63 4.5 \$1434 \$119 BRTS1P3048L 30 x 48 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112								
BRTS1P3066L 30 x 66 x 29 70 75 4.9 \$1522 \$145 BRTS1P3063L 30 x 62.5 x 29 70 72 4.8 \$1510 \$140 BRTS1P3060L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 50.5 x 29 85 63 4.5 \$1434 \$119 BRTS1P3048L 30 x 48 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112				· ·				
BRTS1P3060L 30 x 60 x 29 85 69 4.73 \$1495 \$136 BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 50.5 x 29 85 63 4.5 \$1434 \$119 BRTS1P3048L 30 x 48 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112		BRTS1P3066L	30 x 66 x 29	70	75	4.9	\$1522	
BRTS1P3054L 30 x 54 x 29 85 66 4.6 \$1461 \$113 BRTS1P3051L 30 x 50.5 x 29 85 63 4.5 \$1434 \$119 BRTS1P3048L 30 x 48 x 29 85 60 4.41 \$1410 \$114 BRTS1P3042L 30 x 42 x 29 85 57 4.3 \$1379 \$112		BRTS1P3063L	30 x 62.5 x 29	70	72	4.8	\$1510	\$140
BRTS1P3051L       30 x 50.5 x 29       85       63       4.5       \$1434       \$119         BRTS1P3048L       30 x 48 x 29       85       60       4.41       \$1410       \$114         BRTS1P3042L       30 x 42 x 29       85       57       4.3       \$1379       \$112		BRTS1P3060L	30 x 60 x 29	85	69	4.73	\$1495	\$136
BRTS1P3048L 30 x 48 x 29 85 60 4.41 <b>\$1410 \$114</b> BRTS1P3042L 30 x 42 x 29 85 57 4.3 <b>\$1379 \$112</b>		BRTS1P3054L	30 x 54 x 29	85	66	4.6	\$1461	\$113
BRTS1P3042L 30 x 42 x 29 85 57 4.3 <b>\$1379 \$112</b>		BRTS1P3051L	30 x 50.5 x 29	85	63	4.5	\$1434	\$119
	V	BRTS1P3048L	30 x 48 x 29	85	60	4.41	\$1410	\$114
BRTS1P3036L 30 x 36 x 29 85 54 4.2 <b>\$1274 \$77</b>		BRTS1P3042L	30 x 42 x 29	85	57	4.3	\$1379	\$112
		BRTS1P3036L	30 x 36 x 29	85	54	4.2	\$1274	\$77



Single Line 1 Person Pod with Levelers

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam.

• Anodized Aluminum Leg - Add \$154. list upcharge

Required Specifications
Top finish

Edge finish Metal finish (legs) Beam finish

Optional Specifications
Anodized Aluminum Leg HP laminate

RECTANGULAR LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BRTS1P2484C	24 x 84 x 29	70	75	4.92	\$1661	\$154
	BRTS1P2478C	24 x 78 x 29	85	72	4.82	\$1615	\$148
	BRTS1P2472C	24 x 72 x 29	85	69	4.73	\$1571	\$145
	BRTS1P2466C	24 x 66 x 29	85	66	4.65	\$1546	\$136
	BRTS1P2463C	24 x 62.5 x 29	85	63	4.57	\$1533	\$132
	BRTS1P2460C	24 x 60 x 29	85	60	4.48	\$1520	\$131
	BRTS1P2454C	24 x 54 x 29	85	57	4.4	\$1468	\$114
	BRTS1P2451C	24 x 50.5 x 29	85	54	4.3	\$1432	\$109
	BRTS1P2448C	24 x 48 x 29	85	51	4.2	\$1394	\$104
	BRTS1P2442C	24 x 42 x 29	92.5	48	4.1	\$1335	\$85
	BRTS1P2436C	24 x 36 x 29	92.5	45	4	\$1261	\$73
	BRTS1P3084C	30 x 84 x 29	70	84	5.2	\$1753	\$153
	BRTS1P3078C	30 x 78 x 29	70	81	5.1	\$1733	\$153
	BRTS1P3072C	30 x 78 x 29	70	78	5.01	\$1674	\$129
	BRTS1P3066C				4.9	\$1600	\$145
	BRTS1P3063C	30 x 66 x 29 30 x 62.5 x 29	70 70	75 72	4.9	\$1588	\$140
	BRTS1P3060C	30 x 62.5 x 29	85	69	4.8	\$1566 \$1572	\$140
	BRTS1P3054C	30 x 54 x 29	85	66	4.73	\$1572 \$1539	\$130
	BRTS1P3054C	30 x 50.5 x 29	85	63	4.0	\$1539 \$1512	\$113
4	BRTS1P3048C	30 x 48 x 29	85	60	4.41	\$1487	\$114
	BRTS1P3042C	30 x 42 x 29	85	57	4.3	\$1458	\$112
	BRTS1P3036C	30 x 36 x 29	85	54	4.2	\$1352	\$77

Anodized Aluminum Leg - Add \$154. list upcharge

Required Specifications
Top finish
Edge finish
Metal finish (legs)
Beam finish

Optional Specifications
Anodized Aluminum Leg
HP laminate

RECTANGULAR LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		DxWxH					
	BRTS2P2484L	24 x 168 x 29	70	149	7.41	\$2775	\$306
	BRTS2P2478L	24 x 156 x 29	70	140	7.27	\$2681	\$291
	BRTS2P2472L	24 x 144 x 29	70	131	7.13	\$2598	\$283
	BRTS2P2466L	24 x 132 x 29	70	122	6.95	\$2543	\$267
	BRTS2P2460L	24 x 120 x 29	70	113	6.71	\$2488	\$260
	BRTS2P2454L	24 x 108 x 29	70	104	6.45	\$2386	\$226
	BRTS2P2448L	24 x 96 x 29	70	95	6.21	\$2240	\$203
^							
	BRTS2P3084L	30 x 168 x 29	70	173	8.25	\$2911	\$329
	BRTS2P3078L	30 x 156 x 29	70	164	7.97	\$2783	\$303
	BRTS2P3072L	30 x 144 x 29	70	155	7.69	\$2725	\$294
	BRTS2P3066L	30 x 132 x 29	70	140	7.41	\$2633	\$283
<b>V</b>	BRTS2P3060L	30 x 120 x 29	70	131	7.13	\$2581	\$267
	BRTS2P3054L	30 x 108 x 29	70	122	6.85	\$2507	\$226
<sup>y</sup>	BRTS2P3048L	30 x 96 x 29	70	113	6.57	\$2406	\$226
V							



Single Line 2 Person Pod with Levelers

Single Line 2 Person workstation consists of two worksurfaces, three leg assemblies, and two supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

BRTS3P2484L	24 x 252 x 29	70	219	9.74	\$3969	\$457
BRTS3P2478L	24 x 234 x 29	70	206	9.53	\$3828	\$434
BRTS3P2472L	24 x 216 x 29	70	192	9.32	\$3701	\$423
BRTS3P2466L	24 x 198 x 29	70	179	9.11	\$3617	\$401
BRTS3P2460L	24 x 180 x 29	70	165	8.89	\$3539	\$368
BRTS3P2454L	24 x 162 x 29	70	152	8.68	\$3386	\$335
BRTS3P2448L	24 x 144 x 29	70	138	8.47	\$3165	\$301
BRTS3P3084L	30 x 252 x 29	65	263	11.59	\$4163	\$492
BRTS3P3078L	30 x 234 x 29	70	246	11.16	\$3970	\$454
BRTS3P3072L	30 x 216 x 29	70	229	10.72	\$3854	\$442
BRTS3P3066L	30 x 198 x 29	70	212	10.3	\$3743	\$423
BRTS3P3060L	30 x 180 x 29	70	195	9.87	\$3666	\$401
BRTS3P3054L	30 x 162 x 29	70	178	9.44	\$3557	\$335
BRTS3P3048L	30 x 144 x 29	70	161	9.01	\$3406	\$335




Single Line 3 Person Pod with Levelers

Single Line 3 Person workstation consists of three worksurfaces, four leg assemblies, and three supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

## • Anodized Aluminum Leg - Add \$305. list upcharge

BRTS4P2484L	24 x 336 x 29	70	291	13.67	\$5157	\$610
BRTS4P2478L	24 x 312 x 29	70	273	13.18	\$4972	\$578
BRTS4P2472L	24 x 288 x 29	70	254	12.69	\$4832	\$571
BRTS4P2466L	24 x 264 x 29	70	236	12.2	\$4693	\$532
BRTS4P2460L	24 x 240 x 29	70	217	11.71	\$4585	\$516
BRTS4P2454L	24 x 216 x 29	70	199	11.22	\$4384	\$446
BRTS4P2448L	24 x 192 x 29	70	180	10.73	\$4089	\$401
BRTS4P3084L	30 x 336 x 29	65	345	14.87	\$5410	\$655
BRTS4P3078L	30 x 312 x 29	65	323	14.3	\$5155	\$600
BRTS4P3072L	30 x 288 x 29	70	301	13.73	\$5001	\$586
BRTS4P3066L	30 x 264 x 29	70	279	13.16	\$4854	\$561
BRTS4P3060L	30 x 240 x 29	70	257	12.59	\$4754	\$532
BRTS4P3054L	30 x 216 x 29	70	235	12.02	\$4605	\$446
BRTS4P3048L	30 x 192 x 29	70	213	11.45	\$4404	\$446
	BRTS4P2478L BRTS4P2472L BRTS4P2466L BRTS4P2460L BRTS4P2454L BRTS4P2448L  BRTS4P3084L BRTS4P3078L BRTS4P3072L BRTS4P3066L BRTS4P3060L BRTS4P3054L	BRTS4P2478L 24 x 312 x 29 BRTS4P2472L 24 x 288 x 29 BRTS4P2466L 24 x 264 x 29 BRTS4P2466L 24 x 240 x 29 BRTS4P2454L 24 x 216 x 29 BRTS4P2448L 24 x 192 x 29 BRTS4P3084L 30 x 336 x 29 BRTS4P3078L 30 x 312 x 29 BRTS4P3072L 30 x 288 x 29 BRTS4P3066L 30 x 264 x 29 BRTS4P3060L 30 x 240 x 29 BRTS4P3054L 30 x 216 x 29	BRTS4P2478L 24 x 312 x 29 70 BRTS4P2472L 24 x 288 x 29 70 BRTS4P2466L 24 x 264 x 29 70 BRTS4P2460L 24 x 240 x 29 70 BRTS4P2454L 24 x 216 x 29 70 BRTS4P2448L 24 x 192 x 29 70 BRTS4P3084L 30 x 336 x 29 65 BRTS4P3078L 30 x 312 x 29 65 BRTS4P3072L 30 x 288 x 29 70 BRTS4P3066L 30 x 264 x 29 70 BRTS4P3060L 30 x 240 x 29 70 BRTS4P3054L 30 x 216 x 29 70	BRTS4P2478L       24 x 312 x 29       70       273         BRTS4P2472L       24 x 288 x 29       70       254         BRTS4P2466L       24 x 264 x 29       70       236         BRTS4P2460L       24 x 240 x 29       70       217         BRTS4P2454L       24 x 216 x 29       70       199         BRTS4P2448L       24 x 192 x 29       70       180         BRTS4P3084L       30 x 336 x 29       65       345         BRTS4P3078L       30 x 312 x 29       65       323         BRTS4P3072L       30 x 288 x 29       70       301         BRTS4P3066L       30 x 264 x 29       70       279         BRTS4P3054L       30 x 216 x 29       70       235	BRTS4P2478L       24 x 312 x 29       70       273       13.18         BRTS4P2472L       24 x 288 x 29       70       254       12.69         BRTS4P2466L       24 x 264 x 29       70       236       12.2         BRTS4P2460L       24 x 240 x 29       70       217       11.71         BRTS4P2454L       24 x 216 x 29       70       199       11.22         BRTS4P2448L       24 x 192 x 29       70       180       10.73         BRTS4P3084L       30 x 336 x 29       65       345       14.87         BRTS4P3078L       30 x 312 x 29       65       323       14.3         BRTS4P3072L       30 x 288 x 29       70       301       13.73         BRTS4P3066L       30 x 264 x 29       70       279       13.16         BRTS4P3054L       30 x 216 x 29       70       235       12.02	BRTS4P2478L       24 x 312 x 29       70       273       13.18       \$4972         BRTS4P2472L       24 x 288 x 29       70       254       12.69       \$4832         BRTS4P2466L       24 x 264 x 29       70       236       12.2       \$4693         BRTS4P2460L       24 x 240 x 29       70       217       11.71       \$4585         BRTS4P2454L       24 x 216 x 29       70       199       11.22       \$4384         BRTS4P2448L       24 x 192 x 29       70       180       10.73       \$4089         BRTS4P3084L       30 x 336 x 29       65       345       14.87       \$5410         BRTS4P3078L       30 x 312 x 29       65       323       14.3       \$5155         BRTS4P3072L       30 x 288 x 29       70       301       13.73       \$5001         BRTS4P3066L       30 x 264 x 29       70       279       13.16       \$4854         BRTS4P3054L       30 x 216 x 29       70       235       12.02       \$4605



Single Line 4 Person Pod with Levelers

Single Line 4 Person workstation consists of four worksurfaces, five leg assemblies, and four supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

• Anodized Aluminum Leg - Add \$382. list upcharge

Required Specifications	
Top finish	
Edge finish	
Metal finish (legs)	

Beam finish

**Optional Specifications** 

**Back-to-Back 2 Person Pod with Levelers** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTBAR2P2484L	50.5 x 84 x 29	70	146	9.4	\$2621	\$306
BRTBAR2P2478L	50.5 x 78 x 29	85	137	9.2	\$2526	\$291
BRTBAR2P2472L	50.5 x 72 x 29	85	128	9.02	\$2442	\$283
BRTBAR2P2466L	50.5 x 66 x 29	85	119	8.76	\$2386	\$267
BRTBAR2P2460L	50.5 x 60 x 29	85	110	8.56	\$2335	\$260
BRTBAR2P3084L	62.5 x 84 x 29	70	174	10.4	\$2699	\$329
BRTBAR2P3078L	62.5 x 78 x 29	70	163	9.8	\$2579	\$291
BRTBAR2P3072L	62.5 x 72 x 29	70	152	9.54	\$2496	\$291
BRTBAR2P3066L	62.5 x 66 x 29	70	141	9.25	\$2420	\$283
BRTBAR2P3060L	62.5 x 60 x 29	85	130	9	\$2368	\$267

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams.

• Anodized Aluminum Leg - Add \$154. list upcharge



Back-to-Back 2 Person Pod with Access Door and Levelers

BRTBAR2PA2484L	50.5 x 84 x 29	70	146	9.4	\$2755	\$547
BRTBAR2PA2478L	50.5 x 78 x 29	85	137	9.2	\$2678	\$489
BRTBAR2PA2472L	50.5 x 72 x 29	85	128	9.02	\$2621	\$469
BRTBAR2PA2466L	50.5 x 66 x 29	85	119	8.76	\$2524	\$411
BRTBAR2PA2460L	50.5 x 60 x 29	85	110	8.56	\$2427	\$372
BRTBAR2PA3084L	62.5 x 84 x 29	70	174	10.4	\$3008	\$664
BRTBAR2PA3078L	62.5 x 78 x 29	70	163	9.8	\$2911	\$625
BRTBAR2PA3072L	62.5 x 72 x 29	70	152	9.54	\$2853	\$568
BRTBAR2PA3066L	62.5 x 66 x 29	70	141	9.25	\$2755	\$508
BRTBAR2PA3060L	62.5 x 60 x 29	85	130	9	\$2621	\$469

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

Anodized Aluminum Leg - Add \$154. list upcharge



Access Doors and Levelers

BRTBAR2PDA2484L	50.5 x 84 x 29	70	146	9.4	\$2973	\$586
BRTBAR2PDA2478L	50.5 x 78 x 29	85	137	9.2	\$2890	\$525
BRTBAR2PDA2472L	50.5 x 72 x 29	85	128	9.02	\$2827	\$504
BRTBAR2PDA2466L	50.5 x 66 x 29	85	119	8.76	\$2724	\$442
BRTBAR2PDA2460L	50.5 x 60 x 29	85	110	8.56	\$2620	\$399
BRTBAR2PDA3084L	62.5 x 84 x 29	70	174	10.4	\$3244	\$712
BRTBAR2PDA3078L	62.5 x 78 x 29	70	163	9.8	\$3140	\$670
BRTBAR2PDA3072L	62.5 x 72 x 29	70	152	9.54	\$3079	\$607
BRTBAR2PDA3066L	62.5 x 66 x 29	70	141	9.25	\$2973	\$542
BRTBAR2PDA3060L	62.5 x 60 x 29	85	130	9	\$2827	\$504

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$154. list upcharge

**Required Specifications** 

Top finish Edge finish Metal finish (legs) Beam finish **Optional Specifications** 

## **BRIDGES II™**

RECTANGULAR LEG PACKAGES




**Back-to-Back 4 Person Pod with Levelers** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						_
BRTBAR4P2484L	50.5 x 168 x 29	70	272	15.66	\$4693	\$610	
BRTBAR4P2478L	50.5 x 156 x 29	70	256	15.2	\$4507	\$578	
BRTBAR4P2472L	50.5 x 144 x 29	70	240	14.74	\$4339	\$561	
BRTBAR4P2466L	50.5 x 132 x 29	70	224	14.28	\$4229	\$532	
BRTBAR4P2460L	50.5 x 120 x 29	70	208	13.82	\$4120	\$516	
BRTBAR4P3084L	62.5 x 168 x 29	70	333	16.86	\$4888	\$655	
BRTBAR4P3078L	62.5 x 156 x 29	70	313	16.32	\$4631	\$600	
BRTBAR4P3072L	62.5 x 144 x 29	70	293	15.78	\$4476	\$586	
BRTBAR4P3066L	62.5 x 132 x 29	70	273	15.24	\$4330	\$561	
BRTBAR4P3060L	62.5 x 120 x 29	70	253	14.7	\$4229	\$532	

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams.

• Anodized Aluminum Leg - Add \$228. list upcharge




Back-to-Back 4 Person Pod with Access Door and Levelers

BRTBAR4PA2484L	50.5 x 168 x 29	70	272	15.66	\$4965	\$1091
BRTBAR4PA2478L	50.5 x 156 x 29	70	256	15.2	\$4810	\$972
BRTBAR4PA2472L	50.5 x 144 x 29	70	240	14.74	\$4693	\$933
BRTBAR4PA2466L	50.5 x 132 x 29	70	224	14.28	\$4499	\$819
BRTBAR4PA2460L	50.5 x 120 x 29	70	208	13.82	\$4305	\$742
BRTBAR4PA3084L	62.5 x 168 x 29	70	333	16.86	\$5430	\$1320
BRTBAR4PA3078L	62.5 x 156 x 29	70	313	16.32	\$5236	\$1243
BRTBAR4PA3072L	62.5 x 144 x 29	70	293	15.78	\$5122	\$1129
BRTBAR4PA3066L	62.5 x 132 x 29	70	273	15.24	\$4926	\$1012
BRTBAR4PA3060L	62.5 x 120 x 29	70	253	14.7	\$4656	\$933

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$228. list upcharge



Back-to-Back 4 Person Pod with Access Door and Levelers

Bl	RTBAR4PDA2484L	50.5 x 168 x 29	70	272	15.66	\$5357	\$1171
Bl	RTBAR4PDA2478L	50.5 x 156 x 29	70	256	15.2	\$5189	\$1044
Bl	RTBAR4PDA2472L	50.5 x 144 x 29	70	240	14.74	\$5063	\$1005
Bl	RTBAR4PDA2466L	50.5 x 132 x 29	70	224	14.28	\$4857	\$875
Bl	RTBAR4PDA2460L	50.5 x 120 x 29	70	208	13.82	\$4644	\$794
Bl	RTBAR4PDA3084L	62.5 x 168 x 29	70	333	16.86	\$5860	\$1418
Bl	RTBAR4PDA3078L	62.5 x 156 x 29	70	313	16.32	\$5649	\$1337
Bl	RTBAR4PDA3072L	62.5 x 144 x 29	70	293	15.78	\$5525	\$1210
Bl	RTBAR4PDA3066L	62.5 x 132 x 29	70	273	15.24	\$5315	\$1087
Bl	RTBAR4PDA3060L	62.5 x 120 x 29	70	253	14.7	\$5024	\$1001

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$228. list upcharge

**Required Specifications** 

Top finish Edge finish Metal finish (legs) Beam finish **Optional Specifications** 




**Back-to-Back 6 Person Pod with Levelers** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTBAR6P2484L	50.5 x 252 x 29	70	434	22.88	\$6768	\$910
BRTBAR6P2478L	50.5 x 234 x 29	70	409	22.1	\$6487	\$865
BRTBAR6P2472L	50.5 x 216 x 29	70	359	21.32	\$6233	\$843
BRTBAR6P2466L	50.5 x 198 x 29	70	329	20.54	\$6070	\$795
BRTBAR6P2460L	50.5 x 180 x 29	70	308	19.76	\$5869	\$770
BRTBAR6P3084L	62.5 x 252 x 29	70	493	24.53	\$7040	\$982
BRTBAR6P3078L	62.5 x 234 x 29	70	462	23.75	\$6655	\$899
BRTBAR6P3072L	62.5 x 216 x 29	70	431	22.86	\$6424	\$877
BRTBAR6P3066L	62.5 x 198 x 29	70	400	21.97	\$6201	\$843
BRTBAR6P3060L	62.5 x 180 x 29	70	369	21.08	\$6012	\$795

Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams.

• Anodized Aluminum Leg - Add \$305. list upcharge



Back-to-Back 6 Person Pod with Access Door and Levelers

50.5 x 252 x 29	70	434	22.88	\$7176	\$1633
50.5 x 234 x 29	70	409	22.1	\$6944	\$1458
50.5 x 216 x 29	70	359	21.32	\$6768	\$1399
50.5 x 198 x 29	70	329	20.54	\$6477	\$1225
50.5 x 180 x 29	70	308	19.76	\$6148	\$1107
62.5 x 252 x 29	70	493	24.53	\$7854	\$1980
62.5 x 234 x 29	70	462	23.75	\$7563	\$1865
62.5 x 216 x 29	70	431	22.86	\$7388	\$1690
62.5 x 198 x 29	70	400	21.97	\$7098	\$1516
62 E v 100 v 20	70	260	21 00	\$6652	\$1399
	50.5 x 234 x 29 50.5 x 216 x 29 50.5 x 198 x 29 50.5 x 180 x 29 62.5 x 252 x 29 62.5 x 252 x 29 62.5 x 216 x 29 62.5 x 216 x 29 62.5 x 198 x 29	50.5 x 234 x 29 70 50.5 x 216 x 29 70 50.5 x 198 x 29 70 50.5 x 180 x 29 70 62.5 x 252 x 29 70 62.5 x 234 x 29 70 62.5 x 216 x 29 70 62.5 x 198 x 29 70	50.5 x 234 x 29 70 409 50.5 x 216 x 29 70 359 50.5 x 198 x 29 70 329 50.5 x 180 x 29 70 308 62.5 x 252 x 29 70 493 62.5 x 234 x 29 70 462 62.5 x 216 x 29 70 431 62.5 x 198 x 29 70 400	50.5 x 234 x 29       70       409       22.1         50.5 x 216 x 29       70       359       21.32         50.5 x 198 x 29       70       329       20.54         50.5 x 180 x 29       70       308       19.76         62.5 x 252 x 29       70       493       24.53         62.5 x 234 x 29       70       462       23.75         62.5 x 216 x 29       70       431       22.86	50.5 x 234 x 29       70       409       22.1       \$6944         50.5 x 216 x 29       70       359       21.32       \$6768         50.5 x 198 x 29       70       329       20.54       \$6477         50.5 x 180 x 29       70       308       19.76       \$6148         62.5 x 252 x 29       70       493       24.53       \$7854         62.5 x 234 x 29       70       462       23.75       \$7563         62.5 x 216 x 29       70       431       22.86       \$7388         62.5 x 198 x 29       70       400       21.97       \$7098

Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

Anodized Aluminum Leg - Add \$305. list upcharge



Back-to-Back 6 Person Pod with Access Door and Levelers

BRTBAR6PDA2484L	50.5 x 252 x 29	70	434	22.88	\$7742	\$1748
BRTBAR6PDA2478L	50.5 x 234 x 29	70	409	22.1	\$7491	\$1566
BRTBAR6PDA2472L	50.5 x 216 x 29	70	359	21.32	\$7303	\$1505
BRTBAR6PDA2466L	50.5 x 198 x 29	70	329	20.54	\$6988	\$1256
BRTBAR6PDA2460L	50.5 x 180 x 29	70	308	19.76	\$6632	\$1191
BRTBAR6PDA3084L	62.5 x 252 x 29	70	493	24.53	\$8475	\$2128
BRTBAR6PDA3078L	62.5 x 234 x 29	70	462	23.75	\$8158	\$2001
BRTBAR6PDA3072L	62.5 x 216 x 29	70	431	22.86	\$7971	\$1813
BRTBAR6PDA3066L	62.5 x 198 x 29	70	400	21.97	\$7656	\$1625
BRTBAR6PDA3060L	62.5 x 180 x 29	70	369	21.08	\$7178	\$1502

Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$305. list upcharge

**Required Specifications** 

Top finish Edge finish Metal finish (legs) Beam finish Optional Specifications

**RECTANGULAR LEG PACKAGES** 



**Back-to-Back 8 Person Pod with Levelers** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTBAR8P2484L	50.5 x 336 x 29	70	556	28.30	\$8842	\$1215
BRTBAR8P2478L	50.5 x 312 x 29	70	520	27.30	\$8470	\$1151
BRTBAR8P2472L	50.5 x 288 x 29	70	484	26.30	\$8128	\$1120
BRTBAR8P2466L	50.5 x 264 x 29	70	448	25.30	\$7912	\$1058
BRTBAR8P2460L	50.5 x 240 x 29	70	412	24.42	\$7732	\$1027
BRTBAR8P3084L	62.5 x 336 x 29	70	669	30.58	\$9190	\$1308
BRTBAR8P3078L	62.5 x 312 x 29	70	625	29.48	\$8678	\$1197
BRTBAR8P3072L	62.5 x 288 x 29	70	581	28.38	\$8370	\$1166
BRTBAR8P3066L	62.5 x 264 x 29	70	536	27.28	\$8074	\$1120
BRTBAR8P3060L	62.5 x 240 x 29	70	492	26.18	\$7871	\$1058

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams.

• Anodized Aluminum Leg - Add \$382. list upcharge



Back-to-Back 8 Person Pod with Access Door and Levelers

BRTBAR8PA2484L	50.5 x 336 x 29	70	556	28.30	\$9383	\$2174
BRTBAR8PA2478L	50.5 x 312 x 29	70	520	27.30	\$9073	\$1941
BRTBAR8PA2472L	50.5 x 288 x 29	70	484	26.30	\$8842	\$1865
BRTBAR8PA2466L	50.5 x 264 x 29	70	448	25.30	\$8453	\$1633
BRTBAR8PA2460L	50.5 x 240 x 29	70	412	24.42	\$8106	\$1476
BRTBAR8PA3084L	62.5 x 336 x 29	70	669	30.58	\$10277	\$2639
BRTBAR8PA3078L	62.5 x 312 x 29	70	625	29.48	\$9886	\$2484
BRTBAR8PA3072L	62.5 x 288 x 29	70	581	28.38	\$9655	\$2252
BRTBAR8PA3066L	62.5 x 264 x 29	70	536	27.28	\$9268	\$2019
BRTBAR8PA3060L	62.5 x 240 x 29	70	492	26.18	\$8725	\$1865

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough

• Anodized Aluminum Leg - Add \$382. list upcharge



Back-to-Back 8 Person Pod with Access Door and Levelers

BRTBAR8PDA2484L	50.5 x 336 x 29	70	556	28.30	\$10125	\$2336
BRTBAR8PDA2478L	50.5 x 312 x 29	70	520	27.30	\$9787	\$2086
BRTBAR8PDA2472L	50.5 x 288 x 29	70	484	26.30	\$9539	\$2005
BRTBAR8PDA2466L	50.5 x 264 x 29	70	448	25.30	\$9121	\$1754
BRTBAR8PDA2460L	50.5 x 240 x 29	70	412	24.42	\$8744	\$1587
BRTBAR8PDA3084L	62.5 x 336 x 29	70	669	30.58	\$11087	\$2636
BRTBAR8PDA3078L	62.5 x 312 x 29	70	625	29.48	\$10666	\$2671
BRTBAR8PDA3072L	62.5 x 288 x 29	70	581	28.38	\$10415	\$2422
BRTBAR8PDA3066L	62.5 x 264 x 29	70	536	27.28	\$10001	\$2166
BRTBAR8PDA3060L	62.5 x 240 x 29	70	492	26.18	\$9413	\$2005

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$382. list upcharge

Required	Specifications

Top finish Edge finish Metal finish (legs) Beam finish **Optional Specifications** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
BRT36P2484C	24 x 84 x 36	70	120.68	6.42	\$3326	\$184	
BRT36P2478C	24 x 78 x 36	70	114.16	6.13	\$3243	\$171	
BRT36P2472C	24 x 72 x 36	70	107.64	5.83	\$3160	\$164	
BRT36P2466C	24 x 66 x 36	70	101.12	5.62	\$3098	\$160	
BRT36P2460C	24 x 60 x 36	70	94.60	5.41	\$3031	\$152	
BRT36P2454C	24 x 54 x 36	70	88.08	5.19	\$2936	\$132	
BRT36P2448C	24 x 48 x 36	70	81.56	4.98	\$2788	\$120	
BRT36P2442C	24 x 42 x 36	70	76.04	4.76	\$2690	\$102	
BRT36P2436C	24 x 36 x 36	70	68.52	4.55	\$2607	\$82	
BRT36P3084C	30 x 84 x 36	70	148.11	7.32	\$3801	\$197	
BRT36P3078C	30 x 78 x 36	70	139.96	6.95	\$3694	\$178	
BRT36P3072C	30 x 72 x 36	70	131.81	6.59	\$3602	\$171	
BRT36P3066C	30 x 66 x 36	70	123.66	6.32	\$3514	\$171	
BRT36P3060C	30 x 60 x 36	70	115.51	6.06	\$3442	\$160	
BRT36P3054C	30 x 54 x 36	70	107.36	5.79	\$3351	\$132	
BRT36P3048C	30 x 48 x 36	70	99.21	5.53	\$3206	\$132	
BRT36P3042C	30 x 42 x 36	70	91.06	5.26	\$3134	\$125	
BRT36P3036C	30 x 36 x 36	70	83.91	5	\$3001	\$93	
BRT36P3684C	36 x 84 x 36	70	161.97	8.91	\$4256	\$223	
BRT36P3678C	36 x 78 x 36	70	152.82	8.50	\$4149	\$211	
BRT36P3672C	36 x 72 x 36	70	144.67	8.10	\$4029	\$197	
BRT36P3666C	36 x 66 x 36	70	135.52	7.79	\$3919	\$184	
BRT36P3660C	36 x 60 x 36	70	126.37	7.48	\$3798	\$164	
BRT36P3654C	36 x 54 x 36	70	118.22	7.18	\$3677	\$152	
BRT36P3648C	36 x 48 x 36	70	109.07	6.87	\$3512	\$132	
BRT36P3642C	36 x 42 x 36	70	99.92	6.56	\$3399	\$120	



RECTANGULAR LEG PACKAGES

36"H Single Table with Casters

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams, and one bottom table beam. 40mm dia. locking casters with 8mm thread, white body and grey tires.

- 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.
   Anodized Aluminum Leg Add \$154. list upcharge

24 x 84 x 36	70	120.20	6.42	\$3216	\$184	
24 x 78 x 36	70	113.68	6.13	\$3137	\$171	
24 x 72 x 36	70	107.16	5.83	\$3050	\$164	
24 x 66 x 36	70	100.64	5.62	\$2991	\$160	
24 x 60 x 36	70	94.12	5.41	\$2921	\$152	
24 x 54 x 36	70	87.60	5.19	\$2826	\$132	
24 x 48 x 36	70	81.08	4.98	\$2678	\$120	
24 x 42 x 36	70	75.56	4.76	\$2581	\$102	
24 x 36 x 36	85	68.04	4.55	\$2497	\$82	
		147.63	7.32	\$3691	<b>\$197</b>	
30 x 78 x 36	70	139.48	6.96	\$3586	\$178	
30 x 72 x 36	70	131.33	6.59	\$3493	\$171	
30 x 66 x 36	70	123.18	6.32	\$3407	\$171	
30 x 60 x 36	70	115.03	6.06	\$3332	\$160	
30 x 54 x 36	70	106.88	5.79	\$3240	\$132	
30 x 48 x 36	70	98.73	5.53	\$3098	\$132	
30 x 42 x 36	70	90.58	5.26	\$3024	\$125	
30 x 36 x 36	70	83.43	5	\$2893	\$93	
00 11 11 100						
		152.34			T	
36 x 72 x 36	70	144.19	8.10	\$3922	\$197	
36 x 66 x 36	70	135.04	7.79	\$3808	\$184	
	70	125.89	7.48	\$3690	\$164	
36 x 54 x 36	70	117.74	7.18	\$3566	\$152	
36 x 48 x 36	70	108.59	6.87	\$3406	\$132	
36 x 42 x 36	70	99.44	6.56	\$3291	\$120	
	24 x 78 x 36 24 x 72 x 36 24 x 66 x 36 24 x 60 x 36 24 x 54 x 36 24 x 54 x 36 24 x 42 x 36 24 x 42 x 36 30 x 78 x 36 30 x 72 x 36 30 x 72 x 36 30 x 66 x 36 30 x 54 x 36 30 x 36 x 36 x 36 30 x 36 x 36 x 36 30 x 54 x 36 30 x 54 x 36 30 x 54 x 36 30 x 54 x 36 30 x 72 x 36 30 x 36 x 36 x 36 30 x 54 x 36 36 x 72 x 36 36 x 66 x 36 36 x 60 x 36 36 x 54 x 36 36 x 54 x 36 36 x 54 x 36	24 x 78 x 36	24 x 78 x 36       70       113.68         24 x 72 x 36       70       107.16         24 x 66 x 36       70       100.64         24 x 60 x 36       70       94.12         24 x 54 x 36       70       87.60         24 x 48 x 36       70       81.08         24 x 42 x 36       70       75.56         24 x 36 x 36       85       68.04         30 x 84 x 36       70       147.63         30 x 78 x 36       70       139.48         30 x 72 x 36       70       131.33         30 x 66 x 36       70       115.03         30 x 54 x 36       70       106.88         30 x 48 x 36       70       106.88         30 x 42 x 36       70       90.58         30 x 36 x 36       70       90.58         30 x 36 x 36       70       90.58         30 x 36 x 36       70       161.49         36 x 72 x 36       70       144.19         36 x 72 x 36       70       144.19         36 x 66 x 36       70       135.04         36 x 60 x 36       70       125.89         36 x 54 x 36       70       117.74         36 x 48 x 36	24 x 78 x 36       70       113.68       6.13         24 x 72 x 36       70       107.16       5.83         24 x 66 x 36       70       100.64       5.62         24 x 60 x 36       70       94.12       5.41         24 x 54 x 36       70       87.60       5.19         24 x 48 x 36       70       81.08       4.98         24 x 42 x 36       70       75.56       4.76         24 x 36 x 36       85       68.04       4.55         30 x 84 x 36       70       147.63       7.32         30 x 72 x 36       70       139.48       6.96         30 x 72 x 36       70       131.33       6.59         30 x 66 x 36       70       123.18       6.32         30 x 60 x 36       70       115.03       6.06         30 x 54 x 36       70       106.88       5.79         30 x 42 x 36       70       98.73       5.53         30 x 42 x 36       70       90.58       5.26         30 x 36 x 36       70       83.43       5	24 x 78 x 36         70         113.68         6.13         \$3137           24 x 72 x 36         70         107.16         5.83         \$3050           24 x 66 x 36         70         100.64         5.62         \$2991           24 x 60 x 36         70         94.12         5.41         \$2921           24 x 54 x 36         70         87.60         5.19         \$2826           24 x 48 x 36         70         81.08         4.98         \$2678           24 x 42 x 36         70         75.56         4.76         \$2581           24 x 36 x 36         85         68.04         4.55         \$2497           30 x 84 x 36         70         147.63         7.32         \$3691           30 x 72 x 36         70         139.48         6.96         \$3586           30 x 72 x 36         70         131.33         6.59         \$3493           30 x 60 x 36         70         115.03         6.06         \$3332           30 x 60 x 36         70         115.03         6.06         \$3332           30 x 42 x 36         70         98.73         5.53         \$308           30 x 42 x 36         70         99.58         5.26         \$30	24 x 78 x 36         70         113.68         6.13         \$3137         \$171           24 x 72 x 36         70         107.16         5.83         \$3050         \$164           24 x 66 x 36         70         100.64         5.62         \$2991         \$160           24 x 60 x 36         70         94.12         5.41         \$2921         \$152           24 x 54 x 36         70         87.60         5.19         \$2826         \$132           24 x 48 x 36         70         81.08         4.98         \$2678         \$120           24 x 42 x 36         70         75.56         4.76         \$2581         \$102           24 x 36 x 36         85         68.04         4.55         \$2497         \$82           30 x 84 x 36         70         147.63         7.32         \$3691         \$197           30 x 78 x 36         70         139.48         6.96         \$3586         \$178           30 x 72 x 36         70         131.33         6.59         \$3493         \$171           30 x 60 x 36         70         115.03         6.06         \$3332         \$160           30 x 42 x 36         70         106.88         5.79         \$3240



36"H Single Table with Levelers

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams, and one bottom table beam.

- 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.
- Anodized Aluminum Leg Add \$154. list upcharge

# Required Specifications Top finish

Edge finish Metal finish (legs)

## **Optional Specifications**

CTANGULAR LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		DxWxH					
	BRT36A2484L	24 x 84 x 36	70	106.36	4.74	\$2600	\$184
	BRT36A2478L	24 x 78 x 36	70	99.84	4.45	\$2523	\$171
	BRT36A2472L	24 x 72 x 36	70	93.32	4.15	\$2437	\$164
	BRT36A2466L	24 x 66 x 36	70	86.80	3.94	\$2378	\$160
	BRT36A2460L	24 x 60 x 36	70	80.28	3.73	\$2307	\$152
	BRT36A2454L	24 x 54 x 36	70	73.76	3.51	\$2211	\$132
	BRT36A2448L	24 x 48 x 36	70	67.24	3.30	\$2065	\$120
	BRT36A2442L	24 x 42 x 36	70	61.72	3.08	\$1968	\$102
	BRT36A2436L	24 x 36 x 36	70	54.20	2.87	\$1884	\$82
	BRT36A3084L	30 x 84 x 36	65	131.77	5.56	\$3040	\$197
	BRT36A3078L	30 x 78 x 36	65	123.62	5.19	\$2933	\$178
	BRT36A3072L	30 x 72 x 36	65	115.47	4.83	\$2841	\$171
	BRT36A3066L	30 x 66 x 36	65	107.32	4.56	\$2754	\$171
	BRT36A3060L	30 x 60 x 36	65	99.17	4.30	\$2678	\$160
	BRT36A3054L	30 x 54 x 36	65	91.02	4.03	\$2588	\$132
	BRT36A3048L	30 x 48 x 36	70	82.87	3.77	\$2445	\$132
	BRT36A3042L	30 x 42 x 36	70	74.72	3.50	\$2370	\$125
	BRT36A3036L	30 x 36 x 36	70	67.57	3.24	\$2240	\$93
	BRT36A3684L	36 x 84 x 36	70	143.70	6.65	\$3405	\$223
	BRT36A3678L	36 x 78 x 36	70	134.55	6.24	\$3293	\$211
	BRT36A3672L	36 x 72 x 36	70	126.40	5.84	\$3175	\$197
	BRT36A3666L	36 x 66 x 36	70	117.25	5.53	\$3063	\$184
	BRT36A3660L	36 x 60 x 36	70	108.10	5.22	\$2944	\$164
· •	BRT36A3654L	36 x 54 x 36	70	99.95	4.92	\$2821	\$152
	BRT36A3648L	36 x 48 x 36	70	90.80	4.61	\$2658	\$132



36"H Add-On with Levelers

Single table assembly consists of one worksurface, one H leg assembly, horizontal structural beams, and one bottom table beam.

81.65

4.30

\$2545

\$120

• 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.

70

• Anodized Aluminum Leg - Add \$77. list upcharge

36 x 42 x 36

BRT36A3642L

\$184	\$3384	6.98	122.58	70	24 x 84 x 42	BRT42P2484C
\$171	\$3306	6.69	116.06	70	24 x 78 x 42	BRT42P2478C
\$164	\$3220	6.39	109.54	70	24 x 72 x 42	BRT42P2472C
\$160	\$3160	6.18	103.02	70	24 x 66 x 42	BRT42P2466C
\$152	\$3090	5.97	96.50	70	24 x 60 x 42	BRT42P2460C
\$132	\$2996	5.75	89.98	70	24 x 54 x 42	BRT42P2454C
\$120	\$2848	5.54	83.46	70	24 x 48 x 42	BRT42P2448C
\$102	\$2752	5.32	77.94	85	24 x 42 x 42	BRT42P2442C
\$82	\$2668	5.11	70.42	85	24 x 36 x 42	BRT42P2436C
\$197	\$3861	7.92	150.01	70	30 x 84 x 42	BRT42P3084C
\$178	\$3755	7.55	141.86	70	30 x 78 x 42	BRT42P3078C
\$171	\$3662	7.19	133.71	70	30 x 72 x 42	BRT42P3072C
\$171	\$3575	6.92	125.56	70	30 x 66 x 42	BRT42P3066C
\$160	\$3503	6.66	117.41	70	30 x 60 x 42	BRT42P3060C
\$132	\$3409	6.39	109.26	70	30 x 54 x 42	BRT42P3054C
\$132	\$3269	6.13	101.11	70	30 x 48 x 42	BRT42P3048C
\$125	\$3194	5.86	92.96	70	30 x 42 x 42	BRT42P3042C
\$93	\$3063	5.60	85.81	70	30 x 36 x 42	BRT42P3036C
****	04040	0.00	100.07	70	00 04 40	DDT 40D000 40
\$223	\$4318	9.69	163.87	70	36 x 84 x 42	BRT42P3684C
\$211	\$4208	9.28	154.72	70	36 x 78 x 42	BRT42P3678C
\$197	\$4090	8.88	146.57	70	36 x 72 x 42	BRT42P3672C
\$184	\$3977	8.57	137.42	70	36 x 66 x 42	BRT42P3666C
\$164	\$3859	8.26	128.27	70	36 x 60 x 42	BRT42P3660C
\$152	\$3737	7.96	120.12	70	36 x 54 x 42	BRT42P3654C
\$132	\$3573	7.65	110.97	85	36 x 48 x 42	BRT42P3648C
\$120	\$3459	7.34	101.82	85	36 x 42 x 42	BRT42P3642C



42"H Pod with Casters

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams and one bottom table beam. 40mm dia. locking casters with 8mm thread, white body and grey tires.

- 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.
- Anodized Aluminum Leg Add \$154. list upcharge

Required Specifications
Top finish

Edge finish Metal finish (legs) **Optional Specifications** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
DDT 4000 40 41	DxWxH					
BRT42P2484L	24 x 84 x 42	70	122.10	6.98	\$3277	\$184
BRT42P2478L	24 x 78 x 42	70	115.58	6.69	\$3197	\$171
BRT42P2472L	24 x 72 x 42	70	109.06	6.39	\$3112	\$164
BRT42P2466L	24 x 66 x 42	70	102.54	6.18	\$3050	\$160
BRT42P2460L	24 x 60 x 42	70	96.02	5.97	\$2984	\$152
BRT42P2454L	24 x 54 x 42	70	89.50	5.75	\$2887	\$132
BRT42P2448L	24 x 48 x 42	85	82.98	5.54	\$2739	\$120
BRT42P2442L	24 x 42 x 42	85	77.46	5.32	\$2642	\$102
BRT42P2436L	24 x 36 x 42	85	69.94	5.11	\$2559	\$82
BRT42P3084L	30 x 84 x 42	70	149.53	7.92	\$3756	\$197
BRT42P3078L	30 x 78 x 42	70	141.38	7.55	\$3649	\$178
BRT42P3072L	30 x 72 x 42	70	133.23	7.19	\$3557	\$171
BRT42P3066L	30 x 66 x 42	70	125.08	6.92	\$3470	\$171
BRT42P3060L	30 x 60 x 42	70	116.93	6.66	\$3396	\$160
BRT42P3054L	30 x 54 x 42	70	108.78	6.39	\$3304	\$132
BRT42P3048L	30 x 48 x 42	70	100.63	6.13	\$3163	\$132
BRT42P3042L	30 x 42 x 42	70	92.48	5.86	\$3088	\$125
BRT42P3036L	30 x 36 x 42	70	85.33	5.60	\$2958	\$93
BRT42P3684L	36 x 84 x 42	70	163.39	9.69	\$4211	\$223
BRT42P3678L	36 x 78 x 42	70	154.24	9.28	\$4100	\$211
BRT42P3672L	36 x 72 x 42	70	146.09	8.88	\$3981	\$197
BRT42P3666L	36 x 66 x 42	70	136.94	8.57	\$3871	\$184
BRT42P3660L	36 x 60 x 42	70	127.79	8.26	\$3750	\$164
BRT42P3654L	36 x 54 x 42	70	119.64	7.96	\$3628	\$152
BRT42P3648L	36 x 48 x 42	85	110.49	7.65	\$3464	\$132
BRT42P3642L	36 x 42 x 42	85	101.34	7.34	\$3353	\$120



RECTANGULAR LEG PACKAGES

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams and one bottom table beam.

• 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.

• Anodized Aluminum Leg - Add \$154. list upcharge

DDT 40 4 0 4 0 4 I	04 04 40	70	107.01	F 00	00004	0404
BRT42A2484L	24 x 84 x 42	70	107.31	5.02	\$2631	\$184
BRT42A2478L	24 x 78 x 42	70	100.79	4.73	\$2551	\$171
BRT42A2472L	24 x 72 x 42	70	94.27	4.43	\$2470	\$164
BRT42A2466L	24 x 66 x 42	70	87.75	4.22	\$2406	\$160
BRT42A2460L	24 x 60 x 42	70	81.23	4.01	\$2339	\$152
BRT42A2454L	24 x 54 x 42	70	74.71	3.79	\$2243	\$132
BRT42A2448L	24 x 48 x 42	70	68.19	3.58	\$2097	\$120
BRT42A2442L	24 x 42 x 42	70	62.67	3.36	\$1910	\$102
BRT42A2436L	24 x 36 x 42	70	55.15	3.15	\$1832	\$82
BRT42A3084L	30 x 84 x 42	65	132.72	5.86	\$3071	\$197
BRT42A3078L	30 x 78 x 42	65	124.57	5.49	\$2964	\$178
BRT42A3072L	30 x 72 x 42	65	116.42	5.13	\$2870	\$171
BRT42A3066L	30 x 66 x 42	70	108.27	4.86	\$2785	\$171
BRT42A3060L	30 x 60 x 42	70	100.12	4.60	\$2712	\$160
BRT42A3054L	30 x 54 x 42	70	91.97	4.33	\$2620	\$132
BRT42A3048L	30 x 48 x 42	70	83.82	4.07	\$2477	\$132
BRT42A3042L	30 x 42 x 42	70	75.67	3.80	\$2403	\$125
BRT42A3036L	30 x 36 x 42	70	68.52	3.54	\$2271	\$93
BRT42A3684L	36 x 84 x 42	70	114.65	7.04	\$3432	\$223
BRT42A3678L	36 x 78 x 42	70	135.50	6.63	\$3326	\$211
BRT42A3672L	36 x 72 x 42	70	127.35	6.23	\$3205	\$197
BRT42A3666L	36 x 66 x 42	70	118.20	5.92	\$3095	\$184
BRT42A3660L	36 x 60 x 42	70	109.05	5.61	\$2973	\$164
BRT42A3654L	36 x 54 x 42	70	100.90	5.31	\$2852	\$152
BRT42A3648L	36 x 48 x 42	70	91.75	5	\$2689	\$132
BRT42A3642L	36 x 42 x 42	70	82.60	4.69	\$2574	\$120



Single table assembly consists of one worksurface, one H leg assembly, horizontal structural beams, and one bottom table beam.

• 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.

- Anodized Aluminum Leg Add \$77. list upcharge

# Required Specifications Top finish

Edge finish Metal finish (legs)

## **Optional Specifications**

ROUND LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		DxWxH					
	BRTS1P2484LR	24 x 84 x 29	70	75	4.92	\$1632	\$154
	BRTS1P2478LR	24 x 78 x 29	85	72	4.82	\$1584	\$148
	BRTS1P2472LR	24 x 72 x 29	85	69	4.73	\$1543	\$145
	BRTS1P2466LR	24 x 66 x 29	85	66	4.65	\$1514	\$136
	BRTS1P2463LR	24 x 62.5 x 29	85	63	4.57	\$1502	\$132
	BRTS1P2460LR	24 x 60 x 29	85	60	4.48	\$1487	\$131
	BRTS1P2454LR	24 x 54 x 29	85	57	4.40	\$1457	\$94
	BRTS1P2451LR	24 x 50.5 x 29	85	54	4.30	\$1399	\$88
	BRTS1P2448LR	24 x 48 x 29	85	51	4.20	\$1364	\$104
	BRTS1P2442LR	24 x 42 x 29	92.5	48	4.10	\$1307	\$65
	BRTS1P2436LR	24 x 36 x 29	92.5	45	4	\$1263	\$46
	BRTS1P3084LR	30 x 84 x 29	70	75	4.92	\$1668	\$165
	BRTS1P3078LR	30 x 78 x 29	85	72	4.82	\$1606	\$153
	BRTS1P3072LR	30 x 72 x 29	85	69	4.73	\$1566	\$129
	BRTS1P3066LR	30 x 66 x 29	85	66	4.65	\$1531	\$145
	BRTS1P3063LR	30 x 62.5 x 29	85	63	4.57	\$1520	\$140
	BRTS1P3060LR	30 x 60 x 29	85	60	4.48	\$1505	\$115
	BRTS1P3054LR	30 x 54 x 29	85	57	4.40	\$1468	\$114
	BRTS1P3051LR	30 x 50.5 x 29	85	54	4.30	\$1443	\$119
// 11 H	BRTS1P3048LR	30 x 48 x 29	85	51	4.20	\$1397	\$114
[f]    A	BRTS1P3042LR	30 x 42 x 29	92.5	48	4.10	\$1369	\$112
~ H	BRTS1P3036LR	30 x 36 x 29	92.5	45	4	\$1225	\$81

Single Line 1 Person Pod with Levelers **Round Leg** 

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam.

BRTS1P2484CR	24 x 84 x 29	70	75	4.92	\$1723	\$154
BRTS1P2478CR	24 x 78 x 29	85	72	4.82	\$1678	\$148
BRTS1P2472CR	24 x 72 x 29	85	69	4.73	\$1635	\$145
BRTS1P2466CR	24 x 66 x 29	85	66	4.65	\$1609	\$136
BRTS1P2463CR	24 x 62.5 x 29	85	63	4.57	\$1597	\$132
BRTS1P2460CR	24 x 60 x 29	85	60	4.48	\$1581	\$131
BRTS1P2454CR	24 x 54 x 29	85	57	4.40	\$1548	\$94
BRTS1P2451CR	24 x 50.5 x 29	85	54	4.30	\$1493	\$88
BRTS1P2448CR	24 x 48 x 29	85	51	4.20	\$1457	\$104
BRTS1P2442CR	24 x 42 x 29	92.5	48	4.10	\$1397	\$65
BRTS1P2436CR	24 x 36 x 29	92.5	45	4	\$1357	\$46
BRTS1P3084CR	30 x 84 x 29	70	75	4.92	\$1762	\$165
BRTS1P3078CR	30 x 78 x 29	85	72	4.82	\$1698	\$153
BRTS1P3072CR	30 x 72 x 29	85	69	4.73	\$1663	\$127
BRTS1P3066CR	30 x 66 x 29	85	66	4.65	\$1622	\$145
BRTS1P3063CR	30 x 62.5 x 29	85	63	4.57	\$1611	\$140
BRTS1P3060CR	30 x 60 x 29	85	60	4.48	\$1597	\$115
BRTS1P3054CR	30 x 54 x 29	85	57	4.40	\$1561	\$114
BRTS1P3051CR	30 x 50.5 x 29	85	54	4.30	\$1534	\$119
BRTS1P3048CR	30 x 48 x 29	85	51	4.20	\$1492	\$114
BRTS1P3042CR	30 x 42 x 29	92.5	48	4.10	\$1461	\$112
BRTS1P3036CR	30 x 36 x 29	92.5	45	4	\$1318	\$81

Single Line 1 Person Pod with Casters **Round Leg** 

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam. 40mm locking casters with grey tires; steel horizontal beams, aluminum legs.

Req	ui	r	ed	Sp	ec	ifi	Cá	ıti	ons	S

Top finish Edge finish Metal finish (legs) Beam finish

Optional Specifications
Anodized Aluminum Leg

HP laminate

ROUND LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
HOOHD EEG FACILITIES	MODELII	DxWxH	THEIGHT OBTOO	WI/LDO.	0051011.	LIGITIMOL	111 7155
	BRTS2P2484LR	24 x 168 x 29	70	149	7.41	\$2862	\$291
	BRTS2P2478LR	24 x 156 x 29	70	140	7.27	\$2752	\$291
	BRTS2P2472LR	24 x 144 x 29	70	131	7.13	\$2667	\$283
	BRTS2P2466LR	24 x 132 x 29	70	122	6.95	\$2621	\$260
	BRTS2P2460LR	24 x 120 x 29	70	113	6.71	\$2559	\$260
	BRTS2P2454LR	24 x 108 x 29	70	104	6.45	\$2457	\$226
	BRTS2P2448LR	24 x 96 x 29	70	95	6.21	\$2309	\$203
_							
	BRTS2P3084LR	30 x 168 x 29	70	173	8.25	\$2922	\$329
	BRTS2P3078LR	30 x 156 x 29	70	164	7.97	\$2794	\$303
	BRTS2P3072LR	30 x 144 x 29	70	155	7.69	\$2716	\$294
	BRTS2P3066LR	30 x 132 x 29	70	140	7.41	\$2643	\$283
	BRTS2P3060LR	30 x 120 x 29	70	131	7.13	\$2594	\$267
//    H	BRTS2P3054LR	30 x 108 x 29	70	122	6.85	\$2521	\$226
# \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	BRTS2P3048LR	30 x 96 x 29	70	113	6.57	\$2420	\$226

Single Line 2 Person Pod with Levelers Round Leg Single Line 2 Person workstation consists of two worksurfaces, three leg assemblies, and two supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

BRTS3P2484LR	24 x 252 x 29	70	219	9.74	\$4061	\$457
BRTS3P2478LR	24 x 234 x 29	70	206	9.53	\$3921	\$434
BRTS3P2472LR	24 x 216 x 29	70	192	9.32	\$3793	\$423
BRTS3P2466LR	24 x 198 x 29	70	179	9.11	\$3712	\$401
BRTS3P2460LR	24 x 180 x 29	70	165	8.89	\$3630	\$388
BRTS3P2454LR	24 x 162 x 29	70	152	8.68	\$3479	\$335
BRTS3P2448LR	24 x 144 x 29	70	138	8.47	\$3259	\$301
BRTS3P3084LR	30 x 263 x 29	65	263	11.59	\$4176	\$492
BRTS3P3078LR	30 x 234 x 29	70	246	11.16	\$3984	\$454
BRTS3P3072LR	30 x 216 x 29	70	229	10.72	\$3869	\$442
BRTS3P3066LR	30 x 198 x 29	70	212	10.30	\$3758	\$423
BRTS3P3060LR	30 x 180 x 29	70	195	9.87	\$3682	\$401
BRTS3P3054LR	30 x 162 x 29	70	178	9.44	\$3572	\$335
BRTS3P3048LR	30 x 144 x 29	70	161	9.01	\$3420	\$335



Single Line 3 Person Pod with Levelers Round Leg

Single Line 3 Person workstation consists of three worksurfaces, four leg assemblies, and three supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

BRTS4P2484LR	24 x 336 x 29	70	291	13.67	\$5276	\$610
BRTS4P2478LR	24 x 312 x 29	70	273	13.18	\$5089	\$578
BRTS4P2472LR	24 x 288 x 29	70	254	12.69	\$4920	\$561
BRTS4P2466LR	24 x 264 x 29	70	236	12.20	\$4810	\$532
BRTS4P2460LR	24 x 240 x 29	70	217	11.71	\$4686	\$532
BRTS4P2454LR	24 x 216 x 29	70	199	11.22	\$4499	\$446
BRTS4P2448LR	24 x 192 x 29	70	180	10.73	\$4158	\$446
BRTS4P3084LR	30 x 336 x 29	65	345	14.87	\$5430	\$655
BRTS4P3078LR	30 x 312 x 29	65	323	14.30	\$5176	\$600
BRTS4P3072LR	30 x 288 x 29	70	301	13.73	\$5020	\$586
BRTS4P3066LR	30 x 264 x 29	70	279	13.16	\$4871	\$561
BRTS4P3060LR	30 x 240 x 29	70	257	12.59	\$4770	\$532
BRTS4P3054LR	30 x 216 x 29	70	235	12.02	\$4624	\$446
BRTS4P3048LR	30 x 192 x 29	70	213	11.45	\$4422	\$446



Single Line 4 Person Pod with Levelers Round Leg

Single Line 4 Person workstation consists of four worksurfaces, five leg assemblies, and four supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

Required	Spec	cifica	tions

Top finish Edge finish Metal finish (legs) Beam finish

# Optional Specifications

**ROUND LEG PACKAGES** 



Back-to-Back 2 Person Pod with Levelers Round Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTBAR2P2484LR	50.5 x 84 x 29	70	146	9.40	\$2662	\$306
BRTBAR2P2478LR	50.5 x 78 x 29	85	137	9.20	\$2590	\$291
BRTBAR2P2472LR	50.5 x 72 x 29	85	128	9.02	\$2504	\$283
BRTBAR2P2466LR	50.5 x 66 x 29	85	119	8.76	\$2448	\$267
BRTBAR2P2460LR	50.5 x 60 x 29	85	110	8.56	\$2396	\$260
BRTBAR2P3084LR	62.5 x 84 x 29	70	174	10.40	\$2761	\$329
BRTBAR2P3078LR	62.5 x 78 x 29	70	163	9.80	\$2633	\$303
BRTBAR2P3072LR	62.5 x 72 x 29	70	152	9.54	\$2554	\$283
BRTBAR2P3066LR	62.5 x 66 x 29	70	141	9.25	\$2481	\$283
BRTBAR2P3060LR	62.5 x 60 x 29	85	130	9	\$2228	\$469

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams.



Back-to-Back 2 Person Pod with Access Door and Levelers, Round Leg

BRTBAR2PA2484LR	50.5 x 84 x 29	70	146	9.40	\$2799	\$547
BRTBAR2PA2478LR	50.5 x 78 x 29	85	137	9.20	\$2739	\$489
BRTBAR2PA2472LR	50.5 x 72 x 29	85	128	9.02	\$2681	\$469
BRTBAR2PA2466LR	50.5 x 66 x 29	85	119	8.76	\$2584	\$411
BRTBAR2PA2460LR	50.5 x 60 x 29	85	110	8.56	\$2488	\$372
BRTBAR2PA3084LR	62.5 x 84 x 29	70	174	10.40	\$3032	\$664
BRTBAR2PA3078LR	62.5 x 78 x 29	70	163	9.80	\$2936	\$625
BRTBAR2PA3072LR	62.5 x 72 x 29	70	152	9.54	\$2874	\$568
BRTBAR2PA3066LR	62.5 x 66 x 29	70	141	9.25	\$2778	\$508
BRTBAR2PA3060LR	62.5 x 60 x 29	85	130	9	\$2643	\$469

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.



Back-to-Back 2 Person Pod with Access Door and Levelers, Round Leg

BRTBAR2PDA2484LR	50.5 x 84 x 29	70	146	9.40	\$3019	\$588
BRTBAR2PDA2478LR	50.5 x 78 x 29	85	137	9.20	\$2958	\$524
BRTBAR2PDA2472LR	50.5 x 72 x 29	85	128	9.02	\$2892	\$504
BRTBAR2PDA2466LR	50.5 x 66 x 29	85	119	8.76	\$2790	\$440
BRTBAR2PDA2460LR	50.5 x 60 x 29	85	110	8.56	\$2687	\$402
BRTBAR2PDA3084LR	62.5 x 84 x 29	70	174	10.40	\$3270	\$712
BRTBAR2PDA3078LR	62.5 x 78 x 29	70	163	9.80	\$3166	\$670
BRTBAR2PDA3072LR	62.5 x 72 x 29	70	152	9.54	\$3100	\$611
BRTBAR2PDA3066LR	62.5 x 66 x 29	70	141	9.25	\$2998	\$546
BRTBAR2PDA3060LR	62.5 x 60 x 29	85	130	9	\$2851	\$505

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

$\wedge$	

Back-to-Back 4 Person Pod with Levelers Round Leg

BRTBAR4P2484LR	50.5 x 168 x 29	70	272	15.66	\$4826	\$610
BRTBAR4P2478LR	50.5 x 156 x 29	70	256	15.20	\$4639	\$578
BRTBAR4P2472LR	50.5 x 144 x 29	70	240	14.74	\$4469	\$561
BRTBAR4P2466LR	50.5 x 132 x 29	70	224	14.28	\$4361	\$532
BRTBAR4P2460LR	50.5 x 120 x 29	70	208	13.82	\$4252	\$516
BRTBAR4P3084LR	62.5 x 168 x 29	70	333	16.86	\$4982	\$655
BRTBAR4P3078LR	62.5 x 156 x 29	70	313	16.32	\$4725	\$600
BRTBAR4P3072LR	62.5 x 144 x 29	70	293	15.78	\$4571	\$586
BRTBAR4P3066LR	62.5 x 132 x 29	70	273	15.24	\$4384	\$561
BRTBAR4P3060LR	62.5 x 120 x 29	70	253	14.70	\$4361	\$532

Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams.

Req	uiı	ed	Sp	ecifi	catio	ns

Top finish Edge finish Metal finish (legs) Beam finish

# **Optional Specifications**



Back-to-Back 4 Person Pod with Access Door and Levelers, Round Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTBAR4PA2484LR	50.5 x 168 x 29	70	272	15.66	\$4965	\$1091
BRTBAR4PA2478LR	50.5 x 156 x 29	70	256	15.20	\$4810	\$972
BRTBAR4PA2472LR	50.5 x 144 x 29	70	240	14.74	\$4693	\$933
BRTBAR4PA2466LR	50.5 x 132 x 29	70	224	14.28	\$4499	\$819
BRTBAR4PA2460LR	50.5 x 120 x 29	70	208	13.82	\$4305	\$742
BRTBAR4PA3084LR	62.5 x 168 x 29	70	333	16.86	\$5430	\$1320
BRTBAR4PA3078LR	62.5 x 156 x 29	70	313	16.32	\$5236	\$1243
BRTBAR4PA3072LR	62.5 x 144 x 29	70	293	15.78	\$5122	\$1129
BRTBAR4PA3066LR	62.5 x 132 x 29	70	273	15.24	\$4926	\$1012
BRTBAR4PA3060LR	62.5 x 120 x 29	70	253	14.70	\$4656	\$933

Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

|--|

Back-to-Back 4 Person Pod with Access Door and Levelers, Round Leg

BRTBAR4PDA2484LR	50.5 x 168 x 29	70	272	15.66	\$5498	\$1171
BRTBAR4PDA2478LR	50.5 x 156 x 29	70	256	15.20	\$5331	\$1045
BRTBAR4PDA2472LR	50.5 x 144 x 29	70	240	14.74	\$5205	\$1004
BRTBAR4PDA2466LR	50.5 x 132 x 29	70	224	14.28	\$5089	\$879
BRTBAR4PDA2460LR	50.5 x 120 x 29	70	208	13.82	\$4788	\$795
BRTBAR4PDA3084LR	62.5 x 168 x 29	70	333	16.86	\$5958	\$1421
BRTBAR4PDA3084LR BRTBAR4PDA3078LR	62.5 x 168 x 29 62.5 x 156 x 29	70 70	333 313	16.86 16.32	\$5958 \$5749	\$1421 \$1337
	02.0 X 100 X 20				*	•
BRTBAR4PDA3078LR	62.5 x 156 x 29	70	313	16.32	\$5749	\$1337
BRTBAR4PDA3078LR BRTBAR4PDA3072LR	62.5 x 156 x 29 62.5 x 144 x 29	70 70	313 293	16.32 15.78	\$5749 \$5623	\$1337 \$1210

Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.



Back-to-Back 6 Person Pod with Levelers Round Leg

BRTBAR6P2484LR	50.5 x 252 x 29	70	434	22.88	\$6969	\$910
BRTBAR6P2478LR	50.5 x 234 x 29	70	409	22.10	\$6690	\$865
BRTBAR6P2472LR	50.5 x 216 x 29	70	359	21.32	\$6435	\$843
BRTBAR6P2466LR	50.5 x 198 x 29	70	329	20.54	\$6270	\$795
BRTBAR6P2460LR	50.5 x 180 x 29	70	308	19.76	\$6110	\$783
BRTBAR6P3084LR	62.5 x 252 x 29	70	493	24.53	\$7215	\$968
BRTBAR6P3078LR	62.5 x 234 x 29	70	462	23.75	\$6818	\$899
BRTBAR6P3072LR	62.5 x 216 x 29	70	431	22.86	\$6585	\$877
BRTBAR6P3066LR	62.5 x 198 x 29	70	400	21.97	\$6363	\$843
BRTBAR6P3060LR	62.5 x 180 x 29	70	369	21.08	\$6213	\$795

Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back outer leg assemblies, and six supporting structural beams.

**Required Specifications** 

Top finish Edge finish Metal finish (legs) Beam finish Optional Specifications

ROUND LEG PACKAGES



Back-to-Back 6 Person Pod with Access Door and Levelers, Round Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTBAR6PA2484LR	50.5 x 252 x 29	70	434	22.88	\$7376	\$1633
BRTBAR6PA2478LR	50.5 x 234 x 29	70	409	22.10	\$7143	\$1458
BRTBAR6PA2472LR	50.5 x 216 x 29	70	359	21.32	\$6969	\$1399
BRTBAR6PA2466LR	50.5 x 198 x 29	70	329	20.54	\$6677	\$1225
BRTBAR6PA2460LR	50.5 x 180 x 29	70	308	19.76	\$6387	\$1107
BRTBAR6PA3084LR	62.5 x 252 x 29	70	493	24.53	\$8016	\$1980
BRTBAR6PA3078LR	62.5 x 234 x 29	70	462	23.75	\$7726	\$1865
BRTBAR6PA3072LR	62.5 x 216 x 29	70	431	22.86	\$7551	\$1690
BRTBAR6PA3066LR	62.5 x 198 x 29	70	400	21.97	\$7260	\$1516
BRTBAR6PA3060LR	62.5 x 180 x 29	70	369	21.08	\$6853	\$1399

Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back leg assemblies, and six supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

<u>I</u>	A	

Back-to-Back 6 Person Pod with Access Door and Levelers, Round Leg

BRTBAR6PDA2484LR	50.5 x 252 x 29	70	434	22.88	\$7959	\$1752	
BRTBAR6PDA2478LR	50.5 x 234 x 29	70	409	22.10	\$7706	\$1565	
BRTBAR6PDA2472LR	50.5 x 216 x 29	70	359	21.32	\$7519	\$1502	
BRTBAR6PDA2466LR	50.5 x 198 x 29	70	329	20.54	\$7202	\$1318	
BRTBAR6PDA2460LR	50.5 x 180 x 29	70	308	19.76	\$6894	\$1190	
BRTBAR6PDA3084LR	62.5 x 252 x 29	70	493	24.53	\$8648	\$2128	
BRTBAR6PDA3078LR	62.5 x 234 x 29	70	462	23.75	\$8334	\$1999	
BRTBAR6PDA3072LR	62.5 x 216 x 29	70	431	22.86	\$8148	\$1813	
BRTBAR6PDA3066LR	62.5 x 198 x 29	70	400	21.97	\$7830	\$1630	
BRTBAR6PDA3060LR	62.5 x 180 x 29	70	369	21.08	\$7395	\$1501	

Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back leg assemblies, and six supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.



Back-to-Back 8 Person Pod with Levelers Round Leg

BRTBAR8P2484LR	50.5 x 336 x 29	70	556	28.30	\$9127	\$1197
BRTBAR8P2478LR	50.5 x 312 x 29	70	520	27.30	\$8741	\$1151
BRTBAR8P2472LR	50.5 x 288 x 29	70	484	26.30	\$8399	\$1120
BRTBAR8P2466LR	50.5 x 264 x 29	70	448	25.30	\$8181	\$1058
BRTBAR8P2460LR	50.5 x 240 x 29	70	412	24.42	\$7964	\$1027
BRTBAR8P3084LR	62.5 x 336 x 29	70	669	30.58	\$9422	\$1308
BRTBAR8P3078LR	62.5 x 312 x 29	70	625	29.48	\$8910	\$1197
BRTBAR8P3072LR	62.5 x 288 x 29	70	581	28.38	\$8601	\$1166
BRTBAR8P3066LR	62.5 x 264 x 29	70	536	27.28	\$8307	\$1120
BRTBAR8P3060LR	62.5 x 240 x 29	70	492	26.18	\$8106	\$1058

Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams.

**Required Specifications** 

Top finish Edge finish Metal finish (legs) Beam finish **Optional Specifications** 



Back-to-Back 8 Person Pod with Access Door and Levelers, Round Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTBAR8PA2484LR	50.5 x 336 x 29	70	556	28.30	\$9655	\$2174
BRTBAR8PA2478LR	50.5 x 312 x 29	70	520	27.30	\$9345	\$1941
BRTBAR8PA2472LR	50.5 x 288 x 29	70	484	26.30	\$9113	\$1865
BRTBAR8PA2466LR	50.5 x 264 x 29	70	448	25.30	\$8725	\$1633
BRTBAR8PA2460LR	50.5 x 240 x 29	70	412	24.42	\$8336	\$1476
BRTBAR8PA3084LR	62.5 x 336 x 29	70	669	30.58	\$10509	\$2639
BRTBAR8PA3078LR	62.5 x 312 x 29	70	625	29.48	\$10119	\$2484
BRTBAR8PA3072LR	62.5 x 288 x 29	70	581	28.38	\$9886	\$2252
BRTBAR8PA3066LR	62.5 x 264 x 29	70	536	27.28	\$9500	\$2019
BRTBAR8PA3060LR	62.5 x 240 x 29	70	492	26.18	\$8957	\$1865

Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

|--|

Back-to-Back 8 Person Pod with Access Door and Levelers, Round Leg

BRTBAR8PDA2484LR	50.5 x 336 x 29	70	556	28.30	\$10415	\$2336
BRTBAR8PDA2478LR	50.5 x 312 x 29	70	520	27.30	\$10081	\$2085
BRTBAR8PDA2472LR	50.5 x 288 x 29	70	484	26.30	\$9832	\$1999
BRTBAR8PDA2466LR	50.5 x 264 x 29	70	448	25.30	\$9413	\$1754
BRTBAR8PDA2460LR	50.5 x 240 x 29	70	412	24.42	\$8995	\$1587
BRTBAR8PDA3084LR	62.5 x 336 x 29	70	669	30.58	\$11336	\$2835
BRTBAR8PDA3084LR BRTBAR8PDA3078LR	62.5 x 336 x 29 62.5 x 312 x 29	70 70	669 625	30.58 29.48	\$11336 \$10916	\$2835 \$2671
					• • • • • • • • • • • • • • • • • • • •	
BRTBAR8PDA3078LR	62.5 x 312 x 29	70	625	29.48	\$10916	\$2671
BRTBAR8PDA3078LR BRTBAR8PDA3072LR	62.5 x 312 x 29 62.5 x 288 x 29	70 70	625 581	29.48 28.38	\$10916 \$10666	\$2671 \$2422

Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

## **RETURNS**



Rail Sliding Table Kit - Rectangular Legs

	BRTSLDT72C	72 x 48 x 29	92.5	28.50	2.40	\$779	N/A
--	------------	--------------	------	-------	------	-------	-----

Includes leg, leg support, sliding bracket hardware, 72" rail and hardware to secure table. **Worksurface not included**. Legs are for 24"d worksurfaces. 40mm dia. locking casters with 8mm thread, white body and grey tires. Maximum length of sliding table surface is 48". *Cannot be used on single line pods with rectangular legs*.

• Anodized Aluminum Leg - Add \$56. list upcharge

BRTSLDT72CR	72 x 48 x 29	92.5	28.50	2.40	\$779	N/A



Rail Sliding Table Kit - Round Legs

Includes leg, leg support, sliding bracket hardware, 72" rail and hardware to secure table. **Worksurface not included**. Legs are for 24"d worksurfaces. 3" dia. locking casters are standard. Maximum length of sliding table surface is 48".

Req	uired	Sp	eci	fica	tions

Top finish Edge finish Metal finish (legs) Beam finish

# Optional Specifications

**MEETING TABLES** 



Boardroom Table with Rectangular Leg and Levelers

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTBRDP276L	52.5 x 276 x 29	70	474	23.42	\$8481	\$1062
BRTBRDP240L	52.5 x 240 x 29	70	408	22.64	\$8156	\$994
BRTBRDP204L	52.5 x 204 x 29	70	340	20.74	\$6610	\$783
BRTBRDP180L	52.5 x 180 x 29	70	308	19.82	\$6391	\$736
BRTBRDP132L	52.5 x 132 x 29	70	228	15.02	\$4754	\$504
BRTBRDP120L	52.5 x 120 x 29	85	210	14.56	\$4642	\$481

Boardroom Table assemblies consist of 2 or more back-to-back tables with end tables on either side. Inset support legs, levelers. Worksurfaces, supporting structure and connecting hardware included.

- Anodized Aluminum Leg Add \$305 list upcharge
- BRTBRDP276L consists of (6) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP240L consists of (6) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP204L consists of (4) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP180L consists of (4) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP132L consists of (2) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP120L consists of (2) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables



Boardroom Table with Rectangular Leg, Access Door and Levelers

BRTBRDPA276L	52.5 x 276 x 29	70	474	23.42	\$9016	\$1621
BRTBRDPA240L	52.5 x 240 x 29	70	408	22.64	\$8706	\$1026
BRTBRDPA204L	52.5 x 204 x 29	70	340	20.74	\$6963	\$845
BRTBRDPA180L	52.5 x 180 x 29	70	308	19.82	\$6577	\$961
BRTBRDPA132L	52.5 x 132 x 29	70	228	15.02	\$4892	\$689
BRTBRDPA120L	52.5 x 120 x 29	85	210	14.56	\$4697	\$591

Boardroom Table assemblies consist of 2 or more back-to-back tables with end tables on either side. Inset support legs, levelers. Worksurfaces, supporting structure and connecting hardware included.

- Anodized Aluminum Leg Add \$305 list upcharge
- BRTBRDPA276L consists of (6) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA240L consists of (6) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA204L consists of (4) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA180L consists of (4) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA132L consists of (2) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA120L consists of (2) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables



Square Meeting Table with Rectangular Legs

BRTSQ42L	42 x 42 x 29	70	85	4.20	\$1468	\$160
BRTSQ42C	42 x 42 x 29	70	85	4.20	\$1546	\$160

3mm edging. Select BRTSQ42L for levelers or BRTSQ42C for casters.

• Anodized Aluminum Leg - Add \$154 list upcharge

	)
T	
ן ש	Ψ

Round Meeting Table with Rectangular Legs

BRTR42L	42 x 42 x 29	70	65	3.90	\$1468	\$160
BRTR42C	42 x 42 x 29	70	65	3.90	\$1546	\$160

3mm edging. Select BRTR42L for levelers or BRTR42C for casters.

• Anodized Aluminum Leg - Add \$154 list upcharge

Don	mirad	Specifications
neu	ıuıreu	Specifications

Top finish Edge finish Metal finish (legs) Beam finish

# **Optional Specifications**

HP laminate
Anodized aluminum leg
Table-edge mounted power module (Meeting
Tables)

Below worksurface power trough with power distribution module (Meeting Tables)





LEG ASSEMBLIES

Single Rectangular Leg Assembly with Casters



Single Rectangular Leg Assembly with Levelers



Back-to-Back Rectangular Leg Assembly with Levelers



**Single H Leg Assembly with Casters** 



Single H Leg Assembly with Levelers

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BRTSL24C	24 x 2.5 x 28	150	8	1.34	\$523	N/A
BRTSL30C	30 x 2.5 x 28	150	8	1.41	\$527	N/A
BRTSL36C	36 x 2.5 x 28	150	8	1.81	\$642	N/A

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Table. One leg can be shared by two adjoining worksurfaces. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs.

• Anodized Aluminum Leg - Add \$77 list upcharge

BRTSL24L	24 x 2.5 x 28	150	8	1.34	\$473	N/A
BRTSL30L	30 x 2.5 x 28	150	8	1.34	\$493	N/A
BRTSL36L	36 x 2.5 x 28	125	9	1.50	\$434	N/A

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Table or Single Line tables. One leg can be shared by two adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs.

- Anodized Aluminum Leg Add \$77 list upcharge
- Please specify two beams when using BRTSL36L

BRTBA34L	34 x 2.5 x 28	150	10	2.47	\$469	N/A
BRTBA51L	50.5 x 2.5 x 28	150	12	2.96	\$508	N/A
BRTBA63L	62.5 x 2.5 x 28	150	13	3.21	\$530	N/A

Two double leg assemblies combined with support beams form the structure of the Bridges II series Back-to-Back Table. One double leg can be shared by four adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs.

• Anodized Aluminum Leg - Add \$77 list upcharge

BRTHL3624C	24 x 2.5 x 35	100	14	1.68	\$673	N/A
BRTHL3630C	30 x 2.5 x 35	100	16	1.76	\$711	N/A
BRTHL3636C	36 x 2.5 x 35	125	18	2.26	\$805	N/A
BRTHL4224C	24 x 2.5 x 41	125	15	1.96	\$703	N/A
BRTHL4230C	30 x 2.5 x 41	100	17	2.06	\$742	N/A
BRTHL4236C	36 x 2.5 x 41	125	19	2.65	\$833	N/A

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line Tables. One leg can be shared by two adjoining worksurfaces. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs. For proper installation, the following beams are required:


- $\bullet$  24"D legs 4 beams (3 under the surface and one at the bottom)
- 30"D/36"D legs 5 beams (4 under the surface and one at the bottom)
- Anodized Aluminum Leg Add \$77 list upcharge

BRTHL3624L	24 x 2.5 x 35	100	14	1.68	\$619	N/A
BRTHL3630L	30 x 2.5 x 35	100	16	1.76	\$657	N/A
BRTHL3636L	36 x 2.5 x 35	125	18	2.26	\$751	N/A
BRTHL4224L	24 x 2.5 x 41	125	15	1.96	\$648	N/A
BRTHL4230L	30 x 2.5 x 41	100	17	2.06	\$688	N/A
BRTHL4236L	36 x 2.5 x 41	125	19	2.65	\$780	N/A

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line Tables. One leg can be shared by two adjoining worksurfaces. For proper installation, the following beams are required:

- 24"D legs 4 beams (3 under the surface and one at the bottom)
- 30"D/36"D legs 5 beams (4 under the surface and one at the bottom)
- Anodized Aluminum Leg Add \$77 list upcharge

Required Specifications	Optional Specifications
Metal finish (legs)	Anodized aluminum leg



Single Loop Leg



Back-to-Back Loop Leg



120° Rectangular Corner Leg Kit



Leveler for Rectangular Leg Table



**Caster for Rectangular Leg Table** 



**Single Table Round Leg Assembly** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
BRTSLL24L	24 x 2.5 x 28	92.5	11	1.01	\$446	N/A	
BRTSLL30L	30 x 2.5 x 28	92.5	13.75	1.26	\$478	N/A	
BRTSLL36L	36 x 2.5 x 28	92.5	16.50	1.51	\$512	N/A	

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line tables. One leg can be shared by two adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs.

• Anodized Aluminum Leg - Add \$77 list upcharge

BRTBALL51L	50.5 x 2.5 x 28	92.5	23.14	2.12	\$619	N/A
BRTBALL63L	62.5 x 2.5 x 28	92.5	28.64	2.62	\$647	N/A

Two back-to-back leg assemblies form the structure of the Bridges II series Single Line Back-to-Back Table. One double leg can be shared by four adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs.

• Anodized Aluminum Leg - Add \$77 list upcharge

	BRT120L42	34 x 2.5 x 28	250	6.60	2.80	\$896	N/A
--	-----------	---------------	-----	------	------	-------	-----

One 120° corner leg kit combined with two single or double leg assemblies and support beams form the structure of the Bridges II 120° Tables. 120° corner leg kit includes one corner leg and adjacent, telescopic beams to support BRTWAC120xxxx or BRTWAC120xxxx A 120° worksurfaces. Telescopic horizontal beams allow single or double leg assemblies to be positioned either under the worksurface (end of a run) or to be shared by adjoining worksurfaces. Levelers, steel horizontal beams, aluminum legs.

• Anodized Aluminum Leg - Add \$46 list upcharge

BRTLVS 1 x 1 x 2.5 70 .03 .01 <b>\$11</b> N/.	4
-----------------------------------------------	---

5/16" thread with black base. Leveler has 2" adjustment range. Casters and levelers on Rectangular legs cannot be interchanged on site.

DITIEGS 2.0 x 2.7 x 2.3 70 .00 .01 <b>433</b> 14/A	BRTLCS	2.6 x 2.7 x 2.5	70	.06	.01	\$35	N/A
----------------------------------------------------	--------	-----------------	----	-----	-----	------	-----

Locking. 40mm diameter with 8mm thread, white body, light grey tires. Casters and levelers on Rectangular legs cannot be interchanged on site.

BRTSL	24 x 3 x 28	125	8	1.25	\$415	N/A

Two single table leg assemblies combined with a single beam form the supporting structure of the Bridges II series Single Line Table. One leg can be shared by two adjoining worksurfaces. Leveling Glides are standard. Locking casters are available on single tables. Specify BRTLCR

**Required Specifications** 

Top finish Edge finish Metal finish (legs) Optional Specifications

•^	
F	
//	
//	$\parallel$
੪	
	Ŋ

**LEG ASSEMBLIES** 

# Single Table Round Leg Assembly, Fixed Height




#### **Double Table Round Leg Assembly**



# Double Table Round Leg Assembly, Fixed Height



# 120° Round Corner Leg Assembly



# 120° Fixed Height Corner Leg Assembly

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BRTFSL	24 x 2.5 x 28	150	5	.97	\$355	N/A

Two single table leg assemblies combined with a single beam form the supporting structure of the Bridges II series Single Line Table. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard.

BRTDL	50 x 3 x 28	150	12	2.81	\$538	N/A

Two double table leg assemblies combined with two single beams form the supporting structure of the Bridges II series Back-to-Back Tables. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard.

BRTFDL	50 x 2.5 x 28	250	8	2.03	\$483	N/A	
--------	---------------	-----	---	------	-------	-----	--

Two double table leg assemblies combined with two single beams form the supporting structure of the Bridges II series Back-to-Back Tables. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard.

DDTCDI 42	16 v 10 v 20	02.5	15	1.50	\$829	NI/A
DN I UNL4Z	16 X 18 X 28	92.0	10	1.50	<b>\$02</b> 5	IN/A

Provides support for worksurfaces connected at 120°. Single leg and beam assembly for 120° worksurface planning. Works with BRTWAC120xxxx or BRTWAC120xxxxA 120° worksurfaces. For a single application, two BRTSL (single legs) must be added. To join a back-to-back table application, leg assembly will join to existing pod.

• When joining to an existing table, the beam extends to reach the shared leg.

BRTFCRL42	16 x 18 x 28	92.5	13	1.50	\$770	N/A
-----------	--------------	------	----	------	-------	-----

Provides support for worksurfaces connected at 120°, supported by fixed height legs. Single leg and beam assembly for 120° worksurface planning. Works with BRTWAC120xxxx or BRTWAC120xxxxA 120° worksurfaces. For a single application, two BRTFSL (single legs) must be added. To join a back-to-back table application, leg assembly will join to existing pod.

• When joining to an existing table, the beam extends to reach the shared leg.

**Required Specifications** 

Metal finish (legs)

G ASSEMBLIES	MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	BRTLVR	<b>D x W x H</b> 2.13 x 2.13 x 2	70	.20	.01	\$11	N/A
eveler for Round Leg Table	3/8" thread with	ı black base. Leveler has 1"	' height adjust	ment range.	Field retrofittabl	e on round leg.	
	BRTLCR	1.5 x 3 x 3.75	70	.30	.01	\$35	N/A
nster for Round Leg Table	Locking. 3" dian	neter with 3/8" -16 threade	ed stem. Field	retrofittable o	n round leg.		
	BRTRL	24 x 24 x 28	125	16	2.33	\$853	N/A
્રુ ound Table Leg Assembly		ly. Leveling Glides are star I connecting hardware.	ndard. Locking	casters are a	vailable. Specit	y (4) BRTLCR. M	aximum table diamter
	BRTLSC	2 x 9 x 5	70	.50	.01	\$148	N/A
g Support Cantilever	Provides stabilit	y for leg supports.					

Required Specifications
Metal Finish (legs)

Optional Specifications
Casters (BRTRL)

#### DxWxH

#### **Table supporting structures - BEAMS**

Legs are connected with supporting beams. There is one beam for a single line of tables while two beams connect back-to-back table structures. Adjustable clamps at either end of the beam can be adjusted to accommodate the following applications in both single table as well as back-to-back table configurations.

# STANDARD TABLE BEAM

# Single table beam application (1)

Designed to bridge two legs to form support for a single table, or for two back-to-back worksurfaces Adjustable clamps at either end of the beam are pushed all the way in to allow both table legs to be tucked under the worksurface.



# End of run table beam application (2)

Supports one table leg assembly tucked under the worksurface (one adjustable clamp pushed all the way in), while the other table leg assembly can be shared between two adjacent worksurfaces (adjustable clamp pulled out to extend the beam).



# Interconnecting table beam application (3)

Supports both table leg assemblies extended to support adjacent worksurfaces on either side. Adjustable clamps at either end of the beam are pushed all the way in to allow both table legs to be tucked under the worksurface. Single table beam application supports single table leg assemblies with legs on both sides tucked under the worksurface.




Supports a return connected perpendicularly to a 24" or 30" deep primary worksurface. The Telescopic beam is connected to a single or back-to-back leg on one side and to anyworksurface supporting beam on the opposite side. Telescopic beam clamp allows the table leg to be tucked under the worksurface or shared between two adjacent worksurfaces.



#### **STORAGE TABLE BEAM (5)**

The Storage beam is connected to a single or back-to-back leg on one side and to the worksurface on the opposite side - thus saving one leg assembly. Assembly worksurface is connected to storage units with included storage brackets. Storage table beam's flexibility allows for a single table application (with the table leg tucked in under the worksurface) as well as for a double table installation (two adjacent tables supported by a shared leg in the middle and two storage cabinets at the opposite ends.



# **STORAGE TABLE BEAM ADAPTER (6)**

Connects to a storage table beam. This assembly allows a worksurface to be supported by a leg on one side and a spine (formed by interconnected storage cabinets) on the opposite side.

BEAMS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTSB84C	1 x 79 x 2	60	8.02	.15	\$318
	BRTSB78C	1 x 73 x 2	60	7.38	.12	\$311
	BRTSB72C	1 x 67 x 2	60	6.74	.09	\$302
	BRTSB66C	1 x 61 x 2	60	6.09	.08	\$290
	BRTSB63C	1 x 57.5 x 2	60	5.72	.08	\$286
	BRTSB60C	1 x 55 x 2	60	5.45	.07	\$280
	BRTSB54C	1 x 49 x 2	60	4.86	.06	\$269
	BRTSB51C	1 x 45.5 x 2	60	4.81	.05	\$262
	BRTSB48C	1 x 43 x 2	60	4.60	.05	\$251
	BRTSB42C	1 x 37 x 2	60	3.59	.04	\$241
	BRTSB36C	1 x 31 x 2	60	3.31	.03	\$238
<b>/</b> //	BRTSB30C	1 x 25 x 2	60	2.70	.02	\$237
	BRTSB24C	1 x 19 x 2	60	2.03	.01	\$230
	BRTSB15C	1 x 10 x 2	70	1.28	.01	\$184




**Standard Table Beam** 

Standard Table Beam bridges two legs to form support for a single table, or two back-to-back worksurfaces. Adjustable clamps at either end of the beam accommodate standard table beam, end of run and interconnecting table beam applications. Adjustable brackets ship attached to the beam. Specify Standard Table Beam size corresponding nominally to the worksurface length. Includes all hardware necessary to connect to legs. Powder coated steel beam and aluminum cast clamps.

**Required Specifications** 

Metal Finish



**Bottom Table Beam** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRTBB84C	1 x 79 x 2	60	10.32	.15	\$358	
BRTBB78C	1 x 73 x 2	60	9.68	.12	\$349	
BRTBB72C	1 x 67 x 2	60	9.04	.09	\$338	
BRTBB66C	1 x 61 x 2	60	8.40	.09	\$326	
BRTBB60C	1 x 55 x 2	60	7.75	.08	\$315	
BRTBB54C	1 x 49 x 2	60	7.11	.07	\$303	
BRTBB48C	1 x 43 x 2	60	6.74	.07	\$281	
BRTBB42C	1 x 37 x 2	60	5.83	.06	\$269	
BRTBB36C	1 x 31 x 2	60	5.19	.05	\$266	

Bottom table beam connects to the lower cross beam on the 36" and 42" high "H" leg to create the footrest. One beam required for each table. Cannot be used as a substitute for the standard table beam. Specify bottom table beam that corresponds to the worksurface length. Includes all hardware necessary to connect to "H" leg. Powder coated steel beam and aluminum cast clamps.

BRTTB84C	1 x 96.5 x 2	60	10.32	.15	\$488
BRTTB78C	1 x 90.5 x 2	60	9.68	.12	\$479
BRTTB72C	1 x 84.5 x 2	60	9.04	.09	\$469
BRTTB66C	1 x 78.5 x 2	60	8.40	.09	\$458
BRTTB60C	1 x 72.5 x 2	60	7.75	.08	\$447
BRTTB54C	1 x 66.5 x 2	60	7.11	.07	\$431
BRTTB48C	1 x 60.5 x 2	60	6.74	.07	\$407
BRTTB42C	1 x 54.5 x 2	60	5.83	.06	\$391
BRTTB36C	1 x 48.5 x 2	60	5.19	.05	\$367

Provides support for a worksurface connected perpendicularly to a run of primary tables. Can be adjusted to accommodate 24" and 30" primary worksurfaces. One end of the beam is attached to a Leg Assembly while the other end is secured, off module to the perpendicular Standard Table Beam, End of Run or Interconnecting Beam. Specify Telescopic Table Beam size corresponding nominally to the return worksurface length.

BRTSTB84C	1 x 80.75 x 2	60	8.64	.09	\$350
BRTSTB78C	1 x 74.75 x 2	60	7.99	.08	\$341
BRTSTB72C	1 x 68.75 x 2	60	7.35	.08	\$329
BRTSTB66C	1 x 62.75 x 2	60	6.74	.07	\$318
BRTSTB60C	1 x 54.75 x 2	60	5.85	.06	\$302
BRTSTB54C	1 x 50.75 x 2	60	5.43	.05	\$280
BRTSTB48C	1 x 44.75 x 2	60	4.78	.05	\$266
BRTSTB42C	1 x 38.75 x 2	60	4.16	.04	\$262
BRTSTB36C	1 x 32.75 x 2	60	3.50	.03	\$251

Allows a worksurface to be supported by a leg on one side and storage tower(s) or spine of 21" and 25"h interconnected storage units on the opposite side. Specify Storage Table Beam size corresponding nominally to the worksurface length. Includes all hardware necessary to connect the storage beam to the legs and worksurface.

BRTSA21	1 x 15.2 x 6.5	60	2.15	.05	\$120
BRTSA25	1 x 15.2 x 2.75	60	4.30	.02	\$103

Allows a worksurface to be supported by a leg on one side and storage spine on the opposite side. A typical storage spine is formed by series of Interconnected 21" or 25"h storage cabinets of corresponding depth. The 21" or 25" adaptors provide structural support, acting as supports between the top of the storage cabinet spine and the bottom of the perpendicular worksurfaces. The flexible leg/beam/adapter assembly arrangement allows the leg to be tucked in under the worksurface or to be shared by two adjacent worksurfaces. Specify Storage Beam nominally 18" shorter than worksurfaces for storage spine support application. Specify BRTSA21 or BRTSA25 depending on height of storage units forming the spine. Includes all hardware necessary to connect the adapter to the beam, worksurface and storage spine.



**Telescopic Table Beam** 



Storage Table Beam



**Storage Table Beam Adapter** 

**Required Specifications** 

Metal Finish

ORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DDT\\\/00.404	D x W x H		FF	1.00	6400	0454
	BRTWS2484	24 x 84 x 1	60	55	1.80	\$499	\$154
	BRTWS2478	24 x 78 x 1	60 60	51	1.70	\$460	\$148
	BRTWS2472 BRTWS2466	24 x 72 x 1 24 x 66 x 1	60	47 43	1.54 1.41	\$431 \$411	\$145 \$136
	BRTWS2463						
	BRTWS2460	24 x 62.5 x 1 24 x 60 x 1	65 60	39 39	1.41	\$404 \$394	\$138 \$131
	BRTWS2454	24 x 54 x 1	65	35	1.20	\$354 \$355	\$115
					1.20		
	BRTWS2451 BRTWS2448	24 x 50.5 x 1 24 x 48 x 1	65 65	31 31	1.06	\$359 \$300	\$115 \$104
	BRTWS2442	24 x 42 x 1	60	28	.90	\$300 \$251	\$85
	BRTWS2436	24 x 36 x 1	60	23	.90	\$192	\$65
	DN17V32430	24 X 30 X I	00	23	./ 1	\$132	\$00
	BRTWS3084	30 x 84 x 1	60	69	2.24	\$537	\$165
	BRTWS3078	30 x 78 x 1	60	64	2.10	\$483	\$153
	BRTWS3072	30 x 72 x 1	65	59	2	\$455	\$151
	BRTWS3066	30 x 66 x 1	60	54	1.80	\$427	\$145
	BRTWS3063	30 x 62.5 x 1	65	49	1.77	\$417	\$140
	BRTWS3060	30 x 60 x 1	65	49	1.77	\$411	\$136
	BRTWS3054	30 x 54 x 1	60	44	1.44	\$383	\$115
	BRTWS3051	30 x 50.5 x 1	65	39	1.41	\$377	\$120
	BRTWS3048	30 x 48 x 1	65	39	1.41	\$355	\$115
	BRTWS3042	30 x 42 x 1	60	34	1.12	\$334	\$112
	BRTWS3036	30 x 36 x 1	65	30	1.06	\$238	\$81
	BRTWS3663	36 x 62.5 x 1	65	53	1.94	\$625	\$162
	BRTWS3651	36 x 50.5 x 1	65	43	1.71	\$556	\$93
angular Worksurface	Flat 3 mm edge prof	ile on all sides.					
	DDT14/04 4 0 4 0 4				4 = 0	4	
	BRTWSAA2484	24 x 84 x 1	60	51	1.70	\$594	\$289
	BRTWSAA2478	24 x 78 x 1	60	47	1.54	\$563	\$258
	BRTWSA2472	24 x 72 x 1	60	47	1.54	\$517	\$238
	BRTWSA2466	24 x 66 x 1	60	43	1.41	\$480	\$206
	BRTWSA2460	24 x 60 x 1	60	39	1.30	\$442	\$187
	BRTWSA2454	24 x 54 x 1	65	35	1.20	\$392	\$179
	BRTWSA2448	24 x 48 x 1	65	31	1.06	\$355	\$160
	BRTWSA2442	24 x 42 x 1	60	28	.90	\$315	\$140
	BRTWSAA3084	30 x 84 x 1	60	64	2.10	\$706	\$349
	BRTWSAA3004	30 x 78 x 1	65	59	2.10	\$665	\$327
	BRTWSA3072	30 x 72 x 1	65	59	2	\$615	\$285
	BRTWSA3066	30 x 66 x 1	60	54	1.80	\$577	\$256
	BRTWSA3060	30 x 60 x 1	65	49	1.77	\$517	\$238
	BRTWSA3054	30 x 54 x 1	60	44	1.44	\$469	\$216
	BRTWSA3048	30 x 48 x 1	65	39	1.41	\$420	\$187
	BRTWSA3042	30 x 42 x 1	60	34	1.12	\$372	\$168
	<del></del>						
tangular Worksurface	Flat 3 mm edge prof	ile on all sides. Wo	rksurfaces 42" to 72	?"w have on	e access door.	78"w and 84"w	worksurface
h Access Door	access doors. Acces	ss door is offset 13.	5" from either side o	of worksurfa	ice. Anodized a	aluminum worksu	rface door pi
	access to power/da						
	worksurface power	trough.					
	DDT14:777	o	0-			A	<b>4</b>
	BRTWBE2451R	24 x 50.5 x 1	65	31	1.06	\$355	\$115
	BRTWBE2463R	24 x 62.5 x 1	65	39	1.41	\$411	\$136
	BRTWBE3051R	30 x 50.5 x 1	65	39	1.41	\$383	\$115
	BRTWBE3063R	30 x 62.5 x 1	65	49	1.77	\$427	\$145
rangular Roardoom Table Ton	Flat 3 mm edge prof	ilo on all sidos. Poo	rdroom table ovten	cione convo	rt avieting 24" a	or 20" daan baak	to-hack Bride
angular Boardoom Table Top							
nsion, Round Corners	table assembly into	a hoardroom table	7// and 30 d roots	naular top v	with round corp	ar can only he cur	nnortad hv 7

Required Specifications
Top finish
Edge finish


Optional Specifications
HP laminate



WORKSURFACES



**Rectangular Worksurface** with 2 Access Doors



Flat 3 mm edge profile on all sides. Access doors are offset 10" (60" worksurfaces) and 13.5" (worksurfaces 66" and wider) from either side of worksurface. Anodized aluminum worksurface doors provide access to power/data trough below worksurface. Worksurfaces with access doors CANNOT be combined with above worksurface power troughs. Dimension between doors is 8" for 60" and 66" surfaces, 20" for 78", and 26" for 84".

BRTWS2451	24 x 50.5 x 1	65	31	1.06	\$359	\$115
BRTWS3051	30 x 50.5 x 1	65	39	1.41	\$377	\$120
BRTWS3651	36 x 50.5 x 1	65	43	1.71	\$556	\$93
BRTWS4251	42 x 50.5 x 1	65	48	1.93	\$615	\$165
BRTWS4851	48 x 50.5 x 1	65	52	2.07	\$699	\$183
BRTWS5151	50.5 x 50.5 x 1	65	55	2.12	\$748	\$173
BRTWS5451	54 x 50.5 x 1	65	59	2.19	\$808	\$226
BRTWS6051	60 x 50.5 x 1	65	63	2.26	\$919	\$231
BRTWS2463	24 x 62.5 x 1	65	39	1.41	\$404	\$138
BRTWS3063	30 x 62.5 x 1	65	49	1.77	\$417	\$140
BRTWS3663	36 x 62.5 x 1	65	53	1.94	\$625	\$162
BRTWS4263	42 x 62.5 x 1	65	57	2.07	\$748	\$196
BRTWS4863	48 x 62.5 x 1	65	61	2.13	\$898	\$227
BRTWS5463	54 x 62.5 x 1	65	63	2.21	\$1009	\$255
BRTWS6063	60 x 62.5 x 1	65	67	2.34	\$1124	\$279




**Meeting Table Top** 

Can create convenient, flexible extension of the back-to-back Bridges table assembly. Worksurfaces provided with pilot holes for alignment purposes.

- Meeting table top 50.5" long side matches 24" deep back-to-back Bridges table assembly
- Meeting table top 62.5" long side matches 30" deep back-to-back Bridges table assembly

BRTWAC120424224	24 x 42 x 1	65	31	1.06	\$886	\$291
BRTWAC120424230	30 x 42 x 1	65	39	1.41	\$965	\$295



120° Worksurface

5-sided worksurface can be used for a single, freestanding table, can form a pod of two or three tables, or can be combined with rectangular worksurfaces to create a larger workstation.

BRTWAC120A424224	24 x 42 x 1	65	31	1.06	\$943	\$316
BRTWAC120A424230	30 x 42 x 1	65	39	1.41	\$1019	\$395



120° Worksurface with Access Door

5-sided worksurface can be used for a single, freestanding table, can form a pod of two or three tables, or can be combined with rectangular worksurfaces to create a larger workstation. Access door is offset 13.5" from either side of worksurface. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

Req	ui	red	Spe	cific	ations

Top finish

Edge finish

**Optional Specifications** 

**HP** laminate



Rectangular Meeting Table Top\*



Round Meeting Table Top\*



**Flat Bracket** 



Display Wall Table Top w/Scoop\*



Monitor Facing Double Workstation\*\*



Monitor Facing Back of Double Workstation\*\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
BRTMT5151	50.5 x 50.5 x 1	65	55	2.12	\$703	\$392	

50.5"long side matches 24"d back-to-back table assembly.

BRTMTR42	42 x 42 x 1	65	40	1.76	\$469	\$119	
----------	-------------	----	----	------	-------	-------	--

BHBF01	4 x 3	70	.50	.01	\$22

Constructed of cold rolled steel. May be used to ensure alignment of neighboring worksurfaces.

BRTWS6051SCP	60 x 50.5 x 1	60	75	1.75	\$899	\$228
BRTWS5451SCP	54 x 50.5 x 1	60	68	1.58	\$794	\$222
BRTWS4863SCP	48 x 62.5 x 1	60	75	1.74	\$880	\$223
BRTWS6063SCP	60 x 62.5 x 1	60	93	2.17	\$1100	\$272
BRTWS5463SCP	54 x 62.5 x 1	60	84	1.95	\$992	\$249
BRTWS4863SCP	48 x 62.5 x 1	60	75	1.74	\$880	\$223

Display wall mounts to the end of back-to-back table assembly supported by rectangular legs. As opposed to two separate back-to-back worksurfaces, the display wall table top provides one continuous, uninterrupted surface with a scoop cutout next to the display wall (the scoop facilitates cable passage from below the table). Table top 50.5"w side matches 24"d back-to-back table assemblies. Meeting table tops 62.5"w side matches 30"d back-to-back table assemblies.

BRTTVFT63	4 x 62.5 x 52	100	74	7.52	\$1757	
BRTTVFT51	4 x 50.5 x 52	92.5	62	6.08	\$1663	

Display wall faces the double workstation; facilitates seated presentation area. Includes laminate board, TV/display brackets (black), mounting hardware, vertical cable manager (black). Slim (22mm) bracket capable of supporting displays/TVs up to 50" (resp. 62") wide, up to 80lbs. When installed, top of the 52" x 50.5" (resp. 62.5") wide board reaches 65.5"h. 1" LP laminate board with 3mm edging. Specify **WHB** to add HP white, dry-erase marker board laminate on non-display board surface and standard HP laminate on the opposite side. Display wall mounts to the end of back-to-back table assembly supported by rectangular legs or back-to-back table structure with BRTWSxxxxSCP Display Wall Table Top with Scoop.

- Included vertical cable manager passes through the gap between 2 back-to-back worksurfaces. Should you need one
  continuous, uninterrupted surface specify BRTWSxxxxSCP Display Wall Table Top with Scoop.
- Add \$1036 for white, dry erase on 51"w model, and \$1383 for 63"w

BRTTVBK63	4 x 62.5 x 52	100	74	7.52	\$1757	
BRTTVBK51	4 x 50.5 x 52	92.5	62	6.08	\$1663	

Display wall support board mounts to end of back-to-back table assembly supported by rectangular legs. Display faces back of the double workstation (combine with collaborative seating). Includes laminate board, TV/display brackets (black), mounting hardware, vertical cable manager (black). Slim (22mm) bracket capable of supporting displays/TVs up to 50" (resp. 62") wide, up to 80lbs. When installed, top of the 52" x 50.5" (resp. 62.5") wide board reaches 65.5"h. 1" LP laminate board with 3mm edging. Specify **WHB** to add HP white, dry-erase marker board laminate on non-display board surface and standard HP laminate on the opposite side.Display wall mounts to the end of back-to-back table assembly supported by rectangular legs or back-to-back table structure with BRTWSxxxxSCP Display Wall Table Top with Scoop.

• Add \$1036 for white, dry erase on 51"w model, and \$1383 for 63"w

lequired Specifications	0

Top finish Edge finish

# Optional Specifications

HP laminate

# **POWER DELIVERY / CABLE MANAGEMENT**

#### DxWxH

At the basic level, table and floor based office equipment is serviced by a wall or floor power supply. As the operation grows, there might be a need to organize excessive cable clutter.

**Wire Basket (1)** connects to the underside of worksurfaces with sprig brackets, and cables are simply dropped and coiled into them. *Wire Basket is not to be used with power troughs*.

Cable Snake (2) Installed in proximity of floor monument to manage vertical cable clutter..

Table clamped, single circuit **Desk Top Power Data Modules (3)** deliver services to desk height, while tapping into wall or floor power supply. Again, the excessive cables can be managed with Cable Trays.




Ceiling pole **BRTCPP (4)** manages power and data cables between ceiling and above or below worksurface power troughs.


**Above and Below Worksurface Power/Data Troughs (5)** can be installed between back-to-back tables for extended below and above desk height power/data distribution. 8 wire, 4-circuit system. (2 + 2 circuit configuration)

**NOTE**: Specify **BRTHH58 (8)** to distribute power from double-sided, back-to-back below worksurface power trough to a single-sided, below worksurface power trough at the end of a table run.

**Leg shroud (9)** attaches to 34"w legs and manages power floor feed, as well as data cables from floor monument.

Single Sided Power/Data Troughs (6) can be installed to the underside of a single table.






**Storage power/data box BRTVCM (7)** attaches to storage units and provides access to one duplex/data terminal on top storage surface. Integrated single circuit module can be plugged to floor monument under the storage or to a wall outlet

# 4-2-2 Wiring Schematic 8-Wire Shared Neutral

# "2 + 2" - 2 Utility Circuits, 2 Dedicated



	120/208V 3 ph		
CIR. 1 CIR. 2 DUPLEX DUPLEX	· · · · · · · · · · · · · · · · · · ·	CIR. A DUPLEX	CIR. B DUPLEX
	PINK		P.
BLACK	FINK OF	Į TAN	
	WHITE/BLACK GREEN OR BARE	WHITE/RED GREEN/YELL	ow ]
	RED ±	•	

**Specifications** 

4 Lines (12 ga.)
2 Neutrals (10 ga.)
2 Grounds (12 ga.)

8 Wires


4 Circuits
2 Utility circuits
2 Dedicated Circuits

Receptacles


Duplex - Up to 12 duplex receptacles per circuit
(Up to 48 per infeed)

System rated for connection to a grounded 120/240 V single phase, 20A, 60Hz or 120/208 V, 3 phase, 20A, 60Hz branch circuit for U.S. and 15A if product is marked with a C-UL Mark. Outlets rated 15A max.

# **POWER DELIVERY / CABLE MANAGEMENT**



42" - 72"
Below Worksurface Single
Power/Data Trough



Below Worksurface Double
Power/Data Trough

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRTEETB84SKIT	11.6 x 78.34 x 2.	5 100	12	1.31	\$1129	
BRTEETB78SKIT	11.6 x 72.34 x 2.	5 100	11	1.21	\$1081	
BRTEETB72SKIT	11.6 x 66.34 x 2.	5 100	9.80	1.11	\$703	
BRTEETB66SKIT	11.6 x 60.34 x 2.	5 100	8.90	1.01	\$680	
BRTEETB60SKIT	11.6 x 54.34 x 2.	5 100	8	.91	\$655	
BRTEETB54SKIT	11.6 x 48.34 x 2.	5 100	7.10	.81	\$642	
BRTEETB48SKIT	11.6 x 42.34 x 2.	5 100	6.20	.71	\$615	
BRTEETB42SKIT	11.6 x 36.34 x 2.	5 100	5.30	.61	\$568	
BRTEETB36SKIT	11.6 x 30.34 x 2.	5 125	4.50	.59	\$517	

Formed steel trough is secured below a single table worksurface; outlets are facing the rear worksurface edge. Cannot be used on back-to-back tables. Specify Duplex receptacles separately. *Covers for duplex openings are not supplied.* 36" trough can house one duplex and 42-72" trough can house two duplexes. Specify jumpers between tables separately. Base feed entry at either end and not suitable for ceiling feed. Each trough provides one opening at 1.37" x 2.68" for terminal plate (not supplied). One terminal plate can accommodate up to 4 data/communication terminals (jacks). Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETB36SKIT through BRTEETB72SKIT consist of one single sided steel trough, Power Distribution housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETB78SKIT and BRTEETB84SKIT consist of two single-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETB78SKIT includes (1) BRTEETB36SKIT, (1) BRTEETB42SKIT and (1) JUMPER
- BRTEETB84SKIT includes (2) BRTEETB42SKIT and (1) JUMPER
- For 120° table applications, please specify BRTEETB36SKIT single trough kit for tables with BRTWAC120xx and BRTWAC120Axx worksurfaces. BRTEHH28 may be used as usual.
- Specify duplex receptacles separately
- Each trough includes one black BRTPDS Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6".
   White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for \$59 list, see BRTPDS.

BRTEETB84DKIT	8.5 x 78.3 x 2.5	92.5	9.80	.96	\$1458
BRTEETB78DKIT	8.5 x 72.3 x 2.5	92.5	9	.88	\$1437
BRTEETB72DKIT	8.5 x 66.3 x 2.5	92.5	8.30	.81	\$847
BRTEETB66DKIT	8.5 x 60.3 x 2.5	92.5	7.50	.74	\$829
BRTEETB60DKIT	8.5 x 54.3 x 2.5	92.5	6.80	.66	\$800
BRTEETB54DKIT	8.5 x 48.3 x 2.5	92.5	6	.59	\$779
BRTEETB48DKIT	8.5 x 42.3 x 2.5	92.5	5.30	.52	\$761
BRTEETB42DKIT	8.5 x 36.3 x 2.5	92.5	4.50	.44	\$730
BRTEETB36DKIT	8.5 x 30.3 x 2.5	92.5	3.80	.37	\$712

Formed steel trough is secured below worksurface; outlets between back-to-back stations supported by double table legs. Cannot be used on single table assemblies. Specify Duplex receptacles separately. *Covers for duplex openings are not supplied.* 36" trough can house one duplex per side and 42-72" trough can house two duplexes per side. Specify jumpers between tables separately. Ceiling feed entry through slots at either end; base feed entry at either end. Each trough provides one opening at 1.37" x 2.68" (one per side) for data/communication terminal plates. A single terminal plate (not supplied) can accommodate up to 4 data/communication plates. Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETB36DKIT through BRTEETB72DKIT consist of one double-sided steel trough, Power Distribution housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETB78DKIT and BRTEETB84DKIT consist of two double-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETB78DKIT includes (1) BRTEETB36DKIT, (1) BRTEETB42DKIT and (1) JUMPER
- BRTEETB84SKIT includes (2) BRTEETD42SKIT and (1) JUMPER
- For back-to-back 120° table applications, please specify BRTEETB42DKIT double trough kit for tables with BRTWAC120xx and BRTWAC120xx worksurfaces. BRTEHH28 may be used as usual.
- Specify duplex receptacles separately
- Each trough includes one black BRTPDS Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6".
   White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for \$59 list, see BRTPDS.

# **Required Specifications**

Metal Finish (Power/Data Troughs)

# В

# **BRIDGES II™**

**ELECTRICAL COMPONENTS** 

# 36"

42" - 72"

**Above Worksurface Power Trough** 



Formed steel trough is secured between back-to-back stations. Cannot be used on single table assemblies. Specify Duplex receptacles separately. Covers for duplex openings are not supplied. 36" trough side. **Specify jumpers between tables separately**. Ceiling feed entry through can house one duplex per side and 42-72" trough can house two duplexes per slots at either end; base feed entry at either end. Each trough provides two openings at 1.37" x 2.68" (one per side) for data/communication terminal plates. A single terminal plate (not supplied) can accommodate up to 4 data/comm plates. Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETA36KIT through BRTEETA72KIT consist of one double-sided steel trough, Power Distribution Housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETA78KIT and BRTEETA84KIT consist of two double-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETA78KIT includes (1) BRTEETA36KIT, (1) BRTEETA42KIT and (1) JUMPER
- BRTEETA84KIT includes (2) BRTEETA42KIT and (1) JUMPER
- Specify above worksurface power trough end cap BRTETEC to finish open ends of the power trough
- Each trough includes one black BRTPDS Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6". White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for \$59 list, see BRTPDS.



Back-to-Back Storage Tower Gap Filler Kit

BRTEST15KIT	15.5 x 2.5 x 3.5	65	2	.08	\$527	
BRTEST24KIT	24 x 2.5 x 3.5	70	2.50	.12	\$572	
BRTEST30KIT	31 x 2.5 x 3.5	70	3.50	.16	\$610	
BRTEST48KIT	48 x 2.5 x 3.5	70	4	.24	\$673	

Consists of a formed sheet metal cover and four brackets which allow the cover to be mounted at either above worksurface power trough level or below worksurface power trough level. Versatile brackets secure the cover trough at corners, to the bottom of back-to-back worksurface supported by either shared 51" or 63" leas or storage beam and storage towers.

- Note: the back-to-back storage tower gap filler is not compatible with single, freestanding tables.
- The BRTEST15kit and BRTEST24kit cover the gap between two back-to-back BRTT5024x or BRTT5030x storage towers
- The BRTEST30kit and BRTEST48kit cover the gap between two pairs of back-to-back BRTT5024x or BRTT5030x storage towers

Å		
	DE TOTAL	
4		

**Above Worksurface Power Trough** 

BRTETEC	.5 x 2.25 x 3	70	.10	.01	\$11

Covers the end of the worksurface power trough. Specify two per linear trough assembly. White finish only.

# **Required Specifications**

Metal Finish (Power/Data Troughs)



#### **Housing to Housing Harness**

**ELECTRICAL COMPONENTS** 



Distributes power between Power Distribution Housings.

- BRTEHH28 distributes power between back-to-back or single sided troughs in a straight run.
- BRTEHH40 distributes power from back-to-back to single sided power troughs
- BRTEHH44 distributes power between back-to-back power troughs separated by (1) pair of storage cabinets without wardrobes. Specify BRTEST15KIT separately.
- BRTEHH52 distributes power from back-to-back power troughs separated by (1) pair of storage cabinets with wardrobes. Specify BRTEST24KIT separately.
- BRTEHH58 distributes power from back-to-back power troughs separated by (2) pairs of storage cabinets without wardrobes. Specify BRTEST30KIT separately.
- BRTEHH58 also distributes power from double-sided, back-to-back below worksurface power troughs to a single sided, below worksurface power trough at the end of a table run.
- BRTEHH76 distributes power from back-to-back power troughs separated by (2) pairs of storage cabinets with wardrobes. Specify BRTEST48KIT separately.

BRTEBF	6 x 4 x 72	250	4	2	\$542
BRTEBF120	6 x 4 x 120	250	6	2	\$755
BRTEBF144	6 x 4 x 144	150	8	2	\$812

Provides single power entry from floor or wall located building power supply. Connects to Power Distribution Housing. Must be hard wired to the building power supply by a licensed electrician.

BRTEBFK	6 x 4 x 100	250	4	2	\$851	

Provides single power entry from floor or wall located building power supply. Connects to Power Distribution Housing. Must be hard wired to the building power supply by a licensed electrician.

BRTCPP	1.5 x 4.75 x 99	65	13	.48	\$294

Brings ceiling feed conduit and data cables from the ceiling down to Power Troughs at desk height. Accommodates 10' ceiling heights. Two part construction allows power/data conduit lay-in. Attaches to a junction between two adjacent Power Troughs in back-to-back applications only. Not for use on single sided Bridges II troughs. Includes mounting hardware and ceiling bezel. Painted Finish.

BRTECF120	6 x 6 x 120	250	5	2	\$476
BRTECF144	6 x 6 x 144	250	5	2	\$530

Provides single power entry from ceiling, through ceiling pole into Power Trough, into Power Distribution Module. An 8 wire (4 circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling Pole not included.



**Base Feed** 




**Base Feed - New York Electrical** 



**Ceiling Pole** 



**Required Specifications** Metal Finish (BRTCPP)



**Ceiling Feed - New York Electrical** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRTECFK120	6 x 6 x 120	250	5	2	\$712	
BRTECFK144	6 x 6 x 144	250	5	2	\$790	

Provides single power entry from ceiling, through ceiling pole into Power Trough, into Power Distribution Module. An 8 wire (4 circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling Pole not included.

BRTE8D1	1.25 x 4.63 x 2	70	.10	.01	\$42
BRTE8D2	1.25 x 4.63 x 2	70	.10	.01	\$42
BRTE8DA	1.25 x 4.63 x 2	70	.10	.01	\$42
BRTE8DB	1.25 x 4.63 x 2	70	.10	.01	\$42
BRTE8DXW1	1.25 x 4.63 x 2	70	.10	.01	\$59
BRTE8DXW2	1.25 x 4.63 x 2	70	.10	.01	\$59
BRTE8DXWA	1.25 x 4.63 x 2	70	.10	.01	\$59
BRTE8DXWB	1.25 x 4.63 x 2	70	.10	.01	\$59

Snaps into Power Distribution Housing. Up to 13 duplex receptacles per circuit XW identifies white color plastic, all others standard in black.

- BRTE8D1 / BRTE8DXW1 Circuit #1 (utility circuit)
- BRTE8D2 / BRTE8DXW2 Circuit #2 (utility circuit)
- BRTE8DA / BRTE8DXWA Circuit A (dedicated circuit)
- BRTE8DB / BRTE8DXWB Circuit B (dedicated circuit)

BRTCB76KIT	8 x 34 x 1	70	1.56	.15	\$263
BRTCB70	8 x 70 x 1	100	3.22	.34	\$191
BRTCB64	8 x 64 x 1	92.5	2.94	.29	\$178
BRTCB58	8 x 58 x 1	92.5	2.66	.26	\$172
BRTCB52	8 x 52 x 1	100	2.39	.24	\$162
BRTCB46	8 x 46 x 1	92.5	2.16	.21	\$153
BRTCB40	8 x 40 x 1	70	1.80	.18	\$145
BRTCB34	8 x 34 x 1	70	1.56	.15	\$139
BRTCB28	8 x 28 x 1	70	1.20	.13	\$123
BRTCB22	8 x 22 x 1	70	1.01	.10	\$115
BRTCB16	8 x 16 x 1	70	.73	.07	\$108
BRTCB8	8 x 8 x 1	70	.36	.03	\$97

Shallow, 8" wide basket manages cable excess and serves to manage cords and cables. It can be easily unclipped from spring steel brackets (included) to rearrange cable connections from below worksurface. Spring steel brackets can suspend the Cable Basket below storage cabinet's bottom where it keeps the cords and cables off the floor and manages them under storage cabinets along the horizontal plane - between floor monuments and Storage Vertical Cable Manager, for example. Tall storage cabinet's legs provide easy access to the Cable Basket where it can easily be unclipped from spring steel brackets to rearrange cable connections. Steel wire construction, chrome finish baskets; black spring steel hanging brackets, fasteners.

 Wide Cable Baskets can span under several storage cabinets. Specify Cable Basket a min. 8" shorter than the storage cabinet spine assembly.

BRTDL5H534	5 X 30 X 29	92.5	bΖ	5.25	\$539	

A two part steel enclosure creates 5" deep and 30" wide cable management cavity between 34" rectangular table legs. Hides floor power feeds as well as data/communication cables rising from floor monuments to the underside of Bridges II tables. Secures to BRTBA34L rectangular leg and to underside of worksurfaces. Specify powder coat finish.



**Duplex Receptacles** 




Power/Data Cable Basket



34" Leg Shroud

**Required Specifications** 

Metal Finish (BRTDLSHS34)



**Cable Snake** 



Wire Manager



**Data/Comm Spacer** 



**Duo Module** 



**Duo Under Module** 



Trio Plus Module

BRTCS 2 x 8 x 30 70 3 .19 <b>\$152</b>	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
BRTCS 2 x 8 x 30 70 3 .19 <b>\$152</b>		D x W x H					
	BRTCS	2 x 8 x 30	70	3	.19	\$152	

Flexible cable management trough. Two pathways within the snake, one for data/communication and one for routing power cables. Translucent White finish only.

BRTCM43	46 x 5 x 3	92.5	8	.67	\$62	
BRTCM55	58 x 5 x 3	92.5	9	.85	\$72	

Replacement wire manager can be added. Wire Manager neatly organizes and stores electrical and communication cables. Two lengths: 46" for tops 60" and under; 58" for tops 72". Black Plastic only.

BRTPDS	.6 x 4.75 x 2.04	70	.10	.01	\$59
BRTPDSW	.6 x 4.75 x 2.04	70	.10	.01	\$59
BRTPDSS	.6 x 4.75 x 2.04	70	.10	.01	\$59

Data/Comm plate spacer extends the depth behind data/comm jacks by 0.6" in order to accommodate larger data/comm cable bending radius. BRTPDS is Black, BRTPDSW is White and BRTPDSS is Silver.

BRED50	3.2 x 5.5 x 1.8	70	2.50	.14	\$386	

The duo power module is completely integrated with a mounting clamp to attach to the edge of a worksurface. Provides two outlets and two 2.1 amp USB ports. White face plate, outlets and bracket; 72" long three-prong black cord, silver body.

BREDU51	2.8 x 5.5 x 1.8	70	2.50	.14	\$335	

The duo under power module comes with a thin flush mounting bracket to attach to the underside of a worksurface or above worksurface shelves. Provides two outlets and two 2.1 amp USB ports. White face plate, outlets and brackets; 72" long threeprong black cord, silver body.

BRETP53	3.2 x 8 x 1.8	70	2.50	.14	\$436	

The trio plus power module is completely integrated with a mounting clamp to attach to the edge of a worksurface or above worksurface shelves. Provides three outlets and two 2.1 amp USB ports and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. Note: HDMI, RJ45 and VGA connectors are not included. White face plate, outlets, adapters and brackets; 72" long three-prong black cord.

# **BRIDGES II™**

ELECTRICAL COMPONENTS

**Trio Plus Under Module** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BRETPU54	2.8 x 8 x 1.8	70	2.50	.14	\$406	

The trio plus under power module comes with a thin flush mounting bracket to attach to the underside of a worksurface. Provides three outlets and two 2.1 amp USB ports and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. Note: HDMI, RJ45 and VGA connectors are not included. White face plate, outlets, adapters and brackets; 72" long three-prong black cord.

BRTVCM2118	18 x 6 x 21	92.5	14	1.31	\$1069
BRTVCM2518	18 x 6 x 25	92.5	17	1.56	\$1091
BRTVCM2124	24 x 6 x 21	100	17	1.75	\$1129
BRTVCM2524	24 x 6 x 25	92.5	22	2.08	\$1147

Facilitates power/data transfer from a floor monument under storage cabinets. The units can join other 18" or 24" deep storage units to form a storage spine. Removable top with a Below worksurface Power/Data Module provides easy access. Optional cable basket supsends off storage unit's bottom and manages cables along the horizontal plane. 1" top, unfinished cut-out edges. Universal connecting hardware included. Below Worksurface Power/Data Module included. Provides power - two outlets; 72"L 3-prong power cord. White face plate, outlets and coupler & jack adapters; anodized aluminum bracket supports; thumb screws, black cord. Provides data - two coupler/jack ports; includes Voice/Data Adapter Kit to accept various couplers & jacks (Not Included).

**Vertical Cable Manager\*** 

**Required Specifications** 

Top finish\*
Edge finish\*
Chassis finish\*

ACCESSORIES / TABLE DIVIDERS MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

- 9mm thick panels offered in 9 finishes
- Made from 100% PET (polyester) fiber with a high content (50%) of post-recycled material, free of added chemicals, binders and adhesives
- Lightweight panels are tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly
- Variation in fiber mix and color are inherent to the character of the product

## **FELT COLORS**

FELT DIVIDERS

BLK	Black	MTS	Mist
BRI	Brick	PWT	Pewter
DEN	Denim	SHR	Shamrock
GPH	Graphite	WHT	White
HVT	Harvest		

# **BRACKET/EXTRUSION FINISH**

BLK	Black
CHR	Charcoal
DWT	Designer White
FOG	Fog
NEV	Nevada
SIL	Silver
TPE	Taupe
TUN	Tungsten
ANIO	A A   : -

ANO Anodized Aluminum - upcharge applies. Available on select models only.

Refer to model for availability and upcharge.

<i>&gt;</i>		

# Back-to-Back Parallel Felt Divider

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
BRTAFDD84	7.5 x 81 x 16.88	125	6.30	1	\$710	
BRTAFDD78	7.5 x 75 x 16.88	125	5.90	.92	\$677	
BRTAFDD72	7.5 x 69 x 16.88	125	5.40	.85	\$645	
BRTAFDD66	7.5 x 63 x 16.88	125	5	.77	\$611	
BRTAFDD60	7.5 x 57 x 16.88	125	4.60	.70	\$577	
BRTAFDD54	7.5 x 51 x 16.88	125	4.10	.63	\$546	
BRTAFDD48	7.5 x 45 x 16.88	125	3.70	.55	\$384	
BRTAFDD42	7.5 x 39 x 16.88	125	3.20	.48	\$340	
BRTAFDD36	7.5 x 33 x 16.88	125	2.80	.41	\$305	

Secures between two back-to-back tables; provides privacy, divides space. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes. 36"-72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 3.

• Anodized Aluminum extrusion - Add \$164 list upcharge



# Perpendicular Side to Side Off Module Felt Divider

BRTAFPPD30M	6.5 x 30.24 x 16.85	100	2.60	.27	\$289
BRTAFPPD24M	6.5 x 24.24 x 16.85	100	2.10	.22	\$256

Secures off module to front and back edges of a table; provides privacy, divides space. 9mm felt material is tackable. 24M and 30M kits are designed to be installed on tables with **recessed** legs (round legs, 34" rectangular legs). Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.

• Anodized Aluminum extrusion - Add \$164 list upcharge



# Perpendicular Side to Side Felt Divider

BRTAFPPD63S	6.5 x 62.81 x 16.85	100	4.20	.46	\$600
BRTAFPPD51S	6.5 x 50.81 x 16.85	100	4.20	.46	\$535
BRTAFPPD30S	6.5 x 30.24 x 16.85	92.5	2.70	.27	\$296
BRTAFPPD24S	6.5 x 24.24 x 16.85	92.5	2.30	.22	\$263

Secures to the front edge of both worksurfaces, regardless of type of leg support - supporting backets can straddle over shared leg; provides privacy, divides space. 9mm felt material is tackable. Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.

Anodized Aluminum extrusion - Add \$164 list upcharge


Required Specification	IS
------------------------	----

Felt color

Bracket/extrusion finish

# Optional Specifications


Anodized extrusion



End of Run Felt Divider & Modesty Kit\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRTAFEDN24	4.05 x 25.46 x 3	0.68 250	3.3	1.12	\$443	
BRTAFEDN30	4.05 x 31.46 x 3	0.68 250	3.98	1.29	\$497	
BRTAFEDN51	4.05 x 50.56 x 3	0.68 150	6.22	1.46	\$912	
BRTAFEDN63	4.05 x 62.56 x 3	0.68 150	7.57	1.63	\$1039	

Secures to the side bottom of a single or back-to-back table; provides privacy above and below the worksurface. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.




Felt Divider & Modesty Panel Kit\*

BRTAFDSN84	4.05 x 78 x 30.68	125	9.24	1.2	\$1241
BRTAFDSN78	4.05 x 72 x 30.68	125	8.57	1.11	\$1182
BRTAFDSN72	4.05 x 69 x 30.68	125	7.89	1.02	\$1124
BRTAFDSN66	4.05 x 63 x 30.68	125	7.21	0.93	\$979
BRTAFDSN60	4.05 x 57 x 30.68	125	6.54	0.84	\$935
BRTAFDSN54	4.05 x 51 x 30.68	125	5.87	0.74	\$878
BRTAFDSN48	4.05 x 45 x 30.68	125	5.19	0.65	\$726

Secures to the rear bottom of a single table; provides privacy above and below the worksurface. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.

• 66" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door.



**Felt Modesty Panel** 

BRTAFMPSN84	4.17 x 77.75 x 13.82	65	31.12	1.2	\$530
BRTAFMPSN78	4.17 x 71.75 x 13.82	65	28.72	1.11	\$502
BRTAFMPSN72	4.17 x 65.75 x 13.82	65	26.32	1.02	\$476
BRTAFMPSN66	4.17 x 59.75 x 13.82	65	23.92	0.93	\$449
BRTAFMPSN60	4.17 x 53.75 x 13.82	65	21.51	0.84	\$423
BRTAFMPSN54	4.17 x 47.75 x 13.82	65	19.11	0.74	\$405
BRTAFMPSN48	4.17 x 41.75 x 13.82	65	16.71	0.65	\$297

Secures to the rear bottom of a single table; provides privacy below the worksurface. 9mm felt material is tackable. Installed divider measures 15" below the worksurface. Kit includes felt modesty, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.

• 66" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door.

**Required Specifications** 

Felt color

Bracket/extrusion finish

36" - 72"	
78" - 84"	

TABLE DIVIDERS

Table Divider - Glass

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					_
BRTAGDD84	.25 x 81 x 16	60	29	.18	\$868	
BRTAGDD78	.25 x 75 x 16	60	27	.17	\$819	
BRTAGDD72	.25 x 69 x 16	60	25	.16	\$703	
BRTAGDD66	.25 x 63 x 16	60	23	.14	\$655	
BRTAGDD60	.25 x 57 x 16	60	21	.13	\$604	
BRTAGDD54	.25 x 51 x 16	60	18	.11	\$577	
BRTAGDD48	.25 x 45 x 16	60	16	.10	\$530	
BRTAGDD42	.25 x 39 x 16	60	14	.09	\$489	
BRTAGDD36	.25 x 33 x 16	60	12	.07	\$442	

Secures between two back-to-back tables; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface. 36"-72"wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.

36" - 72"	
78" - 84"	

Parallel Table Divider - Glass

BRTAGDS84	.25 x 81 x 32	60	55	.35	\$1655	
BRTAGDS78	.25 x 75 x 32	60	51	.33	\$1573	
BRTAGDS72	.25 x 69 x 32	60	47	.30	\$1317	
BRTAGDS66	.25 x 63 x 32	60	43	.28	\$1238	
BRTAGDS60	.25 x 57 x 32	60	39	.25	\$1158	
BRTAGDS54	.25 x 51 x 32	60	35	.23	\$1081	
BRTAGDS48	.25 x 45 x 32	60	31	.20	\$1000	
BRTAGDS42	.25 x 39 x 32	60	27	.18	\$921	
BRTAGDS36	.25 x 33 x 32	60	23	.15	\$844	


Secures to the rear edge of a single table; provides privacy, divides space while not obstructing available light. 36"-72"wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.



Perpendicular End of Run Divider - Glass

BRTAGED63	.25 x 62.5 x 32	60	35	.23	\$1735
BRTAGED51	.25 x 50.5 x 32	60	31	.20	\$1573
BRTAGED30	.25 x 30 x 32	60	27	.18	\$882
BRTAGED24	.25 x 24 x 32	60	23	.15	\$805

Secures to the rear edge of a single or double back-to-back table; provides privacy, divides space while not obstructing available light. Installed divider reaches 15.7" from the top of the worksurface and 15" below the worksurface. Rounded front top corner of 24" and 30" deep glass dividers. 51" and 63" glass dividers for back-to-back tables have both top corners rounded. 24" and 30" wide dividers include 2 support brackets; 51" and 63" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.



Shared Perpendicular Side to Side Divider, Middle - Glass, Rounded Corners

BRTAGPPD24M	.25 x 24 x 16	60	9	.06	\$505	
BRTAGPPD30M	.25 x 30 x 16	60	11.25	.07	\$531	

Provides privacy, divides space while not obstructing available light. 24M and 30M kits are designed to be installed on tables with **recessed** legs (round legs, 34" rectangular legs). 24" and 30" kits consist of a wide rear bracket, narrow front bracket (white powder coated steel), tempered glass with **rounded** top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.


# **Required Specifications**

Bracket finish


# **BRIDGES II™**

TABLE DIVIDERS					
	\ //				


Shared Perpendicular Side to Side Divider, Middle - Glass, Square Corners



Shared Perpendicular Side to Side Divider, Seam - Glass, Rounded Corners



Shared Perpendicular Side to Side Divider, Seam - Glass, Square Corners



**Modesty Panel - Glass** 



Perpendicular Laminate Side to Side Divider - Extended\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BRTAGPPD24MQ	.25 x 24 x 16	60	9	.06	\$505	
BRTAGPPD30MQ	.25 x 30 x 16	60	11.25	.07	\$531	

Provides privacy, divides space while not obstructing available light. 24M and 30M kits are designed to be installed on tables with **recessed** legs (round legs, 34" rectangular legs). 24" and 30" kits consist of a wide rear bracket, narrow front bracket (white powder coated steel), tempered glass with **square** top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Brackets are available in all standard Bridges II paint finishes.

BRTAGPPD24S	.25 x 24 x 16	60	9	.05	\$505
BRTAGPPD30S	.25 x 30 x 16	60	11.25	.07	\$531

Provides privacy, divides space while not obstructing available light. 24S and 30S kits are designed to be installed in the middle or over a seam of two adjacent worksurfaces supported by a shared, full depth **rectangular** leg. 24S and 30S kits consist of two wide rear brackets, wide front bracket, tempered glass with **rounded** top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Brackets are available in all standard Bridges II paint finishes.

BRTAGPPD24SQ	.25 x 24 x 16	60	9	.05	\$505	
BRTAGPPD30SQ	.25 x 30 x 16	60	11.25	.07	\$531	

Provides privacy, divides space while not obstructing available light. 24S and 30S kits are designed to be installed in the middle or over a seam of two adjacent worksurfaces supported by a shared, full depth **rectangular** leg. 24S and 30S kits consist of two wide rear brackets, wide front bracket, tempered glass with **square** top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Brackets are available in all standard Bridges II paint finishes.

BRTAGMPS84	.25 x 77.75 x 13.25	60	24	.14	\$1081
BRTAGMPS78	.25 x 71.75 x 13.25	60	22	.13	\$1042
BRTAGMPS72	.25 x 65.75 x 13.25	60	20	.12	\$824
BRTAGMPS66	.25 x 59.75 x 13.25	60	19	.11	\$784
BRTAGMPS60	.25 x 53.75 x 13.25	60	17	.10	\$744
BRTAGMPS54	.25 x 47.75 x 13.25	60	15	.09	\$706
BRTAGMPS48	.25 x 41.75 x 13.25	60	11	.06	\$667
BRTAGMPS42	.25 x 35.75 x 13.25	60	11	.06	\$625
BRTAGMPS36	.25 x 29.75 x 13.25	60	9	.05	\$587

Secures to the rear edge of a single table, between table legs; provides privacy, Installed divider reaches 15" below the worksurface. 36"-72"wide modesty panels include 2 mounting brackets. 78" and 84" wide modesty panels include 3 mounting brackets. Tempered glass, acid etched on one side (similar to frosted), and satin chrome disc fasteners. Brackets are available in all standard Bridges II paint finishes.

BRTLPSE36	.75 x 36 x 16	60	11	.25	\$301
BRTLPSE30	.75 x 30 x 16	60	9	.21	\$262

Protrudes by 6" beyond the front worksurface edge for added privacy. Secures off-module or on-module to the front and back edge of worksurface, regardless of type of leg support - supporting brackets can straddle over shared leg. 3/4" LP PVC edge boards. Brackets are available in all standard Bridges II paint finishes.

• Specify BRTLPSE30 for 24"d worksurfaces and BRTLPSE36 for 30"d worksurfaces

# **Required Specifications**

Chassis/Accent Finish (Laminate Dividers)
Bracket finish
Edge finish\*



Perpendicular Laminate Side to Side Double Divider - Extended

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BRTLPDSE75	.75 x 75 x 16	60	22	.52	\$538	
BRTLPDSE63	.75 x 63 x 16	60	18	.44	\$483	


Protrudes by 6" beyond the front worksurface edge for added privacy. Installs on-module, between two BRTLPDD dividers. It is secured to the front edge of both worksurfaces, regardless of type of leg support - supporting brackets can straddle over shared leg. Brackets are available in all standard Bridges II paint finishes. 3/4" LP PVC edge boards.

- Can ONLY be installed on-module between two BRTLPDD dividers.
- Specify BRTLPDSE63 for 24"d back-to-back worksurfaces and BRTLPDSE75 for 30"d back-to-back worksurfaces

BRTLPDD84	.75 x 81 x 16	60	24	.56	\$654
BRTLPDD78	.75 x 75 x 16	60	23	.52	\$632
BRTLPDD72	.75 x 69 x 16	60	21	.47	\$504
BRTLPDD66	.75 x 63 x 16	60	19	.43	\$472
BRTLPDD60	.75 x 57 x 16	60	17	.39	\$450
BRTLPDD54	.75 x 51 x 16	60	15	.35	\$431
BRTLPDD48	.75 x 45 x 16	60	14	.31	\$407
BRTLPDD42	.75 x 39 x 16	60	12	.27	\$379
BRTLPDD36	.75 x 33 x 16	60	10	.22	\$344

Secures between two back-to-back tables; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface. 36"-72"wide dividers include 2 support brackets and one pass-through grommet. 78" and 84" wide dividers include 3 support brackets and 2 pass-through grommets. 3/4" PVC edged boards. Integrated anodized aluminum accessory rail, white cut out and rail trims. Brackets are available in all standard Bridges II paint finishes.

• Please refer to the Compatibility Guide on page 368 to determine available accessories



**Table Divider - Laminate** 

**High Table Divider - Laminate** 

BRTLPDS84	.75 x 81 x 32	60	50	1.16	\$1023
BRTLPDS78	.75 x 75 x 32	60	47	1.08	\$982
BRTLPDS72	.75 x 69 x 32	60	43	1	\$803
BRTLPDS66	.75 x 63 x 32	60	40	.91	\$761
BRTLPDS60	.75 x 57 x 32	60	36	.83	\$718
BRTLPDS54	.75 x 51 x 32	60	32	.75	\$664
BRTLPDS48	.75 x 45 x 32	60	29	.66	\$632
BRTLPDS42	.75 x 39 x 32	60	25	.56	\$589
BRTLPDS36	.75 x 33 x 32	60	22	.50	\$482

Installed on one side only. Secures to the back of a single table; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. 36"-72"wide dividers include 2 support brackets. 78"and 84" wide dividers include 4 support brackets. 3/4" self edged boards. Integrated anodized aluminum accessory rail, white cut out and rail trims. Brackets are available in all standard Bridges II paint finishes. Integrated modesty panel.

• Please refer to the **Compatibility Guide** on page 368 to determine available accessories



High Perpendicular Side-to-Side Divider - Laminate

BRTLPPD24	.75 x 24 x 16	60	7	.16	\$239	
BRTLPPD30	.75 x 30 x 16	60	9	.20	\$260	

Secures off-module to front and back edges of a table; provides privacy, divides space. Can be installed anywhere along worksurface or over the seam of two adjacent worksurfaces. Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. 3/4" self edged boards. Brackets are available in all standard Bridges II paint finishes.

# **Required Specifications**

Chassis/Accent finish Bracket finish Edge finish

# BRIDGES II™



Perpendicular End of Run Divider, Laminate\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BRTLPED24	.75 x 24 x 32	60	7	.16	\$380	
BRTLPED30	.75 x 30 x 32	60	9	.20	\$407	
BRTLPED51	.75 x 50.5 x 32	60	15	.35	\$642	
BRTLPED63	.75 x 62.5 x 32	60	19	.43	\$728	

Secures to the side edge of a table; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Integrated modesty panel. 3/4" self edged boards. Brackets are available in all standard Bridges II paint finishes. For Rectangular leg only.

- BRTLPED51 divider matches 24" deep back-to-back assemblies
- BRTLPED63 divider matches 30" deep back-to-back assemblies

MODESTY PANEL	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTMPS84	.75 x 78.5 x 14	60	22	.51	\$577
	BRTMPS78	.75 x 72.5 x 14	60	20	.47	\$556
	BRTMPS72	.75 x 66.5 x 14	60	19	.43	\$537
	BRTMPS66	.75 x 60.5 x 14	60	17	.40	\$517
<b>&gt;</b>	BRTMPS60	.75 x 54.5 x 14	60	16	.36	\$499
	BRTMPS54	.75 x 48.5 x 14	60	14	.32	\$480
	BRTMPS48	.75 x 42.5 x 14	60	13	.29	\$459
	BRTMPS42	.75 x 36.5 x 14	60	11	.25	\$442
•	BRTMPS36	.75 x 30.5 x 14	60	9	.21	\$420

**Laminate Modesty Panel\*** 

Secures to the back edge of a table; provides privacy, divides space. Installed divider measures 15" below the worksurface. 3/4" self edged boards. Flips down for easy access to underside of worksurface. Brackets are available in all standard Bridges II paint finishes.

**Required Specifications** 

Chassis/Accent finish Edge finish Bracket finish

	Í
	Ī

ACCESSORIES

Laminate End of Run Gable\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRTPEG24	.75 x 24 x 14	60	6	.14	\$247	
BRTPEG24H21	.75 x 24 x 20.5	60	9	.21	\$286	
BRTPEG24H27	.75 x 24 x 26.5	60	12	.26	\$334	
BRTPEG30	.75 x 30 x 14	60	8	.18	\$266	
BRTPEG30H21	.75 x 30 x 20.5	60	12	.26	\$304	
BRTPEG30H27	.75 x 30 x 26.5	60	15	.33	\$354	
BRTPEG51	.75 x 50.5 x 14	60	13	.30	\$431	
BRTPEG51H21	.75 x 50.5 x 20.5	5 60	20	.43	\$522	
BRTPEG51H27	.75 x 50.5 x 26.5	5 60	26	.56	\$604	
BRTPEG63	.75 x 62.5 x 14	60	16	.38	\$469	
BRTPEG63H21	.75 x 62.5 x 20.5	5 60	25	.53	\$558	
BRTPEG63H27	.75 x 62.5 x 26.5	60	32	.69	\$642	

Perpendicular end of a run gable. Secures to the side edge of a table/tables and legs; provides privacy, divides space. ¾" self edged boards. Brackets are available in all standard Bridges II paint finishes. For Rectangular leg only.

- BRTPEG24, 30, 51 and 63 measure 15" below worksurface
- BRTPEGxxH21 lines up with the bottom of storage cabinets
- BRTPEGxxH27 reaches down 1" from the floor (creates full panel look)



**Table End Gap Filler** 

BRTTEGF	4.5 x 2.5 x 1	70	.03	.01	\$16	

Injection molded block fills the gap finishing the end of back-to-back table assemblies. Secures to the bottom of two back-to-back worksurfaces. Injection molded resin, white.



Single Table Accessory Rail

BRLBST84	2.95 x 81 x 13.5	70	10.24	.61	\$548
BRLBST78	2.95 x 75 x 13.5	70	9.69	.56	\$532
BRLBST72	2.95 x 69 x 13.5	70	9.15	.52	\$516
BRLBST66	2.95 x 63 x 13.5	70	8.61	.48	\$499
BRLBST60	2.95 x 57 x 13.5	70	8.07	.43	\$482
BRLBST54	2.95 x 51 x 13.5	70	7.52	.39	\$472
BRLBST48	2.95 x 45 x 13.5	70	6.98	.35	\$455
BRLBST42	2.95 x 39 x 13.5	70	6.44	.30	\$439
BRLBST36	2.95 x 33 x 13.5	65	5.90	.26	\$417

Table mounted accessory rail. Compatible with standard accessories. Includes end caps and mounting hardware.



**Back-To-Back Accessory Rail** 

BRLBB2B84	7.50 x 81 x 13.5	65	17.69	.74	\$904
BRLBB2B78	7.50 x 75 x 13.5	65	16.61	.69	\$871
BRLBB2B72	7.50 x 69 x 13.5	65	15.52	.63	\$839
BRLBB2B66	7.50 x 63 x 13.5	65	14.44	.58	\$807
BRLBB2B60	7.50 x 57 x 13.5	65	13.36	.53	\$775
BRLBB2B54	7.50 x 51 x 13.5	65	12.27	.48	\$752
BRLBB2B48	7.50 x 45 x 13.5	65	11.19	.42	\$718
BRLBB2B42	7.50 x 39 x 13.5	65	10.10	.37	\$686
BRLBB2B36	7.50 x 33 x 13.5	65	9.02	.32	\$646

Table mounted accessory rail. Compatible with standard accessories. Includes end caps and mounting hardware.


# **Required Specifications**

Chassis/Accent finish\* Edge finish\* Bracket finish\*


# FRAMED DIVIDERS

#### DxWxH

# Single Table Or Single Table Row Application; 16" and 30" high dividers



# Back-To-Back Table Application; 16" dividers



# Required Specifications

Top finish Edge finish Metal finish (legs)

## **Optional Specifications**

FR/	٩M	ED	DIV	IDE	RS



Back-to-Back Parallel Framed Divider Fabric

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRPFD84	1.25 x 81 x 16	70	32	1.95	\$907	
BRPFD78	1.25 x 75 x 16	70	28	1.81	\$861	
BRPFD72	1.25 x 69 x 16	70	24	1.57	\$850	
BRPFD66	1.25 x 63 x 16	85	20	1.53	\$817	
BRPFD60	1.25 x 57 x 16	92.5	15	1.39	\$770	
BRPFD54	1.25 x 51 x 16	92.5	13	1.25	\$649	
BRPFD48	1.25 x 45 x 16	85	11	.75	\$615	
BRPFD42	1.25 x 39 x 16	100	9	.97	\$534	
BRPFD36	1.25 x 33 x 16	100	8	.83	\$522	

Secures to the underside of the worksurface. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. 36" to 54" dividers include 2 support brackets. 60" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

• 60" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

**Back-to-Back Parallel Framed Divider** 

					LIST PRICE HP	ADD DE ADD	DM /
BRPLD84	1.25 x 81 x 16	70	32	2.25	\$637 \$3	321 \$729	\$18
BRPLD78	1.25 x 75 x 16	70	28	2.08	\$626 \$2	290 \$730	\$18
BRPLD72	1.25 x 69 x 16	70	24	1.92	\$619 \$2	260 \$729	\$18
BRPLD66	1.25 x 63 x 16	85	20	1.75	\$598 \$2	270 \$608	\$16
BRPLD60	1.25 x 57 x 16	92.5	15	1.58	\$577 \$2	223 \$616	\$15
BRPLD54	1.25 x 51 x 16	92.5	13	1.42	\$482 \$1	96 \$644	\$15
BRPLD48	1.25 x 45 x 16	85	11	1.25	\$414 \$1	49 \$288	\$7
BRPLD42	1.25 x 39 x 16	100	9	1.08	\$367 \$1	119 \$245	\$6
BRPLD36	1.25 x 33 x 16	100	8	.92	\$349 \$1	109 \$219	\$5

Secures to the underside of the worksurface. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**). Installed divider measures 15.7" from top of worksurface. 36" to 54" dividers include 2 support brackets. 60" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

• 60" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door



Perpendicular Single Table End of Run Framed Divider, Fabric

					LIST PRICE	
BREFD36	1.25 x 33 x 16	85	12	.92	\$460	
BREFD30	1.25 x 27 x 16	85	11	.75	\$416	
BREFD24	1.25 x 21 x 16	70	9	.58	\$404	

Connects to the perpendicular end of a single or back-to-back table. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 2 support brackets. Two brackets secure the divider to the side edge of worksurface. Flush with the rear edge, 3" recessed from front worksurface edge. Brackets are available in all standard Bridges II paint finishes.



Perpendicular Single Table End of Run Framed Divider, Laminate

					LIST PRICE	HP ADD	DE ADD	DM ADD
BRELD36	1.25 x 33 x 16	70	20	.92	\$301	\$110	\$219	\$341
BRELD30	1.25 x 27 x 16	65	17	.75	\$291	\$97	\$167	\$262
BRELD24	1.25 x 21 x 16	65	14	.58	\$261	\$81	\$151	\$229

Connects to the perpendicular end of a single or back-to-back table. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**). Installed divider measures 15.7" from top of worksurface. Divider comes with 2 support brackets. Two brackets secure the divider to the side edge of worksurface. Flush with the rear edge, 3" recessed from front worksurface edge. When dry erase magnetic whiteboard (**DM**) is specified it is applied user side ONLY and dry erase whiteboard (**DE**) is applied on the opposite side. Brackets are available in all standard Bridges II paint finishes.

# **Required Specifications**

Fabric Finish Bracket finish

# **BRIDGES II**<sup>™</sup>

**IDERS** 

SHARED FRAMED DIV

Perpendicular Shared Framed Divider, Fabric



Perpendicular Shared Framed Divider, Laminate



Perpendicular Back-to-Back End of Run Framed Divider, Fabric



Perpendicular Back-to-Back End of Run Framed Divider, Laminate



Perpendicular Back-to-Back Shared Framed Divider, Fabric

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRSFD36	1.25 x 33 x 16	85	12	.92	\$449	
BRSFD30	1.25 x 27 x 16	85	11	.75	\$404	
BRSFD24	1.25 x 21 x 16	70	9	.58	\$392	

Connects anywhere along and between worksurfaces to divide space and create privacy. Divider is fastened under the worksurface flush to the back of the table and recessed 3" from the front edge on the user side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with a support bracket at the back and a spacer plate with double sided adhesive at the front. Brackets are available in all standard Bridges II paint finishes.

					LIST PRICE	HP ADD	DE ADD	DM ADD
BRSLD36	1.25 x 33 x 16	70	20	.92	\$301	\$110	\$178	\$626
BRSLD30	1.25 x 27 x 16	65	17	.75	\$281	\$97	\$135	\$557
BRSLD24	1.25 x 21 x 16	65	14	.58	\$261	\$72	\$114	\$416

Connects anywhere along and between worksurfaces to divide space and create privacy. Divider is fastened under the worksurface flush to the back of the table and recessed 3" from the front edge on the user side. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**). Installed divider measures 15.7" from top of worksurface. Divider comes with a support bracket at the back and a spacer plate with double sided adhesive at the front. Brackets are available in all standard Bridges II paint finishes.

					LIST PRICE
BREDFD63	1.25 x 57 x 16	85	21	1.58	\$711
BREDFD51	1.25 x 45 x 16	85	18	1.25	\$627

Connects to the end of run on a back-to-back tables to create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 1 large and 2 small support brackets. Brackets are available in all standard Bridges II paint finishes.

					LIST PRICE	HP ADD	DE ADD	DM ADD
BREDLD63	1.25 x 57 x 16	70	32	1.58	\$522	\$223	\$510	\$929
BREDLD51	1.25 x 45 x 16	70	26	1.25	\$424	\$147	\$243	\$444

Connects to the end of run on a back-to-back tables to create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**). Installed divider measures 15.7" from top of worksurface. Divider comes with 1 large and 2 small support brackets. When dry erase magnetic whiteboard (**DM**) is specified it is applied user side ONLY and dry erase whiteboard (**DE**) is applied on the opposite side. Brackets are available in all standard Bridges II paint finishes.


					LIST PRICE	
BRSDFD63	1.25 x 57 x 16	85	20	1.58	\$675	
BRSDFD51	1.25 x 45 x 16	85	17	1.25	\$590	

Connects between parallel framed dividers for back-to-back tables to divide space and create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 1 center support bracket, 2 spacer plates with adhesive and 2 top spacer clamps. Brackets are available in all standard Bridges II paint finishes.

· Cannot be used on its own without the two parallel dividers

# **Required Specifications**

Fabric Finish Bracket finish




Perpendicular Back-to-Back Shared Framed Divider, Laminate\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.		LIS	ST PRICE	
	D x W x H				LIST PRICE	HP ADD	DE ADD	DM ADD
BRSDLD63	1.25 x 57 x 16	70	32	1.58	\$500	\$214	\$502	\$1707
BRSDLD51	1.25 x 45 x 16	70	26	1.25	\$405	\$147	\$233	\$833

Connects between parallel framed dividers for back-to-back tables to divide space and create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with 1 center support bracket, 2 spacer plates with adhesive and 2 top spacer clamps. Brackets are available in all standard Bridges II paint finishes.

• Cannot be used on its own without the two parallel dividers

					LIST PRICE
BRTMFD84	1.25 x 81 x 30	70	43	4.22	\$1029
BRTMFD78	1.25 x 75 x 30	70	40	3.91	\$957
BRTMFD72	1.25 x 69 x 30	70	37	3.59	\$921
BRTMFD66	1.25 x 63 x 30	85	33	3.28	\$890
BRTMFD60	1.25 x 57 x 30	92.5	30	2.97	\$783
BRTMFD54	1.25 x 51 x 30	92.5	27	2.66	\$698
BRTMFD48	1.25 x 45 x 30	85	25	2.34	\$627
BRTMFD42	1.25 x 39 x 30	100	22	2.03	\$557
BRTMFD36	1.25 x 33 x 30	100	20	1.90	\$473



Parallel divider for single tables. Fabric divider is tackable and always railroaded. Fastens to the underside of the worksurface. 0.6" gap between worksurface and divider allows for cable pass thru. Installed divider reaches 15.7" up and 15" down from top of worksurface. 36" to 66" dividers include 2 support brackets. 72" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

• 72" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

					LIST PRICE	HP ADD	DE ADD	DM A
BRTMLD84	1.25 x 81 x 30	70	83	4.22	\$1302	\$427	\$1318	\$284
BRTMLD78	1.25 x 75 x 30	70	77	3.91	\$1282	\$429	\$1318	\$284
BRTMLD72	1.25 x 69 x 30	70	71	3.59	\$648	\$288	\$1772	\$346
BRTMLD66	1.25 x 63 x 30	85	66	3.28	\$619	\$290	\$1779	\$347
BRTMLD60	1.25 x 57 x 30	92.5	60	2.97	\$598	\$205	\$1787	\$347
BRTMLD54	1.25 x 51 x 30	92.5	54	2.66	\$568	\$205	\$1685	\$327
BRTMLD48	1.25 x 45 x 30	85	48	2.34	\$548	\$205	\$695	\$1557
BRTMLD42	1.25 x 39 x 30	100	42	2.03	\$527	\$205	\$704	\$145
BRTMLD36	1.25 x 33 x 30	100	38	1.90	\$508	\$205	\$385	\$112

Parallel divider for single tables. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM) user side only. Fastens to the underside of the worksurface. 0.6" gap between worksurface and divider allows for cable pass thru. Installed divider reaches 15.7" up and 15" down from top of worksurface. 36" to 66" dividers include 2 support brackets. 72" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

• 72" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

BRTADPCPP	1.5 x 4.75 x 99	65	13	.48	\$624	

Brings ceiling feed conduit and data cables from the ceiling down to Power Troughs at desk height. Accommodates 10' ceiling heights. Two part construction allows power/data conduit lay-in. Attaches to a junction between two adjacent Power Troughs in back-to-back applications only. Not for use on single sided Bridges II troughs. Includes mounting hardware and ceiling bezel. Painted Finish.

• Screens must be specified 6" shorter than the nominal worksurface dimension in order to accommodate this ceiling feed.

	1
/	

Table Mounted Framed Divider, Fabric\*



**Table Mounted Framed Divider,** Laminate\*




**Ceiling Pole for Wellness Screens** 

**Required Specifications** 

Fabric Finish Bracket finish\*

DAOK TO DAOK WELLNESS COREENS	MODEL#	DIMENCIONO	EDELCHT OLACC	M/T/LDC	OUDIO ET	LICT DDICE
BACK-TO-BACK WELLNESS SCREENS	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		DxWxH				
	BRTADP5136H24	50.50 x 36 x 24.6	3 150	33	6.31	\$1632
	BRTADP5142H24	50.50 x 42 x 24.6	3 150	34.50	7.36	\$1664
	BRTADP5148H24	50.50 x 48 x 24.6	3 150	36	8.42	\$1699
	BRTADP5154H24	50.50 x 54 x 24.6	3 250	37.50	9.47	\$1733
	BRTADP5160H24	50.50 x 60 x 24.6	3 250	39	10.52	\$1766
	BRTADP5166H24	50.50 x 66 x 24.6	3 250	40.50	11.57	\$1801
	BRTADP5172H24	50.50 x 72 x 24.6	3 250	42	12.63	\$1833
	BRTADP5178H24	50.50 x 78 x 24.6	3 250	43.50	13.68	\$1868
	BRTADP5184H24	50.50 x 84 x 24.6	3 250	45	14.73	\$1902
	BRTADP6336H24	62.50 x 36 x 24.6	3 150	46.50	7.81	\$1764
	BRTADP6342H24	62.50 x 42 x 24.6	3 150	48	9.11	\$1796
	BRTADP6348H24	62.50 x 48 x 24.6	3 150	49.50	10.42	\$1832
<b>E</b>	BRTADP6354H24	62.50 x 54 x 24.6	3 150	51	11.72	\$1865
	BRTADP6360H24	62.50 x 60 x 24.6	3 150	52.50	13.02	\$1898
	BRTADP6366H24	62.50 x 66 x 24.6	3 250	54	14.32	\$1933
	BRTADP6372H24	62.50 x 72 x 24.6	3 250	55	15.63	\$1967
	BRTADP6378H24	62.50 x 78 x 24.6	3 250	57.35	16.93	\$2001
	BRTADP6384H24	62.50 x 84 x 24.6	3 250	58.50	18.23	\$2035




24"H Back-to-Back Wellness Screen

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTAPD51xxH24 are for configurations with 24" deep surfaces.
- BRTAPD63xxH24 are for configurations with 30" deep surfaces.

BRTADP5136H30	50.50 x 36 x 30.63	150	35.50	6.31	\$1808
BRTADP5142H30	50.50 x 42 x 30.63	150	37	7.36	\$1848
BRTADP5148H30	50.50 x 48 x 30.63	150	38.50	8.42	\$1885
BRTADP5154H30	50.50 x 54 x 30.63	150	40	9.47	\$1928
BRTADP5160H30	50.50 x 60 x 30.63	250	41.50	10.52	\$1966
BRTADP5166H30	50.50 x 66 x 30.63	250	43	11.57	\$2007
BRTADP5172H30	50.50 x 72 x 30.63	250	44.50	12.63	\$2044
BRTADP5178H30	50.50 x 78 x 30.63	250	46	13.68	\$2083
BRTADP5184H30	50.50 x 84 x 30.63	250	47.50	14.73	\$2123
BRTADP6336H30	62.50 x 36 x 30.63	125	49	7.81	\$2032
BRTADP6342H30	62.50 x 42 x 30.63	150	50.50	9.11	\$2071
BRTADP6348H30	62.50 x 48 x 30.63	150	52	10.42	\$2110
BRTADP6354H30	62.50 x 54 x 30.63	150	53.50	11.72	\$2149
BRTADP6360H30	62.50 x 60 x 30.63	150	55	13.02	\$2188
BRTADP6366H30	62.50 x 66 x 30.63	250	56.50	14.32	\$2228
BRTADP6372H30	62.50 x 72 x 30.63	250	58	15.63	\$2266
BRTADP6378H30	62.50 x 78 x 30.63	250	59.50	16.93	\$2306
BRTADP6384H30	62.50 x 84 x 30.63	250	61	18.23	\$2345



30"H Back-to-Back Wellness Screen

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADP51xxH30 are for configurations with 24" deep surfaces.
- BRTADP63xxH30 are for configurations with 30" deep surfaces.

**Required Specifications** 

Frame finish

Dxwxh	ACK-TO-BACK WELLNESS SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
BRTADPE5136H24 50.50 x 36 x 24.63 150 26.35 6.31 \$1106 BRTADPE5142H24 50.50 x 42 x 24.63 250 27.85 7.36 \$1139 BRTADPE5148H24 50.50 x 48 x 24.63 250 29.35 8.42 \$1173 BRTADPE5154H24 50.50 x 54 x 24.63 250 30.85 9.47 \$1205 BRTADPE5160H24 50.50 x 60 x 24.63 250 32.35 10.52 \$1241 BRTADPE5166H24 50.50 x 66 x 24.63 250 33.85 11.57 \$1275 BRTADPE5172H24 50.50 x 72 x 24.63 250 35.35 12.63 \$1312 BRTADPE5178H24 50.50 x 78 x 24.63 250 36.85 13.68 \$1344 BRTADPE5184H24 50.50 x 84 x 24.63 250 38.35 14.73 \$1377   BRTADPE6336H24 62.50 x 36 x 24.63 150 39.85 7.81 \$1172 BRTADPE6342H24 62.50 x 42 x 24.63 150 41.35 9.11 \$1204 BRTADPE6348H24 62.50 x 42 x 24.63 150 42.85 10.42 \$1239 BRTADPE6360H24 62.50 x 48 x 24.63 250 44.35 11.72 \$1274 BRTADPE6360H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274 BRTADPE6360H24 62.50 x 66 x 24.63 250 45.85 13.02 \$1308 BRTADPE6372H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375	ACK-TU-DACK WELLINESS SCREENS	WIODEL#		THEIGHT GLASS	WI/LDS.	CUBIC FI.	LIST PRICE
BRTADPE5142H24 50.50 x 42 x 24.63 250 27.85 7.36 \$1139 BRTADPE5148H24 50.50 x 48 x 24.63 250 29.35 8.42 \$1173 BRTADPE5154H24 50.50 x 54 x 24.63 250 30.85 9.47 \$1205 BRTADPE5160H24 50.50 x 60 x 24.63 250 32.35 10.52 \$1241 BRTADPE5166H24 50.50 x 66 x 24.63 250 33.85 11.57 \$1275 BRTADPE5172H24 50.50 x 72 x 24.63 250 35.35 12.63 \$1312 BRTADPE5178H24 50.50 x 78 x 24.63 250 36.85 13.68 \$1344 BRTADPE5184H24 50.50 x 84 x 24.63 250 38.35 14.73 \$1377  BRTADPE6336H24 62.50 x 36 x 24.63 150 39.85 7.81 \$1172 BRTADPE6342H24 62.50 x 42 x 24.63 150 41.35 9.11 \$1204 BRTADPE6348H24 62.50 x 48 x 24.63 150 42.85 10.42 \$1239 BRTADPE6354H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274 BRTADPE6360H24 62.50 x 60 x 24.63 250 45.85 13.02 \$1308 BRTADPE6366H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 72 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375		RRTADPE5136H24		33 150	26.35	6.21	¢1106
BRTADPE5148H24 50.50 x 48 x 24.63 250 29.35 8.42 \$1173 BRTADPE5154H24 50.50 x 54 x 24.63 250 30.85 9.47 \$1205 BRTADPE5160H24 50.50 x 60 x 24.63 250 32.35 10.52 \$1241 BRTADPE5166H24 50.50 x 66 x 24.63 250 33.85 11.57 \$1275 BRTADPE5172H24 50.50 x 72 x 24.63 250 35.35 12.63 \$1312 BRTADPE5178H24 50.50 x 78 x 24.63 250 36.85 13.68 \$1344 BRTADPE5184H24 50.50 x 84 x 24.63 250 38.35 14.73 \$1377  BRTADPE5184H24 62.50 x 36 x 24.63 150 39.85 7.81 \$1172 BRTADPE6336H24 62.50 x 42 x 24.63 150 41.35 9.11 \$1204 BRTADPE6342H24 62.50 x 48 x 24.63 150 42.85 10.42 \$1239 BRTADPE6354H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274 BRTADPE6360H24 62.50 x 60 x 24.63 250 45.85 13.02 \$1308 BRTADPE6372H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375							
BRTADPE5154H24 50.50 x 54 x 24.63 250 30.85 9.47 \$1205 BRTADPE5160H24 50.50 x 60 x 24.63 250 32.35 10.52 \$1241 BRTADPE5166H24 50.50 x 66 x 24.63 250 33.85 11.57 \$1275 BRTADPE5172H24 50.50 x 72 x 24.63 250 35.35 12.63 \$1312 BRTADPE5178H24 50.50 x 78 x 24.63 250 36.85 13.68 \$1344 BRTADPE5184H24 50.50 x 84 x 24.63 250 38.35 14.73 \$1377  BRTADPE5184H24 62.50 x 36 x 24.63 150 39.85 7.81 \$1172 BRTADPE6336H24 62.50 x 42 x 24.63 150 41.35 9.11 \$1204 BRTADPE6342H24 62.50 x 48 x 24.63 150 42.85 10.42 \$1239 BRTADPE6354H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274 BRTADPE6360H24 62.50 x 60 x 24.63 250 45.85 13.02 \$1308 BRTADPE6366H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375							
BRTADPE5160H24 50.50 x 60 x 24.63 250 32.35 10.52 \$1241 BRTADPE5166H24 50.50 x 66 x 24.63 250 33.85 11.57 \$1275 BRTADPE5172H24 50.50 x 72 x 24.63 250 35.35 12.63 \$1312 BRTADPE5178H24 50.50 x 78 x 24.63 250 36.85 13.68 \$1344 BRTADPE5184H24 50.50 x 84 x 24.63 250 38.35 14.73 \$1377  BRTADPE5184H24 62.50 x 36 x 24.63 150 39.85 7.81 \$1172 BRTADPE6342H24 62.50 x 42 x 24.63 150 41.35 9.11 \$1204 BRTADPE6348H24 62.50 x 48 x 24.63 150 42.85 10.42 \$1239 BRTADPE6354H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274 BRTADPE6360H24 62.50 x 60 x 24.63 250 45.85 13.02 \$1308 BRTADPE6372H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375							
BRTADPE5166H24 50.50 x 66 x 24.63 250 33.85 11.57 \$1275 BRTADPE5172H24 50.50 x 72 x 24.63 250 35.35 12.63 \$1312 BRTADPE5178H24 50.50 x 78 x 24.63 250 36.85 13.68 \$1344 BRTADPE5184H24 50.50 x 84 x 24.63 250 38.35 14.73 \$1377  BRTADPE5184H24 62.50 x 36 x 24.63 150 39.85 7.81 \$1172 BRTADPE6342H24 62.50 x 42 x 24.63 150 41.35 9.11 \$1204 BRTADPE6348H24 62.50 x 48 x 24.63 150 42.85 10.42 \$1239 BRTADPE6354H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274 BRTADPE6360H24 62.50 x 60 x 24.63 250 45.85 13.02 \$1308 BRTADPE6366H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375							
BRTADPE5172H24 50.50 x 72 x 24.63 250 35.35 12.63 \$1312 BRTADPE5178H24 50.50 x 78 x 24.63 250 36.85 13.68 \$1344 BRTADPE5184H24 50.50 x 84 x 24.63 250 38.35 14.73 \$1377  BRTADPE6336H24 62.50 x 36 x 24.63 150 39.85 7.81 \$1172 BRTADPE6342H24 62.50 x 42 x 24.63 150 41.35 9.11 \$1204 BRTADPE6348H24 62.50 x 48 x 24.63 150 42.85 10.42 \$1239 BRTADPE6354H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274 BRTADPE6360H24 62.50 x 60 x 24.63 250 45.85 13.02 \$1308 BRTADPE6366H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375							
BRTADPE5178H24 50.50 x 78 x 24.63 250 36.85 13.68 \$1344 BRTADPE5184H24 50.50 x 84 x 24.63 250 38.35 14.73 \$1377  BRTADPE6336H24 62.50 x 36 x 24.63 150 39.85 7.81 \$1172 BRTADPE6342H24 62.50 x 42 x 24.63 150 41.35 9.11 \$1204 BRTADPE6348H24 62.50 x 48 x 24.63 150 42.85 10.42 \$1239 BRTADPE6354H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274 BRTADPE6356H24 62.50 x 60 x 24.63 250 45.85 13.02 \$1308 BRTADPE6366H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375							
BRTADPE5184H24 50.50 x 84 x 24.63 250 38.35 14.73 \$1377  BRTADPE6336H24 62.50 x 36 x 24.63 150 39.85 7.81 \$1172  BRTADPE6342H24 62.50 x 42 x 24.63 150 41.35 9.11 \$1204  BRTADPE6348H24 62.50 x 48 x 24.63 150 42.85 10.42 \$1239  BRTADPE6354H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274  BRTADPE6360H24 62.50 x 60 x 24.63 250 45.85 13.02 \$1308  BRTADPE6366H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344  BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375							
BRTADPE6336H24 62.50 x 36 x 24.63 150 39.85 7.81 \$1172 BRTADPE6342H24 62.50 x 42 x 24.63 150 41.35 9.11 \$1204 BRTADPE6348H24 62.50 x 48 x 24.63 150 42.85 10.42 \$1239 BRTADPE6354H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274 BRTADPE6360H24 62.50 x 60 x 24.63 250 45.85 13.02 \$1308 BRTADPE6366H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375							
BRTADPE6342H24 62.50 x 42 x 24.63 150 41.35 9.11 \$1204 BRTADPE6348H24 62.50 x 48 x 24.63 150 42.85 10.42 \$1239 BRTADPE6354H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274 BRTADPE6360H24 62.50 x 60 x 24.63 250 45.85 13.02 \$1308 BRTADPE6366H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375		BRIADPE5184HZ4	50.50 X 84 X 24.6	03 250	38.35	14.73	\$13//
BRTADPE6342H24 62.50 x 42 x 24.63 150 41.35 9.11 \$1204 BRTADPE6348H24 62.50 x 48 x 24.63 150 42.85 10.42 \$1239 BRTADPE6354H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274 BRTADPE6360H24 62.50 x 60 x 24.63 250 45.85 13.02 \$1308 BRTADPE6366H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344 BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375		DDT4 DD500001104				7.04	****
BRTADPE6348H24 62.50 x 48 x 24.63 150 42.85 10.42 \$1239  BRTADPE6354H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274  BRTADPE6360H24 62.50 x 60 x 24.63 250 45.85 13.02 \$1308  BRTADPE6366H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344  BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375							
BRTADPE6354H24 62.50 x 54 x 24.63 250 44.35 11.72 \$1274  BRTADPE6360H24 62.50 x 60 x 24.63 250 45.85 13.02 \$1308  BRTADPE6366H24 62.50 x 66 x 24.63 250 47.35 14.32 \$1344  BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 \$1375							
BRTADPE6360H24 62.50 x 60 x 24.63 250 45.85 13.02 <b>\$1308</b> BRTADPE6366H24 62.50 x 66 x 24.63 250 47.35 14.32 <b>\$1344</b> BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 <b>\$1375</b>		BRTADPE6348H24	62.50 x 48 x 24.6	63 150	42.85	10.42	\$1239
BRTADPE6366H24 62.50 x 66 x 24.63 250 47.35 14.32 <b>\$1344</b> BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 <b>\$1375</b>		BRTADPE6354H24	62.50 x 54 x 24.6	63 250	44.35	11.72	\$1274
BRTADPE6372H24 62.50 x 72 x 24.63 250 48.85 15.63 <b>\$1375</b>		BRTADPE6360H24	62.50 x 60 x 24.6	63 250	45.85	13.02	\$1308
		BRTADPE6366H24	62.50 x 66 x 24.6	63 250	47.35	14.32	\$1344
BRTADPE6378H24 62.50 x 78 x 24.63 250 50.35 16.93 <b>\$1410</b>		BRTADPE6372H24	62.50 x 72 x 24.6	63 250	48.85	15.63	\$1375
		BRTADPE6378H24	62.50 x 78 x 24.6	63 250	50.35	16.93	\$1410



24"H Back-to-Back Wellness Screen **Extension Kit** 

Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

51.85

18.23

\$1445


• BRTADPE51xxH24 are for configurations with 24" deep surfaces.

62.50 x 84 x 24.63

250

• BRTADPE63xxH24 are for configurations with 30" deep surfaces.

BRTADPE5136H30	50.50 x 36 x 30.63	150	28.85	6.31	\$1215
BRTADPE5142H30	50.50 x 42 x 30.63	150	30.35	7.36	\$1254
BRTADPE5148H30	50.50 x 48 x 30.63	250	31.85	8.42	\$1294
BRTADPE5154H30	50.50 x 54 x 30.63	250	33.35	9.47	\$1335
BRTADPE5160H30	50.50 x 60 x 30.63	250	34.85	10.52	\$1372
BRTADPE5166H30	50.50 x 66 x 30.63	250	36.35	11.57	\$1412
BRTADPE5172H30	50.50 x 72 x 30.63	250	37.85	12.63	\$1452
BRTADPE5178H30	50.50 x 78 x 30.63	250	39.35	13.68	\$1489
BRTADPE5184H30	50.50 x 84 x 30.63	250	40.85	14.73	\$1529
BRTADPE6336H30	62.50 x 36 x 30.63	150	42.35	7.81	\$1292
BRTADPE6342H30	62.50 x 42 x 30.63	150	43.85	9.11	\$1333
BRTADPE6348H30	62.50 x 48 x 30.63	150	45.35	10.42	\$1371
BRTADPE6354H30	62.50 x 54 x 30.63	250	46.85	11.72	\$1410
BRTADPE6360H30	62.50 x 60 x 30.63	250	48.35	13.02	\$1449
BRTADPE6366H30	62.50 x 66 x 30.63	250	49.85	14.32	\$1488
BRTADPE6372H30	62.50 x 72 x 30.63	250	51.35	15.63	\$1529
BRTADPE6378H30	62.50 x 78 x 30.63	250	52.85	16.93	\$1566
BRTADPE6384H30	62.50 x 84 x 30.63	250	54.35	18.23	\$1606



30"H Back-to-Back Wellness Screen **Extension Kit** 

Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).


- BRTADPE51xxH30 are for configurations with 24" deep surfaces.
- BRTADPE63xxH30 are for configurations with 30" deep surfaces.

# **Required Specifications**

BRTADPE6384H24

Frame finish

NGLE TABLE WELLNESS SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		DxWxH				
	BRTADP2436H24	31.75 x 36 x 24.6	3 125	26.55	3.97	\$1126
	BRTADP2442H24	31.75 x 42 x 24.6	3 125	28.10	4.63	\$1162
	BRTADP2448H24	31.75 x 48 x 24.6	3 150	29.65	5.29	\$1194
	BRTADP2454H24	31.75 x 54 x 24.6	3 150	31.20	5.95	\$1229
	BRTADP2460H24	31.75 x 60 x 24.6	3 150	32.75	6.61	\$1263
	BRTADP2466H24	31.75 x 66 x 24.6	3 150	34.30	7.28	\$1295
	BRTADP2472H24	31.75 x 72 x 24.6	3 150	35.85	7.94	\$1331
	BRTADP2478H24	31.75 x 78 x 24.6	3 150	37.40	8.60	\$1366
	BRTADP2484H24	31.75 x 84 x 24.6	3 150	38.95	9.26	\$1399
	BRTADP3036H24	37.75 x 36 x 24.6	3 100	40.50	4.72	\$1205
	BRTADP3042H24	37.75 x 42 x 24.6	3 125	42.05	5.51	\$1241
	BRTADP3048H24	37.75 x 48 x 24.6	3 125	43.60	6.29	\$1275
	BRTADP3054H24	37.75 x 54 x 24.6	3 150	42.15	7.08	\$1312
	BRTADP3060H24	37.75 x 60 x 24.6	3 150	46.70	7.87	\$1344
	BRTADP3066H24	37.75 x 66 x 24.6	3 150	48.25	8.65	\$1377
	BRTADP3072H24	37.75 x 72 x 24.6	3 150	49.80	9.44	\$1412
$\leq$	BRTADP3078H24	37.75 x 78 x 24.6		51.35	10.22	\$1446
	BRTADP3084H24	37.75 x 84 x 24.6		52.90	11.01	\$1481




24"H Single Table Wellness Screen

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADP24xxH24 are for configurations with 24" deep surfaces.
- BRTADP30xxH24 are for configurations with 30" deep surfaces.

BRTADP2436H30	31.75 x 36 x 30.63	125	28.85	3.97	\$1263
BRTADP2442H30	31.75 x 42 x 30.63	125	30.40	4.63	\$1304
BRTADP2448H30	31.75 x 48 x 30.63	125	31.95	5.29	\$1344
BRTADP2454H30	31.75 x 54 x 30.63	150	33.50	5.95	\$1382
BRTADP2460H30	31.75 x 60 x 30.63	150	35.05	6.61	\$1422
BRTADP2466H30	31.75 x 66 x 30.63	150	36.60	7.28	\$1460
BRTADP2472H30	31.75 x 72 x 30.63	150	38.15	7.94	\$1500
BRTADP2478H30	31.75 x 78 x 30.63	150	39.70	8.60	\$1538
BRTADP2484H30	31.75 x 84 x 30.63	150	41.25	9.26	\$1578
BRTADP3036H30	37.75 x 36 x 30.63	100	42.80	4.72	\$1340
BRTADP3042H30	37.75 x 42 x 30.63	100	44.35	5.51	\$1382
BRTADP3048H30	37.75 x 48 x 30.63	125	45.90	6.29	\$1421
BRTADP3054H30	37.75 x 54 x 30.63	125	47.45	7.08	\$1457
BRTADP3060H30	37.75 x 60 x 30.63	125	49	7.87	\$1496
BRTADP3066H30	37.75 x 66 x 30.63	150	50.55	8.65	\$1537
BRTADP3072H30	37.75 x 72 x 30.63	150	52.10	9.44	\$1573
BRTADP3078H30	37.75 x 78 x 30.63	150	53.65	10.22	\$1615
BRTADP3084H30	37.75 x 84 x 30.63	150	55.20	11.01	\$1655



30"H Single Table Wellness Screen

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).


- BRTADP24xxH30 are for configurations with 24" deep surfaces.
- BRTADP30xxH30 are for configurations with 30" deep surfaces.

# **Required Specifications**

Frame finish

|--|

MODEL#	DIMENSIONS	FREIG	HT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH					
BRTADPE2436H24	31.75 x 36 x 24.0	63 ′	150	21.05	3.97	\$845
BRTADPE2442H24	31.75 x 42 x 24.0	63 ′	150	22.60	4.63	\$928
BRTADPE2448H24	31.75 x 48 x 24.0	63 ′	150	24.15	5.29	\$963
BRTADPE2454H24	31.75 x 54 x 24.0	63 ′	150	25.70	5.95	\$996
BRTADPE2460H24	31.75 x 60 x 24.0	63 ′	150	27.25	6.61	\$1029
BRTADPE2466H24	31.75 x 66 x 24.0	63 2	250	28.80	7.28	\$1064
BRTADPE2472H24	31.75 x 72 x 24.0	63 2	250	30.35	7.94	\$1098
BRTADPE2478H24	31.75 x 78 x 24.0	63 2	250	31.90	8.60	\$1132
BRTADPE2484H24	31.75 x 84 x 24.0	63 2	250	33.45	9.26	\$1164
BRTADPE3036H24	37.75 x 36 x 24.0	63 ′	125	35	4.72	\$879
BRTADPE3042H24	37.75 x 42 x 24.0	63 ′	125	36.55	5.51	\$960
BRTADPE3048H24	37.75 x 48 x 24.0	63 ′	125	38.10	6.29	\$996
BRTADPE3054H24	37.75 x 54 x 24.0	63 ′	150	39.65	7.08	\$1029
BRTADPE3060H24	37.75 x 60 x 24.0	63 ′	150	41.20	7.87	\$1064
BRTADPE3066H24	37.75 x 66 x 24.0	63 ′	150	42.75	8.65	\$1096
BRTADPE3072H24	37.75 x 72 x 24.0	63	150	44.30	9.44	\$1129
BRTADPE3078H24	37.75 x 78 x 24.0	63 ′	150	45.85	10.01	\$1164
BRTADPE3084H24	37.75 x 84 x 24.0	63	150	47.40	10.01	\$1198




24"H Single Table Wellness Screen Extension Kit

Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE24xxH24 are for configurations with 24" deep surfaces.
- BRTADPE30xxH24 are for configurations with 30" deep surfaces.

BRTADPE2436H30	31.75 x 36 x 30.63	150	22.85	3.97	\$930
BRTADPE2442H30	31.75 x 42 x 30.63	150	24.40	4.63	\$1018
BRTADPE2448H30	31.75 x 48 x 30.63	150	25.95	5.29	\$1056
BRTADPE2454H30	31.75 x 54 x 30.63	150	27.50	5.95	\$1095
BRTADPE2460H30	31.75 x 60 x 30.63	150	29.05	6.61	\$1136
BRTADPE2466H30	31.75 x 66 x 30.63	150	30.60	7.28	\$1173
BRTADPE2472H30	31.75 x 72 x 30.63	150	32.15	7.94	\$1212
BRTADPE2478H30	31.75 x 78 x 30.63	250	33.70	8.60	\$1251
BRTADPE2484H30	31.75 x 84 x 30.63	250	35.25	9.26	\$1291
BRTADPE3036H30	37.75 x 36 x 30.63	125	36.80	4.72	\$968
BRTADPE3042H30	37.75 x 42 x 30.63	125	38.35	5.51	\$1056
BRTADPE3048H30	37.75 x 48 x 30.63	125	39.90	6.29	\$1095
BRTADPE3054H30	37.75 x 54 x 30.63	150	41.45	7.08	\$1133
BRTADPE3060H30	37.75 x 60 x 30.63	150	43	7.87	\$1173
BRTADPE3066H30	37.75 x 66 x 30.63	150	44.55	8.65	\$1212
BRTADPE3072H30	37.75 x 72 x 30.63	150	46.10	9.44	\$1250
BRTADPE3078H30	37.75 x 78 x 30.63	150	47.65	10.22	\$1291
BRTADPE3084H30	37.75 x 84 x 30.63	150	49.20	11.01	\$1328



30"H Single Table Wellness Screen Extension Kit

Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE24xxH30 are for configurations with 24" deep surfaces.
- BRTADPE30xxH30 are for configurations with 30" deep surfaces.

### **Required Specifications**

Frame finish

BRIDGES II							
BACK-TO-BACK FELT DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
		DxWxH					
	BRTADF5136H24	50.50 x 36 x 24.6	60 150	28	6.31	\$1287	
	BRTADF5142H24	50.50 x 42 x 24.6	30 150	29.50	7.36	\$1309	
	BRTADF5148H24	50.50 x 48 x 24.6	30 150	31	8.42	\$1335	
	BRTADF5154H24	50.50 x 54 x 24.6	60 250	32.50	9.47	\$1356	
	BRTADF5160H24	50.50 x 60 x 24.6	30 250	34	10.52	\$1385	
	BRTADF5166H24	50.50 x 66 x 24.6	30 250	35.50	11.57	\$1410	
	BRTADF5172H24	50.50 x 72 x 24.6	30 250	37	12.63	\$1435	
	BRTADF5178H24	50.50 x 78 x 24.6	30 250	38.50	13.68	\$1462	
	BRTADF5184H24	50.50 x 84 x 24.6	30 250	40	14.73	\$1509	
	BRTADF6336H24	62.50 x 36 x 24.6	30 150	41.50	7.81	\$1385	
	BRTADF6342H24	62.50 x 42 x 24.6	60 150	43	9.11	\$1410	
	BRTADF6348H24	62.50 x 48 x 24.6	0 150	44.50	10.42	\$1435	
	BRTADF6354H24	62.50 x 54 x 24.6	30 150	46	11.72	\$1460	
	BRTADF6360H24	62.50 x 60 x 24.6	30 150	47.50	13.02	\$1484	
	BRTADF6366H24	62.50 x 66 x 24.6	60 250	49	14.32	\$1509	

BRTADF6372H24

BRTADF6378H24

BRTADF6384H24



24"H Back-to-Back Felt Divider Screen

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

50.50

52

53.50

15.63

16.93

18.23

\$1534

\$1559

\$1608

• BRTAPF51xxH24 are for configurations with 24" deep surfaces.

62.50 x 72 x 24.60

62.50 x 78 x 24.60


62.50 x 84 x 24.60

250

250

• BRTAPF63xxH24 are for configurations with 30" deep surfaces.

BRTADF5136H30	50.50 x 36 x 30.60	150	30.50	6.31	\$1282
BRTADF5142H30	50.50 x 42 x 30.60	150	32	7.36	\$1306
BRTADF5148H30	50.50 x 48 x 30.60	150	33.50	8.42	\$1329
BRTADF5154H30	50.50 x 54 x 30.60	150	35	9.47	\$1352
BRTADF5160H30	50.50 x 60 x 30.60	250	36.50	10.52	\$1375
BRTADF5166H30	50.50 x 66 x 30.60	250	38	11.57	\$1397
BRTADF5172H30	50.50 x 72 x 30.60	250	39.50	12.63	\$1422
BRTADF5178H30	50.50 x 78 x 30.60	250	41	13.68	\$1447
BRTADF5184H30	50.50 x 84 x 30.60	250	42.50	14.73	\$1500
BRTADF6336H30	62.50 x 36 x 30.60	125	44	7.81	\$1440
BRTADF6342H30	62.50 x 42 x 30.60	150	45.50	9.11	\$1462
BRTADF6348H30	62.50 x 48 x 30.60	150	47	10.42	\$1484
BRTADF6354H30	62.50 x 54 x 30.60	150	48.50	11.72	\$1507
BRTADF6360H30	62.50 x 60 x 30.60	150	50	13.02	\$1531
BRTADF6366H30	62.50 x 66 x 30.60	250	51.50	14.32	\$1555
BRTADF6372H30	62.50 x 72 x 30.60	250	53	15.63	\$1578
BRTADF6378H30	62.50 x 78 x 30.60	250	54.50	16.93	\$1601
BRTADF6384H30	62.50 x 84 x 30.60	250	56	18.23	\$1655



30"H Back-to-Back Felt Divider Screen

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADF51xxH30 are for configurations with 24" deep surfaces.
- BRTADF63xxH30 are for configurations with 30" deep surfaces.

#### **Required Specifications**

Frame finish

Felt finish

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					,
BRTADFE5136H24	50.50 x 36 x 24.	60 150	23.35	6.31	\$877	
BRTADFE5142H24	50.50 x 42 x 24.	60 250	24.85	7.36	\$902	
BRTADFE5148H24	50.50 x 48 x 24.	60 250	26.35	8.42	\$927	
BRTADFE5154H24	50.50 x 54 x 24.	60 250	27.85	9.47	\$952	
BRTADFE5160H24	50.50 x 60 x 24.	60 250	29.35	10.52	\$976	
BRTADFE5166H24	50.50 x 66 x 24.	60 250	30.85	11.57	\$1001	
BRTADFE5172H24	50.50 x 72 x 24.	60 250	32.35	12.63	\$1026	
BRTADFE5178H24	50.50 x 78 x 24.	60 250	33.85	13.68	\$1052	
BRTADFE5184H24	50.50 x 84 x 24.	60 250	35.35	14.73	\$1102	
BRTADFE6336H24	62.50 x 36 x 24.	60 150	36.85	7.81	\$924	
BRTADFE6342H24	62.50 x 42 x 24.	60 150	38.35	9.11	\$949	
BRTADFE6348H24	62.50 x 48 x 24.	60 150	39.85	10.42	\$975	
BRTADFE6354H24	62.50 x 54 x 24.	60 250	41.35	11.72	\$999	
BRTADFE6360H24	62.50 x 60 x 24.	60 250	42.85	13.02	\$1025	
BRTADFE6366H24	62.50 x 66 x 24.	60 250	44.35	14.32	\$1049	
BRTADFE6372H24	62.50 x 72 x 24.	60 250	45.85	15.63	\$1075	
BRTADFE6378H24	62.50 x 78 x 24.	60 250	47.35	16.93	\$1099	
BRTADFE6384H24	62.50 x 84 x 24.	60 250	48.85	18.23	\$1149	




24"H Back-to-Back Felt Divider Screen **Extension Kit** 

**BACK-TO-BACK FELT DIVIDER SCREENS** 

Provides an extension to privacy in an open plan environment. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADFE51xxH24 are for configurations with 24" deep surfaces.
- BRTADFE63xxH24 are for configurations with 30" deep surfaces.

BRTADFE5136H30	50.50 x 36 x 30.60	150	25.85	6.31	\$875
BRTADFE5142H30	50.50 x 42 x 30.60	150	27.35	7.36	\$898
BRTADFE5148H30	50.50 x 48 x 30.60	250	28.85	8.42	\$922
BRTADFE5154H30	50.50 x 54 x 30.60	250	30.35	9.47	\$945
BRTADFE5160H30	50.50 x 60 x 30.60	250	31.85	10.52	\$968
BRTADFE5166H30	50.50 x 66 x 30.60	250	33.35	11.57	\$992
BRTADFE5172H30	50.50 x 72 x 30.60	250	34.85	12.63	\$1015
BRTADFE5178H30	50.50 x 78 x 30.60	250	36.35	13.68	\$1038
BRTADFE5184H30	50.50 x 84 x 30.60	250	37.85	14.73	\$1092
BRTADFE6336H30	62.50 x 36 x 30.60	150	39.35	7.81	\$921
BRTADFE6342H30	62.50 x 42 x 30.60	150	40.85	9.11	\$944
BRTADFE6348H30	62.50 x 48 x 30.60	150	42.35	10.42	\$967
BRTADFE6354H30	62.50 x 54 x 30.60	250	43.85	11.72	\$990
BRTADFE6360H30	62.50 x 60 x 30.60	250	45.35	13.02	\$1014
BRTADFE6366H30	62.50 x 66 x 30.60	250	46.85	14.32	\$1037
BRTADFE6372H30	62.50 x 72 x 30.60	250	48.35	15.63	\$1060
BRTADFE6378H30	62.50 x 78 x 30.60	250	49.85	16.93	\$1083
BRTADFE6384H30	62.50 x 84 x 30.60	250	51.35	18.23	\$1136



30"H Back-to-Back Felt Divider Screen **Extension Kit** 


Provides an extension to privacy in an open plan environment. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADFE51xxH30 are for configurations with 24" deep surfaces.
- BRTADFE63xxH30 are for configurations with 30" deep surfaces.

#### **Required Specifications**

Frame finish Felt finish

SINGLE TABLE FELT DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	BRTADF2436H24	31.50 x 36 x 24.6	60 125	22.55	3.94	\$937
	BRTADF2442H24	31.50 x 42 x 24.6	0 125	24.10	4.59	\$961
	BRTADF2448H24	31.50 x 48 x 24.6	0 150	25.65	5.25	\$986
	BRTADF2454H24	31.50 x 54 x 24.6	0 150	27.20	5.91	\$1010
	BRTADF2460H24	31.50 x 60 x 24.6	0 150	28.75	6.56	\$1037
	BRTADF2466H24	31.50 x 66 x 24.6	60 150	30.30	7.22	\$1061
	BRTADF2472H24	31.50 x 72 x 24.6	60 150	31.85	7.88	\$1086
	BRTADF2478H24	31.50 x 78 x 24.6	0 150	33.40	8.53	\$1111
	BRTADF2484H24	31.50 x 84 x 24.6	60 150	34.95	9.19	\$1160
	BRTADF3036H24	37.75 x 36 x 24.6	0 100	36.50	4.72	\$968
	BRTADF3042H24	37.75 x 42 x 24.6	0 125	38.05	5.51	\$995
	BRTADF3048H24	37.75 x 48 x 24.6	0 125	39.60	6.29	\$1019
	BRTADF3054H24	37.75 x 54 x 24.6	0 150	41.15	7.08	\$1044
	BRTADF3060H24	37.75 x 60 x 24.6	60 150	41.70	7.87	\$1069
	BRTADF3066H24	37.75 x 66 x 24.6	0 150	44.25	8.65	\$1095
	BRTADF3072H24	37.75 x 72 x 24.6	60 150	45.80	9.44	\$1117
	BRTADF3078H24	37.75 x 78 x 24.6	60 150	47.35	10.22	\$1142
	BRTADF3084H24	37.75 x 84 x 24.6	0 150	48.90	11.01	\$1193




24"H Single Table Felt Divider Screen

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADF24xxH24 are for configurations with 24" deep surfaces.
- BRTADF30xxH24 are for configurations with 30" deep surfaces.

BRTADF2436H30	31.50 x 36 x 30.60	125	24.85	3.97	\$930
BRTADF2442H30	31.50 x 42 x 30.60	125	26.40	4.59	\$954
BRTADF2448H30	31.50 x 48 x 30.60	125	27.95	5.25	\$976
BRTADF2454H30	31.50 x 54 x 30.60	150	29.50	5.91	\$999
BRTADF2460H30	31.50 x 60 x 30.60	150	31.05	6.56	\$1022
BRTADF2466H30	31.50 x 66 x 30.60	150	32.60	7.22	\$1045
BRTADF2472H30	31.50 x 72 x 30.60	150	34.14	7.88	\$1069
BRTADF2478H30	31.50 x 78 x 30.60	150	34.70	8.53	\$1092
BRTADF2484H30	31.50 x 84 x 30.60	150	37.25	9.19	\$1147
BRTADF3036H30	37.75 x 36 x 30.60	100	38.80	4.72	\$975
BRTADF3042H30	37.75 x 42 x 30.60	100	40.35	5.51	\$998
BRTADF3048H30	37.75 x 48 x 30.60	125	41.90	6.29	\$1021
BRTADF3054H30	37.75 x 54 x 30.60	125	43.45	7.08	\$1044
BRTADF3060H30	37.75 x 60 x 30.60	125	45	7.87	\$1069
BRTADF3066H30	37.75 x 66 x 30.60	150	46.55	8.65	\$1092
BRTADF3072H30	37.75 x 72 x 30.60	150	48.10	9.44	\$1114
BRTADF3078H30	37.75 x 78 x 30.60	150	49.65	10.22	\$1137
BRTADF3084H30	37.75 x 84 x 30.60	150	51.20	11.01	\$1191



30"H Single Table Felt Divider Screen

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.


- BRTADF24xxH30 are for configurations with 24" deep surfaces.
- BRTADF30xxH30 are for configurations with 30" deep surfaces.

#### **Required Specifications**

Frame finish Felt finish

SINGLE TABLE FELT DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.
		D x W x H			
	BRTADFE2436H24	31.50 x 36 x 24.6	60 150	18.55	3.94

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRTADFE2436H24	31.50 x 36 x 24.6	60 150	18.55	3.94	\$709	
BRTADFE2442H24	31.50 x 42 x 24.6	60 150	20.10	4.59	\$776	
BRTADFE2448H24	31.50 x 48 x 24.6	60 150	21.65	5.25	\$802	
BRTADFE2454H24	31.50 x 54 x 24.6	60 150	23.20	5.91	\$827	
BRTADFE2460H24	31.50 x 60 x 24.6	60 150	24.75	6.56	\$852	
BRTADFE2466H24	31.50 x 66 x 24.6	60 250	26.30	7.22	\$877	
BRTADFE2472H24	31.50 x 72 x 24.6	60 250	27.85	7.88	\$902	
BRTADFE2478H24	31.50 x 78 x 24.6	60 250	29.40	8.53	\$927	
BRTADFE2484H24	31.50 x 84 x 24.6	60 250	30.95	9.19	\$976	
BRTADFE3036H24	37.75 x 36 x 24.6	60 125	32.50	4.72	\$735	
BRTADFE3042H24	37.75 x 42 x 24.6	60 125	34.05	5.51	\$803	
BRTADFE3048H24	37.75 x 48 x 24.6	60 125	35.60	6.29	\$829	
BRTADFE3054H24	37.75 x 54 x 24.6	60 150	37.15	7.08	\$853	
BRTADFE3060H24	37.75 x 60 x 24.6	60 150	38.70	7.87	\$879	
BRTADFE3066H24	37.75 x 66 x 24.6	60 150	40.25	8.65	\$904	
BRTADFE3072H24	37.75 x 72 x 24.6	60 150	41.80	9.44	\$929	
BRTADFE3078H24	37.75 x 78 x 24.6	60 150	43.35	10.01	\$954	
BRTADFE3084H24	37.75 x 84 x 24.6	60 150	44.90	10.01	\$1004	




24"H Single Table Felt Divider Screen **Extension Kit** 

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9

- BRTADFE24xxH24 are for configurations with 24" deep surfaces.
- BRTADFE30xxH24 are for configurations with 30" deep surfaces.

BRTADFE2436H30	31.50 x 36 x 30.60	150	20.35	3.94	\$743
BRTADFE2442H30	31.50 x 42 x 30.60	150	21.90	4.59	\$811
BRTADFE2448H30	31.50 x 48 x 30.60	150	23.45	5.25	\$833
BRTADFE2454H30	31.50 x 54 x 30.60	150	25	5.91	\$857
BRTADFE2460H30	31.50 x 60 x 30.60	150	26.55	6.56	\$880
BRTADFE2466H30	31.50 x 66 x 30.60	150	28.10	7.22	\$904
BRTADFE2472H30	31.50 x 72 x 30.60	150	29.65	7.88	\$927
BRTADFE2478H30	31.50 x 78 x 30.60	250	31.20	8.53	\$949
BRTADFE2484H30	31.50 x 84 x 30.60	250	32.75	9.19	\$1004
BRTADFE3036H30	37.75 x 36 x 30.60	125	34.30	4.72	\$770
BRTADFE3042H30	37.75 x 42 x 30.60	125	35.85	5.51	\$842
BRTADFE3048H30	37.75 x 48 x 30.60	125	37.40	6.29	\$865
BRTADFE3054H30	37.75 x 54 x 30.60	150	38.95	7.08	\$890
BRTADFE3060H30	37.75 x 60 x 30.60	150	40.50	7.87	\$913
BRTADFE3066H30	37.75 x 66 x 30.60	150	42.05	8.65	\$937
BRTADFE3072H30	37.75 x 72 x 30.60	150	43.60	9.44	\$960
BRTADFE3078H30	37.75 x 78 x 30.60	150	45.15	10.22	\$983
BRTADFE3084H30	37.75 x 84 x 30.60	150	46.70	11.01	\$1037



30"H Single Table Felt Divider Screen **Extension Kit** 


Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9

- BRTADFE24xxH30 are for configurations with 24" deep surfaces.
- BRTADFE30xxH30 are for configurations with 30" deep surfaces.

### **Required Specifications**

Frame finish Felt finish

BACK-TO-BACK GLASS DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
		DxWxH					
	BRTADG5136H24	50.50 x 36 x 24.6	0 150	28	6.31	\$1446	\$442
	BRTADG5142H24	50.50 x 42 x 24.6	0 150	29.50	7.36	\$2243	\$455
	BRTADG5148H24	50.50 x 48 x 24.6	0 150	31	8.42	\$2295	\$461
	BRTADG5154H24	50.50 x 54 x 24.6	0 250	32.50	9.47	\$2347	\$475
	BRTADG5160H24	50.50 x 60 x 24.6	0 250	34	10.52	\$2398	\$481
	BRTADG5166H24	50.50 x 66 x 24.6	0 250	35.50	11.57	\$2449	\$494
	BRTADG5172H24	50.50 x 72 x 24.6	0 250	37	12.63	\$2502	\$508
	BRTADG5178H24	50.50 x 78 x 24.6	0 250	38.50	13.68	\$2554	\$513
	BRTADG5184H24	50.50 x 84 x 24.6	0 250	40	14.73	\$2606	\$525
	BRTADG6336H24	62.50 x 36 x 24.6	0 150	41.50	7.81	\$2398	\$481
	BRTADG6342H24	62.50 x 42 x 24.6	0 150	43	9.11	\$2444	\$494
	BRTADG6348H24	62.50 x 48 x 24.6	0 150	44.50	10.42	\$2502	\$508
	BRTADG6354H24	62.50 x 54 x 24.6	0 150	46	11.72	\$2548	\$513
	BRTADG6360H24	62.50 x 60 x 24.6	0 150	47.50	13.02	\$2606	\$525
	BRTADG6366H24	62.50 x 66 x 24.6	0 250	49	14.32	\$2657	\$533
	BRTADG6372H24	62.50 x 72 x 24.6	0 250	50.50	15.63	\$2703	\$546
	BRTADG6378H24	62.50 x 78 x 24.6	0 250	52	16.93	\$2761	\$558
	BRTADG6384H24	62.50 x 84 x 24.6	0 250	53.50	18.23	\$2807	\$566




24"H Back-to-Back Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass .Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- BRTADG51xxH24 are for configurations with 24" deep surfaces.
- BRTADG63xxH24 are for configurations with 30" deep surfaces.

BRTADG5136H30	50.50 x 36 x 30.60	150	30.50	6.31	\$2315	\$467
BRTADG5142H30	50.50 x 42 x 30.60	150	32	7.36	\$2373	\$481
BRTADG5148H30	50.50 x 48 x 30.60	150	33.50	8.42	\$2418	\$488
BRTADG5154H30	50.50 x 54 x 30.60	150	35	9.47	\$2477	\$500
BRTADG5160H30	50.50 x 60 x 30.60	250	36.50	10.52	\$2528	\$508
BRTADG5166H30	50.50 x 66 x 30.60	250	38	11.57	\$2580	\$520
BRTADG5172H30	50.50 x 72 x 30.60	250	39.50	12.63	\$2612	\$525
BRTADG5178H30	50.50 x 78 x 30.60	250	41	13.68	\$2690	\$539
BRTADG5184H30	50.50 x 84 x 30.60	250	42.50	14.73	\$2741	\$553
BRTADG6336H30	62.50 x 36 x 30.60	125	44	7.81	\$2599	\$525
BRTADG6342H30	62.50 x 42 x 30.60	150	45.50	9.11	\$2651	\$533
BRTADG6348H30	62.50 x 48 x 30.60	150	47	10.42	\$2703	\$546
BRTADG6354H30	62.50 x 54 x 30.60	150	48.50	11.72	\$2761	\$558
BRTADG6360H30	62.50 x 60 x 30.60	150	50	13.02	\$2813	\$566
BRTADG6366H30	62.50 x 66 x 30.60	250	51.50	14.32	\$2857	\$578
BRTADG6372H30	62.50 x 72 x 30.60	250	53	15.63	\$2898	\$583
BRTADG6378H30	62.50 x 78 x 30.60	250	54.50	16.93	\$2968	\$598
BRTADG6384H30	62.50 x 84 x 30.60	250	56	18.23	\$3027	\$611



30"H Back-to-Back Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- BRTADG51xxH30 are for configurations with 24" deep surfaces.
- BRTADG63xxH30 are for configurations with 30" deep surfaces.

Required specifications	Optional specifications
Frame finish	Frosted glass (FRST)

<b>SCREENS</b>	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
		DxWxH					
	BRTADGE5136H24	50.50 x 36 x 24.6	0 150	23.35	6.31	\$1446	\$292
	BRTADGE5142H24	50.50 x 42 x 24.6	0 250	24.85	7.36	\$1499	\$306
	BRTADGE5148H24	50.50 x 48 x 24.6	0 250	26.35	8.42	\$1549	\$313
	BRTADGE5154H24	50.50 x 54 x 24.6	0 250	27.85	9.47	\$1602	\$325
	BRTADGE5160H24	50.50 x 60 x 24.6	0 250	29.35	10.52	\$1654	\$333
	BRTADGE5166H24	50.50 x 66 x 24.6	0 250	30.85	11.57	\$1705	\$345
	BRTADGE5172H24	50.50 x 72 x 24.6	0 250	32.35	12.63	\$1757	\$358
	BRTADGE5178H24	50.50 x 78 x 24.6	0 250	33.85	13.68	\$1808	\$365
	BRTADGE5184H24	50.50 x 84 x 24.6	0 250	35.35	14.73	\$1861	\$378
	BRTADGE6336H24	62.50 x 36 x 24.6	0 150	36.85	7.81	\$1549	\$313
	BRTADGE6342H24	62.50 x 42 x 24.6	0 150	38.35	9.11	\$1602	\$325
	BRTADGE6348H24	62.50 x 48 x 24.6	0 150	39.85	10.42	\$1654	\$333
	BRTADGE6354H24	62.50 x 54 x 24.6	0 250	41.35	11.72	\$1705	\$345
	BRTADGE6360H24	62.50 x 60 x 24.6	0 250	42.85	13.02	\$1749	\$350
	BRTADGE6366H24	62.50 x 66 x 24.6	0 250	44.35	14.32	\$1808	\$365
	BRTADGE6372H24	62.50 x 72 x 24.6	0 250	45.85	15.63	\$1861	\$378
	BRTADGE6378H24	62.50 x 78 x 24.6	0 250	47.35	16.93	\$1907	\$383
	BRTADGE6384H24	62.50 x 84 x 24.6	0 250	48.85	18.23	\$1965	\$396



**BACK-TO-BACK GLASS DIVIDER** 

24"H Back-to-Back Glass Divider Screen Extension Kit

Provides an extension to privacy in an open plan environment. Easy to clean table mounted partitions. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- BRTADGE51xxH24 are for configurations with 24" deep surfaces.
- BRTADGE63xxH24 are for configurations with 30" deep surfaces.

BRTADGE5136H30	50.50 x 36 x 30.60	150	25.85	6.31	\$1531	\$313
BRTADGE5142H30	50.50 x 42 x 30.60	150	27.35	7.36	\$1575	\$319
BRTADGE5148H30	50.50 x 48 x 30.60	250	28.85	8.42	\$1627	\$333
BRTADGE5154H30	50.50 x 54 x 30.60	250	30.35	9.47	\$1686	\$338
BRTADGE5160H30	50.50 x 60 x 30.60	250	31.85	10.52	\$1737	\$350
BRTADGE5166H30	50.50 x 66 x 30.60	250	33.35	11.57	\$1796	\$365
BRTADGE5172H30	50.50 x 72 x 30.60	250	34.85	12.63	\$1822	\$371
BRTADGE5178H30	50.50 x 78 x 30.60	250	36.35	13.68	\$1894	\$383
BRTADGE5184H30	50.50 x 84 x 30.60	250	37.85	14.73	\$1952	\$396
BRTADGE6336H30	62.50 x 36 x 30.60	150	39.35	7.81	\$1627	\$333
BRTADGE6342H30	62.50 x 42 x 30.60	150	40.85	9.11	\$1686	\$338
BRTADGE6348H30	62.50 x 48 x 30.60	150	42.35	10.42	\$1737	\$350
BRTADGE6354H30	62.50 x 54 x 30.60	250	43.85	11.72	\$1790	\$365
BRTADGE6360H30	62.50 x 60 x 30.60	250	45.35	13.02	\$1841	\$371
BRTADGE6366H30	62.50 x 66 x 30.60	250	46.85	14.32	\$1894	\$383
BRTADGE6372H30	62.50 x 72 x 30.60	250	48.35	15.63	\$1932	\$391
BRTADGE6378H30	62.50 x 78 x 30.60	250	49.85	16.93	\$2004	\$403
BRTADGE6384H30	62.50 x 84 x 30.60	250	51.35	18.23	\$2055	\$416



30"H Back-to-Back Glass Divider Screen Extension Kit


Provides an extension to privacy in an open plan environment. Easy to clean table mounted partitions. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (**FRST**).

- BRTADGE51xxH30 are for configurations with 24" deep surfaces.
- BRTADGE63xxH30 are for configurations with 30" deep surfaces

 Required specifications
 Optional specifications

 Frame finish
 Frosted glass (FRST)

SINGLE TABLE GLASS DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
		D x W x H					
	BRTADG2436H24	31.50 x 36 x 24.6	30 125	22.55	3.94	\$1582	\$319
	BRTADG2442H24	31.50 x 42 x 24.6	0 125	24.10	4.59	\$1633	\$333
	BRTADG2448H24	31.50 x 48 x 24.6	60 150	25.65	5.25	\$1686	\$338
	BRTADG2454H24	31.50 x 54 x 24.6	50 150	27.20	5.91	\$1737	\$350
	BRTADG2460H24	31.50 x 60 x 24.6	50 150	28.75	6.56	\$1790	\$365
	BRTADG2466H24	31.50 x 66 x 24.6	60 150	30.30	7.22	\$1841	\$371
	BRTADG2472H24	31.50 x 72 x 24.6	0 150	31.85	7.88	\$1894	\$383
	BRTADG2478H24	31.50 x 78 x 24.6	50 150	33.40	8.53	\$1945	\$391
	BRTADG2484H24	31.50 x 84 x 24.6	60 150	34.95	9.19	\$1997	\$403
	BRTADG3036H24	37.75 x 36 x 24.6	0 100	36.50	4.72	\$1686	\$338
	BRTADG3042H24	37.75 x 42 x 24.6	0 125	38.05	5.51	\$1732	\$350
	BRTADG3048H24	37.75 x 48 x 24.6	0 125	39.60	6.29	\$1790	\$365
	BRTADG3054H24	37.75 x 54 x 24.6	60 125	41.15	7.08	\$1835	\$371
	BRTADG3060H24	37.75 x 60 x 24.6	60 150	41.70	7.87	\$1887	\$383
	BRTADG3066H24	37.75 x 66 x 24.6	50 150	44.25	8.65	\$1939	\$391
	BRTADG3072H24	37.75 x 72 x 24.6	50 150	45.80	9.44	\$1990	\$403
	BRTADG3078H24	37.75 x 78 x 24.6	60 150	47.35	10.22	\$2041	\$409
	BRTADG3084H24	37.75 x 84 x 24.6	50 150	48.90	11.01	\$2094	\$423



24"H Single Table Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADG24xxH24 are for configurations with 24" deep surfaces.
- BRTADG30xxH24 are for configurations with 30" deep surfaces.

BRTADG2436H30	31.50 x 36 x 30.60	125	24.85	3.97	\$1654	\$333
BRTADG2442H30	31.50 x 42 x 30.60	125	26.40	4.59	\$1699	\$345
BRTADG2448H30	31.50 x 48 x 30.60	125	27.95	5.25	\$1749	\$350
BRTADG2454H30	31.50 x 54 x 30.60	150	29.50	5.91	\$1808	\$365
BRTADG2460H30	31.50 x 60 x 30.60	150	31.05	6.56	\$1861	\$378
BRTADG2466H30	31.50 x 66 x 30.60	150	32.60	7.22	\$1919	\$391
BRTADG2472H30	31.50 x 72 x 30.60	150	34.14	7.88	\$1945	\$391
BRTADG2478H30	31.50 x 78 x 30.60	150	34.70	8.53	\$2016	\$409
BRTADG2484H30	31.50 x 84 x 30.60	150	37.25	9.19	\$2074	\$416
BRTADG3036H30	37.75 x 36 x 30.60	100	38.80	4.72	\$1749	\$350
BRTADG3042H30	37.75 x 42 x 30.60	100	40.35	5.51	\$1808	\$365
BRTADG3048H30	37.75 x 48 x 30.60	125	41.90	6.29	\$1861	\$378
BRTADG3054H30	37.75 x 54 x 30.60	125	43.45	7.08	\$1907	\$383
BRTADG3060H30	37.75 x 60 x 30.60	125	45	7.87	\$1965	\$396
BRTADG3066H30	37.75 x 66 x 30.60	150	46.55	8.65	\$2016	\$409
BRTADG3072H30	37.75 x 72 x 30.60	150	48.10	9.44	\$2055	\$416
BRTADG3078H30	37.75 x 78 x 30.60	150	49.65	10.22	\$2127	\$429
BRTADG3084H30	37.75 x 84 x 30.60	150	51.20	11.01	\$2172	\$436




30"H Single Table Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- BRTADG24xxH30 are for configurations with 24" deep surfaces.
- BRTADG30xxH30 are for configurations with 30" deep surfaces.

Required specifications	Optional specifications
Frame finish	Frosted glass (FRST)

S	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
		D x W x H					
	BRTADGE2436H24	31.50 x 36 x 24.6	60 150	18.55	3.94	\$1136	\$228
	BRTADGE2442H24	31.50 x 42 x 24.6	60 150	20.10	4.59	\$1239	\$255
	BRTADGE2448H24	31.50 x 48 x 24.6	60 150	21.65	5.25	\$1283	\$261
	BRTADGE2454H24	31.50 x 54 x 24.6	60 150	23.20	5.91	\$1336	\$274
	BRTADGE2460H24	31.50 x 60 x 24.6	60 150	24.75	6.56	\$1388	\$280
	BRTADGE2466H24	31.50 x 66 x 24.6	60 250	26.30	7.22	\$1440	\$292
	BRTADGE2472H24	31.50 x 72 x 24.6	60 250	27.85	7.88	\$1491	\$300
	BRTADGE2478H24	31.50 x 78 x 24.6	60 250	29.40	8.53	\$1544	\$313
	BRTADGE2484H24	31.50 x 84 x 24.6	60 250	30.95	9.19	\$1595	\$325
	BRTADGE3036H24	37.75 x 36 x 24.6	60 125	32.50	4.72	\$1187	\$241
	BRTADGE3042H24	37.75 x 42 x 24.6	60 125	34.05	5.51	\$1291	\$261
	BRTADGE3048H24	37.75 x 48 x 24.6	60 125	35.60	6.29	\$1341	\$274
	BRTADGE3054H24	37.75 x 54 x 24.6	60 150	37.15	7.08	\$1394	\$280
	BRTADGE3060H24	37.75 x 60 x 24.6	60 150	38.70	7.87	\$1446	\$292
	BRTADGE3066H24	37.75 x 66 x 24.6	60 150	40.25	8.65	\$1499	\$306
	BRTADGE3072H24	37.75 x 72 x 24.6	60 150	41.80	9.44	\$1549	\$313
	BRTADGE3078H24	37.75 x 78 x 24.6	60 150	43.35	10.01	\$1602	\$325
	BRTADGE3084H24	37.75 x 84 x 24.6	60 150	44.90	10.01	\$1654	\$333




24"H Single Table Glass Divider Screen Extension Kit

SINGLE TABLE GLASS DIVIDER SCREENS

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (**FRST**).

- BRTADGE24xxH24 are for configurations with 24" deep surfaces.
- BRTADGE30xxH24 are for configurations with 30" deep surfaces.

BRTADGE2436H30	31.50 x 36 x 30.60	150	20.35	3.94	\$1187	\$241
BRTADGE2442H30	31.50 x 42 x 30.60	150	21.90	4.59	\$1291	\$261
BRTADGE2448H30	31.50 x 48 x 30.60	150	23.45	5.25	\$1341	\$274
BRTADGE2454H30	31.50 x 54 x 30.60	150	25	5.91	\$1400	\$286
BRTADGE2460H30	31.50 x 60 x 30.60	150	26.55	6.56	\$1452	\$292
BRTADGE2466H30	31.50 x 66 x 30.60	150	28.10	7.22	\$1511	\$306
BRTADGE2472H30	31.50 x 72 x 30.60	150	29.65	7.88	\$1537	\$313
BRTADGE2478H30	31.50 x 78 x 30.60	250	31.20	8.53	\$1608	\$325
BRTADGE2484H30	31.50 x 84 x 30.60	250	32.75	9.19	\$1666	\$338
BRTADGE3036H30	37.75 x 36 x 30.60	125	34.30	4.72	\$1246	\$255
BRTADGE3042H30	37.75 x 42 x 30.60	125	35.85	5.51	\$1341	\$274
BRTADGE3048H30	37.75 x 48 x 30.60	125	37.40	6.29	\$1400	\$286
BRTADGE3054H30	37.75 x 54 x 30.60	150	38.95	7.08	\$1452	\$292
BRTADGE3060H30	37.75 x 60 x 30.60	150	40.50	7.87	\$1511	\$306
BRTADGE3066H30	37.75 x 66 x 30.60	150	42.05	8.65	\$1557	\$313
BRTADGE3072H30	37.75 x 72 x 30.60	150	43.60	9.44	\$1589	\$319
BRTADGE3078H30	37.75 x 78 x 30.60	150	45.15	10.22	\$1666	\$338
BRTADGE3084H30	37.75 x 84 x 30.60	150	46.70	11.01	\$1719	\$345



30"H Single Table Glass Divider Screen Extension Kit

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- BRTADGE24xxH30 are for configurations with 24" deep surfaces.
- BRTADGE30xxH30 are for configurations with 30" deep surfaces

 Required specifications
 Optional specifications

 Frame finish
 Frosted glass (FRST)



File Pedestal



Can join with other 21"h storage units of corresponding depth to form a spine or slide out on casters to serve as an additional worksurface. One file drawer. Fits under table beams even with optional seat cushion. Optional cable basket suspends off storage unit's bottom and manages cables and data cables under storage spine. (Leveler models only.) 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Specify "L" models for levelers or "C" models for 40mm white/grey locking casters.

- Anodized Aluminum Leg Add \$85 list upcharge
- 18" deep storage components will not accept legal size paper

BRT25BF18L	18 x 15.5 x 25	70	69	3.89	\$972	\$63
BRT25BF24L	24 x 15.5 x 25	85	74	5.02	\$1129	\$63
BRT25BF30L	30 x 15.5 x 25	85	82	6.15	\$1225	\$82
BRT25BF18C	18 x 15.5 x 25	70	69	3.89	\$1050	\$63
BRT25BF24C	24 x 15.5 x 25	85	74	5.02	\$1204	\$63
BRT25BF30C	30 x 15.5 x 25	85	82	6.15	\$1302	\$82

Can join with other 25"h storage units of corresponding depth to form a spine or slide out on casters to serve as an additional worksurface. One box drawer, one file drawer. Optional cable basket suspends off storage unit's bottom and manages cables and data cables under storage spine. (Leveler models only.) 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Specify "L" models for levelers or "C" models for 40mm white/grey locking casters. Black pencil tray included.

- Anodized Aluminum Leg Add \$85 list upcharge
- 18" deep storage components will not accept legal size paper

BRT21LS30L	18 x 30 x 21	100	53	6.56	\$933	\$82
BRT21LS36L	18 x 36 x 21	125	60	7.87	\$1032	\$82
BRT21LS42L	18 x 42 x 21	125	67	9.18	\$1129	\$82

Can join with other 21"h storage units of corresponding depth to form a spine. Optional 15.5" x 18" cushion. Storage compartment internal height: 12.36" Sliding door locks on left side. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs.

- Anodized Aluminum Leg Add \$85 list upcharge
- 18" deep storage components will not accept legal size paper

BRT21LSS30L	24 x 30 x 21	125	69	8.75	\$1302	\$82
BRT21LSS36L	24 x 36 x 21	125	78	10.50	\$1418	\$103
BRT21LSS42L	24 x 42 x 21	125	87	12.25	\$1534	\$120

Offers two 11"deep storage compartments on either side. For use beside a table assembly, between two adjacent workstations. Can join with other 21"h, 24"d storage units to form a spine. Optional 15.5" x 18"cushion. Storage compartment internal height: 12.36" Sliding door locks on left side. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs.

• Anodized Aluminum Leg - Add **\$85** list upcharge

Box/File Pedestal	

**Sliding Door Storage** 



**Shared Sliding Door Storage** 

**Required Specifications** 

Metal finish
Top finish
Chassis finish
Drawer/door front finish

Edge finish

Anodized Alu HP laminate Cable Basket

Optional Specifications
Anodized Aluminum Leg
HP laminate (tops only)



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
BRT21LSO42L	24 x 42 x 21	100	124	14	\$1747	\$140	

Offers storage compartments on either side. For use between two adjacent workstations. Can join with other 21"h, 24"d storage units to form a spine or serve as an additional return worksurface or ad-hoc guest seating with optional 15.5" x 18"cushion. One locking file drawer, One open compartment per side. Storage compartment internal height without shelf: 12.36". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs.

Anodized Aluminum Leg - Add \$85 list upcharge



BRT25LBF042L	24 x 42 x 25	100	154	16.66	\$2194	\$120

Offers storage compartments on either side. For use between two adjacent workstations. Can join with other 25"h, 24"d storage units to form a spine or serve as an additional return worksurface or ad-hoc guest seating with optional 15.5" x 18"cushion. One locking file drawer, One open compartment per side. Storage compartment internal height without shelf: 12.36". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Black pencil tray included.

- Anodized Aluminum Leg Add \$85 list upcharge
- 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.

**MODULAR STORAGE** 

21"	Н	Lateral	File	Drawer,	No	Top
-----	---	---------	------	---------	----	-----

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
BRT21F3018U	18 x 30 x 13	92.5	47	4.06	\$1009	n/a	
BRT21F3618U	18 x 36 x 13	92.5	51	4.88	\$1115	n/a	
BRT21F4218U	18 x 42 x 13	100	56	5.69	\$1294	n/a	
BRT21F3024U	24 x 30 x 13	100	51	5.42	\$1033	n/a	
BRT21F3624U	24 x 36 x 13	100	55	6.5	\$1151	n/a	
BRT21F4224U	24 x 42 x 13	125	60	7.58	\$1353	n/a	

Fits below Bridges II tables. Can join with other 21"h storage units of corresponding depth to form a spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One file drawer. **Top and legs to be ordered separately**. Metal handles.

• 18" deep storage components will not accept legal size paper



21"H Open Storage, No Top


BRT21L03018U	18 x 30 x 13	125	25	4.06	\$318	n/a
BRT21L03618U	18 x 36 x 13	150	29	4.88	\$473	n/a
BRT21L04218U	18 x 42 x 13	150	32	5.69	\$514	n/a
BRT21L03024U	24 x 30 x 13	150	29	5.42	\$330	n/a
BRT21L03624U	24 x 36 x 13	150	33	6.5	\$492	n/a
BRT21L04224U	24 x 42 x 13	150	36	7.58	\$534	n/a

Open storage unit with no top. Positioned beside a Bridges II table assembly or between two adjacent workstations. Can join with other 21"h storage units to form a spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One box opening. **Top and legs to be ordered separately**.

<b>Required Specifications</b>	3
Metal finish*	
Top finish*	Edge finish*
Chassis finish	
Drawer/door front finish	

Optional Specifications
Anodized Aluminum Leg\*
HP laminate\* (tops only)
Cable Basket
Cushion (BRT21LS042L)

### **BRIDGES II™**



MODULAR STORAGE

25"H Open Storage, Glass Shelf, No Top

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRT25L03018U	18 x 30 x 17	125	40	5.31	\$470	n/a
BRT25L03618U	18 x 36 x 17	125	46	6.38	\$645	n/a
BRT25L04218U	18 x 42 x 17	125	52	7.44	\$666	n/a
BRT25L03024U	24 x 30 x 17	125	44	7.08	\$501	n/a
BRT25L03624U	24 x 36 x 17	150	50	8.5	\$670	n/a
BRT25L04224U	24 x 42 x 17	150	56	9.92	\$699	n/a

Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25"h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One box opening with glass shelf. **Top and legs to be ordered separately.** 

25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough.
 Storage will not fit under the trough.

BRT25LBF3018U	18 x 30 x 17	92.5	58	5.31	\$1210	n/a
BRT25LBF3618U	18 x 36 x 17	85	78	6.38	\$1405	n/a
BRT25LBF4218U	18 x 42 x 17	100	68	7.44	\$1496	n/a
BRT25LBF3024U	24 x 30 x 17	100	62	7.08	\$1258	n/a
BRT25LBF3624U	24 x 36 x 17	100	82	8.5	\$1461	n/a
BRT25LBF4224U	24 x 42 x 17	125	72	9.92	\$1557	n/a

Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25"h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One locking file drawer, one box drawer. **Top and legs to be ordered separately**. Metal handles. Black pencil tray included.

- 18" deep storage components will not accept legal size paper
- 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough.
   Storage will not fit under the trough.

BRT25L2D3018U	18 x 30 x 17	125	39	5.31	\$896	n/a
BRT25L2D3618U	18 x 36 x 17	125	45	6.38	\$962	n/a
BRT25L2D4218U	18 x 42 x 17	125	54	7.44	\$1001	n/a
BRT25L2D3024U	24 x 30 x 17	125	43	7.08	\$1042	n/a
BRT25L2D3624U	24 x 36 x 17	150	49	8.5	\$1136	n/a
BRT25L2D4224U	24 x 42 x 17	150	58	9.92	\$1183	n/a

Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25"h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. Two lockable doors, glass shelf included. **Top and legs to be ordered separately.** Storage compartment internal height is 16.5". Metal handles.

25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough.
 Storage will not fit under the trough.


BRT29L2D3018U	18 x 30 x 21	125	49	6.56	\$1022	n/a
BRT29L2D3618U	18 x 36 x 21	125	55	7.88	\$1067	n/a
BRT29L2D4218U	18 x 42 x 21	125	64	9.19	\$1114	n/a
BRT29L2D3024U	24 x 30 x 21	125	53	8.75	\$1199	n/a
BRT29L2D3624U	24 x 36 x 21	150	59	10.5	\$1253	n/a
BRT29L2D4224U	24 x 42 x 21	150	68	12.25	\$1281	n/a

Positioned usually beside a table assembly or between two adjacent workstations. Units are level with Bridges tops and can join other 29"h storage units to form a credenza or serve as an additional return worksurface. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. Two lockable doors, glass shelf included. **Top and legs to be ordered separately.** Storage compartment internal height is 20.5". Metal handles.

• 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.



Lateral Box/File Storage, No Top\*



25"H Storage Cabinet, No Top\*



29"H Storage Cabinet, No Top\*

**Required Specifications** 

Chassis finish

Drawer/door front finish\*

Optional Specifications

Cable Basket



MODULAR STORAGE

29"H Box/File/Open Storage, No Top

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRT29L0BF3018U	18 x 30 x 21	92.5	70	6.56	\$1424	n/a
BRT29LOBF3618U	18 x 36 x 21	100	78	7.88	\$1606	n/a
BRT29L0BF4218U	18 x 42 x 21	100	86	9.19	\$1765	n/a
BRT29L0BF3024U	24 x 30 x 21	100	74	8.75	\$1482	n/a
BRT29L0BF3624U	24 x 36 x 21	125	82	10.52	\$1671	n/a
BRT29L0BF4224U	24 x 42 x 21	125	90	12.25	\$1835	n/a

Positioned beside a table assembly or between two adjacent workstations. Units are level with Bridges tops and can join other 29"h storage units to form a credenza or serve as an additional return worksurface. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One locking file drawer, one box drawer and one open compartment. **Top and legs to be ordered separately.** Storage compartment internal height: 3.9". Metal handles. Black pencil tray included.

• 18" deep storage components will not accept legal size paper

BRTWU1830	18 x 30 x 1	60	15	0.5	\$179	\$63
BRTWU1836	18 x 36 x 1	60	18	0.59	\$204	\$69
BRTWU1842	18 x 42 x 1	60	21	0.68	\$268	\$91
BRTWU1860	18 x 60 x 1	65	29	0.97	\$423	\$124
BRTWU1866	18 x 66 x 1	65	32	1.1	\$444	\$140
BRTWU1872	18 x 72 x 1	65	35	1.2	\$462	\$152
BRTWU1878	18 x 78 x 1	65	38	1.3	\$489	\$160
BRTWU1884	18 x 84 x 1	65	41	1.4	\$536	\$168
BRTWU1890	18 x 90 x 1	65	44	1.5	\$557	\$173
BRTWU1896	18 x 96 x 1	65	47	1.6	\$580	\$181
BRTWU2430	24 x 30 x 1	60	20	0.65	\$187	\$57
BRTWU2436	24 x 36 x 1	60	24	0.78	\$208	\$71
BRTWU2442	24 x 42 x 1	60	28	0.9	\$274	\$90
BRTWU2460	24 x 60 x 1	60	39	1.3	\$432	\$142
BRTWU2466	24 x 66 x 1	60	43	1.41	\$450	\$147
BRTWU2472	24 x 72 x 1	60	47	1.54	\$470	\$38
BRTWU2478	24 x 78 x 1	60	51	1.7	\$504	\$161
BRTWU2484	24 x 84 x 1	60	55	1.8	\$546	\$170
BRTWU2490	24 x 90 x 1	60	59	1.9	\$568	\$175
BRTWU2496	24 x 96 x 1	60	63	2	\$590	\$184

Flat 3mm profile on all sides. Worksurface provided with pilot holes for alignment purposes. Worksurfaces can be used for each modular unit or can span two to three units.

BRT18LEGL	18 x 2.5 x 8	150	8	1.34	\$68	n/a
BRT24LEGL	24 x 2.5 x 8	150	8	1.34	\$75	n/a

Two single legs form the structure of the Bridges II series modular storage. A single leg can be used at the end of each modular storage unit or can be used to support where two modular units meet. Leveling glides, steel frame, aluminum legs.

• Anodized Aluminum leg - Add \$36 list upcharge

#### Worksurface for Modular Storage\*



Modular Storage Leg\*\*

Required Specifications

Top finish\*
Edge finish
Chassis finish
Metal finish\*\*

**Optional Specifications** 

HP laminate\* (tops only) Anodized Aluminum Leg\*\* Cable Basket (storage unit)

### BRIDGES II™



**Center Mount Shelf\*** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BRTCMS36	12 x 36 x 6.75	100	15.20	1.69	\$372	n/a
BRTCMS30	12 x 30 x 6.75	100	12.60	1.41	\$262	n/a

Open, shared center mount shelf "floats" 6.75" above the gap formed by two back-to-back worksurfaces. Accepts BRTESBBIN Elevated Shelf Binder Bin - The 30"w shelf accommodates two; 36"w shelf accommodates up to three. Shelves overhang the support structure by 6" on either side. Aluminum/die cast structure attaches to the underside of both worksurfaces.

- Not compatible with BRTEETA Above Worksurface Power Trough and Worksurfaces with Access Doors
- Anodized Aluminum support structure Add \$85 list upcharge

$\wedge$	BRTTES24	15.5 x 24 x 15	100	29	3.22	\$722	\$63
	BRTTES30	15.5 x 30 x 15	100	34	4.03	\$790	\$71
	BRTTES51	15.5 x 50.5 x 15	100	57	6.79	\$1302	\$129
	BRTTES63	15.5 x 62.5 x 15	100	68	8.40	\$1430	\$167

Single or double open shelf/extended worksurface. Secured to the end of single or back-to-back Bridges table. All mounting hardware included. Storage compartment internal height: 13.25". 1" top.


BRTSTS0824	12 x 24 x 8	92.5	14	1.33	\$256	\$82
BRTSTS0830	12 x 30 x 8	100	16	1.66	\$294	\$82
BRTSTS0851	12 x 50.5 x 8	100	25	2.80	\$469	\$120
BRTSTS0863	12 x 62.5 x 8	100	28	3.47	\$530	\$179
BRTSTS1324	12 x 24 x 13	100	18	2.16	\$277	\$82
BRTSTS1330	12 x 30 x 13	125	21	2.70	\$315	\$82
BRTSTS1351	12 x 50.5 x 13	125	32	4.55	\$469	\$120
BRTSTS1363	12 x 62.5 x 13	125	38	5.64	\$547	\$160
BRTSTS1624	12 x 24 x 16	125	19	2.66	\$315	\$82
BRTSTS1630	12 x 30 x 16	100	29	3.33	\$372	\$82
BRTSTS1651	12 x 50.5 x 16	150	33	5.61	\$547	\$140
BRTSTS1663	12 x 62.5 x 16	150	39	6.94	\$625	\$179

Secured perpendicularly to the single or back-to-back Bridges table. Integrated anodized aluminum accessory rail. White cut out and accessory rail trims. Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 8"h provides additional storage space without obstructing view and reaches 16" module height when combined w/8"h Binder shelf. Internal height: 6.6". 16"h lines up with top of 16" table dividers (15.8"). Specify 12" narrower shared elevated shelf immediately adjacent to the perpendicular elevated shelf. Internal height: 14.6".

• Please refer to the Compatibility Guide on page 368 to determine available accessories

$\sim$	

**Table Mounted End Shelf\*** 




Single Sided Elevated Table Shelf\*

**Required Specifications** 

Top finish Edge finish Chassis/Accent Finish **Optional Specifications** 

HP laminate (tops only) Elevated Shelf Binder Bin


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BRTBTS0836	12 x 36 x 8	100	16	2	\$392	\$82
BRTBTS0842	12 x 42 x 8	100	19	2.33	\$431	\$82
BRTBTS0848	12 x 48 x 8	125	21	2.66	\$469	\$120
BRTBTS0854	12 x 54 x 8	125	23	3	\$489	\$140
BRTBTS0860	12 x 60 x 8	125	26	3.33	\$547	\$160
BRTBTS0866	12 x 66 x 8	125	28	3.66	\$586	\$179
BRTBTS0872	12 x 72 x 8	125	30	4	\$625	\$179
BRTBTS0878	12 x 78 x 8	125	32	4.33	\$664	\$198
BRTBTS0884	12 x 84 x 8	125	35	4.66	\$703	\$216
BRTBTS1336	12 x 36 x 13	125	22	3.25	\$469	\$103
BRTBTS1342	12 x 42 x 13	125	25	3.79	\$530	\$103
BRTBTS1348	12 x 48 x 13	125	28	4.33	\$568	\$140
BRTBTS1354	12 x 54 x 13	125	30	4.87	\$625	\$140
BRTBTS1360	12 x 60 x 13	150	33	5.86	\$664	\$140
BRTBTS1366	12 x 66 x 13	150	36	6.45	\$680	\$238
BRTBTS1372	12 x 72 x 13	125	39	6.50	\$779	\$198
BRTBTS1378	12 x 78 x 13	150	42	7.04	\$838	\$198
BRTBTS1384	12 x 84 x 13	150	44	7.58	\$896	\$216
BRTBTS1636	12 x 36 x 16	125	25	4	\$489	\$82
BRTBTS1642	12 x 42 x 16	125	28	4.66	\$547	\$120
BRTBTS1648	12 x 48 x 16	150	31	5.33	\$604	\$120
BRTBTS1654	12 x 54 x 16	150	34	6	\$642	\$160
BRTBTS1660	12 x 60 x 16	150	38	6.66	\$703	\$160
BRTBTS1666	12 x 66 x 16	150	41	7.33	\$761	\$160
BRTBTS1672	12 x 72 x 16	150	44	8	\$819	\$179
BRTBTS1678	12 x 78 x 16	150	47	8.66	\$855	\$198
BRTBTS1684	12 x 84 x 16	150	50	9.33	\$917	\$216



**Shared Elevated Table Shelf** 

Rests on back-to-back Bridges tables. Cut outs in both supporting side gables allow placement over above worksurface power/data troughs. Integrated anodized aluminum accessory rail. White cut out and accessory rail trims. Three heights available. 8"h provides additional storage space without obstructing view; reaches 16" module height when combined w/8"h Binder shelf. Internal height: 6.6". 16"h lines up with top of 16" table dividers (15.8"). Specify 12" narrower shared elevated shelf immediately adjacent to the perpendicular elevated shelf. Internal height: 14.6". Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 1" top.

• Please refer to the **Compatibility Guide** on page 368 to determine available accessories



**Table Supported Shared Overhead** 

BRTBASO48	12 x 48 x 21	125	54	7	\$779	\$120

One compartment per side. White magnetic back wall. Lines up with 50"h floor standing storage. Fits over the gap between two parallel back-to-back Bridges tables. Fits over worksurface power/data trough. Storage compartment internal height: 12.8". Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 1" top.

• Please refer to the **Compatibility Guide** on page 368 to determine available accessories

**Required Specifications** 

Top finish Edge finish Chassis/accent finish **Optional Specifications** 

HP laminate (tops only) Elevated Shelf Binder Bin



Shared Elevated Overhead\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BRTBASL36	16 x 36 x 21	250	23.50	6.56	\$2250	\$151
BRTBASL42	16 x 42 x 21	250	27.50	7.65	\$2407	\$184
BRTBASL48	16 x 48 x 21	250	31.40	8.75	\$2533	\$217
BRTBASL54	16 x 54 x 21	250	35.30	9.84	\$2725	\$228
BRTBASL60	16 x 60 x 21	250	35.30	9.84	\$2873	\$235
BRTBASL66	16 x 66 x 21	250	43.20	12.03	\$3242	\$275
BRTBASL72	16 x 72 x 21	250	47.10	13.12	\$3413	\$307
BRTBASL78	16 x 78 x 21	250	51	14.21	\$3592	\$330
BRTBASL84	16 x 84 x 21	250	55	15.31	\$3639	\$455

Two compartments facing in opposite direction with locking, sliding laminate doors. Storage compartment internal height: 12.25". Shared elevated overhead fits over the gap between two parallel Bridges back-to-back tables. Integrated anodized aluminum accessory rail below the storage compartments. Fits over Above Worksurface Power/Data Troughs. Elevated Shelf Binder Bins DO NOT work with this overhead. 1" top.

- Note: In order to prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width as the supporting worksurface.
- To prevent interference with Ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the Compatibility Guide on page 368 to determine available accessories

BRTSDS48	12 x 48 x 16	92.5	54	5.33	\$625	\$120



45" High Shared Storage Divider\*\*

Divides side-to-side workstations. Two shared, open shelves. One compartment per side. White magnetic back wall. Rests on top of shared 25" box/file/open and back-to-back worksurface. Top of unit is 15.7" from the top of the worksurface. Storage compartment internal height: 12.8". Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 1" top, white powder-coated steel central partition and backs.

BRT21H03616	16 x 36 x 21	100	81	9	\$1121	\$151
BRT21H04216	16 x 42 x 21	100	81	9	\$1203	\$173
BRT21H04816	16 x 48 x 21	250	31.40	8.75	\$1283	\$197
BRT21H05416	16 x 54 x 21	250	35.30	9.84	\$1363	\$222
BRT21H06016	16 x 60 x 21	250	35.30	9.84	\$1452	\$247
BRT21H06616	16 x 66 x 21	250	43.20	12.03	\$1545	\$270
BRT21H07216	16 x 72 x 21	250	47.10	13.12	\$1602	\$306
BRT21H07816	16 x 78 x 21	250	51	14.21	\$1723	\$318
BRT21H08416	16 x 84 x 21	250	55	15.31	\$1792	\$343



- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 368 to determine available accessories



**Open Single Sided Storage** 

**Required Specifications** 

Top finish
Edge finish
Chassis finish\*
Drawer/door front finish\*

Optional Specifications

HP laminate (tops only)
Elevated Shelf Binder Bin\*\*

		\
	/	 //

Open Single Sided Storage, 1 Glass Door

MIUDEL#	DIMENSIONS	PREIGHT CLASS	WI/LBS.	CUBIC FI.	LIST PRICE	HP AUU
	D x W x H					
BRT21GS3616	16 x 36 x 21	100	87	9	\$1763	\$149
BRT21GS4216	16 x 42 x 21	100	103	10.50	\$1853	\$172
BRT21GS4816	16 x 48 x 21	100	108	12	\$1932	\$197
BRT21GS5416	16 x 54 x 21	100	133	13.50	\$2304	\$222
BRT21GS6016	16 x 60 x 21	100	144	15	\$2394	\$247
BRT21GS6616	16 x 66 x 21	100	155	16.50	\$2507	\$270
BRT21GS7216	16 x 72 x 21	100	164	18	\$2592	\$294
BRT21GS7816	16 x 78 x 21	100	174	19.50	\$2730	\$317
BRT21GS8416	16 x 84 x 21	100	181	21	\$2810	\$344

Table supported single sided open storage with single sliding glass door with recessed pull. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 368 to determine available accessories

BRT21LS3616	16 x 36 x 21	92.5	94	9	\$1712	\$212
BRT21LS4216	16 x 42 x 21	92.5	111	10.50	\$1795	\$244
BRT21LS4816	16 x 48 x 21	100	117	12	\$1874	\$279
BRT21LS5416	16 x 54 x 21	92.5	143	13.50	\$1953	\$315
BRT21LS6016	16 x 60 x 21	92.5	155	15	\$2261	\$345
BRT21LS6616	16 x 66 x 21	92.5	167	16.50	\$2354	\$380
BRT21LS7216	16 x 72 x 21	100	177	18	\$2420	\$416
BRT21LS7816	16 x 78 x 21	100	188	19.50	\$2530	\$450
BRT21LS8416	16 x 84 x 21	100	198	21	\$2599	\$483

Table supported single sided open storage with single sliding laminate door with recessed pull. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 368 to determine available accessories

BRT21HD03616	16 x 36 x 21	100	81	9	\$1162	\$149
BRT21HD04216	16 x 42 x 21	100	96	10.50	\$1228	\$173
BRT21HD04816	16 x 48 x 21	100	100	12	\$1286	\$201
BRT21HD05416	16 x 54 x 21	100	124	13.50	\$1384	\$223
BRT21HD06016	16 x 60 x 21	100	134	15	\$1457	\$245
BRT21HD06616	16 x 66 x 21	100	144	16.50	\$1566	\$269
BRT21HD07216	16 x 72 x 21	100	152	18	\$1616	\$294
BRT21HD07816	16 x 78 x 21	100	161	19.50	\$1744	\$318
BRT21HD08416	16 x 84 x 21	100	168	21	\$1793	\$344

Table supported double sided open storage. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the Compatibility Guide on page 368 to determine available accessories



Open Single Sided Storage, 1 Laminate Door\*\*




Open Double Sided Storage\*

**Required Specifications** 

Top finish
Edge finish
Chassis finish\*
Drawer/door front finish\*\*

**Optional Specifications** 

HP laminate (tops only) Elevated Shelf Binder Bin




**Double Sided Storage, Glass Door** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						_
BRT21GDS3616	16 x 36 x 21	92.5	94	9	\$2288	\$145	
BRT21GDS4216	16 x 42 x 21	92.5	111	10.50	\$2396	\$173	
BRT21GDS4816	16 x 48 x 21	100	117	12	\$2448	\$198	
BRT21GDS5416	16 x 54 x 21	92.5	143	13.50	\$3167	\$222	
BRT21GDS6016	16 x 60 x 21	92.5	155	15	\$3223	\$247	
BRT21GDS6616	16 x 66 x 21	92.5	167	16.50	\$3437	\$269	
BRT21GDS7216	16 x 72 x 21	100	177	18	\$3513	\$294	
BRT21GDS7816	16 x 78 x 21	100	188	19.50	\$3659	\$317	
BRT21GDS8416	16 x 84 x 21	100	196	21	\$3894	\$343	

Table supported double sided open storage with sliding glass doors and recessed pull. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the Compatibility Guide on page 368 to determine available accessories



Double Sided Storage, Laminate Door\*

BRT21LDS3616	16 x 36 x 21	92.5	106	9	\$2249	\$149
BRT21LDS4216	16 x 42 x 21	85	126	10.50	\$2391	\$173
BRT21LDS4816	16 x 48 x 21	92.5	134	12	\$2441	\$197
BRT21LDS5416	16 x 54 x 21	85	162	13.50	\$3047	\$222
BRT21LDS6016	16 x 60 x 21	92.5	176	15	\$3100	\$247
BRT21LDS6616	16 x 66 x 21	92.5	190	16.50	\$3309	\$270
BRT21LDS7216	16 x 72 x 21	92.5	203	18	\$3359	\$294
BRT21LDS7816	16 x 78 x 21	92.5	216	19.50	\$3484	\$317
BRT21LDS8416	16 x 84 x 21	92.5	227	21	\$3694	\$343

Table supported double sided open storage with sliding laminate doors and recessed pull. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the Compatibility Guide on page 368 to determine available accessories



50"H Storage Tower w/Coat Storage\*

BRTTW5024L	24 x 24 x 50	100	142	16.66	\$2116	\$140
BRTTW5024R	24 x 24 x 50	100	142	16.66	\$2116	\$140
BRTTW5030L	30 x 24 x 50	125	163	20.83	\$2348	\$140
BRTTW5030R	30 x 24 x 50	125	163	20.83	\$2348	\$140

Provides storage and privacy at the end of a table. Box/File drawers, open compartment with adjustable shelf (50"h); coat storage with hinged door. Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 19.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.


• Anodized Aluminum Leg - Add \$85 list upcharge

Required	l Speci	fications

Top finish Edge finish Chassis finish Drawer/door front finish Metal finish (legs)

**Optional Specifications** 

Anodized aluminum leg\* HP laminate E-Lock\*



66"H Storage Tower with Coat Storage

		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTTW6624L	24 x 24 x 66	125	170	22	\$2805	\$181
BRTTW6624R	24 x 24 x 66	125	170	22	\$2805	\$181
BRTTW6630L	30 x 24 x 66	125	195	27.50	\$3112	\$183
BRTTW6630R	30 x 24 x 66	125	195	27.50	\$3112	\$219

Provides storage and privacy at the end of a table. Box/File drawers, open compartment with 2 adjustable shelves (66"h); coat storage with hinged door and 2 shelves. Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 35.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.

• Anodized Aluminum Leg - Add \$85 list upcharge

BRTT5024L	24 x 15.5 x 50	100	88	10.76	\$1572	\$103
BRTT5024R	24 x 15.5 x 50	100	88	10.76	\$1572	\$103
BRTT5030L	30 x 15.5 x 50	125	101	13.45	\$1730	\$120
BRTT5030R	30 x 15.5 x 50	125	101	13.45	\$1730	\$120

Provides storage and privacy at the end of a table. Box/File drawers, open compartment with adjustable shelf (50"h). Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 19.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.

• Anodized Aluminum Leg - Add \$85 list upcharge

BRTT6624L	24 x 15.5 x 66	100	106	12.91	\$2085	\$131
BRTT6624R	24 x 15.5 x 66	100	106	12.91	\$2085	\$131
BRTT6630L	30 x 15.5 x 66	125	121	16.14	\$2292	\$159
BRTT6630R	30 x 15.5 x 66	125	121	16.14	\$2292	\$159

Provides storage and privacy at the end of a table. Box/File drawers, open compartment with 2 adjustable glass shelves (66"h). Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 35.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.

• Anodized Aluminum Leg - Add \$85 list upcharge


BRTCS45BBFFL	18 x 36 x 45	92.5	256	24	\$2859	\$149
BRTCS45BBFFR	18 x 36 x 45	92.5	256	24	\$2859	\$149

Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. 2 locking file drawers. 2 pencil drawers (not locking). Open compartment with adjustable glass shelf, internal dimension of 15.9". Three fixed open compartments; two above worksurfaces (6.7" interior dimension), one below (3.7" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs.

• Anodized Aluminum Leg - Add \$85 list upcharge



50"H Storage Tower



66"H Storage Tower




Cantilever Storage\*

Required Specifications

Top finish
Edge finish
Chassis finish
Drawer/door front finish

**Optional Specifications** 

Anodized aluminum leg E-Lock\* HP laminate



Required Specifications
Top finish\*

**Optional Specifications** 

Edge finish\*
Chassis finish
Drawer/door front finish



Pier Storage, Door w/Glass Shelves

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	D x W x H							
BRTDS2D	16 x 18 x 36	150	79	14	\$1	565	n/a	

Supports side-by-side divider with hinged, lockable door on opposite sides for side-by-side application. Storage compartment internal height without adjustable shelf: 15"

BRT21PHD04216	16 x 42 x 21	100	96	10.50	\$1014	\$173
BRT21PHD04816	16 x 48 x 21	100	100	12	\$1077	\$201
BRT21PHD05416	16 x 54 x 21	100	124	13.50	\$1181	\$222
BRT21PHD06016	16 x 60 x 21	100	134	15	\$1248	\$247
BRT21PHD06616	16 x 66 x 21	100	144	16.50	\$1353	\$268
BRT21PHD07216	16 x 72 x 21	100	152	18	\$1425	\$294

Pier and table supported side-by-side double-sided open storage. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top.

BRT21PLDS4216	16 x 42 x 21	92.5	126	11	\$2347	\$173
BRT21PLDS4816	16 x 48 x 21	92.5	134	12	\$2397	\$198
BRT21PLDS5416	16 x 54 x 21	92.5	162	14	\$3007	\$222
BRT21PLDS6016	16 x 60 x 21	92.5	176	15	\$3060	\$247
BRT21PLDS6616	16 x 66 x 21	92.5	190	17	\$3267	\$270
BRT21PLDS7216	16 x 72 x 21	92.5	203	18	\$3317	\$294

Pier and table supported side-by-side double-sided storage with sliding laminate doors and recessed pull. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top.

BRT21PGDS4216	16 x 42 x 21	92.5	110	10.50	\$2370	\$171
BRT21PGDS4816	16 x 48 x 21	100	116	12	\$2423	\$197
BRT21PGDS5416	16 x 54 x 21	92.5	141	13.50	\$3142	\$222
BRT21PGDS6016	16 x 60 x 21	92.5	153	15	\$3198	\$245
BRT21PGDS6616	16 x 66 x 21	92.5	165	16.50	\$3412	\$269
BRT21PGDS7216	16 x 72 x 21	100	175	18	\$3489	\$295

Pier and table supported side-by-side double-sided storage with sliding glass doors and recessed pull. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top.

BRTC	18 x 15.5 x 1.25	150	2	.41	1	\$255	7	\$493
					2	\$291	8	\$533
					3	\$319	9	\$579
					4	\$351	10	\$690
					5	\$400	11	\$782
					6	\$446	12	\$880

Optional seat cushion may be added to any storage component. Available in all Global seating fabrics.


CACTA01	202.5	70	FΩ	00	644F	
GAGTAUT	Z X 9 X Z.5	70	.50	.03	2112	

Accommodates the placement of sliding keyboard mechanisms and CPU holders below the cross beam of Bridges tables. Attaches to Glide Tracks of all Productivity Solutions Keyboard Mechanisms and Sliding CPU holders. Mounting hardware included. Available in black only.


• Cannot be used with GACPU01. See Productivity Solutions for compatible keyboard mechanisms and sliding CPU holder.

/		
LΙ		


Side-by-Side Storage, Open\*



Side-by-Side Storage, Laminate Doors\*



Side-by-Side Storage, Glass Doors\*



Cushion\*\*



**Glide Tray Adapter** 

## Required Specifications Fabric\*\*

Metal finish (hanging bracket)

Beam finish\*

ACCESSORIES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	GACPU02	9.2 x 11.7 x 18.5	5 92.5	12.60	1.15	\$252	
PU Holder on Glide Track	adjustment and ba	yonet lance for vertica	ıl height adjustmer	nt. 12" glide	track mounted	3". Soft touch knob for side and 360° swivel for easy acc d support. Available in black	ess to
	GACPU01	9.2 x 11.7 x 18.5	5 125	9	1.15	\$228	-
ed Mount CPU Holder	to 9.3". Soft touch underside of desk	n knob for side clamp a surface. CPU Holder c red from Steel and Eng	djustment and bay an also be mounte	onet lance f d directly to	or vertical heigh an upright desk	" to 22.5" and width range on the adjustment. Mounts direct leg surface or wall via side support. Available in black	tly to mount
	BRTHB	3.3 x 1.5 x 3.5	70	.20	.01	\$32	
nging Bracket	A formed steel bra frame finish.	icket hooks over Bridge	es II table leg. Can	be secured	either on the in	ner or outer side of the leg.	Specif
			70	1	.56	\$255	-
	BRTWB0924	0.5 x 24 x 8.5					
niteboard	White dry-erase m shelves. White dr magnetic board. H	arker board surface or	n white powder coa es magnetically to <b>npatibility Guide</b>	the steel ba (page 368) t	cker. When ren	all Bridges II dividers and sin noved, the steel backer can b nilable accessories.	
hiteboard	White dry-erase m shelves. White dr magnetic board. H	narker board surface or y-erase surface attach Please refer to the <b>Con</b>	n white powder coa es magnetically to <b>npatibility Guide</b>	the steel ba (page 368) t	cker. When ren	noved, the steel backer can b	

Required Specifications
Metal finish
Fabric\*

\$685



Single Screen	Double	<b>Extension</b>	Arm
---------------	--------	------------------	-----

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
GAMCSSDE	X X	125	7.50	1.09	\$571	


Double extension allows 19" of horizontal back and forth movement. Arm folds back to post for more desk space. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required.

8.20

1.09

• To use arm in conjunction with below worksurface power troughs, thru-surface mount must be used. Cannot be clamp mounted when using power troughs.

125




GAMCSSDEH

-- x -- x --

Single Screen Double Extension Arm with Height Adjustment

Counterbalanced arm provides an additional 13" of height adjustment. Double extension allows 19" of horizontal back and forth movement. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Cable manager comes on extension arm and hides all cables. Minor assembly required.


• To use arm in conjunction with below worksurface power troughs, thru-surface mount must be used. Cannot be clamp mounted when using power troughs.



**Dual Screen Double Extension Arm** 

For dual monitor applications. Double extension arms allow 19" of horizontal back and forth movement. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required.

• To use arm in conjunction with below worksurface power troughs, thru-surface mount must be used. Cannot be clamp mounted when using power troughs.



Dual Screen Double Extension Arm with Height Adjustment

GAMCDSDEH	X X	92.5	12.2	1.09	\$1247

For dual monitor applications. Counterbalanced arms provide an additional 13" of height adjustment. Double extension arms allow 19" of horizontal back and forth movement. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Cable manager comes on extension arm and hides all cables. Minor assembly required.

• To use arm in conjunction with below worksurface power troughs, thru-surface mount must be used. Cannot be clamp mounted when using power troughs.

## B BRIDGES II™

ACCESSORIES




Binder Bin



Flip Sorter



**Slant Sorter** 



Letter/Legal Tray



Media Bin



**Utility Tray** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BABB01	10.25 x 4 x 9	100	2	.21	\$70	

Load bar/accessory rail mounted metal binder bin.

• Please refer to the **Compatibility Guide** on page 368 to determine compatible storage components

BAFS01 9.25 x 2.75 x 9.25 70 .06 .14	\$54
--------------------------------------	------

Load bar/accessory rail mounted metal flip sorter. Comes with chrome wire.

• Please refer to the Compatibility Guide on page 368 to determine compatible storage components

BASS01L	10.25 x 5 x 9.5	70	1	.28	\$44	
(Left)						
BASS01R	10.25 x 5 x 9.5	70	1	.28	\$44	
(Right)						

Load bar/accessory rail mounted metal slant sorter.

• Please refer to the Compatibility Guide on page 368 to determine compatible storage components

BALT01	9.25 x 13.5 x 2	70	.05	.15	\$58	
(Letter)						
BALT01LGL	9.25 x 15 x 2	70	.05	.15	\$71	
(Legal)						

Load bar/accessory rail mounted metal letter or legal tray.

• Please refer to the **Compatibility Guide** on page 368 to determine compatible storage components

BAMB01	5.25 x 5.75 x 3	70	.08	.05	\$58	

Load bar/accessory rail mounted metal media bin.

• Please refer to the Compatibility Guide on page 368 to determine compatible storage components

BAUT01	3.75 x 5.75 x 3	70	.05	.02	\$38

Load bar/accessory rail mounted metal utility tray.

• Please refer to the **Compatibility Guide** on page 368 to determine compatible storage components

**Required Specifications** 

Fabric (Cushion)

Metal Finish (hanging bracket, whiteboard,

tackboard)

ACCES	SORIES

**Mail Box** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
BAPP01	2.75 x 16 x 9	100	2	.25	\$88

Load bar/accessory rail mounted metal mail box.

• Please refer to the **Compatibility Guide** on page 368 to determine compatible storage components

BATH01	10 x 9 x 2	125	2	.26	\$85	

Load bar/accessory rail mounted metal telephone holder.

• Please refer to the **Compatibility Guide** on page 368 to determine compatible storage components

BRTESBBIN	12 x 12 x 8	100	6	.66	\$181	

Load bar/accessory rail mounted elevated shelf binder bin.

• Please refer to the **Compatibility Guide** on page 368 to determine compatible storage components

121D 13 X 22.3 X 1.3 Z 30 Z 0.7 <b>3104</b>	PEEPD	15 x 22.5 x 1.5	250	2	0.7	\$164	
---------------------------------------------	-------	-----------------	-----	---	-----	-------	--

Provides storage for writing instruments and small items at the worksurface. Attaches to underside of worksurface with drawer slides (included). Black ABS plastic only.

<b>&gt;</b>

**Telephone Holder** 



**Elevated Shelf Binder Bin** 



**Pencil Drawer** 

# **B** BRIDGES II™

### ACCESSORIES

DxWxH

### **ACCESSORIES COMPATIBILITY GUIDE**

	DIVIDERS: BRTLPDD BRTLPDS BR2AFD BR2AHD	Elevated Shelves BRTSTS08 BRTBTS08 8" high	Elevated Shelves BRTSTS13 BRTBTS13 13" high	Elevated Shelves BRTSTS16 BRTBTS16 16" high	Shared Overhead BRTBASO48 12" deep	Shared Overhead with slid- ing doors BRTBASS 16" deep
Binder Bin BABB01	yes	no	no	yes	no	no
Flip Sorter BAFS01	yes	no	yes	no	no	no
Slant Sorter BASS01	yes	no	yes	no	no	no
Letter Tray BALT01	yes	yes	yes	yes	yes	yes
Media Bin BAMB01	yes	yes	yes	yes	yes	yes
Utility Tray BAUT01	yes	yes	yes	yes	yes	yes
Mail Box BAPP01	yes	no	no	yes	no	no
Phone Holder BVATH01	yes	yes	yes	yes	yes	yes
Elevated Shelf Binder Bin BRTESBBIN	no	no	no	no	yes	no
Tackboard BRTTB	yes	no	no	yes	no	no
Whitehoard BRTWB	Ves	no	no	Ves	no	no

#### **COLLABORATIVE SEATING**

#### DxWxH

Bridges collaborative seating collection consists of seating, privacy screens, tables, tablets and power. It is a versatile modular furniture series which can be configured into many space planning scenarios, including corner, in-line, open concept, traditional reception, as well as secluded seating with high privacy partitions.

Furniture pieces can be used as stand alone items or can be mechanically linked together to form a variety of seating configurations.

Seat and backrest can be integrated with Bridges tables.

Corner tables and in-line 6" table modules double as power delivery centers.

Dedicated seat backrests feature dual USB charging port.

Some inline 6" table modules are furnished with grommets to support tablets.

Legs are available in standard Bridges metal painted finishes and anodized aluminum finish.


**Bridges Collaborative Seating upholstery** features a single stitch, thick white thread around the edges. The white, wide stitch along with crisp corners are part of its distinctive personality. In order to achieve crisp edges and to minimize "pillow" effect caused by taut fabric, the upholstery material has been applied deliberately loose, which may over time, produce puckering of the upholstery surface material. This can be easily corrected by stretching the fabric by hand or during vacuuming.

In order to efficiently utilize fabric yield, all 60" seats and backs feature a seam in the middle.


The double stitch seam is sewn with a thin thread, closely matching the upholstery material in color.

Some complicated fabric patterns prevent pattern matching and will be upholstered without the seam at the discretion of the factory.


Should you require no middle seam by cutting into the roll, please specify "NO SEAM" at time of your order.



24" square table block



6" In-line table block





MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BRTST2460F	24 x 60 x 17	150	83.60	14.17	\$880	\$326
BRTST2448F	24 x 48 x 17	125	69	11.33	\$787	\$237
BRTST2424F	24 x 24 x 17	125	40.70	5.67	\$556	\$97

Freestanding 17"h table. Central partition divides space under top surface into two 11" deep compartments. All LP chassis w/ HP or LP top (3mm edging). Bridges storage aluminum leg.

- Anodized Aluminum Leg Add \$74. list upcharge
- To convert to mobile Add an **M** at the end of the product code. Add \$35. list upcharge.

RATIVE SEATING						GRADE	LIST	GRADE	LIST
	BRTSE60NB	24 x 60 x 17	250	47	14.17	1	\$1659	7	\$2225
						2	\$1743	8	\$2421
						3	\$1807	9	\$2572
						4	\$1901	10	\$2741
						5	\$2039	11	\$3084
						6	\$2101	12	\$3454
	BRTSE48NB	24 x 48 x 17	250	36.90	11.33	1	\$1433	7	\$188
						2	\$1502	8	\$204
						3	\$1553	9	\$216
						4	\$1630	10	\$230
						5	\$1737	11	\$257
						6	\$1789	12	\$287
^	BRTSE24NB	24 x 24 x 17	150	22.70	5.57	1	\$787	7	\$107
						2	\$831	8	\$117
						3	\$863	9	\$124
						4	\$911	10	\$133
						5	\$979	11	\$150
						6	\$1010	12	\$168
eat		rmless lounge seat with		ats can be free	standing or l				
eat		rmless lounge seat with num Leg - Add <b>\$74</b> list u 24 x 60 x 29		ats can be free	standing or li	nked with o	ptional inte	erlocking br	acket k
eat	Anodized Alumii	num Leg - Add <b>\$74</b> list u	pcharge			nked with o	\$2649 \$2797	erlocking br	**************************************
eat	Anodized Alumii	num Leg - Add <b>\$74</b> list u	pcharge			nked with o	\$2649 \$2797 \$2912	Procking br	\$366 \$401 \$428
eat	Anodized Alumii	num Leg - Add <b>\$74</b> list u	pcharge			nked with o	\$2649 \$2797 \$2912 \$3084	7 8 9	\$366 \$401 \$428 \$459
eat	Anodized Alumii	num Leg - Add <b>\$74</b> list u	pcharge			1 2 3 4 5	\$2649 \$2797 \$2912 \$3084 \$3327	7 8 9 10	\$360 \$40° \$425 \$455 \$52°
eat	Anodized Alumii	num Leg - Add <b>\$74</b> list u	pcharge			nked with o	\$2649 \$2797 \$2912 \$3084	7 8 9	\$366 \$401 \$428 \$459 \$521
eat	Anodized Alumii	num Leg - Add <b>\$74</b> list u	pcharge			1 2 3 4 5 6	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443	7 8 9 10 11 12	\$366 \$401 \$428 \$459 \$521 \$587
eat	Anodized Alumin BRTSE6060B	num Leg - Add <b>\$74</b> list u 24 x 60 x 29	pcharge 250	70	24.17	1 2 3 4 5 6	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401	7 8 9 10 11 12	\$366 \$401 \$428 \$459 \$521 \$587 \$307 \$335
eat	Anodized Alumin BRTSE6060B	num Leg - Add <b>\$74</b> list u 24 x 60 x 29	pcharge 250	70	24.17	1 2 3 4 5 6 1 2 3 3	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491	7 8 9 10 11 12 7 8	\$366 \$401 \$428 \$459 \$521 \$587 \$307 \$335
eat	Anodized Alumin BRTSE6060B	num Leg - Add <b>\$74</b> list u 24 x 60 x 29	pcharge 250	70	24.17	1 2 3 4 5 6 1 2 3 4 4	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625	7 8 9 10 11 12 7 8 9	\$366 \$401 \$428 \$459 \$521 \$587 \$335 \$356
eat	Anodized Alumin BRTSE6060B	num Leg - Add <b>\$74</b> list u 24 x 60 x 29	pcharge 250	70	24.17	1 2 3 4 5 6 1 2 3 4 5 5	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625 \$2817	7 8 9 10 11 12 7 8 9 10	\$366 \$401 \$428 \$459 \$521 \$587 \$307 \$335 \$379 \$428
eat	Anodized Alumin BRTSE6060B	num Leg - Add <b>\$74</b> list u 24 x 60 x 29	pcharge 250	70	24.17	1 2 3 4 5 6 1 2 3 4 4	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625	7 8 9 10 11 12 7 8 9	\$366 \$401 \$428 \$459 \$521 \$587 \$307 \$335 \$379 \$428
eat	Anodized Alumin BRTSE6060B	num Leg - Add <b>\$74</b> list u 24 x 60 x 29	pcharge 250	70	24.17	1 2 3 4 5 6 1 2 3 4 5 6 1	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625 \$2817 \$2905	7 8 9 10 11 12 7 8 9 10 11 11 12	\$3666 \$401 \$428 \$459 \$521 \$587 \$335 \$356 \$379 \$428 \$479
eat	Anodized Alumin  BRTSE6060B  BRTSE4848B	24 x 60 x 29  24 x 48 x 29	250 250 250	70 55.50	24.17	1 2 3 4 5 6 6 1 2 2 3 4 5 6 6	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625 \$2817 \$2905	7 8 9 10 11 12 7 8 9 10 11 11 12	\$3666 \$401 \$428 \$459 \$521 \$587 \$307 \$335 \$356 \$379 \$428 \$479
eat	Anodized Alumin  BRTSE6060B  BRTSE4848B	24 x 60 x 29  24 x 48 x 29	250 250 250	70 55.50	24.17	1 2 3 4 5 6 6 1 2 3 3 4 5 6 6	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625 \$2817 \$2905 \$1339 \$1315 \$1373	7 8 9 10 11 12 7 8 9 10 11 12 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	\$3666 \$401 \$428 \$459 \$521 \$587 \$307 \$335 \$356 \$379 \$428 \$479 \$174 \$192 \$206
eat	Anodized Alumin  BRTSE6060B  BRTSE4848B	24 x 60 x 29  24 x 48 x 29	250 250 250	70 55.50	24.17	1 2 3 4 5 6 6 1 2 3 4 4 5 6 6 1 2 3 4 4 5 6 6	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625 \$2817 \$2905 \$1339 \$1315 \$1373 \$1458	7 8 9 10 11 12 7 8 9 10 11 12 7 8 9 10 11 12 7 8 9 10 11 12 7 8 9 10 10 11 12 7 8 9 10 10 10 10 10 10 10 10 10 10 10 10 10	\$366 \$401 \$428 \$459 \$521 \$587 \$307 \$335 \$356 \$379 \$428 \$479 \$174 \$192 \$206 \$221
eat	Anodized Alumin  BRTSE6060B  BRTSE4848B	24 x 60 x 29  24 x 48 x 29	250 250 250	70 55.50	24.17	1 2 3 4 5 6 6 1 2 3 3 4 5 6 6	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625 \$2817 \$2905 \$1339 \$1315 \$1373	7 8 9 10 11 12 7 8 9 10 11 12 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	\$3666 \$401 \$428 \$459 \$521 \$587 \$307 \$335 \$356 \$379 \$428 \$479 \$174 \$192 \$206



Lounge Seat, Full Backrest

Fully upholstered armless lounge seat with full backrest and metal base. Backrests are permanently secured to the seats and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit.

• Anodized Aluminum Leg - Add \$74 list upcharge

<b>Required Specificati</b>	ons	Optional Specifications
Top finish*	Edge finish*	Anodized Aluminum Leg
Chassis finish*		HP laminate*
Fabric		
Metal Finish (legs)		


COLLABORATIVE SEATING	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
		D x W x H							
	BRTSE2448BL	24 x 48 x 29	250	46.10	19.33	1	\$1884	7	\$2563
						2	\$1987	8	\$2800
						3	\$2063	9	\$2980
						4	\$2175	10	\$3179
						5	\$2339	11	\$3596
						6	\$2416	12	\$4038
	BRTSE2448BR	24 x 48 x 29	250	46.10	19.33	1	\$1884	7	\$2563
	(shown)					2	\$1987	8	\$2800
						3	\$2063	9	\$2980
						4	\$2175	10	\$3179
						5	\$2339	11	\$3596
N Y /						6	\$2//16	12	64020

Lounge Seat, 24" Offset Backrest

Fully upholstered armless lounge seat with one backrest and metal base. Specify backrest as either left or right side. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit.

• Anodized Aluminum Leg - Add \$74 list upcharge

BRTSE2448BODL	24 x 48 x 29	250	46.10	19.33	1	\$2336	7	\$3241
(shown)					2	\$2468	8	\$3554
					3	\$2570	9	\$3794
					4	\$2724	10	\$4065
					5	\$2940	11	\$4618
					6	\$3043	12	\$5206
BRTSE2448BODR	24 x 48 x 29	250	46.10	19.33	1	\$2336	7	\$3241
					2	\$2468	8	\$3554
					3	\$2570	9	\$3794
					4	\$2724	10	\$4065
					5	\$2940	11	\$4618
					6	\$3043	12	\$5206



Lounge Seat, Two 24" Offset Backrests

Fully upholstered armless lounge seat with two offset backrests and metal base. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit.

• Anodized Aluminum Leg - Add \$74 list upcharge

BRTSE2148EBL	24 x 48 x 29	250	33	9.67	1	\$2184	7	\$2863
					2	\$2287	8	\$3100
					3	\$2363	9	\$3280
					4	\$2475	10	\$3479
					5	\$2639	11	\$3896
					6	\$2716	12	\$4338
BRTSE2148EBR	24 x 48 x 29	250	46.10	19.33	1	\$2184	7	\$2863
(shown)					2	\$2287	8	\$3100
					3	\$2363	9	\$3280
					4	\$2475	10	\$3479
					5	\$2639	11	\$3896
					6	\$2716	12	\$4338



Lounge Seat, 21" USB Backrest

Fully upholstered armless lounge seat with one backrest and metal base. 21"w backrest comes with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 4' long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.

• Anodized Aluminum Leg - Add \$74 list upcharge

**Required Specifications Optional Specifications** Anodized Aluminum Leg

Fabric Metal Finish (legs)



Lounge Seat, Two 21" USB Backrests

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	D x W x H							
BRTSE2148E2B	24 x 48 x 29	250	57	19.33	1	\$2934	7	\$3838
					2	\$3066	8	\$4151
					3	\$3165	9	\$4392
					4	\$3319	10	\$4660
					5	\$3536	11	\$5213
					6	\$3641	12	\$5803

Fully upholstered armless lounge seat with two backrests and metal base. Both 21"w backrests come with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.

• Anodized Aluminum Leg - Add \$74 list upcharge

BRTSE2148EBODL	24 x 48 x 29	250	57	19.33	1	\$2934	7	\$3838
(shown)					2	\$3066	8	\$4151
					3	\$3165	9	\$4392
					4	\$3319	10	\$4660
					5	\$3536	11	\$5213
					6	\$3641	12	\$5803
BRTSE2148EBODR	24 x 48 x 29	250	57	19.33	1	\$2934	7	\$3838
					2	\$3066	8	\$4151
					3	\$3165	9	\$4392
					4	\$3319	10	\$4660
					5	\$3536	11	\$5213
					6	\$3641	12	\$5803



Lounge Seat, Two Offset USB Backrests

Fully upholstered armless lounge seat with two offset backrests and metal base. Both 21"w backrests come with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.

• Anodized Aluminum Leg - Add \$74 list upcharge

BRTSE2124EBL	24 x 24 x 29	250	46.10	19.33	1	\$1538	7	\$2049
					2	\$1614	8	\$2225
					3	\$1673	9	\$2360
					4	\$1757	10	\$2512
					5	\$1879	11	\$2824
					6	\$1939	12	\$3154
BRTSE2124EBR	24 x 24 x 29	250	46.10	19.33	1	\$1538	7	\$2049
(shown)					2	\$1614	8	\$2225
					3	\$1673	9	\$2360
					4	\$1757	10	\$2512
					5	\$1879	11	\$2824
					6	\$1939	12	\$3154



Lounge Seat, 21" USB Backrest

Fully upholstered armless lounge seat with one backrest and metal base. 21"w backrest comes with embedded dual USB port in its side. Note: Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.

• Anodized Aluminum Leg - Add \$74 list upcharge

**Required Specifications** 

Fabric

Metal Finish (legs)

Optional Specifications

Anodized Aluminum Leg

12

\$7579

\$5685

									_
COLLABORATIVE SEATING	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
		D x W x H							
	BRTSINT60S	24 x 60 x 29	125	155	24.17	1	\$5294	7	\$6289
						2	\$5422	8	\$6641
						3	\$5535	9	\$6914
						4	\$5709	10	\$7216
						5	\$5952	11	\$7838
						6	\$6068	12	\$8501
	BRTSINT48S	24 x 48 x 29	100	182	19.33	1	\$5065	7	\$5856
						2	\$5181	8	\$6130
						3	\$5271	9	\$6343
						4	\$5406	10	\$6577
						5	\$5596	11	\$7062



**Integrated Lounge Seat, Single-Sided** 

Fully upholstered armless lounge seat with full width backrest and metal legs integrated into Bridges 62.5"d back-toback linear table assembly. The single-sided kit consists of 24"x 48" or 24"x 60" seat, full width back, three-sided below worksurface enclosure, 6"d worksurface module with access door, 30"x 48" or 30"x 60"w worksurface with access door and supporting hardware. The seat module accommodates continuation of power and data distribution services below worksurfaces (specify Below Worksurface Power Trough and power components separately). The 6"d worksurface module with access door provides access to Below Worksurface Power Trough. Backrests are permanently secured to the bench and cannot be reconfigured on site. Tables not included.

- Only compatible with back-to-back 30"d worksurfaces (62.5" total depth) supported by Bridges rectangular legs. Not compatible with round legs, 24" d worksurfaces; not compatible with single line table assemblies 24" and 30"d. The kit cannot be used at the end of a table run, nor can it be used as a standalone, freestanding configuration. It must always be supported by back-to-back table assemblies on either side
- Anodized Aluminum Leg Add \$74 list upcharge
- High pressure laminate Add \$266 list upcharge

\$7890	7	\$6873	1	24.17	155	125	24 x 60 x 29	BRTSINT60D
\$8242	8	\$7021	2					
\$8512	9	\$7136	3					
\$8814	10	\$7308	4					
\$9438	11	\$7551	5					
\$10103	12	\$7668	6					
\$6938	7	\$6148	1	19.33	182	100	24 x 48 x 29	BRTSINT48D
\$7212	8	\$6263	2					
\$7424	9	\$6353	3					
\$7659	10	\$6487	4					
\$8144	11	\$6679	5					
\$8659	12	\$6768	6					



Integrated Lounge Seat, Double-Sided

Fully upholstered armless lounge bench with full backrests and metal legs integrated into Bridges 62.5"d back-to-back linear table assembly. The double-sided kit consists of two 24"x 48" or 24"x 60" seats, full width backs, three-sided below worksurface enclosures, 6"d worksurface modules with access doors and supporting hardware. The seat module accommodates continuation of power and data distribution services below worksurfaces (specify Below Worksurface Power Trough and power components separately). The 6"d worksurface module with access door provides access to Below Worksurface Power Trough. Backrests are permanently secured to the bench and cannot be reconfigured on site. Tables not included.

- Only compatible with back-to-back 30"d worksurfaces (62.5" total depth) supported by Bridges rectangular legs. Not compatible with round legs, 24"d worksurfaces; not compatible with single line table assemblies 24" and 30"d. The kit cannot be used at the end of a table run, nor can it be used as a standalone, freestanding configuration. It must always be supported by back-to-back table assemblies on either side.
- Anodized Aluminum Leg Add \$74 list upcharge
- High pressure laminate Add \$266 list upcharge

Required Specifications	
Fabric	
Laminate finish (enclosure)	
Edge finish (enclosure)	
Metal finish (legs)	

**Optional Specifications** Anodized Aluminum Leg HP laminate (enclosure)



**Seat Partitions** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRTPP2448L1	28.7 x 53 x 25	300	41	22.01	\$1941	
BRTPP2424L1	28.7 x 29 x 25	250	32	12.04	\$1452	


Fully upholstered 2.5" thick, 3-part, low level partition kit wraps around 24" or 48" bridges seat. The seat front is recessed by 2.5". The kit is secured to seats on-site (brackets connecting seat legs to the inner side of the partition are included). Upholstered kits consist of 2" hollow core boards, 1/4" foam, fabric, levelers and connecting hardware. Note: Seats and backrests are not included.

//	
	~

**Seat Privacy Partitions** 

BRTPP2448L2	28.7 x 53 x 50	400	41	44.01	\$2813
BRTPP2424L2	28.7 x 29 x 50	300	32	24.08	\$2199

Fully upholstered 2.5" thick, 3-part, two tier partition kit wraps around 24" or 48" bridges seat. The 50"h assembly provides seated visual privacy. 2.5" thick upholstered partitions improve acoustic privacy for focused time away from the team or for a quiet phone call. Recessed seat extends the partition at the front by 2.5" for enhanced sense of privacy. The kit is secured to seats on-site (brackets connecting seat legs to the inner side of the partition are included). Upholstered kits consist of 2" hollow core boards, 1/4" foam, fabric, levelers and connecting hardware. Note: Seats and backrests are not included.



Square Table Block\*

BRTS2424B	24 x 24 x 25	250	32	12.04	\$619	\$90
BRTS2424BP	24 x 24 x 25	125	59.30	8.33	\$1231	\$90

Freestanding 24" square table block serves as a visual anchor whenever a bridges seat needs to turn a corner or split into 2, 3 or 4 directions. BRTS2424BP can be positioned directly over a floor monument, which will supply power to the top-mounted power module. This option includes 24"x 24" block chassis and flush-mounted Duo power module (two outlets and two 2.1 amp USB ports, white face plate, outlets and bezel, 72" long three prong black cord). The square table block can function as a self-supporting, freestanding unit or it can be secured permanently to adjacent bridges seats with optional interconnecting brackets listed below. 2 Square Table Ganging Bracket Kits included.



**Square Table Block Ganging Bracket Kit** 

BRTSTBG	2.4 x 5 x 1.1	70	.05	.01	\$47	n/a

Two square table block ganging brackets connect seat legs permanently to the side of the 24" square table block on site. The kit employs machine screws connecting legs to seats, and ships with wood screws which provide permanent connection to the square table block. Includes 2 brackets and screws. Black powdercoat finish.

.03

.01

\$21



**Ganging Bracket Kit** 

70

 $\label{thm:constraint} Two\ ganging\ brackets\ connect\ seat\ temporarily\ to\ adjacent\ in-line\ seat\ or\ 24''d\ bridges\ storage.\ Black\ powdercoat\ finish.$ 

#### **Required Specifications**

1.3 x 6 x .1

Fabrio

BRTSTSB

n/a



Inline 6" Block

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BRTS2406B	24 x 6 x 25	92.5	21	2.08	\$531	\$47
BRTS2406BP	24 x 6 x 25	92.5	23.30	2.08	\$1144	\$47
BRTS2406B2P	24 x 6 x 25	92.5	24.30	2.08	\$1758	\$47
BRTS2406BT	24 x 6 x 25	85	25.60	2.08	\$1014	\$47
BRTS2406BPT	24 x 6 x 25	92.5	24.30	2.08	\$1627	\$47

Multifunctional inline 6" table block divides seating areas, serves as a utility surface, can support tablet arms, lamps, and double as a power delivery center. It is permanently secured between two bridges seats and cannot be placed at the end of a run. Two Square Table Block Ganging Brackets (BRTSTBG) connect seat legs permanently to the side fo the in-line table block on site. The included kit employs machine screws connecting legs to seats and ships with wood screws, which provide permanent connection to the in-line 6" block. Black powdercoat finish. The chassis is available without power module, with one power module or with two vertically embedded power modules. Vertical panel flush-mounted Duo module provides two outlets and two 2.1 amp USB ports; 72" cord exits through the bottom and plugs into a floor monument under seats, white face plate and bezel. 2 Square Table Ganging Bracket Kits included.


• BRTS2406BT and BRTS2406BPT include 9.5" x 14.5" swivel tablet. If top is specified in high pressure laminate, tablet will also be manufactured in high pressure laminate.

#### BRTS2406B




Inline table - no power module or swivel arm

#### BRTS2406BP



Inline table w/front power module

#### BRTS2406B2P




Inline table w/front and rear power module

### BRTS2406BT



Inline table w/swivel tablet arm



Inline table w/front power module and swivel tablet arm

### **Required Specifications**



Divide is a modular desk-mounted panel system that can be retro installed on many Global Desks. The panels can be vertically stacked to provide varying degrees of privacy. The panels are available in laminate or fabric tackboards as well as glazed panels that allow light to pass through. Divide's off-desk accessories help to organize paperwork and free up the workspace. Divide is offered in many laminate and fabric color options to complement any office environment.



#### **Features and Benefits**

- Available as fabric, glazed or laminate partitioning panels in an array of heights and widths
- Easy to specify: choose the desired panel height and width and its corresponding height divide post(s)
- A built-in paper management rail (on fabric and glazed panels) is designed to accommodate off-desk accessories for workspace organization.
- Laminate panels offer an optional wire access cutout at the bottom of each panel (order as SCP2)
- Laminate transaction tops are offered in various shapes and sizes, and are standard as either 1" thick or 1.5" thick to match
- All Adaptabilities, Genoa, and Zira laminate colors are offered as well as a wide variety of fabrics

#### **GENERAL INFORMATION**

- Divide is a desk mounted panel system that can be field installed at any time on many Global desks
- Vertical stacking of varying heights provides semi-private to private work areas
- Designed for use on the Adaptabilities, Genoa, and Zira laminate desk series', and may be retrofitted onto non-Global square edged product if necessary.
- Panels are available in 12", 18", 24" and 36" heights and can be stacked to produce heights of 24", 30", 36" and 42" for a virtually limitless variety of configurations
- Progressive, desk mounted partition system consisting of three major categories:
  - Divide posts to support the partitions
  - Partitioning screens a variety of widths and heights to create personalized privacy; offered in laminate, glaze or select fabrics
  - Transaction tops laminate tops ideal for creating reception stations
- For environmental certifications, please visit globalfurnituregroup.com
- Model numbers reflect total width of panel and posts

#### **DIVIDE POSTS**

- Available in 6 standard heights:
- 12" high to create **semi-private** spaces and to support Transaction Tops
- 18" high to create **semi-private** spaces and to support Transaction Tops
- 24" high to create semi-private spaces
- 30" high to create semi-private spaces
- 36" high to create **private** spaces and to match the height of 36" high hutches and/or 65" high Adaptabilities, Genoa and Zira cabinets
- 42" high to create **private** spaces and to match the height of 42" high hutches and/or 72" high Zira cabinets
- Posts are field installed. Each plate divider includes: 1 post mounting plate,
   1 threaded rod, 3 cover strips and 1 top cap plus mounting hardware (contains 8 screws, 1 washer, 1 locking nut).
   2 divide posts are required per partitioning panel.
- Available in Black (BLK) or Tungsten (TUN) finish, please specify.

#### PARTITIONING SCREENS

- Available in 4 standard heights: 12", 18", 24" and 36" and can be used in combinations to create systems consisting of 12", 18", 24", 30", 36" and 42" heights.
- Available in 3 materials:
- Laminate available in all laminate colors used on Adaptabilities, Genoa, Halton
  and Zira (see right). Accent edging at top and bottom is Black (BLK) only. Optional
  wire access scoop cut-out is offered, centered at the bottom of the panel order as
  SCP2 after model #. Woodgrain direction is horizontal for all sizes.
- Glazed choice of clear, ribbed or frosted glazing. Top and bottom rail optional
  in Black (BLK) or Tungsten (TUN) finish, please specify. Top rail is designed to
  accommodate off-desk accessories. Glazed panels with document pass-through
  feature a 4" gap at the bottom.
- Fabric available in all Grade 1, 2, 3 and 4 panel fabrics and select seating fabrics only (see right). Top and bottom rail optional in Black (BLK) or Tungsten (TUN), finish please specify. Top rail is designed to accommodate off-desk accessories.
- Filler panels are included with each Divide panel. To be used between two posts in a straight run from worksurface to worksurface.
- Special width panels are available in laminate or glazed material options only. For pricing, contact Specials.

#### TRANSACTION TOPS

- Tops are available in 1" or 1.5" thick thermally fused laminate
- Tops are sealed with Global's preferred edging in matching color
- Woodgrain surfaces feature edging in matching printed woodgrain
- Transaction tops are available with optional edges at no upcharge.
   Please specify (see right column).





A3 1" top, standard

AR 1" top, bicut edge







C3 1.5" top, standard

CR 1.5" top, bicut edge

CF 1.5" top. fluted edge

- Includes all necessary flat mounting plates and joining plates.
- Features pre-drilled locating holes to allow for quick alignment with the divide post
- Available with a radius cut on one or both ends (each radius adds a 6" overhang).
- $\bullet$  Woodgrain surfaces feature edging with matching printed woodgrain
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### LAMINATE AND EDGE FINISHES (laminate panels and transaction tops)

CL First Class
BL Noce Biondo
GL Noce Grigio
EL Noce Leggero
ML Noce Medio
FM Quartered Mahogany
BY Sheer Beauty
OG Storm Grey
OT Stonedust
HE Walnut Heights
HC White Chocolate
CR Winter Cherry

#### **FABRICS** (fabric screens)

Fabric screens can be upholstered in the following fabrics only:

- Anchorage
- Imprint
- Lola
- Merge

## D DIVIDE™ - NOTES

#### **PLEASE NOTE:**

- Divide screens cannot be centered between two back to back worksurfaces.
- Screens must be installed on one worksurface or the other.
- Divide cannot be used with Adaptabilities reception units.
- When panels are mounted on a 30" deep worksurface from Adaptabilities, Genoa or Zira, please specify 29" wide panel






**Correct Installation** 


Incorrect Installation

#### **HOW TO ORDER DIVIDE SCREENS**




<sup>\*</sup>NOTE: Number denotes width of worksurface to use - please see dimensions in price book for actual dimensions of the screen.

#### PARTS AND COMPONENTS



#### **INSTALLATION IS AS SIMPLE AS 1...2...3**

- 1) Attach the threaded **Post Mounting Plate** with enclosed screws to the top side of the worksurface.
- 2) Divider Post is bolted to the Mounting Plate.
- 3) Top Cap is attached to the top of the Divide Post.



# DIVIDE™

**FABRIC PANELS** 




Fabric Panel - 12" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GR.1	GR.2	GR. 3	GR. 4	GR. 5
	DxWxH								
DTB1220	.68 x 14.8 x 12	92.5	3	.30	\$270	\$303	\$330	\$370	\$421
DTB1224	.68 x 18.9 x 12	85	4	.30	\$282	\$315	\$340	\$374	\$430
DTB1229	.68 x 24.5 x 12	92.5	4	.40	\$299	\$335	\$359	\$399	\$449
DTB1230	.68 x 24.8 x 12	85	5	.40	\$299	\$335	\$359	\$399	\$449
DTB1236	.68 x 30.8 x 12	85	5	.40	\$332	\$366	\$390	\$426	\$478
DTB1242	.68 x 36.8 x 12	85	6	.50	\$386	\$420	\$444	\$478	\$534
DTB1248	.68 x 42.8 x 12	92.5	7	.60	\$418	\$450	\$476	\$509	\$564
DTB1260	.68 x 54.8 x 12	85	9	.70	\$447	\$481	\$507	\$543	\$597
DTB1266	.68 x 60.8 x 12	85	10	.80	\$472	\$505	\$532	\$566	\$620
DTB1272	.68 x 66.8 x 12	85	11	.80	\$502	\$536	\$562	\$596	\$650

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DTB1229 for panels placed along the depth side of a 30" deep worksurface.** 

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

DTB1820	.68 x 14.8 x 18	85	4	.30	\$299	\$335	\$359	\$399	\$449
DTB1824	.68 x 18.9 x 18	85	5	.40	\$314	\$346	\$372	\$405	\$460
DTB1829	.68 x 24.5 x 18	85	6	.50	\$332	\$366	\$390	\$426	\$478
DTB1830	.68 x 24.8 x 18	85	6	.50	\$332	\$366	\$390	\$426	\$478
DTB1836	.68 x 30.8 x 18	92.5	7	.60	\$386	\$420	\$444	\$478	\$534
DTB1842	.68 x 36.8 x 18	92.5	8	.70	\$422	\$455	\$479	\$513	\$566
DTB1848	.68 x 42.8 x 18	85	10	.80	\$447	\$481	\$507	\$543	\$597
DTB1860	.68 x 54.8 x 18	85	12	.90	\$472	\$505	\$532	\$566	\$620
DTB1866	.68 x 60.8 x 18	85	14	1	\$502	\$536	\$562	\$596	\$650
DTB1872	.68 x 66.8 x 18	85	14	1.10	\$562	\$596	\$622	\$658	\$712



- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

DTB2420	.68 x 14.8 x 24	92.5	4	.40	\$332	\$366	\$390	\$426	\$478
DTB2424	.68 x 18.9 x 24	100	4	.50	\$332	\$366	\$390	\$426	\$478
DTB2429	.68 x 24.5 x 24	92.5	6	.60	\$386	\$420	\$444	\$478	\$534
DTB2430	.68 x 24.8 x 24	92.5	6	.60	\$386	\$420	\$444	\$478	\$534
DTB2436	.68 x 30.8 x 24	92.5	7	.70	\$418	\$450	\$476	\$509	\$564
DTB2442	.68 x 36.8 x 24	92.5	8	.80	\$447	\$481	\$507	\$543	\$597
DTB2448	.68 x 42.8 x 24	92.5	9	.90	\$472	\$505	\$532	\$566	\$620
DTB2460	.68 x 54.8 x 24	92.5	11	1.10	\$502	\$536	\$562	\$596	\$650
DTB2466	.68 x 60.8 x 24	92.5	12	1.20	\$562	\$596	\$622	\$658	\$712
DTB2472	.68 x 66.8 x 24	92.5	14	1.40	\$611	\$645	\$672	\$705	\$761

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DTB2429 for panels placed along the depth side of a 30" deep worksurface.** 

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

	J

Fabric Panel - 18" High

Fabric Panel - 24" High

**Required Specifications** 

Fabric

Rail Finish

**FABRIC PANELS** 


Fabric Panel - 36" High\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GR.1	GR.2	GR. 3	GR. 4	GR. 5
	D x W x H								
DTB3620	.68 x 14.8 x 36	92.5	6	.60	\$409	\$435	\$455	\$485	\$528
DTB3624	.68 x 18.9 x 36	92.5	7	.70	\$409	\$435	\$455	\$485	\$528
DTB3629	.68 x 24.5 x 36	92.5	9	.90	\$552	\$578	\$598	\$628	\$671
DTB3630	.68 x 24.8 x 36	92.5	9	.90	\$552	\$578	\$598	\$628	\$671
DTB3636	.68 x 30.8 x 36	92.5	10	1	\$623	\$650	\$670	\$700	\$743
DTB3642	.68 x 36.8 x 36	92.5	12	1.20	\$668	\$694	\$714	\$744	\$787
DTB3648	.68 x 42.8 x 36	92.5	14	1.30	\$779	\$805	\$825	\$855	\$898
DTB3660	.68 x 54.8 x 36	92.5	17	1.60	\$908	\$934	\$954	\$984	\$1027
DTB3666	.68 x 60.8 x 36	92.5	19	1.80	\$1012	\$1039	\$1059	\$1089	\$1132
DTB3672	.68 x 66.8 x 36	92.5	21	1.90	\$1070	\$1096	\$1116	\$1146	\$1189

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DTB3629 for panels placed along the depth side of a 30" deep worksurface.** 

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

GLAZED PANELS						LIST PRICE
	DGP1220	.68 x 14.8 x 12	125	2	.30	\$265
	DGP1224	.68 x 18.9 x 12	92.5	3	.30	\$282
	DGP1229	.68 x 24.5 x 12	125	3	.40	\$335
	DGP1230	.68 x 24.8 x 12	92.5	4	.40	\$335
aЯ	DGP1236	.68 x 30.8 x 12	92.5	4	.40	\$389
	DGP1242	.68 x 36.8 x 12	92.5	5	.50	\$442
	DGP1248	.68 x 42.8 x 12	100	5	.60	\$522
	DGP1260	.68 x 54.8 x 12	92.5	7	.70	\$611
	DGP1266	.68 x 60.8 x 12	100	7	.80	\$668
	DGP1272	.68 x 66.8 x 12	92.5	8	.80	\$723



- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

DRGP1220	.68 x 14.8 x 12	60	2	.02	\$236
DRGP1224	.68 x 18.9 x 12	60	3	.03	\$274
DRGP1229	.68 x 24.5 x 12	60	3	.03	\$322
DRGP1230	.68 x 24.8 x 12	60	4	.03	\$322
DRGP1236	.68 x 30.8 x 12	60	4	.04	\$377
DRGP1242	.68 x 36.8 x 12	60	5	.05	\$427
DRGP1248	.68 x 42.8 x 12	60	5	.05	\$507
DRGP1260	.68 x 54.8 x 12	60	7	.07	\$600
DRGP1266	.68 x 60.8 x 12	60	7	.07	\$655
DRGP1272	.68 x 66.8 x 12	60	8	.08	\$711




- Top and bottom rail optional in BlacBlack (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

n				:c:-	- 4: -	
Kea	uire	ed S	bec	ITIC	atıc	ns

Fabric\*

Glaze\*\*

Rail Finish




Glazed Panel - 12" High\*\*

Glazed Panel - 12" High, Raised\*\*

# DIVIDE™

**GLAZED PANELS** 



Glazed Panel - 18" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
DGP1820	.68 x 14.8 x 18	92.5	3	.30	\$296	
DGP1824	.68 x 18.9 x 18	125	3	.40	\$320	
DGP1829	.68 x 24.5 x 18	100	4	.50	\$374	
DGP1830	.68 x 24.8 x 18	100	4	.50	\$374	
DGP1836	.68 x 30.8 x 18	100	5	.60	\$432	
DGP1842	.68 x 36.8 x 18	125	5	.70	\$482	
DGP1848	.68 x 42.8 x 18	125	6	.80	\$578	
DGP1860	.68 x 54.8 x 18	100	8	.90	\$691	
DGP1866	.68 x 60.8 x 18	100	8	1	\$747	
DGP1872	.68 x 66.8 x 18	100	9	1.10	\$807	

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DGP1829 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

74	\$274	.03	3	60	.68 x 14.8 x 18	DRGP1820
10	\$310	.04	3	60	.68 x 18.9 x 18	DRGP1824
59	\$359	.05	4	60	.68 x 24.5 x 18	DRGP1829
59	\$359	.05	4	60	.68 x 24.8 x 18	DRGP1830
22	\$422	.06	5	60	.68 x 30.8 x 18	DRGP1836
70	\$470	.06	5	60	.68 x 36.8 x 18	DRGP1842
63	\$563	.07	6	60	.68 x 42.8 x 18	DRGP1848
73	\$673	.09	8	60	.68 x 54.8 x 18	DRGP1860
29	\$729	1	8	100	.68 x 60.8 x 18	DRGP1866
90	\$790	1.10	9	100	.68 x 66.8 x 18	DRGP1872



- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

	DGP2420	.68 x 14.8 x 24	125	3	.40	\$320
	DGP2424	.68 x 18.9 x 24	100	4	.50	\$358
<u> </u>	DGP2429	.68 x 24.5 x 24	125	4	.60	\$429
	DGP2430	.68 x 24.8 x 24	100	5	.60	\$429
//	DGP2436	.68 x 30.8 x 24	125	5	.70	\$495
′ //	DGP2442	.68 x 36.8 x 24	125	6	.80	\$562
	DGP2448	.68 x 42.8 x 24	125	7	.90	\$660
	DGP2460	.68 x 54.8 x 24	100	9	1.10	\$801
//	DGP2466	.68 x 60.8 x 24	100	10	1.20	\$874
•	DGP2472	68 x 66 8 x 24	125	10	1 40	\$940

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DGP2429 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

	a
1 <i>//</i>	

Glazed Panel - 18" High, Raised

Glazed Panel - 24" High

**Required Specifications** 

Glaze

Rail finish

م


**GLAZED PANELS** 

Glazed Panel - 24" High, Raised

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE	
D×W×H	
DRGP2420 .68 x 14.8 x 24 60 3 .04 <b>\$310</b>	
DRGP2424 .68 x 18.9 x 24 60 4 .05 <b>\$348</b>	
DRGP2429 .68 x 24.5 x 24 60 4 .06 <b>\$415</b>	
DRGP2430 .68 x 24.8 x 24 60 5 .06 <b>\$415</b>	
DRGP2436 .68 x 30.8 x 24 60 5 .07 <b>\$483</b>	
DRGP2442 .68 x 36.8 x 24 60 6 .08 <b>\$550</b>	
DRGP2448 .68 x 42.8 x 24 60 7 .09 <b>\$642</b>	
DRGP2460 .68 x 54.8 x 24 100 9 1.10 <b>\$785</b>	
DRGP2466 .68 x 60.8 x 24 100 10 1.20 <b>\$857</b>	
DRGP2472 .68 x 66.8 x 24 125 10 1.30 <b>\$926</b>	

4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. Specify DRGP2429 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).




Glazed Panel - 36" High

DGP3620	.68 x 14.8 x 36	125	4	.60	\$389
DGP3624	.68 x 18.9 x 36	150	4	.70	\$429
DGP3629	.68 x 24.5 x 36	150	5	.90	\$512
DGP3630	.68 x 24.8 x 36	125	6	.90	\$512
DGP3636	.68 x 30.8 x 36	125	7	1	\$604
DGP3642	.68 x 36.8 x 36	125	8	1.20	\$691
DGP3648	.68 x 42.8 x 36	125	9	1.30	\$807
DGP3660	.68 x 54.8 x 36	125	11	1.60	\$974
DGP3666	.68 x 60.8 x 36	125	12	1.80	\$1061
DGP3672	.68 x 66.8 x 36	125	13	1.90	\$1145

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DGP3629 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).



Glazed Panel - 36" High, Raised

DRGP3620	.68 x 14.8 x 36	60	4	.06	\$377
DRGP3624	.68 x 18.9 x 36	60	4	.07	\$415
DRGP3629	.68 x 24.5 x 36	60	5	.08	\$501
DRGP3630	.68 x 24.8 x 36	60	6	.08	\$501
DRGP3636	.68 x 30.8 x 36	125	7	1	\$593
DRGP3642	.68 x 36.8 x 36	125	8	1.10	\$673
DRGP3648	.68 x 42.8 x 36	125	9	1.30	\$790
DRGP3660	.68 x 54.8 x 36	125	11	1.60	\$950
DRGP3666	.68 x 60.8 x 36	125	12	1.70	\$1036
DRGP3672	.68 x 66.8 x 36	125	13	1.90	\$1122

4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. Specify DRGP3629 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).


# **Required Specifications**

Glaze

Rail finish

# DIVIDE™

LAMINATE PANELS





Laminate Panel - 12" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
DLP1220	.68 x 14.8 x 12	70	5	.30	\$88	
DLP1224	.68 x 18.9 x 12	70	5	.30	\$104	
DLP1229	.68 x 24.5 x 12	70	7	.40	\$131	
DLP1230	.68 x 24.8 x 12	70	7	.40	\$131	
DLP1236	.68 x 30.8 x 12	70	8	.40	\$144	
DLP1242	.68 x 36.8 x 12	70	10	.50	\$164	
DLP1248	.68 x 42.8 x 12	70	11	.60	\$184	
DLP1260	.68 x 54.8 x 12	70	14	.70	\$199	
DLP1266	.68 x 60.8 x 12	70	16	.80	\$219	
DLP1272	.68 x 66.8 x 12	70	17	.80	\$247	

Includes matching filler panel. Scoop option (SCP2) available, Add \$42. Ships 1 set per carton. Specify DLP1229 for panels placed along the depth side of a 30" deep worksurface.

- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- · Accent edging at top and bottom Black (BLK) only.






- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (BLK) only.

DLP2420	.68 x 14.8 x 24	65	9	.40	\$120	
DLP2424	.68 x 18.9 x 24	70	11	.50	\$130	
DLP2429	.68 x 24.5 x 24	70	13	.60	\$161	
DLP2430	.68 x 24.8 x 24	70	13	.60	\$161	
DLP2436	.68 x 30.8 x 24	65	16	.70	\$178	
DLP2442	.68 x 36.8 x 24	65	19	.80	\$207	
DLP2448	.68 x 42.8 x 24	65	22	.90	\$236	
DLP2460	.68 x 54.8 x 24	65	28	1.10	\$265	
DLP2466	.68 x 60.8 x 24	65	30	1.20	\$295	
DLP2472	.68 x 66.8 x 24	65	33	1.40	\$323	

Includes matching filler panel. Scoop option (SCP2) available, Add \$42. Ships 1 set per carton. Specify DLP2429 for panels placed along the depth side of a 30" deep worksurface.

- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (BLK) only.



Laminate Panel - 18" High

Laminate Panel - 24" High

**Required Specifications** 

Laminate finish. Note: woodgrain finishes are horizontal on all sizes.

Laminate Panel - 36" High*

LAMINATE PANELS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
DLP3620	.68 x 14.8 x 36	70	13	.60	\$146
DLP3624	.68 x 18.9 x 36	65	16	.70	\$161
DLP3629	.68 x 24.5 x 36	70	20	.90	\$197
DLP3630	.68 x 24.8 x 36	70	20	.90	\$197
DLP3636	.68 x 30.8 x 36	65	24	1	\$227
DLP3642	.68 x 36.8 x 36	65	28	1.20	\$262
DLP3648	.68 x 42.8 x 36	65	33	1.30	\$295
DLP3660	.68 x 54.8 x 36	65	41	1.60	\$339
DLP3666	.68 x 60.8 x 36	65	45	1.80	\$374
DLP3672	.68 x 66.8 x 36	65	50	1.90	\$411

Includes matching filler panel. Scoop option (SCP2) available, Add \$42. Ships 1 set per carton. Specify DLP3629 for panels placed along the depth side of a 30" deep worksurface.

- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (BLK) only.

DIVIDE POSTS
fi
1
1
Divide Post

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
DPOST12	1.68 x 1.68 x 12	70	2	.10	\$121	
DPOST18	1.68 x 1.68 x 18	70	2	.10	\$164	
DPOST24	1.68 x 1.68 x 24	60	3	.10	\$214	
DPOST30	1.68 x 1.68 x 30	60	4	.10	\$296	
DPOST36	1.68 x 1.68 x 36	70	4	.20	\$339	
DPOST42	1.68 x 1.68 x 42	65	5	.20	\$377	

For supporting panels. Includes one post mounting plate, one top cap, three cover strips, threaded rod and all mounting hardware. Installation templates are supplied with each project. Available in Black (BLK) or Tungsten (TUN), please specify.

- Requires 2 divide posts per panel
- Divide post is mounted 1.063" from worksurface edge.



DFS12	1.43 x .75 x 12	150	2	.50	\$67
DFS18	1.43 x .75 x 18	150	2	.50	\$67
DFS24	1.43 x .75 x 24	150	2	.50	\$67
DFS30	1.43 x .75 x 30	150	2	.50	\$71
DFS36	1.43 x .75 x 36	150	2	.50	\$71
DFS42	1.43 x .75 x 42	150	3	.60	\$71


Used to fill gap between divide post and an adjacent wall, wardrobe unit, or hutch. Ships 1 per carton. Black only.

Required Specifications
Laminate finish\*. Note: woodgrain finishes are horizontal on all sizes.

## TRANSACTION TOPS

#### DxWxH

- To order a radius end on one side of a transaction top, add the suffix "D" to the model number (ex. DATT30D). Add a 15% upcharge.
- To order a radius end on both sides of a transaction top, add the suffix "DD" to the model number (ex. DATT30DD). Add a 20% upcharge.
- Each radius end adds a 6" overhang per side (see illustrations below).




Transaction top is offset 6" from edge of worksurface in both directions.

Transaction top is offset 4" from the center of divider post towards the inside and 8" towards the outside.


## **Transaction Top Offset**

- 4" from the center of the Divider Post to the inside of worksurface
- 8" from the center of the Divider Post to the outside of worksurface



## Two Way Connector Transaction Top (DATT2W/DCTT2W)


Use with a corner worksurface to link transaction tops together.



#### Radius End Transaction Top - one side

STRAIGHT TRANSACTION TOPS

Add suffix "D" to model number for radius end on one side.



#### Radius End Transaction Top - two sides

WT/LBS.

Add suffix "DD" to model number for radius end on both sides.

LIST PRICE

\$451

CUBIC FT.

1.30

DATT14	12 x 14 x 1	65	7	.30	\$264
DATT18	12 x 18 x 1	70	8	.40	\$264
DATT20	12 x 20 x 1	70	9	.50	\$264
DATT23	12 x 23 x 1	70	10	.50	\$300
DATT24	12 x 24 x 1	70	10	.50	\$300
DATT29	12 x 29 x 1	70	12	.60	\$321
DATT30	12 x 30 x 1	70	12	.60	\$321
DATT36	12 x 36 x 1	70	14	.70	\$339
DATT42	12 x 42 x 1	70	16	.80	\$358
DATT48	12 x 48 x 1	70	18	.90	\$358
DATT54	12 x 54 x 1	70	21	1	\$404
DATT60	12 x 60 x 1	70	23	1.10	\$404
DATT66	12 x 66 x 1	70	25	1.20	\$451

12 x 72 x 1

**DIMENSIONS** 

FREIGHT CLASS

70



Straight Transaction Top - 1" thick

12" deep x 1" thick top. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

27

- Add "D" to model number for radius end on one side, ADD 15% upcharge.
- Add "DD" to model number for radius end on both sides, ADD 20% upcharge.
- Each radius adds 6" overhang per side.

**Required Specifications** 

Laminate Finish Edge Detail

MODEL#

DATT72

**Optional Specifications** 

Radius End

1	
	1

TRANSACTION TOPS

Straight Transaction Top - 11/2" thick

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
DCTT14	12 x 14 x 1.5	60	9	.30	\$367	
DCTT18	12 x 18 x 1.5	65	11	.40	\$367	
DCTT20	12 x 14.8 x 1.5	65	12	.50	\$367	
DCTT23	12 x 23 x 1.5	65	14	.50	\$426	
DCTT24	12 x 18.9 x 1.5	65	14	.50	\$426	
DCTT29	12 x 24.5 x 1.5	65	17	.60	\$453	
DCTT30	12 x 30 x 1.5	65	17	.60	\$453	
DCTT36	12 x 36 x 1.5	65	20	.70	\$475	
DCTT42	12 x 42 x 1.5	65	23	.80	\$475	
DCTT48	12 x 48 x 1.5	65	26	.90	\$475	
DCTT54	12 x 54 x 1.5	65	29	1	\$540	
DCTT60	12 x 60 x 1.5	65	32	1.10	\$540	
DCTT66	12 x 66 x 1.5	65	35	1.20	\$591	
DCTT72	12 x 72 x 1.5	65	38	1.30	\$591	

12" deep x 1½" thick top. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

- Add "D" to model number for radius end on one side, ADD 15% upcharge.
- Add "DD" to model number for radius end on both sides, ADD 20% upcharge.
- Each radius adds 6" overhang per side.

GALLERY CORNER TRANSACTIO
36187

Gallery Corner Transaction Top - 1" thick

N TOPS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
DA1GC36	36 x 36 x 1	125	32	5	\$806	
DA1GC42	42 x 42 x 1	150	38	6.50	\$806	

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

• Woodgrain runs in one direction.



Gallery Corner Transaction Top -  $1\frac{1}{2}$ " thick

DC1GC36	36 x 36 x 1.5	100	43	5	\$1003	
DC1GC42	42 x 42 x 1.5	125	50	6.50	\$1003	

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

Woodgrain runs in one direction.

2 PIECE GALLERY CORNER TRANSACTION T	OPS

2 Piece Gallery Corner	
Transaction Ton - 1" thick	

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
DA2GC36	36 x 36 x 1	70	29	1.90	\$572	
DA2GC42	42 x 42 x 1	70	33	1.90	\$572	

Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

• Woodgrain runs in two directions.


Required	Specifications
Laminate F	inish

Radius End (DCTT models)

**Optional Specifications** 

Laminate Finis Edge Detail

# DIVIDE™



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
DC2GC36	36 x 36 x 1.5	70	39	1.90	\$768	
DC2GC42	42 x 42 x 1.5	65	45	1.90	\$768	

# 2 Piece Gallery Corner Transaction Top - 1½" thick

Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

• Woodgrain runs in two directions.

Z-WAY	CUNNEC	UK IKAN	ISACTION	iurs

2-Way Connector Transaction Top - 1" thick



Used as a corner piece to link two transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

· Woodgrain runs diagonally.

12 x 12 x 1.5

DCTT2W



2-Way Connector Transaction Top - 1½" thick

65

7


.30

\$422

Used as a corner piece to link two transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

• Woodgrain runs diagonally.

# 4-WAY CONNECTOR TRANSACTION TOPS



4-Way Connector Transaction Top - 1" thick

DATT4W	12 x 12 x 1	65	8	.30	\$385	

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

Woodgrain runs diagonally.



4-Way Connector Transaction Top - 1½" thick

DCTT4W	12 x 12 x 1.5	60	10	.30	\$494

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

• Woodgrain runs diagonally.

# **Required Specifications**

Laminate Finish Edge Detail


# personal storage



Sidebar Storage

456





Sidebar storage is well suited to the modern workplace. Fun, unique and functional storage items provide personal touches to the workspace all while maintaining a practical appeal.

# **Features and Benefits**

- All surfaces are 1" thick, constructed of 45 lb. density particle board covered on both sides with high performance thermally fused laminate.
- Surfaces available in four detail options.
- Tapered feet feature adjustable glides and can be painted in Black (BLK) or Tungsten (TTU).
- Tiered storage enhances the visuals of any office setting



Foot options



Stack-on storage



Low credenza storage with cushion

# **GENERAL INFORMATION**

- SideBar is a great complement to Bungee & Bungee SL training tables as well as Zira Desking.
- High pressure tops are available on all SideBar laminates at an extended lead time please refer to model # for availability and pricing.
- For environmental certifications, please visit globalfurnituregroup.com

#### CONSTRUCTION

- Tops are 1" thick, available in a variety of edge details
- All finishes feature edging in matching color (i.e. wood grain surfaces feature edging with matching printed wood grain
- High pressure tops are available in all SideBar laminate finishes at an extended lead time. Please see model # for availability and pricing
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### **STORAGE**

- Tops of all storage units are 1" thick, available in a variety of edge details
- Drawer and open cavity heights are built on a common module of 13.5". In open cavities, this height accommodates standard size binders.
- All lateral files feature a foolproof interlock device
- 75 lb. box 150 lb. file drawer weight capacity with full height sides. Pencil tray included in box drawer.
- All storage is standard with handles unless otherwise noted
- All drawers are locking unless otherwise noted
- · All shelves are fixed

#### CONSTRUCTION

- Constructed of 45 lb. density particleboard covered on both sides with high performance thermally fused laminate
- Levelling glides are standard on all floor units
- Premium full extension progressive ball bearing slides on file drawers and box drawers
- All drawer fronts are edge banded on all four sides

# **FEET**

- Levelers adjust up to 1".
- Storage unit feet will coordinate with handle finish (brass handles will default to Black (BLK) feet).
- If no handle selection is available, legs and feet are available in Tungsten (TTU) or Black (TBL)

## LOCKS

• Locks are standard on all storage modules unless otherwise noted. Lock finish will coordinate with handle finish (brass handles will default to Black [BK] locks).

# **SHIPPING**

 Most items are shipped assembled, 1 per carton, unless otherwise noted. Items are easy to assemble

globalfurnituregroup.com global

# 1. SPECIFY MODEL NUMBER

## 2. SPECIFY FINISH

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

# Edge:

Split color edge with Black Trim AB AS Split color edge with Silver Trim Standard edge

**A3** AR Bicut edge

#### Feet:

Storage Feet are available in Tungsten (TTU) or Black (TBL).

# 3. SPECIFY OPTIONS

# **EDGE OPTIONS**



A3 - square corner, standard edge



AR - square corner, bicut edge



AS - square corner, Silver



AB - square corner, Black

• Handles are standard on most drawers/storage modules. All other drawers, including mobile and hanging pedestals, can be ordered with a choice of nine handle options to be factory installed. Each handle is identified by the letters "HU", "HV", "HW", "HX" "HS", "HZ", "HO", "HQ", and "HR". To specify a handle, please specify the code after the model number. To order a handle as an option, please specify the code when ordering. List Price is \$47.





**HW** Flared Brass

**HX** Flared Black










**HU** Square Edge Black



**HZ** Dimpled Nickel

**HQ** Bar Silver

**HR** Bar Black




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
S1619MP	19 x 16 x 25	85	76	6	\$989	n/a	
S1623MP	23 x 16 x 25	92.5	82	7	\$1028	n/a	

Box/File drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Pedestal top is inset within side panels. Includes counterweight to prevent tipping. Drawers are locking. Handles are standard. Only front casters are locking.

• File drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

MOBILE PEDESTAL	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	0114545		105						****
	CU1517	17 x 15 x 1.5	125	6	.90	1	\$145	/	\$414
						2	\$188	8	\$507
						3	\$217	9	\$579
						4	\$263	10	\$657
						5	\$325	11	\$820
						6	\$357	12	\$998
^									
	CU1520	20 x 15 x 1.5	70	1	1	1	\$156	7	\$423
						2	\$196	8	\$517
						3	\$226	9	\$588
						4	\$273	10	\$667
						5	\$336	11	\$831
<b>V</b>						6	\$365	12	\$1008



**Cushion for Mobile Pedestals\*\*** 

Cushion attaches with Velcro strips.


• CU1517 for use on S1619MP. CU1520 for use on S1623MP.

# Required Specifications Top finish\*


Drawer front finish\* Handles\* Fabric\*\*

# S SI


# SIDEBAR STORAGE




Low Bookcase



2 High Bookcase



3 High Bookcase



4 High Bookcase



2 High Lateral File



3 High Lateral File

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						_
S3012A0	12 x 30 x 22.85	125	49	7	\$618	n/a	
S3612A0	12 x 36 x 22.85	125	61	8.25	\$715	n/a	

Open bookcases accommodate binders in every cavity. One fixed shelf. 36"w units feature a fixed vertical divider.

S3012D0	12 x 30 x 36.35	125	77	10.50	\$853	n/a
S3612D0	12 x 36 x 36.35	125	94	12.50	\$989	n/a

Open bookcases accommodate binders in every cavity. Two fixed shelves. 36"w units feature a fixed vertical divider. Matches Tier 2.

S3012F0	12 x 30 x 49.85	125	102	14	\$1028	n/a
S3612FOL	12 x 36 x 49.85	125	127	16.50	\$1218	n/a
S3612FOR	12 x 36 x 49.85	125	127	16.50	\$1218	n/a

Open bookcases accommodate binders in every cavity. Three fixed shelves. 36"w units feature a fixed vertical divider. Matches Tier 3

S3012H0	12 x 30 x 63.35	125	129	17.50	\$1218	n/a
S3612H0L	12 x 36 x 63.35	125	161	20.75	\$1467	n/a
S3612HOR	12 x 36 x 63.35	125	161	20.75	\$1467	n/a

Open bookcases accommodate binders in every cavity. Four fixed shelves. 36"w units feature a fixed vertical divider. Matches Tigr 4

S3020DZ	20 x 30 x 36.35	100	142	16.50	\$1668	n/a
S3024DZ	24 x 30 x 36.35	125	149	19.50	\$1760	n/a
S3620DZ	20 x 36 x 36.35	125	153	19.50	\$1805	n/a
S3624DZ	24 x 36 x 36.35	125	168	23.35	\$1902	n/a

Two file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 2.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

S3020FZ	20 x 30 x 49.85	100	191	22	\$2051	n/a
S3024FZ	24 x 30 x 49.85	125	198	26	\$2158	n/a
S3620FZ	20 x 36 x 49.85	125	203	26	\$2223	n/a
S3624FZ	24 x 36 x 49.85	125	221	31	\$2340	n/a

Three file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 3.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

# **Required Specifications**

Top finish
Top/edge detail
Base finish
Drawer Front Finish (Units w/doors)

Handles Leg Finish (Bookcases only) Shelf Finish (Open Units)



3 High Lateral File - Open

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
S3020HZ	20 x 30 x 63.35	100	239	27.50	\$2524	n/a	
S3024HZ	24 x 30 x 63.35	125	246	32.50	\$2645	n/a	
S3620HZ	20 x 36 x 63.35	125	253	32.75	\$2733	n/a	
S3624HZ	24 x 36 x 63.35	125	275	38.75	\$2868	n/a	

Three file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 4.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

20 x 30 x 36.35	125	122	16.50	\$1295	n/a
24 x 30 x 36.35	125	139	19.50	\$1395	n/a
20 x 36 x 36.35	125	151	19.50	\$1519	n/a
24 x 36 x 36.35	125	173	23	\$1656	n/a
	24 x 30 x 36.35 20 x 36 x 36.35	24 x 30 x 36.35 125 20 x 36 x 36.35 125	24 x 30 x 36.35 125 139 20 x 36 x 36.35 125 151	24 x 30 x 36.35 125 139 19.50 20 x 36 x 36.35 125 151 19.50	24 x 30 x 36.35 125 139 19.50 <b>\$1395</b> 20 x 36 x 36.35 125 151 19.50 <b>\$1519</b>

Laminate doors are standard. Handles are standard. Two fixed shelves. Standard with lock. Matches Tier 2.

S3020FX	20 x 30 x 49.85	125	167	22	\$1605	n/a
S3024FX	24 x 30 x 49.85	125	190	26	\$1732	n/a
S3620FX	20 x 36 x 49.85	100	209	23.75	\$1902	n/a
S3624FX	24 x 36 x 49.85	125	238	30.75	\$2082	n/a

Laminate doors are standard. Handles are standard. Three fixed shelves. Standard with lock. Matches Tier 3.

S3020HX	20 x 30 x 63.35	125	212	27.50	\$1923	n/a
S3024HX	24 x 30 x 63.35	125	241	32.50	\$2086	n/a
S3620HX	20 x 36 x 63.35	100	266	32.50	\$2340	n/a
S3624HX	24 x 36 x 63.35	125	303	38.50	\$2549	n/a


Laminate doors are standard. Handles are standard. Includes four fixed shelves. Standard with lock. Matches Tier 4.

	^
$\langle \cdot \rangle$	
K	

2 High Storage Cabinet



3 High Storage Cabinet




**4 High Storage Cabinet** 

Required Specifications
Top finish
Top/edge detail Base finish Door / Drawer Front Finish

Handles

# SIDEBAR STORAGE



Low Credenza - Lateral Drawer

left

right

Low Credenza - Lateral Drawer

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
S4220ASL	20 x 42 x 22.85	125	110	15	\$1245	\$200
S4224ASL	24 x 42 x 22.85	125	123	17.50	\$1335	\$234
S4820ASL	20 x 48 x 22.85	125	121	17	\$1347	\$234
S4824ASL	24 x 48 x 22.85	125	136	20	\$1440	\$264
S4220ASR	20 x 42 x 22.85	125	110	15	\$1245	\$200
S4224ASR	24 x 42 x 22.85	125	123	17.50	\$1335	\$234
S4820ASR	20 x 48 x 22.85	125	121	17	\$1347	\$234
S4824ASR	24 x 48 x 22.85	125	136	20	\$1440	\$264

Lateral file drawer is standard on one side, open cavity on the other. Handles are standard. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 42"w cabinet has a 30"w lateral drawer.
- 48"w cabinet has a 36"w lateral drawer.
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

S6020ASL	20 x 60 x 22.85	125	138	21	\$1484	\$299
S6024ASL	24 x 60 x 22.85	125	156	24.75	\$1588	\$331
S7220ASL	20 x 72 x 22.85	125	159	20.75	\$1656	\$331
S7224ASL	24 x 72 x 22.85	125	179	25	\$1764	\$396
S6020ASR	20 x 60 x 22.85	125	138	21	\$1484	\$299
S6024ASR	24 x 60 x 22.85	125	156	24.75	\$1588	\$331
S7220ASR	20 x 72 x 22.85	125	159	20.75	\$1656	\$331
S7224ASR	24 x 72 x 22.85	125	179	25	\$1764	\$396

Lateral file drawer is standard on one side, open cavity on the other. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 60"w cabinet has a 30"w lateral drawer.
- 72"w cabinet has a 36"w lateral drawer.
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

MEDIUM CREDENZAS	

Medium Credenza - Box/File

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
C2020D7	20 20 20 0	100	110	10.75	64222	64.07	
S3020BZ S3024BZ	20 x 30 x 29.6 24 x 30 x 29.6	100 125	113 126	13.75 16.25	\$1322 \$1407	\$167 \$167	
S3620BZ	20 x 36 x 29.6	125	128	16.25	\$1407 \$1446	\$167	
S3624BZ	24 x 36 x 29.6	100	142	16.25	\$1532	\$200	
OOOL IDE	2 1 N 00 N 2010	.00			V	<del>+</del>	

Wide box and lateral file. Handles are standard. Lock secures both drawers.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.



Medium Credenza w/Lateral File

S3020BY	20 x 30 x 29.6	100	116	13.75	\$1255	\$167
S3024BY	24 x 30 x 29.6	100	131	16.25	\$1354	\$167
S3620BY	20 x 36 x 29.6	100	132	16.25	\$1382	\$167
S3624BY	24 x 36 x 29.6	100	149	16.75	\$1484	\$200

Handles

Open cavity and lateral file. Handles are standard. Standard with lock.


• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

Required	Specifications	

Top finish
Top/edge detail
Base finish
Door/drawer front finish

Optional Specifications

HP laminate




Medium Credenza - Box/Lateral File

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
S4220BSL	20 x 42 x 29.6	125	142	18.75	\$1564	\$200
S4224BSL	24 x 42 x 29.6	125	160	22	\$1668	\$234
S4820BSL	20 x 48 x 29.6	125	155	21.25	\$1695	\$234
S4824BSL	24 x 48 x 29.6	125	173	25	\$1805	\$264
S4220BSR	20 x 42 x 29.6	125	142	18.75	\$1564	\$200
S4224BSR	24 x 42 x 29.6	125	160	22	\$1668	\$234
S4820BSR	20 x 48 x 29.6	125	155	21.25	\$1695	\$234
S4824BSR	24 x 48 x 29.6	125	173	25	\$1805	\$264

Wide box and lateral file is standard on one side, open cavity with fixed shelf on the other. Handles are standard. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 42"w credenza has a 30"w box/lateral file
- 48"w credenza has a 36"w box/lateral file
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.



**Medium Credenza - Mixed Drawers** 

S4220B0L	20 x 42 x 29.6	100	165	18.75	\$1989	\$200
S4224BQL	24 x 42 x 29.6	100	184	22	\$2112	\$234
S4820BQL	20 x 48 x 29.6	100	179	21.25	\$2116	\$234
S4824BQL	24 x 48 x 29.6	100	184	22	\$2112	\$264
S4220BQR	20 x 42 x 29.6	100	165	18.75	\$1989	\$200
S4224BQR	24 x 42 x 29.6	100	184	22	\$2112	\$234
S4820BQR	20 x 48 x 29.6	100	179	21.25	\$2116	\$234
S4824BQR	24 x 48 x 29.6	100	184	22	\$2112	\$264

Box/file is standard on one side, open cavity and lateral file on the other side. Specify left or right handed. Handles are standard. Standard with locks. Front-to-back and side-to-side letter/legal filing capability.

- 42"w credenza has a 30"w lateral drawer
- 48"w credenza has a 36"w lateral drawer
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.


Handles

|--|

Top finish Top/edge detail Base finish Door/drawer front finish **Optional Specifications** 

HP laminate

# SIDEBAR STORAGE



Stack-On Bookcase w/Collators\*\*

Stack-On Bookcases

12"w

Stack-On Bookcases

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						_
S1214A0	14.3 x 12 x 13.5	92.5	23	2.20	\$247	n/a	
S2414A0	14.3 x 24 x 13.5	100	37	4	\$375	n/a	
S3014A0	14.3 x 30 x 13.5	100	41	5	\$415	n/a	
S3614A0	14.3 x 36 x 13.5	125	46	5.90	\$453	n/a	

Designed to be placed on top of credenzas. Open cavity. Unit rests directly on credenza top.

• Sxx14AO Stack-On bookcases add 1 tier when placed on any storage unit.

S1214B0	14.3 x 12 x 20.25	92.5	35	3.10	\$356	n/a
S2414B0	14.3 x 24 x 20.25	92.5	59	5.75	\$586	n/a
S3014B0	14.3 x 30 x 20.25	100	68	7	\$656	n/a
S3614B0	14.3 x 36 x 20.25	100	77	8.50	\$754	n/a


Designed to be placed on top credenzas. Open cavitiy with collator below. Unit rests directly on credenza top.

• Sxx14BO Stack-On bookcases add 1.5 tiers when placed on any storage unit.

S1214D0	14.3 x 12 x 27	92.5	41	4	\$401	n/a
S2414D0	14.3 x 24 x 27	100	68	7.50	\$630	n/a
S3014D0	14.3 x 30 x 27	100	76	9.25	\$691	n/a
S3614D0	14.3 x 36 x 27	125	85	11	\$767	n/a

Designed to be placed on top of credenzas. Open cavities with fixed shelf. Unit rests directly on credenza top.

• Sxx14D0 Stack-On bookcases add 2 tiers when placed on any storage unit.



24" - 36"w

24" - 36"w

24" - 36"w

Stack-On Storage Cabinet\*

S1215DTL	15 x 12 x 27	92.5	47	4.20	\$526	n/a
S1215DTR	15 x 12 x 27	92.5	47	4.20	\$526	n/a
S2415DT	15 x 24 x 27	92.5	79	7.75	\$880	n/a
S3015DT	15 x 30 x 27	100	91	9.50	\$964	n/a
S3615DT	15 x 36 x 27	100	103	11.25	\$1075	n/a

Designed to be placed on top of credenzas. Laminate doors are standard. Includes fixed shelf. For 12"w units specify left or right handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15DT/DTL/DTR Stack-On storage cabinets add 2 tiers when placed on any storage unit.

		left
24" - 36"W	42"w	right

Stack-On Mixed Storage Cabinet\*

S2415DNL	15 x 24 x 27	100	73	7.75	\$754	n/a
S3015DNL	15 x 30 x 27	100	83	9.50	\$828	n/a
S3615DNL	15 x 36 x 27	100	94	11.25	\$925	n/a
S4215DNL	15 x 42 x 27	100	117	13	\$1183	n/a
S2415DNR	15 x 24 x 27	100	73	7.75	\$754	n/a
S3015DNR	15 x 30 x 27	100	83	9.50	\$828	n/a
S3615DNR	15 x 36 x 27	100	94	11.25	\$925	n/a
S4215DNR	15 x 42 x 27	100	117	13	\$1183	n/a


Designed to be placed on top of credenzas. Laminate doors are standard on one side with one fixed shelf. Open cavity with one fixed shelf on the other side. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15DNL/DNR Stack-On mixed storage cabinets add 2 tiers when placed on any storage unit.

# **Required Specifications**

Top finish
Top/edge detail
Base finish
Door/drawer front finish\*

Handles\* Collator finish\*\*




Stack-On Bookcase w/Collators

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
S1214E0	14.3 x 12 x 33.7	5 92.5	53	5	\$520	n/a	
S2414E0	14.3 x 24 x 33.7	5 100	90	9.25	\$859	n/a	
S3014E0	14.3 x 30 x 33.7	5 100	102	11.25	\$951	n/a	
S3614E0	14.3 x 36 x 33.7	5 100	115	13.25	\$1079	n/a	

Designed to be placed on top of credenzas. Open cavities with one fixed shelf and collator below. Unit rests directly on credenza top.

• Sxx14EO Stack-On bookcases add 2.5 tiers when placed on any storage unit.




Stack-On Closed Storage\*
Cabinet w/Collators

S1215ETL S1215ETR	15 x 12 x 33.75 15 x 12 x 33.75	92.5 92.5	59 59	5.25 5.25	\$643 \$643	n/a n/a
S2415ET	15 x 24 x 33.75	92.5	102	9.50	\$1101	n/a
S3015ET	15 x 30 x 33.75	100	117	11.75	\$1218	n/a
S3615ET	15 x 36 x 33.75	100	133	14	\$1382	n/a

Designed to be placed on top of credenzas. Laminate doors are standard with one fixed shelf and collator below. For 12"w units specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15ET/ETL/ETR Stack-On storage cabinets add 2.5 tiers when placed on any storage unit.




Stack-On Mixed Storage\*
Cabinet w/Collators

S2415ENL	15 x 24 x 33.75	92.5	96	9.50	\$977	n/a
S3015ENL	15 x 30 x 33.75	100	110	11.75	\$1087	n/a
S3615ENL	15 x 36 x 33.75	100	124	14	\$1231	n/a
S4215ENL	15 x 42 x 33.75	100	154	16	\$1536	n/a
S2415ENR	15 x 24 x 33.75	92.5	96	9.50	\$977	n/a
S3015ENR	15 x 30 x 33.75	100	110	11.75	\$1087	n/a
S3615ENR	15 x 36 x 33.75	100	124	14	\$1231	n/a
S4215ENR	15 x 42 x 33.75	100	154	16	\$1536	n/a

Designed to be placed on top of credenzas. Laminate doors are standard on one side with one fixed shelf.

Open cavities on the other side, with one fixed shelf and collator below. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15ENL/ENR Stack-On mixed storage cabinets add 2.5 tiers when placed on any storage unit.



Stack-On Bookcases

S1214F0	14.3 x 12 x 40.5	100	59	6	\$560	n/a
S2414F0	14.3 x 24 x 40.5	100	98	10.75	\$873	n/a
S3014F0	14.3 x 30 x 40.5	100	110	13.25	\$956	n/a
S3614F0	14.3 x 36 x 40.5	125	123	15.75	\$1061	n/a

Designed to be placed on top of credenzas. Open cavities with two fixed shelves. Unit rests directly on credenza top.


• Sxx14FO Stack-On bookcases add 3 tiers when placed on any storage unit.

# **Required Specifications**


Top finish
Top/edge detail
Base finish
Door/drawer front finish\*

Handles\* Collator finish


# **S** SIDEBAR STORAGE



**Stack-On Storage Cabinet** 



**Stack-On Mixed Storage Cabinet** 



**Stack-On Wardrobe Cabinet** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
S1215FTL	15 x 12 x 40.5	92.5	68	6.25	\$715	n/a
S1215FTR	15 x 12 x 40.5	92.5	68	6.25	\$715	n/a
S2415FT	15 x 24 x 40.5	92.5	116	11.25	\$1193	n/a
S3015FT	15 x 30 x 40.5	100	132	14	\$1308	n/a
S3615FT	15 x 36 x 40.5	100	150	16.50	\$1458	n/a

Designed to be placed on top of credenzas. Laminate doors are standard, with two fixed shelves. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15FT/FTL/FTR Stack-On storage cabinets add 3 tiers when placed on any storage unit.

S2415FNL	15 x 24 x 40.5	100	107	11.25	\$1034	n/a
S3015FNL	15 x 30 x 40.5	100	121	14	\$1132	n/a
S3615FNL	15 x 36 x 40.5	100	137	16.50	\$1264	n/a
S4215FNL	15 x 42 x 40.5	100	171	19	\$1616	n/a
S2415FNR	15 x 24 x 40.5	100	107	11.25	\$1034	n/a
S3015FNR	15 x 30 x 40.5	100	121	14	\$1132	n/a
S3615FNR	15 x 36 x 40.5	100	137	16.50	\$1264	n/a
S4215FNR	15 x 42 x 40.5	100	171	19	\$1616	n/a

Designed to be placed on top of credenzas. Laminate doors are standard on one side, with two fixed shelves. Open cavities on the other side, with two fixed shelves. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15FNL/FNR Stack-On mixed storage cabinets add 3 tiers when placed on any storage unit.

S1224FTL	24 x 12 x 40.5	100	83	9.50	\$845	n/a
S1224FTR	24 x 12 x 40.5	100	83	9.50	\$845	n/a
31224FIN	Z4 X 1Z X 4U.5	100	83	9.50	<b>Ģ</b> 040	II/a

Designed to be placed on top of credenzas. Laminate doors are standard. Includes hanging rod. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• S1224FTL/FTR Stack-On wardrobe cabinets add 3 tiers when placed on any storage unit.

**Required Specifications** 

Top finish
Top/edge detail
Base finish
Door/drawer front finish

Handles

# wellness solutions



Wellness Solutions

402



# **WELLNESS SCREENS**

# **WELLNESS SOLUTIONS**

LAMINATE PANELS	MODEL#	DIMENSIONS	FREIGH	T CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
Surface mounted wellness guard provi	des a physical divider	DxWxH	Lamina	ate Finish	es (for GCI	BMSGxxxxLP	r):
• Acrylic glazing is clear and support rai	ls are painted Designer White (DV	VT).	ACJ	Absolute	e Acajou	DES	Dark Espresso
• Kit includes all hardware to install on	an existing surface		ASN	Asian N	ight	DWT	Designer White
Aluminum extruded posts			AWC	Avant Cl	herry	MTD	Quartered Mahogany
			AWH	Avant H	oney	SOG	Storm Grey
			BLK	Black		WHE	Walnut Heights
			BRC	Brushed	Cobalt	WHC	White Chocolate
			CMB	Clear M	aple	WCR	Winter Cherry

WELLNESS SCREENS

# **Wellness Screen - Clamp Mount**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
GCTCSG3636LP	3 x 36 x 36	300	20.20	2.92	\$608	
GCTCSG3648LP	3 x 48 x 36	300	22.80	3.98	\$756	
GCTCSG3636W	3 x 36 x 36	300	20.20	2.92	\$624	
GCTCSG3648W	3 x 48 x 36	300	22.80	3.98	\$773	

Includes clamp mount brackets, for use with existing worksurface or transaction top. Select model ending in **LP** for tops up to 1-1/8" thick or **W** for tops up to  $1 \frac{1}{2}$ " thick

GCBRMSG3636LP	5 x 36 x 36	300	20.20	2.92	\$608
GCBRMSG3648LP	5 x 48 x 36	300	22.80	3.98	\$756



**Wellness Screen - Surface Mount** 

Includes flat face surface mounting brackets, for use with existing worksurface or transaction top.



Wellness Screen - Freestanding\*

GCBMSG3636LP	12 x 36 x 36	250	28.45	2.92	\$674
GCBMSG3648LP	12 x 48 x 36	250	34.17	3.98	\$867

12"D, board mounted. Available in all standard Global laminate finishes.



**Wellness Screen - Under Mount** 

GCAMSG3636LP	2 x 36 x 36	300	20.20	2.92	\$497	
GCAMSG3648LP	2 x 48 x 36	300	22.80	3.98	\$646	

No mounting hardware included; drilling required. For use with existing worksurface or transaction top.



Wellness Screen - Tri-Fold

Sold individually:						
GCFSGS1618-1	15 x 18 x 15.75	150	5.15	0.97	\$493	
GCFSGA1923-1	15.75 x 23 x 19	92.5	7.30	0.67	\$566	
Sold in packs of 5:						
GCFSGS1618-5	15 x 18 x 15.75	150	25.75	4.86	\$2353	
GCFSGA1923-5	15 75 x 23 x 19	92 5	36 50	3.37	\$2727	

Self-supported tri-fold wellness screens create a physical divider. Lightweight and foldable for easy transport or storage.

- Acrylic glazing is 3mm with clear finish. Includes non-marring base bumpers and integrated handles.
- Models ending in -1 are a single unit, individually packed
- Models ending in -5 are a bundle of 5 units, bulk packed.

# **Required Specifications**


Finish

W


FREESTANDING DIVIDERS - FELT MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

D x W x H

- Divide space with flexibility.
- Lightweight and easy to clean partitions
- Minimal footprint for storage
- Fluted solid white polypropylene screens are surrounded by a 0.5" x 2.5" powder coated aluminum frame in Designer White (**DWT**) or Tungsten (**TUN**)
- Charcoal soft touch radius end trim
- 7" panel opening at panel bottom for easy cleaning and cable pass-through
- Includes all connecting hardware and 1" leveling glide
- Stations are 60" wide by 42" deep by 66" high.



Felt Screen - Flat Feet



**Felt Screen - Casters** 



Shared Divider Felt Screen

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
GCUPFSF5442	20 x 42 x 51.75	400	21.8	25.16	\$787
GCUPFSF5448	20 x 48 x 51.75	400	22.54	28.75	\$800
GCUPFSF5460	20 x 60 x 51.75	400	24.03	35.94	\$981
GCUPFSF6042	20 x 42 x 57.75	400	22.57	28.07	\$806
GCUPFSF6048	20 x 48 x 57.75	400	23.3	32.08	\$812
GCUPFSF6060	20 x 60 x 57.75	400	24.87	40.1	\$994
GCUPFSF7242	20 x 42 x 69.75	400	24.06	33.91	\$986
GCUPFSF7248	20 x 48 x 69.75	400	24.88	38.75	\$999
GCUPFSF7260	20 x 60 x 69.75	400	29.79	48.44	\$1252

Provides privacy and room separation. PET felt screen with steel flat feet. 60" wide divider has a crossbar in the middle.

GCUPMSF5442	20 x 42 x 52.05	400	22.98	25.3	\$1064
GCUPMSF5448	20 x 48 x 52.05	400	23.72	28.92	\$1077
GCUPMSF5460	20 x 60 x 52.05	400	25.21	36.15	\$1246
GCUPMSF6042	20 x 42 x 58.05	400	23.75	28.22	\$1084
GCUPMSF6048	20 x 48 x 58.05	400	24.51	32.25	\$1097
GCUPMSF6060	20 x 60 x 58.05	400	26.05	40.31	\$1265
000110000	20 X 00 X 30.03	400	20.00	70.01	ψ1203
0011014057040			0= 0.	0.4.05	****
GCUPMSF7242	20 x 42 x 70.05	400	25.24	34.05	\$1258
GCUPMSF7248	20 x 48 x 70.05	400	26.06	38.92	\$1265
GCUPMSF7260	20 x 60 x 70.05	400	30.97	48.65	\$1499

Provides privacy and room separation. PET felt screen with steel feet with casters. 60" wide divider has a crossbar in the middle.

GCUPSHF5448	20 x 48 x 53.57	400	18.06	29.76	\$657
GCUPSHF5454	20 x 54 x 53.57	400	18.8	33.48	\$747
GCUPSHF6048	20 x 48 x 59.57	400	18.84	33.09	\$702
GCUPSHF6054	20 x 54 x 59.57	400	19.6	37.23	\$922

Provides privacy and divides space for workstations. Divider stands on the floor and sits on the worksurface. Has no mechanical connection to any surface. Lightweight and easy to clean and move. PET felt screen with steel flat foot. 60" wide divider has a crossbar in the middle. Extendes 24" from the worksurface. Sits 24" or 30" above worksurface.


**Required Specifications** 

Frame/ foot finish

PET felt

# FREESTANDING DIVIDERS

# UNIVERSAL PRIVACY PANELS



FREESTANDING DIVIDERS - GLASS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
GCUPFSG5424	20 x 24 x 51.75	250	30.83	14.38	\$896
GCUPFSG5430	20 x 30 x 51.75	300	34.95	17.97	\$974
GCUPFSG5436	20 x 36 x 51.75	300	39.07	21.56	\$1050
GCUPFSG5442	20 x 42 x 51.75	300	43.19	25.16	\$1128
GCUPFSG5448	20 x 48 x 51.75	300	47.31	28.75	\$1206
GCUPFSG5460	20 x 60 x 51.75	300	55.56	35.94	\$1360
GCUPFSG6024	20 x 24 x 57.75	250	33.11	16.04	\$950
GCUPFSG6030	20 x 30 x 57.75	300	37.74	20.05	\$1034
GCUPFSG6036	20 x 36 x 57.75	300	42.36	24.06	\$1119
GCUPFSG6042	20 x 42 x 57.75	300	46.99	28.07	\$1204
GCUPFSG6048	20 x 48 x 57.75	300	51.61	32.08	\$1290
GCUPFSG6060	20 x 60 x 57.75	300	60.86	40.1	\$1459

Provides privacy and room separation. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat feet.

• For frosted glass (FRST), add 20%.



**Glass Screen - Casters** 

GCUPMSG5424	20 x 24 x 52.05	250	31.99	14.46	\$1284	
GCUPMSG5430	20 x 30 x 52.05	300	36.11	18.07	\$1361	
GCUPMSG5436	20 x 36 x 52.05	300	40.24	21.69	\$1438	
GCUPMSG5442	20 x 42 x 52.05	300	44.36	25.3	\$1515	
GCUPMSG5448	20 x 48 x 52.05	300	48.48	28.92	\$1592	
GCUPMSG5460	20 x 60 x 52.05	300	56.72	36.15	\$1747	
GCUPMSG6024	20 x 24 x 58.05	250	34.28	16.13	\$1337	
GCUPMSG6030	20 x 30 x 58.05	300	38.9	20.16	\$1422	
GCUPMSG6036	20 x 36 x 58.05	300	43.53	24.19	\$1506	
GCUPMSG6042	20 x 42 x 58.05	300	48.15	28.22	\$1591	
GCUPMSG6048	20 x 48 x 58.05	300	52.78	32.25	\$1676	
GCUPMSG6060	20 x 60 x 58.05	300	62.03	40.31	\$1846	

Provides privacy and room separation. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat feet.

• For frosted glass (FRST), add 20%.



**Shared Divider Glass Screen** 

GCUPSHG5448	20 x 48 x 53.57	300	36.17	29.76	\$989
GCUPSHG5454	20 x 54 x 53.57	300	38.51	33.48	\$1034
GCUPSHG6048	20 x 48 x 59.57	300	40.52	33.09	\$1070
GCUPSHG6054	20 x 54 x 59.57	300	43.36	37.23	\$1122

Provides privacy and divides space for workstations. Divider stands on the floor and sits on the worksurface. Has no mechanical connection to any surface. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat foot. Extendes 24" from the worksurface. Sits 24" or 30" above worksurface.

• For frosted glass (FRST), add 20%.

**Required Specifications** 

Frame/foot finish

**Optional Specifications** 

Frosted glass (FRST)



LINKING PANELS MODEL# DIMENSIONS WT/LBS. LIST PRICE FREIGHT CLASS CUBIC FT. DxWxH

- Segmented panels offer a thermally fused laminate lower and high pressure upper pressed on a lightweight core
- Minimal footprint for storage
- · Easy to connect
- Easy to reconfigure
- Easy to clean
- Panels available in Designer White (DWT) or Absolute Acajou (ACJ) laminates
- Frames available in Designer White (**DWT**) or Tungsten (**TUN**)
- Width options: 36", 42", 48", 60" wide
- 66" high
- 1.3" thick.

LINKING PANELS - SEGMENTED	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DLSP6636 DLSP6642 DLSP6648 DLSP6660	1.3 x 36 x 66 1.3 x 42 x 66 1.3 x 48 x 66 1.3 x 60 x 66	92.5 92.5 92.5 85	35 41 47 59	3 3.46 3.93 4.90	\$845 \$869 \$886 \$1360	
Segmented Linking Panel*	footprint for stora	ge. Laminate core avai paint finish in Designe	lable in Designer V	Vhite ( <b>DWT</b> )	or Absolute Ac	ssed on a lightweight core. M ajou ( <b>ACJ</b> ). Aluminum extrusi nes complete with hinge kits	ion comes
	DLSPWS1830SCP	LP 18 x 30 x 1	60	15	.50	\$197	
Worksurface, for Segmented Panel**		e in Designer White ( <b>D</b>				nd features a scoop for cable ble in Designer White ( <b>DWE</b> )	
	DLSPHOMC	12 x 3 x 21	100	4	.42	\$154	
Worksurface Off-Module Cantilever*		ital rails of panels to pr igner White ( <b>DWT</b> ) or		support. Fre	es up space und	der the worksurface. Powder	coated
	DLSPHBRKT	3 x 2.25 x 0.75	70	.10	.05	\$14	
Worksurface Bracket*						supports worksurface at any inish in Designer White ( <b>DW</b>	

# Required Specifications Frame finish\*

Laminate finish\*\*

# LINKING PANELS

# open

# WELLNESS SOLUTIONS

LAMINATE LINKING PANELS MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

D x W x H

- · Laminate linking panels provide privacy.
- Standard height of 54" or 66", width in 6" increments from 24" to 60".
- Aluminum extrusion comes in powder coated paint finish: Designer White (DWT) or Tungsten (TUN).
- Laminate core offered in Designer White (**DWT**) or Absolute Acajou (**ACJ**).
- Edge banded to match laminate finish.
- Panels come complete with hinge kits

# **Planning Diagrams**

- When supported on one side (by 90° turn, supporting "T" legs or wall mounting), panels can run two long OR a maximum of 8'.
- When supported on both sides (by 90° turn, supporting "T" legs or wall mounting), panels can run three long OR a maximum of 13'.



DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT.


For longer, unsupported runs, panels must maintain a 135° angle (or less) to remain stable.

MODEL#

LAMINATE LINKING PANELS	MIUDEL#	DIMIENZIONZ	PREIGHT CLASS	WI/LDS.	CUBIC FI.	LIST PRICE
	DPL5424	1.3 x 24 x 54	92.5	18	1.62	\$642
	DPL5430	1.3 x 30 x 54	92.5	23	2.08	\$712
	DPL5436	1.3 x 36 x 54	92.5	27	2.47	\$783
	DPL5442	1.3 x 42 x 54	92.5	32	2.85	\$853
A	DPL5448	1.3 x 48 x 54	92.5	37	3.25	\$923
	DPL5454	1.3 x 54 x 54	92.5	42	3.63	\$995
	DPL5460	1.3 x 60 x 54	92.5	47	4.02	\$1065
	DPL6624	1.3 x 24 x 66	92.5	23	2.04	\$729
	DPL6630	1.3 x 30 x 66	92.5	29	2.52	\$806
	DPL6636	1.3 x 36 x 66	92.5	35	3	\$883
	DPL6642	1.3 x 42 x 66	92.5	41	3.46	\$960
	DPL6648	1.3 x 48 x 66	92.5	47	3.93	\$1039
	DPL6654	1.3 x 54 x 66	92.5	53	4.40	\$1117
	DPL6660	1.3 x 60 x 66	92.5	59	4.90	\$1193
	DPLSCH5424	1.3 x 24 x 54	92.5	18	1.62	\$769
	DPLSCH5430	1.3 x 30 x 54	92.5	23	2.08	\$844
	DPLSCH5436	1.3 x 36 x 54	92.5	27	2.47	\$918
	DPLSCH5442	1.3 x 42 x 54	92.5	32	2.85	\$992
A	DPLSCH5448	1.3 x 48 x 54	92.5	37	3.25	\$1065
	DPLSCH5454	1.3 x 54 x 54	92.5	42	3.63	\$1139
	DPLSCH5460	1.3 x 60 x 54	92.5	47	4.02	\$1213
	DPLSCH6624	1.3 x 24 x 66	92.5	23	2.04	\$855
	DPLSCH6630	1.3 x 30 x 66	92.5	29	2.52	\$938
	DPLSCH6636	1.3 x 36 x 66	92.5	35	3	\$1020
	DPLSCH6642	1.3 x 42 x 66	92.5	41	3.46	\$1100
	DPLSCH6648	1.3 x 48 x 66	92.5	47	3.93	\$1180
	DPLSCH6654	1.3 x 54 x 66	92.5	53	4.40	\$1292
	DPLSCH6660	1.3 x 60 x 66	92.5	59	4.90	\$1344
S Laminate Panel - Caster/Leveler	Single locking cast	er on one leg, leveler	on the other.			

**Required Specifications** 

Frame finish Laminate finish



**Required Specifications** 

Frame finish Laminate finish

# LINKING PANELS

LAMINA



# **WELLNESS SOLUTIONS**

PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		DxWxH				
	DPLDCHN5424	1.3 x 24 x 54	65	18	1.62	\$712
	DPLDCHN5430	1.3 x 30 x 54	70	23	2.08	\$775
	DPLDCHN5436	1.3 x 36 x 54	70	27	2.47	\$845
	DPLDCHN5442	1.3 x 42 x 54	70	32	2.85	\$911
	DPLDCHN5448	1.3 x 48 x 54	70	37	3.25	\$976
1	DPLDCHN5454	1.3 x 54 x 54	70	42	3.63	\$1044
	DPLDCHN5460	1.3 x 60 x 54	70	47	4.02	\$1111
	DPLDCHN6624	1.3 x 24 x 66	65	23	2.04	\$790
	DPLDCHN6630	1.3 x 30 x 66	70	29	2.52	\$865
	DPLDCHN6636	1.3 x 36 x 66	70	35	3	\$937
	DPLDCHN6642	1.3 x 42 x 66	70	41	3.46	\$1008
	DPLDCHN6648	1.3 x 48 x 66	70	47	3.93	\$1083
₫	DPLDCHN6654	1.3 x 54 x 66	70	53	4.40	\$1158
σ	DPLDCHN6660	1.3 x 60 x 66	70	59	4.90	\$1230

**Laminate Panel** Leveler/Double Caster



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
DPLWA54	2 x 2 x 54	70	2.3	0.13	\$167	
DPLWA66	2 x 2 x 66	65	3.5	0.15	\$190	

**Wall Connection** 

Connects linking panels to walls. Available in Designer White (DWT) or Tungsten (TUN) paint finish. Kit consists of vertical extrusion, charcoal PVC cover and hinge kits.



DPLEKIT	2 x 2 x 3	70	1	.05	\$291

**Expanding Kit** 

Connects two linking panels in a straight line. This kit will accommodate any special width by overlapping the panels. Available in Designer White (DWT) or Tungsten (TUN) paint finish. Kit consists of a top and bottom bracket and all necessary hardware.



DPDC01 1.3 x 3 x 6 60 2 .05 \$183

**Door and Door Catch Kit** 

Converts any linking panel into a door. Available in Designer White (DWT) or Tungsten (TUN) paint finish. Kit consists of striker plate, two hinge kits, single caster foot assembly and 1" caster.



DPLOP30         1.05 x 30 x 16.8         150         2.20         .49         \$179           DPLOP36         1.05 x 36 x 16.8         150         2.67         .59         \$209           DPLOP42         1.05 x 42 x 16.8         150         3.14         .70         \$231           DPLOP48         1.05 x 48 x 16.8         150         3.60         .80         \$345           DPLOP54         1.05 x 54 x 16.8         150         4.07         .90         \$373           DPLOP60         1.05 x 60 x 16.8         150         4.53         1.01         \$404	DPLOP24	1.05 x 24 x 16.8	70	1.74	.39	<b>\$151</b>
DPLOP42       1.05 x 42 x 16.8       150       3.14       .70       \$231         DPLOP48       1.05 x 48 x 16.8       150       3.60       .80       \$345         DPLOP54       1.05 x 54 x 16.8       150       4.07       .90       \$373	DPLOP30	1.05 x 30 x 16.8	150	2.20	.49	\$179
DPLOP48       1.05 x 48 x 16.8       150       3.60       .80       \$345         DPLOP54       1.05 x 54 x 16.8       150       4.07       .90       \$373	DPLOP36	1.05 x 36 x 16.8	150	2.67	.59	\$209
DPLOP54 1.05 x 54 x 16.8 150 4.07 .90 <b>\$373</b>	DPLOP42	1.05 x 42 x 16.8	150	3.14	.70	\$231
	DPLOP48	1.05 x 48 x 16.8	150	3.60	.80	\$345
DPLOP60 1.05 x 60 x 16.8 150 4.53 1.01 <b>\$404</b>	DPLOP54	1.05 x 54 x 16.8	150	4.07	.90	\$373
	DPLOP60	1.05 x 60 x 16.8	150	4.53	1.01	\$404

For laminate panels. Sits atop laminate panel and bridges the gap between the 66"H laminate linking panel and top of the consultation booth. Available in Designer White (DWT) or Tungsten (TUN) paint finish. Kit contains aluminum extrusion and felt insert.

**Required Specifications** 

# acoustic solutions



Priva

460 Open market



Softpod

463





Priva acoustic pods provide a place for personal privacy, focus and online collaboration, away from the noise of the open office. Integrated ventilation and low-voltage LED lighting are motion-sensor activated to reduce energy consumption. The tempered glass entrance door, in combination with optional glass back panel, reduces the sense of confinement. Interior carpet flooring is comprised of eco-friendly nylon fiber, solution dyed with a polypropylene backing.


A laptop shelf, two AC outlets and two USB-A charging ports support the range of today's electronic and communication devices. The exterior is available in a variety of laminate finishes to coordinate with other furnishings. The interior can be finished in laminate or PET, for industry-leading sound absorption. Hinge and handle trim is available in Black or anodized Silver. Mechanical fasteners to affix the pod to the floor are available.



Two AC outlets and two USB-A charging ports, plus laminate touch-down shelf



Easy to clean



Ventilation fan and LED lights





#### **Features and Benefits**

- Quiet and private
- Plug-and-play
- · Internal frame is comprised of 14-gauge steel beams
- · Easily clean high touch surfaces
- · Slim, modern design
- · Optional PET interior for greater acoustic properties
- · Fixed touch-down shelf with power unit
- Special rectractable casters enable Priva to be relocated easily

# **GENERAL INFORMATION**

- Priva is the culmination of 2 years of research and development of an acoustic phone booth that inhibits sound transmission between the interior and exterior creating a private room-in-room for workplace applications.
- Assembles in less than 90 minutes. Once complete, simply plug in and get to work!
- Priva has been tested and complies with all BIFMA mechanical tests.
- For environmental certification, please visit globalfurnituregroup.com.


#### CONSTRUCTION

- Exterior is clad in ¾" thermally fused laminate with a 10mm tempered glass door and glass (POD1G) or laminate back panel (POD1L).
- Exterior corner details are made of extruded aluminum
- Internal frame is comprised of 14 gauge steel beams
- Interior is clad in PET (recommended for greater acoustic properties)
- · Laminate interior is optional.
- · Pod ceiling is Designer White laminate
- Interior carpet flooring is comprised of eco-friendly nylon fiber, solution dyed with a polypropylene backing.
- · Laminate touch-down shelf is standard in Designer White (DWT) laminate.


#### DIMENSIONS

- Exterior: 44"w x 38"d x 88"h
- Interior: 36"w x 36"d x 80"h
- Door: 32"w x 88"h
- Shelf: 24"w x 8"d x 40"h


#### **Exterior Dimensions**



#### Interior Dimensions - Side View



Interior Dimensions - Front View



## **POWER + CONNECTIVITY**

- Two AC outlets and two charging USB-A ports, coupled with an occupancy sensor controlling two 12V DC fans and an LED light circuit, ensure comfort in even the smallest of enclosed spaces, while keeping power consumption at a minimum.
- One 10 foot power cord with 3-prong plug

## **ACOUSTIC RATINGS**

• NIC-36, STI .24

#### **AIRFLOW SPECIFICATIONS**

• CFM 55

## **FINISHES**

WHE

WHC

WCR

Exterio	or Finishes:	Exterio	r Frame Finishes
ACJ	Absolute Acajou	BK	Black
ASN	Asian Night	CR	Charcoal
BLK	Black	DW	Designer White
BRC	Brushed Cobalt	TU	Tungsten
CMB	Clear Maple		
DES	Dark Espresso		
DWT	Designer White		
FAS	Fashionista		
FCL	First Class		
NBL	Noce Biondo		
NGL	Noce Grigio		
NEL	Noce Leggero		
NML	Noce Medio		
SBY	Sheer Beauty		
SOG	Storm Grey		

# Interior Finishes - select Laminate or PET


Walnut Heights

White Chocolate

Winter Cherry

PEI:		Laminate	Laminate:		
GPH	Graphite	BLK	Black		
MTS	Mist	DWT	Designer White		
PWT	Pewter	SOG	Storm Grev		

# Hardware Finishes (Handle + Hinge)






SINGLE USER POD	
	Reserved to the second
Front View	Rear View

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
POD1G	38 x 44 x 88	65	1323	44.80	\$25441	

Single User Pod - Glass Back Panel

Acoustic pod includes laminate exterior with aluminum frame. PET interior provides acoustic privacy. Laminate interior optional for easy cleaning. Door is 10mm tempered glass with a **glass back panel**.



|--|

Single User Pod - Laminate Back Panel

Acoustic pod includes laminate exterior with aluminum frame. PET interior provides acoustic privacy. Laminate interior optional for easy cleaning. Door is 10mm tempered glass with a **laminate back panel**.

**Required specifications** 

Exterior laminate finish Exterior frame finish Hardware finish Interior finish



Introducing **Softpod** - where flexibility meets focus.

Softpod™ responds to the changing landscape of today's workplace, providing an alternative to conventional workstations and cubicles. As an adjunct to collaborative and community spaces, Softpod supports activities that require individual focus and engagement. Softpod facilitates hybrid schedules that require unassigned workspaces as people move between the office and home.



Hanging shelf with dry erase board



Under worksurface casual storage unit



Optional coat/bag hook

## **Features and Benefits**

- Freestanding hexagon shape allows for on/off grid 120-degree planning
- Single, standalone (private) workspace or "pod" that can be loosely fit in a floorplan
- PET felt + aluminum construction
- Simple kit of parts makes it easy to specify with quick fulfillment + installation
- Panels are comprised of two layers of recycled soundabsorbing PET felt
- Easily clean high touch surfaces
- User can easily add/remove privacy + accessory elements
- Casual storage options and accessories support hybrid schedules
- Pods can be equipped with power and data solutions

# **GENERAL INFORMATION**

- Available as 3, 4 and 5-sided pods in a range of colors.
- Easy to specify and install.
- Easily add, subtract or rearrange each Softpod workstation without having to take anything apart
- High and low pressure laminate work surfaces are durable and easy to clean. Choose from a range of finishes to suit your style.
- Softpod panels can be specified in a range of color options to suit a range of styles. The inner and outer panel sides can be specified in different colors to offer visual appeal or to help workers identify groups or individual work areas within open spaces.
- PET felt panels and internal aluminum framework can be recycled.
- For environmental certifications, please visit globalfurnituregroup.com.

#### WORKSURFACES

- Standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.

l	· ·

Products specified with the high pressure laminate option are finished on the underside
of the surface with a kraft paper backing.

#### **FINISHES**

#### Metal Leg Finishes:

CHR Charcoal
DWT Designer White

### **PET Felt Colors**

BLK	Black
BRI	Brick
DEN	Denim
GPH	Graphite
HVT	Harvest
MTS	Mist
PWT	Pewter
SHR	Shamrock
WHT	White

# LAMINATE FINISHES (thermally fused and high pressure laminates):

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	MTD	Quartered Mahogany
CMB	Clear Maple	SBY	Sheer Beauty
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

# **EDGE FINISHES (Laminate Surfaces Only)**

AAE Absolute Acajou FCL First Cl	lass
ASE Asian Night NBL Noce E	Biondo
ACE Avant Cherry NGL Noce G	Grigio
AHE Avant Honey NEL Noce L	eggero
BLK Black NML Noce N	√ledio
BRC Brushed Cobalt QTM Quarte	red Mahogany
CHR Charcoal (use w/SOG) SBY Sheer	Beauty
CME Clear Maple SIL Silver	
CGY Custom Grey TPE Taupe	
DEE Dark Espresso WHE Walnu	t Heights
DWE Designer White CBE White	Chocolate
FAS Fashionista WCE Winter	r Cherry

### Divider:

- PET felt / aluminum composition
- Channel edge allows for add-on privacy

# **PET Felt features:**


- Tackable acoustic material
- Soft form capability

### Electrical:

- Simple interconnect / direct plug-in
- Hard wire formats

# Storage:

• Solution based



HX4P5472SW

and Worksurface

softPOD with 4 Dividers

### softPODs

HX3P5472SW softPOD with 3 Dividers and Worksurface



**Extensions** 



HXPAEFE End PET Felt Extension Divider Add-on



**HXPACFE** Corner PET Felt Extension Divider Add-on

**HXEUWC** 

HXEPPJ

Jumper

RNDLAMPS

Lamp

**HXACHT** 

LED Single Arm

Edge USB charger



Top Corner PET Felt Extension Divider Add-on





**Electrical** BRED50 Duo Module



**PMDCLIPS** ModPower cable management clips



BRETP53



Trio Plus Module

PMDJ36BK ModPower



interconnecting jumper



**HXEPK HXECS** Cable Shroud



Station 2-Circuit Power Kit



LINLAMPD LED Double Arm



**HXARWS HXACHS** Rear Wall Shelf





FFP0 Pantry Storage



**HXPATCFE** 

HX4P5472L/RW

softPOD with 4 Dividers and

Wraparound Worksurface

HX5P5472SW

and Worksurface

softPOD with 5 Dividers

GAADG

Module

**GAADCT** Under Worksurface Access Door Access Door Module with Cable Tray



PSDPC22W Slim Desktop Power







Ceiling Feed







HXABH **Under Surface** 



**HXAHS** Hanging Shelf

**HXEBF** 

Base Feed



PSDPC32W

Slim Desktop Power

Module, 3 Duplex

**HXNP** Name Plate



HX5P5472L/RW softPOD with 5 Dividers and Wraparound Worksurface



HXP5430AP Single J-divider



PMDCA3 ModPower Middle Mounted Unit



PMDEA3 ModPower End Mounted Unit



PMDSA10

ModPower

Starter Unit



**HXEPGK** Divider Grommet Kit



**HXEPGCS** Divider Grommet Connector / Spacer





Accessories



Coat/Bag Hook for Dividers





(Ø




Hanging Shelf with Dry Erase Board

**HXAHSWB** 

Storage


**HXSCSO** Under Worksurface Casual Storage Unit

# **FOOTPRINT**



# **OFF GRID PLANNING**


The flexible format of softPOD offers a variety of planning options and encourages off grid layouts. From a single or cluster of softPODs this versatile system adapts to your needs.




# **OFF GRID PLANNING**

### Agile

The freestanding, single softPOD can flex to support any number of employees in a hybrid work environment. The pods can be easily reconfigured and adjusted as needs change. Its small kit of parts and thoughtfully designed features make it easy to specify and keep inventory counts low. Easy to specify and keep inventory counts low.







### Scalable

The adaptable dividers give the ability to address the level of privacy needed on a station by station basis.

# softPOD PRIVACY










**Less Privacy** 

**More Privacy** 

# **Extensions - PRIVACY**








**Less Privacy** 

**More Privacy** 

# **POWER CONNECTIONS**

# Plug In


Simple casual wire - Direct plug-in or hard wired.



# **Daisy Chain Interconnect System**

Plug-in power supply and interlinked, pre-determined, universal modules. If specified, one module is shipped with the station and interconnected on site.

Integrating additional station (C) requires disconnecting A from B and plugging in the C on site.



**Dual Circuit Power** 

Outlets mounted below worksurfaces.



Single Pod with 3 Dividers



Single Pod with 4 Dividers



Single Pod with 4 Dividers and Wrap Around Surface




Single Pod with 5 Dividers




Single Pod with 5 Dividers and Wrap Around Surface





# **SPACE PLANNING**




# **POD FORMATS**

Align units in cluster plan Option unit type & orientation


(A) Worksurfaces must have opposing alignment


Flat and curved dividers are non-handed and symmetrical. The addition of the legs determines if the j-dividers becomes LEFT handed or RIGHT handed. Any j-divider can be configured and reconfigured LEFT or RIGHT.




Power/ data is delivered through screen walls via grommet

Grommet tethers units together








Density Touchdown

Around Column


# **PLANNING FOR SINGLE SOFTPOD WITH 4 DIVIDERS**



Cluster of 2 softPODs

Cluster of 3 softPODs


# PLANNING FOR SINGLE SOFTPOD WITH 5 DIVIDERS - CENTER



Cluster of 2 softPODs


Cluster of 3 softPODs


# PLANNING FOR SINGLE SOFTPOD WITH 5 DIVIDERS, LEFT/RIGHT





# PRIVACY EXTENSIONS

Flexible privacy extensions can be added to any softPOD workstation to adjust the level of privacy based on the user's needs.











# End PET Felt Extension Divider Add-on

Height: 25.5" Depht: 9mm Width: 9.5" PET Felt

- solid



### Top Corner PET Felt Extension Divider Add-on

Height: 37" Depht: 9mm Width: 19.5" PET Felt

- solid

- perforated



### Corner PET Felt Extension Divider Add-on

Height: 11.5" Depht: 9mm Width: 38.5"


PET Felt


- solid

- perforated


# PRIVACY EXTENSIONS


PET Felt - Solid






PET Felt - Perforated







# PET FELT COLOR PROGRAMMING




# **WORKSURFACE DIMENSIONS AND GRAIN DIRECTION**



- A single worksurface to be used within softPOD dividers.
- The surface is non handed with pre-determined mounting points.




- A single wrap around worksurface to be used within softPOD dividers.
- The surface is handed L -left or R -right with pre-determined mounting points.
- Compatible only with 4 or 5 divider station configurations.




### **ELECTRICAL**


- Power and data lines can enter softPOD via floor, ceiling, or through grommet in the divider. The grommet opening is built into every softPOD divider at a specific location, but it is covered by an on-site removable PET plug.
- A grommet on a single softPOD can also facilitate cable access to a wall outlet.
- Grommets installed on specific dividers facilitate passage of wires through softPOD dividers into adjacent softPODs.
- Orientation of worksurfaces plays an important role when planning softPOD cluster layouts with the need to pass cables between individual softPODs as the cables are best hidden underneath.
- Worksurfaces must have opposing alignment.
- Align units in cluster plan
- Option unit type & orientation.




(A) Worksurfaces must have opposing alignment.



- Ceiling pole attaches to the divider grommet under worksurface.
- Location of the ceiling pole on the inside of the softPOD is determined by the contoured recess at the back of worksurface.
- White dots below indicate possible ceiling feed pole location within the Pod (must be at the same location as worksurface contoured recess).
- Grey dots indicate possible Ceiling fee pole location outside of the POD (because cables pass through the divider grommets and under the worksurface).
- Black arrows indicate possible power and data cable passage between soft-PODs (because cables pass through the divider grommet under the worksurface, through the second divider grommet and into the adjacent softPOD, under worksurface.
- In either case, the cables enter or exit the softPOD through the divider grommet.






# **ELECTRICAL OPTIONS**


Direct Plug In

• Direct or floor monument outlet plug-in



Daisy Chain Interconnect System

• Direct or floor monument outlet plug-in



**Dual Circuit Power** 

 Hardwired Floor Feed Ceiling Feed 0 0

# **ELECTRICAL**

# 2 Circuit, 4 Wire Power Distribution

contoured recess.

The 4-wire, 2-circuit electrical components are housed in a metal trough, mounted under worksurface, immediately adjacent to the worksurface PET Felt shroud organizes harnesses and cables under worksurface. Power Trough Duplex 3.125"x1.5" Opening for standard data plate Base feed Worksurface contoured recess Grommet Ceiling feed or Passthrough connecting adjacent power distribution trough

# **STORAGE**

For hanging small items like earphones.

### Shelf


PET Felt liner with rear hole to direct power cords for charging.

### **Rear Access**

Tuck valuable items out of sight

# Bag Drop


Area for storing personal items.



# **Pantry Storage**


Multifunction, customizable storage

# **ACCESSORIES**



HXNP Name Plate Height: 3.5" Depth: 0.5" . Width: 11"


• Two sided white dry erase surface.



# **Hanging Shelf**

Height: 16" Depth: 3" Width: 23.5"

• Optional dry erase board available




# **HXARWS**

# **Rear Wall Shelf**


Height: 3/4" Depth: 4.5" Width: 32.5"

• Laminate


NOTE: Not compatible with Ceiling Feed Pole or any monitor mounts.




**HXABG Under Surface Bag Hook** 



HXACHT Coat, Bag Hook for horizontal divider edge



# **ACOUSTIC SOLUTIONS**



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
HX3P5472SW	30 x 72 x 54	70	141	22.92	\$4056	\$533	

SoftPOD w/3 Dividers and Worksurface

Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one standard worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Metal legs are powder coated paint, available in Charcoal (CHR) or Designer White (DWT).
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- · Extensions, electrical, storage and accessories are specified separately.



SoftPOD w/4 Dividers and Worksurface

HX4P5472SW 65 x 72 x 54 125 170 25.41 **\$5092 \$533** 

Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice ofthermally fused or high pressure laminate with PVC edge.
- Metal legs are powder coated paint, available in Charcoal (CHR) or Designer White (DWT).
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- J-divider may be installed on the left or right.
- Extensions, electrical, storage and accessories are specified separately.



SoftPOD w/4 Dividers and Wraparound Worksurface

right shown

65 x 72 x 54	125	185	25.41	\$5543	\$751
65 x 72 x 54	125	185	25.41	\$5543	\$751

Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard wraparound worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Metal legs are powder coated paint, available in Charcoal (CHR) or Designer White (DWT).
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

Required specifications	Optional specifications	Accessories	
PET felt interior finish	HP laminate	Keyboard tray	
PET felt exterior finish	Grommet option	Power block	
Laminate finish			
Edge finish / Leg finish			



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
HX5P5472SW	65 x 72 x 54	125	198	25.41	\$6218	\$534

Complete 5 divider pod consisting of one straight back divider, four side j-dividers and one standard worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.


- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Metal legs are powder coated paint, available in Charcoal (CHR) or Designer White (DWT).
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- J-dividers can be installed both on left or right side or one on each side.
- Extensions, electrical, storage and accessories are specified separately.



Left:						
HX5P5472LW	65 x 72 x 54	100	213.36	25.41	\$6604	\$750
Right:						
HX5P5472RW	65 x 72 x 54	100	213.36	25.41	\$6604	\$750

Complete 5 divider pod consisting of one straight back divider, four side j-dividers and one standard wraparound worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Metal legs are powder coated paint, available in Charcoal (CHR) or Designer White (DWT).
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- J-divider may be installed on the left or right.
- Extensions, electrical, storage and accessories are specified separately.




HXP5430AP	6 x 30 x 54	300	28.3	16.17	\$1161

To be ordered as an add-on to a previously ordered 3-divider or 4-divider pod. A single divider is curved; non-handed; symmetrical along the horizontal axis. J-dividers are surfaced with PET felt. Interior PET felt color may be different than the outer. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- J-divider comes complete with top connector kit, shared leg kit and trim.
- If a single J-divider is ordered as an add-on to a previous order, the PET felt finish may or may not match based on dyelot and fading.
- J-divider is not freestanding.

Required specifications	Optional specifications	Accessories	
PET felt interior finish	HP laminate	Keyboard tray	
PET felt exterior finish	Grommet option	Power block	
Laminate finish			
Edge finish / Leg finish			

# **ACOUSTIC SOLUTIONS**




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
HXPAEFE	0.35 x 9.3 x 25.4	70	0.63	0.05	\$56	

**End PET Felt Extension Divider Add-on** 

Designed to add 8.7" of additional depth privacy at the end of the divider. Fits into the base perimeter reveal and placement is user oriented.

- PET felt divider surface is tackable.
- Not available with perforated pattern.




 HXPACFE
 0.35 x 38.3 x 11.69
 70
 1.16
 0.09
 \$99

 HXPACFEP
 0.35 x 38.3 x 11.69
 70
 1.16
 0.09
 \$296

Corner PET Felt Extension Divider Add-on

Designed to add 11.1" of additional height privacy at the top corner of the divider. Fits into the divider perimeter reveal and placement is user oriented. Pod with Corner PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.

- PET felt divider surface is tackable.
- Perforated pattern option available, shown with "P' at the end of the code.



Top Corner PET Felt Extension Divider Add-on

HXPATCFE	0.35 x 19.5 x 37.1	70	1.25	0.15	\$108
HXPATCFEP	0.35 x 19.5 x 37.1	70	1.25	0.15	\$258

Designed to add 8.7" of additional height privacy at the top of the divider and 11.1" depth at the end of the divider. Fits into the divider perimeter reveal and placement is user oriented. Pod with Corner PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.

- PET felt divider surface is tackable.
- Perforated pattern option available, shown with "P' at the end of the code.

**Required specifications** 

PET felt color



<b>DPC Slim Desktop</b>	2 Power/USB	-A and -C
-------------------------	-------------	-----------

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE DxWxH PSDPC22W 2.5 2.25 x 4.88 x 2.25 60 0.05 \$307

Desktop power center with two 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face.



DPC Slim Desktop 3 Power/USB-A and -C

Desktop power center with three 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face.

BRED50	3.2 x 5.5 x 1.8	70	2.5	0.14	\$386	
--------	-----------------	----	-----	------	-------	--



**Duo Module** 

The duo power module is completely integrated with a mounting clamp to attach to the edge of a worksurface. Provides two outlets and two 2.1 amp USB ports. White face plate, outlets and bracket; 72" long three-prong black cord, silver body.

BRETP53	3.2 x 8 x 1.8	70	2.5	0.14	\$436	



**Trio Plus Module** 

The trio plus power module is completely integrated with a mounting clamp to attach to the edge of a worksurface or above worksurface shelves. Provides three outlets and two 2.1 amp USB ports and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. Note: HDMI, RJ45 and VGA connectors are not included. White face plate, outlets, adapters and brackets; 72" long three-prong black cord.

HXEUWC	4 x 3 x 1	70	0.31	0.01	\$512	
--------	-----------	----	------	------	-------	--



**Under Worksurface/Edge USB Charger** 

Under surface table-mounted module with dual USB-A & -C charging ports. Consists of one 15 watt USB-C charging outlet and one 2.1 amp USB-A charging outlet. Unit has white housing, white powder coated mounting bracket and white electrical cord.

HXECS	9.73 x 23.5 x 20.85	70	1.62	2.87	\$106



Secures to the bottom of the worksurface and clips to the bottom of straight section of any divider. Includes all connecting hardware. Specify PET felt color.

Rea	nired	snec	ifica	tion

PET felt color\*

POWER/DATA

# **ACOUSTIC SOLUTIONS**



**Divider Grommet Kit\*** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
HXEPGK	2.75 x 5.5 x 3.2	5 70	0.27	0.02	\$41	

Facilitates passage of wires through any softPOD divider. Can be located either below or above the worksurface. Installed on site; no need to order special dividers. Powder coated die-cast aluminum divider grommet - specify Charcoal (CHR) or White (DWT). Can be installed on a single panel or to connect two panels when used in conjunction with the Divider Grommet Connector/Spacer.

HAEBUCC	2.75 / 5.5 / 2.5	70	0.04	0.01	<b>¢</b> 19
HYELOCO	2.75 X 5.5 X 3.25	70	0.04	U.U I	aia .

**Divider Grommet Connector/Spacer** 


Converts any divider grommet kit into a connector. Clamps two dividers together through the divider grommet opening Can be located above or below the worksurface at pre-determined locations. Specify with the Divider Grommet Kit or use with the Divider Grommet Kit included in the Station 2-Circuit Power Kit. Made of injection molded ABS in Charcoal (CHR).



**Access Door Module** 

GAADG	5.54 x 10.09 x 1.08	 2	0.04	\$90
GAADGDH	5.54 x 10.09 x 1.08	 2	0.04	\$97

Soft close door is set back from edge to allow for cable pass thru when closed. Available in all standard base finishes. GAADGDH includes device holder for most mobile phones or tablets. Holder is only available in White. SoftPOD can only accommodate one grommet per worksurface.





GAADCT	5.54 x 10.09 x 5.07	 4	0.19	\$145
GAADCTDH	5.54 x 10.09 x 5.07	 4	0.19	\$153

Access Door Module w/Cable Tray

Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a power bar. Sides are open for easy access. Available in all standard base finishes. GAADCTDH includes device holder for most mobile phones or tablets. Holder is only available in White. SoftPOD can only accommodate one grommet per worksurface.





GAADCTPD	5.54 x 10.09 x 6.96	 4	0.20	\$307
GAADCTPDDH	5.54 x 10.09 x 6.96	 4	0.20	\$316

Access Door Module w/Cable Tray and Power Bar

Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a powerbar. Power bar with 3 simplex and 2 USB, CSA Certified. Sides are open for easy access. Available in all standard base finishes. GAADCTPDDH includes device holder for most mobile phones or tablets. Holder is only available in White. SoftPOD can only accommodate one grommet per worksurface.

**Required specifications** 


Grommet finish

POWER/DATA MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

- Connect up to four units from a single infeed, delivering AC power and USB charging to the table tops.
- Starter modules include 10' corded infeed with three prong NEMA plug.
- Touch safe easy to use connectors from module to module with added latch to prevent unintended separation.
- Each module features three tamper-resistant receptacles, USB-A and USB-C charging ports.
- Overall maximum length joined together not to exceed 48.5 feet per infeed.
- UL listed to **UL962A SD**, the standard for furniture power distribution units on portable/movable workspace tables.
- Certified to CSA standard C22.2 No. 203-16.

N SOLUTION

• On-surface modules come with a clamp mount that will accommodate any material from 0.5" to 1.5" thick; additional brackets are also included for alternate screw in mounting options that can accommodate vertical or horizontal positions.



MODPOWER DAISY-CHAI

### ModPower On-Surface Starter Unit\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
PMDSA10MG	1.75 x 6.13 x 2.5	5 150	4.33	1	\$551
PMDSA10WH	1.75 x 6.13 x 2.5		4.33	1	\$551

ModPower On-Surface Middle Unit\*

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL Listed: UL 962A.

PMDCA3MG	1.75 x 6.13 x 2.5	250	3.33	1	\$521
PMDCA3WH	1.75 x 6.13 x 2.5	250	3.33	1	\$521

### ModPower On-Surface End Unit\*

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL Listed: UL 962A.

PMDEA3MG	1.75 x 6.13 x 2.5	250	2.75	1	\$459
PMDEA3WH	1.75 x 6.13 x 2.5	250	2.75	1	\$459

70

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Two cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL Listed: UL 962A.

0.03

0.02

\$92



### **ModPower Cable Management Clips**

Package	of	10	clips.

2.5 x 2.6 x .6

**PMDCLIPS** 



ModPower	In	terconnect	ting .	Jumper
----------	----	------------	--------	--------

PMDJ36BK	x 36 x	70	1.38	0.09	\$308	

Interconnection jumper cord to add an additional 3' of cord length between in-surface and on-surface ModPower units. 3' cord with male and female connector. Package of 2 jumpers. UL Listed: UL 962A.

# SOFTPOD



# **ACOUSTIC SOLUTIONS**

ELECTRICAL	
The state of the s	
1	

Station		

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
1 N/EDI/44	DxWxH			0.70	***	
HXEPK11	9.73 x 23.5 x 20.		3.92	2.76	\$434	
HXEPK12	9.73 x 23.5 x 20.	85 300	3.92	2.76	\$434	
HXEPK22	9.73 x 23.5 x 20.	85 300	3.92	2.76	\$434	

Station 2-Circuit power kit consists of two duplexes, trough, cable shroud and divider grommet. Accommodates up to two standard data plates (data plates not included). Accommodates center mount single or dual screen monitor arm. Facilitates 2-circuit power delivery. Facilitates power connection between stations. Specify Station to Station Jumper. Specify duplex circuit #1, #2 or combination of #1+2. Ceiling or base feed not included - specify separately. Trough is powder coated metal in Charcoal (CHR). Includes all connecting hardware, supporting brackets and through divider grommet.

	_	anni d	
ഷത്	Milita	<b></b>	

**Station to Station Jumper** 

HXEPPJ	2 x 60 x 2	60	5	0.13	\$168

Facilitates power connection between stations (through divider grommet, under the worksurface).



**Base Feed** 

HXEBF	2 x 72 x 2	60	5.6	0.06	\$367

Provides single power entry from floor into 2-Circuit Power Kit under worksurface. 6' long liquid tight whip plugs into the side of the left or right duplex. Must be hard wired to the building power supply by a licensed electrician. Base feed jumper included.



**Ceiling Feed** 

HXECF	2 x 144 x 2	60	5.6	0.06	\$249

1.5 x 6 x 116

Ceiling feed plugs into side of left or right duplex mounted within the 2-Circuit Power Kit. 10' long metal conduit, ready to be hardwired to building power supply. Strain relief fitting provided; junction box is not included. To be used with HXECFP - Ceiling Feed Pole.

5.49

0.38

\$210



Ceiling Pole\*\*

Manages power and data cables between ceiling and worksurface. Aluminum extrusion with PVC cover secures to the divider grommet and passes below worksurface through the worksurface contoured recess. Includes mounting hardware and ceiling bezel. Hardware for securing the pole above ceiling tile is not included. Specify paint finish. Ceiling Feed HXECF must be ordered separately. PVC cover is standard in Charcoal (CHR). Cover can be removed to access cabling inside.

**Required specifications** 

PET felt color

**HXECFP** 

Paint finish\*\*



**Under Worksurface Casual** Storage Unit\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
HXSCS0	24 x 8 x 21	150	20.18	4.22	\$456	n/a	

Open storage with shelf; extension at the back provides side compartment. Sheet metal construction with PET felt liner. 24"D. Secures to bottom of worksurface. Order coat hook HXACHS, attaches to either left or right side of storage unit (sold separately).

FFP01224H54NL	24 x 12 x 54	70	138	9	\$2551	\$29
FFP01230H54NL	30 x 12 x 54	85	153	11	\$2673	\$29
FFP01236H54NL	36 x 12 x 54	92.5	167	14	\$2796	\$40
FFP01224H54NR	24 x 12 x 54	70	138	9	\$2551	\$29
FFP01230H54NR	30 x 12 x 54	85	153	11	\$2673	\$29
FFP01236H54NR	36 x 12 x 54	92.5	167	14	\$2796	\$40
FFP01824H54NL	24 x 18 x 54	92.5	166	14	\$2956	\$40
FFP01830H54NL	30 x 18 x 54	92.5	182	17	\$3090	\$51
FFP01836H54NL	36 x 18 x 54	100	197	20	\$3223	\$57
FFP01824H54NR	24 x 18 x 54	92.5	166	14	\$2956	\$40
FFP01830H54NR	30 x 18 x 54	92.5	182	17	\$3090	\$51
FFP01836H54NR	36 x 18 x 54	100	197	20	\$3223	\$57

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

FFP01224H54NLUSB	24 x 12 x 54	70	138	9	\$3126	\$29
FFP01230H54NLUSB	30 x 12 x 54	85	153	11	\$3248	\$29
FFP01236H54NLUSB	36 x 12 x 54	92.5	167	14	\$3370	\$40
FFP01224H54NRUSB	24 x 12 x 54	70	138	9	\$3126	\$29
FFP01230H54NRUSB	30 x 12 x 54	85	153	11	\$3248	\$29
FFP01236H54NRUSB	36 x 12 x 54	92.5	167	14	\$3370	\$40
FFP01824H54NLUSB	24 x 18 x 54	92.5	166	14	\$3530	\$40
FFP01830H54NLUSB	30 x 18 x 54	92.5	182	17	\$3665	\$51
FFP01836H54NLUSB	36 x 18 x 54	100	197	20	\$3798	\$57
FFP01824H54NRUSB	24 x 18 x 54	92.5	166	14	\$3530	\$40
FFP01830H54NRUSB	30 x 18 x 54	92.5	182	17	\$3665	\$51
FFP01836H54NRUSB	36 x 18 x 54	100	197	20	\$3798	\$57

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

Pantry Storage**	Left (NL) shown

	J
	Left (NL) shown
Pantry Storage	- w/USB**

**Required specifications** 

Paint finish<sup>4</sup> Laminate finish\*\* TASK LIGHTING

DxWxH

# **Mounting Options for Voyage and Revo Lights:**

Freestanding Base (FS)

Freestanding Base with USB charge port (FSUSB) - Add \$104.

Surface Mount (SM)

Clamp Mount (CM)



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
LINLAMPS	6 x 6 x 14.1	60	2.66	.01	\$672	

Fully articulating body with single arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (**FSUSB**) allows for charging of mobile devices. UL Listed: UL 1153:2014.

• Occupancy Sensor (OS) - Add \$78



LINILANIDO	C v C v 21 C	60	2 66	Ω1	¢C00
LINLAWIPU	0 X 0 X Z I . 0	bU	2.00	.01	\$U00

Fully articulating body with double arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (**FSUSB**) allows for charging of mobile devices. UL Listed: UL 1153:2014.

Occupancy Sensor (OS) - Add \$78



RNDLAMPS	6 x 6 x 14.1	60	2.66	.01	\$672

Fully articulating body with single arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (**FSUSB**) allows for charging of mobile devices. UL Listed: UL 1153:2014.

• Occupancy Sensor (OS) - Add \$78



RNDLAMPD	6 x 6 x 21.6	60	2.66	.01	\$688


Fully articulating body with double arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (**FSUSB**) allows for charging of mobile devices. UL Listed: UL 1153:2014.

• Occupancy Sensor (OS) - Add \$78

Required Specifications

Finish Mount **Optional Specifications** 

Occupancy Sensor



**Name Plate** 

Sits inside the divider top reveal. Two-sided white dry erase surface laminated to 1/2" PET felt. Can be mounted horizontally or vertically.

**Required specifications** 

Paint finish<sup>4</sup> Laminate finish\*\*

**Optional Specifications** 

HP laminate<sup>4</sup>



**Productivity Solutions™ by Global** is a comprehensive series of ergonomically sound products, naturally connecting people with technology to enhance comfort and productivity. Designed to Fit you and your technology and fully integrate with Global Furniture Group products to create complete office solutions that meet the needs of today's diverse workplaces.

Designed with human capabilities and comfort in mind, Productivity Solutions by Global provide a good Fit for today's workers and meet or exceed ergonomics standards, guidelines and ANSI/BIFMA standards for performance, durability and safety.

FIT = Move + Match + Support



Monitor Arms



Power/Data Module



Lift n Lock Keyboard Tray



Foli Electric Height Adjustable Table



Manual Height Adjustable Desk

### **Features and Benefits**

- Foli Height Adjustable Table with 18.4" height range
- Manual Height Adjustable Table has counterbalanced spring mechanism
- 4 keyboard support mechanisms
- 5 keyboard trays
- New monitor arm options
- Wire management and power/data options
- Meets ANSI-BIFMA, Greenguard Indoor Air Quality, Greenguard Gold Certified
- Height Adjustable Tables are BIFMA level 2 certified

### MANUAL HEIGHT ADJUSTABLE TABLES

- Manually operated height adjustable tables with counterbalanced spring mechanism
- Exceptional ergonomic alternative to traditional desking
- Sit-Stand design promotes increased circulation, improving performance and comfort
- Can be used alone or in conjunction with Global desks.

Please note: Global desks are 1" or 1.5" thick.

• Meets ANSI/BIFMA requirements

### **TOP FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

### CONSTRUCTION

 1" thick tops constructed of 45 lb. density particle board with high performance thermally fused laminate

### **DIMENSIONS**

 When designing workstations, leave 1" clearance on either side to prevent finger pinch

### **EDGE**

Preferred matching edge

### BASE

- Heavy duty steel formed legs with radius detail are available in Black only
- Easy to reach tension control supports loads up to 100 lbs.
- Environmentally friendly, recyclable epoxy powder coating provides a durable finish.
   Black only
- Black plastic leveling glides offer 0.5" adjustability

### **GROMMETS**

- Grommets available in standard worksurface locations (left, center or right)
- Order as: AG1, AG2 or AG3. Add \$96.




• Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep

### **MECHANISM**

- Counterbalanced height adjustable base supports weights up to 100 lbs.
- Height range from floor to underside of modesty shroud is 17" when surface height is 26"
- 7 year warranty

### **SHIPPING**

- Shipped RTA (Ready to Assemble)
- Easy to assemble with Phillips or Robertson screwdriver



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
<b>Rectangular Tops:</b>					
HTM3058T	30 x 58 x 1	70	50	2.50	\$553
HTM3046T	30 x 46 x 1	70	40	2	\$463
HTM2458T	24 x 58 x 1	70	40	2	\$424
HTM2446T	24 x 46 x 1	70	32	1.50	\$394
Base:					
KEZLIFT	24 x 34.5 x 26-46	6 70	88	5.40	\$2961

Paddle activated height adjustable base. Height adjustable from 26" to 46". Keyboard tray and mechanism not necessary

• Specify base separately from top

**Required Specifications** 

Top Finish

### **FOLI ELECTRIC HEIGHT ADJUSTABLE TABLES**

### ) x W x H

- Electric height adjustment allows for easy movement from sitting to standing and back throughout the day. Foli's work surface moves with you and your work without interruption.
- Foli offers a universal freestanding design and finish options to easily integrate with existing Global workstation configurations, becoming a natural part of your office snace
- Whether in a private or general office, touch-down space, collaborative area or home
  office, Foli supports a more active and healthy work style
- Can be used alone or in conjunction with Global desks. Please note Global desks are 1" or 1.5" thick.

### **TOP FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

### **EDGE**

· Preferred matching edge

### CONSTRUCTION

- Tops are 1" thick, constructed of 45 lb. density particle board covered on both sides with high performance thermally fused laminate. Optional high pressure laminate tops are 1-1/16" thick.
- Steel constructed leg tubing, feet and cross bar
- 108" 3-prong power cord
- Table frame designed with 3.15" x 2.35" rectangular outer leg with large tubing facing down
- "T" leg, flat foot design with adjustable glides
- Expandable cross bars for table widths of 48", 54", 60", 66" and 72"
- · Available table depths of 23" and 29"
- Products specified with the high pressure laminate option are finished on the underside
  of the surface with a kraft paper backing.
- Caution: to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified.


### BASE

- · 3-stage steel constructed leg tubing, feet and cross bar
- Dual motors are concealed within column.
- Provides height adjustment from 22.6" to 48.6" (26" adjustability with 1" top)
- · Leveling glides offer 1" adjustability
- Operates at 1.3" per second
- Lifts 265 lbs.
- Shadow power draw 0.5 watts
- Base available in a Silver powder coated finish, will never mar during adjustment
- Open front cross bar to accomodate articulating keyboard platforms.
- Easy to use, push button controller with digital readout.
- · Anti-collision feature standard

### **GROMMETS**


- Grommets available in standard table top locations (left, center or right). Order as:
   AG1, AG2 or AG3 Add \$96.
- Return tops: cut-out available in center only (AG2)
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.
- Grommets may be placed at non-standard locations. Order as: AGS Add \$96. A
  drawing must be supplied with vertical and horizontal dimensions to the center of the
  cut-out (as in drawing below). Please refer to CUSTOM GROMMET LOCATION FORM
  in the back reference section.

### **Grommet hole dimensions:**



### **Grommet:**

### **Grommet Locations:**



### **POWER BLOCK**

- A power block (model PMSPDM) may be installed on all Foli tables
- The power block module includes one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord with NEMA plug. Power block dimensions are 6.5"W x 3.5"D x 2.75"H.
- Power block cutout dimensions are 2.75"D x 6"W.
- Specify the power block cut-out location when ordering the table. The power block
  is ordered separately. Order power block separately as PMSPDM, Add \$330. Power
  blocks are available in standard worksurface locations (left, center or right). Specify

### E1, E2 or E3 cutout location. Add \$96.

• Return tops: cut-out available in center only (E2)





Power Block PMSPDM. Add \$330

Specify location E1, E2 or E3. Add \$96

### SHIPPING

- Shipped unassembled in 1 carton
- · Easy to assemble.

CUBIC FT.

LIST PRICE

**HP ADD** 

WT/LBS.






Top



Foli Rectangular Table



All table frames are easy to assemble with few parts. Lifts 220 lbs. Base manufactured so that leg paint will never mar during height adjustment. Leg assembly tubing, feet and upper structure assemblies constructed of steel. Table frame designed with 3.15" x 2.36" rectangular outer leg with the large tube facing down. Flat foot design with adjustable glides. I-profile crossbars that are expandable in fixed steps to create a variety of size table widths. Height range is 22.6" to 48.6" (26" adjustability with 1" top). Operates at 1.3" per second. Shadow power draw is 0.5 watts. Maximum power draw is 1.5A. Base finish in Silver powder coat only.

Specify base separately from top

MODEL#

DIMENSIONS

DxWxH

FREIGHT CLASS

Recommended torque range for installing all fasteners is 3-5 foot pounds and should not be exceeded. In
addition, no impact drivers or high-torque equipment are to be used for any fasteners included in the table
assembly kits, as this creates a high risk for damage that is not covered under warranty. The use of hand tools
is highly recommended.

Return Tops:						
PHAR2947T	29 x 47 x 1	65	44	1.8	\$512	\$256
PHAR2941T	29 x 41 x 1	65	41	1.6	\$507	\$254
PHAR2935T	29 x 35 x 1	65	35	1.4	\$507	\$254
PHAR2347T	23 x 47 x 1	60	44	1.4	\$431	\$216
PHAR2341T	23 x 41 x 1	65	32	1.2	\$411	\$206
PHAR2335T	23 x 35 x 1	65	27	1.1	\$372	\$186
Third Leg Kit:						
PH3TLK6601	10 x x 26.8	85	19	1.3	\$861	n/a

Third leg kit to be used with a Foli freestanding table to create an electric height adjustable L station. Post leg with return kit replaces one of the T-legs on freestanding table; the T-leg from the freestanding table is then moved to support one side of the return top. Cross bar is included to connect and support the return top to the freestanding table top. May be configured for left or right hand returns. All three legs plug into the freestanding table's controller and the three motors will electronically synchronize. The overall footprint with a return kit is not to exceed 72"W x 72"D. The 48"W return kit is only to be used with a 24"D primary table. 36" and 42"W return kits may be used with either 24"D or 30"D primary tables.

P79100014	- x - x 1.5	60	2	0.4	\$77	N/A

Pack of four casters, two locking and two non-locking. Interchangeable on site with levelers on Foli electric height adjustable table PHATxxxx models only.

• Cannot be used with Third Leg Kit



**Return Kit** 



1.5" Dual Wheel Casters

**Required Specifications** 

Top Finish


Optional Specifications

High Pressure Laminate Grommet



PET FELT PANELS	MODEL#	DIMENSIONS	FREIGH	HT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
		DxWxH						
<ul> <li>9mm thick panels offered in 9 finishes</li> </ul>			<b>FELT COL</b>	.ORS				
Made from 100% PET (polyester) fiber v	with a high content (50%) of po	st-recycled	BLK	Black		MTS	Mist	
material, free of added chemicals, binder	s and adhesives		BRI	Brick		PWT	Pewter	
• Lightweight panels are tackable, impact a	and tear resistant, bacteria resist	ant,	DEN	Denim		SHR	Shamrock	
moisture resistant, and installation friend	lly		GPH	Graphite		WHT	White	
<ul> <li>Variation in fiber mix and color are inherent</li> </ul>	nt to the character of the produc	t	HVT	Harvest				
Clamps are included. Available in satin as	nodized finish only.							

T FELT PRIVACY SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		DxWxH				
	PT9PP3013-1	.36 x 30 x 12.5	250	2.12	.57	\$180
	PT9PP3613-1	.36 x 36 x 12.5	250	2.38	.69	\$190
	PT9PP4213-1	.36 x 42 x 12.5	250	2.63	.80	\$255
_	PT9PP4813-1	.36 x 48 x 12.5	250	3.31	.91	\$264
	PT9PP5413-1	.36 x 54 x 12.5	250	3.57	1.03	\$330
	PT9PP6013-1	.36 x 60 x 12.5	250	3.82	1.14	\$340
	PT9PP6613-1	.36 x 66 x 12.5	250	4.50	1.25	\$405
n	PT9PP7213-1	.36 x 72 x 12.5	250	4.76	1.36	\$415
•	PT9PP7813-1	.36 x 78 x 12.5	250	5.01	1.48	\$424
	• 66"-78"W - 4 cla		QE.	7.64	00	¢670
	PT9PP3013-4	0.36 x 30 x 12.5	85	7.64	.60	\$679
	PT9PP3613-4	0.36 x 36 x 12.5	85	8.56	.71	\$719
	PT9PP4213-4	0.36 x 42 x 12.5		9.48	.83	\$971
114	PT9PP4813-4	0.36 x 48 x 12.5		11.90	.98	\$1008
	PT9PP5413-4	0.36 x 54 x 12.5		12.80	1.09	\$1263
	PT9PP6013-4	0.36 x 60 x 12.5		13.80	1.20	\$1296
	PT9PP6613-4	0.36 x 66 x 12.5		16.20	1.32	\$1548
	PT9PP7213-4	0.36 x 72 x 12.5		17.10	1.43	\$1584
	PT9PP7813-4	0.36 x 78 x 12.5	92.5	18	1.54	\$1616
elt Privacy Screen - 4 pk.	,	nodized finish only. Pr clamps per panel amps per panel				uded depending on screen size. y.
	PT9PP3013-12	0.36 x 30 x 12.5		21.60	1.92	\$1994
<b>/</b>	PT9PP3613-12	0.36 x 36 x 12.5		24.30	2.26	\$2101
	PT9PP4213-12	0.36 x 42 x 12.5		26.90	.80	\$2847
	PT9PP4813-12	0.36 x 48 x 12.5		33.80	3.05	\$2951
	PT9PP5413-12	0.36 x 54 x 12.5		36.40	3.39	\$3711
	DTODDCO10 10	0.20 v.00 v.12 E	U3 E	20	272	eanna



PET Felt Privacy Screen - 12 pk.

PT9PP3613-12	0.36 x 36 x 12.5	92.5	24.30	2.26	\$2101
PT9PP4213-12	0.36 x 42 x 12.5	60	26.90	.80	\$2847
PT9PP4813-12	0.36 x 48 x 12.5	92.5	33.80	3.05	\$2951
PT9PP5413-12	0.36 x 54 x 12.5	92.5	36.40	3.39	\$3711
PT9PP6013-12	0.36 x 60 x 12.5	92.5	39	3.72	\$3803
PT9PP6613-12	0.36 x 66 x 12.5	92.5	45.90	4.18	\$4550
PT9PP7213-12	0.36 x 72 x 12.5	92.5	48.50	4.51	\$4642
PT9PP7813-12	0.36 x 78 x 12.5	92.5	51.10	4.85	\$4736

PET Felt Privacy Screen available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on screen size. Clamps available in satin anodized finish only. Privacy screen clamps for use on 1" surfaces only.

- Up to 42"w 2 clamps per panel
- 48"-60"w 3 clamps per panel
- 66"-78"w 4 clamps per panel

# Required Specifications Finish




PET FELT MODESTY PANELS

PET Felt Modesty Panel - 1 pk.

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PT9MP3013-1	.36 x 30 x 12.5	250	2.12	.57	\$159	
PT9MP3613-1	.36 x 36 x 12.5	250	2.38	.69	\$168	
PT9MP4213-1	.36 x 42 x 12.5	250	2.63	.80	\$222	
PT9MP4813-1	.36 x 48 x 12.5	250	3.31	.91	\$231	
PT9MP5413-1	.36 x 54 x 12.5	250	3.57	1.03	\$300	
PT9MP6013-1	.36 x 60 x 12.5	250	3.82	1.14	\$307	
PT9MP6613-1	.36 x 66 x 12.5	250	4.50	1.25	\$360	
PT9MP7213-1	.36 x 72 x 12.5	250	4.76	1.36	\$372	
PT9MP7813-1	.36 x 78 x 12.5	250	5.01	1.48	\$381	

PET Felt Modesty Panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on screen size. Clamps available in satin anodized finish only. Specify a nominal size 6" shorter than worksurface size.

- Up to 42"w 2 clamps per panel
- 48"-60"w 3 clamps per panel
- 66"-78"w 4 clamps per panel




PET Felt Modesty Panel - 4 pk.

PT9MP3013-4	0.36 x 30 x 12.5	85	7.64	.60	\$594
PT9MP3613-4	0.36 x 36 x 12.5	85	8.56	.71	\$632
PT9MP4213-4	0.36 x 42 x 12.5	92.5	9.48	.83	\$841
PT9MP4813-4	0.36 x 48 x 12.5	85	11.90	.98	\$878
PT9MP5413-4	0.36 x 54 x 12.5	92.5	12.80	1.09	\$1133
PT9MP6013-4	0.36 x 60 x 12.5	92.5	13.80	1.20	\$1166
PT9MP6613-4	0.36 x 66 x 12.5	85	16.20	1.32	\$1373
PT9MP7213-4	0.36 x 72 x 12.5	92.5	17.10	1.43	\$1410
PT9MP7813-4	0.36 x 78 x 12.5	92.5	18	1.54	\$1443

PET Felt Modesty Panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on screen size. Clamps available in satin anodized finish only. Specify a nominal size 6" shorter than worksurface size.

- Up to 42"w 2 clamps per panel
- 48"-60"w 3 clamps per panel
- 66"-78"w 4 clamps per panel



PET Felt Modesty Panel - 12 pk.

PT9MP3013-12	0.36 x 30 x 12.5	92.5	21.60	1.92	\$1732	
PT9MP3613-12	0.36 x 36 x 12.5	92.5	24.30	2.26	\$1840	
PT9MP4213-12	0.36 x 42 x 12.5	92.5	26.90	2.60	\$2456	
PT9MP4813-12	0.36 x 48 x 12.5	92.5	33.80	3.05	\$2559	
PT9MP5413-12	0.36 x 54 x 12.5	92.5	36.40	3.39	\$3318	
PT9MP6013-12	0.36 x 60 x 12.5	92.5	39	3.72	\$3410	
PT9MP6613-12	0.36 x 66 x 12.5	92.5	45.90	4.18	\$4026	
PT9MP7213-12	0.36 x 72 x 12.5	92.5	48.50	4.51	\$4120	
PT9MP7813-12	0.36 x 78 x 12.5	92.5	51.10	4.85	\$4212	

PET Felt Modesty Panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on screen size. Clamps available in satin anodized finish only. Specify a nominal size 6" shorter than worksurface size.

- Up to 42"w 2 clamps per panel
- 48"-60"w 3 clamps per panel
- 66"-78"w 4 clamps per panel

**Required Specifications** 



PET TRI-FOLD SCREENS	MODEL#	DIMENSIONS	FREIGH	T CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
D x W x H								
<ul> <li>9mm thick panels offered in 9 finishes</li> </ul>		F	ELT COL	ORS				
• Made from 100% PET (polyester) fiber wit	n a high content (50%) of post	t-recycled	BLK	Black		MTS	Mist	
material, free of added chemicals, binders a	nd adhesives		BRI	Brick		PWT	Pewter	
• Lightweight panels are tackable, impact and	tear resistant, bacteria resistan	nt,	DEN	Denim		SHR	Shamrock	
moisture resistant, and installation friendly			GPH	Graphite	)	WHT	White	
Variation in fiber mix and color are inherent	to the character of the product.		HVT	Harvest				

PET TRI-FOLD SCREENS	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PSDTP3224	D x W x H 15.5 x 31.5 x 23.5	85	7	0.5	\$306	
ET Felt Desktop Partition						s space. 9mm thick PET Felt, a puzzle-like joint. Easy to as	
	PSFSP3260	15.5 x 31.5 x 60	92.5	13	1.2	\$692	
ET Felt Floor Partition						ace. 9mm thick PET Felt, no h ke joint. Easy to assemble.	nardware

Required Specifications
Finish

G7 MONITOR ARMS MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

D.X.W.X.H.

- Free up valuable space on surfaces
- Attach to any standard surface with flush edge with clamp that tightens from the desktop.
- Can be placed through standard Global grommets for mounting.
- Clamps on worksurfaces .50" to 2.625" thick
- Built-in cable management on arm and at the back of the base.
- Quick connect option is standard with hole patterns to meet Video Electronics Standards Association (VESA) standards (75mm x 75mm or 100mm x 100mm)
- Available finishes: Black (BLK), Designer White (DWT), Tungsten (TUN).

7 MONITOR ARMS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	PSMA1	5.5 x x 21	85	6.6	0.47	\$350
47 Monitor Arm, Single	20.5" extension -90° to 45° tilt a • Available in B		pack of monitor, fo function. Maximun te ( <b>DWT</b> ) and Tun	lds to 4.5". N n monitor wi	Monitor can rotal dth of 34". Son	e floating fingertip control. Ma: ate for portrait or landscape vie ne assembly required.
	PSMA2	5.5 x x 21	85	11.44	0.8	\$580
	FSIVIAZ					
7 Monitor Arm, Double	For use with mo 20.5" extension -90° to 45° tilt a • Available in B	nitors weighing 4.4 to 19. from rear of the desk to b	pack of monitor, fo function. Maximun te ( <b>DWT</b> ) and Tun	lds to 4.5". N n monitor wi	Monitor can rotal	e floating fingertip control. Ma. ate for portrait or landscape vie arm). Some assembly required.
7 Monitor Arm, Double	For use with mo 20.5" extension -90° to 45° tilt a • Available in B	nitors weighing 4.4 to 19. from rear of the desk to b djustment. 180° lockout f lack ( <b>BLK</b> ), Designer Whi	pack of monitor, fo function. Maximun te ( <b>DWT</b> ) and Tun	lds to 4.5". N n monitor wi	Monitor can rotal	ate for portrait or landscape vie

**Required Specifications** 

Finish

MONITOR ARMS MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

- Free up valuable space on surfaces
- Attach to any standard surface with flush edge by a desk clamp or through a grommet. Grommets above support panels cannot be used for mounting. Mounting hardware included.
- Clamps on worksurfaces 1/2" to 2 5/8" thick
- 9" vertical height adjustment on 12" post
- For use in grommets up to 3.5" wide
- · Built-in cable management
- Quick connect option is standard with hole patterns to meet Video Electronics Standards Association (VESA) standards (75mm x 75mm or 100mm x 100mm)
- Monitor arm components are 100% recycled aluminum die cast material, providing stability and durability
- Available finishes: Silver (SIL) standard; Black (BLK) and White (WTE).


MONITOR ARMS, SINGLE SCREEN	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
180° 1	MON1SPP	X X	150	5.80	1.20	\$338
Single Screen Pole Position	No extension arms.	Minor assembly req	uired. Supports 20	lb. load capa	acity. No maxin	num monitor width.

### **Single Screen Pole Position**

MON1SSE \$456 150 6.20 1.20 -- X -- X --

# **Single Screen Single Extension Arm**

9.5" horizontal reach from center of pole to front of monitor mounting plate. Displays are able to tilt 180°, swing 180° sideto-side and rotate from landscape to portrait. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.



MON1SSEH 125 7.20 1.10 \$583 -- x -- x --

# **Single Screen Single Extension Arm** with Height Adjustment

Counterbalanced arm provides an additional 13" of height adjustment. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. 9.5" horizontal reach from center of pole to front of monitor mounting plate. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.



MON1SDE 7.50 1.20 \$569 125 -- X -- X --

### **Single Screen Double Extension Arm**

Double extension allows 19" of horizontal back and forth movement. Arm folds back to post for more desk space. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.

	Required	l Speci	ifications
--	----------	---------	------------

Finish

CUBIC FT.

1.10

1.12

LIST PRICE

\$684

\$782


WT/LBS.

8.20


Counterbalanced arm provides an additional 12.4" of height adjustment. Double extension allows 24.5" of horizontal back and

10.34

forth movement. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Cable manager comes on extension arm and hides all cables. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.



Single Screen Double Extension Arm w/Height Adjustment



**Single Screen Double Extension Arm** - Light Duty



MODEL#

MON1SDEH

M7750LD

For use with monitors weighing 5 to 20 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of
26.7" extension from rear of desk to back of monitor; folds to 4.5". Monitor can rotate 180° for portrait or landscape viewing
with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate
edge clamp and grommet mount included. Silver finish. Some assembly required. Supports 20 lb. load capacity. No maximum
monitor width.

Also available in Black finish #M7750LDB or White finish #M7750LDW.

DIMENSIONS

29.3 x 9.5 x 12.5

DxWxH

5.5 x -- x --

FREIGHT CLASS

125

100

nent	per

M7755MD \$834 5.5 x -- x --100 10.34 1.12

Single Screen Double Extension Arm - Medium Duty

For use with monitors weighing 10 to 30 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 26.7" extension from rear of desk to back of monitor; folds to 4.5". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required. Supports 20 lb. load capacity. No maximum monitor width. • Also available in **Black finish** #M7755MDB or **White finish** #M7755MDW.

MUNITUR ARMS, DUAL SCREEN
30.8" adjustment

**Dual Screen Double Extension Arm** 

MITTOR DOG
M7760DSS 26 x 8.4-30.75 x 24.4 92.5 14.75 1.3 <b>\$1081</b>


For use with monitors weighing 6 to 28 lbs. total and maximum width of 24" diagonal. Adjustable counterbalance provides free floating fingertip control. Maximum of 30.8" extension from rear of desk to back of monitor; folds to 8.4". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required. Supports 20 lb. load capacity. No maximum monitor width.

• Also available in **Black finish** #M7760DSB or **White finish** #M7760DSW.

**Required Specifications** 

# P


# PRODUCTIVITY SOLUTIONS™ BY GLOBAL



**Dual Screen Double Extension Arm** 

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST P	RICE
D x W x H	
MON2SDE x x 12.5 100 10.70 1.20 <b>\$10</b>	06

For dual monitor applications. 32" maximum monitor width. Supports a 20lb. load capacity per screen. Double extension arms reach out up to 19". Top of mounting pole is 12.5" from worksurface. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required.



Dual Screen Double Extension Arm with Height Adjustment

MON2SDEH	x x 12.5	150	6	1.20	\$1247	

For dual monitor applications. 35" maximum monitor width. Supports a 20 lb. load capacity per screen. Counterbalanced arms provide an additional 12.4" of height adjustment. Double extension arms reach out up to 23.5". Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Both arms can be set at the same height. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Cable manager comes on extension arm and hides all cables. Minor assembly required. Supports 20 lb. load capacity.

**	

MONITOR ARMS, QUAD SCREEN

Parabolic Quad Screen Beam Mount


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
MONQSBM	X X	65	18.30	.70	\$1630	

Supports four monitors. Two outside single extension arms tilt 180° and swing 180° side-to-side. All displays can be rotated from landscape to portrait. Beam is 63.9"w. Minor assembly required. Supports 20 lb. load capacity. 21" maximum monitor width. Bracket for grommet mount only included.

**Required Specifications** 

Finish

SIT-STAND WORKSTATIONS



Single Screen Sit-Stand Workstation with Keyboard Tray and Shelf

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
M6011WS	28 x x	125	36	4.8	\$3314	

Desktop edge (rear, side or corner) or grommet mount on 24" or 30" deep worksurfaces. Transition between seated and standing positions, HFES compliant. Over 22" of gas assisted height adjustment plus independent height adjustable mechanism for the keyboard tray. Additional 9.5" of independent counterbalance height adjustment for the monitor. 45° of tilt and 90° of portrait to landscape rotation. Monitor weight limit from 5 to 25 lbs. Silver/Grey (SG) finish. Assembly required.

• Also available in Black/Black (B/B) finish #M6011WSBB or White/Grey (WG) finish #M6011WSWG.



Dual Screen Sit-Stand Workstation with Keyboard Tray and Shelf

M6021WS	28 x x	100	42	4.8	\$3670

Desktop edge (rear, side or corner) or grommet mount on 24" or 30" deep worksurfaces. Transition between seated and standing positions, HFES compliant. Over 22" of gas assisted height adjustment plus independent height adjustable mechanism for the keyboard tray. Additional 9.5" of independent counterbalance height adjustment for the monitor. 45° of tilt and 90° of portrait to landscape rotation. Accommodates most 24" monitors weighing up to 8 lbs. each and offers independent screen adjustments. Silver/Grey (SG) finish. Assembly required.


• Also available in Black/Black (B/B) finish #M6021WSBB or White/Grey (WG) finish #M6021WSWG.

**Required Specifications** 

Finish

# P

# PRODUCTIVITY SOLUTIONS™ BY GLOBAL



**Tray with Sliding Mouse Support** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
KT01	10.5 x 21.3 x 2	70	7	.40	\$277	

Mouse surface slides below support for left or right mouse positioning. Keyboard surface is 21"w x 11"d. Mouse surface extends 9" beyond the side of the tray. Compatible with all Global keyboard mechanisms. ABS plastic tray and sliding mouse tray.

• Specify mechanism separately (see next page)



27" HDPE Tray

KT27M02	11.5 x 27.5 x .38	70	6	.40	\$357

Allows mouse to be easily positioned at the same height as, and to the left or right of, the keyboard. Palm rest is easily removable. Includes anti-slip strips. High Density Polyethylene (HDPE) surface material. SSU palm rest. Compatible with all Global keyboard mechanisms.

• Specify mechanism separately (see next page)




Tray with Height Adjustable Mouse Support - Black

KTMT03	11.5 x 23 x 2.8	100	5.80	.60	\$385

Low profile tray with highly adjustable Mouse Support that allows the user to position the mouse surface according to their needs and preferences. Mouse support features include: height adjustment, swivel and tilt. User can easily mount on left or right side of keyboard tray, easily swivel and adjust the height position to maintain neutral postures, and independently adjust the mouse surface tilt so mouse stays on the support when the keyboard tray is tilted. Compatible with all Global keyboard mechanisms. Palm rest is easily removable. Includes Mouse Fence with Cable Manager and anti-slip strips. Keyboard tray is 20.5"w x 11"d and mouse support is 11" in diameter. Tray support material is a compact phenolic panel; mouse tray in ABS plastic. Plug-in gel-feel foam palm rest.

• Specify mechanism separately (see next page)




**Soft Touch Keyboard Support Mechanism** 

KSM01-21	23.8 x 9 x 4.3	85	9.20	.70	\$275
KSM01-18	19.7 x 7.4 x 3.6	85	7.60	.60	\$275
KSM01-12	13 x 5 x 2.4	85	5.10	.40	\$275

Soft Touch knob for simultaneous height and tilt adjustment. Spring-assist mechanism. Compatible with all Global keyboard mechanisms. Good for single users who do not adjust their keyboard often.

- KSM01-21 requires 21.75" of depth clearance under the surface for installation.
- KSM01-18 requires 18" of depth clearance under the surface for installation.
- KSM01-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately (see previous page)




Lift-N-Lock Keyboard Support Mechanism


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
KSM02-21	23.8 x 9 x 9.7	85	9.70	.70	\$361
KSM02-18	19.7 x 7.4 x 8.2	85	8	.60	\$361
KSM02-12	13 x 5 x 5.4	85	5.40	.40	\$361

Knobless height adjustment and independent tilt adjustment. Locks automatically into position with release of tray. Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions or for multiple users.

- KSM02-21 requires 21.75" of depth clearance under the surface for installation.
- KSM02-18 requires 18" of depth clearance under the surface for installation.
- KSM02-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately (see previous page)




**Slim Fit Keyboard Support Mechanism** 



Super slim profile accommodates leg clearance requirements of more users. Knobless height adjustment and independent tilt adjustment. Height and depth indicators together in dashboard. Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions and for multiple users. Swivels 360°.

- KSFK-21 requires 21.75" of depth clearance under the surface for installation.
- KSFK-18 requires 18" of depth clearance under the surface for installation.
- KSFK-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately (see previous page)




Trackless Keyboard Support Mechanism

Black:						
KSTRKLS-B	14.5 x 7.5 x 5.25	70	6	0.3	\$506	

Super slim profile trackless keyboard mechanism designed to fit worksurfaces such as height adjustable tables and benching systems, where space is limited and conventional track mounted keyboard mechanisms will not fit. Knobless height adjustment and independent tilt adjustment. Compatible with all Global keyboard trays.

#### • Specify keyboard tray separately (see previous page)



Lift-N-Lock Sit-Stand Mechanism

KSM03-21	23.8 x 9 x 9.7	85	11.80	.90	\$579
KSM03-18	19.7 x 7.4 x 8	85	9.70	.70	\$579
KSM03-12	13 x 5 x 5.3	85	6.50	.50	\$579

Ergonomic support for both seated and standing positions. Curved neck allows user closer access to the desk. Compatible with all Global keyboard mechanisms. Recommended for single users who alternate between sitting and standing.

- KSM03-21 requires 21.75" of depth clearance under the surface for installation.
- KSM03-18 requires 18" of depth clearance under the surface for installation.
- KSM03-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately (see previous page)

MODEL#

PCPU-HC

CPU is 15". Black only.

CPU is 15". Black only.

PCPU-GT

DIMENSIONS

15 x 5 x 10.37

DxWxH

-- X -- X --



WT/LBS.

8

CUBIC FT.

.45

LIST PRICE

\$190

\$412

FREIGHT CLASS

70



**CPU Holder on Casters** 

Adjusts 5" - 9" in width.	Front locking casters.	Assembly hardware included.	Height without CPU is 10.4".	Depth without

Desk mounted CPU Holder. Adjusts 5" - 11" in width. Mounting hardware included. Height without CPU is 18". Depth without

12.60

1.40



**Power Park CPU Holder** 


PCPU-HO	15 x 5-11 x 18	92.5	11.50	1.06	\$166



**CPU Holder on Glide Track** 

100

Accepts tower CPUs with widths from 3.5" to 9.3" and heights from 12.5" to 22.5". 17" glide track and 360° swivel for easy access to rear of CPU. Steel and engineered resin construction.



**LED Task Light** 

TASK LIGHTING



Energy efficient LED. Ultra slim design. Suitable for hanging under hutch or wallhung units. 6' power cord. UL listed: UL 153.



PLEDS240	0.94 x 22.9 x .79	70	2.5	0.13	\$243
PLEDS360	0.94 x 33.5 x .79	70	2.8	0.16	\$280
PLEDS480	0.94 x 45.5 x .79	70	3.2	0.21	\$311

Undercabinet slim profile LED linear light fixture with lens and On/Off switch. May be used as stand-alone or extended with add-on section below (PLEDAxxx). Plug-in power supply with 72" cord length plus 78" DC cable. Includes magnetic mounting brackets for both steel and laminate units; for laminate units, additional mounting plates are required and included. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours. UL listed: UL 153.

	PLEDS240	PLEDS360	PLEDS480
Nominal size	24"W	36"W	48"W
Number of LEDs	36	54	72
Total light output (lumens)	580	780	1150
Power input per light (watts)	9	13.5	18

PLEDA240	0.94 x 22.9 x .79	70	2.5	0.13	\$199
PLEDA360	0.94 x 33.5 x .79	70	2.8	0.16	\$236
PLEDA480	0.94 x 45.5 x .79	70	3.2	0.21	\$267

Undercabinet slim profile LED linear add-on light fixture with lens. Daisy chain unit with 39" linking cable, no power supply. Add-on units can only be linked up to a total of 48 watts per power supply; this is equivalent to 10 feet of nominal length of light per power supply. Includes magnetic mounting brackets for both steel and laminate units; for laminate units, additional mounting plates are required and included. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours. UL listed: UL 153.


0.40

0.01

\$98

	PLEDA240	PLEDA360	PLEDA480
Nominal size	24"W	36"W	48"W
Number of LEDs	36	54	72
Total light output (lumens)	580	780	1150
Power input per light (watts)	9	13.5	18

Nominal size	24"VV	36"W	48"W	l
Number of LEDs	36	54	72	
Total light output (lumens)	580	780	1150	
Power input per light (watts)	9	13.5	18	
				-



Add-On LED Task Light

70

Inline add-on controller for dimming and occupancy sensor. UL listed: UL153.

0.93 x 4.4 x 1.3

**Required Specifications** 

Finish Mount

**PLEDOS** 

**Optional Specifications** 

Occupancy Sensor

TASK LIGHTING	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	Freestanding Bas	ons for Voyage and Rev se (FS) se with USB charge port ( SM)		\$104.			
EVO + VOYAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	LINLAMPS	6 x 6 x 14.1	60	2.66	.01	\$672	
byage - Single Arm	Brightness adjust consumer recycla (see above). Opti	tment from 100% to 15% ability by weight. Availab	. 18 fractional e in Black (BLK)	LEDs, 337 lume ), White (WHT)	ens, 3500K colo and Silver (SLV	ty, with auto shut-off after r temperature. 85 CRI. 94 '). Mounting accessories le devices. UL listed: UL 1	% post sold separately
	LINLAMPD	6 x 6 x 21.6	60	2.66	.01	\$688	
byage - Double Arm	Brightness adjust consumer recycla (see above). Opti	tment from 100% to 15% ability by weight. Availab	. 18 fractional e in Black (BLK)	LEDs, 337 lume ), White (WHT)	ens, 3500K colo and Silver (SLV	ity, with auto shut-off aft r temperature. 85 CRI. 94 '). Mounting accessories le devices. UL listed: UL 1	% post sold separately
	RNDLAMPS	6 x 6 x 14.1	60	2.66	.01	\$672	
evo - Single Arm	Brightness adjust consumer recycla (see above). Opti	tment from 100% to 15% ability by weight. Availab	. 18 fractional e in Black (BLK)	LEDs, 294 lume ), White (WHT)	ens, 3500K colo and Silver (SLV	ty, with auto shut-off after r temperature. 85 CRI. 94 '). Mounting accessories le devices. UL listed: UL 1	% post sold separately
	RNDLAMPD	6 x 6 x 21.6	60	2.66	.01	\$688	
evo - Double Arm	Brightness adjust consumer recycla (see above). Opti	tment from 100% to 15% ability by weight. Availab	. 18 fractional e in Black (BLK)	LEDs, 294 lume ), White (WHT)	ens, 3500K colo and Silver (SLV	ity, with auto shut-off aft r temperature. 85 CRI. 94 '). Mounting accessories le devices. UL listed: UL 1	% post sold separately
	Required Specific		Optional Spec				

global globalfurnituregroup.com


Mount



**Cable Snake** 

Ŋij	
Ø	
NQ.	
M	
H	
NI	

Cable Snake Extension



Power/Data Block



Mini Adapt Power Module



DPC Slim Desktop 2 Power/USB-A and -C



#### DPC Slim Desktop 3 Power/USB-A and -C

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PCSN01	2 x 3 x 31.25	92.5	2.10	.20	\$135	

Flexible cable management. Provides access to power/data from floor to underside of worksurface where it attaches. Two pathways within Cable Snake. Silver (SIL) plastic only.

PCSN01E	- X - X -	92.5	2.1	0.2	\$108

Extension kit to use with cable snake PCSN01. Additional 8 links extend cable snake up to 49" in length. Ideal for height adjustable tables. Silver plastic only.

PMSPDM	3.5 x 6.5 x 2.75	70	2	.10	\$330
--------	------------------	----	---	-----	-------

Worksurface power and data module. Two power receptacles and two data receptacles. 9' black cord included. Specify position and add **\$96** for cut-out in worksurface. See diagram E1/E2/E3 for specification location. Black only. Cut-out dimensions: 5.95" x 2.75".

PEUTEM	3 x 3.8 x 2	70	1 .	18	\$221
--------	-------------	----	-----	----	-------

Two power receptacles. Attaches to edge of table or desk through grommet hole. 6' black cord. Black only.

PSDPC22W	2.25 x 4.88 x 2.25	60	2.5	0.5	\$307

Desktop power center with two 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face. UL listed: UL 962A.

PSDPC32W	2.25 x 6 x 2.25	60	2.6	0.5	\$405

Desktop power center with three 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face. UL listed: UL 962A.

# P

# PRODUCTIVITY SOLUTIONS™ BY GLOBAL



		_			_			
Isl	le	P٢	W	er	10	W	Æ	ı

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PTISL96GB	18 x 18 x 25.5	92.5	68	6.50	\$2768	
PTISL96GW	18 x 18 x 25.5	92.5	68	6.50	\$2768	
PTISL96SP	18 x 18 x 25.5	92.5	68	6.50	\$2768	

Includes three standard duplexes each with (2) 110V power outlets, and three USB A+C duplexes each with (2) 110V power outlets, (1) 55W USB-C power delivery port and (1) 1.5A, 5V USB-A port; total of (12) 110V power outlets, (3) USB-C and (3) USB-A ports. 9' cord with molded plug.


Available in Gloss Black (GB), Gloss White (GW) and Silver Pearl (SP) as indicated by last letter of model number.



**Vesta Portable Power Tower** 

PPVST3WF	12 x 12 x 28.25	250	10	4.30	\$1580

Includes three 110V power outlets (one on top, two on base), two USB-A and one USB-C charging ports. 10' cord with plug. Matte White finish with Fog inserts.




Cove Mini - Charging USB

COV-SM-U108	70	1.5	.25	\$378

Retrofits into any AG or POG grommet cutout (grommet cover must be removed). Includes two 2.1 AMP USB charging ports. Requires 2" clearance below the worksurface. 9' black cord. UL listed: UL 962A.

- This unit utilizes the entire grommet, eliminating available wire pass thru
- Replace \_ with **B** for **Black**
- Replace \_ with S for Silver




Cove Mini - Power & Charging USB

	COV-SM-1U108	70	1.5	.25	\$402	
--	--------------	----	-----	-----	-------	--

Retrofits into any AG or POG grommet cutout (grommet cover must be removed). Includes one power outlet and two 2.1 AMP USB charging ports. Requires 2" clearance below the worksurface. 9' black cord. UL listed: UL 962A.

- This unit utilizes the entire grommet, eliminating available wire pass thru
- $\bullet$  Replace \_ with  $\boldsymbol{B}$  for  $\boldsymbol{Black}$
- Replace \_ with S for Silver



Cove Mini - Power

COV-SM-2108	 70	1.5	.25	\$249

Retrofits into any AG or POG grommet cutout (grommet cover must be removed). Includes two power outlets. Requires 2" clearance below the worksurface. 9' black cord. UL listed: UL 962A.


- This unit utilizes the entire grommet, eliminating available wire pass thru
- $\bullet$  Replace \_ with  $\boldsymbol{B}$  for  $\boldsymbol{Black}$
- $\bullet$  Replace  $\_$  with  $\boldsymbol{S}$  for  $\boldsymbol{Silver}$

#### **Required Specifications**

Finish

POWER / DATA

Clamp Mount 2 Power/USB-A&C



Ashley Duo clamp mount power module with two 15 amp 120 Volt AC receptacles; 2.4 amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, UL listed: UL 962A. Clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws.

- PS3525057 White module with Silver bracket.
- PS3525002 Black module with Silver bracket

	PS3526057	2.8 x 5.5 x 1.8	60	3.2	0.2	\$500	
50 - 0 -	PS3526002	2.8 x 5.5 x 1.8	60	3.2	0.2	\$500	

Ashley Duo under mount power module with two 15 amp 120 Volt AC receptacles; 2.4 amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, UL listed: UL 962A. Mountable under most worksurfaces. Installation template provided.

- PS3526057 White module with Silver bracket
- PS3526002 Black module with Silver bracket.

PS305057	3.2 x 5.5 x 3	60	3.01	0.05	\$386	
PS305002	3.2 x 5.5 x 3	60	3.01	0.05	\$386	

Ashley Duo clamp mount power module with two 15 amp 120 Volt AC receptacles and two 2.1 amp USB ports. Includes 10' power cord with NEMA plug. Edge clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws. UL listed: UL 962A.

- PS305057 White module with Silver bracket.
- PS305002 Black module with Silver bracket

PS305157	2.8 x 5.5 x 1.8	60	3.2	0.05	\$335	
PS305102	2.8 x 5.5 x 1.8	60	3.2	0.05	\$335	

Ashley Duo under mount power module with two 15 amp 120 Volt AC receptacles and two 2.1 amp USB ports. Includes 10' power cord with NEMA plug. Mountable under most worksurfaces. Installation template provided. UL listed: UL 962A.

- PS305157 White module with Silver bracket
- PS305102 Black module with Silver bracket.

Under Mo	unt 2 P	ower/US	:

Under Mount 2 Power/USB-A&C

Clamp Mount	2 Power/2

**USB-A** 



**Under Mount 2 Power/2 USB-A** 

**Required Specifications** 

# P

# PRODUCTIVITY SOLUTIONS™ BY GLOBAL

POWER/DATA	
123	

Cinala	Gidvq	Recessed	DAMAR	Plank

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PRTMCS401B	4.22 x 10.78 x 4	1.86 100	4.3	0.51	\$456	
PRTMCS401T	4.22 x 10.78 x 4	1.86 100	4.3	0.51	\$456	
PRTMCS401W	4.22 x 10.78 x 4	1.86 100	4.3	0.51	\$456	

Single-sided recessed power block with **one regular duplex and one telecom knockout on top**; **one power duplex on bottom**. 10' power cord with straight plug. Specify telecom options separately, see page 463. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by the last letter of model number. Duplexes always Grey. Corresponding cut-out options are **R1**, **R2** or **R3**. Units are not approved for daisy chaining. UL listed: UL 1363.

The second secon

Single Sided Recessed Power Block
- USB-A + USB-C

PRTMCS421B	4.22 x 10.78 x 4.86	100	4.3	0.51	\$599
PRTMCS421T	4.22 x 10.78 x 4.86	100	4.3	0.51	\$599
PRTMCS421W	4.22 x 10.78 x 4.86	100	4.3	0.51	\$599

Single-sided recessed power block with **one power/USB-A/USB-C duplex and one telecom knockout on top; one power duplex on bottom**. USB-A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 463. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by the last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are **R1**, **R2** or **R3**. Units are not approved for daisy chaining. UL listed: UL 1363.



**Double Sided Recessed Power Block** 

PRTMCD602B	6.22 x 10.78 x 4.86	92.5	5.9	0.51	\$521
PRTMCD602T	6.22 x 10.78 x 4.86	92.5	5.9	0.51	\$521
PRTMCD602W	6.22 x 10.78 x 4.86	92.5	5.9	0.51	\$521

Double-sided recessed power block with **two regular power duplexes and two telecom knockouts on top**; **one power duplex on bottom**. 10' power cord with straight plug. Specify telecom options separately, see page 463. Available in Black **(B)**, Tungsten **(T)** or Designer White **(W)** as indicated by last letter of model number. Duplexes always Grey. Corresponding cutout options are **T1, T2** or **T3**. Units are not approved for daisy chaining. UL listed: UL 1363.



Double Sided Recessed Power Block
- USB-A + USB-C

PRTMCD622B	6.22 x 10.78 x 4.86	92.5	6.1	0.51	\$656
PRTMCD622T	6.22 x 10.78 x 4.86	92.5	6.1	0.51	\$656
PRTMCD622W	6.22 x 10.78 x 4.86	92.5	6.1	0.51	\$656

Double-sided recessed power block with **one regular power duplex**, **one power/USB-A/USB-C duplex and two telecom knockouts on top**; **one power duplex on bottom**. USB-A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 463. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are **T1**, **T2** or **T3**. Units are not approved for daisy chaining. UL listed: UL 1363.



Double Sided Recessed Power Block
- USB-A + USB-C

PRTMCD642B	6.22 x 10.78 x 4.86	85	6.3	0.51	\$790
PRTMCD642T	6.22 x 10.78 x 4.86	85	6.3	0.51	\$790
PRTMCD642W	6.22 x 10.78 x 4.86	85	6.3	0.51	\$790

Double-sided recessed power block with **two power/USB-A/USB-C duplexes and two telecom knockouts on top**; **one power duplex on bottom**. USB-A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 463. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are **T1**, **T2** or **T3**. Units are not approved for daisy chaining. UL listed: UL 1363.

**Required Specifications** 

Finish

TELECOM PLATES	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PTEL01	D x W x H - X - X -	70	0.01	0.05	\$164	
Telecom Plate - 2 x 6	Includes 2 x RJ45	5 cat 6 data. Black teleco	m plate. To be h	ardwired by	data contractor.		
	PTEL12	- X - X -	70	1	0.01	\$207	
Telecom Plate - 2 x 6	Grey telecom pla	te with (2) RJ45 cat 6 dat	a jacks. To be ha	ırdwired by c	lata contractor.		
	PTEL02	- X - X -	70	0.01	0.05	\$222	
Telecom Plate - 3 x 6	Includes 2 x RJ45	o cat 6 data and 1 RJ11 ca	at phone. Black t	elecom plate	e. To be hardwii	red by data contractor.	
	PTEL03	- X - X -	70	0.01	0.05	\$340	
Telecom Plate - 4 x 6	Includes 4 x RJ45	5 cat 6 data. Black teleco	m plate. To be h	ardwired by	data contractor.		
	PTEL13	- X - X -	70	1	0.01	\$375	
Telecom Plate - 4 x 6	Grey telecom plate with (4) RJ45 cat 6 data jacks. To be hardwired by data contractor.						
	PTEL04	- X - X -	70	0.01	0.05	\$290	
Telecom Plate - 3TSV	Includes 1 x RJ45	o cat 6 data, mini stereo a	and 15 pin HD VG	A. Black tele	ecom plate. To l	be hardwired by data contractor.	
<u> </u>	PTEL05	- X - X -	70	0.01	0.05	\$401	
Telecom Plate - 3SVH	Includes mini ste	reo, 15 pin HD VGA and F	IDML Black tele	com plate.			
	PTEL14	2 x 3.25 x -	70	1	0.01	\$483	
Telecom Plate - SVH	Grey telecom plate connector cable.	te with mini stereo, 15 pi	n HD VGA with fo	emale to mal	e connector cab	ole and HDMI with female to female	
	PTEL08	- X - X -	70	1	0.01	\$176	
Telecom Plate - 1 USB-C, 1 USB-A	Grey telecom pla: #PUSBTRSF order		20" male pigtail a	and (1) USB-	A port w/72" piç	gtail; requires powered USB transformer	

Required Specifications
Finish

PTEL09 -x-x- 70 1 0.01 \$236  Grey telecom plate with (2) USB-A ports each 2/72" patchcord.  PTEL10 -x-x- 70 1 0.01 \$485  Grey telecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36" male pigtail; female/female gender changer included.  PTEL11 -x-x- 70 1 0.01 \$386  PTEL11 -x-x- 70 1 0.01 \$386  PTEL11 -x-x- 70 1 0.01 \$386	PUSBTRSF -x-x- 70 1 0.01 \$117  Powered USB transformer, 25w, 100-240 VAC, 5-9VDC (1) USB-C and (2) USB-A female ports - provides power for PTEL08.  PTEL09 -x-x- 70 1 0.01 \$236  PTEL109 -x-x- 70 1 0.01 \$485  PTEL10 -x-x- 70 1 0.01 \$485  PTEL10 -x-x- 70 1 0.01 \$485  PTEL11 -x-x- 70 1 0.01 \$386	ECOM PLATES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
PTEL09 -x-x- 70 1 0.01 \$236  Grey telecom plate with (2) USB-A ports each 2/72" patchcord.  PTEL10 -x-x- 70 1 0.01 \$485  Grey telecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36" male pigtail; female/female gender changer included.  PTEL11 -x-x- 70 1 0.01 \$386  PTEL11 -x-x- 70 1 0.01 \$386	PTEL09 - x - x - 70 1 0.01 \$236  Grey telecom plate with (2) USB-A ports each 2/72" patchcord.  PTEL10 - x - x - 70 1 0.01 \$485  Grey telecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36" male pigtail; female/female gender changer included.  PTEL11 - x - x - 70 1 0.01 \$386  PTEL11 - x - x - 70 1 0.01 \$386  Grey telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord.  PTEL15 - x - x - 70 1 0.10 \$445		PUSBTRSF		70	1	0.01	\$117	
Grey telecom plate with (2) USB-A ports each 2/72" patchcord.    PTEL10	Grey telecom plate with (2) USB-A ports each 2/72" patchcord.    PTEL10	ered USB Transformer	Powered USB tra	nsformer, 25w, 100-240	) VAC, 5-9VDC (1)	USB-C and (2	) USB-A female	ports - provides power f	or PTELO8.
Grey telecom plate with (2) USB-A ports each 2/72" patchcord.  PTEL10 -x-x- 70 1 0.01 \$485  Grey telecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36" male pigtail; female/female gender changer included.  PTEL11 -x-x- 70 1 0.01 \$386  PTEL11 -x-x- 70 1 0.01 \$386  Grey telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord.  PTEL15 -x-x- 70 1 0.10 \$445	Grey telecom plate with (2) USB-A ports each 2/72* patchcord.  PTEL10 -x-x- 70 1 0.01 \$485  Grey telecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36* male pigtail; female/female gender changer included.  PTEL11 -x-x- 70 1 0.01 \$386  PTEL11 -x-x- 70 1 0.01 \$386  Grey telecom plate with (1) HDMI female/female w/36* patchcord and (1) USB-A with 72* patchcord.  PTEL15 -x-x- 70 1 0.10 \$445		PTEL09	- X - X -	70	1	0.01	\$236	
Grey telecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36" male pigtail; female/female gender changer included.  PTEL11 - x - x - 70 1 0.01 \$386  Grey telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord.  PTEL15 - x - x - 70 1 0.10 \$445	Grey telecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36" male pigtail; female/female gender changer included.  PTEL11 - x - x - 70 1 0.01 \$386  Grey telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord.  PTEL15 - x - x - 70 1 0.10 \$445		Grey telecom plat	te with (2) USB-A ports	each 2/72" patcho	cord.			
Grey telecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36" male pigtail; female/female gender changer included.  PTEL11 -x-x- 70 1 0.01 \$386  Grey telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord.  PTEL15 -x-x- 70 1 0.10 \$445	Grey telecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36" male pigtail; female/female gender changer included.  PTEL11 -x-x- 70 1 0.01 \$386  Grey telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord.  PTEL15 -x-x- 70 1 0.10 \$445		PTEL10	- X - X -	70	1	0.01	\$485	
Grey telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord.  PTEL15 -x-x- 70 1 0.10 \$445	Grey telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord.  PTEL15 -x-x- 70 1 0.10 \$445		Grey telecom plat	te with (2) RJ45 cat 6 d	ata connectors, (1	) HDMI w/36	" male pigtail; f	emale/female gender ch	anger included.
Grey telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord.  PTEL15 - x - x - 70 1 0.10 \$445	Grey telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord.  PTEL15 -x-x- 70 1 0.10 \$445		PTEL11	- X - X -	70	1	0.01	\$386	
			Grey telecom plat	te with (1) HDMI femal	e/female w/36" pa	atchcord and	(1) USB-A with	72" patchcord.	
			PTFI 15	- V - V -	70	1	0.10	¢лле	
ecom Plate - 1HDMI Grey telecom plate with (1) HDMI female/female with 36" patchcord.	Iecom Plate - 1HDMI Grey telecom plate with (1) HDMI female/female with 36" patchcord.		TTEETO	- ^ - ^ -	70	I	0.10	<b>\$440</b>	
			112210	- X - X -	70	ı	0.10	\$445	
							0.10	\$443	
							0.10	3443	
							0.10	5443	
							0.10	5443	
							0.10	5445	
							0.10	2443	
							0.10	5445	
							0.10	2443	
							0.10	2443	
							0.10	5445	
							0.10	5445	
							0.10	5445	
							0.10	2443	
							0.10	2442	
							0.10	5445	
							0.10	5445	
							0.10	C+++C	
							0.10	C+++C	
							0.10	2442	
							0.10	2445	

POWER SOLUTIONS FOR FLEXIBLE SPACES

MODEL#


DIMENSIONS

FREIGHT CLASS

CUBIC FT.

LIST PRICE

- · Perfect for training areas, meeting rooms, in-office workstations and more; Code compliant that allows users to optimize any space providing convenient power access.
- Connect up to four units from a single infeed, delivering AC power and USB charging to the table tops.
- Two styles are available: in-surface modules or on-surface modules.
- Starter modules include 10' corded infeed with three prong NEMA plug.
- Touch safe easy to use connectors from module to module with added latch to prevent unintended separation.
- Each module features three tamper-resistant receptacles, USB-A and USB-C charging ports.
- Overall maximum length joined together not to exceed 48.5 feet per infeed.
- UL listed to **UL962A SD**, the standard for furniture power distribution units on portable/movable workspace tables.
- Certified to CSA standard C22.2 No. 203-16.
- When ordering in-surface modules be sure to select corresponding cut-out options when specifying tables. Specify MPS for a single centered cut-out on the approach side of the table or MPD for two cutouts in the left and right hand positions. Upcharge will apply per cut-out. Cut-outs are available on the following series: 2gether tables, Bungee rectangular fixed and flip-top tables, Bungee SL tables, ConnecTables, Edventure study carrels and Zook rectangular and flip-top tables. Surface must be a minimum of 0.5" to a maximum of 1.5" thick for proper mounting of the units.
- On-surface modules come with a clamp mount that will accommodate any material from 0.5" to 1.5" thick; additional brackets are also included for alternate screw in mounting options that can accommodate vertical or horizontal positions.
- In-surface cut-out dimensions: 7.15" x 2.25".



MODPOWER DAISY-CHAIN SOLUTION

**ModPower In-Surface Starter Unit** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
PMDSF10MG	2.75 x 7.63 x 2.0	63 250	3.44	1	\$521
PMDSF10WH	2.75 x 7.63 x 2.6		3.44	1	\$521

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (MPS) or two cut-outs in left and right positions (MPD). Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL listed: UL 962A



ModPower In-Surface Middle Unit

PMDCF3MG	2.75 x 7.63 x 2.63	250	2.44	1	\$490
PMDCF3WH	2.75 x 7.63 x 2.63	250	2.44	1	\$490

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (MPS) or two cut-outs in left and right positions (MPD). Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL listed: UL 962A.



**ModPower In-Surface End Unit** 

PMDEF3MG	2.75 x 7.63 x 2.63	70	1.85	1	\$429
PMDEF3WH	2.75 x 7.63 x 2.63	70	1.85	1	\$429

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Two cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (MPS) or two cut-outs in left and right positions (MPD). Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL listed: UL 962A.

# PRODUCTIVITY SOLUTIONS™ BY GLOBAL PROPERTY OF THE PROPERTY OF





ModPower On-Surface Starter Unit

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PMDSA10MG	1.75 x 6.13 x 2.5	150	4.33	1	\$551	
PMDSA10WH	1.75 x 6.13 x 2.5	150	4.33	1	\$551	

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL listed: UL 962A.

ModPower On-Surface Middle Unit

PMDCA3MG	1.75 x 6.13 x 2.5	250	3.33	1	\$521	
PMDCA3WH	1.75 x 6.13 x 2.5	250	3.33	1	\$521	

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL listed: UL 962A.



**ModPower On-Surface End Unit** 

PMDEA3MG	1.75 x 6.13 x 2.5	250	2.75	1	\$459
PMDEA3WH	1.75 x 6.13 x 2.5	250	2.75	1	\$459

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Two cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL listed: UL 962A.



**ModPower Cable Management Clips** 

PMDCLIPS	2.5 x 2.6 x .6	70	0.03	0.02	\$92





**ModPower Interconnecting Jumper** 

Package of 10 clip
--------------------

DIVID IOCDIA	0.0	70	1.00	0.00	4000	
PIVIDJ36BK	X 3b X	/U	1.38	0.09	\$308	

Interconnection jumper cord to add an additional 3' of cord length between in-surface and on-surface ModPower units. 3' cord with male and female connector. Package of 2 jumpers. UL listed: UL 962A.

**Required Specifications** 



OFFICE ACCESSORIES



#### Power/Data Cable Basket

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRTCB76KIT	8 x 34 x 1	70	1.56	0.15	\$263	
BRTCB70	8 x 70 x 1	100	3.22	0.34	\$191	
BRTCB64	8 x 64 x 1	92.5	2.94	0.29	\$178	
BRTCB58	8 x 58 x 1	92.5	2.66	0.26	\$172	
BRTCB52	8 x 52 x 1	100	2.39	0.24	\$162	
BRTCB46	8 x 46 x 1	92.5	2.16	0.21	\$153	
BRTCB40	8 x 40 x 1	70	1.8	0.18	\$145	
BRTCB34	8 x 34 x 1	70	1.56	0.15	\$139	
BRTCB28	8 x 28 x 1	70	1.2	0.13	\$123	
BRTCB22	8 x 22 x 1	70	1.01	0.1	\$115	
BRTCB16	8 x 16 x 1	70	0.73	0.07	\$108	
BRTCB8	8 x 8 x 1	70	0.36	0.03	\$97	

Shallow, 8" wide basket manages cable excess and serves to manage cords and cables. It can be easily unclipped from spring steel brackets (included) to rearrange cable connections from below worksurface. Spring steel brackets can suspend the Cable Basket below the worksurface where it keeps the cords and cables off the floor and manages them along the horizontal plane - between floor monuments and Storage Vertical Cable Manager, for example. Tall storage cabinet's legs provide easy access to the Cable Basket where it can easily be unclipped from spring steel brackets to rearrange cable connections. Steel wire construction, chrome finish baskets; black spring steel hanging brackets, fasteners.

PEWM5.5       2 x 66 x 2       70       .60       .10       \$198         PEWM5       2 x 60 x 2       70       .60       .10       \$166         PEWM4.5       2 x 54 x 2       70       .50       .10       \$148         PEWM4       2 x 48 x 2       70       .50       .10       \$135         PEWM3.5       2 x 42 x 2       70       .40       .10       \$116         PEWM3       2 x 36 x 2       70       .40       .10       \$104         PEWM2.5       2 x 30 x 2       70       .30       .10       \$85         PEWM2       2 x 24 x 2       70       .30       .10       \$70         PEWM1.5       2 x 18 x 2       70       .20       .10       \$55         PEWM1       2 x 12 x 2       70       .20       .10       \$40						
PEWM4.5       2 x 54 x 2       70       .50       .10       \$148         PEWM4       2 x 48 x 2       70       .50       .10       \$135         PEWM3.5       2 x 42 x 2       70       .40       .10       \$116         PEWM3       2 x 36 x 2       70       .40       .10       \$104         PEWM2.5       2 x 30 x 2       70       .30       .10       \$85         PEWM2       2 x 24 x 2       70       .30       .10       \$70         PEWM1.5       2 x 18 x 2       70       .20       .10       \$55	PEWM5.5	2 x 66 x 2	70	.60	.10	\$198
PEWM4       2 x 48 x 2       70       .50       .10       \$135         PEWM3.5       2 x 42 x 2       70       .40       .10       \$116         PEWM3       2 x 36 x 2       70       .40       .10       \$104         PEWM2.5       2 x 30 x 2       70       .30       .10       \$85         PEWM2       2 x 24 x 2       70       .30       .10       \$70         PEWM1.5       2 x 18 x 2       70       .20       .10       \$55	PEWM5	2 x 60 x 2	70	.60	.10	\$166
PEWM3.5         2 x 42 x 2         70         .40         .10         \$116           PEWM3         2 x 36 x 2         70         .40         .10         \$104           PEWM2.5         2 x 30 x 2         70         .30         .10         \$85           PEWM2         2 x 24 x 2         70         .30         .10         \$70           PEWM1.5         2 x 18 x 2         70         .20         .10         \$55	PEWM4.5	2 x 54 x 2	70	.50	.10	\$148
PEWM3       2 x 36 x 2       70       .40       .10       \$104         PEWM2.5       2 x 30 x 2       70       .30       .10       \$85         PEWM2       2 x 24 x 2       70       .30       .10       \$70         PEWM1.5       2 x 18 x 2       70       .20       .10       \$55	PEWM4	2 x 48 x 2	70	.50	.10	\$135
PEWM2.5       2 x 30 x 2       70       .30       .10       \$85         PEWM2       2 x 24 x 2       70       .30       .10       \$70         PEWM1.5       2 x 18 x 2       70       .20       .10       \$55	PEWM3.5	2 x 42 x 2	70	.40	.10	\$116
PEWM2       2 x 24 x 2       70       .30       .10       \$70         PEWM1.5       2 x 18 x 2       70       .20       .10       \$55	PEWM3	2 x 36 x 2	70	.40	.10	\$104
PEWM1.5 2 x 18 x 2 70 .20 .10 <b>\$55</b>	PEWM2.5	2 x 30 x 2	70	.30	.10	\$85
	PEWM2	2 x 24 x 2	70	.30	.10	\$70
PEWM1 2 x 12 x 2 70 .20 .10 <b>\$40</b>	PEWM1.5	2 x 18 x 2	70	.20	.10	\$55
	PEWM1	2 x 12 x 2	70	.20	.10	\$40

Plastic tray flexes to receive and hold electrical and data wires. Quickly attaches with two strips of double-sided tape. Black (**BLK**) only.

PEVWM	2 x 22 x 2	70	.30	.10	\$68

From underside of worksurface to bottom panel. Capable of holding electrical and data wires in a vertical position. Black (BLK) only. Attaches with two strips of double-sided tape.



Wire Manager



Vertical Wire Manager

**Required Specifications** 

Finish

# P

# PRODUCTIVITY SOLUTIONS™ BY GLOBAL



**Coat Tree** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
PCOS2	25 x 25 x 60	300	8	4.67	\$501	
PCOS3	25 x 25 x 60	300	8	4.67	\$501	

Square tube metal frame, complete with four Chrome double hooks. Adjustable glides. 60" high. Ships UPS. 3 per carton • PCOS2 is finished in Black. PCOS3 is finished in Chrome.



Square tube. Complete with four satin brass double hooks. 65" high. Available in the following finishes: Absolute (AAM), Black (BKM), Cherry (ACM), Cherry Latte (CLM), Cocoa Vanilla (CVM), English Oak (EOM), Fruitwood (TFM), Honey (AHM), Gray (HGM), Mahogany (TMM), Maple (AVM), Medium Walnut (MWM), Night (ASM), Sandy Beach (SBM), Walnut (TWM), White (WHM) and Winter Cherry (WCM). Ships UPS. 1 per carton.

PAFM3018	29.4 x 17.63 x .75	85	4.4	0.3	\$172
PAFM4820	48 x 20 x .75	85	7.7	0.59	\$276

Polyurethane anti-fatigue mat offers increased comfort and helps reduce strain while standing. Tapered, no-curl edges prevent tripping hazards. Anti-slip backing is suitable for low pile carpet or hard flooring. Black only.



Coat Tree\*



**Anti-Fatigue Mat** 


**Required Specifications** 

Finish

BOARDROOM ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
ONFERENCE CABINET NOTES		D x W x H				
Visual boards feature a self edge all around	l.					
Available finishes:						
ACJ Absolute Acajou	ASN Asian Nigl		Avant Cherry		AW	,
BLK Black	BRC Brushed C		Dark Espress		DW	U
QTM Quartered Mahogany	SOG Storm Gre	y WHC	White Choco	olate	WC	R Winter Cherry
	GVB4848	4 x 48 x 48	85	122	9.25	\$1695
	AVB4848	4 x 48 x 48	70	135	9	\$1650
sual Board*	door. Marker board • NOTE: Care shou do so may result	can be used for proje Ild be taken to mount in collapse of the unit	ction. Set of 4 dry the units. Units sh and subsequent p	r markers an Bould be mou Bersonal inju	d eraser included unted to wall stud ry. <b>Mounting ha</b>	d 50-sheet paper writing pad on led.  ds using correct fasteners. Failure in the control of the
	Z361872VB	36 x 18 x 72	250	187	38.50	\$2954
puel Roard*	Angled viewal beard	Lwith paper pad on or	no cido and dry ora	see beard on	the ennesite side	o. Unique puch handles are stand
		uded. Decorative alur				e. Unique push handles are standa Height aligns with 36" buffets. LIST PRICE
	Locking casters incl Shipped RTA (ready MODEL#	uded. Decorative alur to assemble).	minum trim is stan	dard on the	lip of each shelf.	Height aligns with 36" buffets.
	Locking casters incl Shipped RTA (ready MODEL# W1624PDR	uded. Decorative alur to assemble).  DIMENSIONS  16 x 24 x 2.25	minum trim is stan  FREIGHT CLASS  92.5	wt/LBS.	lip of each shelf.  CUBIC FT.  .50	Height aligns with 36" buffets.  LIST PRICE  \$362
	Locking casters incl Shipped RTA (ready MODEL#	uded. Decorative alur to assemble).	minum trim is stan	dard on the	lip of each shelf.	Height aligns with 36" buffets.
ENCIL DRAWERS	Locking casters incl Shipped RTA (ready MODEL# W1624PDR W1518PDR Black ABS plastic. F	uded. Decorative alur to assemble).  DIMENSIONS  16 x 24 x 2.25 18 x 15 x 2.25  Provides space for writksurface with included	FREIGHT CLASS  92.5  92.5  92.5  ting instruments a	WT/LBS.  5 4  nd small itel	CUBIC FT.  .50 .40  ms at the worksp	LIST PRICE \$362 \$274  ace. Attaches to underside of any
isual Board*  ENCIL DRAWERS  encil Drawer	Locking casters incl Shipped RTA (ready MODEL# W1624PDR W1518PDR Black ABS plastic. F 24"D and 30"D wor	uded. Decorative alur to assemble).  DIMENSIONS  16 x 24 x 2.25 18 x 15 x 2.25  Provides space for writksurface with included	FREIGHT CLASS  92.5  92.5  92.5  ting instruments a	WT/LBS.  5 4  nd small itel	CUBIC FT.  .50 .40  ms at the worksp	LIST PRICE \$362 \$274  ace. Attaches to underside of any
ENCIL DRAWERS	Locking casters incl Shipped RTA (ready  MODEL#  W1624PDR W1518PDR  Black ABS plastic. F 24"D and 30"D wor  May be used with  PEEPD  Provides storage for	DIMENSIONS  16 x 24 x 2.25 18 x 15 x 2.25  Provides space for write description of the control o	FREIGHT CLASS  92.5  92.5  ting instruments a d roller slides. Shi	WT/LBS.  5 4  nd small iteripped RTA (r	CUBIC FT.  .50 .40  ms at the worksp eady to assemble 0.7	LIST PRICE \$362 \$274  ace. Attaches to underside of any
encil Drawer	Locking casters incl Shipped RTA (ready  MODEL#  W1624PDR W1518PDR  Black ABS plastic. F 24"D and 30"D wor  May be used with  PEEPD  Provides storage for	DIMENSIONS  16 x 24 x 2.25 18 x 15 x 2.25 Provides space for write description of the control of	FREIGHT CLASS  92.5  92.5  ting instruments a d roller slides. Shi	WT/LBS.  5 4  nd small iteripped RTA (r	CUBIC FT.  .50 .40  ms at the worksp eady to assemble 0.7	LIST PRICE \$362 \$274  ace. Attaches to underside of any e).
encil Drawer	Locking casters incl Shipped RTA (ready  MODEL#  W1624PDR W1518PDR  Black ABS plastic. F 24"D and 30"D wor  May be used with  PEEPD  Provides storage for	DIMENSIONS  16 x 24 x 2.25 18 x 15 x 2.25 Provides space for write description of the control of	FREIGHT CLASS  92.5  92.5  ting instruments a d roller slides. Shi	WT/LBS.  5 4  nd small iteripped RTA (r	CUBIC FT.  .50 .40  ms at the worksp eady to assemble 0.7	LIST PRICE \$362 \$274  ace. Attaches to underside of any e).
ENCIL DRAWERS  encil Drawer	Locking casters incl Shipped RTA (ready  MODEL#  W1624PDR W1518PDR  Black ABS plastic. F 24"D and 30"D wor  May be used with  PEEPD  Provides storage for	DIMENSIONS  16 x 24 x 2.25 18 x 15 x 2.25 Provides space for write description of the control of	FREIGHT CLASS  92.5  92.5  ting instruments a d roller slides. Shi	WT/LBS.  5 4  nd small iteripped RTA (r	CUBIC FT.  .50 .40  ms at the worksp eady to assemble 0.7	LIST PRICE \$362 \$274  ace. Attaches to underside of any e).
encil Drawer	Locking casters incl Shipped RTA (ready  MODEL#  W1624PDR W1518PDR  Black ABS plastic. F 24"D and 30"D wor  May be used with  PEEPD  Provides storage for	DIMENSIONS  16 x 24 x 2.25 18 x 15 x 2.25 Provides space for write description of the control of	FREIGHT CLASS  92.5  92.5  ting instruments a d roller slides. Shi	WT/LBS.  5 4  nd small iteripped RTA (r	CUBIC FT.  .50 .40  ms at the worksp eady to assemble 0.7	LIST PRICE \$362 \$274  ace. Attaches to underside of any e).
ncil Drawer	Locking casters incl Shipped RTA (ready  MODEL#  W1624PDR W1518PDR  Black ABS plastic. F 24"D and 30"D wor  May be used with  PEEPD  Provides storage for	DIMENSIONS  16 x 24 x 2.25 18 x 15 x 2.25 Provides space for write description of the control of	FREIGHT CLASS  92.5  92.5  ting instruments a d roller slides. Shi	WT/LBS.  5 4  nd small iteripped RTA (r	CUBIC FT.  .50 .40  ms at the worksp eady to assemble 0.7	LIST PRICE \$362 \$274  ace. Attaches to underside of any e).


Required Specifications
Laminate finish

# P



ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
AG1 AG2 AG3 TOP VIEW	AG1 AG2 AG3	1.875 d x 3.25 v	w 100			\$96	
3.25"							
Wire Manager Grommet						licate position - left ( <b>AG</b> et cover only, please spec	
	MLB90	4.5 x 1.5	70	1	.01	\$60	
L Bracket	Used to attach w	orksurfaces to end pan	els. Black only.				
10 1 01	CST318	4.5 x 3	70	1	.01	\$56	
Flat Bracket		4.5 x 3 ng plate to give addition		pport. Black		<b>\$30</b>	

CENTER DRAWERS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
CENTER DRAWER NO	OTES	,					
Center drawers must	be dealer or end	l user installed. Drawers do not f	ill entire center spac	e opening. Approxir	nate kneesp	ace widths are:	
30" x 60" DP	25½"	30" x 66" DP	31½"				
30" x 72" DP	37½"	30" x 66"/20" x 40" L	22½"				
30" x 66"/24" x 48" L	241/2"	36" x 72"/24" x 48" L	30½"				
	7	CD20	18 x 20 x 3	100	8	1	\$214
Center Drawer*		Laminate drawer fr desks.	ont is attached to a 4	l-sided frame. Reco	mmended fo	or use on small L	-shaped units, and on 30" x 60" ar
		Required Specificat	ions		_		





Crescent Black Handle (H0)

Black matte finish, crescent handle style For use on pedestals and all lateral files.

- This handle has a measurement of 96mm center to center.
- Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on Zira desks, credenzas and returns only, see series notes for option code and price.

#### **Required Specifications**

Finish (Drawers)

# PRODUCTIVITY SOLUTIONS™ BY GLOBAL Open in the little in t





Bar Silver Handle (HQ)

Bar Black Handle (HR)


HANDLES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
CS0003-SIL	x 4.6 x	70	1	.01	\$34	

Silver finish, bar handle style For use on pedestals and all lateral files.


- This handle has a measurement of 96mm center to center.
- Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on Zira desks, credenzas and returns only, see series notes for option code and price.

CS0003-BLK	x 4.6 x	70	1	.01	\$34	



- This handle has a measurement of 96mm center to center.
- Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on Zira desks, credenzas and returns only, see series notes for option code and price.

BRH1	x 6.375 x	70	1	.01	\$35



**Bridges II Handle** 

Silver Finish, square edged handle style. For use on all pedestals and storage cabinets with handles.

- This handle has a measurement of 128mm center to center.
- . Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on Bridges II pedestals and cabinets only, see series notes for option code and price.

# table power + technology solutions



## TABLE POWER + TECHNOLOGY SOLUTIONS™ - NOTES

- Global is pleased to offer a range of sophisticated electrical and technology options for training and conference tables.
- Worksurface cut-outs for units must be specified separately, please see appropriate product note pages for details.
- Daisy chaining is generally defined as having multiple power units connect to one another from a single electrical infeed source.
- The daisy-chain units below utilize a 4-wire, 2 circuit system (when hardwired by a licensed electrician to a building power source) or can run a single circuit (when utilizing the 42AP1-72 plug and play infeed).
- The following maximums are to National Electric Code (NEC) some local codes vary from NEC code – it is the customer's responsibility to follow all applicable local codes and guidelines.

Max units per circuit
8 units per circuit
4 units per circuit
8 units per circuit
3 units per circuit
3 units per circuit

#### **Electrical System**


4-2 Wiring Schematic

4-Wire Shared Neutral

Complies with National Electric Code

**UL** Listed

All circuits rated for 20 AMP



#### **VILLA I, VILLA II AND VILLA USB DETAILS**

- Each Villa unit is available two ways. Corded units includes three-prong plugs to connect directly into a standard outlet. DaisyLink kits can be specified separately to daisy-chain multiple units off of a single infeed. Infeeds are specified separately.
- Villa I units include two power outlets and either two knockouts or two data ports included, all accessible at the surface.
- Villa II units include two power outlets and either two knockouts for data or two data ports included accessible at the surface. Another two power outlets are accessible below the surface.
- Villa USB includes two power outlets, two 2.1 AMP charging USB ports and either two data knockouts or two data ports included, all accessible at the surface.

#### **OASIS MINI DETAILS**


- Each Oasis Mini (except for Chicago Mini Oasis) is available two ways. Corded units
  includes three-prong plugs to connect directly into a standard outlet. DaisyLink units
  must have interconnecting cords specified separately to daisy-chain multiple units off
  of a single infeed. Infeeds are specified separately.
- Oasis Mini A units includes six power outlets and two telecom plate knockouts
- Oasis Mini B units includes four power outlets and three telecom plate knockouts
- Oasis Mini USB units include six power outlets, two 2.1 AMP charging USB ports and one telecom plate knockouts

#### **TELECOM PLATE DETAILS**


 Telecom plates are for use on Oasis Mini units only, providing a means to provide different types of telephone, data and audio visual connections to the worksurface.
 For every telecom plate knockout on a Oasis Mini unit, please specify one telecom plate. If telecom plates are not required, it is recommended blank telecom plates are specified - see page 484 for details.

#### **EXAMPLE LAYOUTS - TRAINING TABLES**

- Single Power Block Kits Available on training tables 36" 72" (must specify V2 cut-out on table):
- Each single block kit includes 1 Power Block and 1 Grommet Cover, 1 Female/Female Interconnecting Cable and 1 Female/Male Interconnecting Cable. Cable clamps for management of these cables are also included.




- Double Power Block Kits Available on 60", 66" and 72" (must specify V1 and V3 cut-out on table):
- Each double block kit includes 2 Power Blocks and 2 Grommet Covers, 2 Female/ Female Interconnecting Cable and 1 Female/Male Interconnecting Cable. Cable clamps for management of these cables are also included.




#### **VILLA CUT-OUTS**

- Optional Villa cut-out available in standard worksurface locations (left, center or right) for Rectangular Tables. Order as: V1, V2 or V3. Add \$96 for each cutout
- Villa cut-outs may be placed at non-standard locations. Please contact customer service



#### **OASIS MINI CUT-OUTS**

- Optional Oasis Mini cut-out available in standard worksurface locations (left, center or right) for Rectangular Tables. Order as: M1, M2 or M3. Add \$96 for each cut-out.
- Oasis Mini cut-outs may be placed at non-standard locations. Please contact customer care
- Oasis Mini is only available on Zira Boardroom Tables



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
VIF-41-DK0_72SK		70	9	.45	\$496
VIF-41-DK0_66SK		70	9	.45	\$496
VIF-41-DK0_60SK		70	9	.45	\$496
VIF-41-DKO54K		70	9	.45	\$496
VIF-41-DKO48K		70	9	.45	\$496
VIF-41-DK042K		70	9	.45	\$496
VIF-41-DKO36K		70	9	.45	\$496

Villa Power Base



VILLA I, CENTER POSITION- DAISYLINK KITS

Villa Flush Lid



Data Knockouts, No Data Ports

42 FF Cable





Cable Clamps



Includes **one power block** with **two power receptacles** and two knockouts for data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. **V2 cut-out must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

VIF-41-D72SK	 70	9	.45	\$648
VIF-41-D66SK	 70	9	.45	\$648
VIF-41-D60SK	 70	9	.45	\$648
VIF-41-D54K	 70	9	.45	\$648
VIF-41-D48K	 70	9	.45	\$648
VIF-41-D42K	 70	9	.45	\$648
VIF-41-D36K	 70	9	.45	\$648

Villa Power Base




Villa Flush Lid



Data Knockouts, Data Ports Included

42 FF Cable





Cable Clamps



Includes **one power block** with **two power receptacles** and **two RJ45** Cat 6 Data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. **V2 cut-out must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

#### **Required Specifications**

Finish Power Infeed Cut-out location

## Т

#### TABLE POWER + TECHNOLOGY SOLUTIONS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
VIF-41-UDKO36K		70	10	.45	\$679
VIF-41-UDKO42K		70	10	.45	\$679
VIF-41-UDKO48K		70	10	.45	\$679
VIF-41-UDKO54K		70	10	.45	\$679
VIF-41-UDKO_60SK		70	10	.45	\$679
VIF-41-UDKO_66SK		70	10	.45	\$679
VIF-41-UDKO_72SK		70	10	.45	\$679





**VILLA I, CENTER POSITION- DAISYLINK KITS** 


Villa Flush Lid



Villa I USB Data Knockouts, *No Data Ports* 

42 FF Cable





Cable Clamps




Includes one power block with two power receptacles, two 2.1 AMP USB charging ports and two knockouts for data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. V2 cut-out must be specified on training table (see product notes section for more details and cut-out upcharge). Power Infeed required and sold separate (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.


- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables
- Not compatible with Terina tables or Junction wire managers (JNECxx)

VIF-41-UD36K	 70	10	.45	\$831	
VIF-41-UD42K	 70	10	.45	\$831	
VIF-41-UD48K	 70	10	.45	\$831	
VIF-41-UD54K	 70	10	.45	\$831	
VIF-41-UD_60SK	 70	10	.45	\$831	
VIF-41-UD_66SK	 70	10	.45	\$831	
VIF-41-UD_72SK	 70	10	.45	\$831	

42 FF Cable







Cable Clamps



Villa Power Base



Villa Flush Lid



Villa I USB

Data Knockouts, Data Ports Included

Includes **one power block** with **two power receptacles, two 2.1 AMP USB charging ports** and two RJ45 Cat 6 for data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. **V2 cut-out must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service.

UL listed: UL 183 and CSA Certified.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables
- Not compatible with Terina tables or Junction wire managers (JNECxx)

#### **Required Specifications**

Finish

Power Infeed Cutout location

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
VIF2-41-DK0_72SK		65	12	.45	\$585	
VIF2-41-DKO_66SK		65	12	.45	\$585	
VIF2-41-DK0_60SK		65	12	.45	\$585	
VIF2-41-DK0_54K		65	12	.45	\$585	
VIF2-41-DK0_48K		65	12	.45	\$585	
VIF2-41-DK0_42K		65	12	.45	\$585	
VIF2-41-DK0_36K		65	12	.45	\$585	



**VILLA II, CENTER POSITION - DAISYLINK KITS** 


Villa II Flush Lid



Data Knockouts, No Data Ports

42 FF Cable





Cable Clamps



Includes **one power block** with **four power receptacles** (two worksurface accessible, two below worksurface) and two knockouts for data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. **V2 cut-out must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.


- Replace \_ with **B** for **Black**
- Replace \_ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

VIF2-41-D72SK	 65	12	.45	\$740
VIF2-41-D66SK	 65	12	.45	\$740
VIF2-41-D60SK	 65	12	.45	\$740
VIF2-41-D54K	 65	12	.45	\$740
VIF2-41-D48K	 65	12	.45	\$740
VIF2-41-D42K	 65	12	.45	\$740
VIF2-41-D36K	 65	12	.45	\$740

42 FF Cable







Cable Clamps



Villa II Power Base

Villa II Flush Lid

Data Knockouts, Data Ports Included

Includes **one power block** with **four power receptacles** (two worksurface accessible, two below worksurface) and **two RJ45** Cat 6 Data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. **V2 cut-out must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables


#### **Required Specifications**

Finish
Power Infeed
Cutout location

MODEL#

GL-VIF41KO\_72DK

GL-VIF41KO\_66DK



**VILLA I, LEFT & RIGHT POSITION - DAISYLINK KITS** 




Data Knockouts, No Data Ports

Villa Power Base

Villa Flush Lid

Data Knockouts, Data Ports Included





Includes **two power blocks** with **two power receptacles** and two knockouts for data in each block, two grommet covers, two female/female interconnecting cables, one female/male interconnecting cable and 6 cable clamps. **V1 & V3 cut-outs must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace with B for Black
- Replace \_ with S for Silver Pearl

WT/LBS

18

18

18

CUBIC FT.

.23

.23

.23

LIST PRICE

\$924

\$924

\$924

• Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

FREIGHT CLASS

60

60

60

**DIMENSIONS** 

DxWxH

GL-VIF41D_72DK	 60	18	.23	\$955	
GL-VIF41D_66DK	 60	18	.23	\$955	
GL-VIF41D_60DK	 60	18	.23	\$955	
42 FF Cable					








Includes **two power blocks** with **two power receptacles** and **two RJ45** Cat 6 data in each block, two grommet covers, two female/female interconnecting cables, one female/male interconnecting cable and 6 cable clamps. **V1 & V3 cut-outs must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom tables

GL-VIF41UKO_72DK	- (	60 2	23 .	23	\$1294
GL-VIF41UKO_66DK	- (	30	23 .	23	\$1294
GL-VIF41UKO_60DK	- (	60 2	23 .	23	\$1294



Cable Clamps




Includes **two power blocks** with **two power receptacles**, **two 2.1 AMP USB charging ports** and two knockouts for data, grommet cover, two female/female interconnecting cables, one female/male interconnecting cable and four cable clamps. **V1 & V3 cut-outs must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables
- Not compatible with Terina tables or Junction wire managers (JNECxx)

#### Required Specifications

Finish

Power infeed Cut-out location



Villa I USB

.23

.23

\$986 \$986


22

22

# VILLA II, LEFT & RIGHT POSITION - DAISYLINK KITS MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE | D x W x H | GLV|F241K0\_72DK -- 60 22 .23 \$986

60


60







Data Knockouts, No Data Ports



GLVIF241KO\_66DK

Cable Clamps



Includes **two power blocks** with **four power receptacles** (two worksurface accessible, two below worksurface) and two knockouts for data in each block, two grommet covers, two female/female interconnecting cables, one female/male interconnecting cable and 6 cable clamps. **V1 & V3 cut-outs must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

GL-VIF241D_72DK	 60	22	.23	\$1294
GL-VIF241D_66DK	 60	22	.23	\$1294
GL-VIF241D_60DK	 60	22	.23	\$1294
40 FF O-1-1-				







Includes **two power blocks** with **four power receptacles** (two worksurface accessible, two below worksurface) and **two RJ45** Cat 6 data in each block, two grommet covers, two female/female interconnecting cables, one female/male interconnecting cable and 6 cable clamps. **V1 & V3 cut-outs must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables




Villa II Power Base

Data Knockouts, Data Ports Included

**Required Specifications** 

Finish
Power Infeed
Cut-out location



Data	Knockouts,	No Dat	a Ports

MODEL# DIMENSIONS FREIGHT CLASS LIST PRICE WT/LBS. CUBIC FT. DxWxH VIL-C-DKO-\_-108 3.25 x 8.75 x 2.25 100 4 .45 \$249 VIL-C-DKO-\_-72 .45 \$249 3.25 x 8.75 x 2.25 100 4

Villa I with 3-prong plug. Includes two power receptacles and two knockouts for data. A third convenience receptacle is provided below the worksurface. V1, V2 or V3 cut-out(s) must be specified on training table (see product notes section for more details and cut-out upcharge). Grommet cover is required and sold separate (see page 481). UL listed: UL 962A and

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl
- Compatible with Zira Collaborative tables
- -108 models include a 108" long cord. -72 models include a 72" long cord.



Data Knockouts, Data Ports Included

\$402 VIL-C-D-\_-108 3.25 x 8.75 x 2.25 100 .45 VIL-C-D- -72 3.25 x 8.75 x 2.25 100 4 .45 \$402

Villa I with 3-prong plug. Includes two power receptacles and two RJ45 Cat 6 data. A third convenience receptacle is provided below the worksurface. V1, V2 or V3 cut-out(s) must be specified on training table (see product notes section for more details and cut-out upcharge). Grommet cover is required and sold separate (see page 481). UL listed: UL 962A and CUL listed.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl
- · Compatible with Zira Collaborative tables

|--|


Data Knockouts, No Data Ports

VILLA II - CORDED UNITS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
VIL2-C2-DK0108	3.25 x 11 x 2.25	85	6	.45	\$340
VIL2-C2-DK072	3.25 x 11 x 2.25	85	6	.45	\$340

Villa II with 3-prong plug. Includes four power receptacles (two worksurface accessible, two below worksurface) and two knockouts for data. A fifth convenience receptacle is provided below the worksurface. V1, V2 or V3 cut-out(s) must be specified on training table (see product notes section for more details and cut-out upcharge). Grommet cover is required and sold separate (see below). UL listed: UL 962A and CUL listed.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl
- Not compatible with Zira Collaborative tables



Data Knockouts. Data Ports Included

VIL2-C2-D108	3.25 x 11 x 2.25	85	6	.45	\$496
VIL2-C2-D72	3.25 x 11 x 2.25	85	6	.45	\$496

Villa II with 3-prong plug. Includes four power receptacles (two worksurface accessible, two below worksurface) and two RJ45 Cat 6 data. A fifth convenience receptacle is provided below the worksurface. V1, V2 or V3 cut-out(s) must be specified on training table (see product notes section for more details and cut-out upcharge). Grommet cover is required and sold separate (see below). UL listed: UL 962A and CUL listed.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl
- Not compatible with Zira Collaborative tables

#### **Required Specifications**

Finish

Power Infeed

Cutout location



Villa I, DaisyLink

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
VIL-4-1-DKO		100	4	.45	\$218	

Villa I for use in hardwire or DaisyLink applications. Includes two power receptacles and two knockouts for data in each block. V1, V2 or V3 cut-out(s) must be specified on table (see product notes section for more details and cut-out upcharge). Power infeed required and sold separate (see page 485). Please see our Daisy-Chain guide on page 486 for appropriate cable lengths and important notes. Grommet cover is required and sold separate (see page 481). UL listed: UL 183 and CSA Certified.

- Replace \_ with B for Black or S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables.
- Not compatible with Zira Collaborative tables.
- Intended for use on Zira Boardroom tables, Kadin and Swap tables

	VIL2-4-1-DK0		85	6	.45	\$310
--	--------------	--	----	---	-----	-------



Villa II, DaisyLink

Villa II for use in hardwire or DaisyLink applications. Includes four power receptacles (two worksurface accessible, two below worksurface) and two knockouts for data in each block. V1, V2 or V3 cut-out(s) must be specified on table (see product notes section for more details and cut-out upcharge). Power infeed and connecting cables sold separate (see page 485). Please see our **Daisy-Chain guide** on page 486 for appropriate cable lengths and important notes.

Grommet cover is required and sold separate (see page 481). UL listed: UL 183 and CSA Certified.

- Replace \_ with B for Black or S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables.
- Not compatible with Zira Collaborative tables.
- Intended for use on Zira Boardroom tables, Kadin and Swap tables





Villa USB, DaisyLink

Villa USB for use in hardwire or DaisyLink applications. Includes two power receptacles, two 2.1 AMB USB charging ports, and two knockouts for data in each block. V1, V2 or V3 cut-out(s) must be specified on table (see product notes section for more details and cut-out upcharge). Power infeed and connecting cables sold separate (see page 485). Please see our Daisy-Chain guide on page 486 for appropriate cable lengths and important notes. Grommet cover is required and sold separate (see page 481). UL listed: UL 183 and CSA Certified.

- Replace \_ with B for Black or S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables
- Not compatible with Zira Collaborative tables, Terina tables or Junction wire managers (JNECxx)
- Intended for use on Zira Boardroom tables, Kadin and Swap tables

VILLA GROMMET COVERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	
	VIL-GROM-F	3.5 x 5.75 x .94	70	1	.08	
		7				



**Villa Grommet Cover** 

Powder coated flush metal grommet to be used with Villa I and Villa II corded series power blocks. Cut-outs in tables must be specified separately. V1, V2 or V3 cut-out(s) must be specified on training table (see product notes section for more details and cut-out upcharge). Grommet cover remains open while in use.

- Cannot be used with PMSPDM.
- Replace with B for Black or S for Silver Pearl


Required Specification	on
------------------------	----

Finish Power Infeed Cutout location LIST PRICE

\$126

## T

#### TABLE POWER + TECHNOLOGY SOLUTIONS



Oasis Mini A, Corded



Mini Oasis A unit. 15" Trough with six power receptacles, two telecom plate cut-outs (**telecom plates sold separate**, see page 484) and two 108" 3-prong plugs. **M1, M2 or M3 cut-out(s) must be specified on conference table** (see product notes section for more details and cut-out upcharge). Cut-out dimensions: 14.12"x 8.25". UL Listed: UL 962A.

- Cannot be daisy-chained.
- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl




Oasis Mini A, DaisyLink Version



For hardwire and daisy chain applications. Mini Oasis A unit. 15" Trough with six power receptacles, two telecom plate cut-outs (telecom plates sold separate, see page 484). Power infeed sold separate (see page 485). M1, M2 or M3 cut-out(s) must be specified on conference table (see product notes section for more details and cut-out upcharge). For multiple circuit configurations, please contact customer service. Please see our Daisy-Chain guide on page 486 for appropriate cable lengths and important notes. UL Listed: UL 183.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl



Oasis Mini B, Corded

OAM-B-PC	15 x 9 x 5.25	92.5	16	1.53	\$1826	

Mini Oasis B unit. 15" Trough with four power receptacles, three telecom plate cut-outs (**telecom plates sold separate**, see page 484) and one 108" 3-prong plug. **M1, M2 or M3 cut-out(s) must be specified on conference table** (see product notes section for more details and cut-out upcharge). UL Listed: UL 962A.

- Cannot be daisy-chained.
- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl



Oasis Mini B, DaisyLink Version

OAM-B-PC-4-1	15 x 9 x 5.25	92.5	16	1.53	\$2091	

For hardwire and daisy chain applications. Mini Oasis B unit. 15" Trough with four power receptacles, three telecom plate cut-outs (telecom plates sold separate, see page 484). Power infeed sold separate (see page 485). M1, M2 or M3 cut-out(s) must be specified on conference table (see product notes section for more details and cut-out upcharge). For multiple circuit configurations, please contact customer service. Please see our Daisy-Chain guide on page 486 for appropriate cable lengths and important notes. UL Listed: UL 183.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl

**Required Specifications** 

Finish

Power Infeed

Cut-out location



Oasis Mini USB, Corded


**OASIS MINI** 

D x W x H
OAM-U-PC 15 x 9 x 5.25 92.5 16 1.53 <b>\$2044</b>

Mini Oasis USB unit. 15" trough with six power receptacles, two 2.1 AMP USB charging ports and one telecom plate cut-out (telecom plates sold separate, see page 484) and two 108" 3-prong plugs. M1, M2 or M3 cut-out(s) must be specified on conference table (see product notes section for more details and cut-out upcharge). UL Listed: UL 962A.

- Cannot be daisy-chained.
- Replace \_ with B for Black

Replace \_ with S for Silver Pearl



Oasis Mini USB, DaisyLink Version



For hardwire and daisy chain applications. Mini Oasis USB unit. 15" trough with six power receptacles, two 2.1 AMP USB charging ports and one telecom plate cut-out (telecom plates sold separate, see page 484). Power infeed sold separate (see page 485). M1, M2 or M3 cut-out(s) must be specified on conference table (see product notes section for more details and cut-out upcharge). For multiple circuit configurations, please contact customer service. Please see our Daisy-Chain guide on page 486 for appropriate cable lengths and important notes. UL Listed: UL 183.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl



Oasis Mini, Chicago Code

GL-OAMPD_P72HW	15 x 9 x 5.25	92.5	16	1.53	\$2490	

Mini Oasis for Chicago code includes electrical trough with (2) separate hardwire inserts. Each insert includes (3) simplex outlets and (1) telecom plate cut-out (**telecom plates sold separate**, see page 484). **M1, M2 or M3 cut-out(s) must be specified on conference table** (see product notes section for more details and cut-out upcharge). Each component is UL Listed: UL 962A.

- Cannot be daisy-chained.
- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl

**Required Specifications** 

Power Infeed Cut-out location

TOP TELECOM PLATES			
NOT COMPATIBLE WITH	H VILLA UNITS	D x W x H	
TOP TELECOM PLATE	MODEL	CONFIGURATION	LIST PRICE
	AA-B	Telecom plate with RJ11 Cat 3 Phone and RJ45 Cat 6 Data	\$108
	AB-B	(2) RJ45 Cat 6 Connectors	\$141
888	AB-B-B	(3) RJ45 Cat 6 Connectors	\$206
	AB-B-B-B	(4) RJ45 Cat 6 Connectors	\$274
· ****	AB-C51-L	RJ45 Cat 6 Data, Mini-Stereo Inline and 15 pin HD VGA Female/Female with 72" patch cord attached.	\$244
· ****	AB-B-C51	(2) RJ45 Cat 6 Data and (1) 15 pin HD VGA Female/Female with 72" patch cord attached.	\$254
	AA-B-102	RJ11 Cat 3 phone, RJ45 Cat 6 Data and USB with 72" patch cord attached.	\$244
•	AB	RJ45 Cat 6 Data	\$76
· ******	AC51-L	Mini Stereo Inline and 15 pin HD VGA Female/Female with 72" patch cord attached.	\$191
**	ACRDMINDER	Cordminder Plate - 2 5/8" holes and 1 7/8" holes	\$43
· * - •	AC45-C51-L	HDMI Female/Female with 36" patch cord attached. Mini Stereo Inline and 15 Pin HD VGA Female/Female with 72" patch cord attached.	\$333

Finish Power Infeed Cut-out location

TOP TELECOM PLATES			D x W x H					
TOP TELECOM PLATE	MODEL	CONFIGURATION						LIST PRIC
• 🗆 •	AC45	HDMI Female/Fema	le with 36" patch cor	d attached.				\$164
888	AA-B-B	(1) RJ11 Cat 3 Phone	e and (2) RJ45 Cat 6 o	data.				\$178
	A	Blank telecom plate						\$27
	A102	USB with 72" patch	cord attached.					\$76
o <b>W.W.</b> o	AC51	15 pin HD VGA Fema	ale/Female with 72"	patch cord attached				\$123
		• Replace _ with • Replace _ with						
POWER INFEEDS								
		42AP1-72					\$245	
lug and Play Infeed		Single Circuit 20 AMP Power Infeed with 72" 3-prong plug. Provides single power entry from floor or wall mount power supply. Connects to Oasis Mini or Villa units that require a separate infeed. UL Listed: UL 1286.						
—-i		42\$B2-108 42\$B2-72 42\$B2-36		  	  	  	\$203 \$158 \$115	
Multi-Circuit Hardwire Power Infeed  Multi-Circuit Hardwire Infeed (up to 20 AMPS per circuit), two circuits building power supply. Connects to Oasis Mini or Villa units that requ								
		DAISY-T		70	1	1	\$187	
Way Power Splitter		Daisy-T power manager includes two male and one female connection. For use in splitting a power source two ways. UL Listed: UL 183.						
		Required Specific	4:					

#### T


### **TABLE POWER + TECHNOLOGY SOLUTIONS**




#### Interconnecting Cables - Common Cable Lengths (in inches)

	•				
Female/Female	)			Female/Male	
42FF-27	\$116	42FF-97	\$216	42FM-12	\$104
42FF-38	\$129	42FF-98	\$216	42FM-27	\$121
42FF-41	\$133	42FF-100	\$205	42FM-38	\$134
42FF-50	\$145	42FF-101	\$208	42FM-41	\$139
42FF-53	\$149	42FF-103	\$208	42FM-50	\$151
42FF-63	\$159	42FF-110	\$219	42FM-63	\$167
42FF-65	\$163	42FF-113	\$225	42FM-75	\$181
42FF-75	\$175			42FM-82	\$190
42FF-76	\$176			42FM-85	\$164
42FF-77	\$177			42FM-86	\$195
42FF-82	\$184			42FM-97	\$216
42FF-85	\$187			42FM-98	\$216
42FF-86	\$188			42FM-100	\$230
42FF-89	\$193			42FM-110	\$230


#### DRAWING 1A - OASIS MINI A & OASIS MINI USB




#### **DRAWING 1B - OASIS MINI B**



#### **DRAWING 2A - OASIS MINI A & OASIS MINI USB**







#### DRAWING 3 - OASIS MINI A & OASIS MINI USB




#### DRAWING 4 - OASIS MINI A & OASIS MINI USB



#### **DRAWING 5 - OASIS MINI B**



#### **DRAWING 6 - OASIS MINI B**



### T TABLE POWER + TECHNOLOGY SOLUTIONS - NOTES

### OASIS MINI A, B & USB CABLE LENGTHS NEEDED FOR DAISY-CHAINING


Model #	Villa DaisyLink, Oasis Mini USB Oasis Mini A Oasis Mini B	Villa DaisyLink, Oasis Mini USB Oasis Mini A Oasis Mini B	Oasis Mini USB Oasis Mini A	Oasis Mini USB Oasis Mini A	Villa DaisyLink or Oasis Mini B	Villa DaisyLink or Oasis Mini B
<b>Cut-out Positions</b>	V1, V3, M1, M3	V1, V3, M1, M3	M1, M2 & M3	M1, M2 & M3	V1, V2, V3, M1, M2, M3	V1, V2, V3, M1, M2, M3
Infeed Position	Left or Right	Center	Left or Right	Center	Left or Right	Center
Reference	Drawing 1A/1B	Drawing 2A/2B	Drawing 3	Drawing 4	Drawing 5	Drawing 6
Z4896BE Z4896RTE Z4896REE Z4896BW	(1) 42FF-53 SPECIFY INFEED	(1) 42FF-27 (1) 42FM-27 (1) DAISY-T SPECIFY INFEED	N/A	N/A	N/A	N/A
Z48120BE Z48120RTE Z48120REE Z48120BW	(1) 42FF-76 SPECIFY INFEED	(1) 42FF-38 (1) 42FM-38 (1) DAISY-T SPECIFY INFEED	(3) 42FF-41 SPECIFY INFEED	(3) 42FF-41 SPECIFY INFEED	(2) 42FF-41 SPECIFY INFEED	(2) 42FF-41 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48144BE Z48144RTE Z48144REE Z48144BW	(1) 42FF-100 SPECIFY INFEED	(1) 42FF-50 (1) 42FM-50 (1) DAISY-T SPECIFY INFEED	(3) 42FF-53 SPECIFY INFEED	(3) 42FF-53 SPECIFY INFEED	(2) 42FF-53 SPECIFY INFEED	(2) 42FF-53 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48168BE Z48168RTE Z48168REE Z48168BW	(1) 42FF-63 (1) 42FM-63 SPECIFY INFEED	1) 42FF-63 (1) 42FM-63 (1) DAISY-T SPECIFY INFEED	(3) 42FF-65 SPECIFY INFEED	(3) 42FF-65 SPECIFY INFEED	(2) 42FF-65 SPECIFY INFEED	(2) 42FF-65 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48192BE Z48192RTE Z48192REE Z48192BW	(1) 42FF-75 (1) 42FM-75 SPECIFY INFEED	1) 42FF-75 (1) 42FM-75 (1) DAISY-T SPECIFY INFEED	(3) 42FF-77 SPECIFY INFEED	(3) 42FF-77 SPECIFY INFEED	(2) 42FF-77 SPECIFY INFEED	(2) 42FF-77 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48216BE Z48216RTE Z48216REE Z48216BW	(1) 42FF-86 (1) 42FM-86 SPECIFY INFEED	1) 42FF-85 (1) 42FM-85 (1) DAISY-T SPECIFY INFEED	(3) 42FF-89 SPECIFY INFEED	(3) 42FF-89 SPECIFY INFEED	(2) 42FF-89 SPECIFY INFEED	(2) 42FF-89 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48240BE Z48240RTE Z48240REE Z48240BW	(1) 42FF-98 (1) 42FM-98 SPECIFY INFEED	1) 42FF-97 (1) 42FM-97 (1) DAISY-T SPECIFY INFEED	(3) 42FF-101 SPECIFY INFEED	(3) 42FF-101 SPECIFY INFEED	(2) 42FF-101 SPECIFY INFEED	(2) 42FF-101 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48264BE Z48264RTE Z48264REE Z48264BW	(1) 42FF-110 (1) 42FM-110 SPECIFY INFEED	(1) 42FF-110 (1) 42FM-110 (1) DAISY-T SPECIFY INFEED	(3) 42FF-113 SPECIFY INFEED	(3) 42FF-113 SPECIFY INFEED	(2) 42FF-113 SPECIFY INFEED	(2) 42FF-113 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48288BE Z48288RTE Z48288REE Z48288BW	(1) 42FF-82 (2) 42FM-82 SPECIFY INFEED	(2) 42FF-41 (2) 42FM-41 (1) DAISY-T SPECIFY INFEED	(3) 42FF-63 (3) 42FM-63 SPECIFY INFEED	(3) 42FF-63 (3) 42FM-63 SPECIFY INFEED	(2) 42FF-63 (2) 42FM-63 SPECIFY INFEED	(2) 42FF-63 (2) 42FM-63 (1) DAISY-T SPECIFY INFEED


# tables and accessories

## café, meeting and conference

Boardroom	492	Kadin	642	open
Collaborative Spaces	545	Swap	651	

# training





Citi	712	River+ tables	721
Drift tables	716	Sirena tables	724
Lite Lift II	720	Wind	725
Occasional tables	714	Work tables	726



### **2GETHER TABLES™ - NOTES**



#### **GENERAL INFORMATION**

- 2gether is a series of multi-purpose flip-top tables for collaboration, classroom, training and conference applications.
- "Easy Touch" mechanism allows you to flip the tables up or down with maximum ease
- Adjustable leveling casters provide smooth mobility
- Offset "Y" sculpted legs allow for parallel space-saving table nesting, to minimize footprint required for storage
- Optional modesty panels with integrated wire troughs are available
- Grommets are available on 24" deep worksurfaces
- Available sizes: 18"D x 60"W, 24"D x 60"W and 72"W
- Shipped easy to assemble. Each component is packaged individually; legs are shipped 1 per carton.
- For environmental certifications, please visit globalfurnituregroup.com



#### WORKSURFACES

• 1" thick tops are constructed of 45 lb. density particleboard with high performance thermally fused laminate

#### CONSTRUCTION

- "Easy touch" lever located at both sides of table for flip-top operation from either side
- · Global's preferred matching edge
- Tops are pre-drilled with threaded steel inserts
- Tops 60" and 72" wide feature a built-in support bar
- 14.25" high optional articulating modesty panel attaches to underside of flip-top
- Bumpers on legs and undercarriage prevent tables from being damaged while nested
- · Grommets optional on 24" deep tops only
- · Champagne base finish
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### **LAMINATE FINISHES**

	I IIIIOIIEO		
ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

#### **GANGING PLATES**

- · Ganging plates are available for ganging adjoining tables together.
- Ganging plates are black epoxy coated steel plates with two thumbscrews

#### **GROMMETS**


- · Available only on 24" deep worksurfaces
- Additional grommets available in standard worksurface locations (left, center or right). Order as: AG1, AG2 or AG3. Add \$96
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.



Grommets may be placed at non-standard locations. Order as: AGS - Add \$96 A
drawing must be supplied with vertical and horizontal dimensions to the center of the
cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM
in the back reference section.

#### POWER BLOCK


- Available only on 24" deep worksurfaces
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- A Power Block (model PMSPDM) may be ordered for 24" Deep Tables in place of standard grommets.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330.
   Power Blocks are available in standard worksurface locations (left, center or right).
   Order as E1, E2 or E3. Add \$96.



Power Block PMSPDM, Add \$330 Specify location E1, E2 or E3, Add \$96

#### **VILLA CUT-OUTS**

- Available only on 24" deep worksurfaces
- A Villa Power Block is available for daisy-chaining or corded for use on individual tables (see page 475 for Villa details). Villa Power Block dimensions vary by model.
   Villa cutout dimensions are 3" deep x 5 ¼" wide.
- Villa DaisyLink kits are not for use on 2gether tables.
- A Villa cutout may be ordered for 24" Deep Tables. Order as V1, V2 or V3, Add \$96 for each cutout.
- Order Villa Power Block and Villa Grommet Cover separately, see page 475 for pricing and details



For 48"w units For 60" and 72"w units.

#### **MODPOWER DAISY CHAIN SOLUTION**

- Add flexible power and USB charging to 2gether tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 465.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- To be used with rectangular tables IT2460RX and IT2472RX only.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side). Add \$96
- MPD for two cut-outs in the left and right positions, 15" from ends to center of unit on approach side. Add \$192.








Rectangular Table - Flip-Top

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
IT2472RX	24 x 72 x 29	92.5	97.20	8.68	\$2237	\$274	
IT2460RX	24 x 60 x 29	92.5	86	7.68	\$2092	\$242	
IT1860RX	18 x 60 x 29	92.5	75	6.98	\$2014	\$214	

Easy touch flip-top table on 4 adjustable leveling casters, 2 locking. Easy touch lever located at both ends of the table allows for activation on either side of the table; offset Y leg accommodates in-line nesting for space-saving storage. Wire management channel included. Champagne finish leg, black casters. Optional articulating modesty panel available.

IT72MP	2.75 x 63 x 14.25	125	13.20	2	\$328
IT60MP	2.75 x 51 x 14.25	125	11.40	1.60	\$302



**Modesty Panel** 

Articulating modesty for use with flip-top 2gether tables. Champagne finish.





Ganging Connector
-------------------

CNGFP	5 x 2.5 x 1.13	70	.20	.10	\$69	

Black epoxy coated 13 gauge steel with 2 thumbscrews included. Used to connect tabletops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of all tops to accommodate this plate. Sold individually.

Required Specifications
Top Finish

Accessories

Modesty Panel



Sturdy and economically priced, Global boardroom tables are excellent choices. All tables are made from thermally fused, high performance laminate and are easy to maintain.

Choose from four attractive table edges: Bullnose, T-mold, Self-edge, or Built-up Self-edge. Available in a variety of colors, all edge options are durable and wear-resistant.

Table tops are offered in five shapes - rectangular, racetrack, boat-shaped, square and round, and a variety of bases including slab, drum and arch. Add to this an impressive variety of laminate finishes that may be mixed and matched and you'll find Global can satisfy any and every business need.

From small meeting rooms to large boardrooms, from traditional to contemporary, Global's incredible range of table components, shapes, sizes and colors will enhance any office decor.

#### **Features and Benefits**

- One-piece tops can be cut to 2 pieces for an upcharge
- Tables 96" to 144" in length special ordered with two piece tops must have a third base
- All tops are premarked as to base location
- All tops are 1 1/8" thick a 1¾" built-up self edge is available on all models
- Tops and bases boxed as appropriate
- Custom finish laminate tables available as special order
- Bullnose edges available in Black or Grey
- T-Mold edge available in Black, Grey or coordinating laminate finish.
- Self-edge and built-up self edge available in same color as laminate finish.
- All edges available on all tables

#### **GENERAL INFORMATION**

- All tables are 29" high
- Tops are thermally fused laminate with 45 lb. density particle board core.
- Multiple base styles available in thermallly fused laminate or metal.
- Tables 144" or less are standard in one piece. All tops over 144" are standard in two pieces.
- Five top shapes: rectangular, racetrack, boat, square and round and four edge options: self edge, bullnose, T-mold or built-up self edge.
- For environmental certifications, please visit globalfurnituregroup.com

#### CONSTRUCTION

- All tables are 29" high. Tops are made of 45 lb. density particle board covered on both sides with high performance, thermally fused laminate. Table width is nominal.
- All tables with cross bases use Blum fasteners
- Round and square tops up to 60" dia. are 1" thick; all other tops are 1.125" thick.
- Tops with BU edge have a 1.75" built-up self edge.
- Tops are crated and bases boxed or crated as appropriate
- Table tops of 144" or less in length are standard as one piece. 1 piece tops can be cut to 2
  piece tops, Add \$289; however, an additional base will be required. Tables 96" to 144" in
  length special ordered with 2 piece tops must have a third base.
- All tops are PRE-MARKED as to base location, and the slot and hook assembly method (on selected tables) allows for easy installation.
- All racetrack, boat and rectangular tables 144" and under are standard with two drum, slab, arch, 2-legged, or tubular bases and are priced accordingly. For 3 bases, Add \$506 list per table for a drum, and add \$333 list per table for the slab. Arch base tables will require a special 3" thick slab at a list price of \$448 per table. Add \$430 list per table for 2-legged base, and add \$448 list per table for tubular.
- Custom size tables are priced at next size table price, not to exceed width or length. Example:
   44" x 108" would be priced at the 48" x 120" price. Contact Customer Care for pricing of tables over 48" in width. Custom tables less than the smallest size must be quoted.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### **EDGE OPTIONS**

- Self, built-up, bullnose and T-mold edges are available on all models. Corners of rectangular, square and boat shaped tables ordered with T-mold or bullnose will be rounded.
- Bullnose edge is available in Black (BK) or Grey (GR) only.
- T-mold edge is available in Black (BK), Grey (GR) or coordinating laminate finish (ME)
- Self edge and built-up edges are same color as laminate finish.

#### **METAL BASE FINISHES**

 Available on all round and square GCARxx, GTCRxx, GCRRxx, GCASxx, GTCSxx, and GCRSxx tables.

#### **Paint finishes**

TBL	Black	TIN	Ink
TBZ	Buzz Blue	TKA	Kalua
TCC	Cactus	TLA	Latte
TCR	Carrot	TM0	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TDJ	Dijon	TSR	Scarlet
TEG	Eggplant	TSH	Shadow
TF0	Fog	TOA	Toast
TFR	Frost	TTU	Tungsten

#### Plated finishes - upcharge applies

CHM	Polished Chrome	BCH	Brushed Chrome
AC0	Antique Copper	SBR	Satin Brass

#### **LAMINATE FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

- Fashionista (FAS), First Class (FCL), Sheer Beauty (SBY) + White Chocolate (WHC) not available on 10 & 12 foot tables. Must be cut in two pieces and specify third base.
- Fashionista (FAS), First Class (FCL), Sheer Beauty (SBY) + White Chocolate (WHC) not available on 20', 22' & 24' tables. Tables must be quoted to be in three pieces with appropriate bases. Please contact Customer Care.
- The above laminate finishes are available in **High Pressure**. Upcharge varies by model.
- Tables in woodgrain finishes over 12' in length will not have a perfect match of grain at the center where the two halves meet.
- All tables with Drum Bases & Pedestal require approx. 125 lb. of sand in each base for adequate stability. Sand is not included with Drum Bases.
- If other than a Global standard laminate finish is preferred, contact your customer care Representative. Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.

#### **BASE SIZE CHART (Table width is nominal)**

#### **Round or Square Tops:**

Тор	Slab	Drum	Arch	Cross	4 Leg	Trumpet	4 Tube
36"	n/a	n/a	n/a	n/a	32"	24"	30"
42"	n/a	18"	n/a	30"	32"	24"	30"
48"	n/a	24"	n/a	30"	32"	n/a	30"
60"	n/a	30"	n/a	36"	n/a	n/a	n/a

#### **Rectangular, Boat or Racetrack Tops:**

Тор	Slab	Drum	Arch	Cross	2 Leg	Trumpet	2/3 Tube
36" x 72"	24"	18"	24"	n/a	32"	n/a	30"
48" x 96"	28"	18"	28"	n/a	32"	n/a	30"
48" x 120"	28"	24"	28"	n/a	32"	n/a	30"
48" x 144"	28"	24"	28"	n/a	32"	n/a	30"

#### GROMMETS

- Grommets available in standard table top locations (left, center or right).
   Order as: AG1, AG2 or AG3. Add \$96.
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep



Actual grommet locations will vary according to base selection.

#### POWER BLOCK

- A Power Block (model PMSPDM) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- Actual Power Block locations vary according to base selection. The locations will be left
  (AG1, E1), center (AG2, E2), and right (AG3, E3). **Example**: 8' table with drum base does not
  have a modesty panel, so the grommet (AG2) and power block (E2) can be perfectly centered
  in the table. An 8' table with a slab base has the modesty panel, so the grommet (AG2) and
  power block (E2) will be offset alongside the modesty panel.

### В

### **BOARDROOM TABLES**

To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330.
 Power Blocks are available in standard worksurface locations (left, center or right). Order as E1, E2 or E3. Add \$96.





Power Block PMSPDM - Add \$330


Specify location E1, E2 or E3 - Add \$96

#### TABLE NOTES - ESTIMATED CAPACITY

• Use the following for determining the size of a round table and the number of chairs needed for a conference area. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

Top Size	Round	Square	Rectangular	Boat	Racetrack	Elliptical
30x30	3	3	N/A	N/A	N/A	N/A
36x36	4	4	N/A	N/A	N/A	N/A
42x42	4	4	N/A	N/A	N/A	N/A
48x48	4	4	N/A	N/A	N/A	N/A
60x60	5	6	N/A	N/A	N/A	N/A
30x60	N/A	N/A	4-6	4-6	4-6	4
36x72	N/A	N/A	4-6	4-6	4-6	4
44x84	N/A	N/A	6-8	6-8	6-8	6
48x96	N/A	N/A	6-8	6-8	6-8	6
48x120	N/A	N/A	8-10	8-10	8-10	8
48x144	N/A	N/A	10-12	10-12	10-12	10
48x168	N/A	N/A	12-14	12-14	12-14	12
48x192	N/A	N/A	14-16	14-16	14-16	14
48x216	N/A	N/A	16-18	16-18	16-18	16
48x240	N/A	N/A	18-20	18-20	18-20	18
48x264	N/A	N/A	20-22	20-22	20-22	20
48x288	N/A	N/A	22-24	22-24	22-24	22

Racetrack



**Boat** 

Rectangular

**Square** 

Round

TOP - DRUM BASE		MODEL#	DIMENSIONS	FRT. CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
			DxWxH					
	self edge	G42CZ	42 x 42 x 29	92.5	89	8.50	\$915	\$461
	bullnose edge	G42CZBN	42 x 42 x 29	92.5	86	8.50	\$915	\$461
	T-mold edge	G42CZTM	42 x 42 x 29	92.5	90	8.50	\$915	\$461
	built-up self edge	G42CZBU	42 x 42 x 29	92.5	96	9.40	\$1016	\$510
	self edge	G48CZ	48 x 48 x 29	125	106	13.60	\$1059	\$532
	bullnose edge	G48CZBN	48 x 48 x 29	100	117	13.60	\$1059	\$532
	T-mold edge	G48CZTM	48 x 48 x 29	100	121	13.60	\$1059	\$532
	built-up self edge	G48CZBU	48 x 48 x 29	100	133	14.90	\$1180	\$591
	self edge	G60CZ	60 x 60 x 29	100	171	21	\$1327	\$665
	bullnose edge	G60CZBN	60 x 60 x 29	100	171	21	\$1327	\$665
	T-mold edge	G60CZTM	60 x 60 x 29	100	171	21	\$1327	\$665
	built-up self edge	G60CZBU	60 x 60 x 29	125	174	23.20	\$1560	\$781

• All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand is not included.

ROUND TOP - CROSS BASE	
•	

self edge	G42CH	42 x 42 x 29	70	97	5	\$852	\$428	
bullnose edge	G42CHBN	42 x 42 x 29	70	94	5	\$852	\$428	
T-mold edge	G42CHTM	42 x 42 x 29	70	98	5	\$852	\$428	
built-up self edge	G42CHBU	42 x 42 x 29	70	104	5.70	\$915	\$461	
self edge	G48CH	48 x 48 x 29	70	101	6	\$992	\$496	
bullnose edge	G48CHBN	48 x 48 x 29	70	112	6	\$992	\$496	
T-mold edge	G48CHTM	48 x 48 x 29	70	116	6	\$992	\$496	
built-up self edge	G48CHBU	48 x 48 x 29	70	128	6.60	\$1138	\$571	
self edge	G60CH	60 x 60 x 29	70	174	9	\$1271	\$637	
bullnose edge	G60CHBN	60 x 60 x 29	125	64	9	\$1271	\$637	
T-mold edge	G60CHTM	60 x 60 x 29	125	64	9	\$1271	\$637	
built-up self edge	G60CHBU	60 x 60 x 29	70	190	9.70	\$1497	\$751	



	MODEL#	DIMENSIONS	FRT. CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	CHM/BCH	ACO/SBR
self edge	GCAR36	36 x 36 x 29	250	48	13	\$617	\$309	\$92	\$332
bullnose edge	GCAR36BN	36 x 36 x 29	150	55	13	\$617	\$309	\$92	\$332
T-mold edge	GCAR36TM	36 x 36 x 29	250	48	13	\$617	\$309	\$92	\$332
built-up self edge	GCAR36BU	36 x 36 x 29	150	68	13	\$686	\$346	\$92	\$332
self edge	GCAR42	42 x 42 x 29	150	59	14	\$736	\$369	\$92	\$332
bullnose edge	GCAR42BN	42 x 42 x 29	150	68	14	\$736	\$369	\$92	\$332
T-mold edge	GCAR42TM	42 x 42 x 29	150	61	14	\$736	\$369	\$92	\$332
built-up self edge	GCAR42BU	42 x 42 x 29	150	78	14	\$813	\$408	\$92	\$332
self edge	GCAR48	48 x 48 x 29	150	72	15	\$863	\$434	\$92	\$332
bullnose edge	GCAR48BN	48 x 48 x 29	150	83	15	\$863	\$434	\$92	\$332
T-mold edge	GCAR48TM	48 x 48 x 29	150	87	15	\$863	\$434	\$92	\$332
built-up self edge	GCAR48BU	48 x 48 x 29	125	99	15	\$958	\$482	\$92	\$332

Required Specifications Top finish Base finish Edge color, if applicable

ROUND TOP - TRUMPET BASE		MODEL#	DIMENSIONS	FRT. CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	BCH/CHM	ACO/SBR
			D>	WxH						
	self edge	GTCR36	36 x 36 x 29	250	54	19	\$863	\$434	\$89	\$363
	bullnose edge	GTCR36BN	36 x 36 x 29	250	61	18	\$863	\$434	\$89	\$363
	T-mold edge	GTCR36TM	36 x 36 x 29	250	54	18	\$863	\$434	\$89	\$363
	built-up self edge	GTCR36BU	36 x 36 x 29	150	74	18	\$958	\$482	\$89	\$363
	self edge	GTCR42	42 x 42 x 29	150	77	19	\$968	\$486	\$89	\$363
	bullnose edge	GTCR42BN	42 x 42 x 29	250	74	19	\$968	\$486	\$89	\$363
	T-mold edge	GTCR42TM	42 x 42 x 29	150	78	19	\$968	\$486	\$89	\$363
	built-up self edge	GTCR42BU	42 x 42 x 29	150	84	19	\$1078	\$542	\$89	\$363
ROUND TOP - TUBULAR BASE		MODEL#	DIMENSIONS	FRT. CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	BCH/CHM	ACO/SBR



	MODEL#	DIMENSIONS	FRT. CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	всн/снм	ACO/SBR
self edge	GCRR36	36 x 36 x 29	250	50	18	\$744	\$373	\$92	\$398
bullnose edge	GCRR36BN	36 x 36 x 29	250	57	19	\$744	\$373	\$92	\$398
T-mold edge	GCRR36TM	36 x 36 x 29	250	50	19	\$744	\$373	\$92	\$398
built-up self edge	GCRR36BU	36 x 36 x 29	250	70	19	\$830	\$415	\$92	\$398
self edge	GCRR42	42 x 42 x 29	250	61	19	\$863	\$434	\$92	\$398
bullnose edge	GCRR42BN	42 x 42 x 29	250	70	19	\$863	\$434	\$92	\$398
T-mold edge	GCRR42TM	42 x 42 x 29	250	63	19	\$863	\$434	\$92	\$398
built-up self edge	GCRR42BU	42 x 42 x 29	150	80	19	\$958	\$482	\$92	\$398
self edge	GCRR48	48 x 48 x 29	250	74	20	\$992	\$496	\$92	\$398
bullnose edge	GCRR48BN	48 x 48 x 29	150	85	20	\$992	\$496	\$92	\$398
T-mold edge	GCRR48TM	48 x 48 x 29	150	89	20	\$992	\$496	\$92	\$398
built-up self edge	GCRR48BU	48 x 48 x 29	150	101	20	\$1099	\$551	\$92	\$398



						LIST PRICE	HP ADD	
	0.1007		40-			44	***	
self edge	G42SZ	42 x 42 x 29	100	89	9	\$915	\$461	
bullnose edge	G42SZBN	42 x 42 x 29	100	89	9	\$915	\$461	
T-mold edge	G42SZTM	42 x 42 x 29	100	89	9	\$915	\$461	
built-up self edge	G42SZBU	42 x 42 x 29	92.5	106	9.40	\$1016	\$510	
self edge	G48SZ	48 x 48 x 29	100	121	13.40	\$1059	\$532	
bullnose edge	G48SZBN	48 x 48 x 29	100	121	13.40	\$1059	\$532	
T-mold edge	G48SZTM	48 x 48 x 29	100	121	13.60	\$1059	\$532	
built-up self edge	G48SZBU	48 x 48 x 29	100	133	14.90	\$1180	\$591	
self edge	G60SZ	60 x 60 x 29	100	171	21	\$1327	\$665	
bullnose edge	G60SZBN	60 x 60 x 29	100	171	21	\$1327	\$665	
T-mold edge	G60SZTM	60 x 60 x 29	100	171	21	\$1327	\$665	
built-up self edge	G60SZBU	60 x 60 x 29	125	174	23.20	\$1560	\$781	

• All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand is not included.



						LIST PRICE	HP ADD	
16	0.40011	10 10 00	70	07	-	4050	<b>A400</b>	
self edge	G42SH	42 x 42 x 29	70	97	5	\$852	\$428	
bullnose edge	G42SHBN	42 x 42 x 29	70	97	5	\$852	\$428	
T-mold edge	G42SHTM	42 x 42 x 29	70	97	5	\$852	\$428	
built-up self edge	G42SHBU	42 x 42 x 29	70	114	5.70	\$915	\$461	
self edge	G48SH	48 x 48 x 29	70	116	6	\$992	\$496	
bullnose edge	G48SHBN	48 x 48 x 29	70	116	6	\$992	\$496	
T-mold edge	G48SHTM	48 x 48 x 29	70	116	6	\$992	\$496	
built-up self edge	G48SHBU	48 x 48 x 29	70	122	6.40	\$1138	\$571	
self edge	G60SH	60 x 60 x 29	125	64	9	\$1271	\$637	
bullnose edge	G60SHBN	60 x 60 x 29	125	64	9	\$1271	\$637	
T-mold edge	G60SHTM	60 x 60 x 29	125	64	9	\$1271	\$637	
built-up self edge	G60SHBU	60 x 60 x 29	125	64	9.70	\$1497	\$751	

Required Specifications
Top finish

Base finish

Edge color, if applicable

Optional Specifications
HP laminate

QUARE TOP - 4 LEG BASE		MODEL#	DIMENSIONS	FRT. CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	BCH/CHM	ACO/SBR
			Da	x W x H						
	self edge	GCAS36	36 x 36 x 29	150	63	13	\$617	\$309	\$92	\$332
<del></del>	bullnose edge	GCAS36BN	36 x 36 x 29	150	63	13	\$617	\$309	\$92	\$332
	T-mold edge	GCAS36TM	36 x 36 x 29	150	63	13	\$617	\$309	\$92	\$332
	built-up self edge	GCAS36BU	36 x 36 x 29	150	67	13	\$686	\$346	\$92	\$332
	self edge	GCAS42	42 x 42 x 29	150	71	14	\$736	\$369	\$92	\$332
	bullnose edge	GCAS42BN	42 x 42 x 29	150	78	14	\$736	\$369	\$92	\$332
	T-mold edge	GCAS42TM	42 x 42 x 29	150	78	14	\$736	\$369	\$92	\$332
	built-up self edge	GCAS42BU	42 x 42 x 29	125	86	14	\$813	\$408	\$92	\$332

SQUARE TOP - TRUMPET BASE

self edge	GTCS36	36 x 36 x 29	250	69	18	\$863	\$434	\$89	\$363
bullnose edge	GTCS36BN	36 x 36 x 29	250	69	18	\$863	\$434	\$89	\$363
T-mold edge	GTCS36TM	36 x 36 x 29	250	69	18	\$863	\$434	\$89	\$363
built-up self edge	GTCS36BU	36 x 36 x 29	150	76	18	\$958	\$482	\$89	\$363
self edge	GTCS42	42 x 42 x 29	150	77	19	\$968	\$486	\$89	\$363
bullnose edge	GTCS42BN	42 x 42 x 29	150	77	19	\$968	\$486	\$89	\$363
T-mold edge	GTCS42TM	42 x 42 x 29	150	77	19	\$968	\$486	\$89	\$363
built-up self edge	GTCS42BU	42 x 42 x 29	150	84	19	\$1078	\$542	\$89	\$363

SQUARE TOP	- TUBULAR BASE
	$\supset$
	_
	$\leqslant$

self edge	GCRS36	36 x 36 x 29	250	65	18	\$744	\$373	\$92	\$398	
bullnose edge	GCRS36BN	36 x 36 x 29	250	65	18	\$744	\$373	\$92	\$398	
T-mold edge	GCRS36TM	36 x 36 x 29	250	65	18	\$744	\$373	\$92	\$398	
built-up self edge	GCRS36BU	36 x 36 x 29	250	69	18	\$830	\$415	\$92	\$398	
self edge	GCRS42	42 x 42 x 29	250	73	19	\$863	\$434	\$92	\$398	
bullnose edge	GCRS42BN	42 x 42 x 29	150	80	19	\$863	\$434	\$92	\$398	
T-mold edge	GCRS42TM	42 x 42 x 29	150	80	19	\$863	\$434	\$92	\$398	
built-up self edge	GCRS42BU	42 x 42 x 29	150	88	19	\$958	\$482	\$92	\$398	

Required Specifications
Top finish
Base finish
Edge color, if applicable

Optional Specifications
HP laminate

ANGULAR TOP - SLAB BASE			MODEL#	DIMENSIONS F	REIGHT CLASS W x H	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	5 foot	self edge	GCT5RX	30 x 60 x 29	70	131	6	\$1074	\$538
		bullnose edge	GCT5RXBN	30 x 60 x 60	70	131	6	\$1074	\$538
		T-mold edge	GCT5RXTM	30 x 60 x 29	70	131	6	\$1074	\$538
		built-up self edge	GCT5RXBU	30 x 60 x 29	70	134	7	\$1187	\$594
		1 0							
_	6 foot	self edge	GCT6RX	36 x 72 x 29	70	174	11.38	\$1203	\$603
7		bullnose edge	GCT6RXBN	36 x 72 x 29	70	174	11.38	\$1203	\$603
		T-mold edge	GCT6RXTM	36 x 72 x 29	70	174	11.38	\$1203	\$603
		built-up self edge	GCT6RXBU	36 x 72 x 29	85	177	13.32	\$1341	\$672
		bant ap con cago	301013130	00 11 12 11 20			10.02	¥	<del>+</del>
	7 foot	self edge	GCT7RX	44 x 84 x 29	85	199	14.94	\$1549	\$776
	7 1000	bullnose edge	GCT7RXBN	44 x 84 x 29	85	199	14.94	\$1549	\$776
		T-mold edge	GCT7RXTM	44 x 84 x 84	85	199	14.94	\$1549	\$776
		built-up self edge	GCT7RXBU	44 x 84 x 84	92.5	203	17.93	\$1748	\$875
		built-up sell euge	GCI/NADU	44 X 04 X 04	92.0	203	17.33	\$1740	\$0/3
	O foot	aalf adaa	CCTOM/DV	40 ~ 00 ~ 20	70	210	11.20	¢1E40	ėzzc
	8 foot	self edge	GCT8WRX	48 x 96 x 29	70	218	11.29	\$1549	\$776
		bullnose edge	GCT8WRXBN	48 x 96 x 29	70	218	11.29	\$1549	\$776
		T-mold edge	GCT8WRXTM	48 x 96 x 29	70	218	11.29	\$1549	\$776
		built-up self edge	GCT8WRXBU	48 x 96 x 29	70	249	13.53	\$1748	\$875
	10 foot	self edge	GCT10WRX2	48 x 120 x 29	70	272	13.53	\$1795	\$900
		bullnose edge	GCT10WRX2BN	48 x 120 x 29	70	272	13.53	\$1795	\$900
		T-mold edge	GCT10WRX2TM	48 x 120 x 29	70	272	13.53	\$1795	\$900
		built-up self edge	GCT10WRX2BU	48 x 120 x 29	70	291	16.20	\$2124	\$1062
	12 foot	self edge	GCT12WRX2	48 x 144 x 29	70	309	15.54	\$2105	\$1055
		bullnose edge	GCT12WRX2BN	48 x 144 x 29	70	309	15.54	\$2105	\$1055
		T-mold edge	GCT12WRX2TM	48 x 144 x 29	70	309	15.54	\$2105	\$1055
		built-up self edge	GCT12WRX2BU	48 x 144 x 29	70	348	18.77	\$2472	\$1237
		bant up con cago	3011211111123	10 % 1 1 1 % 20		0.0		<del></del>	<b>4.20</b> 2
	14 foot	self edge	GCT14WRX2	48 x 168 x 29	70	419	22.50	\$3044	\$1524
	17 1000	bullnose edge	GCT14WRX2BN	48 x 168 x 29	70	419	22.50	\$3044	\$1524
		T-mold edge	GCT14WRX2TM	48 x 168 x 29	65	419	18	\$3044	\$1524
		built-up self edge	GCT14WRX2BU	48 x 168 x 29	70	425	20	\$3398	\$1701
		built-up sell euge	GC114VIIAZDO	40 X 100 X Z3	70	423	20	<b>\$3330</b>	\$1701
	16 foot	self edge	GCT16WRX2	48 x 192 x 29	70	460	22.72	\$3172	\$1588
	10 1000	bullnose edge	GCT16WRX2BN	48 x 192 x 29	70	460	22.72	\$3172	\$1588
		T-mold edge				460			
			GCT16WRX2TM	48 x 192 x 29	70		22.70	\$3172	\$1588
		built-up self edge	GCT16WRX2BU	48 x 192 x 29	70	466	27.20	\$3542	\$1772
	10 foot	nolf adas	CCT10\A/DV2	40 v 21c v 20	70	E01	24.60	62040	¢1076
	18 foot	self edge	GCT18WRX2	48 x 216 x 29	70	521	24.60	\$3948	\$1976
		bullnose edge	GCT18WRX2BN	48 x 216 x 29	70	521	24.60	\$3948	\$1976
		T-mold edge	GCT18WRX2TM		70	521	24.60	\$3948	\$1976
		built-up self edge	GCT18WRX2BU	48 x 216 x 29	70	528	29.80	\$4425	\$2216
	00.6		0.07001: 77: 77						****
	20 foot	self edge	GCT20WRX2	48 x 240 x 29	70	572	26.60	\$4011	\$2007
		bullnose edge	GCT20WRX2BN		70	572	26.60	\$4011	\$2007
		T-mold edge	GCT20WRX2TM		70	572	26.60	\$4011	\$2007
		built-up self edge	GCT20WRX2BU	48 x 240 x 29	70	580	32.50	\$4489	\$2246
	22 foot	self edge	GCT22WRX2	48 x 264 x 29	70	612	28.90	\$4655	\$2328
		bullnose edge	GCT22WRX2BN	48 x 264 x 29	70	612	28.90	\$4655	\$2328
		T-mold edge	GCT22WRX2TM	48 x 264 x 29	70	612	28.90	\$4655	\$2328
		built-up self edge	GCT22WRX2BU	48 x 264 x 29	70	620	35.10	\$5141	\$2572
		<u> </u>			-		· <del>-</del>		
	24 foot	self edge	GCT24WRX2	48 x 288 x 29	70	673	31.20	\$4786	\$2396
	1001	bullnose edge	GCT24WRX2BN	48 x 288 x 29	70	673	31.20	\$4786	\$2396
		T-mold edge	GCT24WRX2TM		70	673	31.20	\$4786	\$2396
		built up salf ade-	CCTAMMOVADII	10 v 200 v 20					
		built-up self edge	GCT24WRX2BU		70	682	37.70	\$5295	\$2650 where the two tops join.

Required Specifications
Top finish
Base finish
Edge color, if applicable

Optional Specifications
Grommet

HP laminate



GULAR TOP - DRUM BASE			MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	G foot	self edge	CCTCD7		<b>V x H</b>	154	17 50	¢1626	¢01/I
	6 foot	U	GCT6RZ	36 x 72 x 29	100	154	17.50	\$1626	\$814
		bullnose edge	GCT6RZBN	36 x 72 x 29	100	167	17.50	\$1626	\$814
		T-mold edge	GCT6RZTM	36 x 72 x 29	100	167	17.50	\$1626	\$814
		built-up self edge	GCT6RZBU	36 x 72 x 29	100	177	18.80	\$1819	\$911
	7 foot	self edge	GCT7RZ	44 x 84 x 29	125	196	29.04	\$1883	\$943
		bullnose edge	GCT7RZBN	44 x 84 x 29	125	196	29.04	\$1883	\$943
		T-mold edge	GCT7RZTM	44 x 84 x 29	125	196	29.04	\$1883	\$943
		built-up self edge	GCT7RZBU	44 x 84 x 29	125	199	31.66	\$2075	\$1039
	8 foot	self edge	GCT8WRZ	48 x 96 x 29	125	219	31.82	\$1883	\$943
	0 1001	bullnose edge	GCT8WRZBN	48 x 96 x 29	125	219	31.82	\$1883	\$943
		T-mold edge	GCT8WRZTM	48 x 96 x 29	125	219	31.82	\$1883	\$943
		built-up self edge	GCT8WRZBU	48 x 96 x 29	125	250	35.18	\$2075	\$1039
	10 foot	self edge	GCT10WRZ2	48 x 120 x 29	100	295	33	\$2206	\$1104
		bullnose edge	GCT10WRZ2BN	48 x 120 x 29	100	295	33	\$2206	\$1104
		T-mold edge	GCT10WRZ2TM	48 x 120 x 29	100	295	33.02	\$2206	\$1104
		built-up self edge	GCT10WRZ2BU	48 x 120 x 29	100	314	35.72	\$2432	\$1217
	12 foot	self edge	GCT12WRZ2	48 x 144 x 29	100	328	35.10	\$2466	\$1234
	12 1000	bullnose edge	GCT12WRZ2BN	48 x 144 x 29	100	328	35.10	\$2466	\$1234
		T-mold edge	GCT12WRZ2TM	48 x 144 x 29	250	97	35.10	\$2466	\$1234
						367	96		
		built-up self edge	GCT12WRZ2BU	48 x 144 x 29	250	307	90	\$2737	\$1371
	14 foot	self edge	GCT14WRZ2	48 x 168 x 29	92.5	441	39	\$3304	\$1654
		bullnose edge	GCT14WRZ2BN	48 x 168 x 29	92.5	441	39	\$3304	\$1654
		T-mold edge	GCT14WRZ2TM	48 x 168 x 29	92.5	441	39	\$3304	\$1654
		built-up self edge	GCT14WRZ2BU	48 x 168 x 29	92.5	447	42	\$3664	\$1834
	16 foot	self edge	GCT16WRZ2	48 x 192 x 29	92.5	482	42.50	\$3433	\$1718
	10 1001	bullnose edge	GCT16WRZ2BN	48 x 192 x 29	92.5	482	42.50	\$3433	\$1718
		T-mold edge	GCT16WRZ2TM	48 x 192 x 29	92.5	482	42.50	\$3433	\$1718
		built-up self edge	GCT16WRZ2BU	48 x 192 x 29	92.5	488	47	\$3788	\$1897
	18 foot	self edge	GCT18WRZ2	48 x 216 x 29	100	523	54.40	\$4464	\$2233
		bullnose edge	GCT18WRZ2BN	48 x 216 x 29	100	523	54.40	\$4464	\$2233
		T-mold edge	GCT18WRZ2TM	48 x 216 x 29	100	523	54.40	\$4464	\$2233
		built-up self edge	GCT18WRZ2BU	48 x 216 x 29	100	550	59	\$5018	\$2511
	20 foot	self edge	GCT20WRZ2	48 x 240 x 29	100	564	66.20	\$4529	\$2266
		bullnose edge	GCT20WRZ2BN	48 x 240 x 29	100	564	66.20	\$4529	\$2266
		T-mold edge	GCT20WRZ2TM	48 x 240 x 29	100	564	66.20	\$4529	\$2266
		built-up self edge	GCT20WRZ2BU	48 x 240 x 29	100	572	70.60	\$5084	\$2545
	00.6	16	0.070014/272	40 00: 05	100	00.	00.00	<b>A</b>	40500
	22 foot	self edge	GCT22WRZ2	48 x 264 x 29	100	604	68.20	\$5044	\$2523
		bullnose edge	GCT22WRZ2BN	48 x 264 x 29	100	604	68.20	\$5044	\$2523
		T-mold edge	GCT22WRZ2TM	48 x 264 x 29	100	604	68.20	\$5044	\$2523
		built-up self edge	GCT22WRZ2BU	48 x 264 x 29	100	612	73.68	\$5635	\$2819
	24 foot	self edge	GCT24WRZ2	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		bullnose edge	GCT24WRZ2BN	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		T-mold edge	GCT24WRZ2TM	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		built-up self edge	GCT24WRZ2BU	48 x 288 x 29	100	655	76.80	\$5756	\$2880

- All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand is not included.
- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 168", 192" and 216" are SHIPPED WITH 3 DRUM BASES.
- All tops 240", 264" and 288" are SHIPPED WITH 4 DRUM BASES.

Required Specifications
Top finish Base finish Edge color, if applicable

Optional Specifications

Grommet HP laminate

R TOP - ARCH BASE			MODEL#	DIMENSIONS		WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	5 foot	solf odgo	CCTEDA		W x H	101	0	¢1./20	<b>6747</b>
	2 1001	self edge bullnose edge	GCT5RA GCT5RABN	30 x 60 x 29 30 x 60 x 29	85 85	131 131	9	\$1430 \$1430	\$717 \$717
		T-mold edge	GCT5RATM	30 x 60 x 29	85	131	9	\$1430	\$717
		built-up self edge	GCT5RABU	30 x 60 x 29	85	134	10	\$1625	\$814
	6 foot	self edge	GCT6RA	36 x 72 x 29	125	157	24.64	\$1496	\$750
		bullnose edge	GCT6RABN	36 x 72 x 29	125	157	24.64	\$1496	\$750
		T-mold edge	GCT6RATM	36 x 72 x 29	70	157	8.24	\$1496	\$750
		built-up self edge	GCT6RABU	36 x 72 x 29	100	167	17.96	\$1777	\$889
	7 foot	self edge	GCT7RA	44 x 84 x 29	92.5	203	19.43	\$1820	\$912
		bullnose edge	GCT7RABN	44 x 84 x 29	92.5	203	19.43	\$1820	\$912
		T-mold edge	GCT7RATM	44 x 84 x 29	92.5	203	19.43	\$1820	\$912
		built-up self edge	GCT7RABU	44 x 84 x 29	100	206	20.90	\$2060	\$1033
	8 foot	solf odgo	CCTOVA/DA	40 ~ 00 ~ 20	100	220	22.40	¢1020	\$912
	9 100f	self edge	GCT8WRA	48 x 96 x 29	100	220	22.40	\$1820	
		bullnose edge	GCT8WRABN	48 x 96 x 29	100	220	22.40	\$1820	\$912
		T-mold edge	GCT8WRATM	48 x 96 x 29	100	220	22.40	\$1820	\$912
		built-up self edge	GCT8WRABU	48 x 96 x 29	92.5	251	23.89	\$2060	\$1033
	10 foot	self edge	GCT10WRA	48 x 120 x 29	70	274	16.95	\$2076	\$1041
	10 1000	bullnose edge	GCT10WRABN	48 x 120 x 29	70	274	16.95	\$2076	\$1041
						274		\$2076	
		T-mold edge	GCT10WRATM	48 x 120 x 29	70		16.95		\$1041
		built-up self edge	GCT10WRABU	48 x 120 x 29	70	293	18.92	\$2448	\$1227
	12 foot	self edge	GCT12WRA	48 x 144 x 29	70	311	19.94	\$2400	\$1201
		bullnose edge	GCT12WRABN	48 x 144 x 29	70	311	19.94	\$2400	\$1201
		T-mold edge	GCT12WRATM	48 x 144 x 29	70	311	19.94	\$2400	\$1201
		built-up self edge	GCT12WRABU	48 x 144 x 29	70	350	21.92	\$2801	\$1402
	14 foot	self edge	GCT14WRA	48 x 168 x 29	70	423	26	\$3692	\$1848
		bullnose edge	GCT14WRABN	48 x 168 x 29	70	423	26	\$3692	\$1848
		T-mold edge	GCT14WRATM	48 x 168 x 29	70	423	26	\$3692	\$1848
		built-up self edge	GCT14WRABU	48 x 168 x 29	70	429	28	\$4114	\$2058
	16 foot	self edge	GCT16WRA	48 x 192 x 29	70	474	30	\$3884	\$1944
	10 1001								
		bullnose edge	GCT16WRABN	48 x 192 x 29	70	474	30	\$3884	\$1944
		T-mold edge	GCT16WRATM	48 x 192 x 29	70	474	30	\$3884	\$1944
		built-up self edge	GCT16WRABU	48 x 192 x 29	70	480	32	\$4342	\$2173
	18 foot	self edge	GCT18WRA	48 x 216 x 29	70	525	31.92	\$4786	\$2396
		bullnose edge	GCT18WRABN	48 x 216 x 29	70	525	31.92	\$4786	\$2396
		T-mold edge	GCT18WRATM	48 x 216 x 29	70	525	31.92	\$4786	\$2396
		built-up self edge	GCT18WRABU	48 x 216 x 29	70	532	33.89	\$4766 \$5349	\$2676
	20 foot	self edge	GCT20WRA	48 x 240 x 29	70	576	33.89	\$4855	\$2428
		bullnose edge	GCT20WRABN	48 x 240 x 29	70	576	33.89	\$4855	\$2428
		T-mold edge	GCT20WRATM	48 x 240 x 29	70	576	33.89	\$4855	\$2428
		built-up self edge	GCT20WRABU	48 x 240 x 29	70	584	35.93	\$5399	\$2702
	22 foot	solf odgs	GCT22WRA	10 v 2c1 v 20	70	626	26 00	¢5/27	¢2716
	ZZ 100ť	self edge		48 x 264 x 29		626	36.89	\$5427	\$2716
		bullnose edge	GCT22WRABN	48 x 264 x 29	70	626	36.89	\$5427	\$2716
		T-mold edge	GCT22WRATM	48 x 264 x 29	70	626	36.89	\$5427	\$2716
		built-up self edge	GCT22WRABU	48 x 264 x 29	70	634	37.90	\$6068	\$3036
	24 foot	self edge	GCT24WRA	48 x 288 x 29	70	678	40	\$5558	\$2780
	2-7 100t	bullnose edge	GCT24WRABN	48 x 288 x 29	70	678	40	\$5558	\$2780
		T-mold edge	GCT24WRATM	48 x 288 x 29	70	678	40	\$5558	\$2780
		built-up self edge	GCT24WRABU	48 x 288 x 29	70	687	42	\$6193	\$3099

- All tops 168", 192", 216" and 240" are SHIPPED WITH 2 ARCH BASES AND 1 SLAB BASE.
  All tops 264" and 288" are SHIPPED WITH 2 ARCH BASES AND 2 SLAB BASES.

Required Specifications
Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate



TOP - 2 LEG BASE		MODEL#	DIMENSIONS FI		WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
				N x H				
5 foo	U	GCT5R	30 x 60 x 29	125	88	13	\$1263	\$634
	bullnose edge	GCT5RBN	30 x 60 x 29	125	88	13	\$1263	\$634
	T-mold edge	GCT5RTM	30 x 60 x 29	125	88	13	\$1263	\$634
	built-up self edge	GCT5RBU	30 x 60 x 29	125	91	14	\$1410	\$708
6 foo	t self edge	GCT6R	36 x 72 x 29	125	115	15	\$1407	\$705
0 100	U							
	bullnose edge	GCT6RBN	36 x 72 x 29	92.5	152	15	\$1407	\$705
	T-mold edge	GCT6RTM	36 x 72 x 29	92.5	152	15	\$1407	\$705
	built-up self edge	GCT6RBU	36 x 72 x 29	92.5	162	16	\$1562	\$782
7 foo	t self edge	GCT7R	44 x 84 x 29	100	155	17	\$1626	\$814
7 100	bullnose edge	GCT7RBN	44 x 84 x 29	100	155	17	\$1626	\$814
	T-mold edge	GCT7RTM	44 x 84 x 29	100	155	17	\$1626	\$814
	built-up self edge	GCT7RBU	44 x 84 x 29	100	158	19.02	\$1821	\$912
8 foo	t self edge	GCT8WR	48 x 96 x 29	92.5	194	19.04	\$1626	\$814
	bullnose edge	GCT8WRBN	48 x 96 x 29	100	180	19.02	\$1626	\$814
	T-mold edge	GCT8WRTM					\$1626	
			48 x 96 x 29	100	180	19.02		\$814
	built-up self edge	GCT8WRBU	48 x 96 x 29	92.5	211	21	\$1821	\$912
10 fo	self edge	GCT10WR	48 x 120 x 29	92.5	214	20.93	\$2258	\$1131
	bullnose edge	GCT10WRBN	48 x 120 x 29	92.5	237	21	\$2258	\$1131
	T-mold edge	GCT10WRTM	48 x 120 x 29	92.5	237	21	\$2258	\$1131
	built-up self edge	GCT10WRBU	48 x 120 x 29	125	256	34.37	\$2526	\$1264
12 fo	self edge	GCT12WR	48 x 144 x 29	92.5	270	23	\$2541	\$1272
	bullnose edge	GCT12WRBN	48 x 144 x 29	85	270	21	\$2541	\$1272
	T-mold edge	GCT12WRTM	48 x 144 x 29	92.5	270	22.90	\$2541	\$1272
	built-up self edge	GCT12WRBU	48 x 144 x 29	85	309	24.91	\$2830	\$1419
	built up son euge	GCTTZVVIIDO	40 X 144 X 25	00	303	24.51	Ψ2030	<b>\$1413</b>
14 fo	self edge	GCT14WR	48 x 168 x 29	100	326	34	\$2914	\$1460
	bullnose edge	GCT14WRBN	48 x 168 x 29	100	326	34	\$2914	\$1460
	T-mold edge	GCT14WRTM	48 x 168 x 29	100	326	34	\$2914	\$1460
	built-up self edge	GCT14WRBU	48 x 168 x 29	100	332	38	\$3220	\$1612
16 fo	U	GCT16WR	48 x 192 x 29	100	367	38	\$3044	\$1524
	bullnose edge	GCT16WRBN	48 x 192 x 29	100	367	38	\$3044	\$1524
	T-mold edge	GCT16WRTM	48 x 192 x 29	100	367	38	\$3044	\$1524
	built-up self edge	GCT16WRBU	48 x 192 x 29	100	373	40	\$3297	\$1651
18 fo	self edge	GCT18WR	48 x 216 x 29	92.5	408	40	\$3627	\$1816
10 10	bullnose edge	GCT18WRBN	48 x 216 x 29	92.5	408	40	\$3627 \$3627	\$1816
	T-mold edge built-up self edge	GCT18WRTM GCT18WRBU	48 x 216 x 29	92.5 100	408 416	40 42	\$3627 \$4044	\$1816 \$2025
	bunt-up sen euge	JOHNWINDU	48 x 216 x 29	100	410	44	ψ <del>1</del> U <del>11</del>	<del>Q</del> LULJ
20 fo	self edge	GCT20WR	48 x 240 x 29	92.5	449	42	\$3756	\$1880
	bullnose edge	GCT20WRBN	48 x 240 x 29	92.5	449	42	\$3756	\$1880
	T-mold edge	GCT20WRTM	48 x 240 x 29	92.5	449	42	\$3756	\$1880
	built-up self edge	GCT20WRBU	48 x 240 x 29	92.5	457	44	\$4167	\$2086
							_	
22 fo	0	GCT22WR	48 x 264 x 29	92.5	489	44	\$4140	\$2073
	bullnose edge	GCT22WRBN	48 x 264 x 29	92.5	489	44	\$4140	\$2073
	T-mold edge	GCT22WRTM	48 x 264 x 29	92.5	489	44	\$4140	\$2073
	built-up self edge	GCT22WRBU	48 x 264 x 29	92.5	497	46	\$4662	\$\$2332
	16	0.000 414 / 5	40 000 00	00.5	F04	40	<b>64000</b>	004.00
24 fo	0	GCT24WR	48 x 288 x 29	92.5	531	46	\$4268	\$2135
	bullnose edge	GCT24WRBN	48 x 288 x 29	92.5	531	46	\$4268	\$2135
	T-mold edge	GCT24WRTM	48 x 288 x 29	92.5	531	46	\$4268	\$2135
	built-up self edge	GCT24WRBU	48 x 288 x 29	92.5	540	48	\$4772	\$2387
	All tops 12	0", 144", and 168	ard in two pieces. ' ' are SHIPPED WIT 'ITH 4 LEG BASES.	H 3 LEG BAS		ishes will	NOT align	where the two tops

Required Specifications Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate

5 foot	self edge	00050		WxH				
		GCR5R	30 x 60 x 29	150	94	21	\$1303	\$654
	bullnose edge	GCR5RBN	30 x 60 x 29	150	94	21	\$1303	\$654
	T-mold edge	GCR5RTM	30 x 60 x 29	150	94	21	\$1303	\$654
	built-up self edge	GCR5RBU	30 x 60 x 29	150	97	23	\$1454	\$731
	, , , , , , , , , , , , , , , , , , ,							
6 foot	self edge	GCR6R	36 x 72 x 29	150	107	23	\$1447	\$725
	bullnose edge	GCR6RBN	36 x 72 x 29	150	107	23	\$1447	\$725
	T-mold edge	GCR6RTM	36 x 72 x 29	150	107	23	\$1447	\$725
	built-up self edge	GCR6RBU	36 x 72 x 29	150	117	25	\$1610	\$806
		0.0070		405				***
7 foot	self edge	GCR7R	44 x 84 x 29	125	161	25	\$1667	\$834
	bullnose edge	GCR7RBN	44 x 84 x 29	125	161	25	\$1667	\$834
	T-mold edge	GCR7RTM	44 x 84 x 29	125	161	25	\$1667	\$834
	built-up self edge	GCR7RBU	44 x 84 x 29	125	164	27	\$1865	\$933
8 foot	self edge	GCR8WR	48 x 96 x 29	125	177	27	\$1667	\$834
0 1001								\$834
	bullnose edge	GCR8WRBN	48 x 96 x 29	125	177	27	\$1667	
	T-mold edge	GCR8WRTM	48 x 96 x 29	125	177	27	\$1667	\$834
	built-up self edge	GCR8WRBU	48 x 96 x 29	125	208	29	\$1865	\$933
10 foot	self edge	GCR10WR	48 x 120 x 29	125	221	28.92	\$2281	\$1142
	bullnose edge	GCR10WRBN	48 x 120 x 29	125	221	28.92	\$2281	\$1142
	T-mold edge	GCR10WRTM	48 x 120 x 29	125	221	29	\$2281	\$1142
	built-up self edge	GCR10WRBU	48 x 120 x 29	125	239	32		
	built-up sell eage	GCNTUVVNDU	46 X 120 X 29	120	239	32	\$2560	\$1281
12 foot	self edge	GCR12WR	48 x 144 x 29	100	270	30.96	\$2570	\$1287
	bullnose edge	GCR12WRBN	48 x 144 x 29	100	270	30.96	\$2570	\$1287
	T-mold edge	GCR12WRTM	48 x 144 x 29	100	270	30.96	\$2570	\$1287
	built-up self edge	GCR12WRBU	48 x 144 x 29	100	293	33.89	\$2869	\$1436
	1 3							
14 foot	self edge	GCR14WR	48 x 168 x 29	125	330	50	\$2952	\$1479
	bullnose edge	GCR14WRBN	48 x 168 x 29	125	330	50	\$2952	\$1479
	T-mold edge	GCR14WRTM	48 x 168 x 29	125	330	50	\$2952	\$1479
	built-up self edge	GCR14WRBU	48 x 168 x 29	125	336	54	\$3260	\$1631
		0.004.014.0		405				4
16 foot	self edge	GCR16WR	48 x 192 x 29	125	371	54	\$3082	\$1542
	bullnose edge	GCR16WRBN	48 x 192 x 29	125	371	54	\$3082	\$1542
	T-mold edge	GCR16WRTM	48 x 192 x 29	125	371	54	\$3082	\$1542
	built-up self edge	GCR16WRBU	48 x 192 x 29	125	377	58	\$3384	\$1695
18 foot	self edge	GCR18WR	48 x 216 x 29	125	412	56	\$3651	\$1827
	bullnose edge	GCR18WRBN	48 x 216 x 29	125	412	56	\$3651	\$1827
	T-mold edge	GCR18WRTM	48 x 216 x 29	125	412	56	\$3651	\$1827
	built-up self edge	GCR18WRBU	48 x 216 x 29	125	412	60	\$4077	\$2042
	punt-up sen euge	GOTTOVVDDU	40 1 2 1 0 1 2 2	120	413	UU	φ40//	<b>ジ</b> ムロマム
20 foot	self edge	GCR20WR	48 x 240 x 29	125	453	58	\$3780	\$1894
	bullnose edge	GCR20WRBN	48 x 240 x 29	125	453	58	\$3780	\$1894
	T-mold edge	GCR20WRTM	48 x 240 x 29	125	453	58	\$3780	\$1894
	built-up self edge	GCR20WRBU	48 x 240 x 29	125	461	62	\$4214	\$2108
	16	0.000001112	40 00: 0=	400	400	00	A.c	40404
22 foot	self edge	GCR22WR	48 x 264 x 29	100	493	60	\$4206	\$2104
	bullnose edge	GCR22WRBN	48 x 264 x 29	100	493	60	\$4206	\$2104
	T-mold edge	GCR22WRTM	48 x 264 x 29	100	493	60	\$4206	\$2104
	built-up self edge	GCR22WRBU	48 x 264 x 29	125	501	64	\$4697	\$2352
24 foot	self edge	GCR24WR	48 x 288 x 29	100	535	62	\$4338	\$2171
27 1001	bullnose edge	GCR24WRBN	48 x 288 x 29	100	535	62	\$4338	\$2171
	T-mold edge	GCR24WRTM	48 x 288 x 29	100	535	62	\$4338	\$2171
	built-up self edge	GCR24WRBU	48 x 288 x 29	100	544	66	\$4821	\$2413 where the two tops

• All tops 216", 240", 264" and 288" are SHIPPED WITH 6 TUBULAR BASES.

Required Specifications
Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate



		MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
			Dx	WxH				
5 foot	self edge	GCT5BX	30 x 60 x 29	70	131	6	\$1074	\$538
7	bullnose edge	GCT5BXBN	30 x 60 x 29	70	131	6	\$1074	\$538
1	T-mold edge	GCT5BXTM	30 x 60 x 29	70	131	7	\$1074	\$538
	built-up self edge	GCT5BXBU	30 x 60 x 29	125	114	17	\$1187	\$594
6 foot	self edge	GCT6BX	36 x 72 x 29	70	138	7.60	\$1203	\$603
	bullnose edge	GCT6BXBN	36 x 72 x 29	70	138	7.60	\$1203	\$603
	T-mold edge	GCT6BXTM	36 x 72 x 29	70	147	7.60	\$1203	\$603
	built-up self edge	GCT6BXBU	36 x 72 x 29	70	157	8.90	\$1341	\$672
7 foot	self edge	GCT7BX	44 x 84 x 29	70	199	9.94	\$1549	\$776
7 1001								
	bullnose edge	GCT7BXBN	44 x 84 x 29	70	199	9.94	\$1549	\$776
	T-mold edge	GCT7BXTM	44 x 84 x 29	70	199	9.94	\$1549	\$776
	built-up self edge	GCT7BXBU	44 x 84 x 29	70	203	11.95	\$1748	\$875
8 foot	self edge	GCT8WBX	48 x 96 x 29	70	218	11.29	\$1549	\$776
0.000	bullnose edge	GCT8WBXBN	48 x 96 x 29	70	218	11.29	\$1549	\$776
	T-mold edge	GCT8WBXTM	48 x 96 x 29	70	218	11.29	\$1549	\$776
	built-up self edge	GCT8WBXBU	48 x 96 x 29	70	218	13.53	\$1549	\$776 \$875
	naur-ah seu eade	OCIONADVRA	40 X 30 X 23	/U	۷۱۵	13.33	φ1/48	Q/0
10 foot	self edge	GCT10WBX2	48 x 120 x 29	70	249	13.53	\$1795	\$900
	bullnose edge	GCT10WBX2BN		70	249	13.53	\$1795	\$900
	T-mold edge	GCT10WBX2TM		70	249	13.53	\$1795	\$900
	built-up self edge	GCT10WBX2HVI	48 x 120 x 29	70	294	16.20	\$2124	\$1062
	bant ap son ouge	33110110/1200	10 % 120 % ZJ	7.0	207	10.20	₩£1£7	Ų.∪UL
12 foot	self edge	GCT12WBX2	48 x 144 x 29	70	308	15.54	\$2105	\$1055
	bullnose edge	GCT12WBX2BN	48 x 144 x 29	70	308	15.54	\$2105	\$1055
	T-mold edge	GCT12WBX2TM	48 x 144 x 29	70	308	15.54	\$2105	\$1055
	built-up self edge	GCT12WBX2BU	48 x 144 x 29	70	338	18.83	\$2472	\$1237
	16	0.074.4\A/D\/0	40 400 00	05	440	40	****	44504
14 foot	self edge	GCT14WBX2	48 x 168 x 29	65	419	18	\$3044	\$1524
	bullnose edge	GCT14WBX2BN		65	419	18	\$3044	\$1524
	T-mold edge	GCT14WBX2TM		65	419	18	\$3044	\$1524
	built-up self edge	GCT14WBX2BU	48 x 168 x 29	65	425	16	\$3398	\$1701
16 foot	self edge	GCT16WBX2	48 x 192 x 29	70	460	22.70	\$3172	\$1588
10 1001								
	bullnose edge	GCT16WBX2BN		70	460	22.70	\$3172	\$1588
	T-mold edge	GCT16WBX2TM		70	460	22.70	\$3172	\$1588
	built-up self edge	GCT16WBX2BU	48 x 192 x 29	70	466	27.20	\$3542	\$1772
18 foot	self edge	GCT18WBX2	48 x 216 x 29	70	521	24.60	\$3948	\$1976
	bullnose edge	GCT18WBX2BN		70	521	24.60	\$3948	\$1976
	T-mold edge	GCT18WBX2TM		70	521	24.60	\$3948	\$1976
	built-up self edge			70	528	29.80	\$4425	\$2216
20 foot	self edge	GCT20WBX2	48 x 240 x 29	70	572	26.60	\$4011	\$2007
	bullnose edge	GCT20WBX2BN		70	572	26.60	\$4011	\$2007
	T-mold edge	GCT20WBX2TM		70	572	26.60	\$4011	\$2007
	built-up self edge	GCT20WBX2BU	48 x 240 x 29	70	580	32.50	\$4489	\$2246
22 foot	self edge	GCT22WBX2	48 x 264 x 29	70	612	28.90	\$4655	\$2328
22 IUUL	bullnose edge	GCT22WBX2BN		70	612	28.90	\$4655	\$2328
	T-mold edge	GCT22WBX2TM		70	612	28.90	\$4655	\$2328
	built-up self edge	GCT22WBX2BU	48 x 264 x 29	70	620	35.10	\$5141	\$2572
24 foot	self edge	GCT24WBX2	48 x 288 x 29	70	673	31.20	\$4786	\$2396
=	bullnose edge	GCT24WBX2BN		70	673	31.20	\$4786	\$2396
	T-mold edge	GCT24WBX2TM		70	673	31.20	\$4786	\$2396
	built-up self edge	GCT24WBX2HVI		70	682	37.70	\$5295	\$2650
	ոսու-սի ջուլ բովե	OCIZ411DVZDO	70 A 200 A 23	<i>i</i> U	UUZ	J1./U	ゆりとびり	92UJU

Required Specifications Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate

		MODEL#	DIMENSIONS F	REIGHT CLASS W x H	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
→ 6 foot	self edge	GCT6BZ	36 x 72 x 29	100	162	17.50	\$1626	\$814
	bullnose edge	GCT6BZBN	36 x 72 x 29	100	153	17.50	\$1626	\$814
	T-mold edge	GCT6BZTM	36 x 72 x 29	100	162	17.50	\$1626	\$814
	built-up self edge	GCT6BZBU	36 x 72 x 29	100	172	18.90	\$1819	\$911
7 foot	self edge	GCT7BZ	44 x 84 x 29	92.5	196	19.40	\$1846	\$925
	bullnose edge	GCT7BZBN	44 x 84 x 29	92.5	196	19.40	\$1846	\$925
	T-mold edge	GCT7BZTM	44 x 84 x 29	92.5	196	19.40	\$1846	\$925
	built-up self edge	GCT7BZBU	44 x 84 x 29	100	199	21.20	\$2075	\$1039
8 foot	self edge	GCT8WBZ	48 x 96 x 29	92.5	219	21.20	\$1883	\$943
	bullnose edge	GCT8WBZBN	48 x 96 x 29	92.5	219	21.20	\$1883	\$943
	T-mold edge	GCT8WBZTM	48 x 96 x 29	92.5	219	21.20	\$1883	\$943
	built-up self edge	GCT8WBZBU	48 x 96 x 29	92.5	250	23.50	\$2075	\$1039
40 (	161	CCT10\M/D70	40 120 20	100	070	22.20	60000	61104
10 foot	self edge	GCT10WBZ2	48 x 120 x 29	100	272	33.30	\$2206	\$1104
	bullnose edge	GCT10WBZ2BN	48 x 120 x 29	100	272	33.30	\$2206	\$1104
	T-mold edge	GCT10WBZ2TM	48 x 120 x 29	100	272	33.22	\$2206	\$1104
	built-up self edge	GCT10WBZ2BU	48 x 120 x 29	100	317	35.70	\$2432	\$1217
12 foot	self edge	GCT12WBZ2	48 x 144 x 29	100	327	35.30	\$2466	\$1234
	bullnose edge	GCT12WBZ2BN	48 x 144 x 29	100	327	35.30	\$2466	\$1234
	T-mold edge	GCT12WBZ2TM	48 x 144 x 29	100	327	35.30	\$2466	\$1234
	built-up self edge	GCT12WBZ2BU	48 x 144 x 29	100	357	38.40	\$2737	\$1371
14 foot	self edge	GCT14WBZ2	48 x 168 x 29	92.5	441	39	\$3304	\$1654
	bullnose edge	GCT14WBZ2BN	48 x 168 x 29	92.5	441	39	\$3304	\$1654
	T-mold edge	GCT14WBZ2TM	48 x 168 x 29	92.5	441	39	\$3304	\$1654
	built-up self edge	GCT14WBZ2BU	48 x 168 x 29	92.5	447	42	\$3664	\$1834
40 64	161	CCT1CW/D70	40 100 00	02.5	400	40 F0	62422	64740
16 foot	self edge	GCT16WBZ2	48 x 192 x 29	92.5	482	42.52	\$3433	\$1718
	bullnose edge	GCT16WBZ2BN	48 x 192 x 29	92.5	482	42.52	\$3433	\$1718
	T-mold edge built-up self edge	GCT16WBZ2TM GCT16WBZ2BU	48 x 192 x 29 48 x 192 x 29	92.5 92.5	482 488	42.52 47	\$3433 \$3788	\$1718 \$1897
	, ,	COTTOTTE					40.00	
18 foot	self edge	GCT18WBZ2	48 x 216 x 29	100	523	54.40	\$4464	\$2233
	bullnose edge	GCT18WBZ2BN	48 x 216 x 29	100	523	54.40	\$4464	\$2233
	T-mold edge	GCT18WBZ2TM	48 x 216 x 29	100	523	54.40	\$4464	\$2233
	built-up self edge	GCT18WBZ2BU	48 x 216 x 29	100	550	59	\$5018	\$2511
20 foot	self edge	GCT20WBZ2	48 x 240 x 29	100	564	66.20	\$4529	\$2266
	bullnose edge	GCT20WBZ2BN	48 x 240 x 29	100	564	66.20	\$4529	\$2266
	T-mold edge	GCT20WBZ2TM		100	564	66.20	\$4529	\$2266
	built-up self edge	GCT20WBZ2BU	48 x 240 x 29	100	572	70.60	\$5084	\$2545
22 foot	self edge	GCT22WBZ2	48 x 264 x 29	100	604	68.20	\$5044	\$2523
22 1000	bullnose edge	GCT22WBZ2BN	48 x 264 x 29	100	604	68.20	\$5044	\$2523
	T-mold edge	GCT22WBZ2BN GCT22WBZ2TM	48 x 264 x 29 48 x 264 x 29	100	604	68.20	\$5044 \$5044	\$2523 \$2523
	built-up self edge	GCT22WBZ2TWI	48 x 264 x 29 48 x 264 x 29	100	612	73.68	\$5635	\$2523 \$2819
24 foot	self edge	GCT24WBZ2	48 x 288 x 29	100	646	70.20	\$5175	\$2590
	bullnose edge	GCT24WBZ2BN	48 x 288 x 29	100	646	70.20	\$5175	\$2590
	T-mold edge	GCT24WBZ2TM	48 x 288 x 29	100	646	70.20	\$5175	\$2590
	built-up self edge	GCT24WBZ2BU	48 x 288 x 29	100	655	76.80	\$5756	\$2880

- All tops 168", 192" and 216" are SHIPPED WITH 3 DRUM BASES.
- All tops 240", 264" and 288" are SHIPPED WITH 4 DRUM BASES.

Required Specifications
Top finish

Base finish Edge color, if applicable Optional Specifications Grommet

HP laminate



		MODEL#		REIGHT CLASS	WI/LBS.	CODICT I.		
		00750	D x V		40.			A
5 foot	self edge	GCT5BA	30 x 60 x 29	85	131	9	\$1430	\$717
7	bullnose edge	GCT5BABN	30 x 60 x 29	85	131	9	\$1430	\$717
	T-mold edge	GCT5BATM	30 x 60 x 29	85	131	9	\$1430	\$717
<b>J</b>	built-up self edge	GCT5BABU	30 x 60 x 29	85	134	10	\$1625	\$814
6 foot	self edge	GCT6BA	36 x 72 x 29	85	152	11	\$1496	\$750
	bullnose edge	GCT6BABN	36 x 72 x 29	85	152	11	\$1496	\$750
	T-mold edge	GCT6BATM	36 x 72 x 29	85	152	11	\$1496	\$750
	built-up self edge	GCT6BABU	36 x 72 x 29	85	162	12	\$1777	\$889
7 foot	self edge	GCT7BA	44 x 84 x 29	70	203	12.96	\$1820	\$912
7 1000								
	bullnose edge	GCT7BABN	44 x 84 x 29	70	203	12.96	\$1820	\$912
	T-mold edge	GCT7BATM	44 x 84 x 29	70	203	12.96	\$1820	\$912
	built-up self edge	GCT7BABU	44 x 84 x 29	85	206	13.98	\$2060	\$1033
8 foot	self edge	GCT8WBA	48 x 96 x 29	70	228	14.97	\$1820	\$912
	bullnose edge	GCT8WBABN	48 x 96 x 29	85	220	14.97	\$1820	\$912
	T-mold edge	GCT8WBATM	48 x 96 x 29	85	220	14.97	\$1820	\$912
	built-up self edge	GCT8WBABU	48 x 96 x 29	85	220	15.96	\$2060	\$1033
10 foot	self edge	GCT10WBA	48 x 120 x 29	85	251	16.96	\$2076	\$1041
10 1001	bullnose edge	GCT10WBABN	48 x 120 x 29	85	251	16.95	\$2076 \$2076	\$1041
	T-mold edge					16.95		
		GCT10WBATM	48 x 120 x 29	85	251		\$2076	\$1041
	built-up self edge	GCT10WBABU	48 x 120 x 29	70	296	18.92	\$2448	\$1227
12 foot	self edge	GCT12WBA	48 x 144 x 29	70	306	20	\$2400	\$1201
12 1001	bullnose edge	GCT12WBABN	48 x 144 x 29	70	310	19.94	\$2400	\$1201
	T-mold edge	GCT12WBATM	48 x 144 x 29	70	310	19.94	\$2400	\$1201
	built-up self edge	GCT12WBABU	48 x 144 x 29	70	340	21.89	\$2801	\$1402
14 foot	self edge	GCT14WBA	48 x 168 x 29	70	423	25.93	\$3692	\$1848
	bullnose edge	GCT14WBABN	48 x 168 x 29	70	423	25.93	\$3692	\$1848
	T-mold edge	GCT14WBATM	48 x 168 x 29	70	423	25.93	\$3692	\$1848
	built-up self edge	GCT14WBABU	48 x 168 x 29	70	429	27.90	\$4114	\$2058
16 foot	self edge	GCT16WBA	48 x 192 x 29	70	474	29.94	\$3884	\$1944
10 1000	bullnose edge	GCT16WBABN	48 x 192 x 29	70	474	29.94	\$3884	\$1944
	T-mold edge	GCT16WBATM	48 x 192 x 29	70	474	29.94	\$3884	\$1944
	built-up self edge	GCT16WBAHVI	48 x 192 x 29 48 x 192 x 29	70	474	31.92	\$3884 \$4342	\$1944
					F0-			
18 foot	self edge	GCT18WBA	48 x 216 x 29	70	525	31.92	\$4786	\$2396
	bullnose edge	GCT18WBABN	48 x 216 x 29	70	525	31.92	\$4786	\$2396
	T-mold edge	GCT18WBATM	48 x 216 x 29	70	525	31.92	\$4786	\$2396
	built-up self edge	GCT18WBABU	48 x 216 x 29	70	532	33.89	\$5349	\$2676
20 foot	self edge	GCT20WBA	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	bullnose edge	GCT20WBABN	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	T-mold edge	GCT20WBATM	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	built-up self edge	GCT20WBABU	48 x 240 x 29	70	584	35.93	\$5399	\$2702
22 foot	self edge	GCT22WBA	48 x 264 x 29	70	626	36.89	\$5427	\$2716
22 1000	bullnose edge	GCT22WBABN	48 x 264 x 29	70	626	36.89	\$5427	\$2716
	T-mold edge built-up self edge	GCT22WBATM GCT22WBABU	48 x 264 x 29 48 x 264 x 29	70 70	626 634	36.89 37.90	\$5427 \$6068	\$2716 \$3036
24 foot	self edge	GCT24WBA	48 x 288 x 29	70	678	40	\$5558	\$2780
	bullnose edge	GCT24WBABN	48 x 288 x 29	70	678	40	\$5558	\$2780
	T-mold edge	GCT24WBATM	48 x 288 x 29	70	678	40	\$5558	\$2780
	built-up self edge	GCT24WBABU	48 x 288 x 29	65	687	25.10	\$6193	\$3099

• All tops 264" and 288" are SHIPPED WITH 2 ARCH BASES AND 2 SLAB BASES.

Required Specifications Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate


BASE		MODEL#	DIMENSIONS F	REIGHT CLASS W x H	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
5 foot	self edge	GCT5B	30 x 60 x 29	125	88	13	\$1263	\$634
	bullnose edge	GCT5BBN	30 x 60 x 29	125	88	13	\$1263	\$634
	T-mold edge	GCT5BTM	30 x 60 x 29	125	88	13	\$1263	\$634
	built-up self edge	GCT5BBU	30 x 60 x 29	125	91	14	\$1410	\$708
6 foot	self edge	GCT6B	36 x 72 x 29	100	123	15	\$1407	\$705
	bullnose edge	GCT6BBN	36 x 72 x 29	125	114	15	\$1407	\$705
	T-mold edge	GCT6BTM	36 x 72 x 29	100	123	15	\$1407	\$705
	built-up self edge	GCT6BBU	36 x 72 x 29	100	133	16	\$1562	\$782
7 foot	self edge	GCT7B	44 x 84 x 29	100	155	16.98	\$1626	\$814
7.000	bullnose edge	GCT7BBN	44 x 84 x 29	100	155	16.98	\$1626	\$814
	T-mold edge	GCT7BTM	44 x 84 x 29	100	155	16.98	\$1626	\$814
	built-up self edge	GCT7BTWI GCT7BBU	44 x 84 x 29	100	158	18.98	\$1821	\$912
0.6	solf adas	CCTOWD	40 ~ 00 ~ 20	100	100	10	¢1626	ė01 <i>1</i>
8 foot	U	GCT8WB	48 x 96 x 29	100	188	19	\$1626	\$814
	bullnose edge	GCT8WBBN	48 x 96 x 29	100	180	19	\$1626	\$814
	T-mold edge	GCT8WBTM	48 x 96 x 29	100	180	18.98	\$1626	\$814
	built-up self edge	GCT8WBBU	48 x 96 x 29	100	180	21	\$1821	\$912
10 foo	t self edge	GCT10WB	48 x 120 x 29	92.5	214	21	\$2258	\$1131
	bullnose edge	GCT10WBBN	48 x 120 x 29	92.5	214	20.98	\$2258	\$1131
	T-mold edge	GCT10WBTM	48 x 120 x 29	92.5	214	20.93	\$2258	\$1131
	built-up self edge	GCT10WBBU	48 x 120 x 29	92.5	259	22.93	\$2526	\$1264
12 foo	t self edge	GCT12WB	48 x 144 x 29	92.5	265	22.80	\$2541	\$1272
12.100	bullnose edge	GCT12WBBN	48 x 144 x 29	92.5	269	22.69	\$2541	\$1272
	T-mold edge	GCT12WBTM	48 x 144 x 29	92.5	269	22.69	\$2541	\$1272
	built-up self edge	GCT12WBHVI	48 x 144 x 29	92.5	299	25.69	\$2832	\$1419
14 foo	• oolf odgo	GCT14WB	40 v 100 v 20	100	326	34	62014	\$1460
14 100	U		48 x 168 x 29				\$2914	
	bullnose edge	GCT14WBBN	48 x 168 x 29	100	326	34	\$2914	\$1460
	T-mold edge	GCT14WBTM	48 x 168 x 29	100	326	34	\$2914	\$1460
	built-up self edge	GCT14WBBU	48 x 168 x 29	100	332	38	\$3220	\$1612
16 foo	t self edge	GCT16WB	48 x 192 x 29	100	367	38	\$3044	\$1524
	bullnose edge	GCT16WBBN	48 x 192 x 29	100	367	38	\$3044	\$1524
	T-mold edge	GCT16WBTM	48 x 192 x 29	100	367	38	\$3044	\$1524
	built-up self edge	GCT16WBBU	48 x 192 x 29	100	373	40	\$3297	\$1651
18 foo	t self edge	GCT18WB	48 x 216 x 29	92.5	408	40	\$3627	\$1816
	bullnose edge	GCT18WBBN	48 x 216 x 29	92.5	408	40	\$3627	\$1816
	T-mold edge	GCT18WBTM	48 x 216 x 29	92.5	408	40	\$3627	\$1815
	built-up self edge	GCT18WBBU	48 x 216 x 29	100	416	42	\$4044	\$2025
20 foo	t self edge	GCT20WB	48 x 240 x 29	92.5	449	42	\$3756	\$1880
20 100	bullnose edge	GCT20VVB GCT20WBBN	48 x 240 x 29 48 x 240 x 29	92.5	449		\$3756	\$1880
						42		
	T-mold edge built-up self edge	GCT20WBTM GCT20WBBU	48 x 240 x 29 48 x 240 x 29	92.5 92.5	449 457	42 44	\$3756 \$4167	\$1880 \$2086
			10 % 2 10 % 20	02.0			<b>V</b>	<del></del>
22 foo		GCT22WB	48 x 264 x 29	92.5	489	44	\$4140	\$2073
	bullnose edge	GCT22WBBN	48 x 264 x 29	92.5	489	44	\$4140	\$2073
	T-mold edge	GCT22WBTM	48 x 264 x 29	92.5	489	44	\$4140	\$2073
	built-up self edge	GCT22WBBU	48 x 264 x 29	92.5	497	46	\$4662	\$2332
24 foo	U	GCT24WB	48 x 288 x 29	92.5	531	46	\$4268	\$2135
	bullnose edge	GCT24WBBN	48 x 288 x 29	92.5	531	46	\$4268	\$2135
	T-mold edge	GCT24WBTM	48 x 288 x 29	92.5	531	46	\$4268	\$2135
	built-up self edge	GCT24WBBU	48 x 288 x 29	92.5	540	48	\$4772	\$2387
	T-mold edge built-up self edge • All tops ov • All tops 12 • All tops 19	GCT24WBTM GCT24WBBU er 144" are standa 0", 144", and 168' 2" are SHIPPED W	48 x 288 x 29	92.5 92.5 Woodgrain la TH 3 LEG BASE	531 540 minate fin ES.	46 48	\$4268 \$4772	\$2135 \$2387

• All tops 216", 240", 264" and 288" are SHIPPED WITH 6 LEG BASES.

Required Specifications
Top finish

Base finish Edge color, if applicable Optional Specifications
Grommet

HP laminate



TOP - TUBULAR BASE			MODEL#	DIMENSIONS FF		WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
			00050		V x H			**	
	5 foot	self edge	GCR5B	30 x 60 x 29	150	94	21	\$1303	\$654
		bullnose edge	GCR5BBN	30 x 60 x 29	150	94	21	\$1303	\$654
		T-mold edge	GCR5BTM	30 x 60 x 29	150	94	21	\$1303	\$654
		built-up self edge	GCR5BBU	30 x 60 x 29	150	97	23	\$1454	\$731
	C 44	aalf adaa	CCDCD	26 v 72 v 20	150	107	22	61117	ė79E
	6 foot	self edge	GCR6B	36 x 72 x 29	150		23	\$1447	\$725
		bullnose edge	GCR6BBN	36 x 72 x 29	150	107	23	\$1447	\$725
		T-mold edge	GCR6BTM	36 x 72 x 29	150	107	23	\$1447	\$725
		built-up self edge	GCR6BBU	36 x 72 x 29	150	117	25	\$1610	\$806
	7 foot	self edge	GCR7B	44 x 84 x 29	125	161	25	\$1667	\$834
	7 1001	bullnose edge	GCR7BBN					\$1667	\$834
				44 x 84 x 29	125	161	25		
		T-mold edge	GCR7BTM	44 x 84 x 29	125	161	25	\$1667	\$834
		built-up self edge	GCR7BBU	44 x 84 x 29	150	164	29	\$1865	\$933
	8 foot	self edge	GCR8WB	48 x 96 x 29	125	184	27	\$1667	\$834
	0.000	bullnose edge	GCR8WBBN	48 x 96 x 29	125	177	27	\$1667	\$834
			GCR8WBTM						
		T-mold edge		48 x 96 x 29	125	177	27	\$1667	\$834
		built-up self edge	GCR8WBBU	48 x 96 x 29	125	208	29	\$1865	\$933
	10 foot	self edge	GCR10WB	48 x 120 x 29	125	221	29	\$2281	\$1142
	1000	bullnose edge	GCR10WBBN	48 x 120 x 29	125	221	29	\$2281	\$1142
			GCR10WBTM	48 x 120 x 29				\$2281	
		T-mold edge			125	221	29		\$1142
		built-up self edge	GCR10WBBU	48 x 120 x 29	125	239	32	\$2560	\$1436
	12 foot	self edge	GCR12WB	48 x 144 x 29	100	270	31	\$2570	\$1287
		bullnose edge	GCR12WBBN	48 x 144 x 29	100	270	31	\$2570	\$1287
			GCR12WBTM			270		\$2570	
		T-mold edge		48 x 144 x 29	100		30.78		\$1287
		built-up self edge	GCR12WBBU	48 x 144 x 29	100	293	34	\$2869	\$1436
	14 foot	self edge	GCR14WB	48 x 168 x 29	125	330	50	\$2952	\$1479
		bullnose edge	GCR14WBBN	48 x 168 x 29	125	330	50	\$2952	\$1479
			GCR14WBTM						
		T-mold edge		48 x 168 x 29	125	330	50	\$2952	\$1479
		built-up self edge	GCR14WBBU	48 x 168 x 29	125	336	54	\$3260	\$1631
	16 foot	self edge	GCR16WB	48 x 192 x 29	125	371	54	\$3082	\$1542
		bullnose edge	GCR16WBBN	48 x 192 x 29	125	371	54	\$3082	\$1542
		T-mold edge	GCR16WBTM	48 x 192 x 29	125	371	54	\$3082	\$1542
		built-up self edge	GCR16WBBU	48 x 192 x 29	125	377	58	\$3384	\$1695
	18 foot	self edge	GCR18WB	48 x 216 x 29	125	412	56	\$3651	\$1827
		bullnose edge	GCR18WBBN	48 x 216 x 29	125	412	56	\$3651	\$1827
		T-mold edge	GCR18WBTM	48 x 216 x 29	125	412	56	\$3651	\$1827
					125		60	\$4077	\$2042
		built-up self edge	GOTTOWADDO	48 x 216 x 29	123	419	UU	φ <del>4</del> 0//	9 <b>८</b> 04८
	20 foot	self edge	GCR20WB	48 x 240 x 29	125	453	58	\$3780	\$1894
		bullnose edge	GCR20WBBN	48 x 240 x 29	125	453	58	\$3780	\$1894
		T-mold edge	GCR20WBTM	48 x 240 x 29	125	453	58	\$3780	\$1894
		built-up self edge	GCR20WBBU	48 x 240 x 29	125	461	62	\$4214	\$2108
		. 5							
	22 foot	self edge	GCR22WB	48 x 264 x 29	100	493	60	\$4206	\$2104
		bullnose edge	GCR22WBBN	48 x 264 x 29	100	493	60	\$4206	\$2104
		T-mold edge	GCR22WBTM	48 x 264 x 29	100	493	60	\$4206	\$2104
		built-up self edge	GCR22WBBU	48 x 264 x 29	125	501	64	\$4697	\$2352
	0.6.6	14 - 1	CODO AVA P	40 000 00	100	F0F	00	<b>64000</b>	ė04.74
	24 foot	self edge	GCR24WB	48 x 288 x 29	100	535	62	\$4338	\$2171
		bullnose edge	GCR24WBBN	48 x 288 x 29	100	535	62	\$4338	\$2171
		T-mold edge	GCR24WBTM	48 x 288 x 29	100	535	62	\$4338	\$2171
		built-up self edge	GCR24WBBU	48 x 288 x 29	100	544	66	\$4821	\$2413
		<ul><li>All tops 12</li><li>All tops 19</li></ul>	0", 144", and 168" 2" are SHIPPED W	ord in two pieces. V are SHIPPED WITH ITH 4 TUBULAR BA I 288" are SHIPPED	H 3 TÜBULAF ASES.	BASES.		NOT align	where the two tops join.
		■ All 1008 / II	u . z4u . z04 and	LZOO ALE SHIFFEL	, vviid diuu	ULAN DA	DEO.		

Required Specifications Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate

		MODEL#	DIMENSIONS FR	REIGHT CLASS V x H	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
5 fo	ot self edge	GRT5X	30 x 60 x 29	70	131	6	\$1074	\$538
	bullnose edge	GRT5XBN	30 x 60 x 29	70	131	6	\$1074	\$538
	T-mold edge	GRT5XTM	30 x 60 x 29	70	131	6	\$1074	\$538
	built-up self edge	GRT5XBU	30 x 60 x 29	70	134	7	\$1187	\$594
	Sunt up son sugs	311107120	00 X 00 X 20	, ,		•	Ψ	400.
6 fo	ot self edge	GRT6X	36 x 72 x 29	70	135	7.60	\$1203	\$603
	bullnose edge	GRT6XBN	36 x 72 x 29	70	143	7.60	\$1203	\$603
	T-mold edge	GRT6XTM	36 x 72 x 29	70	143	7.60	\$1203	\$603
	built-up self edge	GRT6XBU	36 x 72 x 29	70	160	8.90	\$1341	\$672
74-		CDT7V	44 04 20	70	100	0.04	<b>64</b> F 40	ėzzc
7 fc	U	GRT7X	44 x 84 x 29	70	199	9.94	\$1549	\$776
	bullnose edge	GRT7XBN	44 x 84 x 29	70	199	9.97	\$1549	\$776
	T-mold edge	GRT7XTM	44 x 84 x 29	70	199	9.94	\$1549	\$776
	built-up self edge	GRT7XBU	44 x 84 x 29	70	203	11.95	\$1748	\$875
8 fc	ot self edge	GRT8WX	48 x 96 x 29	70	216	11.29	\$1549	\$776
0.10	bullnose edge	GRT8WXBN	48 x 96 x 29	70	218	11.29	\$1549	\$776
	T-mold edge	GRT8WXTM	48 x 96 x 29	70	216	11.29	\$1549	\$776
	built-up self edge	GRT8WXBU	48 x 96 x 29	70	242	13.53	\$1748	\$875
	built-up sell euge	UNIOVVADU	40 X 90 X 29	70	242	13.33	<b>\$1740</b>	\$0/3
10 1	oot self edge	GRT10WX2	48 x 120 x 29	70	280	13.53	\$1795	\$900
	bullnose edge	GRT10WX2BN	48 x 120 x 29	70	266	13.53	\$1795	\$900
	T-mold edge	GRT10WX2TM	48 x 120 x 29	70	256	13.53	\$1795	\$900
	built-up self edge	GRT10WX2BU	48 x 120 x 29	70	289	16.20	\$2124	\$1062
	built up boil bugo	GITTOVVALEDO	10 X 120 X 20	, 0	200	10.20	ŲLILI	Ų.00 <u>L</u>
12 1	oot self edge	GRT12WX2	48 x 144 x 29	70	210	12.54	\$2105	\$1055
	bullnose edge	GRT12WX2BN	48 x 144 x 29	65	307	12.54	\$2105	\$1055
	T-mold edge	GRT12WX2TM	48 x 144 x 29	65	307	12.54	\$2105	\$1055
	built-up self edge	GRT12WX2BU	48 x 144 x 29	70	340	18.83	\$2472	\$1237
44.	16 1	ODT4 414.0/O	40 400 00	0.5	440	10	00044	04504
141	self edge	GRT14WX2	48 x 168 x 29	65	419	18	\$3044	\$1524
	bullnose edge	GRT14WX2BN	48 x 168 x 29	65	419	18	\$3044	\$1524
	T-mold edge	GRT14WX2TM	48 x 168 x 29	65	419	18	\$3044	\$1524
	built-up self edge	GRT14WX2BU	48 x 168 x 29	70	425	20	\$3398	\$1701
16 1	oot self edge	GRT16WX2	48 x 192 x 29	70	460	22.70	\$3172	\$1588
10	bullnose edge	GRT16WX2BN	48 x 192 x 29	70	460	22.70	\$3172	\$1588
	T-mold edge	GRT16WX2TM	48 x 192 x 29	70	460	22.70	\$3172	\$1588
	built-up self edge	GRT16WX2HVI	48 x 192 x 29	70	466	27.20	\$3542	\$1772
	ap con ougo	2200			.00		+- <b>v</b>	+ · · · · =
18 1	oot self edge	GRT18WX2	48 x 216 x 29	70	521	24.60	\$3948	\$1976
	bullnose edge	GRT18WX2BN	48 x 216 x 29	70	521	24.60	\$3948	\$1976
	T-mold edge	GRT18WX2TM	48 x 216 x 29	70	521	24.60	\$3948	\$1976
	built-up self edge	GRT18WX2BU	48 x 216 x 29	70	528	29.80	\$4425	\$2216
	16	ODTOO! A IVO	40 040 00	70	F70	00.00	64044	<b>A</b> 000-
20 1	oot self edge	GRT20WX2	48 x 240 x 29	70	572	26.60	\$4011	\$2007
	bullnose edge	GRT20WX2BN	48 x 240 x 29	70	572	26.60	\$4011	\$2007
	T-mold edge	GRT20WX2TM	48 x 240 x 29	70	572	26.60	\$4011	\$2007
	built-up self edge	GRT20WX2BU	48 x 240 x 29	70	580	32.50	\$4489	\$2246
		CDTOOMAG	40 20420	70	040	20.00	<b>640</b> FF	écco
22 1	oot self edge	GRT22WX2	48 x 264 x 29	70	612	28.90	\$4655	\$2328
	bullnose edge	GRT22WX2BN	48 x 264 x 29	70	612	28.90	\$4655	\$2328
	T-mold edge	GRT22WX2TM	48 x 264 x 29	70	612	28.90	\$4655	\$2328
	built-up self edge	GRT22WX2BU	48 x 264 x 29	70	620	35.10	\$5141	\$2572
24 4	self edge	GRT24WX2	48 x 288 x 29	70	673	31.20	\$4786	\$2396
471	bullnose edge	GRT24WX2BN	48 x 288 x 29	70	673	31.20	\$4786	\$2396
	T-mold edge	GRT24WX2TM	48 x 288 x 29	70	673	31.20	\$4786	\$2396
	built-up self edge	GRT24WX2BU	48 x 288 x 29	70	682	37.70	\$5295	\$2650
	punt-up sen euge	UIIIZ4VVAZDU	40 X 200 X 25	/ U	UOZ	37.70	ゆりとりり	φZOOU

- All tops 168", 192", 216" and 240" are SHIPPED WITH 3 SLAB BASES.
- All tops 264" and 288" are SHIPPED WITH 4 SLAB BASES.

Required Specifications
Top finish

Optional Specifications Grommet

HP laminate

Accessories Power Block

Base finish Edge color, if applicable

CETRACK TOP - DRUM BASE			MODEL#	DIMENSIONS FF	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
				DxV	V x H				
	6 foot	self edge	GRT6Z	36 x 72 x 29	100	150	17.50	\$1626	\$814
		bullnose edge	GRT6ZBN	36 x 72 x 29	100	158	17.50	\$1626	\$814
		T-mold edge	GRT6ZTM	36 x 72 x 29	100	158	17.50	\$1626	\$814
		built-up self edge	GRT6ZBU	36 x 72 x 29	100	175	18.80	\$1819	\$911
	7 foot	self edge	GRT7Z	44 x 84 x 29	92.5	196	19.40	\$1883	\$943
		bullnose edge	GRT7ZBN	44 x 84 x 29	92.5	196	19.40	\$1883	\$943
		T-mold edge	GRT7ZTM	44 x 84 x 29	92.5	196	19.40	\$1883	\$943
		built-up self edge	GRT7ZBU	44 x 84 x 29	100	199	21.20	\$2075	\$1039
			ODTO 4/7	40. 00. 00	00.5	047	04.00	44000	40.40
	8 foot	self edge	GRT8WZ	48 x 96 x 29	92.5	217	21.26	\$1883	\$943
		bullnose edge	GRT8WZBN	48 x 96 x 29	92.5	219	21.26	\$1883	\$943
		T-mold edge	GRT8WZTM	48 x 96 x 29	92.5	217	21.26	\$1883	\$943
		built-up self edge	GRT8WZBU	48 x 96 x 29	92.5	243	23.50	\$2075	\$942
	10 foot	self edge	GRT10WZ2	48 x 120 x 29	100	313	33.14	\$2206	\$1104
	וט וטטנ	bullnose edge	GRT10WZ2BN	48 x 120 x 29	100	289	33.14	\$2206	\$1104
		T-mold edge	GRT10WZ2TM	48 x 120 x 29	100	279	33.14	\$2206	\$1104
		built-up self edge	GRT10WZ2BU	48 x 120 x 29	100	312	35.70	\$2432	
		built-up sell eage	GN11UWZZBU	48 X 120 X 29	100	312	35.70	<b>\$2432</b>	\$1217
	12 foot	self edge	GRT12WZ2	48 x 144 x 29	100	329	35.14	\$2466	\$1234
		bullnose edge	GRT12WZ2BN	48 x 144 x 29	150	326	58.70	\$2466	\$1234
		T-mold edge	GRT12WZ2TM	48 x 144 x 29	100	326	35.14	\$2466	\$1234
		built-up self edge	GRT12WZ2BU	48 x 144 x 29	100	359	38.32	\$2737	\$1234
		built up son cugo	GITT 12 VV ZZDO	40 X 144 X 23	100	333	30.32	Ψ <b>2</b> /3/	Ų IZJT
	14 foot	self edge	GRT14WZ2	48 x 168 x 29	92.5	478	44.44	\$3304	\$1654
		bullnose edge	GRT14WZ2BN	48 x 168 x 29	92.5	441	39	\$3304	\$1654
		T-mold edge	GRT14WZ2TM	48 x 168 x 29	92.5	441	39	\$3304	\$1654
		built-up self edge	GRT14WZ2BU	48 x 168 x 29	92.5	447	42	\$3664	\$1834
	16 foot	self edge	GRT16WZ2	48 x 192 x 29	92.5	478	42.50	\$3433	\$1718
		bullnose edge	GRT16WZ2BN	48 x 192 x 29	92.5	482	42.50	\$3433	\$1718
		T-mold edge	GRT16WZ2TM	48 x 192 x 29	92.5	482	42.50	\$3433	\$1718
		built-up self edge	GRT16WZ2BU	48 x 192 x 29	92.5	488	47	\$3788	\$1897
	10.44	161	CDT10\A/70	40 210 20	100	F22	E4.40	ė a a c a	60000
	18 foot	self edge	GRT18WZ2	48 x 216 x 29	100	523	54.40	\$4464	\$2233
		bullnose edge	GRT18WZ2BN	48 x 216 x 29	100	523	54	\$4464	\$2233
		T-mold edge	GRT18WZ2TM	48 x 216 x 29	100	523	54.40	\$4464	\$2233
		built-up self edge	GRT18WZ2BU	48 x 216 x 29	100	550	59	\$5018	\$2511
	20 foot	self edge	GRT20WZ2	48 x 240 x 29	100	564	66.20	\$4529	\$2266
	1000	bullnose edge	GRT20WZ2BN	48 x 240 x 29	100	564	66.20	\$4529	\$2266
		T-mold edge	GRT20WZ2TM	48 x 240 x 29	100	564	66.20	\$4529	\$2266
		built-up self edge	GRT20WZ2HW		100	572	70.60	\$5084	\$2545
		buiit-up seil euge	UNIZUVVZZDU	48 x 240 x 29	100	372	70.00	<b>\$3004</b>	<b>\$</b> 2040
	22 foot	self edge	GRT22WZ2	48 x 264 x 29	100	604	68.20	\$5044	\$2523
		bullnose edge	GRT22WZ2BN	48 x 264 x 29	100	604	68.20	\$5044	\$2523
		T-mold edge	GRT22WZ2TM	48 x 264 x 29	100	604	68.20	\$5044	\$2523
		built-up self edge	GRT22WZ2BU	48 x 264 x 29	100	612	73.70	\$5635	\$2819
		,				J		+	
	24 foot	self edge	GRT24WZ2	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		bullnose edge	GRT24WZ2BN	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		T-mold edge	GRT24WZ2TM	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		built-up self edge	GRT24WZ2BU	48 x 288 x 29	100	655	76.80	\$5756	\$2880

- All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand is not included.
- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 168", 192" and 216" are SHIPPED WITH 3 DRUM BASES.
- All tops 240", 264" and 288" are SHIPPED WITH 4 DRUM BASES.

Required Specifications
Top finish Base finish Edge color, if applicable

Optional Specifications

Grommet HP laminate

		MODEL#	DIMENSIONS FR		WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
5 foot	self edge	GRT5A	30 x 60 x 29	85	131	9	\$1430	\$717
	bullnose edge	GRT5ABN	30 x 60 x 29	85	131	9	\$1430	\$717
	T-mold edge	GRT5ATM	30 x 60 x 29	85	131	9	\$1430	\$717
	built-up self edge	GRT5ABU	30 x 60 x 29	85	134	10	\$1625	\$814
	bant ap con cage	311107120	00 X 00 X 20				¥.020	+
6 foot	self edge	GRT6A	36 x 72 x 29	85	140	11	\$1496	\$750
	bullnose edge	GRT6ABN	36 x 72 x 29	85	148	11	\$1496	\$750
	T-mold edge	GRT6ATM	36 x 72 x 29	85	148	11	\$1496	\$750
	built-up self edge	GRT6ABU	36 x 72 x 29	85	165	12	\$1777	\$\$889
7 foot	self edge	GRT7A	44 x 84 x 29	70	203	12.93	\$1820	\$912
7 1001	bullnose edge	GRT7ABN	44 x 84 x 29	70	203	12.93	\$1820	\$912
	T-mold edge	GRT7ATM	44 x 84 x 29	70	203	12.93	\$1820	\$912
	built-up self edge	GRT7ABU	44 x 84 x 29	85	206	13.95	\$2060	\$1033
8 foot	self edge	GRT8WA	48 x 96 x 29	85	218	14.94	\$1820	\$912
	bullnose edge	GRT8WABN	48 x 96 x 29	92.5	236	22.40	\$1820	\$912
	T-mold edge	GRT8WATM	48 x 96 x 29	85	218	14.94	\$1820	\$912
	built-up self edge	GRT8WABU	48 x 96 x 29	70	244	15.93	\$2060	\$1033
10 foot	self edge	GRT10WA	48 x 120 x 29	70	268	16.95	\$2076	\$104
	bullnose edge	GRT10WABN	48 x 120 x 29	70	268	16.95	\$2076	\$1041
	T-mold edge	GRT10WATM	48 x 120 x 29	70	268	16.95	\$2076	\$104
	built-up self edge	GRT10WABU	48 x 120 x 29	70	291	18.92	\$2448	\$122
12 foot	self edge	GRT12WA	48 x 144 x 29	85	309	24.94	\$2400	\$120
12 1000								
	bullnose edge	GRT12WABN	48 x 144 x 29	65	309	11.98	\$2400	\$1201
	T-mold edge	GRT12WATM	48 x 144 x 29	100	309	33.29	\$2400	\$1201
	built-up self edge	GRT12WABU	48 x 144 x 29	70	342	21.95	\$2801	\$1402
14 foot	self edge	GRT14WA	48 x 168 x 29	70	423	26	\$3692	\$1848
	bullnose edge	GRT14WABN	48 x 168 x 29	70	423	26	\$3692	\$1848
	T-mold edge	GRT14WATM	48 x 168 x 29	70	423	26	\$3692	\$1848
	built-up self edge	GRT14WABU	48 x 168 x 29	70	429	28	\$4114	\$2058
16 foot	self edge	GRT16WA	48 x 192 x 29	70	474	30	\$3884	\$1944
	bullnose edge	GRT16WABN	48 x 192 x 29	70	474	29.94	\$3884	\$1944
	T-mold edge	GRT16WATM	48 x 192 x 29	70	474	29.94	\$3884	\$1944
	built-up self edge	GRT16WABU	48 x 192 x 29	70	480	31.92	\$4342	\$2173
18 foot	self edge	GRT18WA	48 x 216 x 29	70	525	31.92	\$4786	\$2396
10 1000	bullnose edge	GRT18WABN	48 x 216 x 29	70	525	31.92	\$4786	\$2396
	T-mold edge	GRT18WATM	48 x 216 x 29	70	525	31.92	\$4786	\$2396
	built-up self edge	GRT18WABU	48 x 216 x 29	70	532	33.89	\$5349	\$2676
20 foot	self edge	GRT20WA	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	bullnose edge	GRT20WABN	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	T-mold edge	GRT20WATM	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	built-up self edge	GRT20WABU	48 x 240 x 29	70	584	35.93	\$5399	\$2702
22 foot	self edge	GRT22WA	48 x 264 x 29	70	626	36.89	\$5427	\$2716
	bullnose edge	GRT22WABN	48 x 264 x 29	70	626	36.89	\$5427	\$2716
	T-mold edge	GRT22WATM	48 x 264 x 29	70	626	36.89	\$5427	\$2716
	built-up self edge	GRT22WABU	48 x 264 x 29	70	634	37.90	\$6068	\$3036
24 foot	self edge	GRT24WA	48 x 288 x 29	70	678	39.88	\$5558	\$2780
24 1000	bullnose edge	GRT24WABN	48 x 288 x 29 48 x 288 x 29	70	678	39.88	\$5558	\$2780
	T-mold edge	GRT24WATM	48 x 288 x 29	70	678	39.88	\$5558	\$2780
	built-up self edge	GRT24WABU	48 x 288 x 29	70	687	41.92	\$6193	\$3099

- All tops 168", 192", 216" and 240" are SHIPPED WITH 2 ARCH BASES AND 1 SLAB BASE.
- All tops 264" and 288" are SHIPPED WITH 2 ARCH BASES AND 2 SLAB BASES.

Required Specifications
Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate



P - 2 LEG BASE		MODEL#		REIGHT CLASS	WI/LBS.	CUDIC FI.	LIST PRICE	ПГ АЛЛ
				VxH				
5 foot	self edge	GRT5	30 x 60 x 29	125	88	13	\$1263	\$634
	bullnose edge	GRT5BN	30 x 60 x 29	125	88	13	\$1263	\$634
	T-mold edge	GRT5TM	30 x 60 x 29	125	88	13	\$1263	\$634
<b>⇒</b>	built-up self edge	GRT5BU	30 x 60 x 29	125	91	14	\$1410	\$708
6 foot	self edge	GRT6	36 x 72 x 29	125	111	15	\$1407	\$705
0 1001								
	bullnose edge	GRT6BN	36 x 72 x 29	125	119	15	\$1407	\$705
	T-mold edge	GRT6TM	36 x 72 x 29	125	119	15	\$1407	\$705
	built-up self edge	GRT6BU	36 x 72 x 29	100	136	16	\$1562	\$782
7 foot	self edge	GRT7	44 x 84 x 29	100	155	17	\$1626	\$814
	bullnose edge	GRT7BN	44 x 84 x 29	100	155	17	\$1626	\$814
	T-mold edge	GRT7TM	44 x 84 x 29	100	155	17	\$1626	\$814
	built-up self edge	GRT7BU	44 x 84 x 29	100	158	19	\$1821	\$912
0.6	16	ODTOM	40 00 00	100	170	10	04000	0044
8 foot	self edge	GRT8W	48 x 96 x 29	100	178	19	\$1626	\$814
	bullnose edge	GRT8WBN	48 x 96 x 29	100	180	19	\$1626	\$814
	T-mold edge	GRT8WTM	48 x 96 x 29	100	178	19	\$1626	\$814
	built-up self edge	GRT8WBU	48 x 96 x 29	100	204	21	\$1821	\$912
10 foot	self edge	GRT10W	48 x 120 x 29	300	39	21	\$2258	\$1131
10 1001	bullnose edge	GRT10WBN	48 x 120 x 29	92.5	231	21	\$2258	\$1131
	T-mold edge	GRT10WTM	48 x 120 x 29	92.5	221	21	\$2258	\$1131
	built-up self edge	GRT10WBU	48 x 120 x 29	92.5	254	23	\$2526	\$1264
12 foot	self edge	GRT12W	48 x 144 x 29	92.5	271	23	\$2541	\$1272
	bullnose edge	GRT12WBN	48 x 144 x 29	92.5	268	23	\$2541	\$1272
	T-mold edge	GRT12WTM	48 x 144 x 29	92.5	268	23	\$2541	\$1272
	built-up self edge	GRT12WBU	48 x 144 x 29	92.5	301	25.90	\$2832	\$1419
	16	ODT4 4147	10 100 00	400	000	0.4	40044	44.400
14 foot	self edge	GRT14W	48 x 168 x 29	100	326	34	\$2914	\$1460
	bullnose edge	GRT14WBN	48 x 168 x 29	100	326	34	\$2914	\$1460
	T-mold edge	GRT14WTM	48 x 168 x 29	100	326	34	\$2914	\$1460
	built-up self edge	GRT14WBU	48 x 168 x 29	100	332	38	\$3220	\$1612
16 foot	aalf adaa	CDT1C\A/	40 v 102 v 20	100	267	20	62044	61524
16 foot	self edge	GRT16W	48 x 192 x 29	100	367	38	\$3044	\$1524
	bullnose edge	GRT16WBN	48 x 192 x 29	100	367	38	\$3044	\$1524
	T-mold edge	GRT16WTM	48 x 192 x 29	100	367	38	\$3044	\$1524
	built-up self edge	GRT16WBU	48 x 192 x 29	100	368	40	\$3297	\$1651
18 foot	self edge	GRT18W	48 x 216 x 29	92.5	408	40	\$3627	\$1816
	bullnose edge	GRT18WBN	48 x 216 x 29	92.5	408	40	\$3627	\$1816
	T-mold edge	GRT18WTM	48 x 216 x 29	92.5	408	40	\$3627	\$1816
	built-up self edge	GRT18WBU	48 x 216 x 29	100	416	42	\$4044	\$2025
								4400-
20 foot	self edge	GRT20W	48 x 240 x 29	92.5	449	42	\$3756	\$1880
	bullnose edge	GRT20WBN	48 x 240 x 29	92.5	449	42	\$3756	\$1880
	T-mold edge	GRT20WTM	48 x 240 x 29	92.5	449	42	\$3756	\$1880
	built-up self edge	GRT20WBU	48 x 240 x 29	92.5	457	44	\$4167	\$2086
22 foot	self edge	GRT22W	48 x 264 x 29	92.5	489	44	\$4140	\$2073
LL .00t	bullnose edge	GRT22WBN	48 x 264 x 29	92.5	489	44	\$4140	\$2073
	T-mold edge		48 x 264 x 29					
		GRT22WTM		92.5	489	44	\$4140	\$2073
	built-up self edge	GRT22WBU	48 x 264 x 29	92.5	497	46	\$4662	\$2332
24 foot	self edge	GRT24W	48 x 288 x 29	92.5	531	46	\$4268	\$2135
	bullnose edge	GRT24WBN	48 x 288 x 29	92.5	531	46	\$4268	\$2135
	T-mold edge	GRT24WTM	48 x 288 x 29	92.5	531	46	\$4268	\$2135
	built-up self edge	GRT24WBU	48 x 288 x 29	92.5	540	48	\$4772	\$2387
	All tops over	er 144" are standa		Woodgrain la	minate fin			where the two tops

Required Specifications Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate



					REIGHT CLASS				
					V x H				
	5 foot	self edge	GRT5R	30 x 60 x 29	150	94	21	\$1303	\$654
		bullnose edge	GRT5RBN	30 x 60 x 29	150	94	21	\$1303	\$654
		T-mold edge	GRT5RTM	30 x 60 x 29	150	94	21	\$1303	\$654
		built-up self edge	GRT5RBU	30 x 60 x 29	150	97	23	\$1454	\$731
	6 foot	self edge	GRT6R	36 x 72 x 29	150	107	23	\$1447	\$725
<b>√</b> ≪\$		bullnose edge	GRT6RBN	36 x 72 x 29	150	107	23	\$1447	\$725
		T-mold edge	GRT6RTM	36 x 72 x 29	150	107	23	\$1447	\$725
		built-up self edge	GRT6RBU	36 x 72 x 29	150	117	25	\$1610	\$806
	7 foot	self edge	GRT7R	44 x 84 x 29	125	161	25	\$1667	\$834
		bullnose edge	GRT7RBN	44 x 84 x 29	125	161	25	\$1667	\$834
		T-mold edge	GRT7RTM	44 x 84 x 29	125	161	25	\$1667	\$834
		built-up self edge	GRT7RBU	44 x 84 x 29	125	164	27	\$1865	\$933
	8 foot	self edge	GRT8WR	48 x 96 x 29	125	175	27	\$1667	\$834
		bullnose edge	GRT8WRBN	48 x 96 x 29	125	177	27	\$1667	\$834
		T-mold edge	GRT8WRTM	48 x 96 x 29	125	175	27	\$1667	\$834
		built-up self edge	GRT8WRBU	48 x 96 x 29	125	176	29	\$1865	\$933
	10 foot	self edge	GRT10WR	48 x 120 x 29	125	221	29	\$2281	\$1142
		bullnose edge	GRT10WRBN	48 x 120 x 29	125	221	29	\$2281	\$1142
		T-mold edge	GRT10WRTM	48 x 120 x 29	125	221	29	\$2281	\$1142
		built-up self edge	GRT10WRBU	48 x 120 x 29	125	239	32	\$2560	\$1281
		1 3							
	12 foot	self edge	GRT12WR	48 x 144 x 29	100	270	31	\$2570	\$1287
		bullnose edge	GRT12WRBN	48 x 144 x 29	100	270	31	\$2570	\$1287
		T-mold edge	GRT12WRTM	48 x 144 x 29	100	270	30.9	\$2570	\$1287
		built-up self edge	GRT12WRBU	48 x 144 x 29	100	301	34	\$2869	\$1436
		, , , , , , , , , , , , , , , , , , ,							
	14 foot	self edge	GRT14WR	48 x 168 x 29	125	330	50	\$2952	\$1479
		bullnose edge	GRT14WRBN	48 x 168 x 29	125	330	50	\$2952	\$1479
		T-mold edge	GRT14WRTM	48 x 168 x 29	125	330	50	\$2952	\$1479
		built-up self edge	GRT14WRBU	48 x 168 x 29	125	326	54	\$3260	\$1631
		. 5							
	16 foot	self edge	GRT16WR	48 x 192 x 29	125	371	54	\$3082	\$1542
		bullnose edge	GRT16WRBN	48 x 192 x 29	125	371	54	\$3082	\$1542
		T-mold edge	GRT16WRTM	48 x 192 x 29	125	371	54	\$3082	\$1542
		built-up self edge	GRT16WRBU	48 x 192 x 29	125	377	58	\$3384	\$1695
		. 5							
	18 foot	self edge	GRT18WR	48 x 216 x 29	125	412	56	\$3651	\$1827
		bullnose edge	GRT18WRBN	48 x 216 x 29	125	412	56	\$3651	\$1827
		T-mold edge	GRT18WRTM	48 x 216 x 29	125	412	56	\$3651	\$1827
		built-up self edge	GRT18WRBU	48 x 216 x 29	125	419	60	\$4077	\$2042
	20 foot	self edge	GRT20WR	48 x 240 x 29	125	453	58	\$3780	\$1894
		bullnose edge	GRT20WRBN	48 x 240 x 29	125	453	58	\$3780	\$1894
		T-mold edge	GRT20WRTM	48 x 240 x 29	125	453	58	\$3780	\$1894
		built-up self edge	GRT20WRBU	48 x 240 x 29	125	461	62	\$4214	\$2108
	22 foot	self edge	GRT22WR	48 x 264 x 29	100	493	60	\$4206	\$2104
		bullnose edge	GRT22WRBN	48 x 264 x 29	100	493	60	\$4206	\$2104
		T-mold edge	GRT22WRTM	48 x 264 x 29	100	493	60	\$4206	\$2104
		built-up self edge	GRT22WRBU	48 x 264 x 29	125	501	64	\$4697	\$2352
	24 foot	self edge	GRT24WR	48 x 288 x 29	100	535	62	\$4338	\$2171
		bullnose edge	GRT24WRBN	48 x 288 x 29	100	535	62	\$4338	\$2171
		T-mold edge	GRT24WRTM	48 x 288 x 29	100	535	62	\$4338	\$2171
		built-up self edge	GRT24WRBU	48 x 288 x 29	100	544	66	\$4821	\$2413
		, ,					hes will		where the two tops join.
		• All tops ov	oi itt aic stailua	ila ili tivo piocoo. I					
				are SHIPPED WITI					vivioro uno tivo topo jonii

Required Specifications
Top finish
Base finish
Edge color, if applicable

Optional Specifications
Grommet

HP laminate



### **BUNGEE™ TABLES**




Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multi-functional space that may require frequent configurations. Tables are sold complete with legs and Bungee cords so they may quickly and easily be connected together without searching for tools or worrying about loose parts.

Bungee tables feature rounded corners with a unique "bubble molding" that is engineered to compress under the tension of the Bungee cords. The compressed molding creates a seal that serves to locate and align interconnected tables while also providing a soft and forgiving edge.

Choose from a variety of top shapes and laminate finishes to create your individual style. In addition, most tables offer a choice of tapered legs or spider legs in a Tungsten or Black finish with adjustable levelers or optional casters. Optional modesty panels, grommets, wire management and power blocks further enhance your workspace.



Flip-Top tables can be nested and easily stored by activating the single hand release mechanism from the left or right side.



Optional locking casters are available in Tungsten or Black (standard on Flip-Top models).



Bungee cords are utilized to quickly and easily reconfigure tables

#### **Features and Benefits**

- Bungee tables are complete with Top, Legs and Bungee cords
- Bungee cords provide a fast and easy method of reconfiguring tables without requiring a tool
- Tops are 1" thick and are offered in a variety of shapes and sizes
- Legs are offered in tapered or spider design in a Tungsten or Black finish.
- Levelers on legs are standard.
- Laminate modesty panels and filler modesty inserts help conceal wires and enhance visual appeal
- Wire management tracks neatly contain wires, using two separate channels for data and voice wires
- Optional grommets or power blocks offer technological flexibility
- Models with handles feature a bow handle in Silver or Black Nickel finish
- Metal feet are height adjustable and offered in Black or Tungsten finish
- Boardrooms were never easier to specify - table "sets" and accessories such as AV Cabinets and Credenza Buffets are specified with one model number

#### **GENERAL INFORMATION**

- Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multifunctional space that requires frequent reconfigurations.
- Bungee tables come complete with a work top, a set of legs and built-in Bungee cord connectors
- Bungee cords allow the movement and reconfiguration of tables without a risk of damage or losing loose parts
- High pressure tops are available in all Bungee laminate finishes at an extended lead time please see model # for pricing.
- Unique "bubble molding" edging is specially engineered to create a secure seal to align interconnected tables.
- Bungee products have been tested and comply with all mechanical tests.
- For environmental certifications, please visit globalfurnituregroup.com

#### CONSTRUCTION

- Tops are 1" thick. Modesty panels are 11/16" thick.
- All components are made of 45 lb. commercial density particle board, covered on both sides with high performance, thermally fused laminate.
- Tops 54" and over feature a built-in support bar.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### **BUNGEE CORDS**

- · Bungee cords are patented elastic devices designed to provide a rapid, no-tool method of attaching tables of the same depth.
- The elastic nature of cords allows two connected tables to be moved around without risk of damage to the table top or connecting hardware.
- · Bungee cords are included with all freestanding tables and carry a lifetime warranty.

#### **EDGE DETAIL**


Bungee comes with a choice of four edge styles (check model for edge availability):



A3 - square corner, standard edge



AR - square corner, bicut edge



AS - square corner, Silver



AB - square corner, Black



BS - rounded corner, Silver



BB - rounded corner, Black

- BB/BS Bungee Bubble Edge: unique "bubble" molding is engineered to compress under the tension of the Bungee cords, creating a seal that serves to locate and align interconnected tables
- AB/AS Split color PVC edge: edge matches split color aesthetic of the bubble edge, but allows for 90 degree corners and a cleaner look.
- A3 Global's preferred edge. Coordinates well with Adaptabilities and Zira 1" tops.
- AR Bicut edge. Coordinates well with Zira 1" tops.
- NOTE: Trapezoid tables can only be specified with Bubble Edge (Rounded Corners).
- NOTE: Boardroom Table sets allow for all edge types but ONLY with rounded corners (when AS/AB/A3/AR are selected, the table will be produced with rounded corners).

#### **LEGS**

- · Tables feature two styles of legs Tapered leg or Spider leg. Legs on fixed tables offer glides or casters. Adjusts 3mm-10mm in height.
- · For legs and glides in Tungsten, specify (TTU).
- For legs and glides in Black, specify (TBL).
- For legs and casters in Tungsten, specify (TTC).
- · For legs and casters in Black, specify (TBC).





Tapered Leg

Spider Leg

#### **HANDLES**

- Metal handles are standard on all drawers and doors. Handles are offered in two finishes: Silver (HS) or Black Nickel (HT), please specify
- · Handle finish will match leg finish.





bow handle, Silver finish (HS)

bow handle. Black Nickel finish (HT)

#### FEET

- Metal feet are standard on all cabinets. Feet adjust 3/4" in height.
- Feet are available in Tungsten Finish (TTU) or Black Finish (BLK).






TTU - Tungsten

**BLK** - Black Nickel


#### MODESTY PANELS

- Panels are 9.5" high, recessed 34" from the back and inset 7" from the sides.
- · Available in all Bungee laminate finishes.
- Edge available in Silver finish (SI) or Black finish (BK). Please specify.



#### **FILLER MODESTY PANELS**

- Used to fill the space between two modesty panels when two tables are linked together. Helps conceal wires and enhance visual appeal.
- · Reversible Black on one side, Silver on the other.



#### WIRE MANAGEMENT

- Wire management tracks are mounted to the underside of the worksurface. Available in 5" and 22" track lengths.
- 5" track includes one wire clamp; 22" track includes two wire clamps.
- Data and voice wires can be routed separately using two separate channels on each clamp.
- · Available in Black only





5" Wire Management Track

22" Wire Management Track

#### 1. SPECIFY MODEL NUMBER

#### 2. SPECIFY FINISH

LAMIN	IATE FINISHES			Edge:			
ACJ	Absolute Acajou	FCL	First Class	BB	Bungee bubble edge	with Black tri	m
ASN	Asian Night	NBL	Noce Biondo	BS	Bungee bubble edge	with Silver tr	im
AWC	Avant Cherry	NGL	Noce Grigio	AB	Split color edge with		
AWH	Avant Honey	NEL	Noce Leggero	AS	Split color edge with	Silver trim	
BLK	Black	NML	Noce Medio	A3	Matching edge		
BZD	Blizzard	QTM	Quartered Mahogany	AR	Matching bicut edge		
BRC	Brushed Cobalt	SBY	Sheer Beauty	Legs with	Glides:	Leas wit	h Casters:
CMB	Clear Maple	SOG	Storm Grey	TBL	Black	TBC	Black
CGY	Custom Grey	SDT	Stonedust	TTU	Tungsten	TTC	Tungsten
DES	Dark Espresso	WHE	Walnut Heights		-		-
DWT	Designer White	WHC	White Chocolate	Handles:		Modesty	Panel Edge:
FAS	Fashionista	WCR	Winter Cherry	HS	Silver	SI	Silver
			,	HT	Black Nickel	BK	Black Nickel
				Feet:			
				BLK	Black Nickel	TTU	Tungsten

#### 3. SPECIFY OPTIONS

#### **GROMMETS**


- Optional Grommets available in standard worksurface locations (left, center or right) for Rectangular Tops 48" and up. Order as: AG1, AG2 or AG3 - Add \$96
- Additional grommets are available in center position only for Rectangular Tops (36", 42" and 48") and Trapezoid Tables. Order as AG2 - Add \$96.
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.
- Grommets may be placed at non-standard locations. Order as: AGS Add \$96. A drawing. must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.

# **Grommet hole dimensions**

#### Grommet



#### **Rectangular Tops**



17.5 AG2 AG3

For 48". 60" and 72" wide units

For 36" and 42" wide units



**Trapezoid Tables** 

Grommet Location - AG2...Add \$96

#### **POWER BLOCK**

- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 1/2" deep x 6 1/2" wide x 2 3/4" high.
- A Power Block (model **PMSPDM**) may be ordered for **Rectangular Tables 60" and up** in place of standard grommets. Order as E1, E2 or E3 - Add \$96.
- Additional Power Blocks are available in center position only for Rectangular Tops (36", 42" and 48") and Trapezoid Tables. Order as E2 - Add \$96.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330.
- Power Blocks are available in standard worksurface locations (left, center or right). Order as E1, E2 or E3. Add \$96.
- · See above for examples of placement.



Power Block PMSPDM Add \$330

#### **Rectangular Tops** 14.5" 14.5 5.5" 📜 的 For 36", 42" and 48" wide units For 60" and 72" wide units

#### **VILLA CUTOUTS**

- · Optional Villa cutout available in standard worksurface locations (left, center or right) for Rectangular Tables 60" and up. Order as: V1, V2 or V3 - Add \$96 for each cutout.
- Additional power block cutouts are available in center position only for Rectangular Tops (36", 42" and 48") and Trapezoid Tables. Order as V2 - Add \$96.

- · Villa cutouts may be placed at non-standard locations. Please contact customer care.
- To purchase a Villa Power Block, you must specify both the Villa Power Block cutout location and the Power Block model #. Please see page 475 for Villa models.



For 36", 42" and 48" wide units

For 60" and 72" wide units

19 5

#### MODPOWER DAISY CHAIN SOLUTION


- · Add flexible power and USB charging to Bungee rectangular tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 465.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for 42" to 72" wide non-flip tables and 48" to 72" wide flip tables. Add \$96
- MPD for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for 60", 66" and 72" wide rectangular tables. Add \$192.

### В

### **BUNGEE™ TABLES**

#### CONNECTING CONDITIONS


- Bungee cords allow for fast and easy reconfiguring of tables whenever needed.
   Due to the elastic nature of the Bungee cord, two tables connected with Bungee cords can be moved around without risk of damage to the table top or the connecting hardware.
- Connecting tables is simple and intuitive. Tools are not required and there are no loose parts that may be misplaced.
- Bungee cords connect tables of the same depth in all directions.
- Rectangular Tables 48" and longer connect in both Straight and "L" configurations.
   Rectangular Tables 36" and 42" connect in Straight configurations only.



Rectangular Tables



Round Wedge Tables



Trapezoid Tables



Teardrop Tables



Half Moon Tables



Flat Round Tables



DxWxH

Square Tables




Bungee cords

Keystone Tables





#### SAMPLE TABLE CONFIGURATIONS

• The following table configurations can be created using Bungee Boardroom Table Sets only.



#### FLIP TOP TABLE NESTING DIAGRAM






RECTANGULAR TABLES



**Rectangular Table - Tapered Legs** 



**Rectangular Table - Spider Legs** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
B2036REF	20 x 36 x 28.7	92.5	59	5.26	\$874	\$178
B2042REF	20 x 42 x 28.7	92.5	62	5.76	\$906	\$236
B2048REF	20 x 48 x 28.7	92.5	67	6	\$940	\$236
B2060REF	20 x 60 x 28.7	92.5	74	7	\$1064	\$324
B2072REF	20 x 72 x 28.7	92.5	81	7.26	\$1167	\$367
D0 100DEF						
B2436REF	24 x 36 x 28.7	92.5	65	5.76	\$925	\$178
B2442REF	24 x 42 x 28.7	92.5	69	6	\$956	\$236
B2448REF	24 x 48 x 28.7	92.5	72	6.5	\$988	\$236
B2460REF	24 x 60 x 28.7	92.5	82	7.26	\$1141	\$353
B2472REF	24 x 72 x 28.7	92.5	91	8	\$1232	\$548
B3036REF	30 x 36 x 28.7	100	70	7.26	\$913	\$332
B3042REF	30 x 42 x 28.7	92.5	78	7.5	\$956	\$367
B3048REF	30 x 48 x 28.7	92.5	81	7.5	\$982	\$353
B3060REF	30 x 60 x 28.7	92.5	92	8.26	\$1141	\$441
B3072REF	30 x 72 x 28.7	92.5	102	9	\$1250	\$548
B3642RFF	36 x 42 x 28 7	150	83	15	\$1048	\$353
B3648REF	36 x 48 x 28.7	92.5	91	8	\$1150	\$334
B3660REF	36 x 60 x 28.7	92.5	103	9	\$1250	\$415
B3672REF	36 x 72 x 28.7	92.5	116	10	\$1397	\$526

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 521.

- Tables 48" and longer connect in both Straight and "L" configurations
- Tables 36" and 42" connect in Straight configurations only.
- Available with optional locking casters, specify option "TBC" or "TTC".


B2036RES	20 x 36 x 28.7	100	57	6.76	\$982	\$178
B2042RES	20 x 42 x 28.7	100	60	7.26	\$1015	\$236
B2048RES	20 x 48 x 28.7	100	65	7.5	\$1048	\$236
B2060RES	20 x 60 x 28.7	100	72	8.5	\$1181	\$324
B2072RES	20 x 72 x 28.7	100	79	8.76	\$1290	\$367
B2436RES	24 x 36 x 28.7	100	62	7.26	\$1039	\$178
B2442RES	24 x 42 x 28.7	150	64	15	\$1064	\$236
B2448RES	24 x 48 x 28.7	125	71	10	\$1105	\$236
B2460RES	24 x 60 x 28.7	125	80	10.76	\$1250	\$353
B2472RES	24 x 72 x 28.7	125	89	11.26	\$1354	\$548
B3036RES	30 x 36 x 28.7	125	72	10.26	\$1064	\$332
B3042RES	30 x 42 x 28.7	125	80	10.5	\$1097	\$367
B3048RES	30 x 48 x 28.7	125	83	10.5	\$1132	\$404
B3060RES	30 x 60 x 28.7	100	94	11.26	\$1290	\$404
B3072RES	30 x 72 x 28.7	100	104	12	\$1383	\$549

Freestanding table includes two spider legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 521.

- Tables 48" and longer connect in both Straight and "L" configurations
- Tables 36" and 42" connect in Straight configurations only.
- Available with optional locking casters, specify option "TBC" or "TTC".

Required Specifications	Optional Specifications	Accessories
Top finish	Casters	Power Block
Edge	Grommet	
Leg finish	Modesty Panel	
=	High Proceure Laminate	

### **BUNGEE™ TABLES**



TRAPEZOID TABLES



**Trapezoid Table - Tapered Legs** 



Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 521.

Available with bubble edge (BB or BS) only.

B3672TRF	36 x 72 x 28.7	100	91	10.5	\$1431	\$526

Freestanding table includes five tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 521.

- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option "TBC" or "TTC".

8.	67	67	125	12	20 x 60 x 28.7	RS	32060TR
	68	68	125	12	20 x 66 x 28.7	RS	32066TR
9.	74	74	125	12	20 x 72 x 28.7	RS	32072TR
9.	69	69	125	12	24 x 60 x 28.7	RS	32460TR
9.	72	72	125	12	24 x 66 x 28.7	RS	32466TR
1	76	76	125	12	24 x 72 x 28.7	RS	32472TR
1	79	79	125	12	30 x 60 x 28.7	RS	3060TR
12	83	83	125	12	30 x 66 x 28.7	RS	3066TR
12	87	87	125	12	30 x 72 x 28.7	RS	3072TR


Freestanding table includes two spider legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 521.

- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option "TBC" or "TTC".

	77 65 60
Ø	72 60 60

**Trapezoid Table - Spider Legs** 

### **KEYSTONE TABLES**



**Keystone Table - Tapered Legs** 



**Keystone Table - Tapered Legs** 

B30KSF	30 x 62 x 28.7	150	69	15.2	\$1112	\$441
B24KSF	24 x 51 x 28.7	150	60	13	\$1029	\$296
B20KSF	20 x 43.75 x 28.7	150	58	13	\$1016	\$236

Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of 24" and 30" depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

B36KSF	36 x 74.13 x 28.7	150	84	16.8	\$1373	\$621

Freestanding table includes five tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of 24" and 30" depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

Required Specifications	Optional Specifications	Accessories	
Top finish	Grommet	Power block	
Edge	Casters		
Leg finish	Modesty panel (Trapezoid Tables only)		
-	HP laminate		

### KEYSTONE TABLES



Keystone Table - Spider Legs

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE **HP ADD** DxWxH 15.2 B30KSS 30 x 62 x 28.7 77 \$439 150 \$1298 B24KSS 24 x 51 x 28.7 150 \$1208 \$274 66 13 20 x 43.75 x 28.7 13 \$236 B20KSS 150 64 \$1187

Freestanding table includes two spider legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of 24" and 30" depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

• Available with optional locking casters, specify option "TBC" or "TTC".


#### WEDGE TABLES



Wedge Table - Tapered Legs



Wedge Table - Tapered Legs




Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels are NOT available.

Available with optional locking casters, specify option "TBC" or "TTC"

B36WEF	36 x 80 x 28.7	150	84	18.8	\$1465	\$526
B30WEF	30 x 70 x 28.7	150	70	14.4	\$1298	\$367

Freestanding table includes five tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels are NOT available.

• Available with optional locking casters, specify option "TBC" or "TTC".



Wedge Table - Spider Legs

B30WES	30 x 70 x 28.7	150	73	14.4	\$1286	\$370
B24WES	24 x 63 x 28.7	150	62	13.2	\$1201	\$295
B20WES	20 x 57 x 28.7	150	52	10.2	\$1112	\$236

Freestanding table includes two spider legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels are NOT available.


Available with optional locking casters, specify option "TBC" or "TTC".

#### HALF MOON TABLES





Half Moon Table - Tapered Legs



**Half Moon Table - Tapered Legs** 

Freestanding table includes three tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

• Available with optional locking casters, specify option "TBC" or "TTC".

B2448HMF	24 x 48 x 28.7	100	69	7.76	\$900	\$236
B3060HMF	30 x 60 x 28.7	100	81	8.5	\$956	\$404

Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

• Available with optional locking casters, specify option "TBC" or "TTC".

Required Specifications	Optional Specifications	Accessories
Top finish	Casters	Power Block (position 2 only)
Edge	HP laminate	
Leg finish		

### **BUNGEE™ TABLES**


HALF MOON TABLES	
	72" 36" 36"

Half Moon Table - Tapered Legs

	WIODEL#	DIMENSIONS	FREIGHT CLASS	WI/LDS.	CUBIC FI.	LIST FRICE	HE ADD	
72"		D x W x H						_
,	B3672HMF	36 x 72 x 28.7	100	110	11.5	\$1346	<b>\$526</b>	

Freestanding table includes five tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

• Available with optional locking casters, specify option "TBC" or "TTC".




Half Moon Table - Spider Legs

B2448HMS	24 x 48 x 28.7	125	67	9.26	\$1023	\$236
B3060HMS	30 x 60 x 28.7	125	83	11.5	\$1097	\$404

Freestanding table includes two spider legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

• Available with optional locking casters, specify option "TBC" or "TTC".

#### **SQUARE TABLES**




Square	Table	Tone	rod	I and
Suuare	lable	- Tabe	ereu	Leas

B2424SQF	24 x 24 x 28.7	92.5	55	4.6	\$856	\$151
B3030SQF	30 x 30 x 28.7	100	65	7.5	\$874	\$223
B3636SQF	36 x 36 x 28.7	100	78	8	\$999	\$265

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 521.

• Available with optional locking casters, specify option "TBC" or "TTC".

#### **ROUND WEDGE TABLES**



Round \	Wedge	120°	Table
---------	-------	------	-------

B2042RWF	20 x 42 x 28.7	100	76	8.26	\$956	\$513
B2448RWF	24 x 48 x 28.7	125	85	10.76	\$982	\$513
B3057RWF	30 x 57 x 28.7	100	102	12	\$1167	\$731

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option "TBC" or "TTC".

#### TEARDROP TABLES



Teard	lrop	90°	Tal	ιle
-------	------	-----	-----	-----

B2036TDF	20 x 36 x 28.7	100	71	8	\$900	\$332
B2442TDF	24 x 42 x 28.7	100	81	8.5	\$982	\$513
B3048TDF	30 x 48 x 28.7	100	91	11	\$1079	\$477

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option "TBC" or "TTC".

Req	uired	Specifications
Top	finish	


Edge Leg finish

#### **Optional Specifications**

Casters

High Pressure Laminate

### BUNGEE TABLES




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						_
B2030FRF	20 x 30 x 28.7	100	56	6	\$874	\$296	
B2036FRF	20 x 36 x 28.7	100	66	7.26	\$874	\$332	
B2436FRF	24 x 36 x 28.7	100	64	7.26	\$874	\$332	
B2442FRF	24 x 42 x 28.7	100	76	8.26	\$1039	\$513	
B3042FRF	30 x 42 x 28.7	100	74	8	\$1039	\$513	
B3048FRF	30 x 48 x 28.7	100	88	11	\$1039	\$469	
B3648FRF	36 x 48 x 28.7	125	85	11	\$1150	\$731	
B3652FRF	36 x 52 x 28.7	100	93	11	\$1150	\$731	

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option "TBC" or "TTC".

#### MODESTY PANELS

FLAT ROUND TABLES



		N/A
BX42QMP .69 x 27 x 9.6 250 4 1.4 \$	\$120	NI/A
	\$12U	N/A
BX48QMP .69 x 33 x 9.6 250 4 1.6 \$	\$127	N/A
BX60QMP .69 x 45 x 9.6 250 5 2.1 <b>\$</b>	\$138	N/A
BX66QMP .69 x 51 x 9.6 250 6 2.4 \$	\$144	N/A
BX72QMP .69 x 57 x 9.6 250 7 2.6 \$	\$151	N/A

For use on **Rectangular** and **Square** Tables. Includes hinged mounting bracket. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

• Modesty panel model number indicates the width of table to be used on.



BXM60QMP	.69 x 27 x 9.6	300	4	2.1	\$120	N/A
BXM66QMP	.69 x 33 x 9.6	300	4	2.4	\$127	N/A
BXM72QMP	.69 x 39 x 9.6	300	5	2.6	\$132	N/A
BXL60QMP	.69 x 21 x 9.6	300	3	2.1	\$118	N/A
BXL66QMP	.69 x 27 x 9.6	300	4	2.4	\$120	N/A
BXL720MP	.69 x 33 x 9.6	300	4	2.6	\$127	N/A

For use on **Trapezoid** Tables. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap. Available in all Bungee laminate finishes.

Edge available in Silver finish (SI) or Black finish (BK).

- Modesty panel model number indicates the width of table to be used on.
- Specify BXM models for 24"D tables and BXL models for 30"D tables.

Modesty Panel	

	BXWQMP	.69 x 27 x 9.6	250	4	1.5	\$120	N/A
--	--------	----------------	-----	---	-----	-------	-----

For use on **Wedge** Tables. Includes hinged mounting bracket. Intended for use on the short side of the table. Available in all Bungee laminate finishes.

Edge available in Silver finish (SI) or Black finish (BK).

Required Specifications	Optional Specifications
Top finish	Casters*
Edge	HP laminate*
Leg finish*	



FILLER MODESTY PANELS



MODEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CORIC FI.	LIST PRICE	HP ADD	
	D x W x H						_
BSFMS	.25 x 21 x 9	70	1	0.03	\$125	N/A	

Filler Modesty Panel - Straight

Used to fill the space between two **square** modesty panels where tables are linked in a straight configuration. Available in Silver (SI) or Black (BK). Please specify.

BSWFM	9 x 19.6 x .25	70	1	1.5	\$135	N/A

Used to fill the space between a straight modesty panel and a wedge table. Use for regular wedge table - tapered legs and flip-top wedge - spider legs.

Available in Silver (SI) or Black (BK). Please specify.

B23IFMS	.06 x 23 x 9	250	3	1.5	\$150	N/A
B29IFMS	.06 x 29 x 9	250	3	1.5	\$150	N/A
B30IFMS	.06 x 30 x 9	70	3	0.15	\$150	N/A

Used to fill the space (inside curve) between two modesty panels where tables are linked at an angle or curve. Use for the inside curve of Round Wedge Tables, Teardrop Tables, or Trapezoid Tables. Available in Silver (SI) or Black (BK). Please specify.

- Use model **B23IFMS** for Trapezoid Tables inside curve only.
- Use model **B29IFMS** for Teardrop Tables inside curve only.
- Use model B30IFMS for Round Wedge Tables inside curve only.

B56S	.06 x 56 x 9	250	4	1.5	\$215	N/A
B62S	.06 x 62 x 9	250	4	1.5	\$233	N/A
B71S	.06 x 71 x 9	250	4	1.5	\$281	N/A

Used to fill the space (outside curve) between two modesty panels where tables are linked at an angle or curve. Use for Teardrop Tables only (B2036TDF, B2442TDF and B3048TDF). Available in Silver (SI) or Black (BK). Please specify.

- Use model **B56S** for **B2036TDF** Teardrop Tables outside curve only.
- Use model **B62S** for **B2442TDF** Teardrop Tables outside curve only.
- Use model B71S for B3048TDF Teardrop Tables outside curve only.

Filler Modesty Panel
Straight to Wedge



Filler Modesty Panel - Inside Curve



Filler Modesty Panel - Outside Curve

**Required Specifications** 







MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
BWMS5	2 x 5 x 3.5	70	1	.10	\$17	N/A	
BWMD22	2 x 22 x 3.5	70	1	.10	\$24	N/A	


Wire Management - 5" /22" Track

Retrofittable track mounts to the underside of worksurface. Includes wire clamp that can route data and voice wires separately. Black only.

- For a 5" track, order model **BWMS5** includes one wire clamp.
- For a 22" track, order model BWMD22 includes two wire clamps.

#### **BOARDROOM TABLE SETS**

#### 11 Foot Configurations





**Boardroom Table Set - 11 foot** 

Set includes four freestanding tables with **tapered legs** and Bungee cords for tool free ganging. Leg finish or legs with casters optional, see page 514. Shipped easy to assemble in 6 cartons. Modesty panel set available, order **BXK132QMP**.

• Due to the unique geometry of the tables, all edge types will feature rounded corners.



**Boardroom Table Set - 11 foot** 

BK132S	60 x 132 x 28.7	85	290	22.25	\$4735	\$1606

Set includes four freestanding tables with **spider legs** and Bungee cords for tool free ganging. Leg finish or legs with casters optional, see page 514 . Shipped easy to assemble in 6 cartons. Modesty panel set available, order **BXK132QMP**.

• Due to the unique geometry of the tables, all edge types will feature rounded corners.



Modesty Panel Set for Boardroom Table


BXK132QMP .69 x 45 x 9.6 92.5	13 1.10	<b>\$464</b> N/A
-------------------------------	---------	------------------

For use on **11 foot Boardroom Table Set**. Includes mounting bracket and wire access sweep. Available in all Bungee laminate finishes.

Required Specifications	Optional Specifications
Top finish	Casters
Edge	Grommet
Leg finish	Modesty panel
•	HP laminate

**BOARDROOM TABLE SETS** 

13/15 Foot Configurations





Boardroom Table Set - 13 and 15 foot

Set includes six freestanding tables with **tapered legs** and Bungee cords for tool free ganging. Leg finish or legs with casters optional, see page 514. Shipped easy to assemble in 9 cartons. Modesty panel set available, order **BK156QMP/BK180QMP**.

• Due to the unique geometry of the tables, all edge types will feature rounded corners.



**Boardroom Table Set - 13 and 15 foot** 

BK156S	60 x 156 x 28.7	85	374	28.75	\$6409	\$2037
BK180S	60 x 180 x 28.7	85	420	32.50	\$6949	\$2327

Set includes six freestanding tables with **spider legs** and Bungee cords for tool free ganging. Leg finish or legs with casters optional, see page 514. Shipped easy to assemble in 9 cartons. Modesty panel set available, order **BK156QMP/BK180QMP**.

• Due to the unique geometry of the tables, all edge types will feature rounded corners.



Modesty Panel Set for Boardroom Table

BXK156QMP	.69 x 33 x 9.6	125	20	2.9	\$785	N/A
BXK180QMP	.69 x 45 x 9.6	125	25	3.2	\$752	N/A

For use on 13 & 15 foot Boardroom Table Set. Includes mounting bracket and wire access sweep.

Available in all Bungee laminate finishes. Edge available in Silver finish (SI) or Black finish (BK).


- Use model **BXK156QMP** for **BK156F/S** Boardroom Table Set.
- Use model BXK180QMP for BK180F/S Boardroom Table Set.

Required Specifications
Top finish

Edge Leg + caster finish Optional Specifications

Grommet Modesty panel HP laminate Accessories

RECTANGULAR TA	BL	E - I	LIP	ΤO





Flip-Top Rectangular Table - Spider Legs

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
BX2442RES	24 x 42 x 29.2	250	66	20.75	\$1554	\$233	
BX2448RES	24 x 48 x 29.2	250	72	23.5	\$1575	\$233	
BX2460RES	24 x 60 x 29.2	250	84	29	\$1612	\$290	
BX2466RES	24 x 66 x 29.2	250	97	31.75	\$1626	\$347	
BX2472RES	24 x 72 x 29.2	250	102	34.75	\$1656	\$347	
BX3042RES	30 x 42 x 29.2	250	73	25.5	\$1554	\$290	
BX3048RES	30 x 48 x 29.2	250	73	28.75	\$1575	\$290	
BX3060RES	30 x 60 x 29.2	250	94	35.75	\$1618	\$360	
BX3066RES	30 x 66 x 29.2	250	106	39.25	\$1635	\$432	
BX3072RES	30 x 72 x 29.2	250	112	42.5	\$1671	\$432	

Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Folding modesty panels available, see next page.

- Tables 48" and longer connect in both Straight and "L" configurations
- . Standard with locking casters
- Due to hardware placement, tables placed in back-to-back configurations will not be able to be "Bungee-tied" together.

#### **TRAPEZOID TABLES - FLIP TOP**





Flip-Top Trapezoid Table - Spider Legs

BX2460TRS	24 x 60 x 29.2	150	112	28	\$1457	\$290
BX2466TRS	24 x 66 x 29.2	250	112	31	\$1481	\$347
BX2472TRS	24 x 72 x 29.2	250	112	33	\$1502	\$347
BX3060TRS	30 x 60 x 29.2	250	112	35.5	\$1489	\$360
BX3066TRS	30 x 66 x 29.2	250	112	39	\$1510	\$432
BX3072TRS	30 x 72 x 29.2	250	112	42.5	\$1532	\$432


Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Folding modesty panels available, see next page.

- Available with bubble edge (BB or BS) only.
- Standard with locking casters

#### **KEYSTONE TABLES - FLIP TOP**



Flip-Top Keystone Table - Spider Legs



BX24KSS	24 x 51 x 29.2	125	112	16.5	\$1449	\$290
BX30KSS	30 x 62 x 29.2	125	112	16.5	\$1510	\$432

Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth.

- Modesty panels or Filler Modestys are NOT available.
- Standard with locking casters

**Required Specifications** 

Top finish Edge Leg + caster finish **Optional Specifications** 

Grommet Modesty panel HP laminate Accessories

## **BUNGEE™ TABLES**

### WEDGE TABLES - FLIP TOP



Flip-Top Wedge Table - Spider Legs

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
BX24WES	24 x 63 x 29	60	76	33	\$1825	\$415	
BX30WES	30 x 70 x 29.2	250	84	33	\$1855	\$415	






Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Folding modesty panels available, see below.

Standard with locking casters

#### **MODESTY PANELS - FLIP TOP**




**Modesty Panel** 



For use on **Flip Top Rectangular Tables**. Includes hinged mounting bracket. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

• Modesty panel model number indicates the width of table to be used on.




**Modesty Panel** 

BXM60QMP	.69 x 27 x 9.6	300	4	2.1	\$120	N/A
BXM66QMP	.69 x 33 x 9.6	300	4	2.4	\$127	N/A
BXM72QMP	.69 x 39 x 9.6	300	5	2.6	\$132	N/A
BXL60QMP	.69 x 21 x 9.6	300	3	2.1	\$118	N/A
BXL66QMP	.69 x 27 x 9.6	300	4	2.4	\$120	N/A
BXL72QMP	.69 x 33 x 9.6	300	4	2.6	\$127	N/A

For use on **Flip Top Trapezoid Tables**. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

- Modesty panel model number indicates the width of table to be used on.
- Specify BXM models for 24"D tables and BXL models for 30"D tables.



**Modesty Panel** 

DV44/04/D 00 07 00 050 4 45 4400 14/4						
BXWUMP .69 x 27 x 9.6 250 4 1.5 <b>\$120</b> N/A	.69 x 27 x 9.6	250	4	1.5	\$120	N/A

For use on **Flip Top Wedge Tables**. Includes hinged mounting bracket. Intended for use on the short side of the table. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

• Modesty panel model number indicates the width of table to be used on.

Required	Specifications

Top finish Edge Leg + caster finish

## Optional Specifications

Grommet Modesty panel HP laminate

#### Accessories

**BUNGEE™ TABLES BOARDROOM TABLE SET - FLIP TOP** MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD DxWxH 4 pc. Configurations Meeting/Boardroom Meeting/Boardroom Small Large Tabl e Table **Teaming Stations** Teaming Stations Training Lecture / **AV Presentations** Meeting/Boardroom Training BXK132S 60 x 132 x 29.2 352 151.25 \$5962 250 \$1641 Boardroom Table Set - 4pc. Flip Top Set includes four freestanding tables with **spider legs** and Bungee cords for tool free ganging. Only legs with casters available, see page 514 for finish choices. All tables feature a flip top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of table. Tables can be nested when folded. Shipped in 4 cartons. Modesty panel set available, order BXK132QMP. • Due to the unique geometry of the tables, all edge types will feature rounded corners. BXK132QMP .69 x 45 x 9.6 150 13 2.5 \$464 N/A



**Square Modesty Panel Set for** 4pc. Flip Top Table

For use on 4 pc. flip top table kits. Modesty panels flip down for storage. Features black wire access sweep. Available in all Bungee laminate finishes. Edge available in Silver finish (SI) or Black finish (BK).

**Required Specifications** 


**Optional Specifications HP** laminate

Top finish Edge

Leg + caster finish

6 pc. Configurations


MODESTY PANEL SETS



BXK156S	60 x 156 x 29.2	250	452	181.75	\$8826	\$1894
BXK180S	60 x 180 x 29.2	250	507	209.50	\$9040	\$2179



Boardroom Table Set - 6pc. Flip Top



Set includes six freestanding tables with spider legs and Bungee cords for tool free ganging. Only legs with casters available, see page 514 for finish choices. All tables feature a flip top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of table. Tables can be nested when folded. Shipped in 6 cartons. Modesty panel set available, order BXK156QMP/ BXK180QMP.

• Due to the unique geometry of the tables, all edge types will feature rounded corners.



**Square Modesty Panel Set for** 6 pc. Flip Top Table

BXK156QMP	.69 x 33 x 9.6	125	20	2.9	\$785	N/A
					7	,
BXK180QMP	.69 x 45 x 9.6	125	25	3.2	\$752	N/A

For use on 6 pc. flip top table kits. Modesty panels flip down for storage. Features black wire access sweep. Available in all Bungee laminate finishes. Edge available in Silver finish (SI) or Black finish (BK).

**Required Specifications** 

Top finish Leg + caster finish **Optional Specifications** 

Grommet

Accessories





Credenza Buffet

ACCESSORIES



Pull-out shelf. Top transaction shelf is edged with bubble molding. Side storage compartments feature a laminate door and one adjustable shelf each. Center storage features frosted aluminum doors with one adjustable shelf. Leveler feet are standard.

530

52.52

\$6068

\$548

• Some assembly required.

24 x 90 x 72

B249072AV



**Audio/Visual Cabinet** 

92.5

Top pigeon holes and center adjustable shelf accommodate electronic equipment, CDs and other media. Bottom storage compartments feature laminate doors and one adjustable shelf. Side storage towers feature frosted aluminum doors with three adjustable shelves each. Accommodates TVs up to 58"w x 34"h x 24"d.

• Some assembly required.



B44LEC	17 x 22 x 44	250	36	12.50	\$925	\$178	
--------	--------------	-----	----	-------	-------	-------	--

Features angled stand with pencil ledge. Locking casters. Specify CS or CK.

	$\left\langle \right $	
Lectern		

Required Specifications
Top finish

**Optional Specifications** Grommet

Accessories

Power block

Edge Leg finish



**BUNGEE SL** - a completely new product line to complement and coordinate with the Bungee Training Tables series. Bungee SL takes the popular aesthetic of the Bungee series and allows tables to be specified in shared leg and permanent applications - great for training, teaming and academic areas. Bungee SL tops and legs are sold separately, increasing the flexibility of the product in the future and allows for space saving in areas where real estate is a premium.

For greater flexibility, specify **Power and Data Management Troughs** for the BUNGEE SL table series. Add Global's proprietary 4-wire power kits and create inexpensive and versatile training, benching, academic and meeting areas. Front panels are available in Laminate or Aluminum. A center spine version allows for inexpensive double-sided applications.

#### **Features and Benefits**

- Tops are 1" thick with a choice of four edges: BB/ BS - Bungee bubble edge, AB/AS - split color edge, A3 matching edge and AR - Bicut edge.
- Legs are offered in Tapered or Spider design in a Tungsten or Black finish. Levelers are standard
- Power and data management troughs are sold separately and are meant to be used on BUNGEE SL only.



Tapered leg with levelers, offered in Tungsten or Black finish.



Optional power and data management troughs for Bungee SL. Center spine shown.




Shared leg, back-to-back tables with center spine trough.

#### **GENERAL INFORMATION**

- Introducing **BUNGEE SL** a completely new product line to complement and coordinate with the top selling Bungee Training Tables series.
- Bungee SL takes the popular aesthetic of the Bungee series and allows tables to be specified in shared leg and permanent applications great for benching, training, teaming and academic areas.
- Bungee SL tops and legs are sold separately, increasing the flexibility of the product in the future and allows for space saving in areas where real estate is a premium.
- High pressure tops are available in all BUNGEE SL laminates at an extended lead time please refer to model # for pricing.
- For environmental certifications, please visit globalfurnituregroup.com

#### CONSTRUCTION

- Tops are 1" thick
- All laminate components are made of 45 lb. density particleboard with high performance thermally fused laminate.
- Tops 60" and over feature a built-in support bar. The support bar is 10" from the approach side, and clearance to the bottom of the support bar is 27" from the floor.
- BUNGEE CORDS ARE NOT INCLUDED AND ARE NOT COMPATIBLE WITH BUNGEE SL TOPS
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.



#### **EDGE DETAIL**

. Bungee SL comes with a choice of four edge styles:



**A3** - square corner, standard edge



AR - square corner, bicut edge



AS - square corner, Silver



AB - square corner, Black



BS - rounded corner, Silver




BB - rounded corner, Black

- BB/BS Bungee Bubble Edge: unique "bubble" molding found on original Bungee
- AB/AS Split color PVC edge: edge matches split color aesthetic of the bubble edge, but allows for 90 degree corners and a cleaner look.
- A3 Global's preferred edge. Coordinates well with Adaptabilities and Zira 1" tops.
- AR Bicut edge. Coordinates well with Zira 1" tops.

#### **LEGS**

 Two leg styles are available - Tapered and Spider leg. Available in Black (TBL) or Tungsten (TTU) finish. Levelers are standard; casters are not available for Bungee SL legs. Levelers adjust 3mm - 10mm in height.



#### **MODESTY PANELS**

- See POWER AND DATA MANAGEMENT TROUGHS page 537
- For modesty panels without power and data management, please see Bungee modesty panels, found on page 547

### WIRE MANAGEMENT / POWER OPTIONS

- TO UTILIZE BUNGEE SL TO THE FULLEST EXTENT, SPECIFY POWER AND DATA MANAGEMENT TROUGH (SEE PAGE 537).
- For basic wire management, see details on page 547.

#### 1. SPECIFY MODEL NUMBER

#### 2. SPECIFY FINISH

Lamina	Laminate Finishes:							
ACJ	Absolute Acajou	NBL	Noce Biondo					
ASN	Asian Night	NGL	Noce Grigio					
AWC	Avant Cherry	NEL	Noce Leggero					
AWH	Avant Honey	NML	Noce Medio					
BLK	Black	QTM	Quartered Mahogany					
BRC	Brushed Cobalt	SBY	Sheer Beauty					
BZD	Blizzard	SDT	Stonedust					
CMB	Clear Maple	SOG	Storm Grey					
CGY	Custom Grey	WHE	Walnut Heights					
DES	Dark Espresso	WHC	White Chocolate					
DWT	Designer White	WCR	Winter Cherry					
FAS	Fashionista							

#### Edge:

BB Bungee bubble edge with Black trim BS Bungee bubble edge with Silver trim AB Split color edge with Black trim AS Split color edge with Silver trim А3 Matching edge AR Matching bicut edge

#### Legs:

**TBL** Black TTU Tungsten


#### 3. SPECIFY OPTIONS


#### **GROMMETS**

- Optional Grommets available in standard worksurface locations (left, center or right) for rectangular tops 48" and up. Order as: AG1, AG2 or AG3 - Add \$96
- Optional grommets are available in center position only for rectangular tops (36" and 42"), keystone, half moon and wedge tops. Order as AG2 - Add \$96
- · Grommet hole dimensions are 3.25" wide x 1.875" deep.
- · Grommets may be placed at non-standard locations. Order as: AGS Add \$96. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing below). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.

Grommet

#### **Rectangular Tops**





For 36", 42" and 48" wide units

For 60" and 72" wide units

#### **VILLA POWER BLOCK (CORDED VERSION ONLY)**

**Half Moon** 

۷i2

- A Villa power block (corded) is available in four options (see page 544 for Villa Corded details). Villa power block (corded) dimensions vary by model. Villa cutout dimensions are 3"D x 5.25"W.
- A Villa cutout may be ordered for rectangular tops 48" and up. Order as: V1, V2 or V3 - Add \$96 for each cutout.
- A Villa cutout may be ordered in the center position only for rectangular tops (36" and 42"), keystone and half moon tops. Order as: V2 - Add \$96.
- Order Villa Power Block and Villa Grommet Cover separately, see page 544 for pricing and details

# **Grommet hole dimensions**



# Keystone AG2










For 36" and 42" wide units








For 48", 60" and 72" wide units


**Rectangular Tops** 3″ Ť ٧2

Keystone

For 36", 42" and 48" wide units



Villa Power Block



For 60" and 72" wide units

#### **POWER BLOCK**

- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power block dimensions are 3.5"D x 6.5"W x 2.75"H. Power block cutout dimensions are 2.75"D x 6"W.
- A power block cutout (model **PMSPDM**) may be ordered for **rectangular tops** (48" and up) in place of standard grommets. Order as E1, E2 or E3. Add \$96.
- A power block cutout (model **PMSPDM**) may be ordered in the **center position** only for rectangular tops (36" and 42"), keystone and half moon tops. Order as E2. Add \$96.
- To purchase a power block, you must specify both the power block cut-out location and the power block model #. Order power block separately as PMSPDM, Add \$330.

#### MODPOWER DAISY CHAIN SOLUTION

- Add flexible power and USB charging to Bungee SL rectangular tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 465.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for 42" to 72" wide rectangular tables. Add \$96
- MPD for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for 60", 66" and 72" wide rectangular tables. Add \$192.







DPS WITH SQUARE CORNERS (A3, AR OR AB/AS EDGE)	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BS3072REC	30 x 72 x 1	70	60	4	\$575	\$494
	BS3060REC	30 x 60 x 1	70	53	3.4	\$480	\$411
	BS3048REC	30 x 48 x 1	70	46	2.7	\$295	\$331
	BS3042REC	30 x 42 x 1	70	42	2.4	\$287	\$290
	BS3036REC	30 x 36 x 1	70	38	2.1	\$229	\$250
	BS2472REC	24 x 72 x 1	70	51	3.3	\$503	\$396
	BS2460REC	24 x 60 x 1	70	44	2.8	\$439	\$331
	BS2448REC	24 x 48 x 1	70	37	2.3	\$251	\$264
	BS2442REC	24 x 42 x 1	70	33	2	\$237	\$234
	BS2436REC	24 x 36 x 1	70	29	1.8	\$224	\$200
	BS2072REC	20 x 72 x 1	85	43	2.9	\$467	\$331
	BS2060REC	20 x 60 x 1	70	37	2.4	\$396	\$278
	BS2048REC	20 x 48 x 1	70	30	2	\$236	\$234



**Rectangular Top - Square Corners** 

Rectangular 1" thick worksurface with **Square Corners**. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in "end of run" or shared leg positions. Tops 60" and up include a built-in support bar. Shipped RTA (ready to assemble). Compatible with **power and data management troughs** (see page 537) or standard modesty panels (see page 573).

27

24

1.8

1.5

\$218

\$205

\$200

\$200

• For worksurfaces to be used as a return, please see Return Tops.

20 x 42 x 1

20 x 36 x 1

· Legs sold separately.

BS2042REC

BS2036REC



**Keystone Top - Square Corners** 

BS30KSF	30.5 x 62.75 x 28.7	150	37	7.2	\$1112	\$494
BS24KSF	28.75 x 52 x 28.7	150	29	5.6	\$1029	\$361
BS20KSF	27.75 x 44 x 28.7	150	25	4.8	\$1016	\$299

70

70


1" thick worksurface with **Square Corners.** Includes (2) Tapered legs. *Not available with Spider Legs.* Connects to other tops of 20", 24" or 30" depths. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.



**Half Moon Top - Square Corners** 

BS3060HMF	29.75 x 59.4 x 28.7	150	36	6.6	\$956	\$411	
BS2448HMF	24 x 48.2 x 28.7	150	24	4.6	\$900	\$264	


1" thick worksurface with **Square Corners.** Includes (2) Tapered legs. *Not available with Spider Legs.* Connects to other tables equaling the same length. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.



90° Wedge Top - Square Corners

BS24WE	26.8 x 26.8 x 1	92.5	15	1.5	\$278	\$234	
BS20WE	22.8 x 22.8 x 1	100	10	1.2	\$205	\$200	

1" thick worksurface with **Square Corners.** Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in shared positions only. Shipped RTA (ready to assemble). Accepts filler modesty panels.





90° Corner - Square Corners

BS30CN	33.2 x 33.2 x 28.7	125	36	2.50	\$624	\$194

Connects to 30" Deep Rectangular Tables. Includes (1) Tapered leg. Not available with Spider Legs.


Required Specifications	0
Top Finish	G
Top / Edge Detail	Po

Optional Spe	ecifications	
Grommet		
Power/Data N	Management Troughs -	
(Rectangula	r tons only	

Modesty Panel (Rectangular tops only)

HP Laminate

Accessories
Power Block
Villa Power Block (Corded)





Rectangular Return Tops -Square Corners

Rectangular 1" thick worksurface with **Square Corners**. Includes two flat brackets to attach to another worksurface on one end. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) on the other end. 54" tops include a built-in support bar. Shipped RTA (ready to assemble). Compatible with standard modesty panels (see page 555).

- For worksurfaces to be used as a main surface, please see Rectangular Tops.
- Legs sold separately.

#### TOPS WITH ROUNDED CORNERS (BB/BS EDGES ONLY)

ľ	.Y)						
	BB3072REC	30 x 72 x 1	85	59	4	\$737	\$494
	BB3060REC	30 x 60 x 1	70	52	3.4	\$616	\$411
	BB3048REC	30 x 48 x 1	70	45	2.7	\$375	\$331
	BB3042REC	30 x 42 x 1	70	41	2.4	\$367	\$290
	BB3036REC	30 x 36 x 1	70	37	2.1	\$296	\$250
	BB2472REC	24 x 72 x 1	70	50	3.3	\$646	\$396
	BB2460REC	24 x 60 x 1	70	43	2.8	\$562	\$331
	BB2448REC	24 x 48 x 1	70	36	2.3	\$319	\$264
	BB2442REC	24 x 42 x 1	70	32	2	\$305	\$234
	BB2436REC	24 x 36 x 1	70	28	1.8	\$287	\$200
	BB2072REC	20 x 72 x 1	85	42	2.9	\$599	\$331
	BB2060REC	20 x 60 x 1	70	36	2.4	\$507	\$278
	BB2048REC	20 x 48 x 1	85	29	2	\$302	\$234
	BB2042REC	20 x 42 x 1	85	26	1.8	\$278	\$200
	BB2036REC	20 x 36 x 1	70	23	1.5	\$260	\$200



**Rectangular Top - Rounded Corners** 

Rectangular 1" thick worksurface with **Rounded Corners.** Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in "end of run" or shared leg positions. Tops 60" and up include a built-in support bar. Shipped RTA (ready to assemble). Compatible with **power and data management troughs** (see page 537) or standard modesty panels (see page 555).

- For worksurfaces to be used as a return, please see Return Tops
- · Legs sold separately.

BB30KSF	30.5 x 62.75 x 28.7	150	36	7.2	\$1112	\$494
BB24KSF	28.75 x 52 x 28.7	150	28	5.6	\$1029	\$361
BB20KSF	27.75 x 44 x 28.7	150	24	4.8	\$1016	\$299



**Keystone Top - Rounded Corners** 

1" thick worksurface with **Rounded Corners.** Includes (2) Tapered legs. *Not available with Spider Legs.* Connects to other tops of 20", 24" or 30" depths. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.

Required Specifications	Optional Specifications	HP Laminate	
Top Finish	Grommet	_	
Top / Edge Detail	Power/Data Management Troughs -	Accessories	
	(Rectangular tops only)	Power Block	_
	Modesty Panel	Villa Power Block (Corded)	



**Half Moon Top - Rounded Corners** 

90° Wedge Top - Rounded Corners

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
BB3060HMF	29.75 x 59.4 x 28.	.7 150	35	6.6	\$956	\$411	
BB2448HMF	24 x 48.2 x 28.7	150	23	4.6	\$900	\$264	

1" thick worksurface with **Rounded Corners**. Includes (2) Tapered legs. *Not available with Spider Legs*. Connects to other tables equaling the same length. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.

BB24WE	26.8 x 26.8 x 1	100	14	1.5	\$356	\$234
BB20WE	22.8 x 22.8 x 1	125	9	1.2	\$260	\$200

1" thick worksurface with **Rounded Corners.** Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in shared positions only. Shipped RTA (ready to assemble). Accepts filler modesty panels.

<ul> <li>Legs sold separately.</li> </ul>	•	Legs	sold	se	par	ate	ly.
-------------------------------------------	---	------	------	----	-----	-----	-----

BB3054RRE	30 x 54 x 1	70	50	3.06	\$403	\$372
BB3048RRE	30 x 48 x 1	70	46	2.75	\$375	\$331
BB3042RRE	30 x 42 x 1	70	42	2.44	\$367	\$290
BB3036RRE	30 x 36 x 1	70	38	2.13	\$296	\$250
BB2454RRE	24 x 54 x 1	70	40	2.54	\$347	\$299
BB2448RRE	24 x 48 x 1	70	37	2.28	\$319	\$264
BB2442RRE	24 x 42 x 1	70	33	2.03	\$305	\$234
BB2436RRE	24 x 36 x 1	70	29	1.77	\$287	\$200
BB2054RRE	20 x 54 x 1	70	33	2.2	\$329	\$250
BB2048RRE	20 x 48 x 1	70	30	1.97	\$302	\$223
BB2042RRE	20 x 42 x 1	70	27	1.75	\$278	\$200
BB2036RRE	20 x 36 x 1	70	24	1.53	\$260	\$167

Rectangular 1" thick worksurface with **Rounded Corners.** Includes two flat brackets to attach to another worksurface on one end. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) on the other end. 54" tops include a built-in support bar. Shipped RTA (ready to assemble). Compatible with standard modesty panels (see page 573).

- For worksurfaces to be used as a main surface, please see Rectangular Tops
- · Legs sold separately.

BB30CN	33.17 x 33.17 x 28.7	125	36	2.50	\$671	\$194

90° Corner - Rounded Corners

**Rectangular Return Tops -**

**Rounded Corners** 

Connects to 30" Deep Rectangular Tables. Includes (1) Tapered leg. Not available with Spider Legs.

B30SPLEG	25 x 6 x 27.7	150	16	2.9	\$403	

Spider Legs for 30"D Tables

Spider leg with levellers. Shipped/sold one per carton. Tops sold separately.

- Available in Tungsten (TTU) or Black (TBL). Please specify.
- To be used with 30"D tops only

Required Specifications	Op
Top Finish	Gr
Top / Edge Detail	Fil

Optional Specifications
Grommet
Filler Modesty Panel (Wedge Tops only)
Modesty Panel (Rectangular Return Tops)
LID Laminato

Accessories
Power Block
Villa Power Block (Corded)

# **BUNGEE SL™**



Spider Legs for 20" & 24"D Tables



Spider leg with levellers. Shipped/sold one per carton. Tops sold separately.

• Available in Tungsten (TTU) or Black (TBL). Please specify.

• To be used with 20" & 24" deep tops only



Tapered leg with levellers for tables of all depths. Shipped/sold one per carton. **Tops sold separately.** 

• Available in Tungsten (TTU) or Black (TBL). Please specify.

B6PLT	6 x 6 x .25	70	2	0.1	\$57	

Flat Bracket

**Tapered Leg** 

To be used as a mending plate for Bungee SL. Black only. Shipped/sold one per pack.

Required Specifications Leg Finish

# BUNGEE SL™POWER/DATA MANAGEMENT TROUGHS

#### **GENERAL INFORMATION**

- Power and Data Management Troughs for the BUNGEE SL table series. Add Global's proprietary 4-wire power kits and create inexpensive
  and versatile training, benching, academic and meeting areas.
- Front panels are available in aluminum. A center spine version allows for inexpensive double-sided applications.
- POWER AND DATA MANAGEMENT TROUGHS are sold separately and are meant to be used on BUNGEE SL only.
- POWER AND DATA MANAGEMENT TROUGHS accept Global's 4-wire power kit in addition to numerous data, phone and other
  multimedia wires.
- Filler modesty panels conceal wiring in spaces not covered by troughs.
- For environmental certifications, please visit globalfurnituregroup.com

# FINISHES LAMINATE:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry


#### Aluminum Face Panel, Trough, Filler Panels and End Caps:

Black (BLK) Tungsten (TUN)

#### **LAMINATE FACE PANEL (LFP)**

- Laminate face panel (LFP) on the approach side is 11/16" thick. LFP height is 13".
- Rear access panel is ¼" thick laminate. Rear panel height is 7.25".
- LFP and rear panel swing up to allow wire access and feature a flexible sweep at the top.
- All laminate components are made of 45 lb. commercial density particle board, covered on both sides with high performance, thermally fused laminate.
- The trough portion of the unit is made of a heavy duty aluminum extrusion to allow wire systems (including Global's 4-Wire System) to lie within the bottom.
- LFP is available in Black (BLK) laminate only.
- Aluminum trough available in Tungsten (TUN) or Black (BLK) finish, please specify.
- Rear access panel is finished in Black (BLK) laminate.
- End Caps (JBEC) sold separately

side view



Tops, legs and end caps not included

#### **CENTER SPINE (CS)**

- 1/4" thick laminate panels on both sides of the unit. Panel height is 7.25".
- Both panels swing up to allow wire access and feature a flexible sweep at the top.
- All laminate components are made of 45 lb. commercial density particle board, covered on both sides with high performance, thermally fused laminate.
- The trough portion of the unit is made of a heavy duty aluminum extrusion to allow wire systems (like Global's 4-Wire System) to lie within the bottom.
- Aluminum trough available in Tungsten (TUN) or Black (BLK) finish, please specify (rear access panel is finished in Brushed Cobalt (BRC) laminate when TUN is specified, or both access panels are finished in Black (BLK) laminate when BLK is specified).
- End Caps (JBEC) sold separately.



7.25" 4.25" 7.25"


Tops, legs and end caps not included

# B

# BUNGEE SL™ POWER/DATA MANAGEMENT TROUGHS - NOTES

#### **FILLER MODESTY PANELS**

- Used to fill the space between two power and data management troughs and conceal wiring from the approach side
- Straight Filler allows for use in straight configurations between two rectangular tables with power and data management troughs
- Curved Filler allows for use at curve with 90° wedge tables between two rectangular tables with power and data management troughs
- · Available in Silver (SI) or Black (BK) finish. Please specify.



#### **END CAPS**

- · Plastic end caps with decorative insert. Required for beginning and end of runs.
- Cap can be notched in field to allow wire infeed pass through.
- Charcoal finish only.



#### WIRE MANAGEMENT

- Two wire manager clamps are included within all power and data management troughs.
- Attached to the unit, they can slide from side to side to accommodate wiring systems
- Data, voice, multi-media and power can be routed separately using channels on each wire manager.
- Additional wire manager clamps are available to retrofit.
- · Available in black only.



#### **GLOBAL 4-WIRE POWER SYSTEM**

- Global's proprietary power system comes with everything you need to power your BUNGEE SL layouts. Kits coordinate to the size of the table being used and fit snugly into the bottom of the power and data management trough.
- Single duplex kits come with one duplex centered on the wiring harness. Duplexes are 6" wide.
- Double duplex kits come with two duplexes 11" of wiring on each side of the harness allows for flexibility between connections. Duplexes are 6" wide.
- One end of the harness kit features a female connection, while the opposite end features a male connection for a quick and easy connect/disconnect
- Actual kit length is 1" longer than nominal
- Must be hardwired using infeeds (specified separately) by a licensed electrician
- · All conduits are enclosed in a black nylon sleeve to reduce visibility
- · All duplexes and connectors are plastic. Black only.
- 8 DUPLEXES PER CIRCUIT MAXIMUM maximums are to National Electric Code (NEC) – some local codes vary from NEC code – it is the customer's responsibility to follow all applicable local codes and guidelines.

#### **ELECTRICAL SYSTEM**


4-2 Wiring Schematic

4-Wire Shared Neutral

Complies with National Electric Code

**UL Listed** 

All circuits rated for 20 AMP




PRODUCT	MAX UNITS PER CIRCUIT
P42S	8 units per circuit
P42D	4 units per circuit


## POWER/DATA MANAGEMENT TROUGH PLACEMENT

#### Single Table - AFP





#### Shared Leg Table - AFP:







#### CS








#### GLOBAL 4-WIRE POWER TO POWER/DATA MANAGEMENT TROUGH:



Bungee SL with AFP Power/Data Management Trough - 90" Corner Application




Bungee SL with LFP Power/Data Management Trough - Single Sided Straight Run



Bungee SL with CS Power/Data Management Trough - Back to Back Application (shown with power snake)

# UTILIZING POWER BLOCKS AND GROMMETS WITH POWER/DATA MANAGEMENT TROUGH



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
JB72L	4.25 x 55.75 x 10	125	23	2.9	\$857	
JB60L	4.25 x 43.75 x 10	125	18	2.3	\$767	
JB48L	4.25 x 31.75 x 10	100	14	1.7	\$667	
JB42L	4.25 x 25.75 x 10	100	12	1.5	\$618	
JB36L	4.25 x 19.75 x 10	100	10	1.2	\$566	

#### Trough w/Laminate Face Panel (LFP)

For use on rectangular Bungee SL surfaces only. Out-facing laminate panel swings up to allow wire access and features flexible sweep at the top. In-facing laminate panel swings up to allow wire access and features flexible sweep at the top. Black wire management clamps included.

- To fill the gap between two power/data management trough (LFP) modules in a straight run, a single filler modesty panel (JBSFM) is recommended.
- To fill the gap between two power/data management trough (LFP) modules at 90°, a corner filler modesty panel (JBCFM) is recommended.
- Model # corresponds to the size table power/data management trough will fit on (i.e. JB72L will fit a 72" wide table).
- Laminate panels are Black no finish options available.

JB72C	4.25 x 55.75 x 10	100	19	2.20	\$774
JB60C	4.25 x 43.75 x 10	100	15	1.80	\$729
JB48C	4.25 x 31.75 x 10	100	12	1.30	\$617
JB42C	4.25 x 25.75 x 10	100	10	1.10	\$575
JB36C	4.25 x 19.75 x 10	60	8	.08	\$532

Trough w/Center Spine (CS)

For use on rectangular Bungee SL surfaces only in back-to-back applications only. Two laminate panels swing up to allow wire access and feature flexible sweep at the top. Black wire management clamps included.

- To fill the gap between two power/data management trough (CS) modules in a straight run, two filler modesty panels (JBSFM) are recommended to conceal wiring from both sides.
- Model # corresponds to the size table power/data management trough will fit on (i.e. JB72C will fit a 72" wide table).
- Laminate panels are Black no finish options available.

JBSFM	0.25 x 22.5 x 9	70	1.60	.04	\$187	



Straight Filler Modesty Panel

Straight filler modesty is used to fill the space between two power/data management trough modules where tables are linked in a straight configuration.

- In center spine applications, two straight filler modesty panels should be specified to cover cabling and wires from both sides.
- Filler modesty panels are reversible with Black (BK) finish on one side and Silver (SI) finish on the opposite side.

IDCEM 0.25 v. 22 5 v. 0 70 1.00 05	
JBCFM 0.25 x 22.5 x 9 /0 1.80 .05	\$223



**Curved Filler Modesty Panel\*** 

Curved filler modesty is used to fill the space between two power/data management troughs where tables are linked at a 90° curve.

- · For interior curves only.
- Filler modesty panels are reversible with Black (BK) finish on one side and Silver (SI) finish on the opposite side.

**Optional Specifications** 

4-Wire Power System

# BUNGEE SL™ POWER/DATA MANAGEMENT TROUGHS



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
JBEC	3 x 8 x 1	70	1	.15	\$46	

Plastic end cap to be snapped into place at the end of power/data management troughs. To be specified for the beginning and end of runs for a finished look. Charcoal finish only.

• Plastic cap can be notched in the field to allow infeed or data cable pass-through.

JBWM2	2.5 x 6 x 1.75	70	1	.01	\$168

B

**Wire Management Clamp** 

Wire management track with double wire clamp - triple height. Can be affixed to the underside of worksurface using double-sided tape (supplied) or retrofit into power/data management trough modules. Black finish only.

- Recommended for use at 90° corners.
- Retrofitting requires disassembly of power/data management trough modules.


JBPS 4 x 4 x 34 100 2 .25 <b>\$160</b>	
----------------------------------------	--



**Power Snake** 

Attaches to the underside of worksurface with supplied wood screws. Used to organize and channel wires from the power/data management trough down to the floor infeed. Black finish only.

# BUNGEE SL™ POWER/DATA MANAGEMENT TROUGHS






**Single Duplex Kit** 

4-WIRE POWER SYSTEM

Single Duplex Kit includes one black plastic duplex connected to harnesses. Male connection (IN) on one side with female connection (OUT) on the opposite for easy connect and disconnect. Conduit is wrapped in black nylon sleeve. Actual length is 1" longer than nominal.

- Model # corresponds to the size table power/data management trough will fit on (i.e. P42S-48 will fit a JB48A, JB48L or JB48C module).
- Infeed required for connection to building power. Sold separately (next page).

Circuit 1:						
P42D-72-1	2 x 73 x 2	60	3.01	.10	\$226	
P42D-60-1	2 x 61 x 2	65	2.63	.09	\$208	
P42D-48-1	2 x 49 x 2	65	2.26	.08	\$194	
P42D-42-1	2 x 43 x 2	65	2.07	.07	\$187	
P42D-36-1	2 x 37 x 2	70	1.88	.06	\$178	
Circuit 2:						
P42D-72-2	2 x 73 x 2	60	3.01	.10	\$226	
P42D-60-2	2 x 61 x 2	65	2.63	.09	\$208	
P42D-48-2	2 x 49 x 2	65	2.26	.08	\$194	
P42D-42-2	2 x 43 x 2	65	2.07	.07	\$187	
P42D-36-2	2 x 37 x 2	70	1.88	.06	\$178	



**Double Duplex Kit** 

Double Duplex Kit includes two black plastic duplexes connected to harnesses. Male connection (IN) on one side with female connection (OUT) on the opposite for easy connect and disconnect. Conduit is wrapped in black nylon sleeve. Actual length is 1" longer than nominal.

- Both duplexes on the kit will be assigned to the same circuit.
- Model # corresponds to the size table power/data management trough will fit on (i.e. P42D-48 will fit a JB48A, JB48L or JB48C module).
- Infeed required for connection to building power. Sold separately (below).

P42J-72	2 x 73 x 2	60	3	.10	\$176	
P42J-60	2 x 61 x 2	60	2.73	.09	\$157	
P42J-48	2 x 49 x 2	65	2.35	.08	\$139	
P42J-42	2 x 43 x 2	60	2.16	.07	\$129	
P42J-36	2 x 37 x 2	70	1.98	.06	\$120	
P42J-18	2 x 19 x 2	70	1.41	.04	\$93	



**Power Harness Jumper** 

Male connection (IN) on one side with female connection (OUT) on the opposite for easy connect and disconnect. Conduit is wrapped in black nylon sleeve. Actual length is 1" longer than nominal.

- Use P42J-18 between two power/data management troughs separated by Bungee SL wedge, keystone or half moon tables
- Use all other sizes to jump between power kits on power/data management troughs that are NOT powered (i.e. use a P42J-60 as a pass-through on a 60" wide non-powered table between POWERED power/data management trough modules.

# BUNGEE SL™ POWER/DATA MANAGEMENT TROUGHS **B**

4-WIRE POWER SYSTEM	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	P42HW-72	1 x 72 x 1	70	6.50	.30	\$193

#### 72" Multi-circuit Hardwire Infeed

72" Multi-circuit Hardwire Infeed (up to 20 AMPS per circuit), two circuits. Provides single power entry from floor or wall located building power supply. Conduit is wrapped in black nylon sleeve.

- Connects P42S or P42D kits. Power circuit 1, circuit 2 or a mix.
- TO BE HARDWIRED BY LICENSED ELECTRICIAN. UL listed.
- Where Liquid Tight conduit is required, specify P42HW-72L




Single-circuit 3-Prong Infeed

P42TP-120	8 x 4 x 2	70	6.10	.30	\$239
P42TP-72	8 x 4 x 4	60	4.50	.15	\$218

Hardwire junction box included (to be mounted on underside of table). Provides single power entry from floor or wall located building power supply. Conduit is wrapped in black nylon sleeve. Allows for quick and easy disconnection from the wall. Available in 72" or 120" overall lengths.

- Connects P42S or P42D kits. **Power circuit 1 only.**
- TO BE HARDWIRED BY LICENSED ELECTRICIAN. UL listed.

# BUNGEE SL™ POWER/DATA MANAGEMENT TROUGHS



Power	/Data	Block	

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
PMSPDM	3.5 x 6.5 x 2.75	70	2	.10	\$330

Worksurface power and data module. Two power receptacles and two data receptacles. 9' cord. Specify position and **add \$96** for cut-out in worksurface. See diagram E1/E2/E3 for specification location. Black (**BLK**) only.

#### **VILLA I SERIES CORDED UNITS**



VIL-C-DKO108	3.25 x 8.75 x 2.25	100	4	.45	\$249
VIL-C-DKO72	3.25 x 8.75 x 2.25	100	4	.45	\$249

Data Knockouts, No Data Ports

Villa I with 3-prong plug. Includes **two power receptacles** and two knockouts for data. A third convenience receptacle is provided below the worksurface. **V1, V2 or V3 cutout(s) must be specified on training table** (see product notes section for more details and cutout upcharge). **Grommet cover is required and sold separate** (see below). UL/CUL listed.

- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl




VIL-C-D108	3.25 x 8.75 x 2.25	100	4	.45	\$402
VIL-C-D72	3.25 x 8.75 x 2.25	100	4	.45	\$402

Data Knockouts, Data Ports Included

Villa I with 3-prong plug. Includes **two power receptacles** and **two RJ45** Cat 6 data. A third convenience receptacle is provided below the worksurface. **V1, V2 or V3 cutout(s) must be specified on training table** (see product notes section for more details and cutout upcharge). **Grommet cover is required and sold separate** (see below). UL/CUL listed.

- Replace \_ with **B** for **Black**
- Replace \_ with S for Silver Pearl

### VILLA GROMMET COVERS



**Villa Grommet Cover** 

VIL-GROM-F	3.5 x 5.75 x .94	70	1	.08	\$126	
_						



Powder coated flush metal grommet to be used with Villa I **corded** series power blocks. Cutouts in tables must be specified separately. **V1, V2 or V3 cutout(s) must be specified on training table** (see product notes section for more details and cutout upcharge). **Grommet cover remains open while in use.** 

- Cannot be used with PMSPDM.
- Replace \_ with B for Black
- Replace \_ with S for Silver Pearl

**Required Specifications** 

Face panel and box finish - BLK or TUN



Bring people together. Collaborative Spaces<sup>TM</sup> fosters teamwork through adaptable environments that can transform at a moment's notice or evolve over time. Optimize existing spaces with individual pieces or create new ones with the full range of mobile team carts, work tables and accessories. Scale up, scale down, create a space for the way you work.

Collaborative Spaces' range of laptop tables can transform any area into a productive workspace. Hospitality carts to support team meetings in relaxed settings, with all the essentials to keep the team fueled up.

Create learning hubs with large workshop and collaboration tables and shelf carts for all the resources they require to get their ideas out into the world. Collaborative Spaces is designed to withstand demanding environments in education.





Optional steel mesh tray keeps bags and other personal items off the floor



Cart mounted PET Felt privacy panel

#### **Features and Benefits**

- Tables offered with small (1.5") or large (9") radius corners
- Tables are available with glides or casters
- Media units and power accessories provide means for hybrid collaboration
- Accessories like undersurface bag hooks and trays for bag drops keep items out of the way and off the floor.
- PET felt screens provide privacy and noise reduction while dividing space. PET felt screens clip onto shelf carts with included brackets.
- Laptop shelves and media trays can be added to media carts.
- Wire management accessories at the leg and undersurface hide excess cables.
- Undersurface power modules can be positioned anywhere along the table edge.

#### GENERAL INFORMATION

- Collaborative Spaces<sup>™</sup> includes a range of products that complement each other.
- Series includes collaboration and workshop tables in three heights: 29", 36" and 42"; occasional tables, laptop tables, team carts, and a variety of accessories.
- Aluminum beams provide strength and rigidity for long term use.
- Combine elements to demark space, absorb ambient noise and afford visual privacy.
- PET felt wire manager hangs from underside of worksurface to organize wires.
- Collaborative Spaces' robust aluminum framework supports high-traffic applications and is 100% recyclable.
- For environmental certifications, please visit globalfurnituregroup.com.

#### CONSTRUCTION

- All tables are standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- Grommet location must be specified at the time of order or it will default to a no grommet option.
- Power modules and grommets are not included and must be specified separately.
- · Table legs and bases are painted aluminum finish.
- Tables are shipped knocked down and must be assembled on site.
- Corner radius for small radius table tops is 1.5".
- · Corner radius for large radius tables tops is 9".
- Top end overhang for large tables is 10.5"
- Worksurface support beams and footrests (where applicable) are centered for tables 18" and 24" deep.
- Worksurface support beams and footrests (where applicable) are 9" from the outside table edges for tables 30" deep.
- Worksurface support beams and footrests (where applicable) are 12" from the outside table edges for tables 36 to 48" deep.
- The top of footrests on café height tables is 8.4" above the floor.
- The top of footrests on bar height tables is 14.4" above the floor.
- Cart shelf load capacities: 120 lbs. for 42" wide (Hospitality Cart), 140 lbs. for 48" wide and 175 lbs. for 60" wide.

#### **HOW TO SPECIFY:**

#### Example: SCTWSL2472:

SC Spaces Collaborative W Work height table - 29" S Small radius - 1.5" L Levelers 24 Depth

72 Width LP

Low pressure laminate

Other Options:

C Cafe height table - 36" B Bar height table - 42" L Large radius - 9"

C Casters, available in Black (BLK) or Grey (GRC)

HP - High pressure laminate

#### **FINISHES**

#### **Metal Finishes:**

BLK Black BZD Blizzard CHR Charcoal **Designer White DWT** INK Ink NEV Nevada SIL Silver SDT Stonedust TPE Taupe TUN Tungsten

#### Laminate Finishes (thermally fused and high pressure laminates):

ACJ Absolute Acajou ASN Asian Night **AWC** Avant Cherry Avant Honey **AWH** BLK Black BZD Blizzard

**BRC** Brushed Cobalt - Coordinates with TUN edgeband finish CGY Custom Grey - Coordinates with SIL edgeband finish

CMB Clear Maple Dark Espresso DES DWT Designer White FAS Fashionista FCL First Class **NBL** Noce Biondo NGL Noce Grigio NEL Noce Leggero **NML** Noce Medio QTM Quartered Mahogany

SBY Sheer Beauty


SDT Stonedust SOG

Storm Grey - Coordinates with CHR edgeband finish STG String - Coordinates with NEV edgeband finish


WHC White Chocolate WHE Walnut Heights **WCR** Winter Cherry

Edgeband	d Finishes:			Caster Fi	nish:
AAE	Absolute Acajou	NGL	Noce Grigio	BLK	Black
ASE	Asian Night	NEL	Noce Leggero	GRC	Grey
ACE	Avant Cherry	NML	Noce Medio		
AHE	Avant Honey	NEV	Nevada (use w/STG)	PET Felt	Colors
BLK	Black	MTD	Quartered Mahogany	BLK	Black
BRC	Brushed Cobalt	SBY	Sheer Beauty	BRI	Brick
BZD	Blizzard	SIL	Silver	DEN	Denim
CHR	Charcoal (use w/SOG)	SDT	Stonedust	GPH	Graphite
CME	Clear Maple	TPE	Taupe	HVT	Harvest
DEE	Dark Espresso	TUN	Tungsten (use w/BRC)	MTS	Mist
DWE	Designer White	WHE	Walnut Heights	PWT	Pewter
FAS	Fashionista	CBE	White Chocolate	SHR	Shamrock
FCL	First Class	WCE	Winter Cherry	WHT	White
NBL	Noce Biondo				

#### POWER ACCESSORY CUT-OUT LOCATIONS



- 1. **02**, **0S** cut-out for SCTAPT + SCTAPR power accessories.
- 2. Cut-out not available for 18" and 24" deep tables.
- 3. Cut-out position **02** available only.
- 4. These rules apply to both small and large radius table tops. Small radius top shown.



#### NOTES:

- 1. **C1**, **C2**, **C3**, **CS** cut-out for SCTAPS + SCTAPR power accessories.
- 2. Cut-out not available for 18" and 24" deep tables.
- 3. C2 cut-outs available on all table widths.
- 4. **C1** and **C3** cut-outs only available on 90" + 96"w tables.
- 5. These rules apply to both small and large radius table tops. Small radius top shown.

**HP ADD** 

\$84

\$102

\$116

\$130

\$195

\$218

\$236

\$116

\$135

\$153

\$171

\$254

\$282

\$310

\$144

\$166


\$190

\$213

\$319

\$351

\$384





Core Collaboration Table, 29"H, **Small Radius, Levelers** 

Consists of four individual legs and one surface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Tables from 48" to 72" include a center worksurface support beam.
- · Center worksurface support beam eliminates the possibility of a power accessory cut-out.

Required	specifications
Laminata f	iniah

Laminate finish Edge finish Paint finish

**Optional specifications** 

**HP** laminate

Accessories

**COLLABORATION TABLES - 29"H** 

						• • • • • • • • • • • • • • • • • • • •	
MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
SCTWSL1836	18 x 36 x 29	70	40.05	2.33	\$1088	\$88	
SCTWSL1842	18 x 42 x 29	70	43.65	2.52	\$1158	\$102	
SCTWSL1848	18 x 48 x 29	70	50.15	2.71	\$1380	\$116	
SCTWSL1854	18 x 54 x 29	70	53.75	2.9	\$1413	\$129	
SCTWSL1860	18 x 60 x 29	70	57.34	3.08	\$1468	\$144	
SCTWSL1866	18 x 66 x 29	70	60.93	3.27	\$1500	\$158	
SCTWSL1872	18 x 72 x 29	70	64.52	3.46	\$1575	\$171	
SCTWSL1878	18 x 78 x 29	70	68.12	3.65	\$1607	\$185	
SCTWSL1884	18 x 84 x 29	70	71.71	3.83	\$1639	\$199	
SCTWSL1890	18 x 90 x 29	70	75.31	4.02	\$1760	\$213	
SCTWSL1896	18 x 96 x 29	70	78.9	4.21	\$1788	\$231	
SCTWSL2436	24 x 36 x 29	85	43.05	3.11	\$1172	\$116	
SCTWSL2442	24 x 42 x 29	85	46.65	3.36	\$1250	\$135	
SCTWSL2448	24 x 48 x 29	85	53.15	3.61	\$1477	\$153	
SCTWSL2454	24 x 54 x 29	85	56.75	3.86	\$1519	\$171	
SCTWSL2460	24 x 60 x 29	85	60.34	4.11	\$1584	\$190	
SCTWSL2466	24 x 66 x 29	85	63.93	4.36	\$1621	\$208	
SCTWSL2472	24 x 72 x 29	85	67.52	4.61	\$1704	\$227	
SCTWSL2478	24 x 78 x 29	85	71.12	4.86	\$1741	\$250	
SCTWSL2484	24 x 84 x 29	85	74.71	5.11	\$1778	\$269	
SCTWSL2490	24 x 90 x 29	85	78.31	5.36	\$1908	\$287	
SCTWSL2496	24 x 96 x 29	85	81.9	5.61	\$1945	\$305	
SCTWSL3036	30 x 36 x 29	92.5	46.05	3.89	\$1408	\$143	
SCTWSL3042	30 x 42 x 29	92.5	49.65	4.2	\$1533	\$167	
SCTWSL3048	30 x 48 x 29	85	56.15	4.51	\$1797	\$190	
SCTWSL3054	30 x 54 x 29	85	59.75	4.83	\$1843	\$213	
SCTWSL3060	30 x 60 x 29	85	63.34	5.14	\$1940	\$241	
SCTWSL3066	30 x 66 x 29	85	66.93	5.45	\$1987	\$263	
SCTWSL3072	30 x 72 x 29	85	70.52	5.76	\$2121	\$287	
SCTWSL3078	30 x 78 x 29	85	74.12	6.08	\$2190	\$310	
SCTWSL3084	30 x 84 x 29	92.5	77.71	6.7	\$2237	\$333	
SCTWSL3090	30 x 90 x 29	85	81.31	6.39	\$2459	\$356	
SCTWSL3096	30 x 96 x 29	85	84.9	7.01	\$2505	\$380	



Standard Collaboration Table, 29"H, Small Radius, Levelers Consists of two leg assemblies, worksurface support beams, and worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- 18" and 24" deep tables feature one worksurface support beam.
- 30" deep tables feature two worksurface support beams.

Required specifications

Laminate finish Edge finish Paint finish Optional specifications

HP laminate Power accessory cut-out Accessories

COLLABORATION TABLES - 36" CAFE HEIGHT



For 18" and 24"D surfaces



For 30"D tables, 36" to 72"W



Café Height Collaboration Table, 36"H, Small Radius, Levelers

HP ADD	LIST PRICE	CUBIC FT.	WT/LBS.	FREIGHT CLASS	DIMENSIONS	MODEL#
					D x W x H	
\$88	\$1547	2.33	50.14	70	18 x 36 x 36	SCTCSL1836
\$102	\$1658	2.52	54.34	70	18 x 42 x 36	SCTCSL1842
\$111	\$1880	2.71	61.46	65	18 x 48 x 36	SCTCSL1848
\$130	\$1908	2.9	65.66	65	18 x 54 x 36	SCTCSL1854
\$139	\$1996	3.08	69.87	65	18 x 60 x 36	SCTCSL1860
\$157	\$2024	3.27	74.07	65	18 x 66 x 36	SCTCSL1866
\$171	\$2144	3.46	78.28	65	18 x 72 x 36	SCTCSL1872
\$186	\$2176	3.65	82.48	65	18 x 78 x 36	SCTCSL1878
\$204	\$2204	3.83	86.69	65	18 x 84 x 36	SCTCSL1884
\$213	\$2417	4.02	90.9	65	18 x 90 x 36	SCTCSL1890
\$231	\$2445	4.21	95.1	65	18 x 96 x 36	SCTCSL1896
\$116	\$1658	3.11	67.83	70	24 x 36 x 36	SCTCSL2436
\$135	\$1778	3.36	74.58	70	24 x 42 x 36	SCTCSL2442
\$153	\$2005	3.61	84.23	65	24 x 48 x 36	SCTCSL2448
\$171	\$2042	3.86	90.98	65	24 x 54 x 36	SCTCSL2454
\$190	\$2135	4.11	97.73	65	24 x 60 x 36	SCTCSL2460
\$213	\$2172	4.36	104.48	65	24 x 66 x 36	SCTCSL2466
\$227	\$2301	4.61	111.23	65	24 x 72 x 36	SCTCSL2472
\$250	\$2338	4.86	117.98	65	24 x 78 x 36	SCTCSL2478
\$269	\$2375	5.11	124.73	65	24 x 84 x 36	SCTCSL2484
\$287	\$2593	5.36	131.48	65	24 x 90 x 36	SCTCSL2490
\$301	\$2635	5.61	138.23	65	24 x 96 x 36	SCTCSL2496
\$144	\$2079	3.89	86.09	70	30 x 36 x 36	SCTCSL3036
\$166	\$2288	4.2	95.44	65	30 x 42 x 36	SCTCSL3042
\$194	\$2519	4.51	107.7	65	30 x 48 x 36	SCTCSL3048
\$218	\$2565	4.83	117.05	65	30 x 54 x 36	SCTCSL3054
\$241	\$2718	5.14	126.41	65	30 x 60 x 36	SCTCSL3060
\$264	\$2764	5.45	135.76	65	30 x 66 x 36	SCTCSL3066
\$283	\$2991	5.76	145.11	65	30 x 72 x 36	SCTCSL3072
\$310	\$3209	6.08	156.91	65	30 x 78 x 36	SCTCSL3078
\$333	\$3255	6.7	166.26	65	30 x 84 x 36	SCTCSL3084
\$356	\$3658	6.39	175.62	65	30 x 90 x 36	SCTCSL3090
\$380	\$3704	7.01	184.97	65	30 x 96 x 36	SCTCSL3096

Consists of two leg assemblies, worksurface support beam(s), footrest(s), and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- 18" and 24" deep tables feature one worksurface support beam and one footrest.
- 30" deep tables feature two worksurface support beams and two footrests.
- 30" deep tables 78" wide and greater include a reinforcement cantilever for added stability.

#### Accessories

**COLLABORATION TABLES - 42" BAR HEIGHT** 

	U

For 18" and 24"D surfaces



For 30"D tables, 36" to 72"W



#### Bar Height Collaboration Table, 42"H, Small Radius, Levelers

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
SCTBSL1836	18 x 36 x 42	65	70.28	3.11	\$1672	\$83
SCTBSL1842	18 x 42 x 42	65	77.02	3.36	\$1783	\$97
SCTBSL1848	18 x 48 x 42	65	86.68	3.61	\$2000	\$116
SCTBSL1854	18 x 54 x 42	65	93.43	3.86	\$2033	\$130
SCTBSL1860	18 x 60 x 42	65	100.18	4.11	\$2116	\$144
SCTBSL1866	18 x 66 x 42	65	106.93	4.36	\$2149	\$157
SCTBSL1872	18 x 72 x 42	65	113.68	4.61	\$2269	\$171
SCTBSL1878	18 x 78 x 42	65	120.43	4.86	\$2297	\$185
SCTBSL1884	18 x 84 x 42	65	127.18	5.11	\$2329	\$199
SCTBSL1890	18 x 90 x 42	65	133.93	5.36	\$2538	\$212
SCTBSL1896	18 x 96 x 42	65	140.67	5.61	\$2570	\$227
SCTBSL2436	24 x 36 x 42	65	52.58	2.33	\$1783	\$116
SCTBSL2442	24 x 42 x 42	65	56.79	2.52	\$1903	\$130
SCTBSL2448	24 x 48 x 42	65	63.9	2.71	\$2130	\$153
SCTBSL2454	24 x 54 x 42	65	68.11	2.9	\$2167	\$171
SCTBSL2460	24 x 60 x 42	65	72.31	3.08	\$2260	\$190
SCTBSL2466	24 x 66 x 42	65	76.52	3.27	\$2297	\$208
SCTBSL2472	24 x 72 x 42	65	80.72	3.46	\$2422	\$231
SCTBSL2478	24 x 78 x 42	65	84.93	3.65	\$2463	\$246
SCTBSL2484	24 x 84 x 42	65	89.13	3.83	\$2500	\$269
SCTBSL2490	24 x 90 x 42	65	93.34	4.02	\$2718	\$287
SCTBSL2496	24 x 96 x 42	65	97.55	4.21	\$2755	\$306
SCTBSL3036	30 x 36 x 42	65	88.53	3.89	\$2204	\$139
SCTBSL3042	30 x 42 x 42	65	97.89	4.2	\$2408	\$167
SCTBSL3048	30 x 48 x 42	65	110.14	4.51	\$2644	\$190
SCTBSL3054	30 x 54 x 42	65	117.05	4.83	\$2690	\$213
SCTBSL3060	30 x 60 x 42	65	126.41	5.14	\$2843	\$236
SCTBSL3066	30 x 66 x 42	65	135.76	5.45	\$2889	\$260
SCTBSL3072	30 x 72 x 42	65	145.11	5.76	\$3112	\$287
SCTBSL3078	30 x 78 x 42	65	159.35	6.08	\$3334	\$310
SCTBSL3084	30 x 84 x 42	65	168.71	6.7	\$3380	\$333
SCTBSL3090	30 x 90 x 42	65	178.06	6.39	\$3783	\$356
SCTBSL3096	30 x 96 x 42	65	187.41	7.01	\$3829	\$380

Consists of two leg assemblies, worksurface support beam(s), footrest(s), and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- 18" and 24" deep tables feature one worksurface support beam and one footrest.
- 30" deep tables feature two worksurface support beams and two footrests.
- 30" deep tables 78" wide and greater include a reinforcement cantilever for added stability.

Laminate finish Edge finish Paint finish

#### Optional specifications


HP laminate Power accessory cut-out

#### Accessories



WORKSHOP TABLES - 29"H

Workshop Table, 29"H, Small Radius, Levelers



Consists of two leg assemblies, two worksurface support beams, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTSWSC3636	36 x 36 x 29	70	79.4	4.67	\$1760	\$171
SCTSWSC3642	36 x 42 x 29	70	88.92	5.04	\$1889	\$204
SCTSWSC3648	36 x 48 x 29	70	101.33	5.42	\$2107	\$227
SCTSWSC3654	36 x 54 x 29	70	110.85	5.79	\$2158	\$259
SCTSWSC3660	36 x 60 x 29	70	120.36	6.17	\$2264	\$287
SCTSWSC4242	42 x 42 x 29	70	99.81	5.88	\$1977	\$232
SCTSWSC4248	42 x 48 x 29	70	113.61	6.32	\$2200	\$268
SCTSWSC4254	42 x 54 x 29	70	124.5	6.76	\$2260	\$304
SCTSWSC4260	42 x 60 x 29	70	135.4	7.19	\$2375	\$334
SCTSWSC4848	48 x 48 x 29	70	125.89	7.22	\$2301	\$306
SCTSWSC4854	48 x 54 x 29	70	138.16	7.72	\$2371	\$342
SCTSWSC4860	48 x 60 x 29	70	150.44	8.22	\$2491	\$384



- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTSWSX3636	36 x 36 x 29	70	79.36	4.67	\$1625	\$172
SCTSWSX3642	36 x 42 x 29	70	88.87	5.04	\$1760	\$199
SCTSWSX3648	36 x 48 x 29	70	101.29	5.42	\$2005	\$227
SCTSWSX3654	36 x 54 x 29	70	110.8	5.79	\$2056	\$259
SCTSWSX3660	36 x 60 x 29	70	120.31	6.17	\$2163	\$287
SCTSWSX4242	42 x 42 x 29	70	99.77	5.88	\$1848	\$231
SCTSWSX4248	42 x 48 x 29	70	113.56	6.32	\$2098	\$264
SCTSWSX4254	42 x 54 x 29	70	124.46	6.76	\$2158	\$301
SCTSWSX4260	42 x 60 x 29	70	135.36	7.19	\$2269	\$333
SCTSWSX4848	48 x 48 x 29	70	125.71	7.22	\$2200	\$305
SCTSWSX4854	48 x 54 x 29	70	137.99	7.72	\$2269	\$343
SCTSWSX4860	48 x 60 x 29	70	150.27	8.22	\$2389	\$380

Consists of one leg assembly with casters, one leg assembly with levelers, two worksurface support beams, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC). Levelers
  have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

₩orkshop Table, 29"H,

Workshop Table, 29"H, Small Radius, Casters\*



Workshop Table, 29"H, Small Radius, Casters/Levelers\*

Required specifications
Laminate finish
Edge finish
Paint finish
Caster finish\*

Optional specifications
HP laminate

Grommet option

Accessories
Table leg cable organizer
Table mounted bag hook
Nik power modules
PET felt wire manager

LARGE COLLABORATION TABLES



S - 29"H	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		DxWxH					
	SCTLWSL3666	36 x 66 x 29	70	129.78	6.54	\$2112	\$314
	SCTLWSL3672	36 x 72 x 29	70	139.3	6.92	\$2255	\$343
	SCTLWSL3678	36 x 78 x 29	70	148.81	7.29	\$2329	\$371
	SCTLWSL3684	36 x 84 x 29	70	158.32	7.67	\$2380	\$403
	SCTLWSL3690	36 x 90 x 29	70	167.84	8.04	\$2612	\$430
	SCTLWSL3696	36 x 96 x 29	70	177.35	8.42	\$2667	\$458
	SCTLWSL4266	42 x 66 x 29	70	146.21	7.63	\$2227	\$366
	SCTLWSL4272	42 x 72 x 29	70	127.1	8.07	\$2375	\$403
	SCTLWSL4278	42 x 78 x 29	70	168	8.51	\$2459	\$435
	SCTLWSL4284	42 x 84 x 29	70	178.89	8.94	\$2519	\$468
	SCTLWSL4290	42 x 90 x 29	70	189.79	9.38	\$2760	\$500
	SCTLWSL4296	42 x 96 x 29	70	200.68	9.82	\$2820	\$532
	SCTLWSL4866	48 x 66 x 29	70	162.63	8.72	\$2352	\$422
	SCTLWSL4872	48 x 72 x 29	70	174.91	9.22	\$2510	\$458
	SCTLWSL4878	48 x 78 x 29	70	187.18	9.72	\$2598	\$495
	SCTLWSL4884	48 x 84 x 29	70	199.46	10.22	\$2667	\$533
	SCTLWSL4890	48 x 90 x 29	70	211.74	10.72	\$2913	\$574
	SCTLWSL4896	48 x 96 x 29	70	224.01	11.22	\$2982	\$611
	22:2:702:000		. •		· · ·	+=00=	



Large Collaboration Table, 29"H, Small Radius, Levelers

 $Consists \ of two \ leg \ assemblies, two \ worksurface \ support \ beams, and \ one \ worksurface \ with \ a \ small \ 1.5'' \ radius \ at \ each \ corner.$ 

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTLWLL3666	36 x 66 x 29	70	123.52	6.54	\$2056	\$315
SCTLWLL3672	36 x 72 x 29	70	133.03	6.92	\$2112	\$342
SCTLWLL3678	36 x 78 x 29	70	142.55	7.29	\$2218	\$370
SCTLWLL3684	36 x 84 x 29	70	152.06	7.67	\$2269	\$403
SCTLWLL3690	36 x 90 x 29	70	161.57	8.04	\$2413	\$430
SCTLWLL3696	36 x 96 x 29	70	171.09	8.42	\$2487	\$458
SCTLWLL4266	42 x 66 x 29	70	139.94	7.63	\$2172	\$370
SCTLWLL4272	42 x 72 x 29	70	150.84	8.07	\$2232	\$403
SCTLWLL4278	42 x 78 x 29	70	161.73	8.51	\$2348	\$435
SCTLWLL4284	42 x 84 x 29	70	172.63	8.94	\$2408	\$467
SCTLWLL4290	42 x 90 x 29	70	183.52	9.38	\$2556	\$500
SCTLWLL4296	42 x 96 x 29	70	194.42	9.82	\$2616	\$533
SCTLWLL4866	48 x 66 x 29	70	156.37	8.72	\$2297	\$421
SCTLWLL4872	48 x 72 x 29	70	168.64	9.22	\$2366	\$459
SCTLWLL4878	48 x 78 x 29	70	180.92	9.72	\$2487	\$495
SCTLWLL4884	48 x 84 x 29	70	193.2	10.22	\$2556	\$532
SCTLWLL4890	48 x 90 x 29	70	205.48	10.72	\$2713	\$570
SCTLWLL4896	48 x 96 x 29	70	217.75	11.22	\$2801	\$612



Large Collaboration Table, 29"H, Large Radius, Levelers

Consists of two leg assemblies, two worksurface support beams, and one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.


<b>Required specifications</b>
Laminate finish
Edge finish

Paint finish

Optional specifications
HP laminate
Power accessory cut-out

Accessories

Collaboration table media unit, Table leg cable organizer, Table mounted bag hook, Nik power modules, PET felt wire manager





Large Collaboration Table, 29"H, Small Radius, Casters\*

Consists of two leg assemblies, two worksurface support beams, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

\$315	\$2264	6.54	123.61	70	36 x 66 x 29	SCTLWLC3666
\$343	\$2320	6.92	133.12	70	36 x 72 x 29	SCTLWLC3672
\$371	\$2426	7.29	142.64	70	36 x 78 x 29	SCTLWLC3678
\$403	\$2477	7.67	152.15	70	36 x 84 x 29	SCTLWLC3684
\$430	\$2621	8.04	161.66	70	36 x 90 x 29	SCTLWLC3690
\$458	\$2695	8.42	171.18	70	36 x 96 x 29	SCTLWLC3696
\$370	\$2380	7.63	140.03	70	42 x 66 x 29	SCTLWLC4266
\$403	\$2440	8.07	150.93	70	42 x 72 x 29	SCTLWLC4272
\$435	\$2556	8.51	161.82	70	42 x 78 x 29	SCTLWLC4278
\$468	\$2616	8.94	172.72	70	42 x 84 x 29	SCTLWLC4284
\$500	\$2764	9.38	183.62	70	42 x 90 x 29	SCTLWLC4290
\$532	\$2848	9.82	194.51	70	42 x 96 x 29	SCTLWLC4296
\$421	\$2505	8.72	156.46	70	48 x 66 x 29	SCTLWLC4866
\$458	\$2575	9.22	168.73	70	48 x 72 x 29	SCTLWLC4872
\$495	\$2695	9.72	181.01	70	48 x 78 x 29	SCTLWLC4878
\$533	\$2764	10.22	193.29	70	48 x 84 x 29	SCTLWLC4884
\$569	\$2922	10.72	205.57	70	48 x 90 x 29	SCTLWLC4890
\$611	\$3010	11.22	217.84	70	48 x 96 x 29	SCTLWLC4896



Large Collaboration Table, 29"H, **Large Radius, Casters** 

Consists of two leg assemblies, two worksurface support beams, and one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

Required specifications	Optional specifications	Accessories
Laminate finish	HP laminate	Collaboration table media unit*, Table leg
Edge finish	Grommet option	cable organizer, PET felt modesty panel,
Paint finish		Table mounted bag hook,
Caster finish		Nik power modules, PET felt wire manager



		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
SCTSCSL3636	36 x 36 x 36	70	96.82	5.67	\$2200	\$171
SCTSCSL3642	36 x 42 x 36	70	107.56	6.21	\$2413	\$203
SCTSCSL3648	36 x 48 x 36	70	121.2	6.75	\$2658	\$227
SCTSCSL3654	36 x 54 x 36	70	131.93	7.29	\$2709	\$259
SCTSCSL3660	36 x 60 x 36	70	142.67	7.83	\$2871	\$287
SCTSCSL4242	42 x 42 x 36	70	119.68	7.05	\$2473	\$236
SCTSCSL4248	42 x 48 x 36	70	134.7	7.65	\$2774	\$268
SCTSCSL4254	42 x 54 x 36	70	146.81	8.26	\$2834	\$301
SCTSCSL4260	42 x 60 x 36	70	158.93	8.86	\$3005	\$333
					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
SCTSCSL4848	48 x 48 x 36	70	148.2	8.56	\$2913	\$305
		· · ·				\$343
						\$380
	SCTSCSL3642 SCTSCSL3648 SCTSCSL3654 SCTSCSL3660 SCTSCSL4242 SCTSCSL4248 SCTSCSL4254 SCTSCSL4250 SCTSCSL4848 SCTSCSL4848	SCTSCSL3642       36 x 42 x 36         SCTSCSL3648       36 x 48 x 36         SCTSCSL3654       36 x 54 x 36         SCTSCSL3660       36 x 60 x 36         SCTSCSL4242       42 x 42 x 36         SCTSCSL4248       42 x 48 x 36         SCTSCSL4254       42 x 54 x 36         SCTSCSL4260       42 x 60 x 36         SCTSCSL4848       48 x 48 x 36	SCTSCSL3642       36 x 42 x 36       70         SCTSCSL3648       36 x 48 x 36       70         SCTSCSL3654       36 x 54 x 36       70         SCTSCSL3660       36 x 60 x 36       70         SCTSCSL4242       42 x 42 x 36       70         SCTSCSL4248       42 x 48 x 36       70         SCTSCSL4254       42 x 54 x 36       70         SCTSCSL4260       42 x 60 x 36       70         SCTSCSL4848       48 x 48 x 36       70         SCTSCSL4848       48 x 48 x 36       70         SCTSCSL4854       48 x 54 x 36       70	SCTSCSL3642       36 x 42 x 36       70       107.56         SCTSCSL3648       36 x 48 x 36       70       121.2         SCTSCSL3654       36 x 54 x 36       70       131.93         SCTSCSL3660       36 x 60 x 36       70       142.67         SCTSCSL4242       42 x 42 x 36       70       119.68         SCTSCSL4248       42 x 48 x 36       70       134.7         SCTSCSL4254       42 x 54 x 36       70       146.81         SCTSCSL4260       42 x 60 x 36       70       158.93         SCTSCSL4848       48 x 48 x 36       70       148.2         SCTSCSL4854       48 x 54 x 36       70       161.7	SCTSCSL3642       36 x 42 x 36       70       107.56       6.21         SCTSCSL3648       36 x 48 x 36       70       121.2       6.75         SCTSCSL3654       36 x 54 x 36       70       131.93       7.29         SCTSCSL3660       36 x 60 x 36       70       142.67       7.83         SCTSCSL4242       42 x 42 x 36       70       119.68       7.05         SCTSCSL4248       42 x 48 x 36       70       134.7       7.65         SCTSCSL4254       42 x 54 x 36       70       146.81       8.26         SCTSCSL4260       42 x 60 x 36       70       158.93       8.86         SCTSCSL4848       48 x 48 x 36       70       148.2       8.56         SCTSCSL4854       48 x 54 x 36       70       161.7       9.22	SCTSCSL3642       36 x 42 x 36       70       107.56       6.21       \$2413         SCTSCSL3648       36 x 48 x 36       70       121.2       6.75       \$2658         SCTSCSL3654       36 x 54 x 36       70       131.93       7.29       \$2709         SCTSCSL3660       36 x 60 x 36       70       142.67       7.83       \$2871         SCTSCSL4242       42 x 42 x 36       70       119.68       7.05       \$2473         SCTSCSL4248       42 x 48 x 36       70       134.7       7.65       \$2774         SCTSCSL4254       42 x 54 x 36       70       146.81       8.26       \$2834         SCTSCSL4260       42 x 60 x 36       70       158.93       8.86       \$3005         SCTSCSL4848       48 x 48 x 36       70       148.2       8.56       \$2913         SCTSCSL4854       48 x 54 x 36       70       161.7       9.22       \$2982



Café Height Workshop Table, 36"H **Small Radius, Levelers** 

Consists of two leg assemblies, two worksurface support beams, dual footrests and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTSCSC3636	36 x 36 x 36	70	96.66	5.67	\$2440	\$172
SCTSCSC3642	36 x 42 x 36	70	107.39	6.21	\$2653	\$199
SCTSCSC3648	36 x 48 x 36	70	107.39	6.21	\$2894	\$231
SCTSCSC3654	36 x 54 x 36	70	131.77	7.29	\$2950	\$254
SCTSCSC3660	36 x 60 x 36	70	142.5	7.83	\$3107	\$287
SCTSCSC4242	42 x 42 x 36	70	119.51	7.05	\$2764	\$232
SCTSCSC4248	42 x 48 x 36	70	134.53	7.65	\$3014	\$264
SCTSCSC4254	42 x 54 x 36	70	146.65	8.26	\$3075	\$300
SCTSCSC4260	42 x 60 x 36	70	158.77	8.86	\$3241	\$334
SCTSCSC4848	48 x 48 x 36	70	148.03	8.56	\$3153	\$306
SCTSCSC4854	48 x 54 x 36	70	161.53	9.22	\$3218	\$347
SCTSCSC4860	48 x 60 x 36	70	175.03	9.89	\$3394	\$384



Café Height Workshop Table, 36"H Small Radius, Casters\*

Consists of two leg assemblies, two worksurface support beams, dual footrests and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

Req	uired	spe	eciti	cati	ons
Lam	inate	finis	h		

Edge finish Paint finish Caster finish\*

### Optional specifications

HP laminate Grommet option

#### Accessories

Collaboration table media unit, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager



For 66" and 72"W tables



For 78" to 96"W tables

Large Café Height Collaboration Table, 36"H, Small Radius, Levelers\*



Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.



For 66" and 72"W tables



For 78" to 96"W tables

Large Café Height Collaboration Table, 36"H, Large Radius, Levelers

SCTLCLL3666	36 x 66 x 36	70	143.48	8.38	\$2815	\$315
SCTLCLL3672	36 x 72 x 36	70	154.21	8.92	\$2866	\$347
SCTLCLL3678	36 x 78 x 36	70	164.95	9.46	\$3028	\$371
SCTLCLL3684	36 x 84 x 36	70	175.68	10	\$3084	\$398
SCTLCLL3690	36 x 90 x 36	70	186.42	10.54	\$3315	\$426
SCTLCLL3696	36 x 96 x 36	70	199.6	11.08	\$3542	\$458
SCTLCLL4266	42 x 66 x 36	70	161.12	9.47	\$2959	\$366
SCTLCLL4272	42 x 72 x 36	70	173.24	10.07	\$3019	\$398
SCTLCLL4278	42 x 78 x 36	70	185.36	10.67	\$3186	\$430
SCTLCLL4284	42 x 84 x 36	70	197.47	11.28	\$3246	\$467
SCTLCLL4290	42 x 90 x 36	70	209.59	11.88	\$3482	\$505
SCTLCLL4296	42 x 96 x 36	70	224.15	12.49	\$3297	\$537
SCTLCLL4866	48 x 66 x 36	70	178.77	10.56	\$3116	\$422
SCTLCLL4872	48 x 72 x 36	125	688	99	\$3186	\$458
SCTLCLL4878	48 x 78 x 36	125	726	107	\$3362	\$495
SCTLCLL4884	48 x 84 x 36	70	219.26	12.56	\$3426	\$537
SCTLCLL4890	48 x 90 x 36	70	232.76	13.22	\$3676	\$570
SCTLCLL4896	48 x 96 x 36	70	248.71	13.89	\$3917	\$611

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a large 9"radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.
- Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

<b>Required specifications</b>
Laminate finish
Edge finish
Paint finish

|--|

HP laminate

Power accessory cut-out

#### Accessories

Collaboration table media unit\*, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager




For 66" and 72"W tables



For 78" to 96"W tables

Large Café Height Collaboration Table, 36"H, Small Radius, Casters\*



Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.



For 66" and 72"W tables



For 78" to 96"W tables

Large Café Height Collaboration Table, 36"H, Large Radius, Casters

SCTLCLC3666	36 x 66 x 36	70	143.31	8.38	\$3051	\$315
SCTLCLC3672	36 x 72 x 36	70	154.05	8.92	\$3107	\$343
SCTLCLC3678	36 x 78 x 36	70	164.78	9.46	\$3264	\$375
SCTLCLC3684	36 x 84 x 36	70	175.52	10	\$3320	\$398
SCTLCLC3690	36 x 90 x 36	70	186.25	10.54	\$3551	\$431
SCTLCLC3696	36 x 96 x 36	70	199.43	11.08	\$3778	\$459
SCTLCLC4266	42 x 66 x 36	70	160.96	9.47	\$3195	\$366
SCTLCLC4272	42 x 72 x 36	70	173.07	10.07	\$3255	\$398
SCTLCLC4278	42 x 78 x 36	70	185.19	10.67	\$3422	\$435
SCTLCLC4284	42 x 84 x 36	70	197.31	11.28	\$3482	\$468
SCTLCLC4290	42 x 90 x 36	70	209.43	11.88	\$3723	\$500
SCTLCLC4296	42 x 96 x 36	70	223.98	12.49	\$3959	\$532
SCTLCLC4866	48 x 66 x 36	70	178.6	10.56	\$3195	\$417
SCTLCLC4872	48 x 72 x 36	70	192.1	11.22	\$3255	\$458
SCTLCLC4878	48 x 78 x 36	70	205.6	11.89	\$3422	\$495
SCTLCLC4884	48 x 84 x 36	70	219.1	12.56	\$3482	\$533
SCTLCLC4890	48 x 90 x 36	70	232.6	13.22	\$3723	\$574
SCTLCLC4896	48 x 96 x 36	70	248.54	12.89	\$4158	\$611

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a large 9"radius at each corner with 10.5" overhang on each end.


- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.
- Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

Required specifications	Optional specifications	Accessories
Laminate finish	HP laminate	Collaboration table media unit*, Table leg
Edge finish	Power accessory cut-out	cable organizer, PET felt modesty panel, Wire
Paint finish		mesh storage tray, Table mounted bag hook,
Caster finish		Nik power modules, PET felt wire manager

LARGE COLLABORATION TABLES - 42"



Bar Height Workshop Table, 42"H Small Radius, Levelers



Consists of two leg assemblies, two worksurface support beams, dual footrests and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTSBSC3636	36 x 36 x 42	70	99.1	5.67	\$2491	\$172
SCTSBSC3642	36 x 42 x 42	70	109.84	6.21	\$2704	\$199
SCTSBSC3648	36 x 48 x 42	70	123.48	6.75	\$2945	\$231
SCTSBSC3654	36 x 54 x 42	70	134.21	7.29	\$3000	\$255
SCTSBSC3660	36 x 60 x 42	70	144.95	7.83	\$3158	\$287
SCTSBSC4242	42 x 42 x 42	70	121.95	7.05	\$2815	\$232
SCTSBSC4248	42 x 48 x 42	70	136.98	7.65	\$3065	\$264
SCTSBSC4254	42 x 54 x 42	70	149.09	8.26	\$3125	\$301
SCTSBSC4260	42 x 60 x 42	70	161.21	8.86	\$3292	\$333
SCTSBSC4848	48 x 48 x 42	70	150.47	8.56	\$3204	\$306
SCTSBSC4854	48 x 54 x 42	70	163.97	9.22	\$3274	\$342
SCTSBSC4860	48 x 60 x 42	70	177.47	9.89	\$3445	\$384

Consists of two leg assemblies, two worksurface support beams, dual footrests and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

	•
<b>₩</b>	

Bar Height Workshop Table, 42"H Small Radius, Casters\*

Required specifications
Laminate finish
Edge finish
Paint finish

Caster finish\*

**Optional specifications** 

HP laminate

Power accessory cut-out

Accessories

Collaboration table media unit, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager




LARGE COLLABORATION TABLES - 42"

For 66" and 72"W tables



For 78" to 96"W tables

Large Bar Height Collaboration Table, 42"H. Small Radius. Levelers\*



Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.



For 66" and 90"W tables



For 96"W tables

Large Bar Height Collaboration Table, 42"H, Large Radius, Levelers

SCTLBLL3666	36 x 66 x 42	70	145.92	8.38	\$2940	\$310
SCTLBLL3672	36 x 72 x 42	70	156.66	8.92	\$2991	\$343
SCTLBLL3678	36 x 78 x 42	70	167.39	9.46	\$3306	\$370
SCTLBLL3684	36 x 84 x 42	70	178.13	10	\$3357	\$245
SCTLBLL3690	36 x 90 x 42	70	188.86	10.54	\$3588	\$278
SCTLBLL3696	36 x 96 x 42	70	202.04	11.08	\$3663	\$458
SCTLBLL4266	42 x 66 x 42	70	163.57	9.47	\$3079	\$366
SCTLBLL4272	42 x 72 x 42	70	175.68	10.07	\$3139	\$399
SCTLBLL4278	42 x 78 x 42	70	187.8	10.67	\$3459	\$282
SCTLBLL4284	42 x 84 x 42	70	199.92	11.28	\$3519	\$315
SCTLBLL4290	42 x 90 x 42	70	212.04	11.88	\$3760	\$347
SCTLBLL4296	42 x 96 x 42	70	226.6	12.49	\$3843	\$537
SCTLBLL4866	48 x 66 x 42	70	181.21	10.56	\$3241	\$417
SCTLBLL4872	48 x 72 x 42	70	194.71	11.22	\$3306	\$458
SCTLBLL4878	48 x 78 x 42	70	208.21	11.89	\$3639	\$338
SCTLBLL4884	48 x 84 x 42	70	221.71	12.56	\$3704	\$380
SCTLBLL4890	48 x 90 x 42	70	235.21	13.22	\$3950	\$421
SCTLBLL4896	48 x 96 x 42	70	251.15	13.89	\$4042	\$611

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a large 9"radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 96" wide and greater include a reinforcement cantilever for added stability.
- Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

**Required specifications** Laminate finish

Edge finish Paint finish **Optional specifications** 

**HP** laminate

Power accessory cut-out

Accessories

Collaboration table media unit\*, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager

LARGE COLLABORATION TABLES - 42"



For 66" and 72"W tables



For 78" to 96"W tables

Large Bar Height Collaboration Table, 42"H, Small Radius, Casters\*



Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.



For 66" and 90"W tables



For 96"W tables

Large Bar Height Collaboration Table, 42"H, Large Radius, Casters


SCTLBLC3666	36 x 66 x 42	70	145.75	8.38	\$3102	\$315
SCTLBLC3672	36 x 72 x 42	70	156.49	8.92	\$3158	\$342
SCTLBLC3678	36 x 78 x 42	70	167.23	9.46	\$3315	\$375
SCTLBLC3684	36 x 84 x 42	70	177.96	10	\$3371	\$398
SCTLBLC3690	36 x 90 x 42	70	188.7	10.54	\$3602	\$431
SCTLBLC3696	36 x 96 x 42	70	201.87	11.08	\$3829	\$459
SCTLBLC4266	42 x 66 x 42	70	163.4	9.47	\$3246	\$366
SCTLBLC4272	42 x 72 x 42	70	175.52	10.07	\$3306	\$398
SCTLBLC4278	42 x 78 x 42	70	187.63	10.67	\$3473	\$435
SCTLBLC4284	42 x 84 x 42	70	199.75	11.28	\$3533	\$467
SCTLBLC4290	42 x 90 x 42	70	211.87	11.88	\$3774	\$500
SCTLBLC4296	42 x 96 x 42	70	226.43	12.49	\$4010	\$532
SCTLBLC4866	48 x 66 x 42	70	181.04	10.56	\$3408	\$417
SCTLBLC4872	48 x 72 x 42	70	197.54	11.22	\$3473	\$458
SCTLBLC4878	48 x 78 x 42	70	208.04	11.89	\$3649	\$495
SCTLBLC4884	48 x 84 x 42	70	221.54	12.56	\$3718	\$532
SCTLBLC4890	48 x 90 x 42	70	235.04	13.22	\$3963	\$575
SCTLBLC4896	48 x 96 x 42	70	250.98	13.89	\$4209	\$611

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a large 9"radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 96" wide and greater include a reinforcement cantilever for added stability.
- Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

Required specifications	Optional specifications	Accessories
Laminate finish	HP laminate	Collaboration table media unit*, Table leg
Edge finish	Power accessory cut-out	cable organizer, PET felt modesty panel, Wire
Paint finish		mesh storage tray, Table mounted bag hook,
Caster finish		Nik power modules, PET felt wire manager






Collaboration Table Media Unit\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
SCTAM36	11.25 x 36 x 43	150	46.28	10.08	\$907	n/a
SCTAM42	11.25 x 42 x 43	150	52.5	11.76	\$930	n/a
SCTAM48	11.25 x 48 x 43	150	58.83	13.44	\$1001	n/a

Can be affixed to all small radius tables of the same nominal width. User side is thermally fused laminate to accept TV mounts. Side facing away from users features a tackable PET panel affixed to the thermally fused laminate with a 0.5" inset.

- Worksurface available in thermally fused laminate only.
- PET felt available in all standard finishes.
- Brackets and reinforcement bar is painted metal.
- TV mount not included.
- Units 36" wide can accept TV's up to 40", not exceeding 50 lbs.
- Units 42" wide can accept TV's up to 43", not exceeding 50 lbs.
- Units 48" wide can accept TV's up to 55", not exceeding 50 lbs.



Collaboration Table Media Unit\* with TV Mount

SCTAMT36	11.25 x 36 x 43	150	47.58	10.08	\$1141	n/a
SCTAMT42	11.25 x 42 x 43	150	53.8	11.76	\$1164	n/a
SCTAMT48	11.25 x 48 x 43	150	60.13	13.44	\$1235	n/a

Can be affixed to all small radius tables of the same nominal width. User side is thermally fused laminate and includes a TV mount. Side facing away from users features a tackable PET panel affixed to the thermally fused laminate with a 0.5" inset.

- Worksurface available in thermally fused laminate only.
- PET felt backer available in all standard finishes.
- Brackets and reinforcement bar is painted metal.
- $\bullet$  Units 36" wide can accept TV's up to 40", not exceeding 50 lbs.
- Units 42" wide can accept TV's up to 43", not exceeding 50 lbs.
- Units 48" wide can accept TV's up to 55", not exceeding 50 lbs.



**Table Leg Cable Organizer** 

SCTAL23	2.21 x 2.965 x 23	70	0.6	0.09	\$41	n/a

Organizer snaps on to any leg to manage wires vertically. Black only.

**Required specifications** 


Laminate finish Felt finish\* Paint finish







PET Felt Modesty Panel\*



PET felt modesty panel with metal brackets for use on Core, Standard and Workshop tables.

- Specify matching nominal width to table.
- Modesty panels 36" to 54" include two brackets.
- Modesty panels 60" to 90" include three brackets.
- Modesty panels 96" include four brackets.
- PET felt available in standard finishes.

SCTAT4848	22 x 42 x 1.6	100	7.85	0.98	\$247	n/a
SCTAT4854	22 x 48 x 1.6	100	8.97	1.1	\$278	n/a
SCTAT4860	22 x 54 x 1.6	100	10.09	1.22	\$315	n/a
SCTAT4866	22 x 60 x 1.6	100	11.19	1.34	\$357	n/a
SCTAT4872	22 x 66 x 1.6	100	12.29	1.47	\$476	n/a
SCTAT4878	22 x 72 x 1.6	100	13.4	1.59	\$489	n/a
SCTAT4884	22 x 78 x 1.6	100	14.52	1.71	\$505	n/a
SCTAT4890	22 x 84 x 1.6	100	15.62	1.83	\$583	n/a
SCTAT4896	22 x 90 x 1.6	100	16.72	1.96	\$600	n/a



Steel storage tray is attached between dual stretchers on tables 48"d x 48"w and larger.

- Specify matching nominal width to table.
- Cannot be combined with SCTAM/SCTAMT media units on tables with casters larger than 78"w.

SCTAH	0.65 x 1.5 x 3.5	70	0.3	0.01	\$20	n/a



Table-mounted Bag Hook\*\*

Steel hook for use on Collaborative tables. Specify standard metal paint finish. Maximum capacity of 10 lbs.



Nik Edge/Clamp Mount Power Module

SCTAPEA	2.10 x 6 x 3.7	60	4	0.03	\$570	n/a
SCTAPEB	2.10 x 6 x 3.7	60	4	0.03	\$542	n/a
SCTAPEC	2.10 x 6 x 3.7	60	4	0.03	\$630	n/a
SCTAPED	2.10 x 6 x 3.7	60	4	0.03	\$746	n/a
SCTAPEE	2.10 x 6 x 3.7	60	4	0.03	\$556	n/a

Black with black receptacles, 10ft cord. Specify configuration, last letter of the code represents the following:

- A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- B = 2 AC
- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

#### **Required specifications**

PET felt finish\*

Paint finish\*\*





Nik In-Surface Power Module

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
SCTAPSC	2.10 x 6 x 3.7	60	4	0.03	\$639	n/a
SCTAPSD	2.10 x 6 x 3.7	60	4	0.03	\$797	n/a
SCTAPSE	2.10 x 6 x 3.7	60	4	0.03	\$561	n/a

Black with black receptacles, 10ft cord. Corresponding cut-out option is C1, C2 or C3 (where applicable). Specify configuration, last letter of the code represents the following:

- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

SCTAPBA	2.10 x 6 x 3.7	60	4	0.03	\$445	n/a
SCTAPBB	2.10 x 6 x 3.7	60	4	0.03	\$403	n/a
SCTAPBC	2.10 x 6 x 3.7	60	4	0.03	\$473	n/a
SCTAPBD	2.10 x 6 x 3.7	60	4	0.03	\$584	n/a
SCTAPBE	2.10 x 6 x 3.7	60	4	0.03	\$413	n/a

Black with black receptacles, 10ft cord. Specify configuration, last letter of the code represents the following:

- A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- B = 2 AC
- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

			0.06	\$343	II/d
4 x 10.6 x 2.3	60	2.7	0.06	\$843	n/a
	4 x 10.6 x 2.3	4 x 10.6 x 2.3 60	4 x 10.6 x 2.3 60 2.7	4 x 10.6 x 2.3 60 2.7 0.06	4 x 10.6 x 2.3 60 2.7 0.06 <b>\$843</b>



**Nik Below Surface Power Module** 





**Below Surface Power Bar** 

Available in black only.

- Single (SCTAPPBS) includes 8 outlets on a single side
- Double (SCTAPPBD) includes 4 outlets on each side of the bar. Built-in circuit breaker.

JUN TO	

**Collaborative Spaces Power Tray** 

SCTAPTC	10.51 x 23.26 x 4.53	85	7.73	0.64	\$950	n/a
SCTAPTD	10.51 x 23.26 x 4.53	85	7.73	0.64	\$1107	n/a
SCTAPTE	10.51 x 23.26 x 4.53	85	7.73	0.64	\$871	n/a

Black plastic power tray with removable grey accessory trays. Top tray is offset for cable storage underneath. Recessed tray sits 3.7" below surface to keep cables out of sight. 10ft. cord. Corresponding cut-out option is 02 (where applicable). Specify configuration, last letter of the code represents the following:

- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC



**Collaborative Spaces Organizer Tray** 


SCTAOTC	8.32 x 12.40 x 4.28	70	1.5	0.26	\$709	n/a
SCTAOTD	8.32 x 12.40 x 4.28	70	1.5	0.26	\$862	n/a
SCTAOTE	8.32 x 12.40 x 4.28	70	1.5	0.26	\$630	n/a

Black plastic power tray with removable grey accessory trays. 10ft. cord. Corresponding cut-out option is C1, C2 or C3 (where applicable). Specify configuration, last letter of the code represents the following:

- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC



**Collaborative Spaces Recessed Power Tray** 



Black plastic power tray. Recessed tray sits 3.7" below surface to keep cables out of sight. 10ft. cord. Corresponding cut-out option is O2 (where applicable). Specify configuration, last letter of the code represents the following:

1.1

0.66

\$97

\$4119

n/a

n/a

• C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port

26 x 11 x 4

• D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port

70

• E = 3 AC

SCTACT

SCCS1848

Collaborative Spaces PET Felt\* Wire Manager

PET Felt Wire Manager hangs from four brackets under the surface. Includes Black painted metal brackets. PET felt available in standard finishes.



**TEAM CARTS** 

**Coat Rack Cart** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
SCCR1848	18 x 48 x 72	300	56.82	36.04	\$2202	n/a
SCCR1860	18 x 60 x 72	300	62.77	45.05	\$2272	n/a

Cart includes side rails for compatible accessories and a single top rail for hanging coats, jackets, etc.

250

- Shelf available in thermally fused laminate.
- Painted aluminum frame available in standard paint finishes.
- 48"w cart shelf has a capacity of 140 lbs., evenly distributed.
- 60"w cart shelf has a capacity of 175 lbs., evenly distributed

18 x 48 x 72

• Casters are lockable, in a choice of two finishes - Black (BLK) or Grey (GRC).



Cart includes four fixed shelves with metal trim detail. Vertical rails accept PET privacy panels (sold separately) to create space
division within open areas.

123.88

36.04

- Horizontal top rail accepts compatible accessories.
- Shelf available in thermally fused laminate.
- Painted aluminum frame available in standard paint finishes.
- Each shelf has a capacity of 140 lbs., evenly distributed.
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).

Required specifica	tions	Accessories
PET felt finish*		PET privacy panel (shelf cart only)
Laminate finish	Edge finish	Accessory cup
Paint finish	Caster finish	Hook for team cart
		Laptop shelf (coat rack cart only)





**Media Cart** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
SCCMEP1848	18 x 48 x 72	150	171.42	36.04	\$4257	n/a
SCCMEP1860	18 x 60 x 72	150	214.23	45.05	\$4778	n/a
SCCMNE1848	18 x 48 x 72	150	170.92	36.04	\$4049	n/a
SCCMNE1860	18 x 60 x 72	150	213.73	45.05	\$4569	n/a

Cart includes includes a bottom shelf and thermally fused laminate TV board. Short side panels feature small cut-out for wire pass through and hook for wire management.

- Side rails accept compatible accessories.
- Shelf available in thermally fused laminate.
- Back panel is removable for access to cavity for cable management. Back panel is whiteboard laminate.
- SCCMEP models include a power bar (SCCAMP) mounted internally.
- SCCMNE models do not include any power.
- Units 48" wide can accept TV's up to 55", not exceeding 50lbs.
- Units 60" wide can accept TV's up to 60", not exceeding 50lbs.
- Painted aluminum frame available in standard paint finishes
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Note: TV mount included. TV and video conferencing units are not included.





Single-Sided Whiteboard Cart

Cart includes one fixed shelf with metal trim detail, accessible from behind whiteboard. Front of vertical whiteboard panel is whiteboard only.

- Side rails accept compatible accessories.
- Back of vertical whiteboard panel is Designer White laminate (DWT) with Designer White edging (DWE).
- Shelf available in thermally fused laminate.
- Painted aluminum frame available in standard paint finishes.
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).

SCCDW1848	18 x 48 x 72	150	153.96	36.04	\$4918	n/a
SCCDW1860	18 x 60 x 72	150	191.07	45.05	\$6088	n/a



**Double-Sided Whiteboard Cart** 

Cart includes one fixed shelf with metal trim detail, accessible from behind whiteboard. Front of vertical whiteboard panels is whiteboard only.

- Side rails accept compatible accessories.
- Back of vertical whiteboard panel is Designer White laminate (DWT) with Designer White edging (DWE).
- Shelf available in thermally fused laminate.
- Painted aluminum frame available in standard paint finishes.
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).

Req	uir	ed	s	p	ec	ific	ati	ons	
			·						

Laminate finish Edge finish Paint finish Caster finish

#### Accessories

Concealed power unit (SCCMNExxxx only) Media tray (SCCMEPxxxx/MNExxxx only) Accessory cup Hook for team cart Laptop shelf

# **COLLABORATIVE SPACES™**



**Combo Whiteboard Cart** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
SCCCW1848	18 x 48 x 72	250	115.66	36.04	\$3937	n/a	
SCCCW1860	18 x 60 x 72	250	150.33	45.05	\$4524	n/a	

Cart includes two fixed shelves with metal trim detail, accessible from behind whiteboard. Bottom shelf is accessible from both sides of cart; top shelf accessible from behind write board. Front of vertical whiteboard panel is whiteboard only.

- Side rails accept compatible accessories.
- Back of vertical whiteboard panel is Designer White laminate (DWT) with Designer White edging (DWE).
- Shelves available in thermally fused laminate.
- Painted aluminum frame available in standard paint finishes.
- 48"w cart shelf has a capacity of 140 lbs., evenly distributed.
- 60"w cart shelf has a capacity of 175 lbs., evenly distributed
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).

SCCRW1848	18 x 48 x 72	150	188	42.05	\$6071	n/a
SCCRW1860	18 x 60 x 72	150	245.61	52.56	\$6932	n/a



**Removable Whiteboard Cart** 

Cart includes two fixed shelves with spacers for removable whiteboards. Includes five lightweight removable whiteboard

- One whiteboard can be stored at the top and four at the bottom.
- Cart accepts five lightweight removable whiteboard panels maximum.
- Whiteboards feature whiteboard front; back in Designer White laminate (DWT) with Designer White edging (DWE).
- · Hanging bracket finish matches the cart frame finish.
- · Shelves available in thermally fused laminate.
- Side rails accept compatible accessories.
- Painted aluminum frame available in standard paint finishes.
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).

SCCEW1848	18 x 48 x 72	300	82.31	42.05	\$2973	n/a
SCCEW1860	18 x 60 x 72	250	105.7	52.56	\$3145	n/a



**Empty Removable Whiteboard Cart** 

Cart includes two fixed shelves with spacers for removable whiteboards.

- Cart accepts five lightweight removable whiteboard panels maximum.
- One whiteboard can be stored at the top and four at the bottom.
- To order Removable Whiteboard, specify SCCAWB3336 for the 48"wide cart and SCCAWB3348 for the 60"wide cart.
- Hanging bracket finish matches the cart frame finish.
- · Shelves available in thermally fused laminate.
- Side rails accept compatible accessories.

- Painted aluminum frame available in standard paint finishes.
- · Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).

Required specifications	Accessories
Laminate finish	Accessory cup
Edge finish	Hook for team cart
Paint finish	Whiteboard
Caster finish	Laptop shelf



TEAM CARTS

LLAAR	.:4~	lia.	Cart
HOSE	IILA	IILY	Cart*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
SCHC2233	22 x 43 x 41	150	81.31	15.39	\$3214	n/a	
SCHC2239	22 x 49 x 41	150	95	17.96	\$3346	n/a	

Cart includes three fixed shelves with metal trim.

- Surfaces available in thermally fused laminate.
- Legs and handles are painted aluminum available in standard paint finishes.
- 33"w cart shelf has a capacity of 120 lbs., evenly distributed.

CART ACCESSORIES	MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	SCCAPP3248 SCCAPP3260	0.5 x 48 x 32 0.5 x 60 x 32	85 85	4.16 5.16	0.32 0.4	\$271 \$401	n/a n/a
Mounted PET Felt Privacy Panels**	<ul><li>Snaps onto (SCC</li><li>Cover caps pain</li></ul>	vable PET Felt panels, spec CEWxxxx) vertical rails at valted metal finish should be e in standard finishes.	, arious shelf he	ights to crea	te space divisio		60"w cart.
	SCCAMP	3 x 3 x 1.5	70	0.5	0.01	\$305	n/a
		2.1.2.1.1.0					
acled Power Unit	Provided incide SC			SCCNIME vvv	v in field locked	os two AC outlot	s 10ft oard
ealed Power Unit		CCMEPxxxx media units, ca n Mobile Media Carts only	an be added to S	SCCNMExxx:	x in field. Includ	es two AC outlet	s. 10ft cord.
ealed Power Unit	<ul> <li>Compatible with</li> </ul>	CCMEPxxxx media units, ca n Mobile Media Carts only	an be added to S	SCCNMExxx:	x in field. Includ 0.65	es two AC outlet	s. 10ft cord.
ealed Power Unit	Compatible with     Black (BLK) finis	CCMEPxxxx media units, ca n Mobile Media Carts only h only.	an be added to 3				

Attaches to the front of the SCCMEPxxxx/SCCNMExxxx to provide a wire catch, wireless receiver area and easily accessible

power at the front of the media carts

- Compatible with Mobile Media Carts only.
- Tray is painted metal with a PET Felt insert. PET felt available in standard finishes.
- SCCAMT is empty and has no power capabilities.
- Specify configuration, last letter of the code represents the following
- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

#### **Required specifications**

Laminate finish / Edge finish\* Paint finish\* Caster finish\* PET Felt finish\*\*

EAM CART ACCESSORIES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	SCCAC	3 x 3 x 1.5	70	0.15	0.02	\$14	n/a
cessory Cup	Hangs onto any tea	am cart horizontal top o	or side rail. Black (	BLK) finish o	inly.		
	SCCAH	3 x 3 x 1.5	70	0.1	0.01	\$10	n/a
ok for Team Cart	Hangs onto any tea	am cart horizontal top o	or side rail. Black (	BLK) finish o	nly. Maximum	capacity of 10lbs	
0	SCCAWB3336 SCCAWB3348	0.50 x 36 x 33 0.50 x 48 x 33	60 400	17.62 23.32	0.34 46	\$608 \$752	n/a n/a
					40//	1 000 011 1000 10	
iteboard <sup>1</sup>	Back of whitebox     Cover caps paint     Horizontal and vi  SCCAWBR36	able whiteboard panel: ard is Designer White ( ed metal finish should ertical mounting on wa 1 x 36 x 2	(DWT) with Design be specified to mail rail(s).	ner White ed	dging (DWE).	\$62	n/a
iteboard <sup>1</sup>	<ul> <li>Back of whitebox</li> <li>Cover caps paint</li> <li>Horizontal and volume</li> <li>SCCAWBR36</li> <li>SCCAWBR48</li> </ul>	ard is Designer White ( ed metal finish should ertical mounting on wa	(DWT) with Design be specified to mail all rail(s).	ner White ed atch the cart 1.27 1.71	0.04 0.05		n/a n/a
	<ul> <li>Back of whitebox</li> <li>Cover caps paint</li> <li>Horizontal and vi</li> </ul> SCCAWBR36 SCCAWBR48 SCCAWBR72 SCCAWBR96	ard is Designer White ( ed metal finish should  ertical mounting on wa  1 x 36 x 2  1 x 48 x 2	(DWT) with Design be specified to make all rail(s).  70 70 60 60	1.27 1.71 2.54 3.42	0.04 0.05 0.08 0.11	\$62 \$77	n/a
niteboard Wall Rail	<ul> <li>Back of whitebox</li> <li>Cover caps paint</li> <li>Horizontal and vi</li> </ul> SCCAWBR36 SCCAWBR48 SCCAWBR72 SCCAWBR96	ard is Designer White ( led metal finish should ertical mounting on ward)  1 x 36 x 2 1 x 48 x 2 1 x 72 x 2 1 x 96 x 2	(DWT) with Design be specified to make all rail(s).  70 70 60 60	1.27 1.71 2.54 3.42	0.04 0.05 0.08 0.11	\$62 \$77 \$121	n/a n/a n/a

Required specifications
Laminate finish\*
Edge finish\*
Paint finish\*1



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
SCOR1818	18 x 18 x 21	150	18.52	3.94	\$667	n/a
SCOR2424	24 x 24 x 21	250	26.53	7.01	\$785	n/a
	SCOR1818	<b>D x W x H</b> SCOR1818 18 x 18 x 21	<b>D x W x H</b> SCOR1818 18 x 18 x 21 150	<b>D x W x H</b> SCOR1818 18 x 18 x 21 150 18.52	D x W x H           SCOR1818         18 x 18 x 21         150         18.52         3.94	D x W x H SCOR1818 18 x 18 x 21 150 18.52 3.94 <b>\$667</b>



**Occasional Side Table, Round Top** 

Includes leg assembly, cross beams and one worksurface.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

SCOC1818	18 x 18 x 21	150	21.12	3.94	\$667	n/a
SC0C2424	24 x 24 x 21	150	31.2	7.01	\$785	n/a



Occasional Side Table, Square Top

Includes leg assembly, cross beams and one worksurface with a small 1.5" radius at each corner.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.



Occasional Side Table, Square Top, Larger Radius

SCOCL1818	18 x 18 x 21	150	21.12	3.94	\$667	n/a
SCOCL2424	24 x 24 x 21	150	31.2	7.01	\$785	n/a

Includes leg assembly, cross beams and one worksurface with a larger 9" radius at each corner.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.



**Occasional Coffee Table, Round Top** 

SCOCR2424	24 x 24 x 17	150	25.55	5.67	\$760	n/a
SCOCR3030	30 x 30 x 17	150	35.76	8.86	\$901	n/a
SCOCR3636	36 x 36 x 17	250	48.13	12.76	\$1071	n/a

Includes leg assembly, cross beams and one worksurface.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

Occasional Coffee Table, Square Top

SC0CS2424	24 x 24 x 17	150	30.22	5.67	\$760	n/a
SCOCS3030	30 x 30 x 17	150	43.1	8.86	\$901	n/a

Includes leg assembly, cross beams and one worksurface with a small 1.5" radius at each corner.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

#### Required specifications

Laminate finish Edge finish Paint finish



Occasional Coffee Table, Square Top, Larger Radius

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
SCOCSL2424	18 x 18 x 21	150	29.11	5.67	\$760	n/a	
SCOCSL3030	24 x 24 x 21	150	41.99	8.86	\$901	n/a	

Includes leg assembly, cross beams and one worksurface with a larger 9" radius at each corner.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.



Occasional Coffee Table, Racetrack Top

SCOCC2442	24 x 42 x 17	150	42.78	9.93	\$955	n/a
SCOCC3048	30 x 48 x 17	150	57.13	14.18	\$1137	n/a

Includes leg assembly, cross beams and one racetrack worksurface.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

Required specifications Laminate finish

Laminate fini Edge finish Paint finish



LAPTOP TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	SCLCC1633	16 x 33 x 26	250	25.6	6.51	\$1181	n/a



Laptop Table, Racetrack Top, Wheel and Foot Base

Includes leg assembly and two wheels with rubber trim, one leg assembly with a foot, and one racetrack surface.

- Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.
- Each bag hook accepts up to 10 lbs. and is painted to match the legs.
- Legs, beams and hook are painted aluminum available in standard paint finishes.
- Wheel insert is painted to match the legs and beams.
- Surface available in thermally fused laminate.

SCLCB1633	16 x 33 x 26	250	23.85	6.51	\$713	n/a



Laptop Table, Racetrack Top, Foot Base

Includes two leg assemblies with a foot and one racetrack surface.

- Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.
- Each bag hook accepts up to 10 lbs. and is painted to match the legs.
- Legs, beams and hook are painted aluminum available in standard paint finishes.
- · Surface available in thermally fused laminate.

SCLTC1633	16 x 33 x 26	150	27.64	6.51	\$1181	n/a



Laptop Table, Rectangular Top, Wheel and Foot Base

Includes leg assembly and two wheels with rubber trim, one leg assembly with a foot, and one rectangular surface with a small 1.5" radius at each corner.

- Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.
- Each bag hook accepts up to 10 lbs. and is painted to match the legs.
- Legs, beams and hooks are painted aluminum available in standard paint finishes.
- Wheel insert is painted to match the legs and beams.
- Surface available in thermally fused laminate.

SCLTB1633	16 x 33 x 26	250	25.88	6.51	\$713	n/a



Laptop Table, Rectangular Top, Foot Base

Includes two leg assemblies with a foot and one rectangular surface with a small 1.5" radius at each corner.

- Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.
- Each bag hook accepts up to 10 lbs. and is painted to match the legs.
- Legs, beams and hook are painted aluminum available in standard paint finishes.
- Surface available in thermally fused laminate.

Required specifications	Optional specifications	Accessories
Laminate finish	HP laminate	Table leg cable organizer,
Edge finish	Power accessory cut-out	PET felt modesty panel,
Paint finish	,	Table mounted bag hook,
		Nik nower modules PET felt wire manager



ConnecTABLES® provides solutions for a variety of day-to-day work environments. Designed as easy-to-use linking or freestanding tables, ConnecTABLES is limited only by your imagination.

#### **Open Conference**

Many ConnecTABLES® tops can be assembled to be freestanding. When combined with locking casters and the flip top "T" leg, the result is easy storage and complete portability.

#### **Meeting Rooms**

ConnecTABLES® modular units will provide quick and affordable answers for all sizes and shapes of rooms and applications.

#### **Educational and Training Rooms**

ConnecTABLES® table tops configure easily into temporary or permanent educational applications.



T Leg with leveling glides



Modesty Panel



Optional ganging connector

#### **Features and Benefits**

- · Optional, easy-to-use thumbscrews allow installation without tools.
- Optional zinc-plated steel ganging hardware connects free standing tops without moving "T" Leg position.
- Optional modesty panel wire management unit available.
- · Casters will not affect table height when used in conjunction with or in place of glides.
- · Optional Black grommets for convenient wire management can be ordered "factory installed".
- Tops are 1" thick and constructed of 45 lb. density particleboard.
- Optional casters available with or without manual locks provide mobility.
- ConnecTABLES® tops are available in all Global laminate finishes with three leg and two edge color options.

#### **GENERAL INFORMATION**

- ConnecTABLES® is an affordable and highly flexible system of modular tables. Designed as easy-to-use linking or freestanding tables,
   ConnecTABLES adapts to most every requirement: seminar or training room, meeting room, personal workstations, educational, conferencing and team cluster workgroups.
- ConnecTABLES have nine basic top shapes available in various sizes.
- ConnecTABLES edges **do not match** any other Global product in either color or style.
- For environmental certifications, please visit globalfurnituregroup.com.

#### WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board covered on both sides with high performance thermally fused laminate. Optional high pressure laminate tops are 1-1/16" thick.
- Laminate finishes are available in High Pressure. Contact Customer Care for a quote.
- If other than a Global standard laminate finish is preferred, contact Customer Care.
   Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.
- ConnecTABLES® edges do not match any other Global product in either color or style.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### CONSTRUCTION

- Some components can stand alone when the "T" base is set in the freestanding position.
   When the "T" base is in the linking position, all the components can be used in grouping configurations (clusters).
- Optional wire grommets not available on 45° wedge and the 60° triangle.
- Rectangular tops 54" in length and longer are supplied with a 16" gauge steel support channel. Top is pre-drilled for placement.
- Shipped RTA (ready to assemble). Quick and easy to assemble.
- · Special width tops are available. Use next size up.
- Adjustable levelers offer up to 1" adjustability.
- · Elliptical column cover, glides, casters, thumbscrews and endcaps available in Black only.
- · Must specify top, edge, and "T" base color with each order.

#### **LEGS**

- "T" leg is coated with environmentally friendly, recyclable paint electrostatically applied epoxy powder coating for a very durable finish in three colors as specified below. Only the bottom horizontal portion of the painted leg is visible.
- Black plastic leveling glides offer 1" adjustability.
- Two black plastic elliptical column caps cover each leg column.
- Casters will not affect table height when used in conjunction with or in place of glides.
- · Casters can facilitate mobility in installations which need to be moved frequently.

#### **LAMINATE FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FΛC	Fachionista	\M/CB	Winter Cherry

#### **EDGE COLORS**

Black (BK) Grey (GR)


#### **LEG COLORS**


Black (TBL) Shadow (TSH)

Tungsten (TTU) Chrome (CHM) - optional on foot only, upcharge applies

#### **GROMMETS**

- Optional Grommets available in standard worksurface locations (left, center or right) for Rectangular Tables. Order as: AG1, AG2 or AG3. Add \$96
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.





- Grommets may be placed at non-standard locations. Order as: AGS Add \$96. A drawing
  must be supplied with vertical and horizontal dimensions to the center of the cut-out (as
  in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back
  reference section.
- . If adding Cove mini power block to AG cut-out, cannot use with modesties.

#### **POWER BLOCK**

- An individually corded power block (model PMSPDM) may be ordered on all worksurfaces.
   Units cannot be daisy chained and cannot be used with modesties.
- Power block is configured with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power block dimensions are 3.5" deep x 6.5" wide x 2.75" high.
- To purchase a power block, you must specify both the power block cut-out location and the
  power block model #. Order power block as PMSPDM. Add \$330.
   Power Blocks are available in standard worksurface locations (left, center or right). Order
  as E1, E2 or E3. Add \$96.







E1 E2 E3 TOP VIEW

Specify location E1, E2 or E3, Add \$96.

#### **EXAMPLES OF GROMMET AND POWER BLOCK POSITIONS**










#### MODPOWER DAISY CHAIN SOLUTION

- Add flexible power and USB charging to ConnecTables rectangular tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 465.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
  - MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for 30" to 72" wide rectangular tables. Add \$96
  - MPD for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for 60", 66" and 72" wide rectangular tables. Add \$192.



# C

# **CONNECTABLES® - NOTES**


#### VILLA CUTOUTS

- Optional Villa cutout available in standard worksurface locations (left, center or right) for Rectangular Tables. Order as: V1, V2 or V3 Add \$96 for each cutout.
- Villa cutouts may be placed at non-standard locations. Please contact customer care.



#### **TOP & EDGE OPTIONS**


ConnecTABLES® have nine basic top shapes available in various sizes. All top shapes have a variety of straight or curved edges which are referred to as Working (W),
 Connecting (C) or End (E) edges. Edges can also have a combination of edge types as shown.
 \*cannot freestand



**Working Edge (1)** - Edges designated with the letter "**W**" indicate that this is a **working** or sitting edge. These edges can be connected with optional ganging hardware in free-standing applications.

**Connecting Edge (2)** - Edges designated with the letter "C" indicate that this is a **connecting** edge. These edges can be connected to any other connecting edge of equal width, regardless of the top shape or size.

**End Edge (3)** - Edges designated with the letter "**E**" indicate that this is an **end** edge or an edge that can finish a run of tops. If a top has two end edges it can be freestanding. 90° crescent tops can be freestanding if the optional center leg is added.



#### FREESTANDING AND CONNECTING CONDITIONS

**Freestanding tables** are defined as any one worksurface supported by two or more legs; **connecting tables** are defined as more than one work surface supported by a single leg at each point of connection. The rule for determining the quantity of legs of an open configuration is the number of worksurfaces plus one **(See Figure 1)**.

On closed configurations, the number of legs is equal to the number of worksurfaces (**See Figure 2**). There are some exceptions, such as when optional third legs are used on quarter round or 90° crescent shapes.




Figure 1. Open Configuration
Number of Surfaces = 5
Number of Leas = 6




Figure 2. Closed Configuration
Number of Surfaces = 6
Number of Leas = 6

# C

#### FREESTANDING CONDITIONS

- All square, rectangle and trapezoid shapes are able to act as freestanding tables (Figure 3).
- When Trapezoid tops are freestanding, legs must be on the outer left and right sides (Figure 4).
- 90° crescent work surfaces have provision for an optional third center leg for additional stability when heavy loads are applied to the outside edge.
   They can also be used as freestanding tables when a third leg is added (Figure 5).
- All freestanding tables can be connected with optional ganging hardware.
- Freestanding tables can be ganged with connected tables in some cases, providing that the number and size of connected tables is easily movable (Figure 6).







Figure 3 - Freestanding Tables








Figure 4 - Trapezoid Tops

#### • DO NOT DRAG TABLES WHEN RE-CONFIGURING.














Figure 5 - Adding a Third Leg


Figure 6 - Ganging with Connected Tables

#### CONNECTING CONDITIONS

- Any two worksurfaces of equal depth (24"D, 30"D or 36"D) can be connected with one leg, at the connecting or end edges (Figure 8).
- Half round work surfaces can be used in the following ways: They must be of equal width when connected to each other (Figure 7) or the connecting shapes must be equal to half the width of the connecting half round (Figure 8).
- ConnecTABLES® is designed with the leg to be fastened parallel to connecting edges, but in some cases you may wish to fasten legs at 90° to connecting edges. This could allow for increased leg or knee clearance, depending on the intended use (Figure 9).
- Quarter round and 90° crescent work surfaces have provision for an optional third leg for additional stability when heavy loads are applied to the outside edge. For quarter round work surfaces, it is recommended that configuration "A" be used since the outside end of the center leg in configuration "B" is almost flush with the outside edge of the worksurface. If configuration "B" is installed against a wall or where there will be no traffic flow, then configuration "B" can be used.












Figure 9 - 90°Leg Connections

# C


# **CONNECTABLES® - PUTTING IT ALL TOGETHER**

Legs are fastened to worksurfaces utilizing a steel-to-steel connection. Each leg comes equipped with four ¼" x 7/8" machine screws. Screws are inserted through the four oval shaped holes only. Do not use wood screws! When fastening legs to work surfaces, hand thread screws into position to prevent any cross threading. When all screws have been hand threaded, tighten firmly with screwdriver to secure. Optional thumbscrews can be used in place of machine screws. Thumbscrews eliminate the need for a screwdriver, whether assembling or disassembling tables. **Do not use power tools for assembly of legs**.

# 

#### **FREESTANDING TABLES**


- Turn work surface upside-down on clean floor. (You may want to use carton from packaging as a protective assembly surface to protect the top from scratching.)
- 2. Position leg mounting plate holes over threaded steel inserts in top.
- 3. Fasten each leg to top with four 1/4" x 7/8" screws.
- 4. Turn table right-side up.
- 5. Level table by adjusting glides.



#### **CONNECTING TABLES**

- Determine approximate location of desired configuration in room and turn work surfaces upside-down on floor. (Remember you are working in reverse.)
- 2. Position leg mounting plate so it is centered over the connecting edge of the first work surface. Fasten leg with two ¼" x 7/8" screws.
- 3. Repeat step 2 and 3 on the opposite edge of the first work surface.
- 4. Turn table right-side up.
- 5. Turn table right-side up and fasten to the previous top from the underside.
- 6. To add additional work surfaces repeat step 6.
- 7. When all the tops have been connected, level complete configuration by adjusting glides.

Note: Use the same procedures as above when using optional thumb screws.



#### **OPTIONAL CASTERS**


- 1. Turn work surface upside-down on floor.
- 2. Remove existing glide if previously installed.
- 3. Fasten caster to T-leg by threading caster stem into base of T-leg and secure by tightening lock nut.
- 4. If casters are used in combination with gliders, level table by adjusting glides.

Note: Casters are available in locking or non-locking styles.


# lock nut

#### **OPTIONAL GANGING HARDWARE**

- 1. Optional ganging hardware should be used when quick and frequent reconfigurations are required.
- 2. Turn work surfaces to be ganged upside-down on floor.
- 3. Remove ganging hardware from package. Holes with steel inserts are located in the corner of tops.
- 4. Fasten ganging hardware to each work surface with supplied thumb screws.
- 5. Projected arm from ganging hardware can pivot out of the way when not in use.



# **CONNECTABLES®**



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						_
CNS2424	24 x 24 x 1	70	18	1	\$431	\$216	
CNS3030	30 x 30 x 1	70	27	1.56	\$525	\$264	
CNS3636	36 x 36 x 1	70	39	2	\$563	\$283	

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

ECTANGULAR TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
	CNR2030	20 x 30 x 1	70	22	1.25	\$312	\$158
	CNR2036	36 x 20 x 1	60	22.5	0.46	\$346	\$174
	CNR2042	20 x 42 x 1	70	31	1.75	\$372	\$187
	CNR2048	20 x 48 x 1	70	35	2	\$414	\$209
	CNRU2054	20 x 54 x 1	60	33.75	0.69	\$513	\$259
	CNRU2060	20 x 60 x 1	65	37.5	1.4	\$552	\$278
	CNRU2066	20 x 66 x 1	60	41.25	0.84	\$597	\$302
	CNRU2072	20 x 72 x 1	60	45	1	\$637	\$319
	CNR2430	24 x 30 x 1	70	22	1.25	\$312	\$158
	CNR2436	24 x 36 x 1	70	26	1.25	\$346	\$174
	CNR2442	24 x 42 x 1	70	31	1.75	\$372	\$174
	CNR2448		70	35	2	\$372 \$414	
	CNRU2454	24 x 48 x 1			2.34	\$513	\$209 \$259
		24 x 54 x 1	70	42 47		\$513 \$552	
	CNRU2460 CNRU2466	24 x 60 x 1 24 x 66 x 1	70		2.5	\$597	\$278 \$302
	CNRU2472		70	52	2.8	\$637	
	UNRUZ47Z	24 x 72 x 1	70	57	3	\$037	\$319
	CNR3036	30 x 36 x 1	70	33	1.88	\$414	\$209
	CNR3042	30 x 42 x 1	70	38	2.19	\$451	\$226
	CNR3048	30 x 48 x 1	70	44	2.5	\$477	\$241
30" 36" 42" 54" 60" 66" 72"	CNRU3054	30 x 54 x 1	70	52	2.8	\$590	\$296
	CNRU3060	30 x 60 x 1	70	59	3.13	\$634	\$318
20° 24" 200	CNRU3066	30 x 66 x 1	70	64	3.44	\$677	\$341
20- 24" 30" 36"	CNRU3072	30 x 72 x 1	70	70	3.75	\$721	\$362
	CNR3642	36 x 42 x 1	60	52.5	1.6	\$597	\$302
$\widehat{}$	CNR3648	36 x 48 x 1	60	60	1.8	\$653	\$328
	CNRU3654	36 x 54 x 1	60	70	2	\$789	\$396
	CNRU3660	36 x 60 x 1	60	78	2.2	\$875	\$441
	CNRU3666	36 x 66 x 1	60	87	2.4	\$958	\$482
	CNRU3672	36 x 72 x 1	60	94	2.6	\$1043	\$524

Rectangle Top


T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations. Tops 54" and longer are standard with a 16 gauge steel support channel.

D TOPS MO	DDEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
CN	IT2048	17.5 x 48 x 1	60	26.25	0.55	\$435	\$219
0° 72° — P	IT2060	17.5 x 60 x 1	65	44	1.85	\$522	\$263
CN CN	IT2448	20.5 x 48 x 1	92.5	21	2	\$435	\$219
24° → CN	IT2460	20.5 x 60 x 1	65	44	1.85	\$522	\$263
CN	IT3060	25.75 x 60 x 1	92.5	35	3.13	\$571	\$287
	IT3072	25.75 x 72 x 1	60	66	2.2	\$637	\$319
CN	IT3660	31 x 60 x 1	60	66	2.2	\$814	\$409
	IT3672	31 x 72 x 1	65	79.2	3.5	\$971	\$488

Edge Finish

 Required Specifications
 Optional Specifications
 Accessories

 Top Finish
 Grommet
 Power Block



90°	Crescent	Top
-----	----------	-----

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
CNC2430	30 x 30 x 1	85	20	1.56	\$455	\$228	
CNC3036	36 x 36 x 1	85	30	2.25	\$645	\$323	
CNC3642	42 x 42 x 1	70	50	3.15	\$885	\$444	

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

- CNC2430 for use with 24" deep tops
- CNC3036 for use with 30" deep tops
- CNC3642 for use with 36" deep tops
- CNC2430 does not require a center leg

QUARTER ROUND TOPS	
7 24" 36" 36"	
	4-24" 30"→ 36"

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
00000404	04 04 1	0.5	1.4	1	0007	64.45
CNQ2424	24 x 24 x 1	85	14	1 50	\$287	\$145
CNQ3030	30 x 30 x 1	85	Z1	1.56	\$347	\$175
CNQ3636	36 x 36 x 1	60	45	1.3	\$492	\$247

**Quarter Round Top** 

45° WEDGE TOPS


T-mold edging. Predrilled with threaded steel inserts for **linking installations ONLY**.



MUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LD.	CUBIC FI.	LIST FRICE	IIF AUU
CNW2424	24 x 24 x 1	92.5	10	1	\$307	\$156
CNW3030	30 x 30 x 1	100	14	1.56	\$373	\$187

45° Wedge Top


T-mold edging. Predrilled with threaded steel inserts for **linking installations ONLY**.



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
CNY2424	24 x 24 x 1	85	13	1	\$287	\$145	
CNY3030	30 x 30 x 1	92.5	18	1.56	\$347	\$175	

**Three Way Connector Top** 

T-mold edging. Predrilled with threaded steel inserts for **linking installations ONLY**.



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
CNHFS2448	24 x 48 x 1	70	36	2	\$438	\$220
CNHFS3060	30 x 60 x 1	70	56	3.13	\$567	\$286
CNHFS3672	36 x 72 x 1	65	81	3.3	\$971	\$488

**Half Round Top** 

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

Requires three legs for freestanding

EXTENDED HALF ROUND TOPS					
	45° 66° 72° — T				

MUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LB.	CUBIC FI.	LIST PRICE	1P AUU	
CNHE24	28 x 48 x 1	65	50	1.88	\$536	\$269	
CNHE30	36 x 60 x 1	65	75	2.87	\$745	\$375	
CNHE36	42 x 72 x 1	65	102	3.88	\$1185	\$594	

**Extended Half Round Top** 

T-mold edging. Predrilled with threaded steel inserts for linking installations ONLY.

Required Specifications	
Top Finish	
Edge Finish	

Optional Specifications	Accessories		
Grommet	Power Block		

# **CONNECTABLES®**



**Modesty Panel** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
CNCA2430	2.75 x 35 x 11.7	5 150	2.8	0.5	\$255	
CNCA3036	2.75 x 43 x 11.7	5 150	3.3	0.6	\$297	
CNCA3642	2.75 x 53 x 11.7	5 150	3.9	0.7	\$389	

For use with CNC crescent tops. 11 %" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

CNQA2424	2.75 x 27 x 11.75	150	2.2	0.4	\$218
CNQA3030	2.75 x 35 x 11.75	150	2.8	0.5	\$255
CNQA3636	2.75 x 44 x 11.75	150	3.3	0.6	\$297

For use with CNQ quarter round tops. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

CNRA2030	2.75 x 29 x 11.75	150	2.8	0.5	\$218
CNRA2036	2.75 x 35 x 11.75	150	3.3	0.6	\$255
CNRA2042	2.75 x 41 x 11.75	150	3.9	0.7	\$297
CNRA2048	2.75 x 47 x 11.75	150	4.4	0.8	\$337
CNRA2054	2.75 x 53 x 11.75	150	5	0.9	\$389
CNRA2060	2.75 x 59 x 11.75	150	5.5	1	\$422
CNRA2066	2.75 x 65 x 11.75	150	6.1	1.1	\$463
CNRA2072	2.75 x 71 x 11.75	150	6.6	1.2	\$505
CNRA2430	2.75 x 29 x 11.75	150	2.8	0.5	\$218
CNRA2436	2.75 x 35 x 11.75	150	3.3	0.6	\$255
CNRA2442	2.75 x 41 x 11.75	150	3.9	0.7	\$297
CNRA2448	2.75 x 47 x 11.75	150	4.4	0.8	\$337
CNRA2454	2.75 x 53 x 11.75	150	5	0.9	\$389
CNRA2460	2.75 x 59 x 11.75	150	5.5	1	\$422
CNRA2466	2.75 x 65 x 11.75	150	6.1	1.1	\$463
CNRA2472	2.75 x 71 x 11.75	150	6.6	1.2	\$505
CNRA3036	2.75 x 35 x 11.75	150	3.3	0.6	\$255
CNRA3042	2.75 x 41 x 11.75	150	3.9	0.7	\$297
CNRA3048	2.75 x 47 x 11.75	150	4.4	0.8	\$337
CNRA3054	2.75 x 53 x 11.75	150	5	0.9	\$389
CNRA3060	2.75 x 59 x 11.75	150	5.5	1	\$422
CNRA3066	2.75 x 65 x 11.75	150	6.1	1.1	\$463
CNRA3072	2.75 x 71 x 11.75	150	6.6	1.2	\$505
CNRA3642	2.75 x 41 x 11.75	150	3.9	0.7	\$297
CNRA3648	2.75 x 47 x 11.75	150	4.4	0.8	\$337
CNRA3654	2.75 x 53 x 11.75	150	5	0.9	\$389
CNRA3660	2.75 x 59 x 11.75	150	5.5	1	\$422
CNRA3666	2.75 x 65 x 11.75	150	6.1	1.1	\$463
CNRA3672	2.75 x 71 x 11.75	150	6.6	1.2	\$505

For use with CNR/CNRU rectangular tops. 11 %" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

Required	Specifications
Ton Einigh	

**Optional Specifications** Grommet

Accessories

Power Block

**Modesty Panel** 



**Modesty Panel** 

					C	CONNECT	TABL
DESTY PANELS	MODEL#		EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	CNSA2424	<b>D x W x H</b> 2.75 x 23 x 11.75	150	2.2	0.4	\$174	
	CNSA3030	2.75 x 29 x 11.75	150	2.8	0.5	\$218	
	CNSA3636	2.75 x 35 x 11.75	150	3.3	0.6	\$255	
esty Panel		side of CNS square tops and flexible privacy strips.				ed design. Includes t	wo fold-a
		d when worksurface tops a					
	CNTA2048L	20 x 43	150	4.4	0.8	\$297	
	CNTA2060L	2.750 x 55	150	5.5	1.2	\$389	
	CNTA2448L	2.75 x 43 x 11.75	150	4.4	0.8	\$297	
	CNTA2460L	2.75 x 55 x 11.75	150	5.5	1.2	\$389	
<u> </u>	CNTA3060L	2.75 x 55 x 11.75	150	5.5	1.2	\$389	
	CNTA3072L	2.75 x 67 x 11.75	150	6.6	1.4	\$463	
	CNTA3660L	2.75 x 55 x 11.75	150	5.5	1.2	\$389	
	CNTA3672L	2.75 x 67 x 11.75	150	6.6	1.4	\$463	
		and flexible privacy strips.  If when worksurface tops a			s in table top.		
	CNTA2048S	20 x 24	150	2.2	0.4	\$174	
	CNTA2060S	20 x 36	150	2.8	0.5	\$255	
	CNTA2448S	2.75 x 23 x 11.75	150	2.2	0.4	\$174	
	CNTA2460S	2.75 x 35 x 11.75	150	2.2	0.4	\$255	
	CNTA3060S	2.75 x 29 x 11.75	150	2.8	0.5	\$218	
	CNTA3072S	2.75 x 41 x 11.75	150	2.8	0.5	\$297	
	CNTA3660S	2.75 x 23 x 11.75	150	3.3	0.6	\$174	
	CNTA3672S	2.75 x 35 x 11.75	150	3.3	0.6	\$255	
esty Panel	installation clips a	t side of CNT trapezoid to and flexible privacy strips. If when worksurface tops a	Connects to p	oredrilled hole:		ribbed design. Includ	es two fol
	CNWA2424	2.75 x 17 x 11.75	150	2.2	0.4	\$135	
esty Panel	CNWA3030  For use with CNV	2.75 x 22 x 11.75  V wedge tops. 11 ¾" higl	150 n. Black plasti	2.8	0.5	\$174	v installat
ory i unoi	and flexible privac	sy strips. Connects to pred d when worksurface tops a	rilled holes in	table top.	ibbeu ucaigii. II	iorados tivo fota-divid	y motanat
	CNYA2424 CNYA3030	2.75 x 22 x 11.75 2.75 x 27 x 11.75	150 150	2.2 2.8	0.4 0.5	\$164 \$199	
esty Panel		triangle tops. 11 ¾" hig			ibbed design. Ir	ncludes two fold-awa	y installat
Modesty Panel	and flexible privac	triangle tops. 11 ¾" hig sy strips. Connects to pred d when worksurface tops a	rilled holes in	table top.	ibbed design. Ir	ncludes two fold-a	wa

Required SpecificationsOptional SpecificationsAccessoriesTop FinishGrommetPower BlockEdge Finish

# C CONNECTABLES®




**Wire Management Unit** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
CNCB2430	2.75 x 35 x 6	70	1.5	0.5	\$193	
CNCB3036	2.75 x 43 x 6	70	1.8	0.6	\$215	
CNCB3642	2.75 x 53 x 6	250	2.1	0.7	\$279	

For use with **CNC crescent tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Cannot be used when worksurface tops are attached to flip top legs.




Wire Management Unit

CNQB2424	2.75 x 27 x 6	70	1.2	0.4	\$162
CNQB3030	2.75 x 35 x 6	70	1.5	0.5	\$193
CNQB3636	2.75 x 44 x 6	70	1.8	0.6	\$248

For use with **CNQ quarter round tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Cannot be used when worksurface tops are attached to flip top legs.

CNRB2030	2.75 x 29 x 6	70	1.5	0.5	\$162
CNRB2036	2.75 x 35 x 6	70	1.8	0.6	\$193
CNRB2042	2.75 x 41 x 6	250	2.1	0.7	\$215
CNRB2048	2.75 x 47 x 6	250	2.4	8.0	\$297
CNRB2054	2.75 x 53 x 6	250	2.7	0.9	\$312
CNRB2060	2.75 x 59 x 6	250	3	1	\$312
CNRB2066	2.75 x 65 x 6	250	3.3	1.1	\$312
CNRB2072	2.75 x 71 x 6	250	3.6	1.2	\$422
CNRB2430	2.75 x 29 x 6	70	1.5	0.5	\$162
CNRB2436	2.75 x 35 x 6	70	1.8	0.6	\$193
CNRB2442	2.75 x 41 x 6	250	2.1	0.7	\$215
CNRB2448	2.75 x 47 x 6	250	2.4	0.8	\$297
CNRB2454	2.75 x 53 x 6	250	2.7	0.9	\$312
CNRB2460	2.75 x 59 x 6	250	3	1	\$312
CNRB2466	2.75 x 65 x 6	250	3.3	1.1	\$312
CNRB2472	2.75 x 71 x 6	250	3.6	1.2	\$422
CNRB3036	2.75 x 35 x 6	70	1.8	0.6	\$193
CNRB3042	2.75 x 41 x 6	250	2.1	0.7	\$215
CNRB3048	2.75 x 47 x 6	250	2.4	0.8	\$248
CNRB3054	2.75 x 53 x 6	250	2.7	0.9	\$279
CNRB3060	2.75 x 59 x 6	250	3	1	\$312
CNRB3066	2.75 x 65 x 6	250	3.3	1.1	\$368
CNRB3072	2.75 x 71 x 6	250	3.6	1.2	\$422
CNRB3642	2.75 x 41 x 6	250	2.1	0.7	\$215
CNRB3648	2.75 x 47 x 6	250	2.4	0.8	\$279
CNRB3654	2.75 x 53 x 6	250	2.7	0.9	\$279
CNRB3660	2.75 x 59 x 6	250	3	1	\$312
CNRB3666	2.75 x 65 x 6	250	3.3	1.1	\$312
CNRB3672	2.75 x 71 x 6	250	3.6	1.2	\$422



**Wire Management Unit** 

For use with **CNR/CNRU rectangular tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

· Cannot be used when worksurface tops are attached to flip top legs.

Required Specifications	Optional Specifications	Accessories	
Top Finish	Grommet	Power Block	
Edge Finish			



Wire Management Unit

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
CNSB2424	2.75 x 23 x 6	70	1.8	0.4	\$129	
CNSB3030	2.75 x 29 x 6	70	1.5	0.5	\$162	
CNSB3636	2.75 x 35 x 6	70	1.8	0.6	\$193	

For use with CNS square tops. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

<ul> <li>Cannot I</li> </ul>	he used when	worksurface ton	s are attached to	flin ton leas

CNTB2048L	0 x 43	250	2.4	0.8	\$215
CNTB2060L	0 x 55	250	3	1	\$279
CNTB2448L	2.75 x 43 x 6	250	2.4	0.8	\$215
CNTB2460L	2.75 x 55 x 6	250	3	1	\$279
CNTB3060L	2.75 x 55 x 6	250	3	1	\$279
CNTB3072L	2.75 x 67 x 6	250	3.6	1.2	\$389
CNTB3660L	2.75 x 55 x 6	250	3	1	\$279
CNTB3672L	2.75 x 67 x 6	250	3.6	1.2	\$389

For use with long side of CNT trapezoid tops. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Cannot be used when worksurface tops are attached to flip top legs.

CNTB2048S	0 x 24	70	1.2	0.4	\$129	
CNTB2060S	0 x 36	70	1.5	0.5	\$193	
CNTB2448S	2.75 x 23 x 6	70	1.2	0.4	\$129	
CNTB2460S	2.75 x 35 x 6	70	1.2	0.4	\$193	
CNTB3060S	2.75 x 29 x 6	70	1.5	0.5	\$162	
CNTB3072S	2.75 x 41 x 6	70	1.5	0.5	\$215	
CNTB3660S	2.75 x 23 x 6	70	1.8	0.6	\$129	
CNTB3672S	2.75 x 35 x 6	70	1.8	0.6	\$193	

For use with **short side of CNT trapezoid tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can ot be used when worksurface tops are attached to flip top legs.

CNWB2424	2.75 x 17 x 6	70	1.2	0.4	\$106	
CNWB3030	2.75 x 22 x 6	70	1.5	0.5	\$129	

For use with CNW wedge tops. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.


• Cannot be used when worksurface tops are attached to flip top legs.

CNYB2424	2.75 x 22 x 6	70	1.2	0.4	\$129	
CNYB3030	2.75 x 27 x 6	70	1.5	0.5	\$162	

flexible privacy strips. Connects to		sign. Includes two fold-away installation clips and with or without wire management grommet.
Required Specifications Top Finish	Optional Specifications Grommet	Accessories Power Block
Edge Finish		
		usa 587



Wire Management Unit



Wire Management Unit




Wire Management Unit



Wire Management Unit

### C CONNECTABLES®



Modestv	Panel v	with \	Wire	Management

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
CNCC2430	2.75 x 35 x 11.75	100	4.3	0.5	\$279	
CNCC3036	2.75 x 43 x 11.75	100	5.1	0.6	\$317	
CNCC3642	2.75 x 53 x 11.75	100	6	0.7	\$411	

For use with **CNC crescent tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can not be used when worksurface tops are attached to flip top legs.

	CNQC2424	2.75 x 27 x 11.75	100	3.4	0.4	\$233	
	CNQC3030	2.75 x 35 x 11.75	100	4.3	0.5	\$279	
	CNQC3636	2.75 x 44 x 11.75	100	5.1	0.6	\$317	
1//							

Modesty Panel with Wire Management

For use with **CNC quarter round tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can not be used when worksurface tops are attached to flip top legs.

CNRC2030	2.75 x 29 x 11.75	100	4.3	0.5	\$233	
CNRC2036	2.75 x 35 x 11.75	100	5.1	0.6	\$279	
CNRC2042	2.75 x 41 x 11.75	100	6	0.7	\$317	
CNRC2048	2.75 x 47 x 11.75	100	6.8	0.8	\$369	
CNRC2054	2.75 x 53 x 11.75	100	7.7	0.9	\$411	
CNRC2060	2.75 x 59 x 11.75	100	8.5	1	\$456	
CNRC2066	2.75 x 65 x 11.75	100	9.4	1.1	\$493	
CNRC2072	2.75 x 71 x 11.75	100	10.2	1.2	\$522	
CNRC2430	2.75 x 29 x 11.75	100	4.3	0.5	\$233	
CNRC2436	2.75 x 35 x 11.75	100	5.1	0.6	\$279	
CNRC2442	2.75 x 41 x 11.75	100	6	0.7	\$317	
CNRC2448	2.75 x 47 x 11.75	100	6.8	0.8	\$369	
CNRC2454	2.75 x 53 x 11.75	100	7.7	0.9	\$411	
CNRC2460	2.75 x 59 x 11.75	100	8.5	1	\$456	
CNRC2466	2.75 x 65 x 11.75	100	9.4	1.1	\$493	
CNRC2472	2.75 x 71 x 11.75	100	10.2	1.2	\$522	
CNRC3036	2.75 x 35 x 11.75	100	5.1	0.6	\$279	
CNRC3042	2.75 x 41 x 11.75	100	6	0.7	\$317	
CNRC3048	2.75 x 47 x 11.75	100	6.8	0.8	\$369	
CNRC3054	2.75 x 53 x 11.75	100	7.7	0.9	\$411	
CNRC3060	2.75 x 59 x 11.75	100	8.5	1	\$456	
CNRC3066	2.75 x 65 x 11.75	100	9.4	1.1	\$493	
CNRC3072	2.75 x 71 x 11.75	100	10.2	1.2	\$522	
CNRC3642	2.75 x 41 x 11.75	100	6	0.7	\$317	
CNRC3648	2.75 x 47 x 11.75	100	6.8	0.8	\$369	
CNRC3654	2.75 x 53 x 11.75	100	7.7	0.9	\$411	
CNRC3660	2.75 x 59 x 11.75	100	8.5	1	\$456	
CNRC3666	2.75 x 65 x 11.75	100	9.4	1.1	\$493	
CNRC3672	2.75 x 71 x 11.75	100	10.2	1.2	\$522	




**Modesty Panel with Wire Management** 

For use with **CNR/CNRU rectangular tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can not be used when worksurface tops are attached to flip top legs.

Required Specifications	Optional Specifications	Accessories	
Top Finish	Grommet	Power Block	
Leg Finish			
Edge Finish			



For use with **CNW wedge tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.


CNYC2424	2.75 x 22 x 11.75	100	3.4	0.4	\$193
CNYC3030	2.75 x 27 x 11.75	100	4.3	0.5	\$233

For use with CNY triangle tops. 11 %" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • Can not be used when worksurface tops are attached to flip top legs.

Required Specifications	Optional Specifications	Accessories	
Top Finish	Grommet	Power Block	
Leg Finish			
Edge Finish			

**Modesty Panel with Wire Management** 

# **CONNECTABLES®**



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
GCNTLEG18	5.25 x 17.1 x 27	63 125	15	2.1	\$294	
GCNTLG18P	5.25 x 17.1 x 27	63 100	17	2.1	\$578	

18" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 20" tops.

- For a single leg, order GCNTLEG18.
- For a pair of legs (set of 2), order GCNTLG18P.
- Chrome (CHM) is available (on foot only). Add \$96 list for model GCNTLEG18 and \$186 list for model GCNTLG18P.

GCNTLEG24	5.25 x 20.8 x 27.63	150	9	2.1	\$294
GCNTLG24P	5.25 x 20.8 x 27.63	100	17	2.1	\$578

20" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 24" tops.

- For a single leg, order GCNTLEG24
- For a pair of legs (set of 2), order GCNTLG24P.
- Chrome (CHM) is available (on foot only). Add \$96 list for model GCNTLEG24 and \$186 list for model GCNTLG24P.

GCNTLEG30	5.25 x 27.25 x 27.63	250	10	2.6	\$317
GCNTLG30P	5.25 x 27.25 x 27.63	125	19	2.6	\$630

26" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 30" tops.

- For a single leg, order **GCNTLEG30**.
- For a pair of legs (set of 2), order GCNTLG30P.
- Chrome (CHM) is available (on foot only). Add \$96 list for model GCNTLEG30 and \$186 list for model GCNTLG30P.

GCNTLEG36	5.75 x 33.25 x 27.63	150	14	3.3	\$637
GCNTLG36P	5.25 x 33.25 x 27.63	100	27	3.3	\$1262

32" long with double post plastic elliptical column cover, leveling glides and end caps. For assembly with 36" tops.

- For a single leg, order GCNTLEG36.
- For a pair of legs (set of 2), order GCNTLG36P.
- Chrome (CHM) is available (on foot only). Add \$96 list for model GCNTLEG36 and \$186 list for model GCNTLG36P.

CNTFLEG24	1.75 x 20.8 x 28	150	10	2.4	\$547	

20" long with plastic elliptical column cover, leveling glides and end caps. **For assembly with 24" deep rectangular and square tops only**. Hinged plate with locking mechanism to lock in open or closed position. Cannot be installed with thumber rewes

- Can not be used when modesty panels and wire management are attached to worksurface tops.
- List Price is per each leg.
- Chrome (CHM) is available (on foot only). Add \$96 list.

<	$\hat{\mathbb{Y}}$	≽
Q		
"T"	16	au Po



"T" Leg



"T" Leg



Flip Top "T" Leg

**Required Specifications** 

Leg Finish



Flip Top "T" Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
CNTFLEG30	1.75 x 27.25 x 2	8 150	14	3	\$578	

26" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 30" deep rectangular and square tops only. Hinged plate with locking mechanism to lock in open or closed position. Cannot be installed with thumbscrews.

- Can not be used when modesty panels and wire management are attached to worksurface tops.
- List Price is per each leg.
- Chrome (CHM) is available (on foot only). Add \$96 list





**Casters** 



Set of (2) 11/2" dual wheel casters, one locking. Suggested for hard floor surfaces and industrial carpeting. Casters are fully interchangeable with glides. Black only.

- For use with ConnecTABLES units only.
- Casters DO NOT affect table height.



**Thumbscrews** 

CNTS 1.25 x 1.25 x 1.5 70 0.04 0.02 <b>\$40</b>	
-------------------------------------------------	--

Triangular thumbscrew with ¾" steel thread. Set of 4. Can be used in place of factory supplied screws to allow installation of "T" legs to tops without tools. Black only.





**Ganging Connector** 

CNGEP	5 v 2 5 v 1 12	70	N 2	N 1	\$60
CINCII	J A Z.J A 1.13	70	0.2	0.1	<b>403</b>

Black epoxy coated 13 gauge steel with 2 thumbscrews included. Used to connect tabletops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of all tops to accommodate this plate. Sold individually.

Required Specifications Leg Finish



Duet tables are multi-purpose stacking tables that offer optimum space utilization and flexibility. Their personality and simple design make them ideal for use in any learning or training environment at post-secondary and adult levels. Temporarily and easily convert auditoriums and other spaces into examination and seminar spaces. They can be partnered with stacking chairs such as Duet or Popcorn in matching or complementary colors (stacking chairs can be found in the Multi-Purpose section of the Seating price list).

The one-piece molded top and modesty are gently contoured providing an eased edge with an elegant waterfall transition from top to modesty.

Tops are available in a wide array of colors in 0.5" thick polypropylene. Polypropylene material offers strength and ease of cleaning with a slightly textured surface to offer scratch resistance.



One-piece top and modesty.



Stacks 5 high on floor or 20 high on dolly.



Ganging frame to keep tables evenly aligned.

#### Features and Benefits

- One-piece molded top and modesty are 0.5" thick polypropylene.
- Tables are rated 250 lbs. capacity.
- Surface includes factory installed metal inserts for solid and secure connection to the sled frame.
- 0.5" diameter solid steel rod sled frame.
- Bumpers on the underside for protection when stacking.
- Model with ADA width compliant frame is available.
- Shipped fully assembled.

#### **GENERAL INFORMATION**

- Duet tables are multi-purpose stacking tables ideal for auditoriums, seminars or any learning or training environment.
- Lightweight and easy to handle whether stacking for storage or setting up a room.
- Made of durable materials to withstand more demanding environments.
- Shipped fully assembled. Packaged 4 per carton.
- Global products are in compliance with stringent emission guidelines set out by the Greenguard Environmental Institute under the standards for low emitting products and materials. www.greenguard.org.
- Covered by Global's Lifetime Warranty.
- For environmental certifications, please visit globalfurnituregroup.com

WORKSURFACES	26"W x 18"D x 9.75"H
<ul> <li>Top and modesty are a one-piece injection</li> </ul>	
molded decign in 0.5" thick polypropylane	

- molded design in 0.5" thick polypropylene.

   Available in a wide array of colors (see right colur
- Available in a wide array of colors (see right column "FINISHES") to complement any space or to define sections by color.
- One-piece molded top and modesty are contoured providing an eased user edge, with an elegant waterfall transition from top to modesty.

#### CONSTRUCTION

- Surface includes molded in threaded inserts to provide a secure metal-to-metal connection to the sled frame.
- Bumpers are included on the underside of top and inside modesty to protect surfaces when stacking.

#### **FRAME**

- 0.5" diameter solid steel rod sled frame.
- · Available in a durable Chrome finish.
- Model with ganging frame keeps tables evenly positioned and aligned. No tools or fasteners required for ganging; the frames simply interlock.
- Model with ADA compliant frame is also available. The frame is 33" wide and the
  polypropylene top/modesty remain a constant size.
- Tables are standard without glides and are suitable for carpet, rubber or cork flooring.
- Glide options are available (see right column "GLIDES"). Glides must be chosen to best suit flooring type and site conditions. Upcharges apply.

#### **DOLLY**

- For space saving storage and transport.
- Constructed from 1.5" x 0.5" steel tubing with heavy duty casters (two locking) and a removable handle.
- Dolly can stack up to 20 tables.
- Stacking height on dolly is up to 68".

FIN	ISHES	

BZB	Buzz Blue	FR0	Frost
CCT	Cactus	INK	Ink
CRO	Carrot	LAB	Latte
IVC	Cloud	BLK	Night
DJN	Dijon	SND	Sand
EGP	Eggplant	SAR	Scarlet
FOG	Fog	SHW	Shadow

#### **GLIDES**

CG	Clear polycarbonate (for carpet, rubber or concrete flooring).				
	Height added to table: 0.18". Add \$18/set.				
SG	Glides with stainless steel pads (for carpet or rubber flooring).				
	Height added to table: 0.17". Add \$34/set.				
FG	Glides with felt pads (for vinyl, cork or laminate flooring).				
	Height added to table: 0.24". Add \$34/set.				

**RG** Glides with rubber pads (for vinyl, hardwood, laminate, stone or ceramic flooring). Height added to table: 0.16". **Add \$34**/set.

#### SPECIFICATIONS

 Specifications marked with an \* are applicable to only those products which have the\* symbol beside the product name.

#### **EXAMPLE DUET TABLE ORDER CODE:**

Duet stacking table, polypropylene surface in Latte, clear polycarbonate glides

DTS1828P	-LAB	-CG
Model #	Surface finish	Glides

# **D** DUET™ TABLES



Stacking Table\*



One-piece polypropylene top and modesty with Chrome frame. Shipped fully assembled, 4 per carton.

- Price shown is per table. It is recommended to order in multiples of 4.
- Please be sure to select the appropriate glide (see previous page) for the flooring surface, as scratches could occur.
- Worksurface is 18"D x 28"W

DTS1828PG	25 x 30.75 x 28	150	26	17.75	\$550	

One-piece polypropylene top and modesty with Chrome ganging frame.

Shipped fully assembled, 4 per carton.

- Price shown is per table. It is recommended to order in multiples of 4.
- Please be sure to select the appropriate glide (see previous page) for the flooring surface, as scratches could occur.
- Worksurface is 18"D x 28"W





Stacking Table, 32" Wide\*

Stacking Table, Ganging Frame\*

ADA (American with Disabilities Act) compliant. 33" wide. One-piece polypropylene top and modesty with Chrome frame. Underside clearance is 27.1"H (extra height if glides are selected). Stacks up to 5 high on floor only; dolly does not accommodate. Shipped fully assembled, 4 per carton.

- Price shown is per table. It is recommended to order in multiples of 4.
- Please be sure to select the appropriate glide (see previous page) for the flooring surface, as scratches could occur.
- Worksurface is 18"D x 32"W

DOLLY	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE
	DTD20	29.5 x 63 x 38.5	250	50	21	\$749
Dolly	For use with table	es DTS1828P and DTS182	28PG. Can stack up	to 20 tables	. Black only. F	Removable handle for storage.

olly	For use with tables DTS1828P and DTS1828PG. Can stack up to 20 tables. Black only. Removable handle for storage. Shipped fully assembled in 1 carton.

Required Specifications	Optional Specifications	Accessories
Finish	Grommet	Power Block



Edventure is a value series collection that offers a range of teacher desks, student desks and study carrels for more traditional learning environments. Designed to withstand daily rigorous use, traditional style meets modern performance.

Tops are available in a wide array of finishes in 1" thick thermally fused laminate or 1 1/16" high pressure laminate with matching or complementary 2mm PVC edgebanding. Edventure's color pallette also includes nine new bold finishes available on select components in high pressure laminate only.

Mobile teacher desks offer versatility with storage options for educators on the move.

Single and connecting study carrels create quiet work areas with optional power and data to stay connected.



H-legs with cross bar.



Mobile teacher desk with modesty panel.



Features and Benefits

- Tops are 1" thick thermally fused laminate or 1 <sup>1</sup>/<sub>16</sub>" high pressure laminate.
- Tops are constructed of 45 lb. density particle board.
- Matching or complementary 2mm PVC edgebanding.
- Surfaces include factory installed metal inserts for solid and secure leg connections.
- H-leg design on teacher and student desks.
- Teacher's desk includes modesty panel and is available with or without casters.
- Teacher's desk with left or right hand box/box/file pedestal available on casters only.
- Study carrel features curved side panels for seated privacy with a 29"H worksurface.
- · Easy to assemble.

#### **GENERAL INFORMATION**

- Edventure series is an affordable collection of teacher desks, student desks and study carrels with personal storage options, that bring a traditional element to the classroom.
- Simple and elegant design respects space requirements to accommodate various teaching styles.
- Edventure series is a high achiever, built to withstand the most demanding environments.
- Shipped easy to assemble.
- For environmental certifications, please visit globalfurnituregroup.com

#### WORKSURFACES

- Tops are available in 1" thick thermally fused laminate or 1 1/16" thick high pressure laminate
- Available in an array of finishes in both thermally fused laminate or high pressure laminate.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### CONSTRUCTION

- Top core is made of 45 lb. density particle board.
- Surfaces include factory installed metal inserts for solid and secure leg connections.

#### **EDGE DETAIL**

- · Global's preferred 2mm PVC edgebanding is standard.
- Edgebanding may be specified in a matching or a complementary finish for tops in standard Global laminates.

#### **LEGS**

- H-legs are 28" high and constructed from 2" x 2" square tubing with a 1" x 2" rectangular cross bar and adjustable leveling glides.
- Available in Black (TBL), Buzz Blue (TBZ), Cactus (TCC), Carrot (TCR), Cloud (TIV),
  Designer White (TDW), Dijon (TDJ), Eggplant (TEG), Fog (TFO), Frost (TFR), Ink (TIN),
  Kalua (TKA), Latte (TLA), Mocha (TMO), Nevada (TNE), Sand (TSN), Scarlet (TSR),
  Shadow (TSH), Toast (TOA) or Tungsten (TTU) painted finishes, Sandtex finish applied.

#### CASTERS

- Teacher desks are available with locking casters. See models ending in C.
- · Casters are 3.5" high overall.

#### **MODESTY PANELS**

- 12"H modesty panel is included with teacher desks.
- Available in an array of finishes (see 594) in thermally fused laminate with matching edges only.

#### **SPECIFICATIONS**


 Specifications marked with an \* are applicable to only those products which have the\* symbol beside the product name.

#### STUDY CARRELS

- The study carrel features a 29" high worksurface and curved side panels for privacy.
- Freestanding (starter) and add-on models are available. Legs and privacy panels are shared between adjoining add-on carrels.
- The back panel is inset to hide connecting fasteners from user's view. The inset back also creates a wire drop for the optional LED task light cord.
- Carrels with an optional shelf are available. See models ending in S.
- Optional LED task light is available for carrel with shelf, see page 596
- Optional Cove Daisylink system is available to bring power, USB charging or data to the carrel surface for desktop access, see 598

#### GROMMETS

- Optional grommets are available in standard worksurface locations (left, center or right) for teacher desks and study carrels. Order as: AG1, AG2 or AG3. Add \$96.
- Grommet hole dimensions are 3.25"W x 1.875"D
  - ENSTxxxx, ENAC2924/3524, ENFC3024/3624 models AG2 option only
  - ENFC6024/7224, ENFC5924/7124 models AG1 and AG3 option only





#### **POWER BLOCK**

- A power block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord included. Power block dimensions are 6.5"W x 3.5"D x 2.75"H. Units cannot be daisy-chained.
  - ENSTxxxx, ENAC2924/3524, ENFC3024/3624 models E2 option only
  - ENFC6024/7224, ENFC5924/7124 models E1 and E3 option only





Power block PMSPDM. Add \$330.

Specify location E1, E2 or E3. Add \$96.

#### **VILLA CUTOUTS**

- Optional Villa cutout available in standard worksurface locations (left, center or right) for Rectangular tables. Order as: V1, V2 or V3 - Add \$96 for each cutout.
  - ENSTxxxx, ENAC2924/3524, ENFC3024/3624 models V2 option only
  - ENFC6024/7224, ENFC5924/7124 models V1 and V3 option only



#### **COVE DAISYLINK COMPONENTS**

- A daisy-chain power solution with a unique "no particular order" feature, making installation or reconfiguration easy.
- Cove Daisylink modules must be ordered separately and are available for study carrels only.
- Specify the cut-out for Cove Daisylink modules when ordering the study carrels; order the Cove kits (modules and jumpers) and infeed separately.
- When CV cut-out is specified on 29", 30", 35" and 36" study carrels, one cut-out in the center position is included. Add \$96.
  - When **CV** cut-out is specified on 59", 60", 71" and 72" study carrels, **two** cut-outs in the left and right positions are included. **Add \$192**.
- For Cove Daisylink components, see 598
- Maximum of 9 Cove modules per each infeed.





#### **MODPOWER DAISY CHAIN SOLUTION**

- Add flexible power and USB charging to Edventure study carrels. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions on page 465.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the back edge of surface) for 29" to 72" wide study carrels.
   Add \$96
- MPD for two cut-outs in the left and right positions, 15" from ends to center of unit on the back edge of surface for **59" to 72" wide study carrels**. **Add \$192**.

#### **FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero

**Thermally Fused or High Pressure Laminate Tops** 

BLK Black NML Noce Medio BZD Blizzard QTM Quartered Mahogany BRC **Brushed Cobalt** SBY Sheer Beauty SOG CMB Clear Maple Storm Grey SDT CGY Custom Grey Stonedust DES WHE Dark Espresso Walnut Heights DWT Designer White WHC White Chocolate Fashionista WCR FAS

FAS Fashionista WCR Winter Cherry Note: Modesty panel and lectern shelf are available in thermally fused laminate finishes only. Modesty panel and pedestal edging will match thermally fused laminate finish specified.

#### 2mm Thick Edgebanding

AAE	Absolute Acajou	FCL	First Class
ASE	Asian Night	FOG	Fog
ACE	Avant Cherry	LAB	Latte
AHE	Avant Honey	NBL	Noce Biondo
BLK	Black	NGL	Noce Grigio
BRC	Brushed Cobalt	NEL	Noce Leggero
BZB	Buzz Blue	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
CCT	Cactus	SAR	Scarlet
CRO	Carrot	SBY	Sheer Beauty
CME	Clear Maple	SHW	Shadow
CGY	Custom Grey	SDT	Stonedust
DEE	Dark Espresso	SOG	Storm Grey
DWE	Designer White	WHE	Walnut Heights
DJN	Dijon	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry

#### **Legs and Storage Lectern Metal Trim Finishes**

TBL	Black	TIN	Ink
TBZ	Buzz Blue	TKA	Kalua
TCC	Cactus	TLA	Latte
TCR	Carrot	TM0	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TDJ	Dijon	TSR	Scarlet
TEG	Eggplant	TSH	Shadow
TF0	Fog	TOA	Toast
TFR	Frost	TTU	Tungsten

#### **Painted Finishes for Metal Storage Lecterns**

BGR	Business Grey	MCH	Mocha Textured*
BKC	Black Coffee Textured*	MET	Metro
BLK	Black	MOS	Moss
BNE	Bone	NEV	Nevada
BZD	Blizzard Textured*	NVY	Navy
CHR	Charcoal	OYS	Oyster
CLT	Claret	SDT	Stonedust Textured*

Dark Chocolate Textured\* DCH SGR Storm Grey DPT Desert Putty SIL Silver Designer White DWT SKY Sky FOG STN Stone Fog TPE GRY Grey Taupe LGR Light Grey TSA Tahiti Sand

ICE Ice TUN Tungsten (add 10% upcharge)

IVR Ivory WIL Willow

\*textured finishes

#### TO SPECIFY:

#### 1. SPECIFY MODEL NUMBER

#### 2. SPECIFY THE FOLLOWING:

#### FOR TEACHER AND STUDENT DESKS:

- Top finish
- Optional HP laminate
- Edge finish (top only)
- Modesty finish if applicable
- Pedestal finish if applicable
- Leg finish
- Optional AG grommet or cut-out for PMSPDM, if applicable
- Optional key alike or select number (#100-120) applicable with teacher's desks with pedestals

#### FOR STUDY CARRELS:

- Top surface finish (shelf, if applicable, will be in the same finish)
- Optional HP laminate
- Edge finish
- Leg finish
- Surround finish (side and back panels)
- Optional cut-out(s) for Cove Daisylink or ModPower components

#### **EXAMPLE EDVENTURE ORDER CODES:**

#### Teacher desk

ENTD7230	-ACJ	-HPL	-AAE	-TTU	-ACJ
Model #	Top finish	High pressure laminate	Edge finish	Leg finish	Modesty panel finish

#### Study carrel

ENFC3024	-ACJ	-HPL	-AAE	-TTU	-ACJ	-CV
Model #	Top finish	High pressure laminate	Top edge finish	Leg finish	Surround finish	Cut-out for Cove

ACHER DESKS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	ENTD4824	<b>D x W x H</b> 24 x 48 x 29	70	74	4.6	\$1071	\$169
	ENTD5424	24 x 54 x 29	70	80	4.7	\$1071	\$194
	ENTD5424 ENTD6024	24 x 60 x 29	70	86	4.7	\$1100	\$207
	EINTD0024	24 X 00 X 29	70	00	4.9	\$1100	\$2U/
U cher Desk, 24″D	12"H modesty pane	el included. Shipped e	asy to assemble in	2 cartons.			
	ENTD6030	30 x 60 x 29	70	96	6.4	\$1170	\$224
	ENTD6630	30 x 66 x 29	70	103	6.6	\$1170	\$273
	ENTD7230	30 x 72 x 29	70	110	6.8	\$1250	\$292
	LIVID7230	30 X 72 X 23	70	110	0.0	<b>Ψ123</b> 0	φεσε
cher Desk, 30"D	12"H modesty pane	el included. Shipped e	asy to assemble in	2 cartons.			
BILE TEACHER DESKS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
	ENTD4824C	24 x 48 x 29	70	75	4.6	\$1242	\$169
	ENTD5424C	24 x 54 x 29	70	81	4.7	\$1257	\$182
	ENTD6024C	24 x 60 x 29	70	87	4.9	\$1273	\$196
bile Teacher Desk, 24"D	12"H modesty pane	el included. Shipped e	asy to assemble in	2 cartons.			
	ENTD6030C	30 x 60 x 29	70	98	5.4	\$1343	\$209
bile Teacher Desk, 30"D	ET6024BBFLC ET6624BBFLC	24 x 60 x 29 24 x 66 x 29	85 85	155 161	12.37 12.57	\$2385 \$2428	\$195 \$209
	ET7224BBFLC	24 x 72 x 29	85	167	12.75	\$2474	\$223
	ETOOOODDELO	00 00 00	05	100	14.07	00504	4000
	ET6030BBFLC	30 x 60 x 29	85	193	14.67	\$2521	\$209
	ET6630BBFLC	30 x 66 x 29	85	201	14.85	\$2565	\$255
	ET7230BBFLC	30 x 72 x 29	85	210	15.06	\$2610	\$274
bile Teacher Desk, BBF - Left*		panel and flush left h BBF pedestal is fully a			tal included. Iop	box drawer is	non-locking. Sh
	ET6024BBFRC	24 x 60 x 29	85	155	12.37	\$2385	\$195
$\wedge$	ET6624BBFRC	24 x 66 x 29	85	161	12.57	\$2428	\$209
	ET7224BBFRC	24 x 72 x 29	85	167	12.75	\$2474	\$223
	ET6030BBFRC	30 x 60 x 29	85	193	14.67	\$2521	\$209
	ET6630BBFRC	30 x 66 x 29	85	201	14.85	\$2565	\$255
	ET7230BBFRC	30 x 72 x 29	85	210	15.06	\$2610	\$274
bile Teacher Desk, BBF - Right*		panel and flush right BBF pedestal is fully a			stal included. Top	o box drawer is	s non-locking. S
	Required enceif	ione	Ontional analis	nations			
	Required specificat	ions	Optional specific	cations			

## **EDVENTURE**

STUDENT DESK	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRIC	CE HP ADD	)
	ENST3020	<b>D x W x H</b> 20 x 30 x 29	85	49	3.9	\$543	\$115	
						,,,,,		
U tudent Desk**	Shipped easy to a	assemble in 2 cartons.						
REESTANDING OR STARTER STUDY CARREL	.S MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	CUT-OUT ADD
	ENFC3024	24 x 30 x 50	70	89	4.44	\$1045	\$119	\$96
	ENFC3624	24 x 36 x 50	70	97.5	4.44	\$1043	\$139	\$96
	ENFC6024	24 x 60 x 50	70	115	5.8	\$1272	\$207	\$96
	ENFC7224	24 x 72 x 50	70	123.5	6.34	\$1359	\$238	\$96
reestanding/Starter Study Carrel*		gh worksurface with curv Cove Daisylink componen					ng power and	d USB chargin
	ENFC3024S	24 x 30 x 50	70	93	4.44	\$1098	\$138	\$96
	ENFC3624S	24 x 30 x 50 24 x 36 x 50	70	102.5	4.44	\$1098	\$138	\$96
	ENFC6024S	24 x 60 x 50	70	122	5.8	\$1363	\$246	\$96
	ENFC7224S	24 x 72 x 50	70	131.5	6.34	\$1465	\$281	\$96
	ENAC2924	24 x 29 x 50	85	63	4.4	\$785	\$119	\$96
	ENAC2924 ENAC3524 ENAC5924 ENAC7124	24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 71 x 50	85 70 70 70	63 71.5 89 97.5	4.4 4.67 5.75 6.3	\$785 \$830 \$1016 \$1104	\$119 \$139 \$207 \$238	\$96 \$96 \$96 \$96
Add-On Study Carrel*	ENAC3524 ENAC5924 ENAC7124 Features a 29" hi	24 x 35 x 50 24 x 59 x 50	70 70 70 ed side privacy p	71.5 89 97.5 panels. Show	4.67 5.75 6.3 vn with optional	\$830 \$1016 \$1104 cut-out. Brir	\$139 \$207 \$238	\$96 \$96 \$96
Add-On Study Carrel*	ENAC3524 ENAC5924 ENAC7124 Features a 29" hi	24 x 35 x 50 24 x 59 x 50 24 x 71 x 50 gh worksurface with curv	70 70 70 ed side privacy p	71.5 89 97.5 panels. Show	4.67 5.75 6.3 vn with optional	\$830 \$1016 \$1104 cut-out. Brir	\$139 \$207 \$238	\$96 \$96 \$96
add-On Study Carrel*	ENAC3524 ENAC5924 ENAC7124  Features a 29" hi to the user with 0  ENAC2924S ENAC3524S	24 x 35 x 50 24 x 59 x 50 24 x 71 x 50 24 x 71 x 50 gh worksurface with curv Cove Daisylink componen 24 x 29 x 50 24 x 35 x 50	70 70 70 70 ed side privacy p ts, see 598. Ship 70 70	71.5 89 97.5 nanels. Show ped easy to a 67 76.5	4.67 5.75 6.3 vn with optional assemble in 2 ca 4.4 4.67	\$830 \$1016 \$1104 cut-out. Brir rtons.	\$139 \$207 \$238 ang power and \$138 \$160	\$96 \$96 \$96 d USB charging \$96 \$96
dd-On Study Carrel*	ENAC3524 ENAC5924 ENAC7124  Features a 29" hi to the user with 0  ENAC2924S ENAC3524S ENAC3524S	24 x 35 x 50 24 x 59 x 50 24 x 71 x 50 24 x 71 x 50 gh worksurface with curv Cove Daisylink componen 24 x 29 x 50 24 x 35 x 50 24 x 59 x 50	70 70 70 ed side privacy p ts, see 598. Ship 70 70 70	71.5 89 97.5 nanels. Show ped easy to a 67 76.5 96	4.67 5.75 6.3 vn with optional assemble in 2 ca 4.4 4.67 5.75	\$830 \$1016 \$1104 cut-out. Brin rtons.	\$139 \$207 \$238 ang power and \$138 \$160 \$246	\$96 \$96 \$96 d USB charging \$96 \$96 \$96
	ENAC3524 ENAC5924 ENAC7124  Features a 29" hi to the user with 0  ENAC2924S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hi optional LED task	24 x 35 x 50 24 x 59 x 50 24 x 71 x 50  24 x 71 x 50  gh worksurface with curvocove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50 gh worksurface with curvoclight. Bring power and to	70 70 70 ed side privacy pts, see 598. Ship 70 70 70 70 ed side privacy p	71.5 89 97.5 manels. Show pped easy to a 67 76.5 96 105.5	4.67 5.75 6.3  In with optional assemble in 2 ca 4.4 4.67 5.75 6.3  In with optional	\$830 \$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She	\$139 \$207 \$238 ang power and \$138 \$160 \$246 \$281	\$96 \$96 \$96 \$96 \$96 \$96 \$96 \$96
	ENAC3524 ENAC5924 ENAC7124  Features a 29" hi to the user with 0  ENAC2924S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hi	24 x 35 x 50 24 x 59 x 50 24 x 71 x 50  24 x 71 x 50  gh worksurface with curvocove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50 gh worksurface with curvoclight. Bring power and to	70 70 70 ed side privacy pts, see 598. Ship 70 70 70 70 ed side privacy p	71.5 89 97.5 manels. Show pped easy to a 67 76.5 96 105.5	4.67 5.75 6.3  In with optional assemble in 2 ca 4.4 4.67 5.75 6.3  In with optional	\$830 \$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She	\$139 \$207 \$238 ang power and \$138 \$160 \$246 \$281	\$96 \$96 \$96 \$96 \$96 \$96 \$96
Add-On Study Carrel w/Shelf*	ENAC3524 ENAC5924 ENAC7124  Features a 29" hi to the user with 0  ENAC2924S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hi optional LED task	24 x 35 x 50 24 x 59 x 50 24 x 71 x 50  24 x 71 x 50  gh worksurface with curvocove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50 gh worksurface with curvoclight. Bring power and to	70 70 70 ed side privacy pts, see 598. Ship 70 70 70 70 ed side privacy p	71.5 89 97.5 manels. Show pped easy to a 67 76.5 96 105.5	4.67 5.75 6.3  In with optional assemble in 2 ca 4.4 4.67 5.75 6.3  In with optional	\$830 \$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She	\$139 \$207 \$238 ang power and \$138 \$160 \$246 \$281	\$96 \$96 \$96 \$96 \$96 \$96 \$96
add-On Study Carrel w/Shelf*	ENAC3524 ENAC5924 ENAC7124  Features a 29" hi to the user with 0  ENAC2924S ENAC3524S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hi optional LED task assemble in 2 car	24 x 35 x 50 24 x 59 x 50 24 x 71 x 50  24 x 71 x 50  gh worksurface with curvocove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50 24 x 59 x 50  gh worksurface with curvocalight. Bring power and letons.	70 70 70 ed side privacy pts, see 598. Ship 70 70 70 70 70 sed side privacy push sid	71.5 89 97.5 manels. Show pped easy to a 67 76.5 96 105.5 manels. Show the user with	4.67 5.75 6.3  In with optional assemble in 2 ca 4.4 4.67 5.75 6.3  In with optional Cove Daisylink  .50 .50	\$830 \$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She components,	\$139 \$207 \$238 ang power and \$138 \$160 \$246 \$281	\$96 \$96 \$96 \$96 \$96 \$96 \$96
add-On Study Carrel w/Shelf*	ENAC3524 ENAC5924 ENAC7124  Features a 29" hi to the user with 0  ENAC2924S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hi optional LED task assemble in 2 car	24 x 35 x 50 24 x 59 x 50 24 x 71 x 50  24 x 71 x 50  gh worksurface with curvocove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50 24 x 59 x 50  gh worksurface with curvoclight. Bring power and letons.	70 70 70 ed side privacy pts, see 598. Ship 70 70 70 70 70 sed side privacy pushed sid	71.5 89 97.5 manels. Show pped easy to a 67 76.5 96 105.5 manels. Show the user with	4.67 5.75 6.3  In with optional assemble in 2 ca 4.4 4.67 5.75 6.3  In with optional Cove Daisylink	\$830 \$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She components,	\$139 \$207 \$238 ang power and \$138 \$160 \$246 \$281	\$96 \$96 \$96 \$96 \$96 \$96 \$96
	ENAC3524 ENAC5924 ENAC7124  Features a 29" hi to the user with 0  ENAC2924S ENAC3524S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hi optional LED task assemble in 2 car	24 x 35 x 50 24 x 59 x 50 24 x 71 x 50  24 x 71 x 50  gh worksurface with curvocove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50 24 x 59 x 50  gh worksurface with curvocalight. Bring power and letons.	70 70 70 ed side privacy pts, see 598. Ship 70 70 70 70 70 sed side privacy push sid	71.5 89 97.5 manels. Show pped easy to a 67 76.5 96 105.5 manels. Show the user with	4.67 5.75 6.3  In with optional assemble in 2 ca 4.4 4.67 5.75 6.3  In with optional Cove Daisylink  .50 .50	\$830 \$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She components,	\$139 \$207 \$238 ang power and \$138 \$160 \$246 \$281	\$96 \$96 \$96 \$96 \$96 \$96 \$96 \$96
Add-On Study Carrel w/Shelf*	ENAC3524 ENAC5924 ENAC7124  Features a 29" hi to the user with 0  ENAC2924S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hi optional LED task assemble in 2 car  PLED30 PLED30 PLED100	24 x 35 x 50 24 x 59 x 50 24 x 71 x 50  24 x 71 x 50  gh worksurface with curvocove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50 24 x 59 x 50  gh worksurface with curvocalight. Bring power and letons.	70 70 70 red side privacy pts, see 598. Ship 70 70 70 70 ged side privacy pushed side	71.5 89 97.5 nanels. Show ped easy to a 67 76.5 96 105.5 nanels. Show the user with	4.67 5.75 6.3  In with optional assemble in 2 ca 4.4 4.67 5.75 6.3  In with optional Cove Daisylink  50 50 50	\$830 \$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She components, \$494 \$569 \$660	\$139 \$207 \$238 ang power and \$138 \$160 \$246 \$281 elf is 6" deep see 598. Sh	\$96 \$96 \$96 d USB chargin \$96 \$96 \$96 \$96 \$96 \$96 \$96
Add-On Study Carrel*  Add-On Study Carrel w/Shelf*	ENAC3524 ENAC5924 ENAC7124  Features a 29" hi to the user with 0  ENAC2924S ENAC3524S ENAC3524S ENAC7124S  Features a 29" hi optional LED task assemble in 2 car  PLED30 PLED30 PLED100  Energy efficient L	24 x 35 x 50 24 x 59 x 50 24 x 71 x 50  24 x 71 x 50  gh worksurface with curvon cove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50  gh worksurface with curvon clight. Bring power and lattons.  1.5 x 15.5 x .5 1.5 x 23.5 x .5 1.5 x 23.5 x .5 1.5 x 43.5 x .5	70 70 70 ro ed side privacy pts, see 598. Ship 70 70 70 70 70 ed side privacy push charging to testing to test	71.5 89 97.5  panels. Show ped easy to a 67 76.5 96 105.5  panels. Show he user with 2 2 3	4.67 5.75 6.3  In with optional assemble in 2 ca 4.4 4.67 5.75 6.3  In with optional Cove Daisylink  50 50 50	\$830 \$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She components, \$494 \$569 \$660	\$139 \$207 \$238 ang power and \$138 \$160 \$246 \$281 elf is 6" deep see 598. Sh	\$96 \$96 \$96 d USB charging \$96 \$96 \$96 \$96 \$96 \$96 \$96
Add-On Study Carrel w/Shelf*	ENAC3524 ENAC7124  Features a 29" hi to the user with 0  ENAC2924S ENAC3524S ENAC3524S ENAC7124S  Features a 29" hi optional LED task assemble in 2 car  PLED30 PLED30 PLED100  Energy efficient L  Required specific Top finish*	24 x 35 x 50 24 x 59 x 50 24 x 71 x 50  24 x 71 x 50  gh worksurface with curvon cove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50  gh worksurface with curvon clight. Bring power and lattons.  1.5 x 15.5 x .5 1.5 x 23.5 x .5 1.5 x 23.5 x .5 1.5 x 43.5 x .5	70 70 70 ro ed side privacy pts, see 598. Ship 70 70 70 70 70 ed side privacy pushed s	71.5 89 97.5  nanels. Show ped easy to a 67 76.5 96 105.5  nanels. Show the user with 2 2 3  ting on the unitations	4.67 5.75 6.3  In with optional assemble in 2 care	\$830 \$1016 \$1104 cut-out. Brin rtons.  \$835 \$888 \$1110 \$1210 cut-out. She components,  \$494 \$569 \$660	\$139 \$207 \$238 ang power and \$138 \$160 \$246 \$281 elf is 6" deep see 598. Sh	\$96 \$96 \$96 d USB charging \$96 \$96 \$96 \$96 \$96 \$96 \$96
Add-On Study Carrel w/Shelf*	ENAC3524 ENAC5924 ENAC7124  Features a 29" hi to the user with 0  ENAC2924S ENAC3524S ENAC3524S ENAC7124S  Features a 29" hi optional LED task assemble in 2 car  PLED30 PLED30 PLED100  Energy efficient L	24 x 35 x 50 24 x 59 x 50 24 x 71 x 50  24 x 71 x 50  gh worksurface with curvon cove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50  gh worksurface with curvon clight. Bring power and lattons.  1.5 x 15.5 x .5 1.5 x 23.5 x .5 1.5 x 23.5 x .5 1.5 x 43.5 x .5	70 70 70 ro ed side privacy pts, see 598. Ship 70 70 70 70 70 ed side privacy push charging to testing to test	71.5 89 97.5  nanels. Show ped easy to a 67 76.5 96 105.5  nanels. Show the user with 2 2 3  ting on the unitations	4.67 5.75 6.3  In with optional assemble in 2 care	\$830 \$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She components, \$494 \$569 \$660	\$139 \$207 \$238 ang power and \$138 \$160 \$246 \$281 elf is 6" deep see 598. Sh	\$96 \$96 \$96 d USB charging \$96 \$96 \$96 \$96 \$96 \$96 \$96

COVE DAISTLINK
(3° 40°)

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
ECV2PU30B	2 x 30 x -	60	4.5	0.5	\$640	
ECV2PU30S	2 x 30 x -	60	4.5	0.5	\$640	

Single Power/USB for 29"/30" Carrels

COMPONENTS


Cove single desktop module with two power outlets and two 2.1A USB charging ports. Includes four cable clamps, one 14" female/male connecting cable and one 14" female/female connecting cable. Connecting cables will daisy-chain modules between two 30" wide starter carrels, one 30" wide starter carrel and one 29" wide add-on carrel, or two 29" wide add-on carrels. Available in Black (B) or Silver (S) - indicated by last letter of the model number. Infeed to be ordered separately.



ECV2PU36B	2 x 36 x -	60	4.6	0.5	\$644	
ECV2PU36S	2 x 36 x -	60	4.6	0.5	\$644	

Single Power/USB for 35"/36" Carrels


Cove single desktop module includes two power outlets and two 2.1A USB charging ports. Includes four cable clamps, one 17" female/male connecting cable and one 17" female/female connecting cable. Connecting cables will daisy-chain modules between two 36" wide starter carrels, one 36" wide starter carrel and one 35" wide add-on carrel, or two 35" wide add-on carrels. Available in Black (B) or Silver (S) - indicated by last letter of the model number. Infeed to be ordered separately.



ECV2PU60B	2 x 60 x -	60	4.6	0.5	\$1182	
ECV2PU60S	2 x 60 x -	60	4.6	0.5	\$1182	

Double Power/USB for 59"/60" Carrels

Cove double desktop modules - each module includes two power outlets and two 2.1A USB charging ports. Includes four cable clamps, one 12" female/male connecting cable, one 12" female/female connecting cable and one 26" female/female interconnecting cable. Connecting cables will daisy-chain modules between two 60" wide starter carrels, one 60" wide starter carrel and one 59" wide add-on carrel, or two 59" wide add-on carrels. Available in Black (B) or Silver (S) - indicated by last letter of the model number.



ECV2PU72B	2 x 72 x -	60	4.6	0.5	\$1202	
ECV2PU72S	2 x 72 x -	60	4.6	0.5	\$1202	

Double Power/USB for 71"/72" Carrels

Cove double desktop modules - each module includes two power outlets and two 2.1A USB charging ports. Includes four cable clamps, one 15" female/male connecting cable, one 15" female/female connecting cable and one 31" female/female interconnecting cable. Connecting cables will daisy-chain modules between two 72" wide starter carrels, one 72" wide starter carrel and one 71" wide add-on carrel, or two 71" wide add-on carrels. Available in Black (B) or Silver (S) - indicated by last letter of the model number.



ECVPUD30B	2 x 30 x -	60	4.6	0.5	\$602	
ECVPUD30S	2 x 30 x -	60	4.6	0.5	\$602	

Single Power/Data/USB for 29"/30" Carrels

Cove single desktop module includes one power outlet, two data knockouts and two 2.1A USB charging ports. Includes four cable clamps, one 14" female/male connecting cable and one 14" female/female connecting cable. Data/telecom options to be ordered separately. Connecting cables will daisy-chain modules between two 30" wide starter carrels, one 30" wide starter carrel and one 29" wide add-on carrel, or two 29" wide add-on carrels. Available in Black (B) or Silver (S) - indicated by last letter of the model number. Infeed to be ordered separately.

Req	uired	speci	ifica	tion

Paint finish, case\* Laminate finish\*\* Edge finish (ENMST1824 only) Trim finish (FNI S182 only)

### **Optional specifications**


Key alike\* HP laminate (ENMST1824 only)

## **EDVENTURE**


COMPONENTS

COVE DAISYLINK

Single Power/Data/USB for 35"/36" Carrels



Double Power/Data/USB for 59"/60" Carrels



Double Power/Data/USB for 71"/72" Carrels



Single-Circuit Corded Infeed, 72"



Multi-Circuit Power Hardwire Infeed, 72"



Jumper Guards - Set of 4

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
ECVPUD36B	2 x 36 x -	60	4.60	0.5	\$609	
ECVPUD36S	2 x 36 x -	60	4.60	0.5	\$609	

Cove single desktop module includes one power outlet, two data knockouts and two 2.1A USB charging ports. Includes four cable clamps, one 17" female/male connecting cable and one 17" female/female connecting cable. Data/telecom options to be ordered separately. Connecting cables will daisy-chain modules between two 36" wide starter carrels, one 36" wide starter carrel and one 35" wide add-on carrel, or two 35" wide add-on carrels. Available in Black (**B**) or Silver (**S**) - indicated by last letter of the model number. Infeed to be ordered separately.

ECVPUD60B	2 x 60 x -	60	4.6	0.5	\$1112
ECVPUD60S	2 x 60 x -	60	4.6	0.5	\$1112

Cove double desktop modules - each module includes one power outlet, two data knockouts and two 2.1A USB charging ports. Includes four cable clamps, one 12" female/male connecting cable, one 12" female/female connecting cable and one 26" female/female interconnecting cable. Data/telecom options to be ordered separately. Connecting cables will daisy-chain modules between two 60" wide starter carrels, one 60" wide starter carrel and one 59" wide add-on carrel, or two 59" wide add-on carrels. Available in Black (**B**) or Silver (**S**) - indicated by last letter of the model number. Infeed to be ordered separately.

ECVPUD72B	2 x 72 x -	60	4.6	0.5	\$1123
ECVPUD72S	2 x 72 x -	60	4.6	0.5	\$1123

Cove double desktop modules - each module includes one power outlet, two data knockouts and two 2.1A USB charging ports. Includes four cable clamps, one 15" female/male connecting cable, one 15" female/female connecting cable and one 31" female/female interconnecting cable. Data/telecom options to be ordered separately. Connecting cables will daisy-chain modules between two 72" wide starter carrels, one 72" wide starter carrel and one 71" wide add-on carrel, or two 71" wide add-on carrels. Available in Black (**B**) or Silver (**S**) - indicated by last letter of the model number. Infeed to be ordered separately.

42AP1-72	72"W	70	1	1.80	\$245	

72" corded infeed to start a run of Cove Daisylink modules. Maximum of 9 Cove modules per each infeed (Cove double counts as two modules).

42SB2-72	72"W	70	1	1.80	\$158	

Hardwire infeed to start a run of Cove Daisylink modules. Maximum of 9 Cove modules per each infeed (Cove double counts as two modules). Certified electrician required for installation.

FNCVG12	5 v 12 v 2 1	05	1/	1 1	¢1//1

Metal channel to protect jumper connection to Cove Daisylink module. Black only. Mounts directly to the underside of surface.

Required specifications	Optional specifications	Accessories	
Top finish*	HP laminate*	Cove Daisylink modules*	
Edge finish*	Cut-out for Cove Daisylink modules*	LED task lights*	
Leg finish*		_	
Surround finish*			



FreeFit offers a universal freestanding design with finish options on bases and surfaces that allow you to easily integrate with existing Global workstation configurations, becoming a part of your workspace. With two concealed motors on each base, FreeFit adjusts at 1.5" per second while emitting just 44db. Select from two table ranges - standard range accommodates most users, while extended range meets BIFMA ergonomics guidelines accommodating an extensive array of user needs.

#### **Features and Benefits**

- Tops are 1" thick thermally fused laminate or 1 1/16" high pressure laminate
- Tops are constructed of 45 lb. density particle board
- Worksurfaces are sold separate from the base
- Steel constructed leg tubing, feet and cross bar
- Table frames include expandable width upper cross bars
- Standard up/down handset. Optional digital readout handset.



Add a 3rd leg kit to create an electric height adjustable L station.

### **GENERAL INFORMATION**

- FreeFit Height Adjustable Tables allow for easy movement from sitting to standing and back throughout the day.
- FreeFit offers a universal freestanding design with finish options on the bases and surfaces that allow you to easily integrate with existing Global workstation configurations, becoming a part of your office space.
- Can be used alone or in conjunction with Global desks. Please note Global desks are 1" or 1.5" thick
- For environmental certifications, please visit globalfurnituregroup.com

# ORDERING GUIDELINES CODES

The price list uses a numbering system with meaningful alphanumeric characters to create a simple to understand product number. This makes specifying the product much easier and more accurate.

#### SPECIFICATION EXAMPLE OF A HEIGHT ADJUSTABLE TABLE:

Ordered as components, please order:

1. BASE

PRODUCT CODE: FT - FreeFit

5 - Standard Range Legs

2 - Leg Quantity SF - Small Frame 24 - Depth

OPTIONS:

Frame Style: **5** - Standard Range Frame 27.5" to 47"

6 - Extended Range Frame 22.5" to 48.5"

Leg Quantity: **1** - 1 leg for return kit

**2** - 2 leg table kit **4** - 4 leg table kit

Frame Size: **BF** - Base Frame, for 30" to 42" wide tables

**SF** - Small Frame, for 48" to 60" wide tables **LF** - Large Frame, for 66" to 84" wide tables

Worksurface Depth: 24 - For 23" deep worksurfaces

30 - For 29" and 35" deep worksurfaces

Leg Style: **CL** - C-shaped table leg

TL - T-shaped table leg

Controller Style: **S** - Standard controller

D - Display controller, add \$47 list (\$94 list for back-to-back

benching and media tables).

Base Finish: BLK Black

DWT Designer White TUN Tungsten

2. TOP

PRODUCT CODE: FTWR2436

Top: **LP** - Low Pressure laminate, 1" thick

**HP** - High Pressure laminate, 1-1/16" thick

Top Finish Laminate: Select Color

Top PVC Edge Finish: Select Color

3. ACCESSORIES

Base Finish:

PRODUCT CODE: FTAEC12

CHR Charcoal

DWT Designer White

FOG Fog NEV Nevada SIL Silver TPE Taupe TUN Tungsten

BLK Black

#### CONSTRUCTION

- Table frames feature 3.15" x 1.97" rectangular outer leg with larger tube attached to the foot
- Open base design with ample room for chair and user's legs
- Flat foot design includes ½" adjustable glides
- Table frames include expandable width upper cross bars.
- Open base design has no lower crossbars.
- All table frames are easy to assemble with few parts.
- Tables are designed so that the paint will never mar on the leg during operation.
- Steel construction of the leg assembly tubing, feet and upper structure assemblies.
- Powder coat finishes for bases are offered in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE) or Tungsten (TUN).
- All standard Global laminate finishes are available.
- Sizes of tops are "nominal." Unless otherwise stated, actual depth is 1" less and actual width is 2" less than "nominal" size.
- All bases lift 350 lbs on two leg tables.
- Operates at 1.5" per second.
- 108" 3-prong power cord
- Standard Range Frame adjusts from 27.5" to 47" including the worksurface.
- Extended Range Frame adjusts from 22.5" to 48.5" including the worksurface.
- Worksurfaces and troughs are sold separate from the base.
- 1" thick tops constructed of 45 lb. density particle board with high performance thermally fused laminate.
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.
- Products specified with the high pressure laminate option are 1-1/16" thick and finished on the underside of the surface with a kraft paper backing.
- Worksurface sizes are "nominal". Main worksurface sizes are 1" less in depth and 2" less in width.
- Steel constructed leg tubing, feet and cross bar.
- Back-to-back benching kits feature a pad foot with ½" adjustable glides
- Foot on single sided benching is 3.55"W x 1"H (with glides fully recessed).
- Caution: to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified.
- All products meet or exceed ANSI-BIFMA X5.5-2014 and 7.1 VOC. and CSA-C22.2 No. 6809, CAN/CGSB-44.228-2008.
- All components are UL 962 listed.

#### STANDARD RANGE COLUMNS

The 2-part lifting column is a perfect choice for a wide range of different desk applications in the office.

- Compact design where guide and actuator functions are an integrated unit
- Reinforced column and optimized motor housing design for extra strength and stability
- Max. load 800 N per column
- Max. speed 1.5"/second unloaded
- Standard installation dimension 25.4"
- Standard stroke length 19.7"
- Weight: Approximately 14.3 lbs. per column
- Column dimensions: 1.97" x 3.15" (outer profile) and 1.71" x 2.89" (inner profile)
- Motor housing dimensions: 6.97" x 3.82" x 1.81"
- · Low noise level
- No visible gliding pads
- Standard Range Tables have 2-stages and feature an adjustment range of 27.5" 45.5" (18" travel).

#### **EXTENDED RANGE COLUMNS**

The 3-part construction ensures a short installation dimension combined with a long stroke length making the Extended Range Column the optimum choice no matter the height of the person using it. The middle profile of the column moves synchronously so the profiles are always in the same height optimizing the desk design and the stability.

- Compact design where guide and actuator functions are an integrated unit
- Reinforced column and optimized motor housing design for extra strength and stability

- Max. thrust 1200 N per column (12 mm spindle pitch)
- Max. speed 1.5"/second unloaded
- Installation dimension: 22" / 20.4" (BIFMA)
- Stroke length: 25.6" / 26.2" (BIFMA)
- Weight: 17.2 lbs. per column
- Column dimensions: 1.97" x 3.15" (outer profile), 1.71" x 2.89" (middle profile), 1.46" x 2.64" (inner profile)
- · Low noise level
- · No visible gliding pads





Standard range (2 stage)

Extended range (3-stage)

#### **FOOT TYPE**

- FreeFit offers two foot styles, either a "T" or "C".
- Feet offered in two lengths: 22.75" and 28".
- Foot offers a recessed connection for the column and connects from the bottom with 4 bolts.
- · Adjustable glides are standard

#### **DESK MOUNT FRAME**

- Can be specified in three lengths:
- Base Frame (**BF**) for tables 30" 42" long (nominal dimensions) Short Frame (**SF**) for tables 48" - 60" long (nominal dimensions) Long Frame (**LF**) for tables 66" - 84" long (nominal dimensions)
- All metal parts are Black
- Cantilever length: 21.7"
- Central or off-center placement of columns (T-desk or C-desk)
- · Includes all connecting hardware

#### **CONTROL BOX**

- Two leg tables come standard with a 200 W Control Box
  - Mains voltage 230 VAC, 50 Hz, or 120 VAC, 60 Hz
  - Ultra-compact; 8.25" long
  - Lightweight control box; weight is approximately 1 lb.
- Three Leg Tables come standard with a 300 W Control Box
- can be connected up to 4 columns
- Mains voltage 100-240 VAC, 50-60 Hz (universal)
- Ultra-compact; 10.5" long
- Lightweight control box; weight is approximately 1.1 lbs.
- Common features for the (200 W and 300 W):
- Ultra-low; only 1.5" high
- Environment: Operation Storage
- Ambient temperature: 5 to 40 °C -10 to +50 °C
- Relative humidity: 20 to 80 % at 30 °C 20 to 80 % at 30 °C
- Atmospheric pressure: 700 to 1060 hPa 700 to 1060 hPa
- Compact high-power SMPS (Switch Mode Power Supply)
- Color: Black
- Protection against overload (EOP), by individual current limitation
- The control box is designed with a soft start/stop function
- Autodetection of the number and type of columns connected
- Cable grooves at the bottom to optimise cable management
- White plugs for easy recognition when mounting/dismounting
- PVC-Free™
- Low standby power consumption only 0.1 W.
- Exchangeable standard mains cable



## F

## **FREEFIT - NOTES**

#### STANDARD HANDSET

- Features Bluetooth® connection, two favorite positions and an LED reminder to prompt users to change position.
- Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive.
- · Pulsating orange and green LED lights remind users to change positions.
- Using the integrated Bluetooth® and downloading the Desk Control App, users can also be reminded via notifications on their computer or smart devices.
- Black only, Black cable with RJ45 modular plug, 63" long.
- PVC-Free™, featuring ZERO™. Very low power consumption in standby mode.
- Approved according to EN 60335-1 and UL962

#### **DISPLAY HANDSET**

- Features Bluetooth® connection, four favorite positions, a display to guide users, and a light strip to prompt users to change position.
- Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive.
- Display controller features a modern, discreet design with a glossy surface and integrated display to ensure a clean and minimalist design.
- The display provides guidance to users when operating the desk.
- Via pulsating orange and green lights, the light strip reminds users to change positions.
- Using the integrated Bluetooth® and downloading the Desk Control App, users can also be reminded via notifications on their computer or smart devices.
- Black only. Black cable with RJ45 modular plug. 63" long.
- PVC-Free<sup>™</sup>, featuring ZERO<sup>™</sup>. Very low power consumption in standby mode.
- Approved according to EN 60335-1 and UL962
- Specify (D), add \$59 list (\$117 list for back-to-back benching and media tables).
- A basic handset without Bluetooth® capabilities is available and must be purchased separately, replacing the S or D handset in the field. See 619 for details and pricing.



Standard handset (S)



Display handset (D)

#### **ANTI-COLLISION SENSOR**

- Features enhanced Anti-Collision protection which can limit material damage to a desk or an object if a collision occurs during driving of the desk.
- The sensor is a compact plug-in adapter based on gyroscope-technology, and it detects even slight tilting of the desk when the desk is driving up or down.
- Upon detected tilting, the system stops and drives in the opposite direction to avoid collision and damage to the desk or the object.
- The sensor can detect both hard and soft obstacles.
- The Anti-Collision Sensor is standard on all desks.
- Reacts to angle changes bigger than 0.7° per second
- Just plug it in no mounting required
- ZERO™ power capable
- PVC-Free™

#### **BATTERY BOX**

- A high-performance lithium-lon battery with a capacity of 2.15 Ah.
- On a full charge the table can cycle from 35 to 45 stroke lengths based upon the range of column selected and load on the table.
- Compact unit for easy handling and installation
- · Battery alarm (audio) when charging is needed
- Battery charging indicator (LED light bars) indicating the capacity level
- · Thermal switch protection, overcurrent protection
- · Color: black
- Battery capacity: 2.15 Ah / 52 Wh
- Nominal voltage: 24 V DC
- Discharge current: 9 A (max)
- Maximum charging voltage: 40 V DC
- Charging current: 0.5 A
- Weight: 1.32 lbs.

#### USAGE

- Ambient temperature: 41 to 104 °C
- Storage temperature: 32 to 113 °C

Approved according to:

- EN 62133 (Battery safety testing)
- UL 1642 (Lithium cells, standard test)
- UN 38.3 (transportation of Lithium batteries)
- UL 2054 (Household and commercial batteries)
- EN 60335-1 with CBH Advanced

#### **GROMMET WITH ACCESS DOOR OPTIONS FOR FREEFIT BENCHING**


- Access door option is specified by first selecting a grommet position left or right of center, use code GL or GR, add \$83 list (see diagram on next page for specific position).
- Access doors are specified separately, using the code + list pricing below.
- Available in Black (BLK), Designer White (DWT) or Tungsten (TUN) paint finishes
- Device holder is only available in white plastic.
- CSA certified power bar includes (3) outlets and (2) charging USB ports (2.1 amp).




Standard Access Door (GAADG). Add \$90.



Access Door with Device Holder (GAADGDH). Add \$97.




Access Door with Cable Tray (GAADCT). Add \$145.



Access Door with Cable Tray & Device Holder (GAADCTDH). Add \$153.




Access Door with Cable Tray & Power Bar (GAADCTPD). Add \$307.



Access Door with Cable Tray, Power Bar & Device Holder (GAADCTPDDH). Add \$316.

### **ACCESS DOOR CUT-OUT DIMENSIONS**



#### **FINISHES**

#### **Laminate Top Finishes:**

ACJ Absolute Acajou ASN Asian Night **AWC** Avant Cherry AWH Avant Honey

BLK Black - Coordinates with BLK Metal Frame Finish

BZD

**BRC** Brushed Cobalt - Coordinates with TUN Metal Frame Finish

CMB Clear Maple CGY Custom Grey DES Dark Espresso

Designer White - Coordinates with DWT Metal Frame Finish **DWT** 

FAS Fashionista **FCL** First Class **NBL** Noce Biondo NGL Noce Grigio NEL Noce Leggero NML Noce Medio Quartered Mahogany QTM SBY Sheer Beauty SDT Stonedust SOG Storm Grey

STG String WHE Walnut Heights WHC White Chocolate WCR Winter Cherry

#### **Base Finishes**

BLK Black CHR Charcoal **DWT** Designer White FOG Fog NEV Nevada SIL Silver

TPE Taupe TUN Tungsten

#### **Edgeband Finishes:**

AAE Absolute Acajou ASE Asian Night ACE Avant Cherry AHE Avant Honey BLK Black BZD Blizzard **BRC Brushed Cobalt** CHR Charcoal (use w/SOG)

Clear Maple CME DES Dark Espresso


DEE Dark Espresso **DWE** Designer White FAS Fashionista FCL First Class **NBL** Noce Biondo NGL Noce Grigio NEL Noce Leggero NML Noce Medio Nevada (use w/STG) NEV

QTM Quartered Mahogany SBY Sheer Beauty

SIL Silver SDT Stonedust TPE Taupe


WHE Walnut Heights White Chocolate CBE WCE Winter Cherry

## **CUT-OUT LOCATIONS**




Rectangular Worksurfaces: 46", 52" & 58" End of Run Table Top: 51"

Rectangular Return/Extension Return Worksurface: All sizes




Rectangular Worksurfaces: 64", 70", 76", & 82" End of Run Table Top: 63"

## Access Door grommet in left position (GL)




Access Door grommet in right position (GR)




Select one or the other; both options are not available in one surface.

Rectangular Worksurfaces: 46"-82"

End of Run Table Top: 51" & 63"



90° Corner Table Tops Extended 90° Corner Table Tops



							FKE
FACES MODE	L#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		DxWxH					
FTWR2	2328	23 x 28 x 1	70	20	1.16	\$225	\$68
FTWR2	2334	23 x 34 x 1	70	24	1.40	\$249	\$76
FTWR2	2340	23 x 40 x 1	70	28	1.64	\$319	\$104
FTWR2	2346	23 x 46 x 1	70	31	1.84	\$427	\$128
FTWR2	2352	23 x 52 x 1	70	36	2.08	\$457	\$145
FTWR2	2358	23 x 58 x 1	70	40	2.32	\$510	\$162
FTWR2	2364	23 x 64 x 1	70	44	2.56	\$534	\$168
FTWR2	2370	23 x 70 x 1	85	48	3.80	\$577	\$179
FTWR2	2376	23 x 76 x 1	70	52	3.03	\$582	\$185
FTWR2	2382	23 x 82 x 1	70	56	3.27	\$629	\$193
FTWR	2928	29 x 28 x 1	70	25	1.46	\$261	\$83
FTWR2		29 x 34 x 1	70	30	1.76	\$305	\$96
FTWR2		29 x 40 x 1	70	35	2.06	\$427	\$132
FTWR2		29 x 46 x 1	70	40	2.32	\$509	\$145
FTWR2		29 x 52 x 1	70	45	2.62	\$521	\$145
FTWR2		29 x 58 x 1	70	50	2.92	\$532	\$168
FTWR2		29 x 64 x 1	70	55	3.22	\$555	\$181
FTWR2		29 x 70 x 1	70	60	3.52	\$582	\$186
FTWR2		29 x 76 x 1	70	65	3.83	\$609	\$192
FTWR		29 x 82 x 1	70	71	4.13	\$677	\$211
FTWR	3528	35 x 28 x 1	70	30	1.76	\$270	\$86
FTWR		35 x 34 x 1	70	35	2	\$317	\$99
FTWR		35 x 40 x 1	70	40	2.50	\$444	\$138
FTWR		35 x 46 x 1	70	48	2.80	\$578	\$145
FTWR		35 x 52 x 1	70	54	3.16	\$640	\$164
FTWR		35 x 58 x 1	70	60	3.52	\$712	\$179
FTWR		35 x 64 x 1	70	67	3.89	\$776	\$198
FTWR		35 x 70 x 1	70	73	4.25	\$844	\$213
FTWR		35 x 76 x 1	70	79	4.62	\$906	\$230
FTWR		35 x 82 x 1	70	85	4.98	\$976	\$245
ar Worksurfaces Rectar	ngular worksurface	s are non-hande	ed and can be interd se FT52xx30 or FT6	changed on	site. For 23" de	ep worksurfaces	, use FT52xx2

FTWR(23/29)46, FT54BSF/FT64BSF FTWR(23/29)52, FT54BSF/FT64BSF FTWR(23/29)58, FT54BSF/FT64BSF

FTWR(23/29)64, FT54BLF/FT64BLF FTWR(23/29)72, FT54BLF/FT64BLF FTWR(23/29)76, FT54BLF/FT64BLF FTWR(23/29)82, FT54BLF/FT64BLF

FTWMR5460	54 x 60 x 1	70	96	5.63	\$850	\$328
FTWMR5466	54 x 66 x 1	70	106	6.19	\$927	\$360
FTWMR5472	54 x 72 x 1	70	115	6.75	\$1004	\$394
FTWMR5478	54 x 78 x 1	70	125	7.31	\$1078	\$427
FTWMR5484	54 x 84 x 1	70	135	7.88	\$1155	\$459
FTWMR5490	54 x 90 x 1	70	144	8.44	\$1235	\$492
FTWMR5496	54 x 96 x 1	70	154	9	\$1312	\$524
FTWMR6060	60 x 60 x 1	70	107	6.25	\$931	\$366
FTWMR6066	60 x 66 x 1	70	118	6.88	\$1018	\$403
FTWMR6072	60 x 72 x 1	70	128	7.50	\$1102	\$439
FTWMR6078	60 x 78 x 1	70	139	8.13	\$1187	\$473
FTWMR6084	60 x 84 x 1	70	150	8.75	\$1271	\$510
FTWMR6090	60 x 90 x 1	70	160	9.38	\$1357	\$547
FTWMR6096	60 x 96 x 1	70	171	10	\$1440	\$583




**Media Table Top** 

For tables FTWMR5460 and 6060, use FTM5B2BSF standard range or FTM6B2BSF extended range base. For all other tables, use FTM5B2BLF standard range or FTM6B2BLF extended range base

Required	specifications
Top finish	

Optional specifications
HP laminate Grommet

Edge finish



For use with FT51SR/LR or FT61SR/LR. To determine the appropriate return base, use the following chart:

Main Surface	Return Surface		Return Base				
FTWR23xx	FTWRR(23/29)29		FT51/61SR				
FTWR23xx	FTWRR(23/29)35		FT51/61SR				
FTWR23xx	FTWRR(23/29)41		FT51/61SR				
FTWR23xx	FTWRR(23/29)47		FT51/61LR				
FTWR23xx	FTWRR(23/29)53		FT51/61LR				
FTWR23xx	FTWRR(23/29)59		FT51/61LR				
FTWR29xx	FTWRR(23/29)29		FT51/61SR				
FTWR29xx	FTWRR(23/29)35		FT51/61SR				
FTWR29xx	FTWRR(23/29)41		FT51/61LR				
FTWR29xx	FTWRR(23/29)47		FT51/61LR				
FTWR29xx	FTWRR(23/29)53		FT51/61LR				
FTWR29xx	FTWRR(23/29)59		FT51/61LR				
FTWR2351	23 x 51 x 1	70	40	2.02	\$498	\$162	
FTWR2362	23 x 62 x 1	70	44	2.50	\$523	\$168	
ETW/DOOF1	20 [1 1	70	Ε0	2.54	ėraa	64.00	
FTWR2951	29 x 51 x 1	70	50	2.54	\$523	\$168	
FTWR2962	29 x 62 x 1	70	55	3.15	\$535	\$270	



## **Rectangular End of Run Worksurfaces**

Rectangular return worksurfaces are non-handed and can be interchanged on site.

- For 23" deep worksurfaces, use with FT52xx24 or FT62xx24.
- For 29" deep worksurfaces, use with FT52xx30 or FT62xx30.
- For back-to-back bases, please use the following chart: FTWR(23/29)51, FT52BSF24/30 or FT62BSF24/30 FTWR(23/29)62, FT52BLF24/30 or FT62BLF24/30

FTWCC234023	40 x 40 x 1	60	80	1.5	\$827	\$83
FTWCC234623	46 x 46 x 1	60	95	2	\$851	\$85
FTWCC235223	52 x 52 x 1	70	80	4.69	\$987	\$85
FTWCC235823	58 x 58 x 1	70	100	5.84	\$1263	\$128
FTWCC294029	40 x 40 x 1	60	80	1.5	\$827	\$83
-TWCC294629	46 x 46 x 1	70	63	3.67	\$838	\$86
FTWCC295229	52 x 52 x 1	70	80	4.69	\$987	\$103
FTWCC295829	58 x 58 x 1	70	100	5.84	\$1263	\$128



90° Corner Worksurface

For tables that connect with 23" deep worksurfaces, use with FT539FS24CL or FT639FS24CL. For tables that connect with 29" deep worksurfaces, use with FT539FS30CL or FT639FS30CL.

Required specifications	Optional specifications
Top finish	HP laminate
Edge finish	Grommet

A		) )	C
Α	В	С	D
DEPTH	™ WIDTH	LENGTH	DEPTH

Ext. 90° Corner Worksurface, Left

For tables that connect with 23" deep (A and D) worksurfaces, use with FT539F(S/L)24CL or FT539F(S/L)24CL bases. For tables that connect with 29" deep (A and D) worksurfaces, use with FT539F(S/L)30CL or FT639F(S/L)30CL bases. Must use with FTWRExxxx return surfaces only.

**Required specifications** 

Top finish Edge finish **Optional specifications** 

**HP** laminate Grommet

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
FTWEC23405823	58 x 40 x 1	60	115	2.6	\$1114	\$281
FTWEC23406423	64 x 40 x 1	60	127	2.8	\$1238	\$311
FTWEC23407023	70 x 40 x 1	60	138	3.1	\$1353	\$343
FTWEC23407623	76 x 40 x 1	60	150	3.3	\$1445	\$359
FTWEC23408223	82 x 40 x 1	60	162	3.6	\$1533	\$384
FTWEC23465823	58 x 46 x 1	60	115	2.55	\$1164	\$292
FTWEC23466423	64 x 46 x 1	60	127	2.81	\$1294	\$326
FTWEC23467023	70 x 46 x 1	60	138	3.07	\$1415	\$358
FTWEC23467623	76 x 46 x 1	60	150	3.34	\$1510	\$378
FTWEC23468223	82 x 46 x 1	60	162	3.6	\$1602	\$403
FTWEC23525823	58 x 52 x 1	60	130	2.88	\$1198	\$304
FTWEC23526423	64 x 52 x 1	60	143	3.18	\$1333	\$337
FTWEC23527023	70 x 52 x 1	60	156	3.48	\$1457	\$368
FTWEC23527623	76 x 52 x 1	60	170	3.77	\$1555	\$389
FTWEC23528223	82 x 52 x 1	60	183	4.07	\$1648	\$415
FTWEC23586423	64 x 58 x 1	60	160	3.54	\$1372	\$345
FTWEC23587023	70 x 58 x 1	60	174	3.88	\$1501	\$379
FTWEC23587623	76 x 58 x 1	60	189	4.21	\$1602	\$402
FTWEC23588223	82 x 58 x 1	60	204	4.54	\$1698	\$431
FTWEC29405829	58 x 40 x 1	60	115	2.2	\$1159	\$291
FTWEC29406429	64 x 40 x 1	60	127	2.4	\$1290	\$322
FTWEC29407029	70 x 40 x 1	60	138	2.7	\$1407	\$356
FTWEC29407629	76 x 40 x 1	60	127	2.4	\$1502	\$373
FTWEC29408229	82 x 40 x 1	60	162	3.1	\$1593	\$401
FTWEC29465829	58 x 46 x 1	60	115	2.55	\$1212	\$305
FTWEC29466429	64 x 46 x 1	60	127	2.81	\$1346	\$338
FTWEC29467029	70 x 46 x 1	60	138	3.07	\$1471	\$373
FTWEC29467629	76 x 46 x 1	60	150	3.34	\$1570	\$391
FTWEC29468229	82 x 46 x 1	60	162	3.6	\$1665	\$418
FTWEC29525829	58 x 52 x 1	60	130	2.88	\$1248	\$316
FTWEC29526429	64 x 52 x 1	60	143	3.18	\$1385	\$350
FTWEC29527029	70 x 52 x 1	60	156	3.48	\$1516	\$382
FTWEC29527629	76 x 52 x 1	60	170	3.77	\$1616	\$403
FTWEC29528229	82 x 52 x 1	60	183	4.07	\$1716	\$432
FTWEC29586429	64 x 58 x 1	60	160	3.54	\$1427	\$360
FTWEC29587029	70 x 58 x 1	60	174	3.88	\$1562	\$393
FTWEC29587629	76 x 58 x 1	60	189	4.21	\$1665	\$417
FTWEC29588229	82 x 58 x 1	60	204	4.54	\$1766	\$444

Ext. 90° Corner Worksurface, Right

For tables that connect with 23" deep (A and D) worksurfaces, use with FT539F(S/L)24CL or FT539F(S/L)24CL bases. For tables that connect with 29" deep (A and D) worksurfaces, use with FT539F(S/L)30CL or FT639F(S/L)30CL bases. Must use with FTWRExxxx return surfaces only.

FTWRE2324	23 x 24 x 1	70	16	0.96	\$211	\$68
FTWRE2330	23 x 30 x 1	70	20	1.2	\$229	\$68
FTWRE2336	23 x 36 x 1	70	25	1.44	\$255	\$81
FTWRE2924	29 x 24 x 1	70	21	1.21	\$250	\$74
FTWRE2930	29 x 30 x 1	70	26	1.51	\$266	\$84
FTWRE2936	29 x 36 x 1	70	31	1.81	\$308	\$97



Rectangular Extension\*\* **Return Worksurface** 

## Worksurfaces to be used only with Extended 90° Corner Worksurfaces.

- FTWRE23 to be used with FTWEC23xxxx23
- FTWRE29 to be used with FTWEC29xxxx29

Req	ui	r	ed	specifications

Top finish Edge finish Optional specifications
HP laminate

Grommet



Standard Range Base\*

BASES	MODEL#	DIMENSIONS FREIO	HT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
		D x W x H					
	FT52BF24	24 x 30-42 x 27.5-47	60	67	1.47	\$1255	
	FT52SF24	24 x 48-60 x 27.5-47	60	67	1.47	\$1382	
	FT52LF24	24 x 66-84 x 27.5-47	60	67	1.47	\$1388	
	FT52BF30	30-36 x 30-42 x 27.5-47	60	67	1.47	\$1265	
	FT52SF30	30-36 x 48-60 x 27.5-47	60	67	1.47	\$1392	
	FT52LF30	30-36 x 66-84 x 27.5-47	60	67	1.47	\$1398	
O	125.1 1 1 1				1. O T	CLIC CBECK C	,

Kit includes one beam, two cantilevers, two standard range columns, and two C or T styled feet. BF indicates base frame for 30" to 42" tables. SF indicates small frame for 48" to 60" tables. LF indicates large frame: 66" to 84" tables. For 23" deep worksurfaces, use 24" leg. For 29" and 35" deep worksurface, use 30" leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$59 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

FT62BF24	24 x 30-42 x 22.5-48.5 60	67 1.47	\$1341
FT62SF24	24 x 48-60 x 22.5-48.5 60	67 1.47	\$1473
FT62LF24	24 x 66-84 x 22.5-48.5 60	67 1.47	\$1480
FT62BF30	30-36 x 30-42 x 22.5-48.5 60	67 1.47	\$1351
FT62SF30	30-36 x 48-60 x 22.5-48.5 60	67 1.47	\$1485
FT62LF30	30-36 x 66-84 x 22.5-48.5 60	67 1.47	\$1489

Kit includes one beam, two cantilevers, two extended range columns, and two C or T styled feet. BF indicates base frame for 30" to 42" tables. SF indicates small frame for 48" to 60" tables. LF indicates large frame: 66" to 84" tables. For 23" deep worksurfaces, use 24" leg. For 29" and 35" deep worksurface, use 30" leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$59 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

FT51SRNL	x 24-48 x 27.5-47	60	61	1.47	\$846
FT51LRNL	x 54-72 x 27.5-47	60	61	1.47	\$863

Kit includes one beam, one cantilever, one standard range columns, and one pad foot. See chart on 606 to determine whether SR or LR kit is required. For 23" deep worksurfaces, use 24" return. For 29" and 35" deep worksurface, use 30" return. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

• When using the return kit for a 23"d return and a 29"/35" deep desk, a new foot must be ordered separately. See FTF00T24TL/CL (619) for specification information.

FT61SRNL	x 24-48 x 22.5-48.5	60	61	1.47	\$890
FT61LRNL	x 54-72 x 22.5-48.5	60	61	1.47	\$908

Kit includes one beam, one cantilever, one standard range columns, and one pad foot. See chart on 606 to determine whether SR or LR kit is required. For 23" deep worksurfaces, use 24" return. For 29" and 35" deep worksurface, use 30" return. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

• When using the return kit for a 23"d return and a 29"/35" deep desk, a new foot must be ordered separately. See FTF00T24TL/CL (619) for specification information.



Extended Range Base\*



Standard Range Return Kit



**Extended Range Return Kit** 

**Required specifications** 

Base finish Leg style\*

**Optional specifications** 

Digital handset



**Back-to-Back Standard Range Base** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
FT54BSFNL	24 x x 27.5-47	60	123	2.94	\$3080	
FT54BLFNL	24 x x 27.5-47	60	123	2.94	\$3089	

Back-to-back height adjustable bases includes four height adjustable columns with pad feet, two sets of cross rails for surface support and two short beams to attach the columns back-to-back. Combine with surfaces & trough kits (sold separately) to create a complete workstation. For 50.5" depth, use two x 23" deep worksurfaces. For 62.5" depth, use two x 29" deep worksurfaces. 30" or larger depth worksurfaces cannot be used with Back to Back bases. Duplex receptacles are not included, please specify separately. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$117 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

FT64BSFNL	10 x x 22.5-48.5	60	123	2.94	\$3253	
FT64BLFNL	10 x x 22.5-48.5	60	123	2.94	\$3264	

Back-to-back height adjustable bases includes four height adjustable columns with pad feet, two sets of cross rails for surface support and two short beams to attach the columns back-to-back. Combine with surfaces & trough kits (sold separately) to create a complete workstation. For 50.5" depth, use two x 23" deep worksurfaces. For 62.5" depth, use two x 29" deep worksurfaces. 30" or larger depth worksurfaces cannot be used with Back to Back bases. Duplex receptacles are not included, please specify separately. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$117 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

FT52BSF24	24 x x 27.5-47	60	72	1.47	\$1741
FT52BLF24	24 x x 27.5-47	60	72	1.47	\$1751
FT52BSF30	30 x x 27.5-47	60	72	1.47	\$1806
FT52BLF30	30 x x 27.5-47	60	72	1.47	\$1816

Single sided height adjustable bases includes two height adjustable columns with "T" feet, one set of cross rails for surface support and two short beams to attach the columns to a trough kit. Combine with single surfaces & trough kits (sold separately) to create a complete workstation. Use 23" deep worksurfaces with FT52BSF24 + FT52BLF24. Use 29" deep worksurfaces with FT52BSF30 + FT52BLF30. 30" or larger depth worksurfaces cannot be used with benching bases. Duplex receptacles are not included, please specify separately. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$117 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.



**Back-to-Back Extended Range Base** 

**Standard Range Single Frame** 

**Required specifications** Base finish

Leg style\*

**Optional specifications** 

Digital handset



**Extended Range Single Frame** 

MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
FT62BSF24	24 x x 22.5-48.5	60	72	1.47	\$1887	
FT62BLF24	24 x x 22.5-48.5	60	72	1.47	\$1892	
FT62BSF30	30 x x 22.5-48.5	60	72	1.47	\$1897	
FT62BLF30	30 x x 22.5-48.5	60	72	1.47	\$1903	

Single sided height adjustable bases includes two height adjustable columns with "T" feet, one set of cross rails for surface support and two short beams to attach the columns to a trough kit. Combine with single surfaces & trough kits (sold separately) to create a complete workstation. Use 23" deep worksurfaces with FT62BSF24 + FT62BLF24. Use 29" deep worksurfaces with FT62BSF30 + FT62BLF30. 30" or larger depth worksurfaces cannot be used with benching bases. Duplex receptacles are not included, please specify separately. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$117 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

FTM5B2BSF	54-60 x 60 x 27.5-47	60	123	2.94	\$3080
FTM5B2BLF	54-60 x 60 x 27.5-47	60	123	2.94	\$3089



**Standard Range Media Table Base** 

Kit includes two beams, four cantilevers, four standard range columns and two controllers. SF indicates small base for 60" sided tables. LF indicates large base for 66"to 84" sided tables. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$117 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

FTM6B2BSF	54-60 x 60 x 22.5-48.5 60	123	2.94	\$3253
FTM6B2BLF	54-60 x 60 x 22.5-48.5 60	123	2.94	\$3264



**Extended Range Media Table Base** 

Kit includes two beams, four cantilevers, four extended range columns and two controllers. SF indicates small base for 60" sided tables. LF indicates large base for 66"to 84" sided tables. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (\$). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$117 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

FT539FS24CL	54-60 x 42-60 x 27.5-47 60	101 1.47	\$2011
FT539FS30CL	54-60 x 42-60 x 27.5-47 60	101 1.47	\$2023
FT539FL24CL	66-84 x 66-84 x 27.5-47 60	101 1.47	\$2047
FT539FL30CL	66-84 x 66-84 x 27.5-47 60	101 1.47	\$2030

Kit includes two equal length beams, three cantilevers, one standard range corner column, two standard range columns, and two C styled feet. FS indicates small base for 54" to 60" sided tables. FL indicates large base: 66" to 84" sided tables. For 23" deep worksurfaces, use 24" CL leg. For 29" and 35" deep worksurface, use 30" CL leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base.

Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$59 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.


 When using a 23"d return with the FT539FS30CL/LF30CL a 24" foot must be ordered separately. See FTF00T24TL/CL (619) for specification information.

48"-60"		48"-60"
	<b>~</b>	
	Ш	Y
FS Base		
60"-84"	<u> </u>	60"-84
	∕∕∥∿	<i></i>

Standard Range 90° Base, Equal Sides

**Required specifications Optional specifications** Base finish Digital handset

## F FREEFIT



Standard Range 90° Base, Unequal Sides

48"-60" 48"-60" FS Base



Extended Range 90° Base, Equal Sides\*



Extended Range 90° Base, Unequal Sides\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
FT539FSL24CL	66-84 x 42-60 x	27.5-47 60	101	1.47	\$2030	
FT539FSL30CL	66-84 x 42-60 x	27.5-47 60	101	1.47	\$2040	

Kit includes two beams (one small, one large), three cantilevers, one standard range corner column, two standard range columns, and two C styled feet. For 23" deep worksurfaces, use 24" CL leg. For 29" and 35" deep worksurface, use 30" CL leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base.

Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$59 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

 When using a 23"d return with the FT539FSL30CL a 24" foot must be ordered separately. See FTF00T24TL/CL (619) for specification information.

FT639FS24CL	48-60 x 42-60 x 22.5-48.5 60	101 1.47	\$2148
FT639FS30CL	48-60 x 42-60 x 22.5-48.5 60	101 1.47	\$2159
FT639FL24CL	66-84 x 66-84 x 22.5-48.5 60	101 1.47	\$2184
FT639FL30CL	66-84 x 66-84 x 22.5-48.5 60	101 1.47	\$2195

Kit includes two equal length beams, three cantilevers, one extended range corner column, two extended range columns, and two C styled feet. **FS** indicates small base for 54" to 60" sided tables. **FL** indicates large base: 66" to 84" sided tables. For 23" deep worksurfaces, use 24" CL leg. For 29" and 35" deep worksurface, use 30" CL leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base.

Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$59 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

When using a 23"d return with the FT639FS30CL/LF30CL a 24" foot must be ordered separately. See FTF00T24TL/CL (619) for specification information.

FT639FSL24CL	48-84 x 48-60 x 22.5-48.5	60	101	1.47	\$2166
FT639FSL30CL	48-84 x 48-60 x 22.5-48.5	60	101	1.47	\$2177

Kit includes two beams (one small, one large), three cantilevers, one extended range corner column, two extended range columns, and two C styled feet. For 23" deep worksurfaces, use 24" CL leg. For 29" and 35" deep worksurface, use 30" CL leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base.

Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$59 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

 When using a 23"d return with the FT639FSL30CL a 24" foot must be ordered separately. See FTF00T24TL/CL (619) for specification information.

Required specifications	Optional specifications	Accessories	
Top finish	HP laminate	Keyboard tray	
Base finish	Digital handset	Power block	
Foot style	Grommet		
Foot configuration	Insulation type		



Laminate Leg Shroud, for C-Leg - Left\*\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
FTB23L	9 x 23 x 18	65	47	2	\$571	
FTB29L	9 x 29 x 18	70	55	3	\$591	
FTB35L	9 x 35 x 18	70	67	3	\$616	

Laminate housing to cover a FreeFit C-leg on the left side. Includes a felt liner at the top. Short side panel is removable to access interior. Specify laminate finish, PVC edge finish and felt finish.



Laminate Leg Shroud, for C-Leg - Right\*\*

FTB23R	9 x 23 x 18	65	47	2	\$571	
FTB29R	9 x 29 x 18	70	55	3	\$591	
FTB35R	9 x 35 x 18	70	67	3	\$616	

Laminate housing to cover a FreeFit C-leg on the right side. Includes a felt liner at the top. Short side panel is removable to access interior. Specify laminate finish, PVC edge finish and felt finish.



Laminate Leg Shroud for T-Leg\*\*

FTB23	9 x 23 x 18	65	47	2	\$571	
FTB29	9 x 29 x 18	70	55	3	\$591	
FTB35	9 x 35 x 18	70	67	3	\$616	

Laminate housing to cover a FreeFit T-leg. Includes a felt liner at the top. Short side panel is removable to access interior. Specify laminate finish, PVC edge finish and felt finish.



**Laminate Leg Shroud for Media Bases** 

FT	B54	9 x 54 x 18	70	110	5	\$1162
FT	B64	9 x 64 x 18	70	134	6	\$1352

Laminate shroud for a FreeFit media table base. Includes a felt liner at the top. Side panel is removable to access interior. Specify laminate finish, PVC edge finish and felt finish.

## **Required specifications**

Laminate finish Edge finish Felt finish

POWER DELIVERY/CABLE MANAGEMENT

MODEL#

DIMENSIONS D x W x H FREIGHT CLASS


WT/LBS. CUBIC FT.


LIST PRICE

4-2-2 Wiring Schematic

### 8-Wire Shared Neutral

#### "2 + 2" - 2 Utility Circuits, 2 Dedicated





**Specifications** 

 8 Wires
 4 Circuits

 4 Lines (12 ga.)
 2 Utility circuits

 2 Neutrals (10 ga.)
 2 Dedicated Circuits

 2 Grounds (12 ga.)

Duplex - Up to 12 duplex receptacles per circuit

(Up to 48 per infeed)

Receptacles

System rated for connection to a grounded 120/240 V single phase, 20A, 60Hz or 120/208 V, 3 phase, 20A, 60Hz branch circuit for U.S. and 15A if product is marked with a C-UL Mark. Outlets rated 15A max.

		7	
			50
	B.	1	>

TROUGH KITS

### Back-to-Back Trough Kit

MUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	LIST PRICE	
FTB2B48KITNB		92.5	3.50	.30	\$2422	
FTB2B54KITNB		92.5	3.50	.30	\$2496	
FTB2B60KITNB		92.5	3.50	.30	\$2622	
FTB2B66KITNB		92.5	3.50	.30	\$2672	
FTB2B72KITNB		92.5	3.50	.30	\$2703	

For back-to-back benching applications. Trough kits contain all items needed for a standard back-to-back workstation when combined with the back-to-back height adjustable base and worksurfaces (both sold separately). Kits include two cable chains and one back-to-back power trough with distribution housing included. Specify duplexes separately.



**Single Sided Trough Kit** 

FTSGL48KITNB	 92.5	3.50	.30	\$1582
FTSGL54KITNB	 92.5	3.50	.30	\$1658
FTSGL60KITNB	 92.5	3.50	.30	\$1752
FTSGL66KITNB	 92.5	3.50	.30	\$1801
FTSGL72KITNB	 92.5	3.50	.30	\$1852

For single-sided benching applications. Trough kits contain all items needed for a single sided workstation when combined with the single-sided height adjustable base and worksurfaces (both sold separately). Kits include two cable chains and one back-to-back power trough with distribution housing included. Specify duplexes separately.



**End of Run Trough Kit** 

FTSGL51T24KITNB	 92.5	3.50	.30	\$1658

For perpendicular end of run benching applications. Trough kits contain all items needed for a standard back-to-back workstation when combined with the back-to-back height adjustable base and worksurfaces (both sold separately). Kits include two cable chains and one back-to-back power trough with distribution housing included. Specify duplexes separately.

**Required specifications** 



**Access Door Module** 

**ACCESS DOORS** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
GAADG	5.54 x 10.09 x 1	.08	2	0.04	\$90	
GAADGDH	5.54 x 10.09 x 1	.08	2	0.04	\$97	

Soft close door is set back from edge to allow for cable pass thru when closed. Available in all standard base finishes. GAADGDH includes device holder for most mobile phones or tablets. Holder is only available in White. FreeFit can only accommodate one grommet per worksurface.



Access Door Module w/Cable Tray

GAADCT	5.54 x 10.09 x 5.07	 4	0.19	\$145
GAADCTDH	5.54 x 10.09 x 5.07	 4	0.19	\$153

Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a power bar. Sides are open for easy access. Available in all standard base finishes. GAADCTDH includes device holder for most mobile phones or tablets. Holder is only available in White. FreeFit can only accommodate one grommet per worksurface.





GAADCIPD	5.54 x 10.09 x 6.96	 4	0.20	\$307
GAADCTPDDH	5.54 x 10.09 x 6.96	 4	0.20	\$316

Access Door Module w/Cable Tray and Power Bar

Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a powerbar. Power bar with 3 simplex and 2 USB, CSA Certified. Sides are open for easy access. Available in all standard base finishes. GAADCTPDDH includes device holder for most mobile phones or tablets. Holder is only available in White. FreeFit can only accommodate one grommet per worksurface.

			P
	4	<b>3</b>	

POWER/DATA

**Duo Module** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
BRED50	3.2 x 5.5 x 1.8	70	2.50	.14	\$386	



**Duo Under Module** 

The duo power module is completely integrated with a mounting clamp to attach to the edge of a worksurface. Provides two outlets and two 2.1 amp USB ports. White face plate, outlets and bracket; 72" long three-prong black cord, silver body.


BREDU51	2.8 x 5.5 x 1.8	70	2.50	.14	\$335	

The duo under power module comes with a thin flush mounting bracket to attach to the underside of a worksurface or above worksurface shelves. Provides two outlets and two 2.1 amp USB ports. White face plate, outlets and brackets; 72" long threeprong black cord, silver body.

## **FRFFFIT**



**Duplex Receptacles** 



**ELECTRICAL COMPONENTS** 





**Ceiling Feed Harness** 



Table to Table Connector\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BRTE8D1	1.25 x 4.63 x 2	70	.10	.01	\$42	
BRTE8D2	1.25 x 4.63 x 2	70	.10	.01	\$42	
BRTE8DA	1.25 x 4.63 x 2	70	.10	.01	\$42	
BRTE8DB	1.25 x 4.63 x 2	70	.10	.01	\$42	
BRTE8DXW1	1.25 x 4.63 x 2	70	.10	.01	\$59	
BRTE8DXW2	1.25 x 4.63 x 2	70	.10	.01	\$59	
BRTE8DXWA	1.25 x 4.63 x 2	70	.10	.01	\$59	
BRTE8DXWB	1.25 x 4.63 x 2	70	.10	.01	\$59	

Snaps into Power Distribution Housing. Up to 13 duplex receptacles per circuit. XW identifies white color plastic, all others standard in black.

- BRTE8D1 / BRTE8DXW1 Circuit #1 (utility circuit)
- BRTE8D2 / BRTE8DXW2 Circuit #2 (utility circuit)
- BRTE8DA / BRTE8DXWA Circuit A (dedicated circuit)
- BRTE8DB / BRTE8DXWB Circuit B (dedicated circuit)

BWAECF 2.5 x 4.74 x 99.32 92.5 3.50 .30 <b>\$429</b>	9
------------------------------------------------------	---

Ceiling pole brings ceiling feed conduit and data cables from the ceiling down to Power troughs height. Accommodates 10' ceiling heights. A two part construction allows power/data conduit lay-in. Includes mounting hardware and ceiling bezel. Ceiling feed harness sold separately.

BWAEECFH120	6 x 6 x 120	250	5	2	\$530
BWAEECFH144	6 x 6 x 144	250	6	3	\$588

Ceiling feed provides a single power entry from ceiling, through Ceiling pole into Power Trough, into Power Distribution Housing. An 8-wire (4-circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling feed post sold separately.

FTAETTC12	2.3 x 16 x 3	60	6	.12	\$409	
FTAETTC18	2.3 x 22 x 3	60	8	.15	\$442	
FTAETTC24	2.3 x 28 x 3	60	9	.18	\$466	
FTAETTC30	2.3 x 34 x 3	60	10.60	.22	\$492	
FTAETTC36	2.3 x 40 x 3	60	12	.24	\$516	
FTAETTC42	2.3 x 46 x 3	60	11.60	.28	\$555	
FTAETTC48	2.3 x 52 x 3	60	14	.30	\$591	

Connects Freefit legs and trough provide to power data/communication pass thru. Connector kit consists of formed steel housing, mounting brackets, housing to housing harness (jumper) and one charcoal grey extruded data/communication cable manager. Knock out on top cover allows for ceiling post connection. Cover included. Specify paint finish.

- FTAETTC12 is used between two single sided or back to back stations that are 70"w (72" nominal) or less.
- FTAETTC18 is used between two single sided or back to back stations that are 76"w (78" nominal).
- FTAETTC24 is used between two single sided or back to back stations that are 82"w (84" nominal), or when separating two stations (up to 70"w) with a 12"w storage piece.
- FTAETTC30 is used to separate 2 workstations 70"w (72" nominal) or less with an 18"w storage unit in between the surfaces.
- FTAETTC36 is used between two single sided or back to back stations that are 70"w (72" nominal) or less with (2) 12"w storage units or (1) 24"w storage unit.
- FTAETTC42 is used between two single sided or back to back stations that are 70"w (72" nominal) or less with (2) 15"w storage units or (1) 30"w storage unit
- FTAETTC48 is used between two single sided or back to back stations that are 70"w (72" nominal) or less with (2) 18"w storage units or (1) 36"w storage unit.

**Required specifications** 



Table to Bridges Connector\*

D x W x H           FTTABRC         14 x 2.3 x 15         100         2.40         .28         \$347	MODEL# DIMENSIONS	DIMENSIONS FREIGHT CLASS	WT/LBS. CUBIC FT.	LIST PRICE
FTTABRC 14 x 2.3 x 15 100 2.40 .28 <b>\$347</b>	D x W x H	DxWxH		
	FTTABRC 14 x 2.3 x 15	14 x 2.3 x 15 100	2.40 .28	\$347

Connects Freefit back-to-back benching to Bridges 29"H table with below worksurface power trough. Please specify paint finish on bracket. Wire manager is always Charcoal.

FTACCL	3.2 x 2 x 16	70	.06	.06	\$531

Provides wire management from under FreeFit worksurface, down the leg and to the floor. Can only be used on FreeFit regular and media tables. Not for use on back-to-back tables. Kit includes wire manager housing, magnets, screws and cable chain. Magnetically fastens to the FreeFit leg and cable chain is screwed to worksurfaces. Please specify housing paint finish.

FTAEEFF 8.75 x 2 x 10.8	92.5	3.50	.30	\$880	
-------------------------	------	------	-----	-------	--

Floor feed housing for FreeFit benching applications only. Includes liquitite whip, 72"L. Must be hard wired to the building power supply by a licensed electrician.

FTAEEFF-NYC 14 x 2.55 x 13.41 92.5 3.50 .30 <b>\$743</b>	
----------------------------------------------------------	--

Floor feed housing for FreeFit benching applications only. Includes liquitite whip, 72"L. Must be hard wired to the building power supply by a licensed electrician.

FTAEG18H	30.65 x .75 x 18	60	10	.24	\$479	
FTAEG22H	30.65 x .75 x 22	60	13	.30	\$516	

Optional back-to-back FreeFit Benching end gable is intended to be installed at the end of a FreeFit back-to-back table run. Made of 3/4" thermally fused laminate, it reduces the number of visible elements below the worksurface. Two heights are available. Specify FTAEG18H for extended range bases and FTAEG22H for standard range bases.

FFTCB36	8 x 8 x 1	70	.36	.03	\$121	
FFTCB48	8 x 16 x 1	70	.73	.07	\$135	
FFTCB54	8 x 22 x 1	70	1.01	.10	\$140	
FFTCB60	8 x 28 x 1	70	1.20	.13	\$147	
FFTCB66	8 x 34 x 1	70	1.56	.15	\$171	
FFTCB72	8 x 40 x 1	70	1.80	.18	\$179	
FFTCB78	8 x 46 x 1	92.5	2.16	.21	\$190	
FFTCB84	8 x 52 x 1	100	2.39	.24	\$197	

Shallow, 8" wide basket manages cable excess. It can be easily unclipped from steel brackets (included). Specify cable basket 30" shorter than worksurface. Steel wire construction, chrome finish baskets; black steel hanging brackets, fasteners.

	,,,
7	

Leg Wire Manager\*



Base Feed\*



Base Feed\* - New York Electrical



**Back-to-Back End Gable\*** 



**Under Worksurface Cable Basket** 


**Required specifications** 

## F FREEFIT

**ELECTRICAL COMPONENTS/ACCESSORIES** 



Cable Snake



Flexible cable management trough. Two pathways within the snake, one for data/communication and one for routing power cables. Translucent White finish only.

FTBATT	8 x 3 x 1.5	70	1.54	.02	\$466	

Battery Pak with charging cable mounts to the underside of the worksurface. Features LED bars indicating capacity level and audio alarm when it needs to be charged. On a full charge, the table can cycle from 35 to 45 stroke lengths depending upon the range of column selected and load on the table.

BWAEGC00158GC	1 x 2.3 x 1.3	70	1	.50	\$146	

Power Bar with 3 receptacles + 2 USB and power switch. Standard with 6' cord. Rating 15A, 125V, AC 60Hrz, 1875W. USB output 5V, 2.6A (max.) White case, white cord. Available to retrofit CTL/CTR or CTDHL/CTDHR.

FTACPU	21 x 8 x 21	300	3.57	2.04	\$447	

Accepts tower CPU's with a width range from 7.6" to 2.25"- and a maximum height of 18". Durable sheet metal construction. Please specify paint finish.

BRTLCS	2.7 x 2.5 x 2.6	70	0.06	.01	\$35	

Locking caster. Interchangeable with glides on FreeFit bases. 40mm dia. caster with 8mm thread. White body, light grey tires.

BRLBST36	2.95 x 33 x 16	65	5.90	.26	\$417
BRLBST42	2.95 x 39 x 16	70	6.44	.30	\$439
BRLBST48	2.95 x 45 x 16	70	6.98	.35	\$455
BRLBST54	2.95 x 51 x 16	70	7.52	.39	\$472
BRLBST60	2.95 x 57 x 16	70	8.07	.43	\$482
BRLBST66	2.95 x 63 x 16	70	8.61	.48	\$499
BRLBST72	2.95 x 69 x 16	70	9.15	.52	\$516
BRLBST78	2.95 x 75 x 16	70	9.69	.56	\$532
BRLBST84	2.95 x 81 x 16	70	10.24	.61	\$548

Table mounted accessory rail. Compatible with standard Bins, Trays and Sorters. Includes end caps and mounting hardware. Please specify paint finish. To ensure proper connection and clearance on tables 46" wide and up, choose accessory rail 13" smaller than the actual table width (70" wide table gets 57" wide rail). Tables 40" wide and smaller use 33" wide accessory rail.

~ @	_		
¥Û)	3.70	~	

**Battery and Charger** 

**Power Bar with USB** 



**PC** Holder



**Dual Wheel Casters** 



Single Table Accessory Rail\*

**Required specifications** 



ACCESSORIES

#### **Anti-Collision Desk Sensor USB Plug**

		-
Q*	<	

Reminder Controller -LED Display + Bluetooth



**Diode Reminder Controller -**Memory + Bluetooth



**Display Handset** 



T-Foot\*



C-Foot\*



**Replacement Glides** 



**TV Mount** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
FTACDS	8 x 3 x 1.5	60	1.54	.01	\$49	

Provides enhanced anti-collision detection. Plugs directly into leg column. Only one USB plug required for table assembly. This is a replacement part. One sensor ships standard with every table.

FTDPG1C	3 x 4.3 x 1	70	0.4	.01	\$108	
---------	-------------	----	-----	-----	-------	--

Up/down drive with 4 memory positions. LED light strip reminder, table height display. Bluetooth enabled, connects to Desk Control App. This is a replacement part. Every base comes standard with a controller.

FTDPG1M	3 x 4.3 x 1	70	0.4	.01	\$44	

Up/down drive with 2 memory positions. Bluetooth enabled, connects to Desk Control App. This is a replacement part. Every base comes standard with a controller.

FTDHNBT	3 x 4.3 x 1	70	1	.01	\$110	
---------	-------------	----	---	-----	-------	--

Up/down drive with 3 memory positions and table height display. Must be specified separately from standard tables and replaced in the field. Use where Bluetooth capabilities are restricted.

FTF00T24TL	23 x 3 x 1.16	60	4.4	.10	\$121
FTF00T30TL	29 x 3 x 1.16	60	4.85	.10	\$131

Replacement single "T" foot or as an optional addition to a 3 leg table.

FTF00T24CL	23 x 3 x 1.16	60	4.4	.10	\$133	
FTF00T30CL	29 x 3 x 1.16	60	4.85	.10	\$144	

Replacement single "C" foot or as an optional addition to a 3 leg table.

Set of two with 1/2" adjustment.

ETMT5145	1 v 51 v 10 5	250	16.82	/I Q	\$01E	
1111113143	4 7 31 7 40.3	250	10.02	4.0	4010	

TV mount for FreeFit media tables. Includes the TV/Display bracket and mounting hardware. Maximum TV size is 50".

**Required specifications** 

•	Г	_	_		•
	PANT	RY S	OT	RAG	E - 4



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						_
FFP01224H42NL	24 x 12 x 42	70	128	7	\$2318	\$29	
FFP01230H42NL	30 x 12 x 42	70	143	9	\$2435	\$35	
FFP01236H42NL	36 x 12 x 42	85	157	11	\$2551	\$40	
FFP01224H42NR	24 x 12 x 42	70	128	7	\$2318	\$29	
FFP01230H42NR	30 x 12 x 42	70	143	9	\$2435	\$35	
FFP01236H42NR	36 x 12 x 42	85	157	11	\$2551	\$40	
FFP01824H42NL	24 x 18 x 42	85	156	11	\$2668	\$40	
FFP01830H42NL	30 x 18 x 42	85	172	13	\$2796	\$51	
FFP01836H42NL	36 x 18 x 42	92.5	187	16	\$2923	\$62	
FFP01824H42NR	24 x 18 x 42	85	156	11	\$2668	\$40	
FFP01830H42NR	30 x 18 x 42	85	172	13	\$2796	\$51	
FFP01836H42NR	36 x 18 x 42	92.5	187	16	\$2923	\$62	

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

FFP01224H42NLUSB	24 x 12 x 42	70	128	7	\$2892	\$29
FFP01230H42NLUSB	30 x 12 x 42	70	143	9	\$3009	\$35
FFP01236H42NLUSB	36 x 12 x 42	85	157	11	\$3126	\$40
FFP01224H42NRUSB	24 x 12 x 42	70	128	7	\$2892	\$29
FFP01230H42NRUSB	30 x 12 x 42	70	143	9	\$3009	\$35
FFP01236H42NRUSB	36 x 12 x 42	85	157	11	\$3126	\$40
FFP01824H42NLUSB	24 x 18 x 42	85	156	11	\$3242	\$40
FFP01830H42NLUSB	30 x 18 x 42	85	172	13	\$3370	\$51
FFP01836H42NLUSB	36 x 18 x 42	92.5	187	16	\$3497	\$62
FFP01824H42NRUSB	24 x 18 x 42	85	156	11	\$3242	\$40
FFP01830H42NRUSB	30 x 18 x 42	85	172	13	\$3370	\$51
FFP01836H42NRUSB	36 x 18 x 42	92.5	187	16	\$3497	\$62

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

Left (NL) shown

Pantry Storage - w/USB

**Required specifications** 

Laminate finish

**Optional specifications** 

**HP** laminate Dry-erase board



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
FFP01224NL	24 x 12 x 49.5	70	133	8	\$2472	\$77
FFP01230NL	30 x 12 x 49.5	85	148	10	\$2591	\$96
FFP01236NL	36 x 12 x 49.5	92.5	162	15	\$2708	\$109
FFP01224NR	24 x 12 x 49.5	70	133	8	\$2472	\$77
FFP01230NR	30 x 12 x 49.5	85	148	10	\$2591	\$96
FFP01236NR	36 x 12 x 49.5	92.5	162	15	\$2708	\$109
FFP01824NL	24 x 18 x 49.5	85	161	12	\$2871	\$104
FFP01830NL	30 x 18 x 49.5	92.5	177	15	\$2997	\$128
FFP01836NL	36 x 18 x 49.5	92.5	192	18	\$3129	\$147
FFP01824NR	24 x 18 x 49.5	85	161	12	\$2871	\$104
FFP01830NR	30 x 18 x 49.5	92.5	177	15	\$2997	\$128
FFP01836NR	36 x 18 x 49.5	92.5	192	18	\$3129	\$147

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

FFP01224NLUSB	24 x 12 x 49.5	70	133	8	\$3046	\$77
FFP01230NLUSB	30 x 12 x 49.5	85	148	10	\$3165	\$96
FFP01236NLUSB	36 x 12 x 49.5	92.5	162	15	\$3284	\$109
FFP01224NRUSB	24 x 12 x 49.5	70	133	8	\$3046	\$77
FFP01230NRUSB	30 x 12 x 49.5	85	148	10	\$3165	\$96
FFP01236NRUSB	36 x 12 x 49.5	92.5	162	15	\$3284	\$109
FFP01824NLUSB	24 x 18 x 49.5	85	161	12	\$3442	\$104
FFP01830NLUSB	30 x 18 x 49.5	92.5	177	15	\$3573	\$128
FFP01836NLUSB	36 x 18 x 49.5	92.5	192	18	\$3705	\$147
FFP01824NRUSB	24 x 18 x 49.5	85	161	12	\$3442	\$104
FFP01830NRUSB	30 x 18 x 49.5	92.5	177	15	\$3573	\$128
FFP01836NRUSB	36 x 18 x 49.5	92.5	192	18	\$3705	\$147

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

Pantry Storage - v	Left (NL) shown

Pantry Storage - w/USB

**Required specifications** 

Laminate finish

**Optional specifications** 

HP laminate Dry-erase board





							_
MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						Τ
FFP01224H54NL	24 x 12 x 54	70	138	9	\$2551	\$29	
FFP01230H54NL	30 x 12 x 54	85	153	11	\$2673	\$29	
FFP01236H54NL	36 x 12 x 54	92.5	167	14	\$2796	\$40	
FFP01224H54NR	24 x 12 x 54	70	138	9	\$2551	\$29	
FFP01230H54NR	30 x 12 x 54	85	153	11	\$2673	\$29	
FFP01236H54NR	36 x 12 x 54	92.5	167	14	\$2796	\$40	
FFP01824H54NL	24 x 18 x 54	92.5	166	14	\$2956	\$40	
FFP01830H54NL	30 x 18 x 54	92.5	182	17	\$3090	\$51	
FFP01836H54NL	36 x 18 x 54	100	197	20	\$3223	\$57	
FFP01824H54NR	24 x 18 x 54	92.5	166	14	\$2956	\$40	
FFP01830H54NR	30 x 18 x 54	92.5	182	17	\$3090	\$51	
FFP01836H54NR	36 x 18 x 54	100	197	20	\$3223	\$57	

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

For Dry-erase marker board, specify DE and add \$392. If specified, the dry-erase marker laminate will be applied to the
external surface of the pull-out drawer side wall.

FFP01224H54NLUSB	24 x 12 x 54	70	138	9	\$3126	\$29
FFP01230H54NLUSB	30 x 12 x 54	85	153	11	\$3248	\$29
FFP01236H54NLUSB	36 x 12 x 54	92.5	167	14	\$3370	\$40
FFP01224H54NRUSB	24 x 12 x 54	70	138	9	\$3126	\$29
FFP01230H54NRUSB	30 x 12 x 54	85	153	11	\$3248	\$29
FFP01236H54NRUSB	36 x 12 x 54	92.5	167	14	\$3370	\$40
FFP01824H54NLUSB	24 x 18 x 54	92.5	166	14	\$3530	\$40
FFP01830H54NLUSB	30 x 18 x 54	92.5	182	17	\$3665	\$51
FFP01836H54NLUSB	36 x 18 x 54	100	197	20	\$3798	\$57
FFP01824H54NRUSB	24 x 18 x 54	92.5	166	14	\$3530	\$40
FFP01830H54NRUSB	30 x 18 x 54	92.5	182	17	\$3665	\$51
FFP01836H54NRUSB	36 x 18 x 54	100	197	20	\$3798	\$57

FFP01830H54NRUSB 30 x 18 x 54 92.5 182 17 \$3665 \$51
FFP01836H54NRUSB 36 x 18 x 54 100 197 20 \$3798 \$57

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxxx will not

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

Left (NL) shown

Pantry Storage - w/USB

**Required specifications** 

Laminate finish

**Optional specifications** 

HP laminate

Dry-erase board

# **CUBE PEDESTALS**



Left (BBFMKL) shown

Mobile Pedestal - BBF

DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
DxWxH					
12 x 12 x 28	70	35	2.33	\$873	
12 x 12 x 28	70	35	2.33	\$873	
12 x 12 x 28	70	35	2.33	\$951	
12 x 12 x 28	70	35	2.33	\$951	
	12 x 12 x 28 12 x 12 x 28 12 x 12 x 28	12 x 12 x 28 70 12 x 12 x 28 70 12 x 12 x 28 70	D x W x H         12 x 12 x 28       70       35         12 x 12 x 28       70       35         12 x 12 x 28       70       35	D x W x H         12 x 12 x 28       70       35       2.33         12 x 12 x 28       70       35       2.33         12 x 12 x 28       70       35       2.33	DxWxH         12 x 12 x 28       70       35       2.33       \$873         12 x 12 x 28       70       35       2.33       \$873         12 x 12 x 28       70       35       2.33       \$951

Mobile pedestal with two open boxes in the middle, one file box at the bottom and a top accessory tray. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Includes four locking casters, metal wire divider and optional lock (must specify "K" before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. File door lock, if specified, is located on the top right corner for the right pedestal and top left corner for the left pedestal. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Accessory tray is PET felt. Shipped RTA (ready to assemble).

9

Left (BFMKL) shown

Mobile Pedestal - BF

Without lock:						
FTSSP12BFML	12 x 12 x 22	70	28	1.83	\$685	
FTSSP12BFMR	12 x 12 x 22	70	28	1.83	\$685	
With Lock:						
FTSSP12BFMKL	12 x 12 x 22	70	28	1.83	\$762	
FTSSP12BFMKR	12 x 12 x 22	70	28	1.83	\$762	

Mobile pedestal with one open box in the middle, one file box at the bottom and a top accessory tray. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Includes four locking casters, metal wire divider and optional lock (must specify "K" before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. File door lock, if specified, is located on the top right corner for the right pedestal and top left corner for the left pedestal. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Accessory tray is PET felt. Shipped RTA (ready to assemble).



Left (SFMKL) shown

Mobile Pedestal - FF

Without lock:						
FTSSP12SFML	12 x 12 x 28	70	35	2.33	\$796	
FTSSP12SFMR	12 x 12 x 28	70	35	2.33	\$796	
With Lock:						
FTSSP12SFMKL	12 x 12 x 28	70	35	2.33	\$996	
FTSSP12SFMKR	12 x 12 x 28	70	35	2.33	\$996	

Mobile pedestal with one closed storage box at the top, one file box at the bottom and a top accessory tray. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Closed storage box interior dimensions: 10-1/2"H x 11-13/16"W x 10-7/16"D Includes four locking casters, metal wire divider and optional lock (must specify "K" before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. Door locks, if specified are located on the top right corner for the right pedestal and top left corner for the left pedestal of each box. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Accessory tray is PET felt. Shipped RTA (ready to assemble).

### **Required specifications**

Metal finish Laminate finish

## F FREEFIT



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
Without lock:						
FTSSPH12BFBL	12 x 12 x 24	92.5	26	2.33	\$679	
FTSSPH12BFBR	12 x 12 x 24	92.5	26	2.33	\$679	
With Lock:						
FTSSPH12BFBKL	12 x 12 x 24	92.5	26	2.33	\$755	
FTSSPH12BFBKR	12 x 12 x 24	92.5	26	2.33	\$755	

Hanging pedestal with one file box in the middle and two open boxes, one at the top and one at the bottom. Attaches to the underside of a worksurface with supplied screws. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Includes metal wire divider and optional lock (must specify "**K**" before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. File door lock, if specified, is located on the top right corner for the right pedestal and top left corner for the left pedestal. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Shipped RTA (ready to assemble).

	Left (BFKL) show
Hanging Pedesta	

Without lock:						
FTSSPH12BFL	12 x 12 x 18.5	92.5	20	1.83	\$490	
FTSSPH12BFR	12 x 12 x 18.5	92.5	20	1.83	\$490	
With Lock:						
FTSSPH12BFKL	12 x 12 x 18.5	92.5	20	1.83	\$568	
FTSSPH12BFKR	12 x 12 x 18.5	92.5	20	1.83	\$568	

Hanging pedestal with one file box at the bottom and one open box at the top. Attaches to the underside of a worksurface with supplied screws. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Includes metal wire divider and optional lock (must specify "**K**" before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. File door lock, if specified, is located on the top right corner for the right pedestal and top left corner for the left pedestal. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Shipped RTA (ready to assemble).

**Required specifications** 

Metal finish Laminate finish

\$379

HANGING PEDESTALS

Hanging Pedestal Box\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
FTSSPH12B	12 x 12 x 6	125	6	0.96	\$190	

Hanging pedestal open box. Attaches to the underside of a worksurface with supplied screws to create an open box. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Shipped RTA (ready to assemble).

12

1.42

Hanging Pedestal - Two Open Boxes\*

Hanging pedestal with two open boxes. Attaches to the underside of a worksurface with supplied screws. Bottom, middle and

100

top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal.

Shipped RTA (ready to assemble).

12 x 12 x 6

FTSSPH12BB



**Felt Shelf Liner** 

F1FEL103BC	12 x 12 x 6	70	0.01	0.03	\$36	

Felt shelf liner can be added to any closed back shelf. Front edge is cut at 45°.


Required specifications

Metal finish\* Laminate finish\*

## BACK-TO-BACK TABLE - 21"H DIVIDERS

DxWxH


- FreeFit table mounted dividers for single table or single table row; recessed 6.5" at both ends (for example 72" (70" actual) FreeFit table mounted divider measures 57").
- The center of all dividers is always mounted 2.250" from worksurface's rear edge.
   Please note the gap between the divider and the worksurface therefore varies,
   depending on the divider thickness (1.250" framed dividers. 0.750" frameless LP and 0.250" frameless glass).
- 48" (33" actual) 66" (51" actual) dividers have 2 mounting brackets.
- 72" (57" actual) dividers have 3 mounting brackets.



FreeFit Back-to-Back stationary dividers; stationary, shared, secured to table structure; recessed 6.5" at both ends (for example - 72" (70" actual) FreeFit table mounted divider measures 57").

The center of all dividers is always mounted 2.250" from worksurface's rear edge. Please note the gap between the divider and the worksurface therefore varies, depending on the divider thickness (1.250" Framed dividers, 0.750" frameless LP and 0.250" frameless glass).

48" (33" actual) divider for 48" (46" actual) table 54" (39" actual) divider for 54" (52" actual) table 60" (45" actual) divider for 60" (58" actual) table 66" (51" actual) divider for 66" (64" actual) table



Application example illustrates relationship between 57" shared divider and 72" (70" actual) FreeFit Back-to-Back table.

• Example Order: BWASFD72 (actual dimension of 57") for BWA2D6072A8 (actual dimension of 70").

2.250" 2.250"

# **F** FREEFIT

	MODEL#		GHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
9mm thick panels offered in 9 finishes		D x W x H FELT CO	DLORS				
Made from 100% PET (polyester) fiber v	with a high content (E00/) o		Black		MTS	Mist	
		BRI	Brick		PWT	Pewter	
material, free of added chemicals, binder		DEN	Denim		SHR	Shamrock	
Lightweight panels are tackable, impact a		sistant, GPH	Graphite		WHT	White	
moisture resistant, and installation friend	lly				VVIII	vviiite	
Variation in fiber mix and color are inhere	ent to the character of the pro	duct HVT	Harvest				
		BRACK	ET FINISH				
		BLK	Black		NEV	Nevada	
		CHR	Charcoal		SIL	Silver	
		DWT	Designer	White	TPE	Taupe	
		FOG	Fog		TUN	Tungsten	
LT DIVIDERS	MODEL#	DIMENSIONS FREI	GHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	BWAFMPSN36	4.17 x 21 x 13.94	70	1.84	0.71	\$187	
	BWAFMPSN42	4.17 x 27 x 13.94	250	2.32	0.91	\$204	
	BWAFMPSN48	4.17 x 33 x 13.94	250	2.44	1.11	\$284	
	BWAFMPSN54	4.17 x 39 x 13.94	250	2.86	1.31	\$319	
	BWAFMPSN60	4.17 x 45 x 13.94	250	3.27	1.51	\$360	
	BWAFMPSN66	4.17 x 51 x 13.94	250	3.68	1.72	\$508	
	BWAFMPSN72	4.17 x 57 x 13.94	250	4.09	1.92	\$541	
odeetu Felt Distiles	0 4L: 1 DET ( 1)	divides in tasks   F	to th !	ida -£ ()	ا ماسوارده	notallad diside	roo 15" b. l
odesty Felt Divider		divider is tackable. Fastens Kit includes felt modesty, s					
	Please specify.	Kit includes left modesty, s	upport extrus	ion and lei	t and right brat	Kets. Available III 9 PE	i leit colors.
	r icase specify.						
	BWAFPN36	5.86 x 21 x 18.24	300	2.21	1.3	\$199	
	BWAFPN42	5.86 x 27 x 18.24	300	2.77	1.67	\$224	
$\wedge$	BWAFPN48	5.86 x 33 x 18.24	300	2.82	2.04	\$304	
	BWAFPN54	5.86 x 39 x 18.24	300	3.29	2.41	\$340	
	BWAFPN60	5.86 x 45 x 18.24	300	3.75	2.78	\$387	
	BWAFPN66	5.86 x 51 x 18.24	300	4.22	3.15	\$543	
· 🗸	2117 11 1100				3.10	<b>40.0</b>	
	BWAFPN72	5.86 x 5/ x 18 74	300	4.69	3.53	\$579	
	BWAFPN72	5.86 x 57 x 18.24	300	4.69	3.53	\$579	
rallel Felt Divider		5.86 x 5/ x 18.24 r Freefit tables. 9mm thick P					from the top of
rallel Felt Divider	Connects parallel or		ET felt divider	is tackable	. Installed divid	der measures 15.7" high	
rallel Felt Divider	Connects parallel or worksurface. Kit inc	n Freefit tables. 9mm thick P ludes felt divider, support ex	ET felt divider trusion and let	is tackable ft and right	. Installed divid brackets. Avail	der measures 15.7" high able in 9 PET felt colors	
rallel Felt Divider	Connects parallel or worksurface. Kit inc BWAFWR2346	n Freefit tables. 9mm thick P ludes felt divider, support ex 18.46 x 46.84 x 18.24	ET felt divider trusion and let 65	is tackable ft and right 26.58	e. Installed divide brackets. Avail	der measures 15.7" high able in 9 PET felt colors \$586	
rallel Felt Divider	Connects parallel or worksurface. Kit inc BWAFWR2346 BWAFWR2352	n Freefit tables. 9mm thick P ludes felt divider, support ex 18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24	ET felt divider trusion and let 65 65	is tackable ft and right 26.58 28.4	e. Installed divide brackets. Avail 1.07 1.21	der measures 15.7" high able in 9 PET felt colors \$586 \$620	
rallel Felt Divider	Connects parallel or worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358	n Freefit tables. 9mm thick P ludes felt divider, support ex 18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24	ET felt divider trusion and let 65 65 65	is tackable ft and right 26.58 28.4 30.22	e. Installed divide brackets. Avail 1.07 1.21 1.34	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653	
rallel Felt Divider	Connects parallel or worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364	n Freefit tables. 9mm thick P ludes felt divider, support ex 18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24	ET felt divider trusion and let 65 65 65 65	26.58 28.4 30.22 32.02	1.07 1.21 1.34 0.74	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863	
rallel Felt Divider	Connects parallel or worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2370	n Freefit tables. 9mm thick P ludes felt divider, support ex 18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24	ET felt divider trusion and let	is tackable ft and right 26.58 28.4 30.22 32.02 33.84	1.07 1.21 1.34 0.74 0.81	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920	
rallel Felt Divider	Connects parallel or worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2370 BWAFWR2946	18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24	ET felt divider trusion and let 65 65 65 60 60 65	is tackable ft and right 26.58 28.4 30.22 32.02 33.84 30.74	1.07 1.21 1.34 0.74 0.81 1.07	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663	
rallel Felt Divider	Connects parallel or worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2370 BWAFWR2946 BWAFWR2952	n Freefit tables. 9mm thick P ludes felt divider, support ex 18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24	ET felt divider trusion and let  65  65  65  60  60  65  60	is tackable ft and right 26.58 28.4 30.22 32.02 33.84 30.74 32.55	1.07 1.21 1.34 0.74 0.81 1.07 0.6	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872	
	Connects parallel or worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2370 BWAFWR2946 BWAFWR2952 BWAFWR2958	n Freefit tables. 9mm thick P ludes felt divider, support ex 18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 60	is tackable ft and right 26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37	1.07 1.21 1.34 0.74 0.81 1.07 0.6	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930	
	Connects parallel or worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2370 BWAFWR2946 BWAFWR2952 BWAFWR2958 BWAFWR2958	18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 58.84 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 60 60	is tackable ft and right 26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37 36.19	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987	
	Connects parallel or worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2370 BWAFWR2946 BWAFWR2952 BWAFWR2958	n Freefit tables. 9mm thick P ludes felt divider, support ex 18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 60 60	is tackable ft and right 26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37	1.07 1.21 1.34 0.74 0.81 1.07 0.6	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930	
	Connects parallel or worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2364 BWAFWR2370 BWAFWR2946 BWAFWR2952 BWAFWR2952 BWAFWR2958 BWAFWR2970  End of Run:	18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 58.84 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 60 60	is tackable ft and right 26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37 36.19	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987	
	Connects parallel or worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2370 BWAFWR2946 BWAFWR2952 BWAFWR2958 BWAFWR2958 BWAFWR2964 BWAFWR2970	18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 58.84 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 60 60	is tackable ft and right 26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37 36.19	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987	
	Connects parallel or worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2364 BWAFWR2370 BWAFWR2946 BWAFWR2952 BWAFWR2952 BWAFWR2958 BWAFWR2970  End of Run:	18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 70.84 x 18.24	ET felt divider trusion and let 65 65 66 60 60 60 60 60 65	is tackable ft and right 26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37 36.19 38	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67 0.74	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987 \$1045	
	Connects parallel or worksurface. Kit inc worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2946 BWAFWR2952 BWAFWR2952 BWAFWR2958 BWAFWR2970  End of Run: BWAFWR2351	n Freefit tables. 9mm thick P ludes felt divider, support ex 18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 70.84 x 18.24 18.46 x 70.84 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 65 60 60	is tackable ft and right 26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37 36.19 38	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67 0.74 0.81	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987 \$1045	
	Connects parallel or worksurface. Kit inc worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2946 BWAFWR2952 BWAFWR2958 BWAFWR2964 BWAFWR2970  End of Run: BWAFWR2951 BWAFWR2951	n Freefit tables. 9mm thick P ludes felt divider, support ex 18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 70.84 x 18.24 24.46 x 51.34 x 18.24 24.46 x 51.34 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 65 60 70	is tackable ft and right 26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37 36.19 38	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67 0.74 0.81	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987 \$1045	
gle	Connects parallel or worksurface. Kit inc worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2364 BWAFWR2370 BWAFWR2946 BWAFWR2952 BWAFWR2958 BWAFWR2964 BWAFWR2970  End of Run: BWAFWR2951 BWAFWR2951 BWAFWR2363	18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 70.84 x 18.24 24.46 x 51.34 x 18.24 24.46 x 51.34 x 18.24 24.46 x 51.34 x 18.24 24.46 x 53.34 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 65 60 70	is tackable ft and right 26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37 36.19 38 27.94 32.09 31.57	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67 0.74 0.81	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987 \$1045	
agle d of Run	Connects parallel or worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2946 BWAFWR2952 BWAFWR2952 BWAFWR2954 BWAFWR2964 BWAFWR2970  End of Run: BWAFWR2951 BWAFWR2963 BWAFWR2963	18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 70.84 x 18.24 24.46 x 51.34 x 18.24 24.46 x 51.34 x 18.24 24.46 x 51.34 x 18.24 24.46 x 53.34 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 65 60 70 60	is tackable ft and right 26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37 36.19 38 27.94 32.09 31.57 35.73	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67 0.74 0.81	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987 \$1045	. Please specify.
ngle d of Run	Connects parallel or worksurface. Kit inc worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2946 BWAFWR2952 BWAFWR2952 BWAFWR2964 BWAFWR2961 BWAFWR2970  End of Run: BWAFWR2351 BWAFWR2363 BWAFWR2963	18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 57.84 x 18.24 24.46 x 70.84 x 18.24 24.46 x 51.34 x 18.24 24.46 x 51.34 x 18.24 24.46 x 63.34 x 18.24 24.46 x 63.34 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 65 60 70 60 9mm thick PE	is tackable ft and right  26.58  28.4  30.22  32.02  33.84  30.74  32.55  34.37  36.19  38  27.94  32.09  31.57  35.73	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67 0.74 0.81	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987 \$1045  \$591 \$871 \$860 \$984	Please specify.
arallel Felt Divider  angle  d of Run  elt Wrap Around Divider*	Connects parallel or worksurface. Kit inc worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2946 BWAFWR2952 BWAFWR2952 BWAFWR2954 BWAFWR2951 BWAFWR2951 BWAFWR2951 BWAFWR2963 BWAFWR2963	18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 70.84 x 18.24 24.46 x 70.84 x 18.24 24.46 x 63.34 x 18.24 24.46 x 63.34 x 18.24 24.46 x 63.34 x 18.24 24.46 x 63.34 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 60 60 9mm thick PE from the top o	is tackable ft and right  26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37 36.19 38  27.94 32.09 31.57 35.73	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67 0.74 0.81 1.05 0.62 1.5 0.87	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987 \$1045  \$591 \$871 \$860 \$984  Fastens to the undersider extends 1.5" past the	Please specify.  de of the back of the
ngle d of Run	Connects parallel or worksurface. Kit inc worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2946 BWAFWR2952 BWAFWR2952 BWAFWR2954 BWAFWR2951 BWAFWR2951 BWAFWR2951 BWAFWR2951 BWAFWR2963 Wraps around Free worksurface. Instal worksurface. Please	18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 70.84 x 18.24 24.46 x 64.84 x 18.24 24.46 x 63.34 x 18.24 24.46 x 63.34 x 18.24 18.46 x 63.34 x 18.24 24.46 x 63.34 x 18.24 24.46 x 63.34 x 18.24 26.46 x 63.34 x 18.24 27.46 x 63.34 x 18.24 28.46 x 63.34 x 18.24 29.46 x 63.34 x 18.24 29.46 x 63.34 x 18.24 20.46 x 63.34 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 60 60 9mm thick PE from the top o sh for the extr	is tackable ft and right  26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37 36.19 38  27.94 32.09 31.57 35.73	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67 0.74 0.81 1.05 0.62 1.5 0.87	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987 \$1045  \$591 \$871 \$860 \$984  Fastens to the undersider extends 1.5" past the	Please specify.  de of the back of the
ngle d of Run	Connects parallel or worksurface. Kit inc worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2946 BWAFWR2952 BWAFWR2952 BWAFWR2954 BWAFWR2951 BWAFWR2951 BWAFWR2951 BWAFWR2951 BWAFWR2963 Wraps around Free worksurface. Instal worksurface. Please • Anodized Alumin	1 Freefit tables. 9mm thick P ludes felt divider, support ex 18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 70.84 x 18.24 24.46 x 51.34 x 18.24 24.46 x 51.34 x 18.24 24.46 x 51.34 x 18.24 24.46 x 63.34 x 18.24 18.46 x 63.46 x 63.	ET felt divider trusion and let 65 65 60 60 60 60 60 60 9mm thick PE from the top o sh for the extr t upcharge	is tackable ft and right  26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37 36.19 38  27.94 32.09 31.57 35.73	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67 0.74 0.81 1.05 0.62 1.5 0.87	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987 \$1045  \$591 \$871 \$860 \$984  Fastens to the undersider extends 1.5" past the	Please specify.  de of the back of the
gle of Run	Connects parallel or worksurface. Kit inc worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2946 BWAFWR2952 BWAFWR2952 BWAFWR2951 BWAFWR2951 BWAFWR2951 BWAFWR2951 BWAFWR2963 Wraps around Free worksurface. Instal worksurface. Pleass  • Anodized Alumin  • Note: Cannot use	18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 46.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 58.84 x 18.24 24.46 x 57.84 x 18.24 24.46 x 51.34 x 18.24 24.46 x 51.34 x 18.24 24.46 x 63.34 x 18.24 24.46 x 63.34 x 18.24 24.46 x 63.34 x 18.24 24.46 x 63.34 x 18.24 26.46 x 63.34 x 18.24 27.46 x 63.34 x 18.24 28.46 x 63.34 x 18.24 29.46 x 63.34 x 18.24 20.46 x 63.34 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 60 60 9mm thick PE from the top o sh for the extr t upcharge	is tackable ft and right  26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37 36.19 38  27.94 32.09 31.57 35.73	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67 0.74 0.81 1.05 0.62 1.5 0.87	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987 \$1045  \$591 \$871 \$860 \$984  Fastens to the undersider extends 1.5" past the	Please specify  the specify  de of the back of the
gle do f Run	Connects parallel or worksurface. Kit inc worksurface. Kit inc BWAFWR2346 BWAFWR2352 BWAFWR2358 BWAFWR2364 BWAFWR2946 BWAFWR2952 BWAFWR2952 BWAFWR2954 BWAFWR2951 BWAFWR2951 BWAFWR2951 BWAFWR2951 BWAFWR2963 Wraps around Free worksurface. Instal worksurface. Please • Anodized Alumin	18.46 x 46.84 x 18.24 18.46 x 52.84 x 18.24 18.46 x 58.84 x 18.24 18.46 x 56.84 x 18.24 18.46 x 64.84 x 18.24 18.46 x 70.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 52.84 x 18.24 24.46 x 57.84 x 18.24 24.46 x 63.34 x 18.24	ET felt divider trusion and let 65 65 60 60 60 60 60 60 9mm thick PE from the top o sh for the extr t upcharge	is tackable ft and right  26.58 28.4 30.22 32.02 33.84 30.74 32.55 34.37 36.19 38  27.94 32.09 31.57 35.73  27 felt divid if the work usion and light and li	1.07 1.21 1.34 0.74 0.81 1.07 0.6 0.67 0.74 0.81 1.05 0.62 1.5 0.87	der measures 15.7" high able in 9 PET felt colors \$586 \$620 \$653 \$863 \$920 \$663 \$872 \$930 \$987 \$1045  \$591 \$871 \$860 \$984  Fastens to the undersider extends 1.5" past the	Please specify.

$\sim$	
┫ `	

FELT DIVIDERS

**Felt Parallel Divider** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BWAFPDN36	5.86 x 21 x 30.68	300	2.79	2.18	\$294	
BWAFPDN42	5.86 x 27 x 30.68	300	3.56	2.81	\$321	
BWAFPDN48	5.86 x 33 x 30.68	3 150	3.82	3.43	\$456	
BWAFPDN54	5.86 x 39 x 30.68	3 150	4.5	4.06	\$505	
BWAFPDN60	5.86 x 45 x 30.68	3 150	5.17	4.68	\$589	
BWAFPDN66	5.86 x 51 x 30.68	3 150	5.85	5.31	\$902	
BWAFPDN72	5.86 x 57 x 30.68	3 150	6.53	5.93	\$957	

Felt divider and modesty panel kit secures to the rear bottom of a regular FreeFit table and provides privacy above and below the worksurface. 9mm thick PET felt divider is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the top of the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify.

BWAFC2432L	18.52 x 32.46 x 18.24	150	3.82	6.35	\$414
BWAFC2432R	18.52 x 32.46 x 18.24	150	3.82	6.35	\$414
BWAFC2438L	18.52 x 38.46 x 18.24	250	5.46	7.52	\$472
BWAFC2438R	18.52 x 38.46 x 18.24	250	5.46	7.52	\$472
BWAFC2448L	18.52 x 47.46 x 18.24	250	6.16	9.28	\$508
BWAFC2448R	18.52 x 47.46 x 18.24	250	6.16	9.28	\$508
BWAFC3032L	24.52 x 32.46 x 18.24	250	5.72	8.40	\$467
BWAFC3032R	24.52 x 32.46 x 18.24	250	5.72	8.40	\$467
BWAFC3038L	24.52 x 38.46 x 18.24	250	6.19	9.95	\$501
BWAFC3038R	24.52 x 38.46 x 18.24	250	6.19	9.95	\$501
BWAFC3048L	24.52 x 47.46 x 18.24	250	6.89	12.28	\$538
BWAFC3048R	24 52 x 47 46 x 18 24	250	6.89	12.28	\$538

Felt Corner Wrap secures to the side and rear bottom of a FreeFit table, wraps around one side and provides limited privacy. 9mm thick PET felt divider is tackable. Installed divider measures 15.7" from the top of the worksurface. Kit includes felt dividers, support extrusion and large and small brackets. Available in 9 PET felt colors. Please specify.



**Corner Wrap Felt Divider** 

**Required Specifications** 

Felt color Bracket finish

## F

## **FREEFIT**

TABLE MOUNTED DIVIDERS



Table Mounted Framed Divider, Fabric\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BWATMFD48	1.25 x 33 x 21.5	85	16	1.23	\$431	
BWATMFD54	1.25 x 39 x 21.5	85	18	1.46	\$532	
BWATMFD60	1.25 x 45 x 21.5	85	20	1.68	\$581	
BWATMFD66	1.25 x 51 x 21.5	85	22	1.90	\$652	
BWATMFD72	1.25 x 57 x 21.5	85	26	2.13	\$712	

Connects parallel on Freefit single and back-to-back tables. Fabric divider is tackable. Fastens to the underside of the worksurface. 1.625" gap between worksurface and divider allows for cable pass-through. Installed divider measures 15.7" from top of worksurface and 5.75" below the worksurface. 48" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets. Available in the following textiles:

• Global: Anchorage, Lola, and Merge.



Table Mounted Framed Divider, Laminate\*\*

					LIST PRICE	HP ADD	DE ADD	DM ADD
BWATMLD48	1.25 x 33 x 21.5	85	35	1.23	\$283	\$165	\$340	\$519
BWATMLD54	1.25 x 39 x 21.5	85	39	1.46	\$319	\$213	\$424	\$655
BWATMLD60	1.25 x 45 x 21.5	85	44	1.68	\$379	\$225	\$446	\$697
BWATMLD66	1.25 x 51 x 21.5	85	48	1.90	\$436	\$308	\$932	\$1382
BWATMLD72	1.25 x 57 x 21.5	85	52	2.13	\$475	\$311	\$926	\$1373

Connects parallel on Freefit single and back-to-back tables. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**) user side only. Fastens to the underside of the worksurface. 1.625" gap between worksurface and divider allows for cable pass-through. Installed divider measures 15.7" from top of worksurface and 5.75" below the worksurface. 48" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets. When dry erase magnetic whiteboard (DM) is specified it is applied user side ONLY and dry erase whiteboard (DE) is applied on the opposite side.



Table Mounted Laminate Divider\*\*

BWATMLLD48	.75 x 33 x 21.5	125	16	1.23	\$339
BWATMLLD54	.75 x 39 x 21.5	125	18	1.46	\$359
BWATMLLD60	.75 x 45 x 21.5	125	20	1.68	\$380
BWATMLLD66	.75 x 51 x 21.5	125	22	1.90	\$561
BWATMLLD72	.75 x 57 x 21.5	125	26	2.13	\$580

Connects parallel on Freefit single and back-to-back tables. Laminate divider with integrated accessory rail, installed on one side only. Integrated anodized aluminum accessory rail, white cut out and rail trims; white power coat brackets. 3/4" LP PVC edged boards. Specify laminate and PVC edge. Fastens to the underside of the worksurface. 1.88" gap between worksurface and divider allows for cable pass-through. Installed divider measures 15.7" from top of worksurface and 5.75" below the worksurface. 48" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets.



**Table Mounted Glass Divider** 

BWATMGD48	.25 x 33 x 21.5	125	16	1.23	\$724
BWATMGD54	.25 x 39 x 21.5	125	19	1.46	\$779
BWATMGD60	.25 x 45 x 21.5	125	22	1.68	\$834
BWATMGD66	.25 x 51 x 21.5	125	24	1.90	\$884
BWATMGD72	.25 x 57 x 21.5	125	28	2.13	\$942

Frameless glass divider connects parallel on Freefit single and back-to-back tables. Tempered glass, acid etched on one side (similar to frosted), satin chrome disc fasteners and white powder coated steel support brackets. Fastens to the underside of the worksurface. 2.13" gap between worksurface and divider allows for cable pass-through. Installed divider measures 15.7" from top of worksurface and 4.75" below the worksurface. 48" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets. 1/2" radius on all four corners.

**Required specifications** 

Fabric<sup>3</sup>

Laminate finish\*\*

Metal frame finish

STATIONARY DIVIDERS

Stationary Framed Divider, Fabric\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
BWASFD48	1.25 x 33 x 37.2	92.5	25	2.13	\$941
BWASFD54	1.25 x 39 x 37.2	92.5	28	2.52	\$959
BWASFD60	1.25 x 45 x 37.2	92.5	31	2.91	\$990
BWASFD66	1.25 x 51 x 37.2	92.5	34	3.29	\$1052
BWASFD72	1.25 x 57 x 37.2	92.5	37	3.68	\$1344

Provides a stationary framed divider between back-to-back height adjustable tables. Fabric divider is tackable. Divider is anchored to the base and captured between two aluminum upright tracks. The uprights have sliding brackets that connect the worksurfaces to the divider providing continuous support as it travels up and down. 1.625" gap between worksurface and divider allows for cable pass-through. Installed divider measures 54" from floor. Available in the following textiles:

• Global: Anchorage, Lola, and Merge



Stationary Framed Divider, Laminate\*\*

DM ADD	DE ADD	HP ADD	LIST PRICE					
\$2224	\$849	\$405	\$1194	2.13	58	65	2 x 33 x 37.2	BWASLD48
\$2338	\$893	\$434	\$1287	2.52	66	65	2 x 39 x 37.2	BWASLD54
\$2339	\$893	\$435	\$1308	2.91	73	65	2 x 45 x 37.2	BWASLD60
\$4694	\$1951	\$486	\$1407	3.29	81	65	2 x 51 x 37.2	BWASLD66
\$5003	\$1875	\$724	\$1923	3.68	88	65	2 x 57 x 37.2	BWASLD72

Provides a stationary framed divider between back-to-back height adjustable tables. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM) user side only. Divider is anchored to the base and captured between two aluminum upright tracks. The uprights have sliding brackets that connect the worksurfaces to the divider providing continuous support as it travels up and down. 1.625" gap between worksurface and divider allows for cable pass-through. Installed divider measures 54" from floor.



Stationary Laminate Divider\*\*

BWASLLD48	2 x 33 x 37.2	85	28	2.13	\$685	
BWASLLD54	2 x 39 x 37.2	85	33	2.52	\$706	
BWASLLD60	2 x 45 x 37.2	85	37	2.91	\$725	
BWASLLD66	2 x 51 x 37.2	85	41	3.29	\$1098	
BWASLLD72	2 x 57 x 37.2	85	46	3.68	\$1120	

Provides a stationary laminate divider between back-to-back height adjustable tables. Divider is anchored to the base and captured between two aluminum upright tracks. The uprights have sliding brackets that connect the worksurfaces to the divider providing continuous support as it travels up and down. 1.88" gap between worksurface and divider allows for cable pass-through. Installed divider measures 54" from floor.



**Stationary Glass Divider** 


BWASGD48	2 x 33 x 37.2	85	30	2.13	\$642
BWASGD54	2 x 39 x 37.2	85	34	2.52	\$730
BWASGD60	2 x 45 x 37.2	85	39	2.91	\$828
BWASGD66	2 x 51 x 37.2	85	43	3.29	\$918
BWASGD72	2 x 57 x 37.2	85	48	3.68	\$1006

Provides a stationary glass divider between back-to-back height adjustable tables. Tempered glass, acid etched on one side (similar to frosted), satin chrome disc fasteners and white powder coated steel support brackets. Divider is anchored to the base and captured between two aluminum upright tracks. The uprights have sliding brackets that connect the worksurfaces to the divider providing continuous support as it travels up and down. 2.13" gap between worksurface and divider allows for cable pass-through. 1/2" radius on top two corners.

**Required specifications** 

Fabric<sup>3</sup> Laminate finish\*\* Metal frame finish

	MARKET III	DIMENSIONS		14/ <b>T</b> // <b>D</b> O	011010 57	LIOT PRIOT
LLNESS SCREENS- POLYCARBONATE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	FFTDP2436H24	31.75 x 34 x 24.6	3 125	26.55	3.94	\$1126
	FFTDP2442H24	31.75 x 40 x 24.6	3 125	28.10	4.59	\$1162
	FFTDP2448H24	31.75 x 46 x 24.6	5 150	29.65	5.25	\$1194
	FFTDP2454H24	31.75 x 52 x 24.6	5 150	31.20	5.94	\$1229
	FFTDP2460H24	31.75 x 58 x 24.6	5 150	32.75	6.56	\$1263
	FFTDP2466H24	31.75 x 64 x 24.6	5 150	34.30	7.22	\$1295
	FFTDP2472H24	31.75 x 70 x 24.6	5 150	35.85	7.88	\$1331
	FFTDP2478H24	31.75 x 76 x 24.6	5 150	37.40	8.53	\$1366
	FFTDP2484H24	31.75 x 82 x 24.6	5 150	38.95	9.19	\$1399
	FFTDP3036H24	37.75 x 34 x 24.6	3 100	40.50	4.72	\$1205
	FFTDP3042H24	37.75 x 40 x 24.6	3 125	42.05	5.51	\$1241
	FFTDP3048H24	37.75 x 46 x 24.6	3 125	43.60	6.29	\$1275
	FFTDP3054H24	37.75 x 52 x 24.6	3 125	45.15	7.08	\$1312
	FFTDP3060H24	37.75 x 58 x 24.6	5 150	46.70	7.85	\$1344
	FFTDP3066H24	37.75 x 64 x 24.6	5 150	48.25	8.65	\$1377
	FFTDP3072H24	37.75 x 70 x 24.6	3 150	49.80	9.44	\$1412
<b>«</b>	FFTDP3078H24	37.75 x 76 x 24.6	5 150	51.35	10.22	\$1446
	FFTDP3084H24	37.75 x 82 x 24.6	5 150	52.90	11.01	\$1481



24"H Polycarbonate Divider Screen

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 7.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the FreeFit table. Allow for .25" overhang at the sides, 1.5" at the back, and 7.25" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN).

- FFTDP24xxH24 are for configurations with 23" deep surfaces.
- FFTDP30xxH24 are for configurations with 29" deep surfaces

FFTDP2436H30	31.75 x 34 x 30.6	125	26.55	3.94	\$1263
FFTDP2442H30	31.75 x 40 x 30.6	125	28.10	4.59	\$1304
FFTDP2448H30	31.75 x 46 x 30.6	150	29.65	5.25	\$1344
FFTDP2454H30	31.75 x 52 x 30.6	150	31.20	5.91	\$1382
FFTDP2460H30	31.75 x 58 x 30.6	150	32.75	6.56	\$1422
FFTDP2466H30	31.75 x 64 x 30.6	150	34.30	7.22	\$1460
FFTDP2472H30	31.75 x 70 x 30.6	150	35.85	7.88	\$1500
FFTDP2478H30	31.75 x 76 x 30.6	150	37.40	8.53	\$1538
FFTDP2484H30	31.75 x 82 x 30.6	150	38.95	9.19	\$1578
FFTDP3036H30	37.75 x 34 x 30.6	100	40.50	4.72	\$1340
FFTDP3042H30	37.75 x 40 x 30.6	125	42.05	5.51	\$1382
FFTDP3048H30	37.75 x 46 x 30.6	125	43.60	6.29	\$1421
FFTDP3054H30	37.75 x 52 x 30.6	125	45.15	7.08	\$1457
FFTDP3060H30	37.75 x 58 x 30.6	150	46.70	7.87	\$1496
FFTDP3066H30	37.75 x 64 x 30.6	150	48.25	8.65	\$1537
FFTDP3072H30	37.75 x 70 x 30.6	150	49.80	9.44	\$1573
FFTDP3078H30	37.75 x 76 x 30.6	150	51.35	10.22	\$1615
FFTDP3084H30	37.75 x 82 x 30.6	150	52.90	11.01	\$1655



30"H Polycarbonate Divider Screen


Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 7.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the FreeFit table. Allow for .25" overhang at the sides, 1.5" at the back, and 7.25" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN).

- FFTDP24xxH30 are for configurations with 23" deep surfaces
- FFTDP30xxH30 are for configurations with 29" deep surfaces

### **Required specifications**

Frame finish

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD	
	DxWxH						
FFTDG2436H24	31.50 x 36 x 24.6	60 125	26.55	3.94	\$1569	\$318	
FFTDG2442H24	31.50 x 42 x 24.6	60 125	28.10	4.59	\$1621	\$325	
FFTDG2448H24	31.50 x 48 x 24.6	60 150	29.65	5.25	\$1674	\$338	
FFTDG2454H24	31.50 x 54 x 24.6	60 150	31.20	5.91	\$1724	\$350	
FFTDG2460H24	31.50 x 60 x 24.6	60 150	32.75	6.56	\$1782	\$358	
FFTDG2466H24	31.50 x 66 x 24.6	60 150	34.30	7.22	\$1829	\$371	
FFTDG2472H24	31.50 x 72 x 24.6	60 150	35.85	7.88	\$1894	\$383	
FFTDG2478H24	31.50 x 78 x 24.6	60 150	37.40	8.53	\$1932	\$391	
FFTDG2484H24	31.50 x 84 x 24.6	50 150	38.95	9.19	\$1983	\$403	
FFTDG3036H24	37.75 x 36 x 24.6	50 100	40.50	4.72	\$1674	\$338	
FFTDG3042H24	37.75 x 42 x 24.6	60 125	42.05	5.51	\$1719	\$345	
FFTDG3048H24	37.75 x 48 x 24.6	60 125	43.60	6.29	\$1770	\$358	
FFTDG3054H24	37.75 x 54 x 24.6	60 150	45.15	7.08	\$1822	\$371	
FFTDG3060H24	37.75 x 60 x 24.6	50 150	46.70	7.87	\$1874	\$378	
FFTDG3066H24	37.75 x 66 x 24.6	60 150	48.25	8.65	\$1932	\$391	
FFTDG3072H24	37.75 x 72 x 24.6	50 150	49.80	9.44	\$1977	\$396	
FFTDG3078H24	37.75 x 78 x 24.6	60 150	51.35	10.22	\$2029	\$409	
FFTDG3084H24	37.75 x 84 x 24.6	60 150	52.90	11.01	\$2082	\$423	




**WELLNESS SCREENS - GLASS** 

24"H Single Table Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the FreeFit table. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- FFTDG24xxH24 are for configurations with 24" deep surfaces.
- FFTDG30xxH24 are for configurations with 30" deep surfaces.

FFTDG2436H30	31.50 x 36 x 30.60	125	28.85	3.97	\$1647	\$333
FFTDG2442H30	31.50 x 42 x 30.60	125	30.40	4.59	\$1699	\$345
FFTDG2448H30	31.50 x 48 x 30.60	125	31.95	5.25	\$1749	\$350
FFTDG2454H30	31.50 x 54 x 30.60	150	33.50	5.91	\$1808	\$365
FFTDG2460H30	31.50 x 60 x 30.60	150	35.05	6.56	\$1861	\$378
FFTDG2466H30	31.50 x 66 x 30.60	150	36.60	7.22	\$1907	\$383
FFTDG2472H30	31.50 x 72 x 30.60	150	38.15	7.88	\$1945	\$391
FFTDG2478H30	31.50 x 78 x 30.60	150	39.70	8.53	\$2016	\$409
FFTDG2484H30	31.50 x 84 x 30.60	150	41.25	9.19	\$2074	\$416
FFTDG3036H30	37.75 x 36 x 30.60	100	42.80	4.72	\$1749	\$350
FFTDG3042H30	37.75 x 42 x 30.60	100	44.35	5.51	\$1808	\$365
FFTDG3048H30	37.75 x 48 x 30.60	125	45.90	6.29	\$1854	\$378
FFTDG3054H30	37.75 x 54 x 30.60	125	47.45	7.08	\$1907	\$383
FFTDG3060H30	37.75 x 60 x 30.60	125	49	7.87	\$1965	\$396
FFTDG3066H30	37.75 x 66 x 30.60	150	50.55	8.65	\$2016	\$409
FFTDG3072H30	37.75 x 72 x 30.60	150	52.10	9.44	\$2041	\$409
FFTDG3078H30	37.75 x 78 x 30.60	150	53.65	10.22	\$2120	\$429
FFTDG3084H30	37.75 x 84 x 30.60	150	55.20	11.01	\$2172	\$436



30"H Single Table Glass Divider Screen


Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- FFTDG24xxH30 are for configurations with 24" deep surfaces.
- FFTDG30xxH30 are for configurations with 30" deep surfaces.

Required specifications	Optional specifications
Frame finish	Frosted glass (FRST)

## **FREEFIT**

FELT DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	FFTDF2436H24	31.50 x 36 x 24.6	0 125	22.55	3.94	\$937
	FFTDF2442H24	31.50 x 42 x 24.6	0 125	24.10	4.59	\$961
	FFTDF2448H24	31.50 x 48 x 24.6	0 150	25.65	5.25	\$986
	FFTDF2454H24	31.50 x 54 x 24.6	0 150	27.20	5.91	\$1010
	FFTDF2460H24	31.50 x 60 x 24.6	0 150	28.75	6.56	\$1037
	FFTDF2466H24	31.50 x 66 x 24.6	0 150	30.30	7.22	\$1063
	FFTDF2472H24	31.50 x 72 x 24.6	0 150	31.85	7.88	\$1086
	FFTDF2478H24	31.50 x 78 x 24.6	0 150	33.40	8.53	\$1111
	FFTDF2484H24	31.50 x 84 x 24.6	0 150	34.95	9.19	\$1160
	FFTDF3036H24	37.75 x 36 x 24.6	0 100	36.50	4.72	\$968
	FFTDF3042H24	37.75 x 42 x 24.6	0 125	38.05	5.51	\$1056
	FFTDF3048H24	37.75 x 48 x 24.6	0 125	39.60	6.29	\$1019
	FFTDF3054H24	37.75 x 54 x 24.6	0 150	41.15	7.08	\$1044
	FFTDF3060H24	37.75 x 60 x 24.6	0 150	41.70	7.87	\$1069
	FFTDF3066H24	37.75 x 66 x 24.6	0 150	44.25	8.65	\$1095
	FFTDF3072H24	37.75 x 72 x 24.6	0 150	45.80	9.44	\$1117
	FFTDF3078H24	37.75 x 78 x 24.6	0 150	47.35	10.22	\$1142
	FFTDF3084H24	37.75 x 84 x 24.6	0 150	48.90	11.01	\$1193




24"H Single Table Felt Divider Screen

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the FreeFit table. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- FFTDF24xxH24 are for configurations with 24" deep surfaces.
- FFTDF30xxH24 are for configurations with 30" deep surfaces.

FFTDF2436H30	31.50 x 36 x 30.60	125	24.85	3.97	\$930
FFTDF2442H30	31.50 x 42 x 30.60	125	26.40	4.59	\$954
FFTDF2448H30	31.50 x 48 x 30.60	125	27.95	5.25	\$976
FFTDF2454H30	31.50 x 54 x 30.60	150	29.50	5.91	\$999
FFTDF2460H30	31.50 x 60 x 30.60	150	31.05	6.56	\$1022
FFTDF2466H30	31.50 x 66 x 30.60	150	32.60	7.22	\$1045
FFTDF2472H30	31.50 x 72 x 30.60	150	34.14	7.88	\$1069
FFTDF2478H30	31.50 x 78 x 30.60	150	34.70	8.53	\$1092
FFTDF2484H30	31.50 x 84 x 30.60	150	37.25	9.19	\$1147
FFTDF3036H30	37.75 x 36 x 30.60	100	38.80	4.72	\$975
FFTDF3042H30	37.75 x 42 x 30.60	100	40.35	5.51	\$998
FFTDF3048H30	37.75 x 48 x 30.60	125	41.90	6.29	\$1021
FFTDF3054H30	37.75 x 54 x 30.60	125	43.45	7.08	\$1044
FFTDF3060H30	37.75 x 60 x 30.60	125	45	7.87	\$1069
FFTDF3066H30	37.75 x 66 x 30.60	150	46.55	8.65	\$1092
FFTDF3072H30	37.75 x 72 x 30.60	150	48.10	9.44	\$1114
FFTDF3078H30	37.75 x 78 x 30.60	150	49.65	10.22	\$1137
FFTDF3084H30	37.75 x 84 x 30.60	150	51.20	11.01	\$1191



30"H Single Table Felt Divider Screen

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9

- FFTDF24xxH30 are for configurations with 24" deep surfaces.
- FFTDF30xxH30 are for configurations with 30" deep surfaces

#### **Required Specifications**

Frame finish

Felt finish

# **JUNCTION**<sup>™</sup>



Designed by Zooey Chu, **Junction™** provides an affordable solution for boardroom, classroom and presentation room applications. Offered in 20", 24" and 30" depths and a variety of table top shapes to create unique configurations.

A freestanding or shared leg configuration with the unique "Y" leg allows you to either create a permanent table or one that can be reconfigured quickly and easily. A straight leg is available for use with half round and keystone tops.

Shared leg configurations allow more legroom and can also decrease cost because they use fewer components. Freestanding configurations provide more flexibility for changing environments.

Y Leg Design



Modesty Panel



Shared leg configuration provides more legroom and decreases the overall costs

#### **Features and Benefits**

- Tops are 1" thick and constructed of 45 lb. density particleboard.
- Optional Radius Corners (RM) available at no upcharge.
- Optional modesty panel with integrated wire trough available.
- Casters available with or without manual locks provide mobility.
- Black grommets for convenient wire management can be ordered factory installed.
- Optional, easy-to-use thumbscrews allow installation without tools.
- JUNCTION™ tops are available in Global laminate finishes with 2 leg options.

# J JUNCTION™ - NOTES

#### **GENERAL INFORMATION**

- Junction is a series of multi-purpose tables for classroom, training room and boardroom applications
- · Ability for tables to be set up as freestanding or shared leg configuration
- Unique design by Zooey Chu
- Half round, trapezoid and Keystone tops are available to create a variety of configurations
- Rectangular tops are available in 20", 24" and 30" depths
- Optional modesty panels with integrated wire troughs are available for use with rectangular tops
- Optional large electrical manager provides a safe environment for equipment wires
- Special width tops are available. Use next size up.
- Shipped R.T.A. (Ready to Assemble). Each component is packaged individually; Legs are shipped one per carton.
- For environmental certifications, please visit globalfurnituregroup.com

#### WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board covered on both sides with high performance thermally fused laminate.
- Laminate finishes are available in High Pressure. Contact Customer care for a quote.
- If other than a Global standard laminate finish is preferred, contact Customer Care Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### CONSTRUCTION

- Rectangular tops 54" in length and longer include a steel support channel for structural rigidity
- Tops are pre-drilled with threaded steel inserts
- Special width tops are available. Use next size up.
- Adjustable levelers offer up to 1" adjustability.

#### **EDGE DETAIL**

- Tops are sealed with Global's preferred edge in matching color.
- Optional Radius corners (RM) are available on rectangular tops at no upcharge.

#### **LEGS**

- · Unique Y design
- Straight leg available for assembly with Half Round tops and Keystone tops
- Heavy duty steel construction
- Coated with environmentally friendly recycled paint that provides a durable finish
- Black plastic leveling glides offer 5/8" adjustability
- Available in Black (TBL), Cloud (TIV), Designer White (TDW), Fog (TFO), Frost (TFR), Kalua (TKA), Latte (TLA), Mocha (TMO), Nevada (TNE), Sand (TSN), Shadow (TSH), Toast (TOA) or Tungsten (TTU) finish.
- Y Legs: 17.5" leg span 20"D top, 21.5" leg span 24"D top, 24.5" leg span 30"D top.

#### **CASTERS**

- Optional casters are available
- 1½" Dual wheel casters with or without manual lock. Full 360° swivel.
- Can be used in any combination with or without standard glides
- · Suggested for carpeted surfaces
- · Available in Black only
- Sold in packages of two

#### GANGING

- Ganging plates are available for ganging workstations together
- Ganging plates are black epoxy coated steel plates with two thumbscrews
- Provides maximum stability and torque reduction

#### **FLUSH PLATE**

- Suggested for top clusters (fixed configurations for additional stability)
- Sold individually and shipped with two thumbscrews for mounting
- No tools required
- Flush plate allows for ganging together of two or more tops

#### WIRE MANAGEMENT

- Available for managing additional larger wires and power connectors
- 3½" high x 4¾" deep Black PVC channel attaches to the underside of top

#### 1. SPECIFY MODEL NUMBER

#### 2. SPECIFY FINISH

Lamina	ate Finishes:			Legs:	
ACJ	Absolute Acajou	NBL	Noce Biondo	TBL	Black
ASN	Asian Night	NGL	Noce Grigio	TIV	Cloud
AWC	Avant Cherry	NEL	Noce Leggero	TDW	Designer White
AWH	Avant Honey	NML	Noce Medio	TFO	Fog
BLK	Black	ΩTM	Quartered Mahogany	TFR	Frost
BZD	Blizzard	SBY	Sheer Beauty	TKA	Kalua
BRC	Brushed Cobalt	SDT	Stonedust	TLA	Latte
CMB	Clear Maple	SOG	Storm Grey	TM0	Mocha
CGY	Custom Grey	WHE	Walnut Heights	TNE	Nevada
DES	Dark Espresso	WHC	White Chocolate	TSN	Sand
DWT	Designer White	WCR	Winter Cherry	TSH	Shadow
FAS	Fashionista			TOA	Toast
FCL	First Class			TTU	Tungsten


#### 3. SPECIFY OPTIONS

#### **Modesty Panels**

- 11¼" high panel attaches to the underside of rectangular tops
- · Standard with integrated wire trough
- Available in black PVC

#### Grommets

- Grommets are available in Rectangular and Trapezoid Tops (left, center or right).
   See below for available locations. Order as: AG1, AG2 or AG3. Add \$96.
   For Keystone worksurface locations, order as AG2. Add \$96.
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.



Grommets may be placed at non-standard locations. Order as: AGS - Add \$96. A
drawing must be supplied with vertical and horizontal dimensions to the center of the
cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM
in the back reference section.


#### **Power Block**

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location
  and the Power Block model #. Order Power Block as PMSPDM, ADD \$330.
   Power Blocks are available in standard worksurface locations (left, center or right).
   Order as E1, E2 or E3. Add \$96.




Power Block PMSPDM, Add \$330

#### **EXAMPLES OF GROMMET AND POWER BLOCK POSITIONS**



#### **VILLA CUTOUTS**

- Optional Villa cutout available in standard worksurface locations (left, center or right) for Rectangular Tables. Order as: V1, V2 or V3. Add \$96 for each cutout.
- Villa cutouts may be placed at non-standard locations. Please contact customer service.



globalfurnituregroup.com global

# J JUNCTION™

NGULAR TOPS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	JNR2042	20 x 42 x 1	65	26	1.1	\$371
	JNR2048	20 x 48 x 1	65	29	1.15	\$414
	JNRU2054	20 x 54 x 1	65	33	1.3	\$513
	JNRU2060	20 x 60 x 1	65	37	1.4	\$552
	JNRU2066	20 x 66 x 1	65	41	1.55	\$596
	JNRU2072	20 x 72 x 1	65	45	1.66	\$636
	3141102072	20 X /2 X I	00	40	1.00	<b>4030</b>
	JNR2442	24 x 42 x 1	65	31	1.25	\$371
	JNR2448	24 x 48 x 1	65	35	1.4	\$414
	JNRU2454	24 x 54 x 1	65	42	1.52	\$513
	JNRU2460	24 x 60 x 1	65	47	1.67	\$552
	JNRU2466	24 x 66 x 1	65	52	1.82	\$596
	JNRU2472	24 x 72 x 1	65	57	2	\$636
	JNR3042	30 x 42 x 1	65	38	1.51	\$451
^	JNR3048	30 x 48 x 1	65	44	1.7	\$475
	JNRU3054	30 x 54 x 1	65	52	1.9	\$590
	JNRU3060	30 x 60 x 1	65	59	2.1	\$633
	JNRU3066	30 x 66 x 1	65	64	2.26	\$677
	JNRU3072	30 x 72 x 1	65	70	2.5	\$721
	0141100072	00 X 72 X 1	00	70	2.0	<b>4</b> // <b>2</b> /
gular Top			freestanding and	linking insta	Illations. <b>Tops</b>	54" and longer are standard wit
	16 gauge steel s	ipport channel.				
OUND TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE
	JNHFS2040	20 x 40 x 1	70	23	1.05	\$393
	JNHFS2048	20 x 48 x 1	65	27.5	1.15	\$407
	JNHFS2448	24 x 48 x 1	65	34	1.4	\$437
	JNHFS2454	27 x 54 x 1	65	38.25	1.52	\$516
	JNHFS3060	30 x 60 x 1	60	53	1.67	\$566
	JNHFS3066	33 x 66 x 1	60	58.3	1.82	\$708
ound Top	Pre-drilled with the	eaded steel inserts for	freestanding and	linking insta	Illations. Four	legs are required for freestanding
· · · •	configurations.		3	3		.0
		IHFS2048 for use with	20" deen inining e	dge		
	■ JINTE92440/JIN	HFS2454 for use with		dae		
		IHFS2454 for use with IHFS3066 for use with	24" deep joining e	-		
ZOID TOPS	• JNHFS3060/JN	IHFS3066 for use with	24" deep joining e 30" deep joining e	edge	CUBIC FT.	LIST PRICE
ZOID TOPS	• JNHFS3060/JN	IHFS3066 for use with DIMENSIONS	24" deep joining e 30" deep joining e FREIGHT CLASS	wt/LB.	CUBIC FT.	LIST PRICE
ZOID TOPS	• JNHFS3060/JN MODEL# JNTT2048	<b>DIMENSIONS</b> 15.25 x 48 x 1	24" deep joining e 30" deep joining e FREIGHT CLASS	wt/LB. 27.5	1.15	\$384
ZOID TOPS	• JNHFS3060/JN	IHFS3066 for use with DIMENSIONS	24" deep joining e 30" deep joining e FREIGHT CLASS	wt/LB.		
ZOID TOPS	• JNHFS3060/JN MODEL# JNTT2048 JNTT2060	DIMENSIONS  15.25 x 48 x 1 15.25 x 60 x 1	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65	27.5 34	1.15 1.4	\$384 \$456
ZOID TOPS	• JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448	DIMENSIONS  15.25 x 48 x 1  15.25 x 60 x 1  20.5 x 48 x 1	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65	wt/LB.  27.5 34	1.15 1.4 1.4	\$384 \$456 \$434
ZOID TOPS	• JNHFS3060/JN MODEL# JNTT2048 JNTT2060	DIMENSIONS  15.25 x 48 x 1 15.25 x 60 x 1	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65	27.5 34	1.15 1.4	\$384 \$456
ZOID TOPS	• JNHFS3060/JN  MODEL #  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060	15.25 x 48 x 1 15.25 x 60 x 1 20.5 x 60 x 1 25.75 x 60 x 1	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65 65 65	wt/LB.  27.5 34  33 41.25  50.5	1.15 1.4 1.4 1.67	\$384 \$456 \$434 \$522 \$570
DID TOPS	• JNHFS3060/JN  MODEL #  JNTT2048 JNTT2060  JNTT2448 JNTT2460	15.25 x 48 x 1 15.25 x 60 x 1 20.5 x 60 x 1	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65 65	27.5 34 33 41.25	1.15 1.4 1.4 1.67	\$384 \$456 \$434 \$522
	• JNHFS3060/JN  MODEL #  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072	15.25 x 48 x 1 15.25 x 60 x 1 20.5 x 60 x 1 25.75 x 60 x 1 25.75 x 72 x 1	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65 65 65 65	wt/LB.  27.5 34  33 41.25  50.5 61	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570
	• JNHFS3060/JN  MODEL #  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072  Pre-drilled with thr	15.25 x 48 x 1 15.25 x 60 x 1 20.5 x 60 x 1 25.75 x 60 x 1 25.75 x 72 x 1 readed steel inserts for	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65 65 65 65 65 linking installation	wt/LB.  27.5 34  33 41.25  50.5 61  ns. Not free	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570
	• JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072  Pre-drilled with thr • JNTT2040/JNT	DIMENSIONS  15.25 x 48 x 1  15.25 x 60 x 1  20.5 x 60 x 1  25.75 x 60 x 1  25.75 x 72 x 1  readed steel inserts for T2048 for use with 20"	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65 65 65 65 65 65 65 65 65 66 65 66 65 66 66	wt/LB.  27.5 34 33 41.25 50.5 61 as. Not free	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570
COID TOPS	• JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072  Pre-drilled with thr • JNTT2040/JNT	15.25 x 48 x 1 15.25 x 60 x 1 20.5 x 60 x 1 25.75 x 60 x 1 25.75 x 72 x 1 readed steel inserts for	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65 65 65 65 65 65 65 65 65 66 65 66 65 66 66	wt/LB.  27.5 34 33 41.25 50.5 61 as. Not free	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570
	• JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072  Pre-drilled with thr • JNTT2040/JNT • JNTT2448/JNT	DIMENSIONS  15.25 x 48 x 1  15.25 x 60 x 1  20.5 x 60 x 1  25.75 x 60 x 1  25.75 x 72 x 1  readed steel inserts for T2048 for use with 20"	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65 65 65 65 65 65 linking installation deep joining edge deep joining edge	wt/LB.  27.5 34 33 41.25 50.5 61 ns. Not free	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570
	• JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072  Pre-drilled with thr • JNTT2040/JNT • JNTT2448/JNT	15.25 x 48 x 1 15.25 x 48 x 1 15.25 x 60 x 1 20.5 x 60 x 1 25.75 x 60 x 1 25.75 x 72 x 1 readed steel inserts for T2048 for use with 20" T2454 for use with 24"	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65 65 65 65 65 65 linking installation deep joining edge deep joining edge	wt/LB.  27.5 34 33 41.25 50.5 61 ns. Not free	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570
	• JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072  Pre-drilled with thr • JNTT2040/JNT • JNTT2448/JNT	15.25 x 48 x 1 15.25 x 48 x 1 15.25 x 60 x 1 20.5 x 60 x 1 25.75 x 60 x 1 25.75 x 72 x 1 readed steel inserts for T2048 for use with 20" T2454 for use with 24"	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65 65 65 65 65 65 linking installation deep joining edge deep joining edge	wt/LB.  27.5 34 33 41.25 50.5 61 ns. Not free	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570
	• JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072  Pre-drilled with thr • JNTT2040/JNT • JNTT2448/JNT	15.25 x 48 x 1 15.25 x 48 x 1 15.25 x 60 x 1 20.5 x 60 x 1 25.75 x 60 x 1 25.75 x 72 x 1 readed steel inserts for T2048 for use with 20" T2454 for use with 24"	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65 65 65 65 65 65 linking installation deep joining edge deep joining edge	wt/LB.  27.5 34 33 41.25 50.5 61 ns. Not free	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570
	• JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072  Pre-drilled with thr • JNTT2040/JNT • JNTT2448/JNT	15.25 x 48 x 1 15.25 x 60 x 1 20.5 x 60 x 1 20.5 x 60 x 1 25.75 x 60 x 1 25.75 x 72 x 1 readed steel inserts for T2048 for use with 20" T2454 for use with 30"	24" deep joining e 30" deep joining e FREIGHT CLASS 65 65 65 65 65 65 65 linking installation deep joining edge deep joining edge	33 41.25 50.5 61 ns. <b>Not fre</b>	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570

KEYSTONE TOPS	MODEL#		IGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	JN5S2424	<b>D x W x H</b> 24 x 42 x 1	65	35	1.4	\$443	
	JN5S3030	30 x 54 x 1	65	53	2.1	\$566	
eystone Top	applications only	eaded steel inserts for link	anding appli		e shape is for	V configurations/sha	red
		se with 24" deep joining ed					
MODESTY PANELS	MODEL#	DIMENSIONS FRE	IGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	
	JNMP42	6.92 x 29.19 x 11.25	250	3.7	1.5	\$307	
	JNMP48	6.92 x 35.19 x 11.25		4.5	1.75	\$344	
	JNMP54	6.92 x 41.19 x 11.25		5	2	\$385	
	JNMP60	6.92 x 47.19 x 11.25		5.9	2.25	\$423	
	JNMP66	6.92 x 53.19 x 11.25		6.6	2.5	\$453	
	JNMP72	6.92 x 59.19 x 11.25		7.4	2.75	\$492	
Modesty Panel		rectangular tops. 11 ¼" led holes in table top.	high, Black pla	astic, attract	ive ribbed desig	n. Includes integrated	wire troug
WIRE MANAGEMENT	MODEL#	DIMENSIONS FRE	IGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	
	JNEC5S	4.14 x 12.5 x 3.63	70	1	0.1	\$83	
P							
Nire Manager	For use with <b>JN5S</b> to predrilled holes	<b>Keystone Tops</b> . For mana in table top.	aging addition	al wires and	power connect	ors. 3½"H Black PVC cl	hannel con
Nire Manager	to predrilled holes	in table top.					nannel con
Vire Manager	to predrilled holes	4.14 x 41.75 x 3.63	125	2.52	0.33	ors. 3½"H Black PVC cl \$195 \$226	hannel con
Vire Manager	to predrilled holes  JNEC42 JNEC48	4.14 x 41.75 x 3.63 4.14 x 47.75 x 3.63	125 125	2.52 2.88	0.33 0.38	\$195 \$226	nannel con
Vire Manager	JNEC42 JNEC48 JNEC54	4.14 x 41.75 x 3.63 4.14 x 47.75 x 3.63 4.14 x 53.75 x 3.63	125 125 125	2.52 2.88 3.24	0.33 0.38 0.43	\$195 \$226 \$256	nannel con
Vire Manager	JNEC42 JNEC48 JNEC54 JNEC60	4.14 x 41.75 x 3.63 4.14 x 47.75 x 3.63 4.14 x 53.75 x 3.63 4.14 x 59.75 x 3.63	125 125 125 125	2.52 2.88 3.24 3.6	0.33 0.38 0.43 0.48	\$195 \$226 \$256 \$283	nannel con
Wire Manager	JNEC42 JNEC48 JNEC54	4.14 x 41.75 x 3.63 4.14 x 47.75 x 3.63 4.14 x 53.75 x 3.63	125 125 125	2.52 2.88 3.24	0.33 0.38 0.43	\$195 \$226 \$256	nannel con
	JNEC42 JNEC48 JNEC54 JNEC60 JNEC66 JNEC72  For use with JNR I	4.14 x 41.75 x 3.63 4.14 x 47.75 x 3.63 4.14 x 53.75 x 3.63 4.14 x 59.75 x 3.63 4.14 x 59.75 x 3.63 4.14 x 65.75 x 3.63	125 125 125 125 125 125 125	2.52 2.88 3.24 3.6 3.96 4.32	0.33 0.38 0.43 0.48 0.53 0.58	\$195 \$226 \$256 \$283 \$296 \$385	
	JNEC42 JNEC48 JNEC54 JNEC60 JNEC66 JNEC72  For use with JNR I	4.14 x 41.75 x 3.63 4.14 x 47.75 x 3.63 4.14 x 53.75 x 3.63 4.14 x 59.75 x 3.63 4.14 x 65.75 x 3.63 4.14 x 71.75 x 3.63	125 125 125 125 125 125 125	2.52 2.88 3.24 3.6 3.96 4.32	0.33 0.38 0.43 0.48 0.53 0.58	\$195 \$226 \$256 \$283 \$296 \$385	
	JNEC42 JNEC48 JNEC54 JNEC60 JNEC66 JNEC72  For use with JNR I	4.14 x 41.75 x 3.63 4.14 x 47.75 x 3.63 4.14 x 53.75 x 3.63 4.14 x 59.75 x 3.63 4.14 x 65.75 x 3.63 4.14 x 71.75 x 3.63	125 125 125 125 125 125 125	2.52 2.88 3.24 3.6 3.96 4.32	0.33 0.38 0.43 0.48 0.53 0.58	\$195 \$226 \$256 \$283 \$296 \$385	
	JNEC42 JNEC48 JNEC54 JNEC60 JNEC66 JNEC72  For use with JNR I	4.14 x 41.75 x 3.63 4.14 x 47.75 x 3.63 4.14 x 53.75 x 3.63 4.14 x 59.75 x 3.63 4.14 x 65.75 x 3.63 4.14 x 71.75 x 3.63	125 125 125 125 125 125 125	2.52 2.88 3.24 3.6 3.96 4.32	0.33 0.38 0.43 0.48 0.53 0.58	\$195 \$226 \$256 \$283 \$296 \$385	
Wire Manager Wire Manager	JNEC42 JNEC48 JNEC54 JNEC60 JNEC66 JNEC72  For use with JNR I	4.14 x 41.75 x 3.63 4.14 x 47.75 x 3.63 4.14 x 53.75 x 3.63 4.14 x 59.75 x 3.63 4.14 x 65.75 x 3.63 4.14 x 71.75 x 3.63	125 125 125 125 125 125 125	2.52 2.88 3.24 3.6 3.96 4.32	0.33 0.38 0.43 0.48 0.53 0.58	\$195 \$226 \$256 \$283 \$296 \$385	

# J JUNCTION™

<u> </u>	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	GJNLEG20	17.25 x 2 x 27.5	150	8.5	2	\$294
					o" 1	
Leg	Leg span is 17½".  • List price is per  • See 637 for ava		dard. <b>For assen</b>	nbly with 20	J" deep tops	
	GJNLEG24	21.5 x 2 x 27.5	150	10	2.5	\$294
Leg	Leg span is 21½". • List Price is per • See 637 for ava		dard. <b>For assen</b>	nbly with 24	1" deep tops	
	GJNLEG30	24.5 x 2 x 27.5	250	11	2.85	\$317
" Leg	Leg span is 24½". • List Price is per • See 637 for ava		dard. <b>For assen</b>	nbly with 30	)" deep tops	
	JNLEG	1 x 2 x 27.3	150	6	1.3	\$260
aight Leg	• List Price is per • See 637 for ava	each leg. ilable finishes.				ounting plate is 11" deep by 5" wide.
aight Leg	<ul> <li>List Price is per</li> </ul>	each leg.	ly with half rou	nd and key: 	stone tops. M	punting plate is 11" deep by 5" wide.
	• List Price is per • See 637 for ava  JNCP  Set of (2) 1½" dua Black only. • For use with Jul	each leg. ilable finishes.  I wheel casters, one lock				
	• List Price is per • See 637 for ava  JNCP  Set of (2) 1½" dua Black only. • For use with Jul	each leg. ilable finishes.  I wheel casters, one lock				\$63
asters  asters	List Price is per     See 637 for ava  JNCP  Set of (2) 1½" dua Black only.     For use with Jul     Casters DO NOT  JNTS  Triangular thumbs	each leg. ilable finishes.  I wheel casters, one lock action units only affect table height	 ing. Suggested t	 for carpeted : 	 surfaces. Caste	\$63  rs are fully interchangeable with glide





#### **Ganging Flush Plate**

Black epoxy coated steel plates with 2 thumbscrews included. Used to connect table tops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of the tops to accommodate this plate. Sold individually.



Flush Plate

JNFP1	5.25 d x 5.25 w	 	 \$36
JNFP4	5.25 d x 5.25 w	 	 \$133

Assures alignment on adjoining worksurfaces of the same height. Bolts included. Available in Black only.

JNFP1 - 1 per carton. JNFP4 - 4 per carton.

Required Specifications
Finish





Kadin adds modern flair to your meeting space. From formal conference rooms to intimate meeting spaces or open forums, Kadin fits wherever people meet. Choose from round, square or rectangular tops in a variety of sizes with multiple edge options. Table depths start at 36", available widths are almost limitless. Surfaces are offered in architectural grade veneer and high-pressure laminate. The beautifully sculpted leg support maximizes leg clearance to keep guests comfortable. Extending from the leg support, the beam structure and connectors create visual interest as people come together. Pre-configured base assemblies make it easy to specify.

#### **Features and Benefits**

- Constructed of 45lb. density particleboard with high pressure laminate or grade A veneers
- 3 top shapes
- Solid die-cast aluminum leg with adjustable glide
- 5 edge options
- Metal bases available in 8 finishes
- Beam available in 7 finishes to match leg



90° connector



60° connector (for three leg tables only)



Beam construction

## GENERAL INFORMATION

- Laminate or veneer tops with multiple edge options
- Three top shapes round, square, rectangular
- Pre-configured assemblies make specifying easy
- Kadin pairs perfectly with storage from a number of Global desking series
- For environmental certifications, please visit globalfurnituregroup.com

# TABLES WITH LAMINATE TOPS: CONSTRUCTION

- Constructed of 45 lb. density particleboard with high pressure laminate
- Tables are pre-drilled with factory installed inserts for easy metal-to-metal base connection
- Solid die-cast aluminum leg with adjustable glide

#### WORKSURFACES

- Available in 1-1/16" or 1-7/16" high pressure laminate tops with a 3mm PVC edge or 1-3/16" high pressure laminate top with a 3mm PVC edge trim
- Laminate surfaces offer a selection of matching + coordinating edge band, specify separately from the surface finish
- Tables up to and including 96" long are manufactured in one piece, 108" to 180" long are manufactured in two pieces, and over 192" are manufactured in three pieces. If woodgrain laminate is chosen, the woodgrain pattern may not line up.
- Tables in two or three pieces will have the joining edge finished; hardware will be shipped for assembly
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### **EDGES**

- Tables with **B** Edge are 1-1/16" thick and have a 3mm PVC edge
- Tables with a W Edge are 1-7/16" thick and have a 3mm PVC edge
- Tables with a KL edge are 1-3/16" thick with a 3mm PVC edge and a 2" undercut knife profile
- Square and Rectangular Tables with a B or W edge have a 1" radius at each corner.
   For 90° corners, please add NR at the end of the product code. No upcharge.
- Square and Rectangular tables with a KL edge have 90° corners. There is no radius corner option for the KL edge.

AG3

# TABLES WITH VENEER TOPS:

#### CONSTRUCTION

- Constructed of 45 lb. density particleboard with grade A veneers
- Tables are pre-drilled with factory installed inserts for easy metal-to-metal base connection
- Solid die-cast aluminum leg with adjustable glide

#### WORKSURFACES

- 1-3/16" thick veneer tops with choice of edge.
- Tables up to and including 96" long are manufactured in one piece, 108" to 180" long are manufactured in two pieces, and over 192" are manufactured in three pieces.
- Veneer wood grain will run with the length of the table and align at the seam up to 180"
- Veneer wood grain will run with the depth of the table (i.e. cross grain) on tables 192" and up.
- Tables in two or three pieces will have the joining edge finished; hardware will be shipped for assembly

#### **EDGES**

- Tables with a FV edge are 1-3/16" thick with a flat 3mm hardwood edge, stained to match to veneer.
- Tables with a KV edge are 1-3/16" thick with a flat 3mm hardwood edge and 2" undercut knife edge profile.
- Square and Rectangular Tables with the FV and KV edge have 90° corners. There is
  no radius corner option.

#### **GROMMETS**

- Grommets available in standard table top locations (left, center or right).
   Order as: AG1, AG2 or AG3. Add \$96
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.




· Actual grommet locations will vary according to base selection.

#### **WIRE MANAGEMENT**


 For vertical and horizontal wire management, please refer to wire management section below, or Productivity Solutions on page 474.

#### **CUT-OUTS FOR POWER BLOCKS**

- Optional cut-out available in standard worksurface locations (left, center or right) for all table shapes. Add \$96 for each cut-out.
- Cut-outs may be placed at non-standard locations. Please contact customer care.
- Match power block desired with cut-out code and location from above grid
- Power module cut-out locations are not available on all models please see diagrams to the right for restrictions.
  - \*Oasis Mini is not available on 36"D models due to space restrictions caused by beam placement. Only available on 60" square and 60" round 4-leg tables.



OASIS MINI B







Umber Walnut

ULW

LEG FINISHES

### 1. SPECIFY MODEL NUMBER

#### 2. SPECIFY FINISH I AMINATE FINISHES

LAMIII	NATE FINISHES		LEG FINISHES					
ACJ	Absolute Acajou	FCL	First Class	CHM CHR	Chrome	BLK DWT	Black	/h:+=
ASN	Asian Night	NBL	Noce Biondo	NEV	Charcoal Nevada	SIL	Designer V Silver	vnite
AWC	Avant Cherry	NGL	Noce Grigio	TPE	Taupe	TUN	Tungsten	
AWH	Avant Honey	NEL	Noce Leggero	II L	laupe	TON	Turiyateri	
BLK	Black	NML	Noce Medio	BEAM FIN	IISHES			
BRC	Brushed Cobalt	ΩTM	Quartered Mahogany	BLK	Black	CHR	Charcoal	
BZD	Blizzard	SBY	Sheer Beauty	DWT	Designer White	NEV	Nevada	
CMB	Clear Maple	SDT	Stonedust	SIL	Silver	TPE	Taupe	
CGY	Custom Grey	SOG	Storm Grey	TUN	Tungsten			
DES	Dark Espresso	WHE	Walnut Heights	VENEER F	INISHES:			
DWT	Designer White	WHC	White Chocolate	Code	Finish	Veneer Typ	ie	Cut
FAS	Fashionista	WCR	Winter Cherry	AMW	Almond Cherry	Cherry		Flat Sliced
EDGE	FINISHES (Laminate Surfaces On	ly)		ACW	Amber Cherry	Cherry		Flat Sliced
AAE	Absolute Acajou	NBL	Noce Biondo	BTW	Biscotti	White Oak		Rift
ASE	Asian Night	NGL	Noce Grigio	CAW	Cocoa Walnut	Walnut		Flat Sliced
ACE	Avant Cherry	NEL	Noce Leggero	CRW DCW	Coral Dark Cherry	White Oak Cherry		Rift Flat Sliced
AHE	Avant Honey	NML	Noce Medio	DWW	Dark Walnut	Walnut		Flat Sliced
BLK	Black	QTM	Quartered Mahogany	EWW	Espresso Walnut	Walnut		Flat Sliced
BZD	Blizzard	SBY	Sheer Beauty	EVW	Evening Oak	White Oak		Rift
BRC	Brushed Cobalt	SIL	Silver	GRW	Grey on Oak	White Oak		Rift
CHR	Charcoal (use w/SOG)	SDT	Stonedust	HAW	Hazelnut	Maple		Flat Sliced
CME	Clear Maple	SOG	Storm Grey	JAW LTW	Java	White Oak		Rift
CGY	Custom Grey	TPE	Taupe	MHW	Latte Walnut Mahogany on Walnut	Walnut Walnut		Flat Sliced Flat Sliced
DEE	Dark Espresso	WHE	Walnut Heights	MTW	Milestone	White Oak		Rift
DWE	Designer White	CBE	White Chocolate	MPW	Natural Maple	Maple		Flat Sliced
FAS	Fashionista	WCE	Winter Cherry	NLW	Natural Walnut	Walnut		Flat Sliced
FCL	First Class	*****	······································	RCW	Red Cherry	Cherry		Flat Sliced


### 3. SPECIFY OPTIONS

First Class


Edge Options:	<b>"B" Edges</b> Laminate surface with PVC edge	<b>"W" Edges</b> Laminate surface with PVC edge	<b>"KL" Edges</b> Laminate surface with PVC edge	<b>"FV" Edges</b> Veneer surface with Hardwood edge	<b>"KV" Edges</b> Veneer surface with Hardwood edge
	HP (B) 1-1/16" Thickness	HP (W) 1-7/16" Thickness	HP (KL) 1-3/16" Thickness	(FV) 1-3/16" Thickness	(KV) 1-3/16" Thickness
	В	W	KL .	FV 📗	KV _

#### **CUT-OUT LOCATIONS:**

## Square Table - position 2 only




#### **Round Table - position 2 only**



#### **Rectangular Table**

- Cut-out only in position 2: LKD3648, LKD3654, LKD4248, LKD4254, LKD4854
- One cut-out choice only (position 1, 2 or 3): LKD3660, LKD3666, LKD3672, LKD4260, LKD4266, LKD4272
- Up to 3 cut-outs in position 1, 2 and/or 3: LKD3678, LKD3684, LKD3696, LKD4278, LKD4284, LKD4296, LKD4878, LKD4884, LKD4896




## Rectangular Table - 2 piece top

Walnut


• Up to 2 cut-outs in position 1 and/or 3 - all sizes

Flat Sliced



### Rectangular Table - 3 piece top

• Up to 3 cut-outs in position 1, 2 and/or 3 - all sizes



Note: Grommet orientation follows the length of table.



			Market and Control of the Control				
QUARE TABLES - LAMINATE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	B-EDGE	W-EDGE KL-EDGE
	LKD3636	D x W x H 36 x 36 x 29-29.5	5 100	73	4	\$1824	\$2049 \$2124
	LKD4242	42 x 42 x 29-29.5	5 100	86	4	\$2181	\$2395 \$2575
	LKD4848	48 x 48 x 29-29.5	92.5	107	5	\$2560	\$2821 \$2996
	LKD5454	54 x 54 x 29-29.5	i 85	120	5	\$2819	\$3136 \$3588
	LKD6060	60 x 60 x 29-29.5	92.5	135	6	\$3107	\$3486 \$4106

Square	Table -	Laminate	Top*
--------	---------	----------	------

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

SQUARE TABLES - VENEER						FV EDGE	KV EDGE	
	LKD3636K	36 x 36 x 29-29.5	100	73	4	\$2529	\$2619	
	LKD4242K	42 x 42 x 29-29.5	92.5	86	4	\$3012	\$3133	
	LKD4848K	48 x 48 x 29-29.5	92.5	107	5	\$3568	\$3726	
	LKD5454K	54 x 54 x 29-29.5	85	120	5	\$4321	\$4518	
	LKD6060K	60 x 60 x 29-29.5	92.5	135	6	\$5015	\$5257	

**Square Table - Veneer Top** 

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

ROUND TABLES - LAMINATE						B-EDGE	W-EDGE	KL-EDGE
	LKD36DIA	36 x 36 x 29-29.5	92.5	66	3	\$1470	\$1701	\$1981
	LKD42DIA	42 x 42 x 29-29.5	85	78	3	\$1813	\$2029	\$2532
(	LKD48DIA	48 x 48 x 29-29.5	85	99	4	\$2152	\$2421	\$3074
	LKD54DIA	54 x 54 x 29-29.5	85	111	4	\$2412	\$2737	\$3758
	LKD60DIA	60 x 60 x 29-29.5	85	126	5	\$2694	\$3083	\$4429
Round Table - 3 Legs*	Tops feature 3mm connectors and th	pvc edge and metal inserts ree leg beams.	for ease o	of assembly to bas	e. Also ind	cludes three le	gs, three 60	)-degree



Round Table - 4 Legs\*

LKD436DIA	36 x 36 x 29-29.5	100	66	3	\$1911 \$21	36 \$2302
LKD442DIA	42 x 42 x 29-29.5	92.5	78	3	\$2181 \$23	95 \$2792
LKD448DIA	48 x 48 x 29-29.5	92.5	99	4	\$2560 \$28	21 \$3385
LKD454DIA	54 x 54 x 29-29.5	85	111	4	\$2819 \$31	36 \$4003
LKD460DIA	60 x 60 x 29-29.5	92.5	126	5	\$3107 \$34	86 \$4700

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

Required Specifications	Optional Specifications	Accessories
Top Finish	Grommet	Power Block
Leg Finish		
Edge Finish*		
Edge Style		







Round Table - 3 Legs

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FV EDGE	KV EDGE	
	D x W x H						
LKD36DIAK	36 x 36 x 29-29.	5 92.5	66	3	\$2408	\$2522	
LKD42DIAK	42 x 42 x 29-29.	5 85	78	3	\$3033	\$3184	
LKD48DIAK	48 x 48 x 29-29.	5 85	99	4	\$3735	\$3943	
LKD54DIAK	54 x 54 x 29-29.	5 85	111	4	\$4622	\$4877	
LKD60DIAK	60 x 60 x 29-29.	5 85	126	5	\$5524	\$5835	

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes three legs, three 60-degree connectors and three leg beams.

LKD436DIAK	36 x 36 x 29-29.5	100	66	3	\$2634 \$2748
LKD442DIAK	42 x 42 x 29-29.5	92.5	78	3	\$3271 \$3422
LKD448DIAK	48 x 48 x 29-29.5	92.5	99	4	\$4022 \$4230
LKD454DIAK	54 x 54 x 29-29.5	85	111	4	\$4842 \$5097
LKD460DIAK	60 x 60 x 29-29.5	92.5	126	5	\$5769 \$6080

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

v	
Round Tal	∪ ble - 4 Legs
	<b>g</b> -

RECTANGULAR TABLES - LAMINATE						B-EDGE	W-EDGE	KL-EDGE
	LKD3648	36 x 48 x 29-29.5	100	75	4	\$2258	\$2488	\$2553
	LKD3654	36 x 54 x 29-29.5	92.5	81	4	\$2357	\$2614	\$2788
	LKD3660	36 x 60 x 29-29.5	100	88	5	\$2458	\$2738	\$2956
	LKD3666	36 x 66 x 29-29.5	100	95	5	\$2560	\$2865	\$3123
	LKD3672	36 x 72 x 29-29.5	92.5	101	5	\$2658	\$2985	\$3291
	LKD3678	36 x 78 x 29-29.5	92.5	105	5	\$2758	\$3110	\$3460
	LKD3684	36 x 84 x 29-29.5	92.5	108	5	\$2859	\$3237	\$3627
	LKD3696	36 x 96 x 29-29.5	100	115	6	\$3061	\$3487	\$3965
	LKD4248	42 x 48 x 29-29.5	92.5	87	4	\$2418	\$2645	\$2774
	LKD4254	42 x 54 x 29-29.5	100	90	5	\$2538	\$2789	\$3033
	LKD4260	42 x 60 x 29-29.5	100	94	5	\$2657	\$2926	\$3229
	LKD4266	42 x 66 x 29-29.5	92.5	101	5	\$2774	\$3069	\$3422
	LKD4272	42 x 72 x 29-29.5	92.5	106	5	\$2895	\$3210	\$3620
	LKD4278	42 x 78 x 29-29.5	100	110	6	\$3010	\$3350	\$3812
	LKD4284	42 x 84 x 29-29.5	100	113	6	\$3130	\$3492	\$4007
	LKD4296	42 x 96 x 29-29.5	92.5	129	6	\$3368	\$3774	\$4398
	LKD4854	48 x 54 x 29-29.5	100	94	5	\$2753	\$3030	\$3283
	LKD4860	48 x 60 x 29-29.5	100	99	5	\$2885	\$3189	\$3504
	LKD4866	48 x 66 x 29-29.5	100	107	6	\$3018	\$3343	\$3724
· ·	LKD4872	48 x 72 x 29-29.5	100	114	6	\$3151	\$3501	\$3946
	LKD4878	48 x 78 x 29-29.5	92.5	120	6	\$3282	\$3662	\$4166
/	LKD4884	48 x 84 x 29-29.5	92.5	125	6	\$3416	\$3818	\$4387
*	LKD4896	48 x 96 x 29-29.5	92.5	149	7	\$3678	\$4131	\$4828

Rectangular Table\*

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

Required Specifications	
Top Finish	
Leg Finish	
Edge Finish*	
Edge Style	

Optional Specifications Grommet

Accessories

Power Block



ECTANGULAR TABLES - LAMINATE	MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	B-EDGE	W-EDGE	KL-EDGE
		DxWxH						
	LKD36108	36 x 108 x 29-29.5	92.5	154	7	\$4210	\$4526	\$5009
	LKD36120	36 x 120 x 29-29.5	125	164	8	\$4425	\$4777	\$5344
	LKD42108	42 x 108 x 29-29.5	150	124	8	\$4491	\$4850	\$5491
	LKD42120	42 x 120 x 29-29.5	150	141	9	\$4728	\$5120	\$5880
	LKD48108	48 x 108 x 29-29.5	150	127	9	\$4831	\$5220	\$5982
	LKD48120	48 x 120 x 29-29.5	150	151	9	\$5101	\$5535	\$6420
	LKD48132	48 x 132 x 29-29.5	150	164	10	\$5365	\$5840	\$6864
	LKD48144	48 x 144 x 29-29.5	125	181	10	\$5433	\$5915	\$7296
	LKD48156	48 x 156 x 29-29.5	150	191	11	\$5893	\$6445	\$7747
	LKD48168	48 x 168 x 29-29.5	125	206	11	\$6156	\$6741	\$8188
	LKD48180	48 x 180 x 29-29.5	125	220	12	\$6615	\$7270	\$8636
	LKD54144	54 x 144 x 29-29.5	150	193	11	\$6069	\$6626	\$8011
	LKD54168	54 x 168 x 29-29.5	150	214	12	\$6653	\$7290	\$9000
	LKD60144	60 x 144 x 29-29.5	150	206	12	\$6429	\$7033	\$8656
	LKD60168	60 x 168 x 29-29.5	150	227	13	\$7064	\$7759	\$9744

Rectangular Table - 2 piece top

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes six legs, four 90-degree connectors, two 3-way connectors and four leg beams.



Rectangular Table - 3 piece top

\$8105 \$977	\$7442	14	279	150	48 x 192 x 29-29.5	LKD48192
\$8724 \$106	\$8000	15	288	150	54 x 192 x 29-29.5	LKD54192
\$9387 \$116	\$8578	16	270	150	54 x 216 x 29-29.5	LKD54216
\$10057 \$126	\$9161	17	298	150	54 x 240 x 29-29.5	LKD54240
\$9257 \$115	\$8473	16	257	150	60 x 192 x 29-29.5	LKD60192
\$9987 \$126	\$9110	17	283	150	60 x 216 x 29-29.5	LKD60216
\$10711 \$137	\$9744	18	311	150	60 x 240 x 29-29.5	LKD60240

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes eight legs, four 90-degree connectors, four 3-way connectors and eight leg beams.

|--|

Top Finish Leg Finish Edge Finish Edge Style **Optional Specifications** 

Grommet

Accessories Power Block






RECTANGULAR TABLES - VENEER	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FV EDGE	KV EDGE
		D x W x H					
	LKD3648K	36 x 48 x 29-29.5		75	4	\$2979	\$3095
	LKD3654K	36 x 54 x 29-29.5	92.5	81	4	\$3269	\$3401
	LKD3660K	36 x 60 x 29-29.5	100	88	5	\$3492	\$3639
	LKD3666K	36 x 66 x 29-29.5	100	95	5	\$3715	\$3877
	LKD3672K	36 x 72 x 29-29.5	92.5	101	5	\$3938	\$4111
	LKD3678K	36 x 78 x 29-29.5	92.5	105	5	\$4162	\$4353
	LKD3684K	36 x 84 x 29-29.5	92.5	108	5	\$4387	\$4592
	LKD3696K	36 x 96 x 29-29.5	100	115	6	\$4834	\$5068
	LKD4248K	42 x 48 x 29-29.5	92.5	87	4	\$3272	\$3408
	LKD4254K	42 x 54 x 29-29.5	100	90	5	\$3596	\$3750
	LKD4260K	42 x 60 x 29-29.5	100	94	5	\$3856	\$4026
	LKD4266K	42 x 66 x 29-29.5	92.5	101	5	\$4114	\$4301
	LKD4272K	42 x 72 x 29-29.5	92.5	106	5	\$4373	\$4578
	LKD4278K	42 x 78 x 29-29.5	100	110	6	\$4633	\$4852
	LKD4284K	42 x 84 x 29-29.5	100	113	6	\$4890	\$5129
	LKD4296K	42 x 96 x 29-29.5	92.5	129	6	\$5409	\$5678
	LKD4854K	48 x 54 x 29-29.5	100	94	5	\$3926	\$4104
	LKD4860K	48 x 60 x 29-29.5	100	99	5	\$4218	\$4414
	LKD4866K	48 x 66 x 29-29.5	100	107	6	\$4513	\$4727
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	LKD4872K	48 x 72 x 29-29.5	100	114	6	\$4806	\$5040
	LKD4878K	48 x 78 x 29-29.5	92.5	120	6	\$5100	\$5355
	LKD4884K	48 x 84 x 29-29.5	92.5	125	6	\$5395	\$5665
*	LKD4896K	48 x 96 x 29-29.5	92.5	149	7	\$5982	\$6293

Rectangular Table

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

LKD36108K	36 x 108 x 29-29.5	125	154	7	<b>\$5971 \$6233</b>	
LKD36120K	36 x 120 x 29-29.5	125	164	8	\$6419 \$6709	
LKD42108K	42 x 108 x 29-29.5	150	124	8	\$6625 \$6930	
LKD42120K	42 x 120 x 29-29.5	150	141	9	\$7141 \$7480	
LKD48108K	48 x 108 x 29-29.5	150	127	9	\$7275 \$7622	
LKD48120K	48 x 120 x 29-29.5	150	151	9	\$7863 \$8248	
LKD48132K	48 x 132 x 29-29.5	150	164	10	\$8450 \$8876	
LKD48144K	48 x 144 x 29-29.5	125	181	10	\$9038 \$9499	
LKD48156K	48 x 156 x 29-29.5	150	191	11	\$9627 \$10128	
LKD48168K	48 x 168 x 29-29.5	125	206	11	\$10214 \$10752	
LKD48180K	48 x 180 x 29-29.5	125	220	12	\$10802 \$11380	
LKD54144K	54 x 144 x 29-29.5	150	193	11	\$9965 \$10486	
LKD54168K	54 x 168 x 29-29.5	150	214	12	\$11281 \$11890	
LKD60144K	60 x 144 x 29-29.5	150	206	12	\$10829 \$11407	
LKD60168K	60 x 168 x 29-29.5	150	227	13	\$12284 \$12959	



Rectangular Table - 2 piece top

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes six legs, four 90-degree connectors, two 3-way connectors and four leg beams.

Required	Specifications
Ton Finish	

Leg Finish Edge Style Optional Specifications Grommet

Accessories Power Block



Rectangular Table	- 3	piece	top
-------------------	-----	-------	-----

RECTANGULAR TABLES - VENEER

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FV EDGE	KV EDGE
	D x W x H					
LKD48192K	48 x 192 x 29-29	1.5 150	279	14	\$12092	\$12707
LKD54192K	54 x 192 x 29-29	1.5 150	288	15	\$13305	\$13998
LKD54216K	54 x 216 x 29-29	1.5 150	270	16	\$14622	\$15401
LKD54240K	54 x 240 x 29-29	1.5 150	298	17	\$15937	\$16802
ENDO IE ION	01/12/10/120/20		200	.,	4.0002	<b>4.000</b>
LKD60192K	60 x 192 x 29-29	1.5 150	257	16	\$14456	\$15226
LKD60216K	60 x 216 x 29-29	1.5 150	283	17	\$15911	\$16776
LKD60240K	60 x 240 x 29-29	1.5 150	311	18	\$17367	\$18327

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes eight legs, four 90-degree connectors, four 3-way connectors and eight leg beams.

Required Specifications Top Finish Leg Finish

Edge Style

Optional Specifications Grommet

Accessories Power Block





			mark	œt		
RE MANAGEMENT	MODEL#		FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE
	PCSN01	D x W x H X X	92.5	2.10	.20	\$135
le Snake		nagement. Provides acc Cable Snake. Length un				worksurface where it attaches.
	BRTCS	2 x 8 x 30	70	3	.19	\$152
Sole Snake		nagement trough. Two point White finish only.	pathways within t	he snake, oi	ne for data/com	munication and one for routing p
	PEWM5.5	2 x 66 x 2	70	.60	.10	\$198
	PEWM5	2 x 60 x 2	70	.60	.10	\$166
	PEWM4.5	2 x 54 x 2	70	.50	.10	\$148
	PEWM4	2 x 48 x 2	70	.50	.10	\$135
					10	\$116
	PEWM3.5	2 x 42 x 2	70	.40	.10	
	PEWM3.5 PEWM3	2 x 42 x 2 2 x 36 x 2	70	.40	.10	\$104
\$	PEWM3.5 PEWM3 PEWM2.5	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2	70 70	.40 .30	.10 .10	\$104 \$85
	PEWM3.5 PEWM3 PEWM2.5 PEWM2	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2 2 x 24 x 2	70 70 70	.40 .30 .30	.10 .10 .10	\$104 \$85 \$70
	PEWM3.5 PEWM3 PEWM2.5	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2	70 70	.40 .30	.10 .10	\$104 \$85
e Manager	PEWM3.5 PEWM3 PEWM2.5 PEWM2 PEWM1.5 PEWM1	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2 2 x 24 x 2 2 x 18 x 2 2 x 12 x 2	70 70 70 70 70	.40 .30 .30 .20	.10 .10 .10 .10 .10	\$104 \$85 \$70 \$55
e Manager	PEWM3.5 PEWM3 PEWM2.5 PEWM1.5 PEWM1 Plastic tray flexes Black ( <b>BLK</b> ) only.	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2 2 x 24 x 2 2 x 18 x 2 2 x 12 x 2 to receive and hold elect	70 70 70 70 70 70 strical and data w	.40 .30 .30 .20 .20 ires. Quickl	.10 .10 .10 .10 .10 .10 y attaches with	\$104 \$85 \$70 \$55 \$40 two strips of double-sided tape.
• Manager	PEWM3.5 PEWM3 PEWM2.5 PEWM2 PEWM1.5 PEWM1 Plastic tray flexes Black ( <b>BLK</b> ) only.  BRTCB76KIT BRTCB70	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2 2 x 24 x 2 2 x 18 x 2 2 x 12 x 2 to receive and hold elections and hold elections and hold elections are also as a second and a second and a second are also as a second are a second are also as a second are	70 70 70 70 70 70 ctrical and data w	.40 .30 .30 .20 .20 .20 ires. Quickl	.10 .10 .10 .10 .10 .10 y attaches with	\$104 \$85 \$70 \$55 \$40 two strips of double-sided tape.
Manager	PEWM3.5 PEWM3 PEWM2.5 PEWM2 PEWM1.5 PEWM1  Plastic tray flexes Black ( <b>BLK</b> ) only.  BRTCB76KIT BRTCB70 BRTCB64	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2 2 x 24 x 2 2 x 18 x 2 2 x 12 x 2 to receive and hold electors and hold electors and hold electors and hold electors are also as a second and hold electors are also as a secon	70 70 70 70 70 70 ctrical and data w 70 100 92.5	.40 .30 .30 .20 .20 .20 ires. Quickl	.10 .10 .10 .10 .10 .10 y attaches with .15 .34	\$104 \$85 \$70 \$55 \$40 two strips of double-sided tape. \$263 \$191 \$178
Manager	PEWM3.5 PEWM3 PEWM2.5 PEWM2 PEWM1.5 PEWM1  Plastic tray flexes Black ( <b>BLK</b> ) only.  BRTCB76KIT BRTCB70 BRTCB64 BRTCB58	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2 2 x 24 x 2 2 x 18 x 2 2 x 12 x 2 to receive and hold electors are also and hold electors and hold electors and hold electors are also and hold electors and hold electors are also also and hold electors are also also also also also also also also	70 70 70 70 70 70 ctrical and data w 70 100 92.5 92.5	.40 .30 .30 .20 .20 .ires. Quicklines. Qui	.10 .10 .10 .10 .10 .10 y attaches with .15 .34 .29	\$104 \$85 \$70 \$55 \$40 two strips of double-sided tape. \$263 \$191 \$178 \$172
Manager	PEWM3.5 PEWM3 PEWM2.5 PEWM2 PEWM1.5 PEWM1  Plastic tray flexes Black ( <b>BLK</b> ) only.  BRTCB76KIT BRTCB70 BRTCB64 BRTCB58 BRTCB58 BRTCB52	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2 2 x 24 x 2 2 x 18 x 2 2 x 12 x 2 to receive and hold electors are an electors and hold electors and hold electors and hold electors are also an electors and hold electors are also an electors and hold electors and hold electors are also an electors are also an electors are also an electors are also an electors and hold electors are also an electors are also also an electors are also also also also also also also also	70 70 70 70 70 ctrical and data w 70 100 92.5 92.5	.40 .30 .30 .20 .20 .ires. Quicklines. Qui	.10 .10 .10 .10 .10 .10 y attaches with .15 .34 .29 .26	\$104 \$85 \$70 \$55 \$40 two strips of double-sided tape. \$263 \$191 \$178 \$172 \$162
Manager	PEWM3.5 PEWM3 PEWM2.5 PEWM2 PEWM1.5 PEWM1  Plastic tray flexes Black ( <b>BLK</b> ) only.  BRTCB76KIT BRTCB70 BRTCB64 BRTCB58 BRTCB58 BRTCB52 BRTCB46	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2 2 x 24 x 2 2 x 18 x 2 2 x 12 x 2 to receive and hold electors are all the hold electors and hold electors and hold electors are all the hold electors and hold electors are all the hold electors and hold electors are all the hold electors are all the hold electors and hold electors are all the h	70 70 70 70 70 ctrical and data w 70 100 92.5 92.5 100 92.5	.40 .30 .30 .20 .20 ires. Quickl 1.56 3.22 2.94 2.66 2.39 2.16	.10 .10 .10 .10 .10 .10 y attaches with .15 .34 .29 .26 .24	\$104 \$85 \$70 \$55 \$40 two strips of double-sided tape. \$263 \$191 \$178 \$172 \$162 \$153
Manager	PEWM3.5 PEWM3 PEWM2.5 PEWM2 PEWM1.5 PEWM1  Plastic tray flexes Black ( <b>BLK</b> ) only.  BRTCB76KIT BRTCB70 BRTCB64 BRTCB58 BRTCB52 BRTCB46 BRTCB46 BRTCB40	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2 2 x 24 x 2 2 x 18 x 2 2 x 12 x 2 to receive and hold electors are also and hold electors and hold electors and hold electors are also and hold electors and hold electors are also and hold electors and hold electors are also and hold electors and hold electors are also also and hold electors are also and hold electors are also also and hold electors are also also also also also also also also	70 70 70 70 70 ctrical and data w 70 100 92.5 92.5 100 92.5 70	.40 .30 .30 .20 .20 ires. Quickl 1.56 3.22 2.94 2.66 2.39 2.16 1.80	.10 .10 .10 .10 .10 .10 y attaches with .15 .34 .29 .26 .24 .21	\$104 \$85 \$70 \$55 \$40 two strips of double-sided tape. \$263 \$191 \$178 \$172 \$162 \$153 \$145
• Manager	PEWM3.5 PEWM3 PEWM2.5 PEWM2 PEWM1.5 PEWM1  Plastic tray flexes Black ( <b>BLK</b> ) only.  BRTCB76KIT BRTCB70 BRTCB64 BRTCB58 BRTCB52 BRTCB46 BRTCB40 BRTCB34	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2 2 x 24 x 2 2 x 18 x 2 2 x 12 x 2 to receive and hold electors are also and hold electors and hold electors and hold electors are also and hold electors and hold electors and hold electors are also also also also also also also also	70 70 70 70 70 ctrical and data w 70 100 92.5 92.5 100 92.5 70	.40 .30 .30 .20 .20 ires. Quickl 1.56 3.22 2.94 2.66 2.39 2.16 1.80	.10 .10 .10 .10 .10 .10 y attaches with .15 .34 .29 .26 .24 .21 .18	\$104 \$85 \$70 \$55 \$40 two strips of double-sided tape. \$263 \$191 \$178 \$172 \$162 \$153 \$145 \$139
e Manager	PEWM3.5 PEWM3 PEWM2.5 PEWM2 PEWM1.5 PEWM1  Plastic tray flexes Black ( <b>BLK</b> ) only.  BRTCB76KIT BRTCB70 BRTCB64 BRTCB58 BRTCB52 BRTCB46 BRTCB40 BRTCB34 BRTCB34 BRTCB34	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2 2 x 24 x 2 2 x 18 x 2 2 x 12 x 2 to receive and hold electors are also and hold electors and hold electors and hold electors are also and hold electors and hold electors are also and hold electors and hold electors are also and hold electors and hold electors are also also also and hold electors are also also also also also also also also	70 70 70 70 70 ctrical and data w 70 100 92.5 92.5 100 92.5 70	.40 .30 .30 .20 .20 ires. Quickl 1.56 3.22 2.94 2.66 2.39 2.16 1.80 1.56 1.20	.10 .10 .10 .10 .10 .10 y attaches with .15 .34 .29 .26 .24 .21 .18	\$104 \$85 \$70 \$55 \$40 two strips of double-sided tape. \$263 \$191 \$178 \$172 \$162 \$153 \$145 \$139 \$123
e Manager	PEWM3.5 PEWM3 PEWM2.5 PEWM2 PEWM1.5 PEWM1  Plastic tray flexes Black (BLK) only.  BRTCB76KIT BRTCB70 BRTCB64 BRTCB58 BRTCB52 BRTCB46 BRTCB40 BRTCB34 BRTCB34 BRTCB28 BRTCB28	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2 2 x 24 x 2 2 x 18 x 2 2 x 12 x 2 to receive and hold electors are also and hold electors and hold electors and hold electors are also and hold electors and hold electors are also and hold electors and hold electors are also also also and hold electors are also also also also also also also also	70 70 70 70 70 ctrical and data w 70 100 92.5 92.5 100 92.5 70 70	.40 .30 .30 .20 .20 .20 ires. Quickl 1.56 3.22 2.94 2.66 2.39 2.16 1.80 1.56 1.20	.10 .10 .10 .10 .10 .10 y attaches with .15 .34 .29 .26 .24 .21 .18 .15	\$104 \$85 \$70 \$55 \$40 two strips of double-sided tape. \$263 \$191 \$178 \$172 \$162 \$153 \$145 \$139 \$123 \$115
re Manager	PEWM3.5 PEWM3 PEWM2.5 PEWM2 PEWM1.5 PEWM1  Plastic tray flexes Black ( <b>BLK</b> ) only.  BRTCB76KIT BRTCB70 BRTCB64 BRTCB58 BRTCB52 BRTCB46 BRTCB40 BRTCB34 BRTCB34 BRTCB34	2 x 42 x 2 2 x 36 x 2 2 x 30 x 2 2 x 24 x 2 2 x 18 x 2 2 x 12 x 2 to receive and hold electors are also and hold electors and hold electors and hold electors are also and hold electors and hold electors are also and hold electors and hold electors are also and hold electors and hold electors are also also also and hold electors are also also also also also also also also	70 70 70 70 70 ctrical and data w 70 100 92.5 92.5 100 92.5 70	.40 .30 .30 .20 .20 ires. Quickl 1.56 3.22 2.94 2.66 2.39 2.16 1.80 1.56 1.20	.10 .10 .10 .10 .10 .10 y attaches with .15 .34 .29 .26 .24 .21 .18	\$104 \$85 \$70 \$55 \$40 two strips of double-sided tape. \$263 \$191 \$178 \$172 \$162 \$153 \$145 \$139 \$123




Power/Data Cable Basket

Shallow, 8" wide basket manages cable excess and serves to manage cords and cables. It can be easily unclipped from spring steel brackets (included) to rearrange cable connections from below worksurface. Spring steel brackets can suspend the Cable Basket below the worksurface where it keeps the cords and cables off the floor and manages them along the horizontal plane - between floor monuments and Storage Vertical Cable Manager, for example. Tall storage cabinet's legs provide easy access to the Cable Basket where it can easily be unclipped from spring steel brackets to rearrange cable connections. Steel wire construction, chrome finish baskets; black spring steel hanging brackets, fasteners.



Global's Swap collection is a comprehensive offering including laptop tables, casual meeting tables, café tables, huddle tables and more. Suitable for a variety of applications: break rooms, dedicated/enclosed meeting rooms, casual/open area meeting spaces (lounge, seated, counter and bar height options), and private office (accommodate smaller 3-4 person discussions). Tops and bases are sold separately for ease of specification. Mix and match capabilities to create spaces for multi-purpose use. Choose your top, choose your base. Create the combination you desire for the way you want to work.





1/2" thick steel square and round metal bases



Optional power & data modules (on select top sizes)



Factory installed metal inserts for easy metal-to-metal base connection

#### Features and Benefits

- Tops are available in various materials to help perfect your interior design. Material choices include: (1) thermally fused laminate, (2) high pressure laminate (3) veneer and (4) solid surface.
- (1) High performance thermally fused laminate tops are 1" thick, with 45 lb. density particle board and feature 2mm thick edgeband.
- (2) High pressure laminate tops are 1-3/16" thick, with either 2mm flat edge or knife edge profiles. Tops with flat edge have 45 lb. density particle board core, tops with knife edge have MDF core.
- (3) Veneer tops are 1-3/16" thick overall with matching flat edge or knife edge
- (4) Solid surface tops are 1-1/4" thick with a plywood or particleboard melamine subtop depending on size, available with flat edge or knife edge
- Bases are constructed of a solid steel metal plate and cover - round or square.
- Power block cut-outs are available on most tables.
- 6 heights:
  Coffee table height at 16"H
  End table height at 22"H
  Lounge height at 27"H
  Seated height at 29"H
  Counter height at 36"H
  Bar height at 41.5"H

#### **GENERAL INFORMATION**

- Swap is a series of tables for use in casual meeting spaces, lounges, café areas and more.
- The right proportions, flawless surfaces and a solid foundation is sure to become your favorite table series to spec.
- Finish palette coordinates with most Global laminate and veneer casegoods series, as well as a variety of solid surface options to choose from tables can stand-alone or blend with other solutions.
- Each component is packed individually. Bases are shipped assembled, 1 per carton. Easy to assemble.
- Global's counter and bar height stools are a perfect compliment to Swap tables with counter and bar height bases.
- For environmental certifications, please visit globalfurnituregroup.com

#### WORKSURFACES

- Four material choices: high performance thermally fused laminate, high pressure laminate, veneer and solid surface.
- Thermally fused laminate tops are 1" thick overall, constructed of 45 lb. density particle board core; 2 mm thick flat edge band to match, contrast with, or complement the top surface or corresponding base finish.
- High pressure laminate tops are 1-3/16" thick overall with choice of edge detail. 2mm thick flat edge to match, contrast with or complement the top surface or corresponding base finish on a 45lbs density particle board core. Also available with knife edge detail; edge finish would match top surface; core material is MDF. Recommended for counter applications or other high use areas. Product codes with suffix LK indicate high pressure laminate with knife edge.
- Veneer tops are 1-3/16" thick overall with choice of edge detail flat edge or knife edge. Edge finish to correspond to surface finish. When flat edge, core material is 45 lbs density particle board; when knife edge, core material is MDF. Product codes with suffix V indicate veneer.
- Solid surface tops are 1.25" thick overall with choice of edge detail flat edge
  or knife edge. Solid surface material is 0.5" thick with built up edge profile over
  a particle board or plywood subtop depending on overall top size. Product codes
  with suffix SF indicate solid surface with flat edge; product codes with suffix SK
  indicate solid surface with knife edge. There is no edge finish selection on solid
  surface tops. For detailed material information, please reference WilsonArt's Solid
  Surface collection.
- Please see model # for pricing and availability of various material and edge options.
- Refer to 653 or the Global website for available finish options
- · While not all sizes are available in all materials:
  - Worksurfaces of 96" or less in length are standard in one piece (1 carton)
  - Worksurfaces 120" to 144" in length are standard in two pieces (2 cartons)
  - Worksurfaces 96", 120" and 144" x 48" include support channels

#### **BASES**

- Caution: to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified. Top plates and base plates vary by base size and will only work with table shape sizes as referenced on the following pages.
- Bases are constructed of a round or square solid steel metal plate for counter balance, covered with a finished steel shroud, affixed with four bolts to a 3" diameter cold rolled steel tube.
- GRB14H25 attach to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel
  tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops
  greater than 22" x 22" in size.
- GSB13H25 and GS0B13H25 attach to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GRB22H15, GRB22H21, GRB22H26, GRB22, GRB22H35, GRB22H41, GSB19H15, GSB19H21, GSB19H26,w GSB19, GSB19H35 and GSB19H41 attach to tops with a 6"x 6" steel plate, welded to a 3" diameter steel tube, bolted to a 0.5" thick solid steel counter balance.
- GRB28, GRB34, GSB23 and GSB28 attach to tops with an 11" x 11" steel plate, welded to a 4" diameter steel tube, bolted to a 0.375" thick solid steel counter balance.
- Bases are available PAINTED in "Sandtex" finish for extra durability. Also available
  in plated finishes (see 653) at an upcharge and with an extended lead time.
   Please see model # for pricing.
- All bases include six height adjustable glides with 0.75" of adjustability.
- Round bases available in 22", 28" and 34" dia.
- Square bases available in 18.5", 22.5" and 28.5".

### 1. SPECIFY MODEL NUMBER

### 2. SPECIFY FINISHES

La	aminate l	Finishes (thermally fused and hi	gh pressu	re laminates):
	ACJ	Absolute Acajou	FCL	First Class
	ASN	Asian Night	NBL	Noce Biondo
	AWC	Avant Cherry	NGL	Noce Grigio
	AWH	Avant Honey	NEL	Noce Leggero
	BLK	Black	NML	Noce Medio
	BZD	Blizzard	QTM	Quartered Mahogany
	BRC	Brushed Cobalt	SBY	Sheer Beauty
	CMB	Clear Maple	SOG	Storm Grey
	CGY	Custom Grey	SDT	Stonedust
	DES	Dark Espresso	WHE	Walnut Heights
	DWT	Designer White	WHC	White Chocolate
	FAS	Fashionista	WCR	Winter Cherry

**Veneer Finishes** (applicable for product codes ending in **V** only):

Code	Finish	Veneer Type	Cut
AMW	Almond Cherry	Cherry	Flat Sliced
ACW	Amber Cherry	Cherry	Flat Sliced
BTW	Biscotti	White Oak	Rift
CAW	Cocoa Walnut	Walnut	Flat Sliced
CRW	Coral	White Oak	Rift
DCW	Dark Cherry	Cherry	Flat Sliced
DWW	Dark Walnut	Walnut	Flat Sliced
EWW	Espresso Walnut	Walnut	Flat Sliced
EVW	Evening Oak	White Oak	Rift
GRW	Grey on Oak	White Oak	Rift
HAW	Hazelnut	Maple	Flat Sliced
JAW	Java	White Oak	Rift
LTW	Latte Walnut	Walnut	Flat Sliced
MHW	Mahogany on Walnut	Walnut	Flat Sliced
MTW	Milestone	White Oak	Rift
MPW	Natural Maple	Maple	Flat Sliced
NLW	Natural Walnut	Walnut	Flat Sliced
RCW	Red Cherry	Cherry	Flat Sliced
ULW	Umber Walnut	Walnut	Flat Sliced

VNW	Vintage Cherry	Cherry	Flat Sliced
WLW	Walnut	Walnut	Flat Sliced
WCW	Warm Cherry	Cherry	Flat Sliced
WMW	White Maple	Maple	Flat Sliced

Solid Surface (applicable for product codes ending in SF or SK only): Grade 1

**SWH Designer White** 

Grade 2 (upcharge applies)

SBT Beige Tempest	SHS Hot Stone
our beige leilipest	SHS HUL Stulle
SBX Black Onyx Mirage	SFW Frosty White Mirage
SMG Milk Glass Spectra	SNM Northern Melange

#### Bases (paint):

TBL	Black	TIN	Ink
TBZ	Buzz Blue	TKA	Kalua
TCC	Cactus	TLA	Latte
TCR	Carrot	TM0	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TDJ	Dijon	TSR	Scarlet
TEG	Eggplant	TSH	Shadow
TFO	Fog	TOA	Toast
TFR	Frost	TTU	Tungster

#### Bases (plated) (upcharge applies):

	, , , , , , , , , , , , , , , , , , , ,
CHM	Polished Chrome
BCH	Brushed Chrome
ACO	Antique Copper
SBR	Satin Brass

# 3. SPECIFY EDGE PROFILE (where applicable)

### Thermally fused laminate and HP with flat edge:

- Default profile **FE** Flat edge
- R3 optional for 3" radiused corners, excluding round tops, racetrack and boatshaped





FE - Flat edge

FE - flat edge

FE -contrasting flat edge

LK / KS - knife edge

High pressure laminate tops product codes ending in LK, always knife edge.

Solid surface tops product codes ending in SF: • Default profile **FE** - Flat edge



• R3 optional for 3" radiused corners, excluding round tops





FE - flat edge

R3 - radiused corners

Solid surface tops product codes ending in SK:

- Default profile KS Knife Edge
- KR optional for knife edge with 3" radiused corners, excluding round tops





KS - knife edge

KR - solid surface knife edge w/3" radiused corners

Veneer tops product codes ending in V:

- Default profile **FE** Flat Edge
- KS optional for knife edge





FE - flat edge

KS - knife edge



#### 4. SPECIFY EDGE FINISH

#### Edge finish only applicable for thermally fused laminate tops and HPL tops with FE flat edge

AAE	Absolute Acajou	FCL	First Class
ASE	Asian Night	FOG	Fog
ACE	Avant Cherry	LAB	Latte
AHE	Avant Honey	NBL	Noce Biondo
BLK	Black	NGL	Noce Grigio
BZD	Blizzard	NEL	Noce Leggero
BRC	Brushed Cobalt	NML	Noce Medio
BZB	Buzz Blue	QTM	Quartered Mahogany
CCT	Cactus	SAR	Scarlet
CRO	Carrot	SBY	Sheer Beauty
CME	Clear Maple	SHW	Shadow
CGY	Custom Grey	SDT	Stonedust
DEE	Dark Espresso	SOG	Storm Grey
DWE	Designer White	WHE	Walnut Heights
DJN	Dijon	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry

#### 5. SPECIFY OPTIONS

#### POWER BLOCKS AND CUT-OUT LOCATIONS

- A power block delivers power/data to the table surface
- · Power block modules are ordered separately
- Not all power block locations are available on all table sizes. Please refer to the top/base chart on the following pages for more information.
- To purchase a power block, you must specify the power block cut-out location when
  ordering the top and order the power block separately.
- Optional cut-out available in standard worksurface locations (left, center or right) for all table shapes.

Order as E1, M1, R1, T1, V1, etc. Add \$96 for each cut-out.

• Cut-outs may be placed in non-standard locations.

Order as ES, MS, RS, TS, or VS - Add \$96.


A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out. Please refer to the CUSTOM GROMMET LOCATION FORM in the back reference section. Cut-outs may NOT be placed directly over the bases.

• Select power block from Productivity Solutions, beginning on page 491.

#### POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS

PRTMCS401B
PRTMCS401T
PRTMCS401W
PRTMCS421B
PRTMCS421T
PRTMCS421T

PRTMCD602B
PRTMCD602T
PRTMCD602W
PRTMCD622B
PRTMCD622T
PRTMCD622W
PRTMCD642B
PRTMCD642T
PRTMCD642T
PRTMCD642W



<sup>\*</sup>M cut-out not available on Solid Surface tops

### TABLE NOTES - ESTIMATED CAPACITY

- Use the following to determine the size of a table and the number of chairs needed for a conference area.
- All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

		NU	MBER OF CHAIRS		
Top Size	Round	Square	Rectangular	Boat	Racetrack
24 x 24	2	2	N/A	N/A	N/A
24 x 30	N/A	N/A	2-3	N/A	N/A
24 x 36	N/A	N/A	3-4	N/A	N/A
30 x 30	3	4	N/A	N/A	N/A
30 x 36	N/A	N/A	4	N/A	N/A
30 x 42	N/A	N/A	4	N/A	N/A
36 x 36	4	4	N/A	N/A	N/A
36 x 42	N/A	N/A	4	N/A	N/A
42 x 42	4	4	N/A	N/A	N/A
48 x 48	4	4	N/A	N/A	N/A
54 x 54	5	6	N/A	N/A	N/A
60 x 60	5	6	N/A	N/A	N/A
24 x 60	N/A	N/A	4-6	N/A	N/A
24 x 66	N/A	N/A	4-6	N/A	N/A
24 x 72	N/A	N/A	4-6	N/A	N/A
24 x 84	N/A	N/A	4-6	N/A	N/A
24 x 96	N/A	N/A	6-8	N/A	N/A
30 x 60	N/A	N/A	4-6	4-6	4-6
30 x 66	N/A	N/A	4-6	4-6	4-6
30 x 72	N/A	N/A	4-6	4-6	4-6
30 x 84	N/A	N/A	4-6	4-6	4-6
30 x 96	N/A	N/A	6-8	6-8	6-8
36 x 60	N/A	N/A	4-6	4-6	4-6
36 x 66	N/A	N/A	4-6	4-6	4-6
36 x 72	N/A	N/A	4-6	4-6	4-6
36 x 84	N/A	N/A	4-6	4-6	4-6
36 x 96	N/A	N/A	6-8	6-8	6-8
48 x 84	N/A	N/A	6-8	6-8	6-8
48 x 96	N/A	N/A	6-8	6-8	6-8
48 x 120	N/A	N/A	8-10	8-10	8-10
48 x 144	N/A	N/A	10-12	10-12	10-12

		APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP										POWER MGMT OPTIONS
		Lounge H	leight 27"H	Seated H	eight 28.5"H	Counter H	leight 36"H	eight 36″H Bar Height 41.5"h				
Table Shane/Size	Model # for Top	Round base 22"	Square base 19"	Round base 22", 28", 34"	Square base 18.5", 22.5", 28.5"	Round base 22"	Square base 18.5"	Round base	Square base 18.5"	Base Oty.	# top pieces	Optional cut-outs in tops applicable for power modules ordered separately
Round (		Nominal base p	late dimension	indicated by 41	h and 5th charac	ters in base m	odel numbers.	I.				I.
24" diameter	GRBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	None
30" diameter	GRBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	None
36" diameter	GRBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	None
42" diameter	GRBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A		1	1	None
48" diameter	GRBTP48_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A		1	1	None
54" diameter	GRBTP54_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A		1	1	None
60" diameter	GRBTP60_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A		1	1	None
Square 🗀												
24" square	GSBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	None
30" square	GSBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	None
36" square	GSBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	None
42" square	GSBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
54" square	GSBTP54_	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1	1	None
60" square	GSBTP60_	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1	1	None
Rectangular												
30x24 Rectangular	GSBTP2430_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	None
36x24 Rectangular	GSBTP2436_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	None
36x30 Rectangular	GSBTP3036_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	None
42x30 Rectangular	GSBTP3042_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
42x36 Rectangular	GSBTP3642_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
60X24 Rectangular	GRT5STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center:
66X24 Rectangular	GRT5HSTP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	A2, E2, J2, K2, M2, R2, T2,
72X24 Rectangular	GRT6STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	U2, V2
84X24 Rectangular	GRT7STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left
96X24 Rectangular	GRT8STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center/Right
60x30 Rectangular	GRT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60x36 Rectangular	GRT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center:
66x30 Rectangular	GRT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	A2, E2, J2, K2,
66x36 Rectangular	GRT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	M2, R2, T2, U2, V2
72x30 Rectangular	GRT6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	J2, V2
72x36 Rectangular	GRT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x30 Rectangular	GRT7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions Left
84x36 Rectangular	GRT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left Center/Right
96x30 Rectangular	GRT8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	A1/2/3, E1/2/3, J1/2/3, K1/2/3,
96x36 Rectangular	GRT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	M1/2/3, R1/2/3,
96x42 Rectangular	GRT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	T1/2/3, U1/2/3, V1/2/3
96x48 Rectangular	GRT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Rectangular	GRT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	Both ends: A1/3,
144x48 Rectangular	GRT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	E1/3, J1/3, K1/3, M1/3, R1/3, T1/3 U1/3, V1/3

		APPLICABL	E BASE OPTIO	NS FOR COR	RESPONDING	ТОР						POWER MGM <sup>*</sup> OPTIONS
		Lounge H	leight 27"H	Seated Ho	eight 28.5"H	Counter H	leight 36"H	Bar Hei	ght 41.5"h			
Table Shape/Size	Model # for Top	Round base 22"	Square base 19"	Round base 22", 28", 34"	Square base 18.5", 22.5", 28.5"	Round base 22"	Square base 18.5"	Round base 22"	Square base 18.5"	Base Oty.	# top pieces	Optional cut-outs in tops applicabl for power modules order separately
60X24 Racetra	GRC5STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center:
66X24 Racetrack	GRC5HSTP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	A2, E2, J2, K2,
72X24 Racetrack	GRC6STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	M2, R2, T2, U2, V2
34X24 Racetrack	GRC7STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Le
96X24 Racetrack	GRC8STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center/Right
60x30 Racetrack	GRC5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60X36 Racetrack	GRC5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	-
66x30 Racetrack	GRC5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: A2, E2, J2, K2,
66X36 Racetrack	GRC5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	M2, R2, T2,
72x30 Racetrack	GRC6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	- U2, V2
72x36 Racetrack	GRC6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	-
34x30 Racetrack	GRC7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
34x36 Racetrack	GRC7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Le Center/Right
96x30 Racetrack	GRC8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	(E1/2/3, V1/2/3
96x36 Racetrack	GRC8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	<ul> <li>M1/2/3, A1/2/3</li> <li>J1/2/3, K1/2/3</li> </ul>
96x42 Racetrack	GRC8MTP	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	R1/2/3, T1/2/3
96x48 Racetrack	GRC8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	- U1/2/3
120x48 Racetrack	GRC10WTP	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	Both ends: A1/
144x48 Racetrack	GRC12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	E1/3, J1/3, K1/ M1/3, R1/3, T1 U1/3
Boat Shape				'								'
60x30 Boat sha	GBT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60X36 Boat shape	GBT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Boat shape	GBT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: A2, E2, J2, K2,
66X36 Boat shape	GBT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	M2, R2, T2,
72x30 Boat shape	GBT6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	- U2, V2
72x36 Boat shape	GBT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	1
84x30 Boat shape	GBT7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Boat shape	GBT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Le Center/Right
96x30 Boat shape	GBT8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	A1/2/3, E1/2/3
96x36 Boat shape	GBT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	<ul> <li>J1/2/3, K1/2/3</li> <li>M1/2/3, R1/2/</li> </ul>
96X42 Boat shape	GBT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	T1/2/3, U1/2/3
96x48 Boat shape	GBT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	V1/2/3
120x48 Boat shape	GBT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
144x48 Boat shape	GBT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	Both ends: A1/3 E1/3, J1/3, K1/ M1/3, R1/3, T1 U1/3, V1/3

globalfurnituregroup.com global

			APPLICABLE CORRE	BASE SPOND						POWER MGI OPTIONS
			Lapto	p heigh	25.6"H					
Table Shape/Size	Model # for Top	Round base 14" Centered colur	12.5"		Round ba		5"	Base Oty.	# top pieces	Optional cut-outs ir tops applica for power modules orde separately
Round Laptop Tables (	Nor	inal base plat	e dimension ind	licated b	y 4th an	d 5th character	s in base	model nu	mbers.	
16.5"dia centered base	GRBTP16_	GRB14H25	GSB13H25		v/A	N/A		1	1	None
20"dia centered base	GRBTP20_	GRB14H25	GSB13H25	1	N/A	N/A		1	1	None
22"dia centered base	GRBTP22_	GRB14H25	GSB13H25	1	N/A	N/A		1	1	None
16.5"dia offset base	GRBOTP16_	N/A	N/A	1	N/A	GSOB13H	25	1	1	None
20"dia offset base	GRBOTP20_	N/A	N/A	1	N/A	GSOB13H	25	1	1	None
22"dia offset base	GRBOTP22_	N/A	N/A	1	N/A	GSOB13H	25	1	1	None
Square Laptop Tables										I.
16.5"x16.5" centered base	GSBTP16_	GRB14H25	GSB13H25	1	N/A	N/A		1	1	None
20"x20" centered base	GSBTP20_	GRB14H25	GSB13H25	1	N/A	N/A		1	1	None
22"x22" centered base	GSBTP22_	GRB14H25	GSB13H25	1	N/A	N/A		1	1	None
16.5"x16.5" offset base	GSBOTP16_	N/A	N/A	1	N/A	GSOB13H	25	1	1	None
20"x20" offset base	GSB0TP20_	N/A	N/A	1	N/A	GSOB13H	25	1	1	None
22"x22" offset base	GSB0TP22_	N/A	N/A	1	N/A	GSOB13H	25	1	1	None
Rectangular Laptop Ta	bles	<b>'</b>								
16"x20" centered base	GSBTP1620_	GRB14H25	GSB13H25	1	N/A	N/A		1	1	None
16"x22" centered base	GSBTP1622_	GRB14H25	GSB13H25	1	N/A	N/A		1	1	None
16"x20" offset base	GSB0T1620_	N/A	N/A	1	N/A	GSOB13H	25	1	1	None
16"x22" offset base	GSB0T1622_	N/A	N/A	1	N/A	GSOB13H	25	1	1	None
		AP	PLICABLE BA CORRESPO			OR				R MGMT TONS
		Coffee T	able 16"H		End Tab	le 22"H				
Table Shape/Size	Model # for Top	Round base 22"	Square base 18.5"	Round	>	Square base 18.5"	Base Qty.	# top pieces	cut- tops a for p module	cional couts in coplicable cower s ordered crately
Round Coffee/End Tab	les *Nomina	l base plate dime	nsion indicated b	y 4th and	5th char	acters in base m	odel numb	ers.		
24" dia	GRBTP24_	GRB22H15	GSB19H15	GRB22I	H21	GSB19H21	1	1	None	
30" dia	GRBTP30_	GRB22H15	GSB19H15	GRB22I	H21	GSB19H21	1	1	None	
36" dia	GRBTP36_	GRB22H15	GSB19H15	GRB22I	H21	GSB19H21	1	1	None	
Square Coffee/End Tab	oles 🗌									
24" square	GSBTP24_	GRB22H15	GSB19H15	GRB22I	H21	GSB19H21	1	1	None	
30" square	GSBTP30_	GRB22H15	GSB19H15	GRB22I	H21	GSB19H21	1	1	None	
36" square	GSBTP36_	GRB22H15	GSB19H15	GRB22I	H21	GSB19H21	1	1	None	



Round laptop table for center base

ROUND LAPTOP TABLES FOR CENTER BASE

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
	D x W x H								
TFL, flat edge (1)									
GRBTP16	16 x 16.5 x 1	70	6	0.3	\$214	\$100	n/a	n/a	n/a
GRBTP20	20 x 20 x 1	70	9	0.5	\$245	\$115	n/a	n/a	n/a
GRBTP22	22 x 22 x 1	70	9	0.5	\$277	\$126	n/a	n/a	n/a
HPL, knife edge									
GRBTP16LK	16 x 16.5 x 1.19	125	7.5	1	\$525	n/a	n/a	n/a	n/a
GRBTP20LK	20 x 20 x 1.19	125	11	1.5	\$596	n/a	n/a	n/a	n/a
GRBTP22LK	22 x 22 x 1.19	150	11	2	\$645	n/a	n/a	n/a	n/a
Veneer (2)									
GRBTP16V	16 x 16.5 x 1.19	125	7.5	1	\$790	n/a	n/a	n/a	\$75
GRBTP20V	20 x 20 x 1.19	125	11	1.5	\$856	n/a	n/a	n/a	\$75
GRBTP22V	22 x 22 x 1.19	150	11	2	\$921	n/a	n/a	n/a	\$75
Solid Surface, f	lat edge <sup>(3)</sup>								
GRBTP16SF	16 x 16.5 x 1.25	70	11	0.6	\$1652	n/a	\$87	n/a	n/a
GRBTP20SF	20 x 20 x 1.25	70	16	1	\$1939	n/a	\$116	n/a	n/a
GRBTP22SF	22 x 22 x 1.25	70	20	1	\$2031	n/a	\$168	n/a	n/a
Solid Surface, k	nife edge <sup>(3)</sup>								
GRBTP16SK	16 x 16.5 x 1.25	70	11	0.6	\$1749	n/a	\$99	n/a	n/a
GRBTP20SK	20 x 20 x 1.25	70	16	1	\$2043	n/a	\$121	n/a	n/a
GRBTP22SK	22 x 22 x 1.25	70	20	1	\$2140	n/a	\$173	n/a	n/a

Only applicable bases to use with above tops: GRB14H25 or GSB13H25 round or square base with centered column (see 665). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications
Top finish

Edge finish(1)

**Optional Specifications** 

HP laminate(1 Knife edge(2) Grade 2 solid surface(3) Applicable Bases GRB14H25 GSB13H25

# **SWAP TABLES**

SQUARE LAPTOP TABLES FOR CENTER BASE

$\leq$	$\rightarrow$	

**Square Tops, for Center Base** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS AD
	DxWxH								
TFL, flat edge	(1) (4)								
GSBTP16	16.5 x 16.5 x 1	65	7	0.3	\$214	\$100	n/a	\$22	n/a
GSBTP20	20 x 20 x 1	70	11	0.5	\$245	\$115	n/a	\$25	n/a
GSBTP22	22 x 22 x 1	65	13	0.5	\$277	\$126	n/a	\$28	n/a
HPL, knife edg	je								
GSBTP16LK	16.5 x 16.5 x 1.1	9 100	8.5	1	\$350	n/a	n/a	n/a	n/a
GSBTP20LK	20 x 20 x 1.19	100	13	1.5	\$440	n/a	n/a	n/a	n/a
GSBTP22LK	22 x 22 x 1.19	100	16	2	\$480	n/a	n/a	n/a	n/a
Veneer (2)									
GSBTP16V	16.5 x 16.5 x 1.1	9 100	8.5	1	\$451	n/a	n/a	n/a	\$71
GSBTP20V	20 x 20 x 1.19	100	13	1.5	\$565	n/a	n/a	n/a	\$86
GSBTP22V	22 x 22 x 1.19	100	16	2	\$620	n/a	n/a	n/a	\$96
Solid Surface,	, flat edge (3) (4)								
GSBTP16SF	16.5 x 16.5 x 1.2	25 65	14	0.6	\$1415	n/a	\$81	\$96	n/a
GSBTP20SF	20 x 20 x 1.25	70	21	1	\$1697	n/a	\$121	\$96	n/a
GSBTP22SF	22 x 22 x 1.25	65	26	1	\$1789	n/a	\$145	\$96	n/a
Solid Surface,	, knife edge (3) (4)								
GSBTP16SK	16.5 x 16.5 x 1.2	5 65	14	0.6	\$1749	n/a	\$99	\$202	n/a
GSBTP20SK	20 x 20 x 1.25	70	21	1	\$2043	n/a	\$128	\$202	n/a
GSBTP22SK	22 x 22 x 1.25	65	26	1	\$2140	n/a	\$173	\$202	n/a

Only applicable bases to use with above tops: GRB14H25 or GSB13H25 round or square base with centered column (see 665). Tops feature metal inserts for ease of assembly to base. One base required.


Required Specifications
Top finish

Edge finish<sup>(1)</sup>

Optional Specifications
HP laminate<sup>(1)</sup>
Knife edge<sup>(2)</sup> Grade 2 solid surface(3) 3" radiused corners(4)

Applicable Bases GRB14H25 GSB13H25





**Rectangular Tops, for Center Base** 

RECTANGULAR LAPTOP TABLES FOR CENTER BASE

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
	DxWxH								
TFL, flat edge (1	) (4)								
GSBTP1620	20 x 16 x 1	65	9	0.4	\$223	\$110	n/a	\$21	n/a
GSBTP1622	22 x 16 x 1	70	11	0.5	\$255	\$115	n/a	\$26	n/a
HPL, knife edg	<b>e</b>								
GSBTP1620LK	16 x 20 x 1.19	92.5	11	1	\$451	n/a	n/a	n/a	n/a
GSBTP1622LK	16 x 22 x 1.19	100	13	1.5	\$495	n/a	n/a	n/a	n/a
Veneer (2)									
GSBTP1620V	16 x 20 x 1.19	92.5	11	1	\$556	n/a	n/a	n/a	\$86
GSBTP1622V	16 x 22 x 1.19	100	13	1.5	\$611	n/a	n/a	n/a	\$90
Solid Surface,	flat edge (3) (4)								
GSBTP1620SF	20 x 16 x 1.25	70	17	0.8	\$1571	n/a	\$99	\$96	n/a
GSBTP1622SF	22 x 16 x 1.25	65	19	0.8	\$1593	n/a	\$104	\$96	n/a
Solid Surface,	knife edge (3) (4)								
GSBTP1620SK	20 x 16 x 1.25	70	17	0.8	\$1887	n/a	\$121	\$202	n/a
GSBTP1622SK	22 x 16 x 1.25	65	19	0.8	\$1922	n/a	\$139	\$202	n/a

Only applicable bases to use with above tops: GRB14H25 or GSB13H25 round or square base with centered column (see 665). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications
Top finish
Edge finish<sup>(1)</sup>

Optional Specifications
HP laminate<sup>(1)</sup>

Knife edge(2) Grade 2 solid surface<sup>(3)</sup> 3" radiused corners<sup>(4)</sup> Applicable Bases GRB14H25 GSB13H25

# **SWAP TABLES**

ROUND LAPTOP TABLES FOR OFFSET BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	K
		DxWxH								_
	TFL, flat edge (	1)								
	GRBOTP16	16 x 16.5 x 1	70	6	0.3	\$214	\$100	n/a	n/a	
	GRBOTP20	20 x 20 x 1	70	9	0.5	\$245	\$115	n/a	n/a	
	GRBOTP22	22 x 22 x 1	70	11	0.7	\$277	\$126	n/a	n/a	
Round laptop table for offset base	HPL, knife edg	e								
	GRBOTP16LK	16 x 16.5 x 1.19	100	8	1	\$525	n/a	n/a	n/a	
	GRBOTP20LK	20 x 20 x 1.19	100	13	1.5	\$596	n/a	n/a	n/a	
	GRBOTP22LK	22 x 22 x 1.19	100	16	2	\$645	n/a	n/a	n/a	
	Veneer (2)									

16 x 16.5 x 1.19

20 x 20 x 1.19

22 x 22 x 1.19

16 x 16.5 x 1.25

20 x 20 x 1.25

22 x 22 x 1.25

16 x 16.5 x 1.25

20 x 20 x 1.25

22 x 22 x 1.25

100

100

100

70

70

70

70

70

70

GRBOTP16V

GRBOTP20V

GRBOTP22V

GRBOTP16SF

**GRBOTP20SF** 

GRBOTP22SF

GRBOTP16SK

GRBOTP20SK

GRBOTP22SK

Solid Surface, flat edge (3)

Solid Surface, knife edge (3)

Only applicable base to use with above tops: GSOB13H25 square base with offset column (see 665). Tops feature metal inserts for ease of assembly to base. One base required.

8

13

16

11

16

20

11

16

20

1

1.5

2

0.6

1

0.6

\$790

\$856

\$921

\$1652

\$1939

\$2031

\$1749

\$2043

\$2140

n/a

\$87

\$116

\$168

\$99

\$121

\$173

Required Specifications
Top finish

Edge finish(1)

**Optional Specifications** 

HP laminate(1 Knife edge(2) Grade 2 solid surface(3) Applicable Bases

GSOB13H25

KS ADD

n/a n/a n/a


n/a n/a n/a

\$75

\$75

\$75

n/a



SQUARE LAPTOP TABLES FOR CENTER BASE

**Square Tops, for Offset Base** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
	D x W x H								
TFL, flat edge (1)	(4)								
GSBOTP16	16.5 x 16.5 x 1	65	7	0.3	\$214	\$100	n/a	\$22	n/a
GSB0TP20	20 x 20 x 1	70	11	0.5	\$245	\$115	n/a	\$25	n/a
GSB0TP22	22 x 22 x 1	70	13	0.7	\$277	\$126	n/a	\$28	n/a
HPL, knife edge									
GSBOTP16LK	16.5 x 16.5 x 1.1	9 100	8.5	1	\$350	n/a	n/a	n/a	n/a
GSB0TP20LK	20 x 20 x 1.19	100	13	1.5	\$440	n/a	n/a	n/a	n/a
GSB0TP22LK	22 x 22 x 1.19	100	16	2	\$480	n/a	n/a	n/a	n/a
Veneer (2)									
GSBOTP16V	16.5 x 16.5 x 1.1	9 100	8.5	1	\$451	n/a	n/a	n/a	\$71
GSB0TP20V	20 x 20 x 1.19	100	13	1.5	\$565	n/a	n/a	n/a	\$86
GSB0TP22V	22 x 22 x 1.19	100	16	2	\$620	n/a	n/a	n/a	\$96
Solid Surface, f	lat edge (3) (4)								
GSB0TP16SF	16.5 x 16.5 x 1.2	5 65	14	0.6	\$1415	n/a	\$81	\$96	n/a
GSB0TP20SF	20 x 20 x 1.25	70	21	1	\$1697	n/a	\$121	\$96	n/a
GSB0TP22SF	22 x 22 x 1.25	65	26	1	\$1789	n/a	\$145	\$96	n/a
Solid Surface, k	nife edge (3) (4)								
GSBOTP16SK	16.5 x 16.5 x 1.2	5 65	14	0.6	\$1749	n/a	\$99	\$202	n/a
GSB0TP20SK	20 x 20 x 1.25	70	21	1	\$2043	n/a	\$128	\$202	n/a
GSB0TP22SK	22 x 22 x 1.25	65	26	1	\$2140	n/a	\$173	\$202	n/a

Only applicable base to use with above tops: GSOB13H25 square base with offset column (see 665). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications
Top finish
Edge finish(1)

Optional Specifications
HP laminate<sup>(1)</sup>

Knife edge(2) Grade 2 solid surface<sup>(3)</sup> 3" radiused corners<sup>(4)</sup> Applicable Bases GSOB13H25

# **SWAP TABLES**

RECTANGULAR LAPTOP TABLES FOR OFFSET BASE

$\leq$	
	<b>*</b>

**Rectangular Tops, for Offset Base** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
	D x W x H								
TFL, flat edge (1)	(4)								
GSB0T1620	20 x 16 x 1	65	9	0.4	\$223	\$110	n/a	\$23	n/a
GSB0T1622	22 x 16 x 1	70	11	0.5	\$255	\$115	n/a	\$24	n/a
HPL, knife edge	<b>)</b>								
GSB0T1620LK	16 x 20 x 1.19	125	11	1.5	\$451	n/a	n/a	n/a	n/a
GSB0T1622LK	16 x 22 x 1.19	125	13	2	\$495	n/a	n/a	n/a	n/a
Veneer (2)									
GSB0T1620V	16 x 20 x 1.19	125	11	1.5	\$556	n/a	n/a	n/a	\$86
GSB0T1622V	16 x 22 x 1.19	125	13	2	\$611	n/a	n/a	n/a	\$90
Solid Surface, f	lat edge (3) (4)								
GSB0T1620SF	20 x 16 x 1.25	70	17	0.8	\$1571	n/a	\$99	\$96	n/a
GSB0T1622SF	22 x 16 x 1.25	65	19	0.8	\$1593	n/a	\$104	\$96	n/a
Solid Surface, I	knife edge (3) (4)								
GSB0T1620SK	20 x 16 x 1.25	70	17	0.8	\$1887	n/a	\$121	\$202	n/a
GSB0T1622SK	22 x 16 x 1.25	65	19	0.8	\$1922	n/a	\$139	\$202	n/a

Only applicable base to use with above tops: GSOB13H25 square base with offset column (see 665). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications
Top finish

Edge finish<sup>(1)</sup>

Optional Specifications
HP laminate(1)

Knife edge(2) Grade 2 solid surface(3) 3" radiused corners(4)

Applicable Bases GSOB13H25

**Required Specifications** 

Optional Specifications
Plated finish

# **S** SWAP TABLES

OUND TOPS, 24-36"	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
		DxWxH								
	TFL, flat edge (1)									
	GRBTP24	24 x 24 x 1	70	16	1	\$245	\$124	n/a	n/a	n/a
	GRBTP30	30 x 30 x 1	70	25	1.5	\$283	\$143	n/a	n/a	n/a
	GRBTP36	36 x 36 x 1	70	36	2	\$361	\$183	n/a	n/a	n/a
	HPL, knife edge	<b>,</b>								
	GRBTP24LK	24 x 24 x 1.19	100	19	2	\$750	n/a	n/a	n/a	n/a
	GRBTP30LK	30 x 30 x 1.19	92.5	30	3	\$940	n/a	n/a	n/a	n/a
	GRBTP36LK	36 x 36 x 1.19	92.5	43	4	\$1126	n/a	n/a	n/a	n/a
	Veneer (2)									
	GRBTP24V	24 x 24 x 1.19	100	19	2	\$911	n/a	n/a	n/a	\$61
	GRBTP30V	30 x 30 x 1.19	92.5	30	3	\$1101	n/a	n/a	n/a	\$75
	GRBTP36V	36 x 36 x 1.19	92.5	43	4	\$1301	n/a	n/a	n/a	\$75
	Solid Surface,	lat edge <sup>(3)</sup>								
	GRBTP24SF	24 x 24 x 1.25	70	24	1.2	\$2083	n/a	\$168	n/a	n/a
	GRBTP30SF	29.8 x 29.8 x 1.2	5 70	37	1.8	\$2273	n/a	\$231	n/a	n/a
	GRBTP36SF	36 x 36 x 1.25	70	53	2.5	\$2905	n/a	\$346	n/a	n/a
	Solid Surface,	knife edge <sup>(3)</sup>								
	GRBTP24SK	24 x 24 x 1.25	70	24	1.2	\$2140	n/a	\$180	n/a	n/a
	GRBTP30SK	29.8 x 29.8 x 1.2	5 70	37	1.8	\$2358	n/a	\$248	n/a	n/a
	GRBTP36SK	36 x 36 x 1.25	70	53	2.5	\$3077	n/a	\$369	n/a	n/a

Required Specifications
Top finish
Edge finish<sup>(1)</sup>

Optional Specifications
HP laminate<sup>(1)</sup>
Knife edge<sup>(2)</sup>
Grade 2 solid surface<sup>(3)</sup>

Applicable Bases
GRB22H15 GRB22H35
GRB22H21 GRB22H41
GRB22H26 GSB19H15
GRB22 GSB19H21 GSB19H26 GSB19 GSB19H35 GSB19H41

65

65

65

24 x 24 x 1.25

36 x 36 x 1.25

29.8 x 29.8 x 1.25

Square Tops, 24-36"

Only applicable bases to use with above tops: GRB22Hxx or GSB19Hxx round or square base @ 15", 21" 26", 28" 35" or 40.5"H (see 669). Tops feature metal inserts for ease of assembly to base. One base required. .

1.2

1.8

2.5

\$1898

\$2847

\$3526

n/a

n/a

n/a

\$185

\$260

\$323

\$202

\$202

\$202

n/a

n/a

n/a

30

47

68

Required Specifications
Top finish
Edge finish(1)

GSBTP24SK

GSBTP30SK

GSBTP36SK

Optional Specifications
HP laminate(1), Knife edge(2)
Grade 2 solid surface(3)
3" radiused corners(4)

Applicable	Bases	
GRB22H15	GRB22H35	GSB19H26
GRB22H21	GRB22H41	GSB19
GRB22H26	GSB19H15	GSB19H35
GRB22	GSB19H21	GSB19H41

# **S** SWAP TABLES

CTANGULAR TOPS, SMALL	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD (	R. 2 ADD	R3 ADD	KS ADD
		D x W x H								
_	TFL, flat edge (1)	(4)								
	GSBTP2430	24 x 30 x 1	70	20	0.91	\$281	\$128	n/a	\$29	n/a
	GSBTP2436	24 x 36 x 1	70	24	1.08	\$305	\$139	n/a	\$31	n/a
	GSBTP3036	30 x 36 x 1	65	31	1.34	\$353	\$160	n/a	\$36	n/a
•	HPL, knife edge	)								
	GSBTP2430LK	24 x 30 x 1.19	100	24	2.5	\$675	n/a	n/a	n/a	n/a
	GSBTP2436LK	24 x 36 x 1.19	100	29	3	\$801	n/a	n/a	n/a	n/a
	GSBTP3036LK	30 x 36 x 1.19	92.5	37	3.5	\$845	n/a	n/a	n/a	n/a
	Veneer (2)									
	GSBTP2430V	24 x 30 x 1.19	100	24	2.5	\$940	n/a	n/a	n/a	\$65
	GSBTP2436V	24 x 36 x 1.19	100	29	3	\$1001	n/a	n/a	n/a	\$71
	GSBTP3036V	30 x 36 x 1.19	92.5	37	3.5	\$1065	n/a	n/a	n/a	\$65
	Solid Surface,	lat edge (3) (4)								
	GSBTP2430SF	29.8 x 24 x 1.25	5 70	38	1.8	\$1991	n/a	\$173	\$96	n/a
	GSBTP2436SF	36 x 24 x 1.25	70	45	2.1	\$2244	n/a	\$220	\$96	n/a
	GSBTP3036SF	36 x 29.8 x 1.25	65	57	2.1	\$2548	n/a	\$242	\$96	n/a
	Solid Surface,	knife edge (3) (4)								
	GSBTP2430SK	29.8 x 24 x 1.25	70	38	1.8	\$2399	n/a	\$213	\$202	n/a
	GSBTP2436SK	36 x 24 x 1.25	70	45	2.1	\$2605	n/a	\$265	\$202	n/a
	GSBTP3036SK	36 x 29.8 x 1.25	65	57	2.1	\$2939	n/a	\$294	\$202	n/a

Required Specifications
Top finish
Edge finish<sup>(1)</sup>

Optional Specifications
HP laminate<sup>(1)</sup>, Knife edge<sup>(2)</sup>
Grade 2 solid surface<sup>(3)</sup>
3" radiused corners<sup>(4)</sup>

 Applicable Bases

 GRB22H15
 GRB22H35
 GSB19H26

 GRB22H21
 GRB22H24
 GSB19

 GRB22H26
 GSB19H15
 GSB19H35

 GRB22
 GSB19H21
 GSB19H41

GSB19H35 - counter height

GSB19H41 - bar height

BASES FOR TOPS 24"-36"
$\overline{}$
40.5"
35"
27.5"
26"
21"
15"
<u>↓</u> ( U )
22" Dia Round Bases*

40.5" 35" 27.5" 26" 21" 15"	

18.5" Square Bases\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH	ACO/SBR
	D x W x H						
GRB22H15	22 x 22 x 15	92.5	47.6	4.69	\$907	\$147	\$270
GRB22H21	22 x 22 x 21	125	48.6	6.45	\$922	\$136	\$250
GRB22H26	22 x 22 x 26	150	50	8.63	\$934	\$147	\$270
GRB22	22 x 22 x 28	150	55	9.33	\$870	\$147	\$270
GRB22H35	22 x 22 x 35	150	57.1	12	\$912	\$145	\$308
GRB22H41	22 x 22 x 40.5	150	58.3	14	\$928	\$160	\$316
<b>GRB22H15</b> - coff <b>GRB22H21</b> - end	o o		<b>2H26</b> - Ioung <b>2</b> - seated h	0 0		<b>35</b> - counter <b>41</b> - bar heig	U
	o o			0 0			U
	o o			0 0			U
<b>GRB22H21</b> - end	table height	GRB2	<b>2</b> - seated h	eight	GRB22H	<b>41</b> - bar heig	Jht o
<b>GRB22H21</b> - end GSB19H15	table height  18.5 x 18.5 x 15	<b>GRB2</b> 85	<b>2</b> - seated h	eight 3.52	GRB22H \$922	<b>41</b> - bar heig <b>\$133</b>	tht \$249
<b>GRB22H21</b> - end GSB19H15 GSB19H21	18.5 x 18.5 x 15 18.5 x 18.5 x 21	<b>GRB2</b> 85 100	43.7 44.8	3.52 4.84	\$922 \$934	<b>\$133</b> <b>\$133</b>	\$249 \$249
GSB19H15 GSB19H21 GSB19H26	18.5 x 18.5 x 15 18.5 x 18.5 x 21 18.5 x 18.5 x 22 18.5 x 18.5 x 26	85 100 125	43.7 44.8 47	3.52 4.84 5.94	\$922 \$934 \$1004	\$133 \$133 \$133 \$133	\$249 \$249 \$259

Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Base top plate and base plate include pass-through for single port power or USB module (sold separately). Available in paint finishes listed on 653; plated finishes as available on 653 (upcharge applies).

GSB19H26 - lounge height

**GSB19** - seated height

**Required Specifications** 

GSB19H15 - coffee table height

GSB19H21 - end table height

Optional Specifications
Plated finish\*

# **S** SWAP TABLES

OPS, 42"-48"	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
		D x W x H								
	TFL, flat edge	1)								
	GRBTP42	42 x 42 x 1	70	44	2.5	\$503	\$254	n/a	n/a	n/a
	GRBTP48	48 x 48 x 1	70	56	3	\$537	\$269	n/a	n/a	n/a
	HPL, knife edg	je								
	GRBTP42LK	42 x 42 x 1.19	92.5	53	5	\$1400	n/a	n/a	n/a	n/a
	GRBTP48LK	48 x 48 x 1.19	92.5	67	6.5	\$1600	n/a	n/a	n/a	n/a
	Veneer (2)									
	GRBTP42V	42 x 42 x 1.19	92.5	53	5	\$1681	n/a	n/a	n/a	\$71
	GRBTP48V	48 x 48 x 1.19	92.5	67	6.5	\$1921	n/a	n/a	n/a	\$80
	Solid Surface	flat edge (3)								
	GRBTP42SF	42 x 42 x 1.25	70	73	3.4	\$3939	n/a	\$443	n/a	n/a
	GRBTP48SF	48 x 48 x 1.25	70	95	4.3	\$4486	n/a	\$564	n/a	n/a
	Solid Surface	knife edge (3)								
	GRBTP42SK	42 x 42 x 1.25	70	73	3.4	\$4147	n/a	\$495	n/a	n/a
		48 x 48 x 1.25	70	95	4.3	\$5003	n/a	\$628	n/a	n/a

Required Specifications
Top finish
Edge finish<sup>(1)</sup>

Optional Specifications
HP laminate(1)
Knife edge(2)
Grade 2 solid surface(3)

Applicable Bases GRB28 GSB23

inserts for ease of assembly to base. One base required.

**Required Specifications** 

Top finish Edge finish(1) **Optional Specifications** 

HP laminate(1 Knife edge(2) Grade 2 solid surface(3) 3" radiused corners(4)

Applicable Bases

GRB28 GSB23

# **S** SWAP TABLES

ASES FOR TOPS 42" - 48"	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH	ACO/SBR
		DxWxH						
	GRB28 seated height	28 x 28 x 28	125	100	15.63	\$1498	\$160	\$452
Round Base								
$\bigcap$	GSB23 seated height	22.5 x 22.5 x 28	100	82	9.33	\$1377	\$89	\$287
'Square Base		ssembled and features priate top(s). Available						

Required Specifications
Finish

Optional Specifications
Plated finish

54"-60" MOI	DEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD (	GR. 2 ADD	R3 ADD	KS ADD
		DxWxH								
TFL	, flat edge <sup>(1)</sup>									
GRB	BTP54	54 x 54 x 1	70	73	4.5	\$717	\$360	n/a	n/a	n/a
GRB	BTP60	60 x 60 x 1	70	92	5	\$741	\$373	n/a	n/a	n/a
HPL	L, knife edge									
GRB	BTP54LK	54 x 54 x 1.19	92.5	88	8	\$1805	n/a	n/a	n/a	n/a
GRB	3TP60LK	60 x 60 x 1.19	92.5	110	10	\$2225	n/a	n/a	n/a	n/a
Ven	ieer (2)									
GRB	BTP54V	54 x 54 x 1.19	92.5	88	8	\$2451	n/a	n/a	n/a	\$96
GRB	BTP60V	60 x 60 x 1.19	92.5	110	10	\$3026	n/a	n/a	n/a	\$104
Soli	id Surface, fla	t edge <sup>(3)</sup>								
GRB	BTP54SF	54 x 54 x 1.25	70	120	5.4	\$4859	n/a	\$691	n/a	n/a
GRB	BTP60SF	60 x 60 x 1.25	70	148	6.7	\$6383	n/a	\$863	n/a	n/a
Soli	id Surface, kn	ife edge <sup>(3)</sup>								
GRB	BTP54SK	54 x 54 x 1.25	70	120	5.4	\$5745	n/a	\$869	n/a	n/a
GRB	STP60SK	60 x 60 x 1.25	70	148	6.7	\$7028	n/a	\$1053	n/a	n/a

Required Specifications
Top finish
Edge finish<sup>(1)</sup>


Optional Specifications
HP laminate<sup>(1)</sup>
Knife edge<sup>(2)</sup>
Grade 2 solid surface<sup>(3)</sup>

Applicable Bases GRB34 GSB28

OR TOPS 54" - 60" ROUND	MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH	ACO/SBR
		D x W x H						
	GRB34 seated height	34 x 34 x 28	125	135	20.56	\$1831	\$160	\$546
Base								
>	GSB28 seated height	28.5 x 28.5 x 28	125	125	15.63	\$1710	\$75	\$295
7	, and the second							
e Base	Base comes fully a	assembled and features 0. opriate top(s). Available in						
e Base	Base comes fully a							
e Base	Base comes fully a							

Required Specifications
Finish

Optional Specifications
Plated finish



RECTANGULAR LOUNGE TOPS, 24"D

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
	D x W x H								
TFL, flat edge (	1) (4)								
GRT5STP	24 x 60 x 1	65	41	1.79	\$472	\$214	n/a	\$48	n/a
GRT5HSTP	24 x 66 x 1	65	46	1.97	\$552	\$252	n/a	\$56	n/a
GRT6STP	24 x 72 x 1	65	49	2.14	\$576	\$260	n/a	\$58	n/a
GRT7STP	24 x 84 x 1	65	57	2.49	\$666	\$302	n/a	\$67	n/a
GRT8STP	24 x 96 x 1	65	66	2.84	\$715	\$322	n/a	\$72	n/a
HPL, knife edg	e								
GRT5STPLK	24 x 60 x 1.19	85	49	4	\$1001	n/a	n/a	n/a	n/a
GRT5HSTPLK	24 x 66 x 1.19	85	55	4.5	\$1065	n/a	n/a	n/a	n/a
GRT6STPLK	24 x 72 x 1.19	92.5	59	5	\$1126	n/a	n/a	n/a	n/a
GRT7STPLK	24 x 84 x 1.19	85	68	5.5	\$1250	n/a	n/a	n/a	n/a
GRT8STPLK	24 x 96 x 1.19	85	79	6.5	\$1425	n/a	n/a	n/a	n/a
Veneer (2)									
GRT5STPV	24 x 60 x 1.19	85	49	4	\$1250	n/a	n/a	n/a	\$65
GRT5HSTPV	24 x 66 x 1.19	85	55	4.5	\$1316	n/a	n/a	n/a	\$65
GRT6STPV	24 x 72 x 1.19	92.5	59	5	\$1440	n/a	n/a	n/a	\$65
GRT7STPV	24 x 84 x 1.19	85	68	5.5	\$1691	n/a	n/a	n/a	\$65
GRT8STPV	24 x 96 x 1.19	85	79	6.5	\$1940	n/a	n/a	n/a	\$65
Solid Surface,	flat edge (3) (4)								
GRT5STPSF	24 x 60 x 1.25	65	75	2.8	\$3854	n/a	\$432	\$96	n/a
GRT5HSTPSF	24 x 66 x 1.25	65	83	3.1	\$4026	n/a	\$443	\$96	n/a
GRT6STPSF	24 x 71.8 x 1.25	65	90	3.3	\$4245	n/a	\$455	\$96	n/a
GRT7STPSF	24 x 84 x 1.25	65	105	3.9	\$4716	n/a	\$593	\$96	n/a
GRT8STPSF	24 x 96 x 1.25	65	120	4.4	\$5176	n/a	\$605	\$96	n/a
Solid Surface,	knife edge (3) (4)								
GRT5STPSK	24 x 60 x 1.25	65	75	2.8	\$4342	n/a	\$461	\$202	n/a
GRT5HSTPSK	24 x 66 x 1.25	65	83	3.1	\$4515	n/a	\$484	\$202	n/a
GRT6STPSK	24 x 71.8 x 1.25	65	90	3.3	\$4733	n/a	\$507	\$202	n/a
GRT7STPSK	24 x 84 x 1.25	65	105	3.9	\$5394	n/a	\$656	\$202	n/a
GRT8STPSK	24 x 96 x 1.25	65	120	4.4	\$5871	n/a	\$680	\$202	n/a

**Rectangular Lounge Tops** 

Applicable bases to use with above tops: GRB22Hxx round or GSB19Hxx square base @ 26"H, 35"H & 40.5"H (see 680). Tops feature metal inserts for ease of assembly to base. Two bases required. 24"D tops not recommended with 28"H bases.

Required Specifications
Top finish

Edge finish(1)

Optional Specifications

HP laminate(1), Knife edge(2) Grade 2 solid surface(3) 3" radiused corners(4) Cut-out for grommet/power blocks

Applicable Bases
GRB22H26 GSB19 GSB19H26 GRB22H35 GSB19H35 GRB22H41 GSB19H41

# **SWAP TABLES**

RACETRACK TOPS, 24"D

DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADI	D GR. 2 ADD	R3 ADD	KS ADD
24 x 60 x 1	65	41	1.79	\$472	\$214	n/a	n/a	n/a
24 x 66 x 1	65	46	1.97	\$552	\$252	n/a	n/a	n/a
24 x 72 x 1	65	49	2.14	\$576	\$260	n/a	n/a	n/a
24 x 84 x 1	65	57	2.49	\$666	\$302	n/a	n/a	n/a
24 x 96 x 1	65	66	2.84	\$715	\$322	n/a	n/a	n/a
24 x 60 x 1.19	85	49	4	\$1250	n/a	n/a	n/a	n/a
24 x 66 x 1.19	85	55	4.5	\$1375	n/a	n/a	n/a	n/a
24 x 72 x 1.19	92.5	59	5	\$1501	n/a	n/a	n/a	n/a
24 x 84 x 1.19	85	68	5.5	\$1626	n/a	n/a	n/a	n/a
24 x 96 x 1.19	85	79	6.5	\$1750	n/a	n/a	n/a	n/a
24 x 60 x 1.19	85	49	4	\$1501	n/a	n/a	n/a	\$225
24 x 66 x 1.19	85	55	4.5	\$1651	n/a	n/a	n/a	\$250
24 x 72 x 1.19	92.5	59	5	\$1801	n/a	n/a	n/a	\$270
24 x 84 x 1.19	85	68	5.5	\$2100	n/a	n/a	n/a	\$270
24 x 96 x 1.19	85	79	6.5	\$2400	n/a	n/a	n/a	\$270
	24 x 60 x 1 24 x 66 x 1 24 x 72 x 1 24 x 84 x 1 24 x 96 x 1 24 x 60 x 1.19 24 x 66 x 1.19 24 x 72 x 1.19 24 x 84 x 1.19	D x W x H  24 x 60 x 1 65 24 x 66 x 1 65 24 x 72 x 1 65 24 x 84 x 1 65 24 x 96 x 1 65  24 x 60 x 1.19 85 24 x 66 x 1.19 85 24 x 72 x 1.19 92.5 24 x 84 x 1.19 85 24 x 96 x 1.19 85 24 x 96 x 1.19 85 24 x 60 x 1.19 85 24 x 60 x 1.19 85 24 x 84 x 1.19 85 24 x 60 x 1.19 85 24 x 84 x 1.19 85	24 x 60 x 1     65     41       24 x 66 x 1     65     46       24 x 72 x 1     65     49       24 x 84 x 1     65     57       24 x 96 x 1     65     66       24 x 60 x 1.19     85     49       24 x 66 x 1.19     85     55       24 x 72 x 1.19     92.5     59       24 x 84 x 1.19     85     68       24 x 96 x 1.19     85     79       24 x 60 x 1.19     85     49       24 x 60 x 1.19     85     55       24 x 66 x 1.19     85     55       24 x 72 x 1.19     92.5     59       24 x 84 x 1.19     85     68	24 x 60 x 1 65 41 1.79 24 x 66 x 1 65 46 1.97 24 x 72 x 1 65 49 2.14 24 x 84 x 1 65 57 2.49 24 x 96 x 1 65 66 2.84  24 x 60 x 1.19 85 49 4 24 x 66 x 1.19 85 55 4.5 24 x 72 x 1.19 85 68 5.5 24 x 96 x 1.19 85 79 6.5  24 x 60 x 1.19 85 49 4 24 x 66 x 1.19 85 55 4.5 24 x 72 x 1.19 85 68 5.5 24 x 96 x 1.19 85 55 4.5 24 x 60 x 1.19 85 55 55 55 24 x 84 x 1.19 85 55 55 55 24 x 84 x 1.19 85 55 55 55 24 x 84 x 1.19 85 55 55 55 24 x 84 x 1.19 85 55 55 55 24 x 84 x 1.19 85 68 5.5	24 x 60 x 1       65       41       1.79       \$472         24 x 66 x 1       65       46       1.97       \$552         24 x 72 x 1       65       49       2.14       \$576         24 x 84 x 1       65       57       2.49       \$666         24 x 96 x 1       65       66       2.84       \$715         24 x 60 x 1.19       85       49       4       \$1250         24 x 66 x 1.19       85       55       4.5       \$1375         24 x 72 x 1.19       92.5       59       5       \$1501         24 x 84 x 1.19       85       68       5.5       \$1626         24 x 96 x 1.19       85       79       6.5       \$1750         24 x 60 x 1.19       85       49       4       \$1501         24 x 66 x 1.19       85       49       4       \$1501         24 x 66 x 1.19       85       55       4.5       \$1651         24 x 72 x 1.19       92.5       59       5       \$1801         24 x 84 x 1.19       85       68       5.5       \$2100	D x W x H         24 x 60 x 1       65       41       1.79       \$472       \$214         24 x 66 x 1       65       46       1.97       \$552       \$252         24 x 72 x 1       65       49       2.14       \$576       \$260         24 x 84 x 1       65       57       2.49       \$666       \$302         24 x 96 x 1       65       66       2.84       \$715       \$322         24 x 60 x 1.19       85       49       4       \$1250       n/a         24 x 66 x 1.19       85       55       4.5       \$1375       n/a         24 x 84 x 1.19       85       68       5.5       \$1626       n/a         24 x 96 x 1.19       85       79       6.5       \$1750       n/a         24 x 60 x 1.19       85       49       4       \$1501       n/a         24 x 66 x 1.19       85       49       4       \$1501       n/a         24 x 66 x 1.19       85       49       4       \$1501       n/a         24 x 66 x 1.19       85       55       4.5       \$1651       n/a         24 x 72 x 1.19       92.5       59       5       \$1801 <td< td=""><td>D x W x H         24 x 60 x 1       65       41       1.79       \$472       \$214       n/a         24 x 66 x 1       65       46       1.97       \$552       \$252       n/a         24 x 72 x 1       65       49       2.14       \$576       \$260       n/a         24 x 84 x 1       65       57       2.49       \$666       \$302       n/a         24 x 96 x 1       65       66       2.84       \$715       \$322       n/a         24 x 60 x 1.19       85       49       4       \$1250       n/a       n/a         24 x 66 x 1.19       85       55       4.5       \$1375       n/a       n/a         24 x 72 x 1.19       92.5       59       5       \$1501       n/a       n/a         24 x 96 x 1.19       85       68       5.5       \$1626       n/a       n/a         24 x 96 x 1.19       85       49       4       \$1501       n/a       n/a         24 x 60 x 1.19       85       49       4       \$1501       n/a       n/a         24 x 66 x 1.19       85       55       4.5       \$1651       n/a       n/a         24 x 66 x 1.19</td><td>D x W x H         24 x 60 x 1       65       41       1.79       \$472       \$214       n/a       n/a         24 x 66 x 1       65       46       1.97       \$552       \$252       n/a       n/a         24 x 72 x 1       65       49       2.14       \$576       \$260       n/a       n/a       n/a         24 x 84 x 1       65       57       2.49       \$666       \$302       n/a       n/a       n/a         24 x 96 x 1       65       66       2.84       \$715       \$322       n/a       n/a       n/a         24 x 60 x 1.19       85       49       4       \$1250       n/a       n/a       n/a         24 x 66 x 1.19       85       55       4.5       \$1375       n/a       n/a       n/a         24 x 84 x 1.19       85       68       5.5       \$1626       n/a       n/a       n/a         24 x 60 x 1.19       85       49       4       \$1501       n/a       n/a       n/a         24 x 60 x 1.19       85       49       4       \$1501       n/a       n/a       n/a         24 x 66 x 1.19       85       55       4.5       \$1651</td></td<>	D x W x H         24 x 60 x 1       65       41       1.79       \$472       \$214       n/a         24 x 66 x 1       65       46       1.97       \$552       \$252       n/a         24 x 72 x 1       65       49       2.14       \$576       \$260       n/a         24 x 84 x 1       65       57       2.49       \$666       \$302       n/a         24 x 96 x 1       65       66       2.84       \$715       \$322       n/a         24 x 60 x 1.19       85       49       4       \$1250       n/a       n/a         24 x 66 x 1.19       85       55       4.5       \$1375       n/a       n/a         24 x 72 x 1.19       92.5       59       5       \$1501       n/a       n/a         24 x 96 x 1.19       85       68       5.5       \$1626       n/a       n/a         24 x 96 x 1.19       85       49       4       \$1501       n/a       n/a         24 x 60 x 1.19       85       49       4       \$1501       n/a       n/a         24 x 66 x 1.19       85       55       4.5       \$1651       n/a       n/a         24 x 66 x 1.19	D x W x H         24 x 60 x 1       65       41       1.79       \$472       \$214       n/a       n/a         24 x 66 x 1       65       46       1.97       \$552       \$252       n/a       n/a         24 x 72 x 1       65       49       2.14       \$576       \$260       n/a       n/a       n/a         24 x 84 x 1       65       57       2.49       \$666       \$302       n/a       n/a       n/a         24 x 96 x 1       65       66       2.84       \$715       \$322       n/a       n/a       n/a         24 x 60 x 1.19       85       49       4       \$1250       n/a       n/a       n/a         24 x 66 x 1.19       85       55       4.5       \$1375       n/a       n/a       n/a         24 x 84 x 1.19       85       68       5.5       \$1626       n/a       n/a       n/a         24 x 60 x 1.19       85       49       4       \$1501       n/a       n/a       n/a         24 x 60 x 1.19       85       49       4       \$1501       n/a       n/a       n/a         24 x 66 x 1.19       85       55       4.5       \$1651

Racetrack Tops, 24"D

Applicable bases to use with above tops: GRB22Hxx round or GSB19Hxx square base @ 26"H, 35"H & 40.5"H (see 680). Tops feature metal inserts for ease of assembly to base. Two bases required. 24"D tops not recommended with 28"H bases.

Required Specifications
Top finish

Edge finish(1)

Optional Specifications
HP laminate<sup>(1)</sup>, Knife edge<sup>(2)</sup> Grade 2 solid surface(3) 3" radiused corners(4) Cut-out for grommet/power blocks Applicable Bases, two required GRB22H26 GSB19H26

GRB22 GSB19 GRB22H35 GSB19H35 GRB22H41 GSB19H41

							3	WAP	IA	3LE3
RECTANGULAR TOPS, 60"-96"W	MODEL#	DIMENSIONS FF	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	E HP AD	D GR. 2 ADD	R3 ADD	KS ADD
		DxWxH		,	0.00					
	TFL, flat edge <sup>(1)</sup>									
	GRT5NTP	30 x 60 x 1	70	46	2.5	\$538	\$272	n/a	\$54	n/a
	GRT5NHTP	30 x 66 x 1	65	56	2.44	\$543	\$246	n/a	\$55	n/a
	GRT6NTP	30 x 72 x 1	70	62	3	\$584	\$294	n/a	\$59	n/a
	GRT7NTP	30 x 84 x 1	100	72	7.5	\$727	\$366	n/a	\$73	n/a
	GRT8NTP	30 x 96 x 1	100	80	8.5	\$791	\$397	n/a	\$80	n/a
	GRT5TP	36 x 60 x 1	92.5	70	6.6	\$551	\$248	n/a	\$56	n/a
	GRT5HTP	36 x 66 x 1	92.5	79	7.21	\$580	\$263	n/a	\$58	n/a
	GRT6TP	36 x 72 x 1	100	72	8	\$673	\$337	n/a	\$68	n/a
	GRT7TP	36 x 84 x 1	100	85	8.75	\$782	\$394	n/a	\$79	n/a
	GRT8TP	36 x 96 x 1	92.5	94	9	\$856	\$431	n/a	\$86	n/a
	dilloll	30 X 30 X 1	32.3	J+	3	ΨΟΟΟ	ψ+3·1	11/ 0	ΨΟΟ	11/4
	HPL, knife edge	•								
	GRT5NTPLK	30 x 60 x 1.19	92.5	55	5	\$1115	n/a	n/a	n/a	n/a
	GRT5NHTPLK	30 x 66 x 1.19	85	67	5.5	\$1225	n/a	n/a	n/a	n/a
	GRT6NTPLK	30 x 72 x 1.19	85	74	6	\$1341	n/a	n/a	n/a	n/a
	GRT7NTPLK	30 x 84 x 1.19	85	86	7	\$1556	n/a	n/a	n/a	n/a
	GRT8NTPLK	30 x 96 x 1.19	85	96	8	\$1780	n/a	n/a	n/a	n/a
	GRT5TPLK	36 x 60 x 1.19	85	84	6	\$1341	n/a	n/a	n/a	n/a
	GRT5HTPLK	36 x 66 x 1.19	85	95	6.5	\$1470	n/a	n/a	n/a	n/a
	GRT6TPLK	36 x 72 x 1.19	85	86	7	\$1605	n/a	n/a	n/a	n/a
	GRT7TPLK	36 x 84 x 1.19	85	102	8	\$1870	n/a	n/a	n/a	n/a
	GRT8TPLK	36 x 96 x 1.19	85	113	9	\$2140	n/a	n/a	n/a	n/a
							, -	, .	, -	
	Veneer (2)									
	GRT5NTPV	30 x 60 x 1.19	92.5	55	5	\$1550	n/a	n/a	n/a	\$75
	GRT5NHTPV	30 x 66 x 1.19	85	67	5.5	\$1655	n/a	n/a	n/a	\$75
	GRT6NTPV	30 x 72 x 1.19	85	74	6	\$1780	n/a	n/a	n/a	\$96
	GRT7NTPV	30 x 84 x 1.19	85	86	7	\$2081	n/a	n/a	n/a	\$111
	GRT8NTPV	30 x 96 x 1.19	85	96	8	\$2375	n/a	n/a	n/a	\$126
	GRT5TPV	36 x 60 x 1.19	85	84	6	\$1780	n/a	n/a	n/a	\$96
	GRT5HTPV	36 x 66 x 1.19	85	95	6.5	\$1951	n/a	n/a	n/a	\$126
	GRT6TPV	36 x 72 x 1.19	85	86	7	\$2126	n/a	n/a	n/a	\$141
	GRT7TPV	36 x 84 x 1.19	85	102	8	\$2480	n/a	n/a	n/a	\$175
	GRT8TPV	36 x 96 x 1.19	85	113	9	\$2841	n/a	n/a	n/a	\$175
		- 4-14-1								
	Solid Surface, f									
	GRT5NTPSF	29.8 x 60 x 1.25	65	94	3.4	\$4015	n/a	\$426	\$96	n/a
	GRT5NHTPSF	29.8 x 66 x 1.25	65	104	3.8	\$4308	n/a	\$495	\$96	n/a
	GRT6NTPSF	29.8 x 71.8 x 1.25	65	113	4.1	\$4918	n/a	\$691	\$96	n/a
	GRT7NTPSF	29.8 x 84 x 1.25	65	132	4.8	\$5705	n/a	\$680	\$96	n/a
	GRT8NTPSF	29.8 x 96 x 1.25	65	150	5.4	\$6280	n/a	\$881	\$96	n/a
	GRT5TPSF	36 x 60 x 1.25	65	113	4.1	\$5343	n/a	\$633	\$96	n/a
	GRT5HTPSF	36 x 66 x 1.25	65	124	4.5	\$5515	n/a	\$633	\$96	n/a
	GRT6TPSF	36 x 71.8 x 1.25	65	135	4.9	\$6091	n/a	\$691	\$96	n/a
	GRT7TPSF	36 x 84 x 1.25	65	158	5.7	\$6625	n/a	\$834	\$96	n/a
	GRT8TPSF	36 x 96 x 1.25	65	180	6.5	\$7108	n/a	\$875	\$96	n/a
	Solid Surface, l	knifo odgo (3) (4)								
	GRT5NTPSK	29.8 x 60 x 1.25	65	94	3.4	\$4394	n/a	\$484	\$202	n/a
	GRT5NHTPSK	29.8 x 66 x 1.25	65	104	3.8	\$4745	n/a	\$564	\$202	n/a
	GRT6NTPSK		65			\$5349		\$772	\$202	
	GRT7NTPSK	29.8 x 71.8 x 1.25 29.8 x 84 x 1.25	65	113 132	4.1	\$6136	n/a	\$772	\$202	n/a
				150			n/a			n/a
	GRT8NTPSK GRT5TPSK	29.8 x 96 x 1.25 36 x 60 x 1.25	65 65	113	5.4 4.1	\$6815 \$5918	n/a n/a	\$984 \$714	\$202 \$202	n/a n/a
	GRT5HTPSK	36 x 66 x 1.25	65	124	4.1	\$6067		\$714 \$725	\$202	
	GRT6TPSK		65				n/a	\$725 \$794		n/a
	GRT7TPSK	36 x 71.8 x 1.25 36 x 84 x 1.25	65	135 158	4.9 5.7	\$6722 \$7263	n/a	\$754 \$950	\$202 \$202	n/a
	GRT8TPSK	36 x 96 x 1.25	65	180	6.5	\$7734	n/a n/a	\$990 \$1002	\$202	n/a n/a
Postongular To*										
Rectangular Tops*		es to use with abov								
	squares GSB19	H26, GSB19, GSB19	m35, GSB19H4	rr(see 680).	iops featur	e metal ins	erts for e	ase of assem	ibly to bas	е.

Required Specifications
Top finish
Edge finish<sup>(1)</sup>

Optional Specifications
HP laminate<sup>(1)</sup>, Knife edge<sup>(2)</sup>
Grade 2 solid surface<sup>(3)</sup>

3" radiused corners<sup>(4)</sup>
Cut-out for grommet/power blocks

Applicable Bases, two requiredGRB22H26GSB19H26GRB22GSB19 GRB22H35 GRB22H41 GSB19H35 GSB19H41

FRACK TOPS, 60"-96"W	MODEL#	DIMENSIONS	FREIGHT CLAS	s I	NT/LBS. CUI	BIC FT. LIST	PRICE	HP ADD GR.	2 ADD R	3 ADD
		D x W x H								
	TFL, flat edge (1	)								
	GRC5NTP	30 x 60 x 1	70	46	2.5	\$547	\$275	n/a	n/a	n/a
	GRC5NHTP	30 x 66 x 1	65	56	2.44	\$553	\$252	n/a	n/a	n/a
	GRC6NTP	30 x 72 x 1	70	62	3	\$594	\$299	n/a	n/a	n/a
	GRC7NTP	30 x 84 x 1	100	72	7.5	\$740	\$372	n/a	n/a	n/a
	GRC8NTP	30 x 96 x 1	100	80	8.5	\$807	\$405	n/a	n/a	n/a
	GRC5TP	36 x 60 x 1	92.5	70	6.6	\$562	\$255	n/a	n/a	n/a
	GRC5HTP	36 x 66 x 1	92.5	79	7.21	\$591	\$267	n/a	n/a	n/a
	GRC6TP	36 x 72 x 1	100	72	7.5	\$684	\$344	n/a	n/a	n/a
	GRC7TP	36 x 84 x 1	100	85	8.75	\$799	\$401	n/a	n/a	n/a
	GRC8TP	36 x 96 x 1	92.5	94	9	\$873	\$438	n/a	n/a	n/a
	HPL, knife edge	 e								
	GRC5NTPLK	30 x 60 x 1.19	92.5	55	5	\$1560	n/a	n/a	n/a	n/a
	GRC5NHTPLK	30 x 66 x 1.19	85	67	5.5	\$1710	n/a	n/a	n/a	n/a
	GRC6NTPLK	30 x 72 x 1.19	85	74	6	\$1870	n/a	n/a	n/a	n/a
	GRC7NTPLK	30 x 84 x 1.19	85	86	7	\$2010	n/a	n/a	n/a	n/a
	GRC8NTPLK	30 x 96 x 1.19	85	96	8	\$2160	n/a	n/a	n/a	n/a
	GRC5TPLK	36 x 60 x 1.19	85	84	6	\$1710	n/a	n/a	n/a	n/a
	GRC5HTPLK	36 x 66 x 1.19	85	95	6.5	\$1860	n/a	n/a	n/a	n/a
	GRC6TPLK	36 x 72 x 1.19	85	86	7	\$2020	n/a	n/a	n/a	n/a
	GRC7TPLK	36 x 84 x 1.19	85	102	8	\$2320	n/a	n/a	n/a	n/a
	GRC8TPLK	36 x 96 x 1.19	85	113	9	\$2621	n/a	n/a	n/a	n/a
	Veneer (2)									
	GRC5NTPV	30 x 60 x 1.19	92.5	55	5	\$1765	n/a	n/a	n/a	\$265
	GRC5NHTPV	30 x 66 x 1.19	85	67	5.5	\$1906	n/a	n/a	n/a	\$286
	GRC6NTPV	30 x 72 x 1.19	85	74	6	\$2050	n/a	n/a	n/a	\$305
	GRC7NTPV	30 x 84 x 1.19	85	86	7	\$2396	n/a	n/a	n/a	\$356
	GRC8NTPV	30 x 96 x 1.19	85	96	8	\$2731	n/a	n/a	n/a	\$405
	GRC5TPV	36 x 60 x 1.19	85	84	6	\$2050	n/a	n/a	n/a	\$305
	GRC5HTPV	36 x 66 x 1.19	85	95	6.5	\$2246	n/a	n/a	n/a	\$335
	GRC6TPV	36 x 72 x 1.19	85	86	7	\$2446	n/a	n/a	n/a	\$366
	GRC7TPV	36 x 84 x 1.19	85	102	8	\$2856	n/a	n/a	n/a	\$366
	GRC8TPV	36 x 96 x 1.19	85	113	9	\$3265	n/a	n/a	n/a	\$485

or squares GSB19H26, GSB19, GSB19H35, GSB19H41 (see 680). Tops feature metal inserts for ease of assembly to base.

Required Specifications
Top finish
Edge finish<sup>(1)</sup>

Optional Specifications
HP laminate<sup>(1)</sup>
Knife edge<sup>(2)</sup>

Cut-out for grommet/power blocks

 Applicable Bases, two required

 GRB22H26
 GSB19H26

 GRB22
 GSB19

 GRB22H35
 GSB19H35

 GRB22H41
 GSB19H41

Boat-Shaped Tops, 60"-96"W

Applicable bases to use with above tops, TWO bases required: rounds GRB22H26, GRB22, GRB22H35, GRB22H41, OR squares GSB19H26, GSB19, GSB19H35, GSB19H41 (see 680). Tops feature metal inserts for ease of assembly to base.

• GBTxNPT - 30"D at center, 24"D at ends; GBTxTP - 36"D at center, 28"D at ends.

Required Specifications
Top finish

Edge finish(1)

Optional Specifications
HP laminate<sup>(1)</sup>

Knife edge<sup>(2)</sup>
Cut-out for grommet/power blocks

Applicable Bases, two required GRB22H26 GSB19H26

GRB22 GSB19 GRB22H35 GSB19H35 GRB22H41 GSB19H41

# **SWAP TABLES**

BASES FOR TOPS 60"- 96" WIDE	MODEL#	DIMENSIONS	FREIGHT	CLASS WT/	LBS. CUBIC FT.	LIST PRI	CE CHM/E	BCH ACO/SBR
		DxWxH						
40.5"	GRB22H26	22 x 22 x 26	150	50	8.63	\$934	\$147	\$270
35" 28"	GRB22	22 x 22 x 28	150	55	9.33	\$870	\$147	\$270
26"	GRB22H35	22 x 22 x 35	150	57.1	12	\$912	\$145	\$308
	GRB22H41	22 x 22 x 40.5	150	58.3	14	\$928	\$160	\$316
22" Dia Round Bases	<b>GRB22H26</b> - lounge	e height GRB22	- seated he	eight <b>GRB2</b>	<b>22H35</b> - counter he	ight <b>GRB</b> :	<b>22H41</b> - ba	r height
T <	GSB19H26	18.5 x 18.5 x 26	125	47	5.94	\$1004	\$133	\$259
Î N	GSB19	18.5 x 18.5 x 28	100	50	6.06	\$942	\$145	\$319
0.5"	GSB19H35	18.5 x 18.5 x 35	125	51.8	7.52	\$999	\$145	\$319
35" 28"	GSB19H41	18.5 x 18.5 x 40.5	125	53.2	8.77	\$1034	\$160	\$319
26"	GSB19H26 - lounge	Ü	- seated he	Ü	<b>9H35</b> - counter he	0	<b>19H41</b> - bai	3
18.5" Square Bases	•	riate top(s). Available in particular in par	•	Ü				

Required Specifications Finish

Optional Specifications
Plated finish

Rectangular Tops, 96-144"

Applicable bases to use with above tops: round GRB28 or square GSB23. TWO bases required for 96"W tops or THREE bases required for 120" & 144"W tops (see 684). Tops feature metal inserts for ease of assembly to base.

**Required Specifications** 

Top finish Edge finish(1) **Optional Specifications** 

HP laminate(1 Knife edge(2) 3" radiused corners(4) Cut-out for grommet/power blocks Applicable Bases

GRB28 GSB23

# **S** SWAP TABLES

ACETRACK TOPS 96" - 144"	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT	LIST PRICE	HP ADD GR. 2 AD	D R3 ADD	KS ADD
		DxWxH							
	TFL, flat edge <sup>(1</sup>	)							
	1 Piece top - 2	bases required							
	GRC8MTP	42 x 96 x 1	92.5	128	11.84	\$1442	<b>\$652</b> n/a	n/a	n/a
	GRC8WTP	48 x 96 x 1	85	190	14	\$1460	<b>\$566</b> n/a	n/a	n/a
		3 bases required							
	GRC10WTP	48 x 120 x 1	85	220	17	\$1836	<b>\$760</b> n/a	n/a	n/a
	GRC12WTP	48 x 144 x 1	85	262	21	\$2139	<b>\$859</b> n/a	n/a	n/a
	HPL, knife edg	e							
	1 Piece top - 2	bases required							
	GRC8MTPLK	42 x 96 x 1.19	85	154	11	\$3501	n/a n/a	n/a	n/a
	GRC8WTPLK	48 x 96 x 1.19	70	228	12	\$4001	n/a n/a	n/a	n/a
	2 Piece tops - 3	B bases required							
	GRC10WTPLK	48 x 120 x 1.19	70	264	15	\$5001	n/a n/a	n/a	n/a
	GRC12WTPLK	48 x 144 x 1.19	70	314	18	\$6001	n/a n/a	n/a	n/a
	Veneer (2)								
	1 Piece top - 2	bases required							
	GRC8MTPV	42 x 96 x 1.19	85	154	11	\$4450	n/a n/a	n/a	\$445
	GRC8WTPV	48 x 96 x 1.19	70	228	12	\$4950	n/a n/a	n/a	\$495
	2 Piece tops - 3	3 bases required							
	GRC10WTPV	48 x 120 x 1.19	70	264	15	\$6501	n/a n/a	n/a	\$651
	GRC12WTPV	48 x 144 x 1.19	70	314	18	\$7701	n/a n/a	n/a	\$771

Required Specifications
Top finish
Edge finish<sup>(1)</sup>

Optional Specifications
HP laminate<sup>(1)</sup>
Knife edge<sup>(2)</sup>
Cut-out for grommet/power blocks

Applicable Bases GRB28 GSB23



Boat Tops, 96"-144"

Applicable bases to use with above tops: round GRB28 or square GSB23. TWO bases required for 96"W tops or THREE bases required for 120" & 144"W tops (see 684). Tops feature metal inserts for ease of assembly to base.

**Required Specifications** 

Top finish Edge finish<sup>(1)</sup> **Optional Specifications** 

HP laminate<sup>(1)</sup> Knife edge<sup>(2)</sup>

Cut-out for grommet/power blocks

Applicable Bases

GRB28 GSB23

<sup>•</sup> GBTxM - 42"deep at center and 33"deep at ends; GBTxW - 48"deep at center and 38"deep at ends.

# **S** SWAP TABLES

ASES FOR TOPS 96"- 144" WIDE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH	ACO/SBR
		D x W x H						
_	GRB28	28 x 28 x 28	125	100	15.63	\$1498	\$160	\$452
	seated height							
Dia Round Base								
$\langle \rangle$	GSB23	22.5 x 22.5 x 28	100	82	9.33	\$1377	\$89	\$287
	seated height							
Square Base	'	ssembled and feature priate top(s). Available	, ,					
			'					

Required Specifications
Finish

Optional Specifications
Plated finish



RECTANGULAR TOPS FOR DUAL COLUMN BASE

GITTEONTIT	12 X 00 X 1	100	, 0	7.02	4,-,	4007	11, 4	4.0	11, 4
GRTD5HMTP	42 x 66 x 1	100	81	8.32	\$776	\$361	n/a	\$78	n/a
GRTD6MTP	42 x 72 x 1	100	89	9.02	\$799	\$371	n/a	\$80	n/a
HPL, knife edge									
GRTD5TPLK	36 x 60 x 1.19	85	72	6	\$1341	n/a	n/a	n/a	n/a
GRTD5HTPLK	36 x 66 x 1.19	85	83	6.5	\$1470	n/a	n/a	n/a	n/a
GRTD6TPLK	36 x 72 x 1.19	85	90	7	\$1605	n/a	n/a	n/a	n/a
GRTD5MTPLK	42 x 60 x 1.19	85	88	7	\$1556	n/a	n/a	n/a	n/a
GRTD5HMTPLK	42 x 66 x 1.19	85	97	7.5	\$1716	n/a	n/a	n/a	n/a
GRTD6MTPLK	42 x 72 x 1.19	85	107	8	\$1870	n/a	n/a	n/a	n/a
Veneer (2)									
GRTD5TPV	36 x 60 x 1.19	85	72	6	\$1780	n/a	n/a	n/a	\$181
GRTD5HTPV	36 x 66 x 1.19	85	83	6.5	\$1951	n/a	n/a	n/a	\$196
GRTD6TPV	36 x 72 x 1.19	85	90	7	\$2126	n/a	n/a	n/a	\$210
GRTD5MTPV	42 x 60 x 1.19	85	88	7	\$2071	n/a	n/a	n/a	\$206
GRTD5HMTPV	42 x 66 x 1.19	85	97	7.5	\$2275	n/a	n/a	n/a	\$225
GRTD6MTPV	42 x 72 x 1.19	85	107	8	\$2480	n/a	n/a	n/a	\$250

#### Rectangular Top\*

Top features metal inserts for ease of assembly to base. One dual column base #GDCB36H28 required (see 688). Limited cutout options available for power modules include A2, E2, J2, V2 or AG2 only. Power modules corresponding to applicable cut-out codes ordered separately.

Required Specifications
Top finish

Edge finish(1)

**Optional Specifications** 

HP laminate(1 Knife edge(2) 3" radiused corners(4) Cut-out for grommet/power blocks Applicable Bases GDCB36H28

# **S** SWAP TABLES

RACETRACK TOPS FOR DUAL COLUMN BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADI	GR. 2 ADD	R3 ADD	KS ADD
		DxWxH								
	TFL, flat edge <sup>(1)</sup>									
	GRCD5TP	36 x 60 x 1	100	60	6.6	\$655	\$305	n/a	n/a	n/a
	GRCD5HTP	36 x 66 x 1	100	69	7.21	\$715	\$334	n/a	n/a	n/a
	GRCD6TP	36 x 72 x 1	100	75	7.82	\$737	\$343	n/a	n/a	n/a
	GRCD5MTP	42 x 60 x 1	100	73	7.62	\$727	\$337	n/a	n/a	n/a
	GRCD5HMTP	42 x 66 x 1	100	81	8.32	\$776	\$361	n/a	n/a	n/a
	GRCD6MTP	42 x 72 x 1	100	89	9.02	\$799	\$371	n/a	n/a	n/a
	HPL, knife edge	<b>;</b>								
	GRCD5TPLK	36 x 60 x 1.19	85	72	6	\$1875	n/a	n/a	n/a	n/a
	GRCD5HTPLK	36 x 66 x 1.19	85	83	6.5	\$2001	n/a	n/a	n/a	n/a
	GRCD6TPLK	36 x 72 x 1.19	85	90	7	\$2126	n/a	n/a	n/a	n/a
	GRCD5MTPLK	42 x 60 x 1.19	85	88	7	\$2250	n/a	n/a	n/a	n/a
	GRCD5HMTPLK	42 x 66 x 1.19	85	97	7.5	\$2375	n/a	n/a	n/a	n/a
	GRCD6MTPLK	42 x 72 x 1.19	85	107	8	\$2501	n/a	n/a	n/a	n/a
	Veneer (2)									
	GRCD5TPV	36 x 60 x 1.19	85	72	6	\$2250	n/a	n/a	n/a	\$225
	GRCD5HTPV	36 x 66 x 1.19	85	83	6.5	\$2375	n/a	n/a	n/a	\$236
	GRCD6TPV	36 x 72 x 1.19	85	90	7	\$2501	n/a	n/a	n/a	\$250
	GRCD5MTPV	42 x 60 x 1.19	85	88	7	\$2626	n/a	n/a	n/a	\$265
	GRCD5HMTPV	42 x 66 x 1.19	85	97	7.5	\$2750	n/a	n/a	n/a	\$276
	GRCD6MTPV	42 x 72 x 1.19	85	107	8	\$2875	n/a	n/a	n/a	\$286
Pagetrock Tone for Dual Column Page	Top footures mot	al incerte for one	a of accomply to be	na Ona di	al aalumn	hasa #CDCB	26U20 •	aguirad laag	. COO\ 1 in	sited out
Racetrack Tops for Dual Column Base			e of assembly to ba							
	'		odules include A2,	E2, J2, V2 (	or AG2 only	y. Power mod	iules coi	responding	to applica	ible cut-ou
	codes ordered se	parately.								

Required Specifications
Top finish
Edge finish<sup>(1)</sup>

Optional Specifications
HP laminate<sup>(1)</sup>
Knife edge<sup>(2)</sup>
Cut-out for grommet/power blocks

Applicable Bases GDCB36H28



85

85

85

85

85

#### **Boat Tops for Dual Column Base**

Top features metal inserts for ease of assembly to base. One dual column base #GDCB36H28 required (see 688). Limited cutout options available for power modules include A2, E2, J2, V2 or AG2 only. Power modules corresponding to applicable cut-out codes ordered separately.

83

90

88

97

107

6.5

7

7

7.5

8

\$2375

\$2501

\$2626

\$2750

\$2875

n/a

\$236

\$250

\$265

\$276

\$286

Boat tops:

**GBTD5HTPV** 

**GBTD5MTPV** 

**GBTD6MTPV** 

**GBTD5HMTPV** 

**GBTD6TPV** 

36 x 66 x 1.19

36 x 72 x 1.19

42 x 60 x 1.19

42 x 66 x 1.19

42 x 72 x 1.19

• 36" deep at the center, are 28" deep across ends; 42" deep at the center, are 33" deep at the ends.

**Required Specifications** 

Top finish Edge finish(1) **Optional Specifications** 

HP laminate( Knife edge(2)

Cut-out for grommet/power blocks

Applicable Bases

GDCB36H28

### S

### **SWAP TABLES**

UAL COLUMN BASE FOR GxTDxxx TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH	ACO/SBR
		D x W x H						
	Base valid for to	ps on pages 693-69!	<b>5</b> :					
· <>	GDCB36H28	36 x 19 x 28	100	116.23	12.16	\$2430	\$567	\$934
	seated height							
	Order the quanti	ty of bases as indic	ated by each top	size.				
8"H Dual Column Base	· ·	d-down; assembly rec shing to appropriate to	•	,	•			

Required Specifications
Finish

Optional Specifications
Plated finish

Plate

#### **HUDDLE TABLES OVERVIEW**

- Three heights available: seated desk height 29", counter height 36", bar height 41.5" with D top, wedge, rectangular or soft ellipse shaped tops.
- Bring teams together to huddle, share and collaborate.
- Tops include metal inserts for ease of assembly to metal base. All tops are standard with an edge scoop to help manage cables from wall mounted flat screen monitors and/or edge mounting power module (PS305057/PS305002 as an example). Support channels are included with tops over 60" wide.
- Optional cut-outs available where noted. Add \$96 per cut-out. Only available in position 1 or position 2.





Please take note when used in conjunction with Zira wall panels.

- Laminate kits are sold separately from metal bases for huddle tables.
- Metal bases ship fully assembled and include 0.5" adjustable glides and metal screws for attaching to the top. Be sure to specify bases specific to huddle tables GRHB22Hxx or GSB19Hxx.

D-TOP HUDDLE TABLES

29"H D-Top Huddle

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
GDH364829	48 x 36 x 29	70	77.05	3.94	\$1068	\$333
GDH366029	60 x 36 x 29	70	86.95	4.46	\$1302	\$472
GDH367229	72 x 36 x 29	70	97	4.98	\$1452	\$563
GDH426029	60 x 42 x 29	70	99.82	5.18	\$1461	\$540
GDH427229	72 x 42 x 29	70	111.5	5.78	\$1637	\$644
GDH428429	84 x 42 x 29	92.5	123.1	11.98	\$1811	\$751
GDH429629	96 x 42 x 29	92.5	134.74	13.3	\$1957	\$836
GDH486029	60 x 48 x 29	70	112.6	5.88	\$1629	\$611
GDH487229	72 x 48 x 29	70	126	6.58	\$1824	\$729
GDH488429	84 x 48 x 29	92.5	139.24	13.5	\$1950	\$805
GDH489629	96 x 48 x 29	92.5	152.56	15	\$2109	\$901

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only, except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only (see 694).

ODU004000	40 00 00	70	05.05	4.0	64400	4000	
GDH364836	48 x 36 x 36	70	85.95	4.3	\$1102	\$333	
GDH366036	60 x 36 x 36	70	95.85	4.84	\$1335	\$472	
GDH367236	72 x 36 x 36	70	105.9	5.36	\$1483	\$563	
GDH426036	60 x 42 x 36	70	109.82	5.6	\$1497	\$540	
GDH427236	72 x 42 x 36	70	121.5	6.22	\$1672	\$644	
GDH428436	84 x 42 x 36	92.5	133.1	12.4	\$1847	\$751	
GDH429636	96 x 42 x 36	92.5	144.74	13.74	\$1994	\$836	
GDH486036	60 x 48 x 36	70	123.6	6.38	\$1669	\$611	
GDH487236	72 x 48 x 36	70	137	7.08	\$1865	\$729	
GDH488436	84 x 48 x 36	92.5	150.24	14	\$1991	\$805	
GDH489636	96 x 48 x 36	92.5	163.56	15.5	\$2149	\$901	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only, except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only (see 694).

36"H D-Top Huddle	

Required	Specifications
Top finish	


**Optional Specifications HP** laminate Power block cut-out

Accessories Power block

Laminate base finish Edge

## **S** SWAP TABLES

# D-TOP HUDDLE TABLES



41.5"H D-Top Huddle

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
GDH364841	48 x 36 x 41.5	70	92.65	4.58	\$1158	\$333
GDH366041	60 x 36 x 41.5	70	102.55	5.1	\$1390	\$472
GDH367241	72 x 36 x 41.5	70	112.6	5.62	\$1542	\$563
GDH426041	60 x 42 x 41.5	70	117.32	5.92	\$1561	\$540
GDH427241	72 x 42 x 41.5	70	129	6.52	\$1738	\$644
GDH428441	84 x 42 x 41.5	92.5	140.6	12.72	\$1915	\$751
GDH429641	96 x 42 x 41.5	92.5	152.24	14.06	\$2059	\$836
GDH486041	60 x 48 x 41.5	70	130.1	6.74	\$1741	\$611
GDH487241	72 x 48 x 41.5	70	143.5	7.42	\$1936	\$729
GDH488441	84 x 48 x 41.5	92.5	156.74	14.52	\$2064	\$805
GDH489641	96 x 48 x 41.5	92.5	170.06	15.84	\$2223	\$901

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).


• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only (see 694).

Required Specifications
Top finish

Top finish Laminate base finish Edge **Optional Specifications** 

HP laminate Power block cut-out Accessories

Power block




WEDGE HUDDLE TABLES

29"H Wedge Huddle

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
GWH486029	60 x 48 x 29	70	112.6	5.88	\$1626	\$607	
GWH487229	72 x 48 x 29	70	126	6.58	\$1824	\$729	
GWH488429	84 x 48 x 29	92.5	139.24	13.5	\$1950	\$805	
GWH489629	96 x 48 x 29	92.5	152.56	15	\$2109	\$901	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only.

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only (see 694).




36"H Wedge Huddle

GWH486036	60 x 48 x 36	70	123.6	6.38	\$1665	\$607
GWH487236	72 x 48 x 36	70	137	7.08	\$1865	\$729
GWH488436	84 x 48 x 36	92.5	150.24	14	\$1991	\$805
GWH489636	96 x 48 x 36	92.5	163.56	15.5	\$2149	\$901

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only.

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only (see 694).



41.5"H Wedge Huddle

GWH486041	60 x 48 x 41.5	70	130.1	6.74	\$1736	\$607	
GWH487241	72 x 48 x 41.5	70	143.5	7.42	\$1936	\$729	
GWH488441	84 x 48 x 41.5	92.5	156.74	14.34	\$2064	\$805	
GWH489641	96 x 48 x 41.5	92.5	170.06	15.84	\$2223	\$901	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only.

• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only (see 694).

Req	uired	Sp	eci	fica	tions

Top finish Laminate base finish Edge

#### **Optional Specifications**

**HP** laminate Power block cut-out

#### Accessories

Power block

**RECTANGULAR HUDDLE TABLES** 




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
GRH364829	48 x 36 x 29	70	77.05	3.94	\$1068	\$333	
GRH366029	60 x 36 x 29	70	86.95	4.46	\$1302	\$472	
GRH367229	72 x 36 x 29	70	97	4.98	\$1452	\$563	
GRH426029	60 x 42 x 29	70	99.82	5.18	\$1461	\$540	
GRH427229	72 x 42 x 29	100	111.5	5.78	\$1637	\$644	
GRH428429	84 x 42 x 29	92.5	123.1	11.98	\$1811	\$751	
GRH429629	96 x 42 x 29	150	134.74	13.3	\$1957	\$836	
GRH486029	60 x 48 x 29	70	112.6	5.88	\$1629	\$611	
GRH487229	72 x 48 x 29	70	126	6.58	\$1824	\$729	
GRH488429	84 x 48 x 29	92.5	139.24	13.5	\$1950	\$805	
GRH489629	96 x 48 x 29	92.5	152.56	15	\$2109	\$901	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only (see 694)

\$333	\$1102	4.3	85.95	70	48 x 36 x 36	GRH364836
\$472	\$1335	4.84	95.85	70	60 x 36 x 36	GRH366036
\$563	\$1483	5.36	105.9	70	72 x 36 x 36	GRH367236
\$540	\$1497	5.6	109.82	70	60 x 42 x 36	GRH426036
\$644	\$1672	6.22	121.5	70	72 x 42 x 36	GRH427236
\$751	\$1847	12.4	133.1	92.5	84 x 42 x 36	GRH428436
\$836	\$1994	13.74	144.74	92.5	96 x 42 x 36	GRH429636
\$611	\$1669	6.38	123.6	70	60 x 48 x 36	GRH486036
\$729	\$1865	7.08	137	70	72 x 48 x 36	GRH487236
\$805	\$1991	14	150.24	92.5	84 x 48 x 36	GRH488436
\$901	\$2149	15.5	163.56	150	96 x 48 x 36	GRH489636




36"H Rectangular Huddle

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only (see 694).

GRH364841	48 x 36 x 41.5	70	92.65	4.58	\$1158	\$333	
GRH366041	60 x 36 x 41.5	70	102.55	5.1	\$1390	\$472	
GRH367241	72 x 36 x 41.5	70	112.6	5.62	\$1542	\$563	
GRH426041	60 x 42 x 41.5	70	117.32	5.92	\$1561	\$540	
GRH427241	72 x 42 x 41.5	70	129	6.52	\$1738	\$644	
GRH428441	84 x 42 x 41.5	92.5	140.6	12.72	\$1915	\$751	
GRH429641	96 x 42 x 41.5	92.5	152.24	14.06	\$2059	\$836	
GRH486041	60 x 48 x 41.5	70	130.1	6.74	\$1741	\$611	
GRH487241	72 x 48 x 41.5	70	143.5	7.42	\$1936	\$729	
GRH488441	84 x 48 x 41.5	92.5	156.74	14.34	\$2064	\$805	
GRH489641	96 x 48 x 41.5	92.5	170.06	15.84	\$2223	\$901	



41.5"H Rectangular Huddle\*

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only, except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only (see 694).

**Required Specifications** Top finish Laminate base finish

Edge

**Optional Specifications HP** laminate Power block cut-out

Accessories Power block



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
GSEH364829	48 x 36 x 29	70	77.05	3.94	\$1068	\$333
GSEH366029	60 x 36 x 29	70	86.95	4.46	\$1302	\$472
SSEH367229	72 x 36 x 29	70	97	4.98	\$1452	\$563
GSEH426029	60 x 42 x 29	70	99.82	5.18	\$1461	\$540
SSEH427229	72 x 42 x 29	70	111.5	5.78	\$1637	\$644
SEH428429	84 x 42 x 29	92.5	123.1	11.98	\$1811	\$751
SEH429629	96 x 42 x 29	92.5	134.7	13.3	\$1957	\$836
SEH486029	60 x 48 x 29	70	112.6	11.78	\$1629	\$611
SEH487229	72 x 48 x 29	70	126	6.58	\$1824	\$729
SEH488429	84 x 48 x 29	92.5	139.2	13.5	\$1950	\$805
SEH489629	96 x 48 x 29	92.5	152.6	15	\$2109	\$901

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only, except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only (see 694).



GSEH364836	48 x 36 x 36	70	86	4.3	\$1102	\$333	
GSEH366036	60 x 36 x 36	70	95.9	4.84	\$1335	\$472	
GSEH367236	72 x 36 x 36	70	105.9	5.36	\$1483	\$563	
GSEH426036	60 x 42 x 36	70	109.8	5.6	\$1497	\$540	
GSEH427236	72 x 42 x 36	70	121.5	6.22	\$1672	\$644	
GSEH428436	84 x 42 x 36	92.5	133.1	12.4	\$1847	\$751	
GSEH429636	96 x 42 x 36	92.5	144.74	13.74	\$1994	\$836	
GSEH486036	60 x 48 x 36	70	123.6	12.76	\$1669	\$611	
GSEH487236	72 x 48 x 36	70	137	7.08	\$1865	\$729	
GSEH488436	84 x 48 x 36	92.5	150.24	14	\$1991	\$805	
GSEH489636	96 x 48 x 36	92.5	163.56	15.5	\$2149	\$901	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only (see 694).



GSEH364841	48 x 36 x 41.5	92.5	92.65	9.16	\$1158	\$333	
GSEH366041	60 x 36 x 41.5	70	102.55	5.1	\$1390	\$472	
GSEH367241	72 x 36 x 41.5	70	112.6	5.62	\$1542	\$563	
GSEH426041	60 x 42 x 41.5	70	117.32	5.92	\$1561	\$540	
GSEH427241	72 x 42 x 41.5	70	129	6.52	\$1738	\$644	
GSEH428441	84 x 42 x 41.5	92.5	140.6	12.72	\$1915	\$751	
GSEH429641	96 x 42 x 41.5	92.5	152.24	14.06	\$2059	\$836	
00511400044	00 40 44 5	70	400.4	0.74	A4744	****	
GSEH486041	60 x 48 x 41.5	70	130.1	6.74	\$1741	\$611	
GSEH487241	72 x 48 x 41.5	70	143.5	14.86	\$1936	\$729	
GSEH488441	84 x 48 x 41.5	92.5	156.74	14.34	\$2064	\$805	
GSEH489641	96 x 48 x 41.5	92.5	170.06	15.84	\$2223	\$901	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only (see 694).

Required Specificati	on
Top finish	
Laminate base finish	
Edge	

Optional Specifications
HP laminate
Power block cut-out

Accessories Power block

## **SWAP TABLES**

HUDDLE BASES					
$\sim$					
$\mathcal{A}$					





18.5" Square Huddle Base

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH	ACO/SBI
	D x W x H						
SELECT BASE CO	OMPATIBLE WITH T	OP HEIGHT:					
	00 00 00	02.5	10	1	\$1048	\$125	\$303
GRHB22H28	22 x 22 x 28	92.5	10	- 1	φ i U+U	Ψ12J	φυυυ
GRHB22H28 GRHB22H35	22 x 22 x 28 22 x 22 x 35	150	62	12.67	\$1048	\$150	\$327

GRHB22H28 - seated height **GRHB22H35** - counter height **GRHB22H41** - bar height

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. Be sure to double check huddle table laminate pieces and metal bases are correct corresponding heights. Available in paint finishes listed on 653; plated finishes as available on 653 (upcharge applies).

GSHB19H28	18.5 x 18.5 x 28	125	55	6.94	\$1120	\$121	\$304
GSHB19H35	18.5 x 18.5 x 35	125	57	8.8	\$1120	\$137	\$350
GSHB19H41	18.5 x 18.5 x 40.5	150	58	9.84	\$1173	\$150	\$332

GSHB19H28 - seated height GSHB19H35 - counter height GSHB19H41 - bar height

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. Be sure to double check huddle table laminate pieces and metal bases are correct corresponding heights. Available in paint finishes listed on 653; plated finishes as available on 653 (upcharge applies).

**Required Specifications** 


**Optional Specifications** Plated finish





Terina is a simple flip top table series that transforms any space into sophisticated areas for training, meetings and collaboration. Terina features unique and elegant aluminum, angled t-leg design paired with high pressure laminate or veneer surface, with optional modesty panels. Surface power modules offer an easy way to charge electronic devices without the need to drop down cords. Wires are managed below the worksurface with snap-in cable clips. Terina can be ganged together with optional flush ganging plates. Single hand release mechanism is active from the center of the user side of the table. Tables can be nested together in an upright position to minimize storage space.

Optional power block includes power and data



Optional ganging plates and daisy chain power management



Tables can be nested together when not in use

#### Features and Benefits

- Training, meeting or conferencing. A multi-purpose table that allows you quickly and simply adapt your space to suit your needs.
- Simple flip top mechanism designed for single handed operation.
- Tops offered in high pressure laminate or wood veneer
- 10" modesty panel articulates when tables fold down
- Legs and crossbeam offered in 7 paint finishes
- Optional flush ganging plates
- Tables can be nested together when not in use.



#### **GENERAL INFORMATION**

- Terina flip top tables transform any space into sophisticated areas for training, meetings and collaboration.
- Simple flip top mechanism is designed for one handed operation.
- Unique, angled "T" leg design.
- Shipped R.T.A. (Ready to Assemble).
- For environmental certifications, please visit globalfurnituregroup.com.

#### WORKSURFACES

- Laminate surfaces are 1-1/16" thick tops constructed of 45 lb. density particle board with high pressure laminate and finished on the underside of the surface with a kraft paper backing.
- Veneer surfaces are 1-3/16" thick tops constructed of 45 lb. density particle board and are balanced on the underside with veneer (unfinished)
- Worksurfaces are pre-drilled for alignment of the Terina base

#### BASE

- · Tables feature an aluminum leg, cross beam and die-cast foot.
- Legs and cross beam are available in (7) different finish options.
- Die-cast foot is always in polished aluminum finish.
- Foot span is 23"

#### **EDGING**

- Laminate surfaces offer a selection of matching + coordinated edgeband. Specify separately from the surface finish.
- · Veneer tops are finished with a 6mm hardwood edge, stained to match

#### **CASTERS**

- Casters are standard on all tables.
- 2-3/8" dual wheel casters with manual lock. Full 360° swivel.
- Suggested for carpeted surfaces.
- · Available in grey only

#### **GANGING PLATES**

- · Ganging plates are available for ganging adjoining tables together.
- Ganging plates are black epoxy coated steel plates with two thumbscrews

#### WIRE MANAGEMENT

 Wire management option is a snap-in channel that fits on the interior of the leg or on the underside of the flip-top cross beam



#### **MODESTY PANELS**

- 10" modesty panel affixes to the top and base, articulating when it folds down.
- · Available in all standard laminates
- Modesty panels up to 60"w have vertical grain. Modesty panels 66" and wider will have horizontal grain.

#### **LAMINATE FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

#### **EDGE FINISHES (Laminate Surfaces Only)**

AAE	Absolute Acajou	FCL	First Class
ASE	Asian Night	NBL	Noce Biondo
ACE	Avant Cherry	NGL	Noce Grigio
AHE	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	MTD	Quartered Mahogany
BZD	Blizzard	SBY	Sheer Beauty
CHR	Charcoal (use w/SOG)	SIL	Silver
CME	Clear Maple	SDT	Stonedust
CGY	Custom Grey	TPE	Taupe
DEE	Dark Espresso	WHE	Walnut Heights
DWE	Designer White	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry

#### **LEG FINISHES**

BLK	Black	CHR	Charcoal
DWT	Designer White	NEV	Nevada
SIL	Silver	TPE	Taupe
TUN	Tungsten		




#### **VENEER FINISHES:**

ENEEK F	INIQHE9:		
Code	Finish	Veneer Type	Cut
AMW	Almond Cherry	Cherry	Flat Sliced
ACW	Amber Cherry	Cherry	Flat Sliced
BTW	Biscotti	White Oak	Rift
CAW	Cocoa Walnut	Walnut	Flat Sliced
CRW	Coral	White Oak	Rift
DCW	Dark Cherry	Cherry	Flat Sliced
DWW	Dark Walnut	Walnut	Flat Sliced
EWW	Espresso Walnut	Walnut	Flat Sliced
EVW	Evening Oak	White Oak	Rift
GRW	Grey on Oak	White Oak	Rift
HAW	Hazelnut	Maple	Flat Sliced
JAW	Java	White Oak	Rift
LTW	Latte Walnut	Walnut	Flat Sliced
MHW	Mahogany on Walnut	Walnut	Flat Sliced
MTW	Milestone	White Oak	Rift
MPW	Natural Maple	Maple	Flat Sliced
NLW	Natural Walnut	Walnut	Flat Sliced
RCW	Red Cherry	Cherry	Flat Sliced
ULW	Umber Walnut	Walnut	Flat Sliced
VNW	Vintage Cherry	Cherry	Flat Sliced
WLW	Walnut	Walnut	Flat Sliced
WCW	Warm Cherry	Cherry	Flat Sliced
WMW	White Maple	Maple	Flat Sliced

#### **GROMMETS**

- Grommets are available in all tops (left, center or right). Order as: AG1, AG2 or AG3. Add \$96.
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.
- · Available on all table widths and depths
- Please note limited user space when cut-outs are specified. See dimensions on diagram below.

#### **Grommet hole dimensions** Grommet



• Grommets may be placed at non-standard locations. Order as: AGS - Add \$96. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.


#### POWER BLOCK

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- A Power Block cut-out (for model PMSPDM) may be ordered for tops 60" and up in any standard location. Order as E1, E2 or E3. Add \$96.
- A Power Block cut-out (for model **PMSPDM**) may be ordered in the **center position** only for 48" and 54" tops. Order as E2. Add \$96.

- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330.
- Please note limited user space when cut-outs are specified. See dimensions on diagram below.




#### Power Block PMSPDM, Add \$330



#### **VILLA CUT-OUTS**

- A Villa cut-out may be ordered for tops 60" and up in any standard location. Order as: V1, V2 or V3 - Add \$96 for each cut-out.
- A Villa cut-out may be ordered in the center position only for 48" and 54" tops. Order as: V2 - Add \$96.
- Villa with USB is not compatible with Terina tables
- Please note limited user space when cut-outs are specified. See dimensions on diagram below



Rectangular Table - Laminate Top\*



RECTANGULAR TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
		D x W x H					
	GFT2472R	24 x 72 x 29	100	66	6.98	\$1900	
	GFT2466R	24 x 66 x 29	250	61	20.96	\$1863	
	GFT2460R	24 x 60 x 29	250	55	20.96	\$1832	
	GFT2454R	24 x 54 x 29	250	53	17.96	\$1790	
	GFT2448R	24 x 48 x 29	250	48	17.96	\$1638	
	GFT3072R	30 x 72 x 29	100	68	6.98	\$1958	
	GFT3066R	30 x 66 x 29	100	66	6.98	\$1938	
	GFT3060R	30 x 60 x 29	100	61	6.98	\$1907	
<b>8</b>	GFT3054R	30 x 54 x 29	100	55	5.99	\$1863	
5-11	GFT3048R	30 x 48 x 29	100	53	5.99	\$1749	

Tables feature a flip-top laminate worksurface for ease of storage. Single hand release mechanism is active from the center of the user side of the table. Leg can be painted in a variety of finishes. Foot is always in polished aluminum. Each table can be ganged together with GFCNGFP ganging plates (see next page). Modesty panels are available (see GFTxxM).

• Casters are available in grey only.

GFT2472RV	24 x 72 x 29	100	66	6.98	\$3154	
GFT2466RV	24 x 66 x 29	250	61	20.96	\$2999	
GFT2460RV	24 x 60 x 29	250	55	20.96	\$2842	
GFT2454RV	24 x 54 x 29	250	53	17.96	\$2753	
GFT2448RV	24 x 48 x 29	250	48	17.96	\$2660	
GFT3072RV	30 x 72 x 29	100	68	6.98	\$3626	
GFT3066RV	30 x 66 x 29	100	66	6.98	\$3428	
GFT3060RV	30 x 60 x 29	100	66	6.98	\$3229	
GFT3054RV	30 x 54 x 29	100	55	5.99	\$3023	
GFT3048RV	30 x 48 x 29	100	53	5.99	\$2822	

Tables feature a flip-top veneer worksurface for ease of storage. Single hand release mechanism is active from the center of the user side of the table. Leg can be painted in a variety of finishes. Foot is always in polished aluminum. Each table can be ganged together with GFCNGFP ganging plates (see next page). Modesty panels are available (see GFTxxMx).

• Casters are available in grey only.

0112172111	LINILNEO	100	00	0.00	Ψ0.0.
GFT2466RV	24 x 66 x 29	250	61	20.96	\$2999
GFT2460RV	24 x 60 x 29	250	55	20.96	\$2842
GFT2454RV	24 x 54 x 29	250	53	17.96	\$2753
GFT2448RV	24 x 48 x 29	250	48	17.96	\$2660
GFT3072RV	30 x 72 x 29	100	68	6.98	\$3626
GFT3066RV	30 x 66 x 29	100	66	6.98	\$3428
GFT3060RV	30 x 60 x 29	100	66	6.98	\$3229
GFT3054RV	30 x 54 x 29	100	55	5.99	\$3023
GFT3048RV	30 x 48 x 29	100	53	5.99	\$2822

JUL

POWER/DATA

Rectangular Table - Veneer Top

**Duo Module** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
BRED50	3.2 x 5.5 x 1.8	70	2.50	.14	\$386	

The duo power module is completely integrated with a mounting clamp to attach to the edge of a worksurface. Provides two outlets and two 2.1 amp USB ports. White face plate, outlets and bracket; 72" long three-prong black cord, silver body.

BREDU51	2.8 x 5.5 x 1.8	70	2.50	.14	\$335


The duo under power module comes with a thin flush mounting bracket to attach to the underside of a worksurface or above



worksurface shelves. Provides two outlets and two 2.1 amp USB ports. White face plate, outlets and brackets; 72" long threeprong black cord, silver body.

Required Specifications	Optional Specifications	Accessories	
Top finish	Grommet	Power block	
Leg finish		Wire management	
Edge finish*		Ganging plate	






MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
GFT72M	.75 x 70 x 10	92.5	20	2	\$346	
GFT66M	.75 x 64 x 10	100	18	2	\$329	
GFT60M	.75 x 58 x 10	70	15	1	\$316	
GFT54M	.75 x 52 x 10	85	13	1	\$303	
GFT48M	.75 x 46 x 10	92.5	11	1	\$288	

Laminate modesty panel for use on GFTxxxxR Tables. Articulating modesty panel includes necessary hardware to attach. Can be retrofitted.

• Modesty panels up to 60"w have vertical grain. Modesty panels 66" and wider will have horizontal grain.



GFT72MV	.75 x 70 x 10	92.5	20	2	\$964
GFT66MV	.75 x 64 x 10	100	18	2	\$896
GFT60MV	.75 x 58 x 10	70	15	1	\$814
GFT54MV	.75 x 52 x 10	85	13	1	\$732
GFT48MV	.75 x 46 x 10	92.5	11	1	\$664

Veneer modesty panel for use on GFTxxxxRx Tables. Articulating modesty panel includes necessary hardware to attach. Can be retrofitted.

• Modesty panels up to 60"w have vertical grain. Modesty panels 66" and wider will have horizontal grain.



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
GFTCM04BLK	2 x 10 x 2	70	1	1	\$54	

Set of four, 10" long grey plastic extrusions. Can be snapped into the inside of each leg for wire management from the surface to the floor, or snapped into the cross beam of the table to keep wires tucked neatly below the worksurface.

CECNICED	1	70	1	01	ėr 4
GFUNGFP	. I X 5 X Z.5	70	1	.01	<b>\$54</b>



Black epoxy coated steel plates with 2 thumbscrews included. Used to connect worksurfaces together. Holes with steel inserts are located in the corner of the tops to accommodate this plate. Sold individually.

**Required Specifications** 

Edge finish\*



Zook was designed for today's dynamic and diverse learning environments. The tables are lightweight and can be reconfigured easily to create interactive environments and support collaboration.

Choose from a variety of organic and geometric shaped table tops to optimize flexibility. They are available in a wide array of sizes and finishes in both thermally fused laminate and high pressure laminate. Zook's color palette also includes nine new bold finishes available in high pressure laminate only.

Tops are available in 1" thick thermally fused laminate or 1-1/16" high pressure laminate with Global's preferred matching edge or a new optional ergo friendly edge.



Variety of organic and geometric shapes



Multiple table configurations. Ideal for group study and encouraging collaboration.



Optional ergo friendly edge

#### **Features and Benefits**

- Tops are 1" thick thermally fused laminate or 1-1/16" high pressure laminate.
- Tops are constructed of 45 lb. density particle board.
- · Global's preferred matching edge or optional ergo friendly
- Tops are available in organic and geometric shapes.
- Surfaces include factory installed metal inserts for solid and secure leg connections.
- Group table's cable tower is constructed from thermally fused laminate with a removable access panel and inside clearance of 9" x 9". Available on group tables ZK44848P, ZK45959P and ZK65990 only.
- Easy to assemble

#### GENERAL INFORMATION

- Zook is a series of tables designed for classrooms and diverse learning environments.
- Organic shapes and rectangular tops are available to create a variety of configurations that naturally bring people together.
- Choose from Zook group tables for groups of 4 to 6 people comfortably, pod tables for individuals, activity tables, or flip top tables.
- Create spaces that encourage discussion and the sharing of ideas
- Supports multi-use, active learning spaces and a variety of teaching styles
- Materials and workmanship stand up to the rigorous demands of today's learning environments
- Shipped easy to assemble. Tops include factory installed metal inserts to accept leg attachment.
- For environmental certifications, please visit globalfurnituregroup.com.

#### **ZOOK GROUP TABLES**

- Organic shaped tops available in three sizes: 48" x 48", 59" x 59" or 59" x 90".
- Tops supported by 3" diameter fixed height post legs.
- Select models available with cut-out options for power modules; these select models also include a cable tower for managing cables to floor monuments...

#### **ZOOK POD TABLES**

- · Available in four geometric shapes; three that when used adjacent to one another, can create various pod configurations as well as rectangular tables in a number of sizes.
- ADA compliant heights available for select models.
- 1.5" diameter fixed height post legs.
- Tables may be specified on levelers or with casters for greater mobility and flexibility

#### ZOOK ACTIVITY TABLES

- Available in three shapes, all based on a 54" wide footprint.
- Tops are available with two types of mating edges: curved or straight. When planning to mate tables, do not mix mating edge styles.
- · 2" diameter tapered legs on levelers or casters.

#### **ZOOK FLIP-TOP TABLES**

- Available in three sizes, 30"w x 22"d with concave shaped top; 30"w x 24"d and 60"w x 24"d rectangular top with radius corners.
- Supported by Y legs, equipped with smooth glide casters (two locking). Tungsten (TTU) finish only.
- 60"w tables optional with AG1, AG2, AG3 grommet; ZKFR3024 available with optional AG2 grommet
- Modesty panels are available separately in Tungsten (TUN) finish only.
- Tops and bases sold separately.
- Caution: to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified.

#### WORKSURFACES

- Tops are available in 1" thick thermally fused laminate or 1-1/16" thick high pressure
- Available in many finishes in both thermally fused laminate or high pressure laminate
- Worksurface core is made of 45 lb. density particleboard
- · Surfaces include factory-installed metal inserts for solid and secure leg connections

#### WRITEABLE SURFACE OPTION

- · Available on group, pod, activity, flip-top and rectangular tables
- High gloss White, non-magnetic dry-erase surface
- . Complementary or contrasting edge to be specified, darker edge finish recommended
- Specify (WRW) for top finish. For upcharge, refer to finish option per product.

#### **EDGE DETAIL**

- Global's preferred (2mm flat edge) matching edge is standard
- · Optional ergo-friendly edge is available at an upcharge (varies by item; see product for details).
- · Rectangular tops feature rounded 2.5" radius corners







#### **LEGS**

- Group tables: 3" diameter steel post legs, 28" high with adjustable 3" diameter plastic glides. Each leg includes a 6" x 6" metal top plate and ships with truss head screws to connect to tops. See 702 for available finishes.
- Pod tables: 1.5" diameter tube steel legs, available with adjustable levelers or dual wheel locking casters. Each leg includes top plate and hardware for mounting. See 702 for available finishes. Optional Chrome (CHM) finish is available for pod tables only. Add \$78 for three-legged models or add \$102 for four-legged models
- Activity tables: 2" diameter tapered legs available with adjustable levelers or optional locking casters. Each leg includes top plate and hardware for mounting. See 702 for available finishes. Optional Chrome (CHM) finish is available. Add \$164.


#### **Group tables** Pod tables **Activity Tables** 3" dia. leg 1.5" dia. leg 1.5" dia. leg Tapered leg Tapered leg with caster with leveler with caster

#### **CASTERS**

- Pod table models ending in C indicate legs equipped with 1.5" dia locking casters. Casters are black only.
- · Activity table models ending in C indicate legs equipped with 2"dia locking casters. Casters are black only.

#### **GROUP TABLE with CABLE TOWER**

- Constructed from thermally fused laminate with a removable access panel
- Inside clearance of 8" x 8.6" will conceal most floor monuments, but still provide
- Available on group tables ZK44848P, ZK45959P and ZK65990P only.
- Must specify cut-out option when ordering group tables to accommodate select power module. Power modules sold seperately.
- Available in Black (BLK), Brushed Cobalt (BRC) or Designer White (DWT) finish



### 1. SPECIFY MODEL NUMBER

#### 2. SPECIFY TOP FINISH

#### **Thermally Fused and High Pressure Laminate Finishes:**

ACJ	Absolute Acajou	CGY	Custom Grey	NML	Noce Medio
ASN	Asian Night	DES	Dark Espresso	MTD	Quartered Mahogany
AWC	Avant Cherry	DWT	Designer White	SBY	Sheer Beauty
AWH	Avant Honey	FAS	Fashionista	SOG	Storm Grey
BLK	Black	FCL	First Class	SDT	Stonedust
BZD	Blizzard	NBL	Noce Biondo	WHE	Walnut Heights
BRC	Brushed Cobalt	NGL	Noce Grigio	WHC	White Chocolate
CMB	Clear Maple	NEL	Noce Leggero	WCR	Winter Cherry

### 3. SPECIFY EDGE FINISH

#### 2mm Thick Edgebanding:

AAE	Absolute Acajou	FCL	First Class
ASE	Asian Night	FOG	Fog
ACE	Avant Cherry	LAB	Latte
AHE	Avant Honey	NBL	Noce Biondo
BLK	Black	NGL	Noce Grigio
BRC	Brushed Cobalt	NEL	Noce Leggero
BZB	Buzz Blue	NML	Noce Medio
BZD	Blizzard	ΩTM	Quartered Mahogany
CCT	Cactus	SAR	Scarlet
CRO	Carrot	SBY	Sheer Beauty
CME	Clear Maple	SHW	Shadow
CGY	Custom Grey	SDT	Stonedust
DEE	Dark Espresso	SOG	Storm Grey
DWE	Designer White	WHE	Walnut Heights
DJN	Dijon	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry

### Ergo Friendly Edge Finishes (optional - upcharge applies)

EBL Black ECP Latte ECG Charcoal Grey EDW Designer White EGR Grey

#### 4. SPECIFY LEG FINISH

#### Legs:

TBL	Black
TBZ	Buzz Blue
TCC	Cactus
TCR	Carrot
TIV	Cloud
TDW	Designer White
TDJ	Dijon
TEG	Eggplant
TF0	Fog
TFR	Frost
TIN	Ink
TKA	Kalua
TLA	Latte
TM0	Mocha
TNE	Nevada
TSN	Sand
TSR	Scarlet
TSH	Shadow

Toast

Tungsten Chrome\*\*

\*\*Upcharges apply for CHM. Refer to model for upcharges.

Note: Leg finish is not optional for flip-top tables. Available in Tungsten (TTU) only.

FINISH	ACTIVITY	FLIP-TOP	GROUP	POD
Black TBL	•	N/A	•	•
Buzz Blue TBZ	•	N/A	•	•
Cactus TCC	•	N/A	•	•
Carrot TCR	•	N/A	•	•
Chrome CHM	•	N/A	N/A	•
Cloud TIV	•	N/A	•	•
Designer White TDW	•	N/A	•	•
Dijon TDJ	•	N/A	•	•
Eggplant TEG	•	N/A	•	•
Fog TFO	•	N/A	•	•
Frost TFR	•	N/A	•	•
Ink TIN	•	N/A	•	•
Kalua TKA	•	N/A	•	•
Latte TLA	•	N/A	•	•
Mocha TM0	•	N/A	•	•
Nevada TNE	•	N/A	•	•
Sand TSN	•	N/A	•	•
Scarlet TSR	•	N/A	•	•
Shadow TSH	•	N/A	•	•
Toast TOA	•	N/A	•	•
Tungsten TTU	•	•	•	•

TOA

TTU

## SPECIFY CABLE TOWER FINISH - ZK44848P, ZK45959P and ZK65990P only

## **Cable Tower Finishes:**

BLK Black

BRC Brushed Cobalt
DWT Designer White


## SPECIFY CUT-OUT OPTION - remember to order power module separately

## POWER BLOCK AND CUT-OUT OPTIONS

- A power block delivers power/data to the table surface.
- Power block modules must be ordered separately and available for models ZK44848P, ZK45959P and ZK465990P only.
- Must specify the power block cut-out option when ordering the table.
- Optional cut-out available in the center position only and corresponds to select power modules. Order as R2 or T2 depending on the power module ordered.
- For a custom size cut-out (must be in center position), please contact Customer Care
- Select power block option from Productivity Solutions, beginning on page 462.

PRTMCS401B PRTMCS401T PRTMCS401W PRTMCS421B PRTMCS421T PRTMCS421W







- Match power block desired with cut-out code and location from above grid.
- Example: For power block module # PRTMCS401B, specify cut-out option R2.

## **MODPOWER DAISY CHAIN SOLUTION**

- Add flexible power and USB charging to select Zook tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions 465.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for ZKRxxxx(L/C), ZKFR3024\* and

## ZKFR6024\*. Add \$96

 MPD for two cut-outs in the left and right positions, 15" from ends to center of unit on the approach side for ZKR54xx(L/C), ZKR60xx(L/C), ZKR72xx(L/C) and ZKFR6024\*. Add \$192.

\*Note: not for use with Zook flip-top tables if optional modesty panel is specified.


## **EXAMPLE ZOOK ORDER CODES:**

## Group table

ZK65590P	-ACJ	-HPL	-ECG	-TTU	-BRC	-U2
Model #	Top finish	High pressure laminate	Ergo friendly edge and finish	Leg finish	Cable tower finish	Cut out option

#### Pod table

ZK412529L	-ACJ	-HPL	-WHE	-TTU
Model #	Top finish	High pressure	2mm edge finish	Leg finish



6-Person Table w/Cable Tower, 29"H\*

6-person table includes top, seven steel post legs and cable tower. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 3" in diameter x 28" high with an adjustable 3" diameter plastic glide and a 6" x 6" metal top plate. Shipped easy to assemble in 8 cartons. For power block options, see page 462.

Required specifications	Optional specifications	Accessories	
Top finish	HP laminate	Power block*	
Edge finish	Ergo friendly edge and finish		
Leg finish	Power block cut-out*		
-	Writeable surface (WRW)		

\$341

\$510

\$341

\$510

\$341

\$510

\$845

\$845

\$845

POD TABLES	MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE	WRW
Sample pod table configurations	ZK412529 shown in left, fo and right facing	orward shown in a	lternating	ZK412529L x	4 ZK3	02529L x 6	ZK31	2129L x 6	
	L F	R R							
POD TABLES - 29" HIGH	MODEL#	DIMENSIONS	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE	WRW
	ZK302529L	24.6 x 30 x 29	70	37	2	\$391	\$69	\$31	\$156
Small Pod Table w/3 Legs	or can be arrange secure leg connec top separate from	ith three round tube 18 gad in groups of six to creat tions. Legs are 1.5" in di legs; legs individually pas available on legs. <b>Add</b>	e a round table ameter x 28" hi cked.	effect. Top ir	ncludes facto	ory installed	d metal inse	erts for sol	id and
	ZK352129L	20.9 x 35 x 29	70	41	2.40	\$492	\$83	\$37	\$156
Medium Pod Table w/4 Legs	round table effect x 28" high with ac	th four round tube 18 gau . Top includes factory ins ljustable levelers. Shippe s available on legs. <b>Add</b>	talled metal ins ed easy to asse	serts for solid	and secure	leg connect	ions. Legs	are 1.5" ir	ı diameter
	ZK412529L	25.7 x 41 x 29	70	48	2.24	\$505	\$106	\$44	\$182
Large Pod Table w/3 Legs		ith three round tube 18 gable effect. Top includes	actory installed	d metal inserts	s for solid ar	nd secure le	g connecti	ons. Legs	are 1.5" in
	packed.	gh with adjustable leveler s available on legs. <b>Add</b>		sy to assemble	e III 4 Carton				
	packed.	•		sy to assemble	e iii 4 Cartoii				
	packed.	•		sy to assemble	s III 4 Carton				
	packed.	•		y to assemble	s III 4 Carton				

Required	specifications

Top finish Edge finish Leg finish

Optional specifications
HP laminate
Ergo friendly edge and finish
Writeable surface (WRW)
Chrome (CHM) legs

ZOOK <sup>TM</sup> POD TABLES - 32" HIGH
Medium Pod Table w/4 Legs
Medium Fou Tubic W/4 Logs
Large Pod Table w/3 Legs



**ADA compliant** table with four round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of six to create a round table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 31" high with adjustable levelers. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

Chrome (CHM) is available on legs. Add \$102 list.

ZK412532L	25.7 x 41 x 32	70	48	2.36	\$510	\$106	\$44	\$182

**ADA compliant** table with three round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of four to create a square table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 31" high with adjustable levelers. Shipped easy to assemble in 4 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$78 list.

ZK302529C	24.6 x 30 x 29	70	37	2	\$418	\$69	\$31	\$156

Small Mobile Pod Table w/3 Legs

Triangular table with three round tube 18 gauge steel legs. Can be used individually, can alternate front-to-back in a straight row, or can be arranged in groups of six to create a round table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Shipped easy to assemble in 4 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$78 list.

ZK352129C	20.9 x 35 x 29	70	41	2.40	\$531	\$83	\$37	\$156



Medium Mobile Pod Table w/4 Legs

Trapezoid table with four round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of six to create a round table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

Chrome (CHM) is available on legs. Add \$102 list.

ZK412529C	25.7 x 41 x 29	70	48	2.24	\$534	\$106	\$44	\$182



Large Mobile Pod Table w/3 Legs

Triangular table with three round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of four to create a square table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Shipped easy to assemble in 4 cartons, top separate from legs; legs individually packed

• Chrome (CHM) is available on legs. Add \$78 list.

Required specifications	Optional specifications
Top finish	HP laminate
Edge finish	Ergo friendly edge and finish
Leg finish	Writeable surface (WRW)
· ·	Chroma (CHM) logs



Rectangular Table, 20" Deep

**RECTANGULAR TABLES - 29" HIGH** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	E HP ADD	ERGO EDGE	WRW
	D x W x H							
ZKR3020L	20 x 30 x 29	70	50	2.55	\$465	\$110	\$35	\$144
ZKR3620L	20 x 36 x 29	70	51	2.65	\$481	\$130	\$37	\$156
ZKR4820L	20 x 48 x 29	70	58	2.95	\$531	\$171	\$44	\$177
ZKR5420L	20 x 54 x 29	70	64	3.15	\$616	\$194	\$48	\$187
ZKR6020L	20 x 60 x 29	70	70	3.25	\$640	\$214	\$52	\$198
ZKR7220L	20 x 72 x 29	65	85	3.55	\$700	\$258	\$58	\$214

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with adjustable levelers. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$102 list.



Rectangular Table, 24" Deep

ZKR3024L	24 x 30 x 29	70	51	2.75	\$468	\$130	\$36	\$156
ZKR3624L	24 x 36 x 29	70	53	2.85	\$505	\$158	\$38	\$166
ZKR4824L	24 x 48 x 29	70	59	3.25	\$563	\$206	\$45	\$193
ZKR5424L	24 x 54 x 29	70	65	3.35	\$653	\$232	\$50	\$202
ZKR6024L	24 x 60 x 29	70	71	3.55	\$681	\$256	\$53	\$214
ZKR7224L	24 x 72 x 29	70	86	3.95	\$745	\$307	\$60	\$240

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with adjustable levelers. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$102 list.



Mobile Rectangular Table, 20" Deep

MOBILE RECTANGULAR TABLES - 29" HIGH

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE HP ADD	ERGO EDGE	WRW
ZKR3020C	20 x 30 x 29	70	50	2.55	\$504 \$110	\$35	\$144
ZKR3620C	20 x 36 x 29	70	51	2.65	\$516 \$130	\$37	\$156
ZKR4820C	20 x 48 x 29	70	58	2.95	\$566 \$171	\$44	\$177
ZKR5420C	20 x 54 x 29	70	64	3.15	\$654 \$194	\$48	\$187
ZKR6020C	20 x 60 x 29	70	70	3.25	\$678 \$214	\$52	\$198
ZKR7220C	20 x 72 x 29	65	85	3.55	\$737 \$258	\$58	\$214

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually

• Chrome (CHM) is available on legs. Add \$102 list.



Mobile Rectangular Table, 24" Deep

ZKR3024C	24 x 30 x 29	70	51	2.75	\$507	\$130	\$36	\$156
ZKR3624C	24 x 36 x 29	70	53	2.85	\$543	\$158	\$38	\$166
ZKR4824C	24 x 48 x 29	70	59	3.25	\$602	\$206	\$45	\$193
ZKR5424C	24 x 54 x 29	70	65	3.35	\$691	\$232	\$50	\$202
ZKR6024C	24 x 60 x 29	70	71	3.55	\$719	\$256	\$53	\$214
ZKR7224C	24 x 72 x 29	70	86	3.95	\$785	\$307	\$60	\$240

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$102 list.

Doguirod	specifications
neauirea	specifications

Top finish Edge finish Leg finish

## Optional specifications

**HP** laminate Ergo friendly edge and finish Writeable surface (WRW) Chrome (CHM) legs

## ZOOK™ **ACTIVITY TABLES** DxWxH Sample activity table configurations ZK54RECTL x 2 ZK54HEXSL x 2 ZK54RNDSL x 2 Straight mating edges ZK54HEXCL x 2 ZK54WAVCL x 2 ZK54RNDCL x 2 Curved mating edges ZK54RNDCL x 2 ZK54WAVCL x 1 ZK54RNDCL x 2 ZK54HEXCL x 2 ZK54WAVCL x 2 ZK54WAVCL x 1 Mixed shapes Curved mating edges shown. Can also do the same with straight mating edge tables.

ACTIVITY TABLES - 29" HIGH, CURVED	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRIC	E HP ADD	ERGO EDGE	WRW
	ZK54RNDCC	28.4 x 54 x 28.75	5 65	67.4	1.40	\$937	\$214	\$56	\$202
ੱਖ਼ Curved Half Round w/Casters	front interferes wit factory installed in	nce between legs on c h users sitting on ends serts for metal-to-meta available on legs. Ac	s in a racetrack co al leg connection.	onfiguration, o	oriented to s	eat two - or	ne on eith	er side. Top i	ncludes
	ZK54HEXCC	32.4 x 54 x 28.75	5 65	76.4	1.49	\$1010	\$246	\$66	\$202
Curved Half Hex w/Casters	Top includes factor from leg.	nce between legs on c y installed inserts for r available on legs. <b>Ac</b>	metal-to-metal leç						•
	ZK54WAVCC	33.8 x 54 x 28.75	5 65	77.4	1.52	\$1042	\$262	\$79	\$202
Wave w/Casters		nce between legs on c d easy to assemble in	•			octory instal	led insert	s for metal-to	o-metal le
		available on legs. Ac			- 0				

Optional specifications
HP laminate

Ergo friendly edge and finish Writeable surface (WRW) Chrome (CHM) legs

Required specifications
Top finish

Edge finish Leg finish

global	globalfurnituregroup.com



 MODEL#
 DIMENSIONS
 FREIGHT CLASS
 WT/LB.
 CUBIC FT.
 LIST PRICE HP ADD
 ERGO EDGE
 WRW

 D x W x H
 28.4 x 54 x 28.25
 65
 67.4
 1.40
 \$929
 \$214
 \$56
 \$202

44.3" inside clearance between legs on curved edge, 22.9" on narrow depth side and 24" on other side. Dual leg position on front interferes with users sitting on ends in a racetrack configuration, oriented to seat two - one on either side. Top includes factory installed inserts for metal-to-metal leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate from leg.

• Chrome (CHM) is available on legs. Add \$164 list.

32.4 x 54 x 28.25

ZK54HEXCL



Curved Half Hex w/Levelers\*

Curved Half Round w/Levelers\*

65

76.4

1.49

\$1003

\$246

\$66

\$202

42.9" inside clearance between legs on curved edge, 22.3" on narrow depth side and 24" on other side. 22.8" on straight end. Top includes factory installed inserts for metal-to-metal leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate from leg.

• Chrome (CHM) is available on legs. Add \$164 list.



Wave w/Levelers\*

ZK54VVAVUL	33.8 X 54 X 28.25	65	77.4	1.52	\$1034	<b>\$202</b>	2/3	<b>\$202</b>

44.9" inside clearance between legs on curved edge, 21.9" on sides. Top includes factory installed inserts for metal-to-metal leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate from leg.

• Chrome (CHM) is available on legs. Add \$164 list.

Required	cnooifi	antions
neuulleu	Suecili	Calibiis

Top finish Edge finish Leg finish

## Optional specifications

HP laminate Ergo friendly edge and finish Writeable surface (WRW) Chrome (CHM) legs

ACTIVITY TABLES - 29"HIGH, STRAIGHT	MODEL#		EIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRIC	E HP ADD	ERGO EDGE	WRW
	ZK54RNDSC	<b>D x W x H</b> 28.4 x 54 x 28.75	65	67.4	1.40	\$885	\$189	N/A	\$202
ರ್ಟaight Half Round w/Casters	ends in a racetrack leg connection. Sh	nce between legs on long configuration, oriented to ipped easy to assemble in s available on legs. <b>Add \$</b>	seat two - or 2 cartons, top	ne on either si	de. Top inclu				
	ZK54HEXSC	32.4 x 54 x 28.75	65	73.4	1.49	\$914	\$204	N/A	\$202
traight Half Hex w/Casters	metal-to-metal leg	nce between legs on long connection. Shipped easy s available on legs. <b>Add \$</b>	to assemble				ncludes fac	tory install	ed inserts f
	ZK54RECTC	33.8 x 54 x 28.75	65	73.4	1.52	\$965	\$227	N/A	\$202
ectangular w/Casters	leg connection. Shi	nce between legs on long s pped easy to assemble in 2 s available on legs. Add \$	cartons, top			les factory i	installed ins	erts for me	etal-to-meta
	ZK54RNDSL	28.4 x 54 x 28.25	65	67.4	1.40	\$877	\$189	N/A	\$202
traight Half Round w/Levelers	in a racetrack configuration. Leveler	nce between legs on long s guration, oriented to seat t rs offer 1.25" of height adj s available on legs. <b>Add \$</b>	wo - one on e ustability. Shi	ither side. Top	includes fac	tory install	ed inserts fo	or metal-to	
	ZK54HEXSL	32.4 x 54 x 28.25	65	73.4	1.49	\$907	\$204	N/A	\$202
traight Half Hex w/Levelers	metal-to-metal leg leg.	nce between legs on long s connection. Levelers offer s available on legs. Add \$	1.25" of heigl						
Straight Half Hex w/Levelers	metal-to-metal leg leg.	connection. Levelers offer	1.25" of heigl						

 Required specifications
 Optional specifications

 Top finish
 HP laminate

 Edge finish
 Writeable surface (WRW)

 Leg finish
 Chrome (CHM) legs



FLIP-TOP TABLES





Flip-Top Table, Contoured Top





Mobile flip-top table with smooth glide locking casters. Easy to operate twist knob with integrated thumb tab. Top includes factory installed inserts for metal-to-metal leg connection. When nested, each additional table adds 5.25" to footprint needed for storage. Optional modesty (ZKFTM30) available separately. Top and base shipped separately. Legs available in Tungsten (TUN)





Flip-Top Table, Rectangular Top\*\*



Тор:								
ZKFR3024T	24 x 30 x 29.5	70	21.5	1.03	\$277	\$139	\$108	\$156
Base:								
ZKFTB30		125	26.5	3.6	\$685	n/a	n/a	n/a

Mobile flip-top table with smooth glide locking casters. Easy to operate twist knob with integrated thumb tab. Top includes factory installed inserts for metal-to-metal leg connection. When nested, each additional table adds 5.25" to footprint needed for storage. Optional modesty (ZKFTM30) available separately. Top and base shipped separately. Legs available in Tungsten (TUN) only.



Flip-Top Table, Rectangular Top\*

MODESTY PANELS FOR FLIP-TOP TABLES



Тор:								
ZKFR6024T	24 x 60 x 29.5	70	43	1.92	\$405	\$207	\$112	\$214
Base:								
ZKFTB60		100	31	3.86	\$778	n/a	n/a	n/a

Mobile flip-top table with smooth glide locking casters. Easy to operate twist knob with integrated thumb tab. Top includes factory installed inserts for metal-to-metal leg connection. When nested, each additional table adds 5.25" to footprint needed for storage. Optional modesty (ZKFTM60) available separately. Top and base shipped separately. Legs available in Tungsten (TUN) only.

	•
9=	
1=	

2-2	
1	1

Modesty for ZKFC3022 and ZKFC3024



Modesty for ZKFR6024

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
ZKFTM30	0.5 x 17.8 x 13.8	60	6.6	0.22	\$66	

Hardware included to attach to ZKFC3022 or ZKFR3024. Tungsten finish only. Shipped in 1 carton.

ZKFTM60 0.5 x 47.3 x 13.8 65 14.3 0.57 <b>\$129</b>
-----------------------------------------------------

Hardware included to attach ZKFR6024. Tungsten finish only. Shipped in 1 carton.

**Required Specifications** 

Top finish Edge finish **Optional Specifications** 

**HP** laminate

Ergo friendly edge and finish Writeable surface (WRW)

# **CITI TABLES**

CITI TABLES MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE DxWxH

## Notes

- Citi tables complement the contemporary timeless decor of many offices.
- Legs are standard in Tungsten (TTU) and also available in Black (TBL) or Shadow (TSH) at no charge. A Chrome (CHM) finish is available. Add \$110.
- Table tops are available in either tempered glass or laminate
- Citi tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry


	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	

## **End Table**

**CITI TABLES** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
7885	20 x 24 x 20	100	53	6	\$827	
(laminate top)						
7886	20 x 24 x 20	92.5	60	6	\$1166	
(glass top)						


Metal tubular legs. Laminate or tempered glass tops available.



Coffee Table - Rectangular

7887	20 x 40 x 15	100	60	6.50	\$863	
(laminate top)						
7888	20 x 40 x 15	92.5	75	6.50	\$1343	
(glass top)						

Metal tubular legs. Laminate or tempered glass tops available.



**Coffee Table - Square** 

7889	33 x 33 x 15	92.5	90	8.75	\$1630	
(glass top)						

Metal tubular legs. Tempered glass top.

Required Specifications Finish



			market			CUAI	IKEE2
COAT TREES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
		DxWxH					
<b>¥</b>	PCOS2	25 x 25 x 60	300	8	4.67	\$501	
	PCOS3	25 x 25 x 60	300	8	4.67	\$501	
Coat Tree	Square tube met • 3 per carton • PCOS2 is finisi • PCOS3 is finisi		n four Chrome doub	le hooks. Ad	justable glides.	60" high. Ships UPS.	
	PCT	25 x 25 x 65	250	6	3	\$642	
Coat Tree	(AAM), Black (Bl Night (ASM), Sa	(M), Cherry (ACM), Engl	ish Oak (EOM), Gra	y (HGM), Ho	ney (AHM), Ma	lable in the following finisho ple (AVM), Medium Walnut Winter Cherry (WCM) and <sup>V</sup>	(MWM),

Required Specifications Finish



LAMINATE OCCASIONAL TABLES MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

DxWxH

## Notes:

- High pressure laminate exterior with adjustable plastic glides
- Premium cylinder tables have a flexible plywood core construction ideal for institutional and high traffic environments
- Ideal for reception areas colors coordinate with all Global desks, conference tables and accessories.
- Ships assembled in one carton.
- Available to either match or coordinate with most Global laminate desk series. Available finishes:

ACJ ASN AWC	Absolute Acajou Asian Night Avant Cherry	FCL NBL NGL	First Class Noce Biondo Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

LAMINATE OCCASIONAL TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	GCU1816	18 x 18 x 16	85	40	3.30	\$615
	GCU1821	18 x 18 x 21	92.5	46	4	\$717
	GCU2416	24 x 24 x 16	92.5	63	6	\$717
	GCU2421	24 x 24 x 21	92.5	83	7	\$717
Cube Table	¾" plywood cove	red in high pressure lar	minate. Plastic glide	es. <b>Flush b</b> a	ase.	
	GCUP1816	18 x 18 x 16	85	40	3	\$680
	GCUP1821	18 x 18 x 21	92.5	46	4	\$785
	GCUP2416	24 x 24 x 16	92.5	63	6	\$785
	GCUP2421	24 x 24 x 21	92.5	83	7	\$785
				.o. 1166633	ธน ม <b>ด</b> อธ.	
	. ,		minate. Plastic glide		eu Dase.	
	GCY1816	18 x 18 x 16	85	43	3.30	\$615
	GCY1816 GCY1821	18 x 18 x 16 18 x 18 x 21	85 92.5	43 49	3.30 4.30	\$717
	GCY1816 GCY1821 GCY2416	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16	85 92.5 125	43 49 47	3.30 4.30 6	\$717 \$717
	GCY1816 GCY1821 GCY2416 GCY2421	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21	85 92.5 125 100	43 49 47 66	3.30 4.30 6 7	\$717 \$717 \$717
	GCY1816 GCY1821 GCY2416 GCY2421 GCY3016	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21 30 x 30 x 16	85 92.5 125 100 125	43 49 47 66 59	3.30 4.30 6 7 8	\$717 \$717 \$717 \$815
	GCY1816 GCY1821 GCY2416 GCY2421	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21	85 92.5 125 100	43 49 47 66	3.30 4.30 6 7	\$717 \$717 \$717
Cylinder Table	GCY1816 GCY1821 GCY2416 GCY2421 GCY3016 GCY3021	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21 30 x 30 x 16	85 92.5 125 100 125 125	43 49 47 66 59 78	3.30 4.30 6 7 8 11	\$717 \$717 \$717 \$815
Cylinder Table	GCY1816 GCY1821 GCY2416 GCY2421 GCY3016 GCY3021 3/8" foundation b	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21 30 x 30 x 16 30 x 30 x 21 poard covered in high p	85 92.5 125 100 125 125 125 ressure laminate. Pl	43 49 47 66 59 78 lastic glides	3.30 4.30 6 7 8 11 Flush base.	\$717 \$717 \$717 \$717 \$815 \$815
Cylinder Table	GCY1816 GCY1821 GCY2416 GCY2421 GCY3016 GCY3021 3/8" foundation b	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21 30 x 30 x 16 30 x 30 x 21 poard covered in high p	85 92.5 125 100 125 125 125 ressure laminate. Pl	43 49 47 66 59 78	3.30 4.30 6 7 8 11	\$717 \$717 \$717 \$717 \$815 \$815

24 x 24 x 21

30 x 30 x 16

30 x 30 x 21

100

125

125

3/8" foundation board covered in high pressure laminate. Plastic glides. Recessed base.

66

59

78

7

8

11

\$785

\$891

\$891

**Required Specifications** 

Finish

GCYP2421

GCYP3016

GCYP3021

**Plinth Cylinder Table** 



# LAMINATE OCCASIONAL TABLES L

CPFD1816			WT/LBS.	CUBIC FT.	LIST PRICE
61101010	<b>D x W x H</b> 18 x 18 x 16	150	30	7	\$1024
CPFD1821	18 x 18 x 21	150	30	7	\$1053
					\$1053
					\$1003
					\$1203
					\$1203 \$1327
CPPD1816	18 v 18 v 16	150	30	7	\$1078
				7	\$1106
CPPD2416	24 x 24 x 16	250	42	11.50	\$1117
CPPD2421	24 x 24 x 21	250	42	11.50	\$1144
		050	го	17	64077
CPPD3016	30 x 30 x 16	250	52	17	\$1277
-	CPPD1816 CPPD1821 CPPD2416	CPFD2421 24 x 24 x 21 CPFD3016 30 x 30 x 16 CPFD3021 30 x 30 x 21  11/32" plywood covered in high pressure  CPPD1816 18 x 18 x 16 CPPD1821 18 x 18 x 21 CPPD2416 24 x 24 x 16	CPFD2421     24 x 24 x 21     250       CPFD3016     30 x 30 x 16     250       CPFD3021     30 x 30 x 21     250       11/32" plywood covered in high pressure laminate. Plastic       CPPD1816     18 x 18 x 16     150       CPPD1821     18 x 18 x 21     150       CPPD2416     24 x 24 x 16     250	CPFD2421       24 x 24 x 21       250       42         CPFD3016       30 x 30 x 16       250       52         CPFD3021       30 x 30 x 21       250       52         11/32" plywood covered in high pressure laminate. Plastic glides.         Flust         CPPD1816       18 x 18 x 16       150       30         CPPD1821       18 x 18 x 21       150       30         CPPD2416       24 x 24 x 16       250       42	CPFD2421       24 x 24 x 21       250       42       11.50         CPFD3016       30 x 30 x 16       250       52       17         CPFD3021       30 x 30 x 21       250       52       17         11/32" plywood covered in high pressure laminate. Plastic glides. Flush base.         CPPD1816       18 x 18 x 16       150       30       7         CPPD1821       18 x 18 x 21       150       30       7         CPPD2416       24 x 24 x 16       250       42       11.50

Required Specifications Finish

TABLES WITH SLED BASE MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD GR. 2 ADD

#### **DRIFT TABLES**



model 8041R2616C 26"W x 16"H Round Table Laminate Surface, Flat Edge, Chrome Base



model 8042S02816I 28"W x 16"H Square Table, Laminate Surface, Flat Edge,

ACJ

Top HPL

Finish

Base Finish

(Sled Base)

Glide Type

(Sled Base)



Model 8042SQ2816W 28"W x 16"H Square Table, Laminate Surface, Flat Edge Wood Base



For Drift seating, see page

8041R2616I

Model Number

**EXAMPLE OF TABLE ORDER CODE:** 

Surface

## STANDARD FEATURES

- Tables are available in three shapes, multiple sizes, two edge styles, three top materials and three base types including: sled, wood and polished Chrome
- Table bases are fixed and do not swivel
- Wood bases are made from beechwood and are available in all standard wood finishes.
- Sled bases are standard in painted metal.
- Chrome base tables are available in polished Chrome only
- All table tops are available with flat edge. High pressure laminate (HPL) and solid surface top tables are also available with knife edge.
- Laminate flat edge tops are available in either (TFL) 1" thick thermally fused laminate with 2mm edgeband or (HPL) 1-1/16" thick high pressure laminate with 2mm edgeband, with upcharge.
- · Laminate knife edge tops are 1-3/16" thick with 2.5mm edgeband, available in high pressure laminate (HPL) only.
- Solid surface table tops are 1.25" thick, available on models with flat or knife edge. For detailed material information, please reference WilsonArt's Solid Surface collection.
- · Wood and Chrome bases are equipped with White non-marking polycarbonate glides suitable for most hard and carpeted floor surfaces.
- · Sled bases are available with clear polycarbonate glides, standard,
- Wood and sled bases may be specified with a variety of optional glide types to suit various flooring materials. (See Glide Types for additional glide options and upcharges.)
- Tables are shipped fully assembled.

Add option codes in the following order:

**Model Number** 

Specify model number

Surface Type (Laminate, Flat Edge Tables) (TFL) Thermally fused laminate (HPL) High pressure laminate

• Top Finish (TFL or HPL laminate, flat edge tables and HPL laminate knife edge tables only) HPL upcharges apply -see model (ACJ) Absolute Acajou (ASN) Asian Night

(AWC) Avant Cherry (AWH) Avant Honey (BLK) Black (BZD) Blizzard (BRC) Brushed Cobalt (CMB) Clear Maple (CGY) Custom Grey (DES) Dark Espresso (DWT) Designer White (FAS) Fashionista (FCL) First Class (NBL) Noce Biondo (NGL) Noce Grigio (NEL) Noce Leggero (NML), Noce Medio (QTM) Quartered Mahogany (SBY) Sheer Beauty (SOG) Storm Grey (WCR) Winter Cherry (SDT) Stonedust (WHC) White Chocolate (WHE) Walnut Heights

 Top Finish (solid surface, flat and knife edge tables) Grade 1

(SWH) Designer White

Grade 2, Upcharge applicable, see models.

(SBT) Beige Tempest (SBX) Black Onyx Mirage (SMG) Milk Glass Spectra (SFW Frosty White Mirage (SHS) Hot Stone

(SNM) Northern Melange

Base finish (sled base models only)

Paint finishes:

(TBL) Black (TTU) Tungsten (TSH) Shadow (TDW) Designer White

(**TLA**) Latte (TNE) Nevada (TMO) Mocha (TKA) Kalua (TOA) Toast (**TFO** Fog (TIV) Cloud (TSN) Sand (TFR) Frost (TDJ) Dijon (TSR) Scarlet (TCR) Carrot (TCC) Cactus (TBZ) Buzz Blue (TEG Eggplant (TIN) Ink

Metallic finish:

(CHM) Chrome. Add \$42

Base Finish (Chrome base only)

(CHM) Chrome

Glide Type (sled base)

(CG) Clear, polycarbonate glide for most floor surfaces (standard)

(XG) No glide for carpeted surfaces, no charge

(SG) Steel cushioned glide for carpeted surface. Add \$34

(RG) Rubber, non-slip glide for most hard floor surfaces. Add \$34

(FG) Felt glide for most hard floor surfaces. Add \$34

Glide Type (wood base)


(NM) White non-marking nylon glide for most surfaces (standard)

(SG) Steel cushioned glides for carpeted surfaces. Add \$34.

(RG) Non-slip rubber glides for most hard floor surfaces. Add \$34.

(FG) Felt glides for most hard floor surfaces. Add \$34.

	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRI	CE HP ADI	D GR. 2			
	Laminate, flat edge	(TEL Jaminata)									
	8041R2616I	26 x 26 x 16	250	35	10.25	\$561	\$98	n/a			
	8041R3016I	30 x 30 x 16	250	44	13	\$591	\$115	n/a			
	8041R2120I	21 x 21 x 20	250	29	8.75	\$587	\$97	n/a			
	00711121201	Z1 A Z1 A ZU	230	۷.5	0.70	ψJU1	ΨυΙ	11/0			
1	Laminate, knife ed	no (HPI laminato)									
ınd Table with Sled Base	8041R2616IK	26 x 26 x 16	250	35	10.25	\$1199	n/a	n/a			
ina Table With Sica Base	8041R3016IK	30 x 30 x 16	250	44	13	\$1133	n/a	n/a			
	8041R2120IK	21 x 21 x 20	250	29	8.75	\$996	n/a	n/a			
	00+1112120IIX	ZIXZIXZO	200	20	0.70	4000	11/ u	11/4			
	Solid surface, flat	edne									
	8041R2616ISF	26 x 26 x 16	150	48	10.25	\$2343	n/a	\$158			
	8041R3016ISF	30 x 30 x 16	150	61	13	\$2522	n/a	\$218			
	8041R2120ISF	21 x 21 x 20	150	37.5	8.75	\$2204	n/a	\$109			
	0011112120101	ZIXZIXZO	100	07.0	0.70	QLLU.	11/ G	Ų.00			
	Solid surface, knif	e edae									
	8041R2616ISK	26 x 26 x 16	150	48	10.25	\$2397	n/a	\$169			
	8041R3016ISK	30 x 30 x 16	150	61	13	\$2603	n/a	\$234			
	8041R2120ISK	21 x 21 x 20	150	37.5	8.75	\$2302	n/a	\$115			
	00411121201010	21 / 21 / 20	130	37.3	0.73	Ψ2JU2	11/ u	9113			
	Finished height will v	ary depending on n	aterial top. Shippe	d fully asser	mbled in 1 cart	on.					
	Laminate, flat edge	(TFI laminate)									
	8042SQ2216I	22 x 22 x 16	150	34	8	\$561	\$98	n/a			
	8042SQ2816I	28 x 28 x 16	250	44	11.75	\$591	\$115	n/a			
	8042SQ1920I	19 x 19 x 20	250	29	7.75	\$568	\$88	n/a			
	0042017201	13 / 13 / 70	230	23	1.13	<b>4700</b>	ψυυ	11/0			
1	Laminate, knife ed	ne (HPI Jaminate)									
are Table with Sled Base	8042SQ2216IK	22 x 22 x 16	150	34	8	\$996	n/a	n/a			
are rable with orea base	8042SQ2816IK	28 x 28 x 16	250	44	11.75	\$1248	n/a	n/a			
	8042SQ1920IK	19 x 19 x 20	250	29	7.75	\$955	n/a	n/a			
	00420Q1020IIX	10 % 10 % 20	200	20	7.70	<b>4000</b>	11/ U	11/ 4			
	Solid surface, flat	edne									
	8042SQ2216ISF	22 x 22 x 16	150	39.5	8	\$2065	n/a	\$136			
	8042SQ2816ISF	28 x 28 x 16	150	62.5	11.75	\$2365	n/a	\$218			
	8042SQ1920ISF	19 x 19 x 20	150	38	7.75	\$1976	n/a	\$164			
	3012021320101	10 % 10 % 20	100		7.7.0	Ų.075	1.7 G	<b></b>			
	Solid surface, knife edge										
	8042SQ2216ISK	22 x 22 x 16	150	39.5	8	\$2397	n/a	\$164			
	8042SQ2816ISK	28 x 28 x 16	150	62.5	11.75	\$2819	n/a	\$245			
	8042SQ1920ISK	19 x 19 x 20	150	38	7.75	\$2302	n/a	\$120			
							.,, a	Ţ. <u></u>			
	Finished height will vary depending on material top. Shipped fully assembled in 1 carton.										
	Tillistied fleight will	Tary doponaning on in									
	Laminate, flat edge	, , ,									
		(TFL laminate)	150	36.5	8.75	\$561	\$98	n/a			
	Laminate, flat edge	(TFL laminate)	150 250	36.5 46	8.75 11.75	\$561 \$591	\$98 \$115	n/a n/a			
	Laminate, flat edge 80430V2616I	26 x 22 x 16									
	<b>Laminate, flat edge</b> 80430V2616I 80430V3116I	26 x 22 x 16 31 x 26 x 16	250	46	11.75	\$591	\$115	n/a			
	<b>Laminate, flat edge</b> 80430V2616I 80430V3116I	26 x 22 x 16 31 x 26 x 16 22 x 18 x 20	250 250	46	11.75	\$591	\$115	n/a			
Table with Sled Base	<b>Laminate, flat edge</b> 80430V2616I 80430V3116I 80430V2220I	26 x 22 x 16 31 x 26 x 16 22 x 18 x 20	250 250	46	11.75	\$591	\$115	n/a			
Table with Sled Base	Laminate, flat edge 80430V26161 80430V31161 80430V22201 Laminate, knife ed	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate)	250 250	46 34	11.75 10.75	\$591 \$587	\$115 \$97	n/a n/a			
Table with Sled Base	Laminate, flat edge 80430V26161 80430V31161 80430V22201 Laminate, knife ed 80430V2616IK	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16	250 250 150	46 34 36.5	11.75 10.75 8.75	\$591 \$587 \$1199	<b>\$115</b> <b>\$97</b> n/a	n/a n/a n/a			
Table with Sled Base	Laminate, flat edge 80430V26161 80430V31161 80430V22201 Laminate, knife ed 80430V2616IK 80430V3116IK 80430V2220IK	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20	250 250 150 250	46 34 36.5 46	11.75 10.75 8.75 11.75	\$591 \$587 \$1199 \$1365	\$115 \$97 n/a n/a	n/a n/a n/a n/a			
Table with Sled Base	Laminate, flat edge 80430V26161 80430V31161 80430V22201 Laminate, knife ed 80430V26161K 80430V31161K 80430V22201K	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20	250 250 150 250 250	36.5 46 34	11.75 10.75 8.75 11.75 10.75	\$591 \$587 \$1199 \$1365 \$1113	\$115 \$97 n/a n/a n/a	n/a n/a n/a n/a n/a			
Table with Sled Base	Laminate, flat edge 80430V2616I 80430V3116I 80430V2220I Laminate, knife ed 80430V2616IK 80430V3116IK 80430V2220IK Solid surface, flat 6 80430V2616ISF	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16	250 250 150 250 250 250	36.5 46 34	11.75 10.75 8.75 11.75 10.75	\$591 \$587 \$1199 \$1365 \$1113	\$115 \$97 n/a n/a n/a n/a	n/a n/a n/a n/a n/a s158			
Table with Sled Base	Laminate, flat edge 80430V2616I 80430V3116I 80430V2220I Laminate, knife ed 80430V2616IK 80430V3116IK 80430V2220IK Solid surface, flat of 80430V2616ISF 80430V3116ISF	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20	250 250 150 250 250 250 150	36.5 46 34 42 60	8.75 10.75 8.75 11.75 10.75	\$591 \$587 \$1199 \$1365 \$1113 \$2343 \$2522	\$115 \$97 n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a n/a \$158			
Table with Sled Base	Laminate, flat edge 80430V2616I 80430V3116I 80430V2220I Laminate, knife ed 80430V2616IK 80430V3116IK 80430V2220IK Solid surface, flat 6 80430V2616ISF	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16	250 250 150 250 250 250	36.5 46 34	11.75 10.75 8.75 11.75 10.75	\$591 \$587 \$1199 \$1365 \$1113	\$115 \$97 n/a n/a n/a n/a	n/a n/a n/a n/a n/a s158			
Table with Sled Base	Laminate, flat edge 80430V2616I 80430V3116I 80430V2220I Laminate, knife ed 80430V2616IK 80430V3116IK 80430V2220IK Solid surface, flat of 80430V2616ISF 80430V3116ISF	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20	250 250 150 250 250 250 150	36.5 46 34 42 60	8.75 10.75 8.75 11.75 10.75	\$591 \$587 \$1199 \$1365 \$1113 \$2343 \$2522	\$115 \$97 n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a s158			
Table with Sled Base	Laminate, flat edge 80430V2616I 80430V3116I 80430V2220I Laminate, knife ed 80430V2616IK 80430V2116IK 80430V2220IK Solid surface, flat ( 80430V2616ISF 80430V3116ISF 80430V2220ISF	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20	250 250 150 250 250 250 150	36.5 46 34 42 60	8.75 10.75 8.75 11.75 10.75	\$591 \$587 \$1199 \$1365 \$1113 \$2343 \$2522	\$115 \$97 n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a s158 \$218 \$109			
Table with Sled Base	Laminate, flat edge 80430V2616I 80430V3116I 80430V2220I Laminate, knife ed 80430V2616IK 80430V3116IK 80430V2220IK Solid surface, flat of 80430V2616ISF 80430V3116ISF 80430V2220ISF	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 27 x 18 x 20  e edge 26 x 22 x 16	250 250 250 150 250 250 150 250	46 34 36.5 46 34 42 60 38	8.75 10.75 8.75 11.75 10.75 8.75 11.75 10.75	\$591 \$587 \$1199 \$1365 \$1113 \$2343 \$2522 \$2204	\$115 \$97 n/a n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a n/a \$158 \$218 \$109			
Table with Sled Base	Laminate, flat edge 80430V2616I 80430V3116I 80430V2220I Laminate, knife ed 80430V2616IK 80430V3116IK 80430V2220IK Solid surface, flat of 80430V2616ISF 80430V3116ISF 80430V2220ISF	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20	250 250 150 250 250 250 150 150 250	36.5 46 34 42 60 38	8.75 10.75 8.75 11.75 10.75 8.75 11.75 10.75	\$591 \$587 \$1199 \$1365 \$1113 \$2343 \$2522 \$2204	\$115 \$97 n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a s158 \$218 \$109			
I Table with Sled Base	Laminate, flat edge 80430V2616I 80430V3116I 80430V2220I Laminate, knife ed 80430V2616IK 80430V3116IK 80430V2220IK Solid surface, flat of 80430V2616ISF 80430V3116ISF 80430V2220ISF Solid surface, knife 80430V2616ISK 80430V3116ISK 80430V2210ISK	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  e edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20	250 250 250 250 250 250 150 250	46 34 36.5 46 34 42 60 38	8.75 10.75 8.75 11.75 10.75 8.75 11.75 10.75	\$591 \$587 \$1199 \$1365 \$1113 \$2343 \$2522 \$2204 \$2397 \$2603 \$2302	\$115 \$97 n/a n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a n/a \$158 \$218 \$109			
I Table with Sled Base	Laminate, flat edge 80430V2616I 80430V3116I 80430V2220I Laminate, knife ed 80430V2616IK 80430V3116IK 80430V2220IK Solid surface, flat of 80430V2220ISF 80430V3116ISF 80430V2220ISF	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  e edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20	250 250 250 250 250 250 150 250	46 34 36.5 46 34 42 60 38	8.75 10.75 8.75 11.75 10.75 8.75 11.75 10.75	\$591 \$587 \$1199 \$1365 \$1113 \$2343 \$2522 \$2204 \$2397 \$2603 \$2302	\$115 \$97 n/a n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a			
Table with Sled Base	Laminate, flat edge 80430V2616I 80430V2616I 80430V2220I Laminate, knife ed 80430V2616IK 80430V2616IK 80430V216IK 80430V2220IK Solid surface, flat 80430V2616ISF 80430V2220ISF Solid surface, knife 80430V2616ISK 80430V2616ISK 80430V216ISK 80430V216ISK 80430V220ISK Finished height will was required Specification Round Required Specification Round Rou	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  e edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  evaluation of the second of th	250 250 250 250 250 250 150 250 150 250 aterial top. Shippe	46 34 36.5 46 34 42 60 38 42 60 38	8.75 10.75 8.75 11.75 10.75 8.75 11.75 10.75	\$591 \$587 \$1199 \$1365 \$1113 \$2343 \$2522 \$2204 \$2397 \$2603 \$2302	\$115 \$97 n/a n/a n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a n/a \$158 \$218 \$109			
Table with Sled Base	Laminate, flat edge 80430V2616I 80430V3116I 80430V2220I Laminate, knife ed 80430V2616IK 80430V3116IK 80430V2220IK Solid surface, flat 80430V2616ISF 80430V2220ISF Solid surface, knife 80430V2616ISK 80430V2220ISF Solid surface, knife 80430V2616ISK 80430V220ISK 80430V216ISK 80430V2220ISK Finished height will was surface type	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  e edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  evaluation of the second of th	250 250 250 150 250 250 150 250 150 250 aterial top. Shippe	46 34 36.5 46 34 42 60 38 42 60 38	8.75 10.75 8.75 11.75 10.75 8.75 11.75 10.75	\$591 \$587 \$1199 \$1365 \$1113 \$2343 \$2522 \$2204 \$2397 \$2603 \$2302 on.	\$115 \$97 n/a n/a n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a n/a s158 \$218 \$109			
Table with Sled Base	Laminate, flat edge 80430V2616I 80430V2616I 80430V2220I Laminate, knife ed 80430V2616IK 80430V2616IK 80430V216IK 80430V2220IK Solid surface, flat 80430V2616ISF 80430V2220ISF Solid surface, knife 80430V2616ISK 80430V2616ISK 80430V216ISK 80430V216ISK 80430V220ISK Finished height will was required Specification Round Required Specification Round Rou	e (TFL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  ge (HPL laminate) 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  e edge 26 x 22 x 16 31 x 26 x 16 22 x 18 x 20  evaluation of the second of th	250 250 250 250 250 250 150 250 150 250 aterial top. Shippe	46 34 36.5 46 34 42 60 38 42 60 38	8.75 10.75 8.75 11.75 10.75 8.75 11.75 10.75 8.75 11.75 10.75	\$591 \$587 \$1199 \$1365 \$1113 \$2343 \$2522 \$2204 \$2397 \$2603 \$2302	\$115 \$97 n/a n/a n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a n/a s158 \$218 \$109			



Re	qu	ired	Specifications

Surface type Top finish Base finish Glide type Optional Specifications

HP laminate
Grade 2 solid surface
Cut-out for grommet/power blocks
Plated base finish

Accessories

Power block

TABLES WITH SLED BASE	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRI	CE HP ADI	D GR. 2
		DxWxH						
	Laminate, flat edge	(HPL laminate)						
	8042SQ2216W	22.75 x 22.75 x 16	250	30	7.75	\$1204	\$98	n/a
	8042SQ2816W	28.5 x 28.5 x 16	250	39	11.5	\$1234	\$115	n/a
	001204201011	20.0 X 20.0 X 10	200			Ţ. <u></u> .	¥v	, ۵
	Laminate, knife ed	na (HDI laminata)						
	8042SQ2216WK	22.75 x 22.75 x 16	250	30	7.75	\$1639	n/a	n/a
uare Table with Wood	8042SQ2816WK	28.5 x 28.5 x 16	250	39	11.5	\$1033	n/a	
	00423Q2010VVN	20.0 X 20.0 X 10	230	39	11.0	\$1734	II/a	n/a
se	Colid ourfood flot	ndan.						
	Solid surface, flat of 8042S02216WSF	22.75 x 22.75 x 16	150	20	7.75	62700	2/2	\$136
			150	36		\$2708	n/a	
	8042SQ2816WSF	28.5 x 28.5 x 16	150	59	11.5	\$3008	n/a	\$218
	Calid audaaa kuit	d						
	Solid surface, knif		150	00	7.75	00040	,	6404
	8042SQ2216WSK	22.75 x 22.75 x 16	150	36	7.75	\$3040	n/a	\$164
	8042SQ2816WSK	28.5 x 28.5 x 16	150	59	11.5	\$3462	n/a	\$245
	Finished height will v	ary depending on mat	erial top. Shippe	d fully asser	mbled in 1 cart	on.		
	Laminate, flat edge	•						
	80430V2616C	26 x 22 x 16	150	38	9.25	\$1058	\$98	n/a
	80430V3116C	31 x 26 x 16	250	44	11.75	\$1088	\$115	n/a
								,
	Laminate, knife ed	ae						
	80430V2616CK	26 x 22 x 16	150	38	9.25	\$1696	n/a	n/a
al Table with Polished	80430V3116CK	31 x 26 x 16	250	44	11.75	\$1862	n/a	n/a
rome Base	00 100 VO 1 100 K	01 X 20 X 10	200		11.70	Ų.00 <u>L</u>	11/ 0	11/ 4
Tome Buse	Solid surface, flat	odno						
	80430V2616CSF	26 x 22 x 16	150	49.5	9.25	\$2840	n/a	\$158
	80430V3116CSF	31 x 26 x 16	150	61.5	11.75	\$3019	n/a	\$218
	00430 (3110031	31 / 20 / 10	100	01.0	11.75	<b>43013</b>	11/ u	Ψ <b>2</b> 10
	Solid surface, knif	o odno						
	80430V2616CSK	26 x 22 x 16	150	49.5	9.25	\$2894	n/a	\$169
	80430V3116CSK							
	80430V3110C3K	31 x 26 x 16	150	61.5	11.75	\$3101	n/a	\$234
	Finished height will v	ary depending on mat	erial top. Shippe	d fully asse	mbled in 1 cart	on.		
	Laminate, flat edge	1						
	80430V2616W	26 x 22 x 16	250	32	9.25	\$1204	\$98	n/a
1	80430V3116W	31 x 26 x 16	250	39	11.75	\$1234	\$115	n/a
	22.22.31.01.						, <del>-</del>	, a
/	Laminate, knife ed	ae						
	80430V2616WK	26 x 22 x 16	250	32	9.25	\$1842	n/a	n/a
al Table with Wood	80430V3116WK	31 x 26 x 16	250	39	11.75	\$2008	n/a	n/a
se	OUTOU VOTTUVVIX	01 / 20 / 10	200	00	11.70	ψ <u>ε</u> 000	11/ U	11/0
	Solid surface, flat	adna						
	80430V2616WSF	26 x 22 x 16	150	44.5	9.25	\$2985	n/a	\$158
	80430V3116WSF	31 x 26 x 16	150	56.5	11.75	\$2965 \$3165	n/a	
	0043073110775	31 X ZU X 10	100	00.0	11./3	90100	II/d	\$218
	Calidaf 1 'f							
	Solid surface, knif		150	44.5	0.05	60040	/	<b>6400</b>
	80430V2616WSK	26 x 22 x 16	150	44.5	9.25	\$3040	n/a	\$169
	80430V3116WSK	31 x 26 x 16	150	56.5	11.75	\$3246	n/a	\$234
	Finished height will v	ary depending on mate	erial top. Shippe	d fully asser	mbled in 1 cart	on.		

Optional Specifications
HP laminate
Grade 2 solid surface

Cut-out for grommet/power blocks Plated base finish

Required Specifications
Surface type
Top finish
Base finish
Glide type

Accessories Power block



LITE LIFT II MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

DxWx

## Notes:

- Lightweight construction allows tables to easily and safely be lifted and moved by one person.
- Polypropylene top is fully water resistant and easy to clean and maintain.
- Thick, high impact radius corner helps protect individuals from injury.
- Folding legs automatically lock by a gravity activated mechanism when opened.
- Non-marring plastic glides protect floors from scratching when tables are moved.
- Structural side aprons allow tables to easily stack.
- Lite Lift II tables pass all BIFMA standards for strength and stability.
- Available in Oyster Grey finish only.

LITE LIFT II TABLE	5
MVLFRT48	MVLFRT60-MVLFRT96
Rectangular Fol	ding Table

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
MVLFRT48	24 x 48 x 29.25	85	23	1 57	ė210	
MVLFRT60	30 x 60 x 29.25		30	1.57 2.54	\$310 \$413	
MVI FRT72	30 x 72 x 29.25		36	3.06	\$485	
MVLFRT96	30 x 96 x 29.25		50	4.79	\$712	

Lightweight, textured, polypropylene Oyster Grey finish top. High impact radius corners. 19 gauge 11/8" diameter steel tubular legs with welded crossbars automatically lock. Legs finished in scuff resistant textured Charcoal Grey epoxy paint. Shipped fully assembled.

- Available in Oyster Grey finish with Charcoal Grey legs only.
- **Note**: Prices shown are for Global Distribution Center, not delivered pricing. All orders will be charged freight, except orders containing other Global products totaling \$2,000 list or more, before adding folding tables and folding chairs. Any Inside Delivery & Set-up charge for these products must be quoted separately.

## RIVER+ TABLES

## **RIVER+ TABLES**







**Outside Curve End Table** 



18" Dia, Round Lapton Table

## STANDARD FEATURES

- · A modular series that is composed of straight and curved sections, as well as freestanding units.
- Linking units can be used together in any combination with River+ seating and bench units to create a wide variety of layouts. Ganging hardware is standard and is factory installed. Ganging hardware swivels out of the way when not in use.
- Front and back faces of end (linking) tables angles slightly inwards. This inward slant matches the inward angles of River seating so all units coordinate in visual appearance.
- The standard 6.5", welded steel legs are straight. (vertical) as standard. Linking models are optionally available with an angled back leg to visually align with River+ seating units.
- · Legs are standard in Chrome with Black, non-marking, height adjustable glides.
- Tables are made with high pressure laminate. Custom high pressure laminate finishes will be considered upon request.
- · Laptop tables have 1" thick laminate tops.
- Laptop table painted metal base finishes are available in Black and Tungsten only.

#### **OPTIONAL FEATURES**

- · Legs of coffee and end (linking) tables are available in 3" (S3) and 8" (S8) heights. All leg heights are available with fixed-to-floor (F3) and (F8) options. Add \$100
- · To match adjacent lounge seating, straight front and angled back 6.5" or 8" legs are available on linking/ end tables. Specify (SA). No upcharge.
- Power units are available on all tables except laptop tables. Each unit includes one AC outlet and two USB-a,10 watt charging ports. Add \$661 upcharge ner unit
- Power location options include top, front or end. See electrical placement diagrams. Electrical units must be factory installed.
- Power units are available in either Jet Black (J) or White (W) with 120", three-prong matching cords.
- Most products can be weighted to reduce the ease of movement. For additional weight options, specify (CW). See each model for available additional weight and upcharge.

Please add option codes in the following order:

#### • Model number

R27855 to R27858 Square coffee tables R27859 Rectangular coffee table R27860 to R27861 Round coffee tables R27862 to R27864 Linking/end tables 7443 and 7745 Freestanding tables

## • Laminate finishes

(ACJ) Absolute Acajou (ASN) Asian Night (AWH) Avant Honey (AWC) Avant Cherry (BLK) Black (BZD) Blizzard (BRC) Brushed Cobalt (CMB) Clear Maple (CGY) Custom Grey (DES) Dark Espresso (DWT) Designer White (FAS) Fashionista (FCL) First Class (NBL) Noce Biondo (NEL) Noce Leggero (NGL) Noce Grigio (NML), Noce Medio (QTM) Quartered Mahogany (SBY) Sheer Beauty (SOG) Storm Grev (SDT) Stonedust (WCR) Winter Cherry (WHC) White Chocolate (WHE) Walnut Heights

(colors shown on website)

## Leg selection

(S6) Standard height (6.5") w/adjustable glides. No upcharge.

(S3) Low (3") w/adjustable glides. No upcharge. (S8) High (8") w/adjustable glides. No upcharge.

(F6) Standard height (6.5"), fixed to floor. Add \$100. (F3) Low (3"), fixed to floor. Add \$100.

(F8) High (8"), fixed to floor. Add \$100.

• Leg angle (linking/end tables only) (AST) Straight legs. No upcharge. (SA) Straight front legs, angled back legs. No uncharge.

## Leg finish

(CHM) Chrome (TBL) Black (TDW) Designer White (TFO) Fog (TFR) Frost (TIV) Cloud (TLA) Latte (TMO) Mocha (TNE) Nevada (TOA) Toast (TSN) Sand (TSH) Shadow (TTU) Tungsten

## Additional weight

(CW) Additional weight. Upcharges vary, see model.

• Power/USB unit position (coffee and linking/end tables only, as shown below).

Add \$661 per unit.

(NP) No power (no upcharge)

(LE1) Left end (coffee table only)

(LE2) Right end (coffee table only) (F3) Front center (coffee table only)

(**T1**) Top

## · Power unit finish


(J) Jet Black (W) White

(TP) Tamperproof fasteners. Add \$160.


## **EXAMPLE RIVER+ TABLE ORDER CODE:**

R27858	-ACJ	-S6	-AS	-CM	-	-T1	-W	-
Model number	Laminate	Leg selection	Leg angle	Leg finish	Additional weight	Power/USB	Power finish	Fasteners

## **ELECTRICAL PLACEMENT**



## **Linking Tables**



# **R** RIVER+ TABLES

RIVER+ TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	R27855	24 x 24 x 17	250	40	10.7	\$1484	
U 1" Square Coffee Table		t only. 1 per carton. nit, see electrical placem 6 lbs. ( <b>CW</b> )	ent chart.				
	R27856	30 x 30 x 17	250	53	15.3	\$1563	
U O" Square Coffee Table		t only. 1 per carton. nit, see electrical placem 7 lbs. ( <b>CW</b> )	ent chart.				
	R27857	36 x 36 x 17	250	75	20.6	\$1791	
6" Square Coffee Table		t only. 1 per carton. nit, see electrical placem it.	ent chart.				
	R27858	42 x 42 x 17	150	115	26.7	\$1991	
2" Square Coffee Table		t only. 1 per carton. nit, see electrical placem tt.	ent chart.				
	R27859	20 x 40 x 17	250	55	14.2	\$1626	
ectangular Coffee Table		t only. 1 per carton. nit, see electrical placem 8 lbs. ( <b>CW</b> )	ent chart.				
	Required Specific	cations	Optional Specif	ications		Accessories	
	Top finish		Counterweight			Power Block	

						KIVEK	+ IARLES		
ROUND COFFEE TABLES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE			
	R27860	36 x 36 x 17	150	63	15.3	\$1927			
36" Dia. Round Coffee Table		only. 1 per carton. nit, see electrical placen 8 lbs. ( <b>CW</b> )	nent chart.						
	R27861	42 x 42 x 17	150	85	20.6	\$2113			
42" Dia. Round Coffee Table	Freestanding unit only. 1 per carton.  For power/USB unit, see electrical placement chart. No counterweight.								
	R27862	15 x 28 x 17	300	40	20.6	\$1578			
Rectangular End Table		udes ganging hardware ( nit, see electrical placen 6 lbs. ( <b>CW</b> )							
	R27863	17 x 28 x 17	250	47	13.3	\$2073			
Inside Curve End Table		udes ganging hardware ( nit, see electrical placen 6 lbs. ( <b>CW</b> )							
	R27864	17 x 28 x 17	250	47	13.3	\$2073			
Outside Curve End Table		udes ganging hardware ( nit, see electrical placen 6 lbs. ( <b>CW</b> )							

Optional Specifications
Counterweight

Required Specifications
Top finish
Leg finish

Accessories Power Block

# **S** SIRENA TABLES



RECTANGULAR TOP	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
Notes:		DxWxH				

- Modern tables for reception areas, meeting rooms, and private office use.
- Sirena tables are offered in the following finishes to coordinate with Global desking and wood seating:

ACJ	Absolute Acajou	DES	Dark Espresso	NML	Noce Medio
ASN	Asian Night	DWT	Designer White	SBY	Sheer Beauty
AWC	Avant Cherry	FAS	Fashionista	SDT	Stonedust
AWH	Avant Honey	FCL	First Class	WHE	Walnut Heights
BZD	Blizzard	NBL	Noce Biondo	WHC	White Chocolate
CMB	Clear Maple	NGL	Noce Grigio	WCR	Winter Cherry
CGY	Custom Grey	NEL	Noce Leggero		

- Laminate tops are 1.5" thick to coordinate with Global desking and wood seating
- Table legs are available in Black (TBL) or Tungsten (TTU) at no upcharge. Not available in Chrome.
- Legs are 1.5" steel tubing, tapered toward the bottom of the leg to 0.875", equipped with self-leveling pivoting steel glide.

SIRENA TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	3400	22 x 48 x 15	250	52	17.25	\$1856	
Coffee Table	Rectangular coffee table	3.					
	3401	22 x 56 x 15	250	60	19.75	\$2052	
Coffee Table	Rectangular coffee table	<b>3</b> .					
	3402	22 x 17 x 15	250	26	7.75	\$1489	
End Table	Rectangular end table.						
	Required Specifica Finish	ations	Optional Specif	fications		Accessories Power Block	

			market				TABLE
/IND TABLES otes:	MODEL	# DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
Wind tables complement the mod	lern decor of many office						
Legs are standard in Chrome (CHI	<b>M</b> ). Also available in Bla	ck ( <b>TBL</b> ), Shadow ( <b>TSH</b> ) or Tun					
1" laminate tops are offered in the	e following finishes to co	oordinate with Global casegood	ds and wood seating:				
ACJ Absolute Acajou	DWT Design	er White SDT	Stonedust				
ASN Asian Night	FAS Fashion		Walnut Heights				
AWC Avant Cherry	FCL First Cla		White Chocolate				
AWH Avant Honey	NBL Noce B		Winter Cherry				
BLK Black	NGL Noce G	•					
BZD Blizzard	NEL Noce L						
BRC Brushed Cobalt CMB Clear Maple	NML Noce N QTM Quarter	ed Mahogany					
CGY Custom Grey	SBY Sheer E	0 ,					
DES Dark Espresso	SOG Storm (						
Fable tops are available in high pr		·	nodal numbara: 2266	2267 2260	2070 and 2071	: enecify (HPI ) in addition	on to the finis
HPL is not available on 3878, 3879		% upcharge for the following in	iouei numbers. 5500,	3307, 3300,	30/U dilu 30/ i	, specify ( <b>nFL</b> ) iii additii	on to the iiiis
IND TABLES	MODEL	# DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	3366	24 x 24 x 17	250	36	11.50	\$933	
	3300						
	3300						
	3300						
	3300						
Juliara Carner Tabla				h Shinnad a			
uare Corner Table		ıbular base. Tops are available		h. Shipped a			
juare Corner Table	Steel to	ıbular base. Tops are available	with a laminate finis		ssembled in 1 c	carton.	
nuare Corner Table				h. Shipped a 52			
quare Corner Table	Steel to	ıbular base. Tops are available	with a laminate finis		ssembled in 1 c	carton.	
quare Corner Table	Steel to	ıbular base. Tops are available	with a laminate finis		ssembled in 1 c	carton.	
	Steel to 3367	ıbular base. Tops are available 20 x 48 x 15	with a laminate finis 250	52	ssembled in 1 c	sarton. \$1234	
	Steel to 3367	ıbular base. Tops are available	with a laminate finis 250	52	ssembled in 1 c	sarton. \$1234	
	Steel to	ubular base. Tops are available 20 x 48 x 15 ubular base. Tops are available	with a laminate finis 250 with a laminate finis	52 h. Shipped a	ssembled in 1 o	\$1234 \$arton.	
	Steel to 3367	ıbular base. Tops are available 20 x 48 x 15	with a laminate finis 250	52	ssembled in 1 c	sarton. \$1234	
ectangular Coffee Table	Steel to	ubular base. Tops are available 20 x 48 x 15 ubular base. Tops are available	with a laminate finis 250 with a laminate finis	52 h. Shipped a	ssembled in 1 o	\$1234 \$arton.	
ectangular Coffee Table	Steel to	ubular base. Tops are available 20 x 48 x 15 ubular base. Tops are available	with a laminate finis 250 with a laminate finis	52 h. Shipped a	ssembled in 1 o	\$1234 \$arton.	
ectangular Coffee Table	3367 Steel to 3368	ubular base. Tops are available  20 x 48 x 15  ubular base. Tops are available  36 x 36 x 15	with a laminate finis 250 with a laminate finis 250	52 sh. Shipped a 66	ssembled in 1 o	\$1234 earton. \$1670	
actangular Coffee Table	3367 Steel to 3368	ubular base. Tops are available 20 x 48 x 15 ubular base. Tops are available	with a laminate finis 250 with a laminate finis 250	52 sh. Shipped a 66	ssembled in 1 o	\$1234 earton. \$1670	
ectangular Coffee Table	3367 Steel to 3368	ubular base. Tops are available  20 x 48 x 15  ubular base. Tops are available  36 x 36 x 15	with a laminate finis 250 with a laminate finis 250	52 sh. Shipped a 66	ssembled in 1 o	\$1234 earton. \$1670	
ectangular Coffee Table	3367 Steel to 3368	ubular base. Tops are available  20 x 48 x 15  ubular base. Tops are available  36 x 36 x 15	with a laminate finis 250 with a laminate finis 250	52 sh. Shipped a 66	ssembled in 1 o	\$1234 earton. \$1670	
quare Corner Table ectangular Coffee Table quare Coffee Table	Steel to  3367  Steel to  3368	ubular base. Tops are available  20 x 48 x 15  ubular base. Tops are available  36 x 36 x 15  ubular base. Tops are available	with a laminate finis  250  with a laminate finis  250  with a laminate finis	52 sh. Shipped a 66 sh. Shipped a	ssembled in 1 of 16 ssembled in 1 of 22 ssembled in 1 of 1	\$1234 carton. \$1670	
ectangular Coffee Table	Steel to  3367  Steel to  3368	ubular base. Tops are available  20 x 48 x 15  ubular base. Tops are available  36 x 36 x 15  ubular base. Tops are available	with a laminate finis  250  with a laminate finis  250  with a laminate finis	52 sh. Shipped a 66 sh. Shipped a	ssembled in 1 of 16 ssembled in 1 of 22 ssembled in 1 of 1	\$1234 carton. \$1670	
ectangular Coffee Table	Steel to  3367  Steel to  3368	ubular base. Tops are available  20 x 48 x 15  ubular base. Tops are available  36 x 36 x 15  ubular base. Tops are available	with a laminate finis  250  with a laminate finis  250  with a laminate finis	52 sh. Shipped a 66 sh. Shipped a	ssembled in 1 of 16 ssembled in 1 of 22 ssembled in 1 of 1	\$1234 carton. \$1670	
ectangular Coffee Table	Steel to 3367  Steel to 3368  Steel to 3870	ubular base. Tops are available  20 x 48 x 15  ubular base. Tops are available  36 x 36 x 15  ubular base. Tops are available	with a laminate finis  250  with a laminate finis  250  with a laminate finis	52 sh. Shipped a 66 sh. Shipped a	ssembled in 1 of 16  ssembled in 1 of 22  ssembled in 1 of 1.50	\$1234 carton. \$1670 carton.	

**Round Coffee Table** 

250 \$1501 3871 36 x 36 x 15 57 22

Steel tubular base in Chrome finish.

# Required Specifications Top finish Leg finish



## WIND LINEAR TABLES





MUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	LIST PRICE	
	D x W x H					
3878	25 x 20 x 16	250	38	11.50	\$1334	

## Freestanding Rectangular End Table

Steel tubular base. Laminate top is 5" thick with opening on front for storage and visual recess at rear. Shipped assembled in 1 carton.



3879	25 x 25 x 16	250	40	11.50	\$1455

## Freestanding Corner Table

Steel tubular base. Laminate top is 5" thick with opening on front for storage and visual recess at rear. Shipped assembled in 1 carton.



3880	54 x 20 x 15	250	52	16	\$1623

## **Freestanding Coffee Table**

Steel tubular base. Laminate top is 5" thick with opening on front for storage and visual recess at rear. Shipped assembled in 1 carton.

WORK TABLES MODEL#	DIMENSIONS FREIGH	HT CLASS WT/LBS. CUBIC FT	: LIST PRICE
--------------------	-------------------	---------------------------	--------------

## Notes:

• Work tables are offered in the following top finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

<sup>•</sup> Legs available in Chrome (CHM) or Black (TBL)

WORK TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	GATMS6030	30 x 60 x 29	70	132	8	\$690
	GATMS7230	30 x 72 x 29	92.5	87	8	\$786
	GATMS7236	36 x 72 x 29	70	132	8	\$968
U U						

## **Work Tables**

1" high performance thermally fused laminate with self edge top. Black metal skirt. Rectangular top with metal legs and leveling glides. Self edge is standard. Shipped easy to assemble in 1 carton.

Required Specifications	Optional Specifications
Top finish	Leg finish



Sturdy and economically priced, Global's Anywhere Table Collection is ideal for boardrooms, meeting spaces and cafeterias.

Table tops are offered in seven shapes - round, square, rectangular, boat, racetrack, rectangular with bow ends, and wedge - and a variety of bases (including metal options, laminate drum base, arch base or slab base). Add to this an impressive variety of laminate finishes that can be mixed and matched and you'll find Global can satisfy any and every business need.

From cafeterias to large boardrooms, from traditional to contemporary, Global's range of table components, shapes, sizes and colors will enhance any office décor.

## **Features and Benefits**

- Tables 96" wide or less are standard with one-piece tops.
- Tables 120" and 144" wide are standard with two-piece tops.
- Tops are available in 1" thick thermally fused laminate, or 1-1/16" and 1-1/2" thick high pressure laminate.
- All tops are edged with 2mm thick matching or complementary finish edgeband.
- Square, rectangular and wedge shaped tops are standard with 90° corners.
   Optional with 2" corner radius corners.

## GENERAL INFORMATION

- Practical and economical table solutions for cafeteria, meeting spaces and more.
- Tops are available in 1" thick thermally fused laminate, 1-1/16" high pressure laminate or 1-1/2" thick high pressure laminate.
- Multiple base styles available including metal options, and laminate drum base, arch base or slab base.
- Tables up to 96" wide are standard with one-piece tops; 120" and 144" wide are standard with two-piece tops.
- Variety of top shapes: round, square, rectangular, boat, racetrack, rectangular with bow ends, and wedge.
- All tops are edged with 2mm thick matching or complementary finish edgeband.
- Integrated power distribution solutions available, specified separately.
- For environmental certifications, please visit globalfurnituregroup.com

## CONSTRUCTION

- 1" thick tops are made of 45 lb. density particle board covered on both sides with high performance, thermally fused laminate with 2mm thick edgeband.
- Tops are optional in high pressure laminate in 1-1/16" thick or 1.5" thick material.
   Products specified in high pressure laminate are finished on the underside of the surface with a kraft paper backing.
- Square, rectangular and wedge shaped tops are standard with 90° corner radius.
   Optional 2" corner radius available. Specify option (2R). Refer to model for upcharge.

#### **BASES**

- Drum bases are high pressure laminate over a sonotube inner wall, capped top
  and bottom with particle board supports. 1.5" diameter glides offer 0.5" of leveling
  adjustment. No additional counterweight required.
- Laminate slab bases are 1" thick thermally fused laminate, 0.75" diameter glides offer 0.5" of leveling adjustment
- Laminate arch bases for 36"D tops are 4-3/8" thick; for 48"D tops are 5" thick overall.
   Interior frame is covered in masonite and HPL on curved side; flat side is thermally fused laminate. 1.5" dia. glides offer 0.5" of leveling adjustment.
- Two 5.5"H support panels run between each slab or arch base component creating a concealed cavity for cable management.
- Tapered blade base (two and four feet style) consists of 2" diameter column, 16 GA with 11"x11" 12 GA mounting plate.
- Tubular base consists of 2" dia round tube, 16 GA with 11"x11" 12 GA mounting plate.

## **LAMINATE AND EDGEBAND FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	ΩТМ	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

- Select material type:
- 1TF for product with 1" thick thermally fused laminate top
- 1HP for product with 1-1/6" thick high pressure laminate top, upcharge applies
- 2HP for product with 1.5" thick high pressure laminate top, upcharge applies
- The above laminate finishes are also available in **high pressure laminate** tops in 1-1/16" or 1.5" thick material. Upcharge applies.
- 2mm thick edge band, finish specified separately from top surface in contrasting or matching finish.
- Laminate base finish to be specified separately in contrasting or matching finish

#### **METAL BASE FINISHES**

 Available for TRD4TSxx, TSQ4TSxx, TRD4RSxx, TSQ4RSxx, TRDTTxx, TSQTTxx and TRT2Txxxx, TRB2Txxxx, TBT2Txxxx, TRC2Txxxx, TWG2Txxxx tables.

#### **Paint finishes**

TBL	Black	TIN	Ink
TBZ	Buzz Blue	TKA	Kalua
TCC	Cactus	TLA	Latte
TCR	Carrot	TMO	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TDJ	Dijon	TSR	Scarlet
TEG	Eggplant	TSH	Shadow
TF0	Fog	TOA	Toast
TFR	Frost	TTU	Tungsten

Plated finishes - upcharge applies (see chart below)

BCH Brushed Chrome
CHM Polished Chrome

PLATED FINISH UPCHARGES	СНМ	ВСН				
4-prong single tapered base or round tubular:						
T4TS_	\$28	\$84				
T4RS_	\$28	\$84				
Trumpet base:						
TRDTT_	\$39	\$95				
TSQTT_	\$39	\$95				
2-prong tapered base:						
T2T7236	\$56	\$167				
T2T9636	\$56	\$167				
T2T9648	\$56	\$167				
T2T12036	\$84	\$250				
T2T12048	\$84	\$250				
T2T14448	\$84	\$250				

# A

## **ANYWHERE TABLE COLLECTION - NOTES**

## **GROMMETS AND CUT-OUTS FOR POWER BLOCKS**

- Power blocks can be specified separately to deliver power and data to the table surface.
- Not all cut-out/power block locations are available on all table sizes due to base positioning. Please refer to the table on the right.
- To purchase a power block, you must specify the power block cut-out location when ordering the top and order the power block separately.
- Standard cut-out options are centerline on the table horizontally; position 1 (left), position 2 (center) or position 3 (right).


Order as AG1, E1, M1, R1, T1, V1, etc. Add \$96 for each cut-out.

- . Multiple cut-outs may be ordered and multiple power blocks may be accommodated.
- Select power block option from Productivity Solutions, beginning on page page 478.
- Cut-outs may be placed in non-standard locations.

Order as AGS, ES, MS, RS, TS, or VS - Add \$96.

A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out. Please refer to the CUSTOM GROMMET LOCATION FORM in the back reference section.

## POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS



## **SPECIFICATIONS**

 Specifications marked with an \* are applicable to only those products which have the \* symbol beside the product name.

## **SHIPPING**

· Shipped easy to assemble.

## **CUT-OUT OPTIONS**

Model #	Position 1	Position 2	Position 3	Custom
tables with one	centered metal base	,	,	
TRD4TS_	N/A	N/A	N/A	N/A
TSQ4TS_	N/A	N/A	N/A	N/A
TRD4RS_	N/A	N/A	N/A	N/A
TSQ4RS_	N/A	N/A	N/A	N/A
TRDTT_	N/A	N/A	N/A	N/A
TSQTT_	N/A	N/A	N/A	N/A
TRDXB_	N/A	N/A	N/A	N/A
TSQXB_	N/A	N/A	N/A	N/A
	add 1 to code (e.g. E1)	add 2 to code (e.g. E2)	add 3 to code (e.g. E3)	
drum base table	s			
TDM7236	AG, E, R, T, V	N/A	AG, E, R, T, V	AGS
TDM9636	AG, E, R, T, V	AG, E, M, R, T, V	AG, E, R, T, V	AGS
TDM9648	AG, E, M, R, T, V	N/A	AG, E, M, R, T, V	AGS
TDM12036	AG, E, R, T, V	AG, E, R, T, V	AG, E, R, T, V	AGS
TDM12048	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	AGS
TDM14448	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	AGS
slab base tables	•			
TLS7236	AG, E, R, T, V	N/A	AG, E, R, T, V	AGS
TLS9636	AG, E, R, T, V	AG, E, M, R, T, V	AG, E, R, T, V	AGS
TLS9648	AG, E, M, R, T, V	N/A	AG, E, M, R, T, V	AGS
TLS12036	AG, E, R, T, V	AG, E, R, T, V	AG, E, R, T, V	AGS
TLS12048	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	AGS
TLS14448	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	AGS
arch base tables	3			
TAH7236	AG, E, R, T, V	N/A	AG, E, R, T, V	AGS
TAH9636	AG, E, R, T, V	AG, E, M, R, T, V	AG, E, R, T, V	AGS
TAH9648	AG, E, M, R, T, V	N/A	AG, E, M, R, T, V	AGS
TAH12036	AG, E, R, T, V	AG, E, R, T, V	AG, E, R, T, V	AGS
TAH12048	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	AGS
TAH14448	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	AGS
tables with 2 or	3 tapered blade base	s		
T2T7236	N/A	AG, E, R, T	N/A	AGS
T2T9636	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	AGS
T2T9648	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	AGS
T2T12036	AG, E, M, R, T, V	N/A	AG, E, M, R, T, V	AGS
T2T12048	AG, E, M, R, T, V	N/A	AG, E, M, R, T, V	AGS
T2T14448	AG, E, M, R, T, V	N/A	AG, E, M, R, T, V	AGS

## **BASE SIZE CHARTS (table width is nominal)**

## **Round or Square Tops:**

Тор	Slab	Drum	Arch	Cross	4-Prong Tapered	Trumpet	Tube
24"	N/A	N/A	N/A	N/A	N/A	24"	N/A
30"	N/A	N/A	N/A	N/A	28"	24"	26"
36"	N/A	N/A	N/A	N/A	32"	24"*	30"
42"	N/A	N/A	N/A	30"	32"	N/A	N/A
48"	N/A	N/A	N/A	30"	N/A	N/A	N/A
60"	N/A	N/A	N/A	36"	N/A	N/A	N/A

<sup>\*36&</sup>quot; square top with trumpet base not available.

## Rectangular, Rectangular with Bow Ends, Boat, Racetrack or Wedge Tops:

Тор	Slab	Drum	Arch	Cross	2-Prong Tapered	Trumpet
36" x 72"	24"	18"	24"	n/a	32"	n/a
36" x 96"	24"	18"	24"	n/a	32"	n/a
48" x 96"	28"	18"	28"	n/a	32"	n/a
48" x 120"	28"	24"	28"	n/a	32"	n/a
48" x 144"	28"	24"	28"	n/a	32"	n/a

## **TABLE NOTES - ESTIMATED CAPACITY**

• Use the following chart as a guideline to determine the size of a table and the number of chairs needed. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

	NUMBER OF CHAIRS											
Top Size	Round	Square	Rectangular	Rectangular w/bow ends	Boat	Racetrack	Wedge					
30" x 30"	3	3	N/A	N/A	N/A	N/A	N/A					
36" x 36"	4	4	N/A	N/A	N/A	N/A	N/A					
42" x 42"	4	4	N/A	N/A	N/A	N/A	N/A					
48" x 48"	4	4	N/A	N/A	N/A	N/A	N/A					
60" x 60"	5	6	N/A	N/A	N/A	N/A	N/A					
30" x 60"	N/A	N/A	4-6	4-6	4-6	4-6	N/A					
36" x 72"	N/A	N/A	4-6	4-6	4-6	4-6	4-6					
36" x 96"	N/A	N/A	6-8	6-8	6-8	6-8	6-8					
48" x 96"	N/A	N/A	6-8	6-8	6-8	6-8	6-8					
48" x 120"	N/A	N/A	8-10	8-10	8-10	8-10	8-10					
48" x 144"	N/A	N/A	10-12	10-12	10-12	10-12	10-12					

# **ANYWHERE TABLE COLLECTION - NOTES**

## **BASE OPTIONS**

## Laminate



cross base (round and square tables)



arch base



drum base



slab base

## Metal



4-prong tapered base (round and square tables)



tubular base (round and square tables)




trumpet base (round and square tables)



2-prong tapered base

## **TABLE TOP STYLES**



- Square, rectangular and wedge shaped tops are available with optional radiused corners. Upcharge applies.
- Edge profiles:



1.5" HPL top (**2HP**) 1-1/16" HPL top (**1HP**) (not shown)



1" TFL top (**1TF**)



2" radius corner (2R)



**Round Table, Tapered Blade Base** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD (1HP)	1.5" ADD (2HP)	2R ADD
	D x W x H							
TRD4TS30	30 x 30 x 29	150	35.5	8.04	\$486	\$98	\$118	n/a
TRD4TS36	36 x 36 x 29	150	48	11.8	\$571	\$129	\$155	n/a
TRD4TS42	42 x 42 x 29	150	62	12.3	\$665	\$177	\$212	n/a

1" thick thermally fused round top with four prong metal tapered blade base. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 2 cartons.



Square Table, Tapered Blade Base\*

TSQ4TS30	30 x 30 x 29	150	35.5	8.1	\$486	\$98	\$118	\$23
TSQ4TS36	36 x 36 x 29	150	48	11.8	\$571	\$129	\$155	\$30
TSQ4TS42	42 x 42 x 29	150	62	12.3	\$665	\$177	\$212	\$40

1" thick thermally fused square top with four prong metal tapered blade base. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Service. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 2 cartons.



**Round Table, Tubular Steel Base** 

TRD4RS30	30 x 30 x 29	150	36	8.3	\$515	\$98	\$118	n/a
TRD4RS36	36 x 36 x 29	150	49	11.8	\$634	\$129	\$155	n/a

1" thick thermally fused round top with round tubular steel base. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 2 cartons.



Square Table, Tubular Steel Base\*

TSQ4RS30	30 x 30 x 29	150	36	8.3	\$515	\$98	\$118	\$23
TSQ4RS36	36 x 36 x 29	150	49	11.8	\$634	\$129	\$155	\$30

1" thick thermally fused square top with round tubular steel base. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Service. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 2 cartons.



**Round Table, Trumpet Base** 

TRDTT24	24 x 24 x 29	250	33	12.7	\$755	\$63	\$76	n/a
TRDTT30	30 x 30 x 29	250	42	13.1	\$820	\$98	\$118	n/a
TRDTT36	36 x 36 x 29	150	54	13.5	\$897	\$129	\$155	n/a

1" thick thermally fused round top with metal trumpet base. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 2 cartons.

**Required Specifications** 

Top material/thickness
Top finish
Edge
Base finish

Optional Specifications

HP laminate
Plated base finish
Radius corners\*





Sanare	Tahle	Trumpet	Rase <sup>†</sup> *

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. 1TFTOP HP ADD (1HP) 1.5" ADD (2HP) DxWxH TSQTT24 250 12.7 24 x 24 x 29 33 \$755 \$63 \$76 \$16 TSQTT30 30 x 30 x 29 250 42 13.1 \$820 \$98 \$118 \$23

1" thick thermally fused square top with metal trumpet base. Radius corners top optional, upcharge applies. 36" Square not available. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Service. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 2 cartons.



## **Round Table, Laminate Cross Base**

TRDXB42	42 x 42 x 29.5	70	72	4	\$815	\$177	\$212	n/a
TRDXB48	48 x 48 x 29.5	70	91	5	\$970	\$201	\$241	n/a
TRDXB60	60 x 60 x 29.5	70	144	8.8	\$1324	\$287	\$345	n/a

1" thick thermally fused round top with laminate cross base. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and base separately. Shipped easy to assemble in 2 cartons.



Square Table, Laminate Cross Base†\*

TSQXB42	42 x 42 x 29.5	70	72	4	\$815	\$177	\$212	\$40
TSQXB48	48 x 48 x 29.5	70	91	5	\$970	\$201	\$241	\$50
TSQXB60	60 x 60 x 29.5	70	144	8.8	\$1361	\$287	\$345	\$74

1" thick thermally fused square top with laminate cross base. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and base separately. Shipped easy to assemble in 2 cartons.

**Required Specifications** 

Top material/thickness Top finish Edge Base finish Optional Specifications

HP laminate
Plated base finish†
Radius corners\*



Rectangular Table, Drum Base\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD (1HP)	1.5" ADD (2HP)	2R ADD
	D x W x H							
TRTDM7236	36 x 72 x 29.5	85	215	15.2	\$1690	\$246	\$295	\$58
TRTDM9636	36 x 96 x 29.5	92.5	240	23	\$1882	\$342	\$410	\$77
TRTDM9648	48 x 96 x 29.5	125	274	35.6	\$2402	\$418	\$502	\$100

One piece 1" thick thermally fused rectangular top with two laminate drum bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

4	

Rectangular Table, Drum Base\*

TRTDM12036	36 x 120 x 29.5	100	274	31.92	\$2850	\$537	\$644	\$118
TRTDM12048	48 x 120 x 29.5	125	374	49.7	\$3552	\$646	\$775	\$144
TRTDM14448	48 x 144 x 29.5	125	412	53.08	\$3779	\$736	\$884	\$167

Two piece 1" thick thermally fused rectangular top with three laminate drum bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 4 cartons.



Rectangular Table, Drum Base Bow Ends

TDDD 1 47000	00 70 00 5	00.5	0.10	00	****	00.00	***	
TRBDM7236	36 x 72 x 29.5	92.5	240	23	\$1690	\$246	\$295	n/a
TRBDM9636	36 x 96 x 29.5	85	215	15.2	\$1882	\$342	\$410	n/a
TRBDM9648	48 x 96 x 29.5	125	274	35.6	\$2402	\$418	\$502	n/a

One piece 1" thick thermally fused rectangular top with bow ends; two laminate drum bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.



Rectangular Table, Drum Base Bow Ends

TRBDM12036	36 x 120 x 29.5	92.5	334	31.92	\$2850	\$537	\$644	n/a
TRBDM12048	48 x 120 x 29.5	125	374	49.7	\$3552	\$646	\$775	n/a
TRBDM14448	48 x 144 x 29.5	125	412	53.08	\$3779	\$736	\$884	n/a

Two piece 1" thick thermally fused rectangular top with bow ends; three laminate drum bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.



**Boat Shaped Table, Drum Base** 

TBTDM7236	36 x 72 x 29.5	85	215	15.2	\$1690	\$246	\$295	n/a
TBTDM9636	36 x 96 x 29.5	92.5	240	23	\$1882	\$342	\$410	n/a
TBTDM9648	48 x 96 x 29.5	125	274	35.6	\$2402	\$418	\$502	n/a

One piece 1" thick thermally fused boat shaped top with two laminate drum bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

Req	uire	d	S	p	e	C	ifi	ic	at	io	ns	;

Top material/thickness Top finish Edge Base finish

## **Optional Specifications**

HP laminate
Cut-out for grommet/power blocks
Radius corners\*

## Accessories

Power block





**Boat-Shaped Table, Drum Base** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD (1HP)	1.5" ADD (2HP)	2R ADD	
	D x W x H								
TBTDM12036	36 x 120 x 29.5	92.5	334	31.92	\$2850	\$537	\$644	n/a	
TBTDM12048	48 x 120 x 29.5	125	374	49.7	\$3552	\$646	\$775	n/a	
TBTDM14448	48 x 144 x 29.5	125	412	53.08	\$3779	\$736	\$884	n/a	

Two piece 1" thick thermally fused boat shaped top with three laminate drum bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 4 cartons.



Racetrack Table, Drum Base

TRCDM7236	36 x 72 x 29.5	85	215	15.2	\$1690	\$246	\$295	n/a
TRCDM9636	36 x 96 x 29.5	92.5	240	23	\$1882	\$342	\$410	n/a
TRCDM9648	48 x 96 x 29.5	125	274	35.6	\$2402	\$418	\$502	n/a

One piece 1" thick thermally fused racetrack top with two laminate drum bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.



Racetrack Table, Drum Base

TRCDM12036	36 x 120 x 29.5	92.5	334	31.92	\$2850	\$537	\$644	n/a
TRCDM12048	48 x 120 x 29.5	125	374	49.7	\$3552	\$646	\$775	n/a
TRCDM14448	48 x 144 x 29.5	125	412	53.08	\$3779	\$736	\$884	n/a

Two piece 1" thick thermally fused racetrack top with three laminate drum bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 4 cartons.



Wedge Table, Drum Base\*

TWGDM7236	48-36 x 72 x 29.5	85	215	15.2	\$1690	\$246	\$295	\$58
TWGDM9636	48-36 x 96 x 29.5	92.5	240	23	\$1882	\$342	\$410	\$77
TWGDM9648	60-48 x 96 x 29.5	125	274	35.6	\$2402	\$418	\$502	\$100

One piece 1" thick thermally fused wedge top with two laminate drum bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.



Wedge Table, Drum Base\*

TWGDM12048	60-48 x 120 x 29.5	125	374	49.7	\$3552	\$646	\$775	\$144
TWGDM14448	60-48 x 144 x 29.5	125	412	53.08	\$3779	\$736	\$884	\$167

Two piece 1" thick thermally fused wedge top with three laminate drum bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 4 cartons.

Required Specificat	tic
Top material/thicknes	S
Top finish	
Edge	
Page finish	

Optional Specifications
HP laminate

Cut-out for grommet/power blocks
Radius corners\*

Accessorie	S
Power block	



Rectangular Table, Slab Base\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD (1HP)	1.5" ADD (2HP)	2R CORNER
	D x W x H							
TRTLS7236	36 x 72 x 29.5	65	137	5.99	\$1086	\$246	\$295	\$58
TRTLS9636	36 x 96 x 29.5	85	189.5	14.07	\$1343	\$342	\$410	\$77
TRTLS9648	48 x 96 x 29.5	85	237	17.54	\$1617	\$418	\$502	\$100

One piece 1" thick thermally fused rectangular top with laminate slab bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

TRTLS12036	36 x 120 x 29.5	85	259	19.94	\$2035	\$537	\$644	\$118
TRTLS12048	48 x 120 x 29.5	85	319	23.74	\$2366	\$646	\$775	\$144
TRTLS14448	48 x 144 x 29.5	85	365	27.63	\$2660	\$736	\$884	\$167

Two piece 1" thick thermally fused rectangular top with laminate slab bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 4 cartons.

TRBLS7236	36 x 72 x 29.5	65	137	5.99	\$1086	\$246	\$295	n/a
TRBLS9636	36 x 96 x 29.5	85	189.5	14.07	\$1343	\$342	\$410	n/a
TRBLS9648	48 x 96 x 29.5	85	237	17.54	\$1617	\$418	\$502	n/a

One piece 1" thick thermally fused rectangular top with bow ends; laminate slab bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

TRBLS12036	36 x 120 x 29.5	85	259	19.94	\$2035	\$537	\$644	n/a
TRBLS12048	48 x 120 x 29.5	85	319	23.74	\$2366	\$646	\$775	n/a
TRBLS14448	48 x 144 x 29.5	85	365	27.63	\$2660	\$736	\$884	n/a

Two piece 1" thick thermally fused rectangular top with bow ends; laminate slab bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

TBTLS7236	36 x 72 x 29.5	65	137	5.99	\$1086	\$246	\$295	n/a
TBTLS9636	36 x 96 x 29.5	85	189.5	14.07	\$1343	\$342	\$410	n/a
TBTLS9648	48 x 96 x 29.5	85	237	17.54	\$1617	\$418	\$502	n/a

One piece 1" thick thermally fused boat shaped top with laminate slab bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.



Rectangular Table, Slab Base\*

0		
	M	

Rectangular Table, Slab Base Bow Ends



Rectangular Table, Slab Base Bow Ends



**Boat Shaped Table, Slab Base** 

Required Specifications
Top material/thickness
Top finish
Edge

Base finish

Optional Specifications
HP laminate
Cut-out for grommet/power blocks

Radius corners\*

Accessories
Power block





**Boat-Shaped Table, Slab Base** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD (1HP)	1.5" ADD (2HP)	2R ADD
	D x W x H							
TBTLS12036	36 x 120 x 29.5	85	259	19.94	\$2035	\$537	\$644	n/a
TBTLS12048	48 x 120 x 29.5	85	319	23.74	\$2366	\$646	\$775	n/a
TBTLS14448	48 x 144 x 29.5	85	365	27.63	\$2660	\$736	\$884	n/a

Two piece 1" thick thermally fused boat shaped top with laminate slab bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

TRCLS7236	36 x 72 x 29.5	65	137	5.99	\$1086	\$246	\$295	n/a
TRCLS9636	36 x 96 x 29.5	85	189.5	14.07	\$1343	\$342	\$410	n/a
TRCLS9648	48 x 96 x 29.5	85	237	17.54	\$1617	\$418	\$502	n/a



Racetrack Table, Slab Base

One piece 1" thick thermally fused racetrack top with laminate slab bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

TRCLS12036	36 x 120 x 29.5	85	259	19.94	\$2035	\$537	\$644	n/a
TRCLS12048	48 x 120 x 29.5	85	319	23.74	\$2366	\$646	\$775	n/a
TRCLS14448	48 x 144 x 29.5	85	365	27.63	\$2660	\$736	\$884	n/a



Racetrack Table, Slab Base

Two piece 1" thick thermally fused racetrack top with laminate slab bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.





Wedge Table, Slab Base\*

One piece 1" thick thermally fused wedge top with laminate slab bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

TWGLS12048	60-48 x 120 x 29.5	85	365	27.63	\$2366	\$646	\$775	\$144
TWGLS14448	60-48 x 144 x 29.5	85	365	27.63	\$2660	\$736	\$884	\$167



Wedge Table, Slab Base\*

Two piece 1" thick thermally fused wedge top with laminate slab bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

R	equired Specificati
To	op material/thickness
To	op finish
Е	dge
R	ase finish

Optional Specifications
HP laminate
Cut-out for grommet/power blocks

Radius corners<sup>3</sup>

Accessories Power block



Rectangular Table, Arch Base **Bow Ends** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD (1HP)	1.5" ADD (2HP)	2R ADD
	D x W x H							
TRBAH7236	36 x 72 x 29.5	70	157	8.56	\$1498	\$246	\$295	n/a
TRBAH9636	36 x 96 x 29.5	85	209.5	16.65	\$1756	\$342	\$410	n/a
TRBAH9648	48 x 96 x 29.5	85	257	21.14	\$2168	\$418	\$502	n/a

One piece 1" thick thermally fused rectangular top with bow ends; laminate arch bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

TRBAH12036	36 x 120 x 29.5	85	278	20.66	\$2433	\$537	\$644	n/a
TRBAH12048	48 x 120 x 29.5	85	329	25.93	\$2902	\$646	\$775	n/a
TRBAH14448	48 x 144 x 29.5	85	375	29.82	\$3197	\$736	\$884	n/a

Rectangular Table, Arch Base **Bow Ends** 

Two piece 1" thick thermally fused rectangular top with bow ends; laminate arch bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

TBTAH7236	36 x 72 x 29.5	70	157	8.56	\$1498	\$246	\$295	n/a
TBTAH9636	36 x 96 x 29.5	85	209.5	16.65	\$1756	\$342	\$410	n/a
TBTAH9648	48 x 96 x 29.5	85	257	21.14	\$2168	\$418	\$502	n/a

**Boat Shaped Table, Arch Base** 

One piece 1" thick thermally fused boat shaped top with laminate arch bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

TBTAH120	36 x 120 x 29	9.5 85	278	20.66	\$2433	\$537	\$644	n/a
TBTAH120	48 48 x 120 x 29	9.5 85	329	25.93	\$2902	\$646	\$775	n/a
TBTAH144	48 48 x 144 x 29	9.5 85	375	29.82	\$3197	\$736	\$884	n/a



**Boat-Shaped Table, Arch Base** 

Two piece 1" thick thermally fused boat shaped top with laminate arch bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

**Required Specifications** 

Top material/thickness Top finish

Edge Base finish **Optional Specifications** 

**HP** laminate

Cut-out for grommet/power blocks

Accessories

Power block



### ANYWHERE TABLE COLLECTION

#### TABLES W/TAPERED BLADE BASE

### **TAPERED BLADE BASE NOTES:**

. Tables with 2 bases: foot is a slight V

#### DxWxH

• Tables with 3 bases: middle base is straight



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD (1HP)	1.5" ADD (2HP)	2R CORNER
	DxWxH							
TRT2T7236	36 x 72 x 28.75	92.5	103	10.18	\$1258	\$246	\$295	\$60
TRT2T9636	36 x 96 x 28.75	100	148.5	17.96	\$1451	\$342	\$410	\$80
TRT2T9648	48 x 96 x 28.75	100	187	21.05	\$1681	\$418	\$502	\$103

Rectangular Table, Tapered Blade Base\*

One piece 1" thick thermally fused rectangular top with (2) two-prong metal tapered blade bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.



TRT2T12036	36 x 120 x 28.75	100	192	22.93	\$2186	\$537	\$644	\$122
TRT2T12048	48 x 120 x 28.75	100	240	26.74	\$2452	\$646	\$775	\$149
TRT2T14448	48 x 144 x 28.75	100	280	30.12	\$2680	\$736	\$884	\$171

Rectangular Table, Tapered Blade Base\*

Two piece 1" thick thermally fused rectangular top with (3) two-prong metal tapered blade bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.



TRB2T7236	36 x 72 x 28.75	92.5	103	10.18	\$1258	\$246	\$295	n/a
TRB2T9636	36 x 96 x 28.75	100	148.5	17.96	\$1451	\$342	\$410	n/a
TRB2T9648	48 x 96 x 28.75	100	187	21.05	\$1681	\$418	\$502	n/a

Rectangular Table, Tapered Blade Base Bow Ends

One piece 1" thick thermally fused rectangular top with bow ends; (2) two-prong metal tapered blade bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.



TRB2T12036	36 x 120 x 29.5	100	192	22.93	\$2186	\$537	\$644	n/a
TRB2T12048	48 x 120 x 29.5	100	240	26.74	\$2452	\$646	\$775	n/a
TRB2T14448	48 x 144 x 29.5	100	280	30.12	\$2680	\$736	\$884	n/a

Rectangular Table, Tapered Blade Base Bow Ends

Two piece 1" thick thermally fused rectangular top with bow ends; (3) two-prong metal tapered blade bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.



TBT2T7236	36 x 72 x 28.75	92.5	103	10.18	\$1258	\$246	\$295	n/a
TBT2T9636	36 x 96 x 28.75	100	148.5	17.96	\$1451	\$342	\$410	n/a
TBT2T9648	48 x 96 x 28.75	100	187	21.05	\$1681	\$418	\$502	n/a

**Boat Shaped Table, Tapered Blade Base** 

One piece 1" thick thermally fused boat shaped top with (2) two-prong metal tapered blade bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.

<b>Required Specifications</b>
Top material/thickness
Top finish
Edge
Base finish

Optional Specifications
HP laminate
Plated base finish
Cut-out for grommet/power blocks
Radius corners*

Accessories
Power block

### ANYWHERE TABLE COLLECTION



**Boat Shaped Table, Tapered Blade Base** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD (1HP)	1.5" ADD (2HP)	2R CORNER
	D x W x H							
TBT2T12036	36 x 120 x 28.75	100	192	22.93	\$2186	\$537	\$644	n/a
TBT2T12048	48 x 120 x 28.75	100	240	26.74	\$2452	\$646	\$775	n/a
TBT2T14448	48 x 144 x 28.75	100	280	30.12	\$2680	\$736	\$884	n/a

Two piece 1" thick thermally fused boat shaped top with (3) two-prong metal tapered blade bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.

TRC2T7236	36 x 72 x 28.75	92.5	103	10.18	\$1258	\$246	\$295	n/a
TRC2T9636	36 x 96 x 28.75	100	148.5	17.96	\$1451	\$342	\$410	n/a
TRC2T9648	48 x 96 x 28.75	100	187	21.05	\$1681	\$418	\$502	n/a



**Racetrack Table, Tapered Blade Base** 

One piece 1" thick thermally fused boat shaped top with (2) two-prong metal tapered blade bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.

TRC2T12036	36 x 120 x 28.75	100	192	22.93	\$2186	\$537	\$644	n/a
TRC2T12048	48 x 120 x 28.75	100	240	26.74	\$2452	\$646	\$775	n/a
TRC2T14448	48 x 144 x 28.75	100	280	30.12	\$2680	\$736	\$884	n/a



Racetrack Table, Tapered Blade Base

Two piece 1" thick thermally fused boat shaped top with (3) two-prong metal tapered blade bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.



Wedge Table, Tapered Blade Base\*

TWG2T7236	48-36 x 72 x 29.5	92.5	103	10.18	\$1258	\$246	\$295	\$60
TWG2T9636	48-36 x 96 x 29.5	100	148.5	17.96	\$1451	\$342	\$410	\$80
TWG2T9648	60-48 x 96 x 29.5	100	187	21.05	\$1681	\$418	\$502	\$103

One piece 1" thick thermally fused wedge top with (2) two-prong metal tapered blade bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.



Wedge Table, Tapered Blade Base\*

TWG2112048	60-48 x 120 x 29.5	100	240	26.74	\$2452	\$646	\$775	\$149
TWG2T14448	60-48 x 144 x 29.5	100	280	30.12	\$2680	\$736	\$884	\$171

Two piece 1" thick thermally fused wedge top with (3) two-prong metal tapered blade bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.

Required Specifications	Optional Specifications	Accessories
Top material/thickness	HP laminate	Power block
Top finish	Plated base finish	
Edge	Cut-out for grommet/power blocks	
Base finish	Radius corners*	

STARTER BEAM	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	BRPBS1824	24 x 24 x 18	250	20.23	6	\$492
	BRPBS1830	24 x 30 x 18	250	21.83	7.5	\$522
	BRPBS1836	24 x 36 x 18	250	23.14	9	\$546
	BRPBS1842	24 x 42 x 18	250	24.46	10.5	\$570
	BRPBS1848	24 x 48 x 18	250	25.77	12	\$601
	BRPBS1854	24 x 54 x 18	250	27.08	13.5	\$627
	BRPBS1860	24 x 60 x 18	300	28.39	15	\$651
	BRPBS1866	24 x 66 x 18	300	29.7	16.5	\$681
	BRPBS1872	24 x 72 x 18	300	31.01	18	\$721
	BRPBS2624	24 x 24 x 26	250	21.24	8.7	\$524
	BRPBS2630	24 x 30 x 26	250	22.84	10.8	\$554
	BRPBS2636	24 x 36 x 26	300	24.15	13	\$577
	BRPBS2642	24 x 42 x 26	300	25.47	15.2	\$602
	BRPBS2648	24 x 48 x 26	300	26.77	17.3	\$633
	BRPBS2654	24 x 54 x 26	300	28.09	19.5	\$659
	BRPBS2660	24 x 60 x 26	300	29.4	21.7	\$683
	BRPBS2666	24 x 66 x 26	300	30.7	28.8	\$713
	BRPBS2672	24 x 72 x 26	300	32.02	26	\$753
	BRPBS3424	24 x 24 x 34	300	22.25	11.3	\$552
	BRPBS3430	24 x 30 x 34	300	23.85	14.2	\$592
	BRPBS3436	24 x 36 x 34	300	25.16	17	\$616
	BRPBS3442	24 x 42 x 34	300	26.47	19.8	\$641
	BRPBS3448	24 x 48 x 34	300	27.78	22.7	\$672
	BRPBS3454	24 x 54 x 34	300	29.09	25.5	\$697
<b>~</b>	BRPBS3460	24 x 60 x 34	300	30.4	28.3	\$722
	BRPBS3466	24 x 66 x 34	300	31.71	31.2	\$747
	BRPBS3472	24 x 72 x 34	400	33.02	34	\$795

**Starter Beam** 

Starter beam can serve as a single, standalone unit or the beginning of a longer run of interconnected beams. 30" to 72" wide beams feature knockouts for two electrical duplex and one communication face place on each side while 24" wide beams accommodate one electrical duplex and one communication face place on each side. The leg expands by approximately 4" in height to compensate for uneven floors and allow for accurate leveling. Feet depth is 24". Starter Beam consists of horizontal channel, raceway covers, two legs, two 24" deep feet, two vertical end trims and corresponding end trim capture strips. Specify standard Flat Top Trim (BRPBTC), Glass and top trim kit (BRPBEG), or PET felt and top trim kit (BRPBEF) separately. Specify electrical components separately.

**Required Specifications** 

Paint finish

ADD-ON BEAM /

D	
$\Box$	

	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	BRPBA1824	24 x 24 x 18	250	14.46	6	\$362
	BRPBA1830	24 x 30 x 18	250	16.06	7.5	\$392
	BRPBA1836	24 x 36 x 18	300	17.37	9	\$415
	BRPBA1842	24 x 42 x 18	300	18.68	10.5	\$440
	BRPBA1848	24 x 48 x 18	300	19.99	12	\$471
	BRPBA1854	24 x 54 x 18	300	21.31	13.5	\$497
	BRPBA1860	24 x 60 x 18	300	22.62	15	\$521
	BRPBA1866	24 x 66 x 18	300	23.92	16.5	\$547
	BRPBA1872	24 x 72 x 18	300	25.24	18	\$590
	BRPBA2624	24 x 24 x 26	300	15.5	8.7	\$394
	BRPBA2630	24 x 30 x 26	300	17.11	10.8	\$424
	BRPBA2636	24 x 36 x 26	300	18.42	13	\$447
	BRPBA2642	24 x 42 x 26	300	19.73	15.2	\$472
	BRPBA2648	24 x 48 x 26	300	21.04	17.3	\$503
	BRPBA2654	24 x 54 x 26	300	22.35	19.5	\$529
	BRPBA2660	24 x 60 x 26	300	23.66	21.7	\$553
	BRPBA2666	24 x 66 x 26	300	24.97	23.8	\$579
	BRPBA2672	24 x 72 x 26	300	26.28	26	\$622
	BRPBA3424	24 x 24 x 34	300	16.55	11.3	\$432
	BRPBA3430	24 x 30 x 34	300	18.15	14.2	\$462
	BRPBA3436	24 x 36 x 34	300	19.46	17	\$485
	BRPBA3442	24 x 42 x 34	300	20.77	19.8	\$510
	BRPBA3448	24 x 48 x 34	400	22.08	22.7	\$541
	BRPBA3454	24 x 54 x 34	400	23.4	25.5	\$567
	BRPBA3460	24 x 60 x 34	400	24.71	28.3	\$591
	BRPBA3466	24 x 66 x 34	400	26.01	31.2	\$617
>	BRPBA3472	24 x 72 x 34	400	27.33	34	\$661


Add-on beam connects to the Starter Beam and serves to extend the run of powerbeams as desired. 30" to 72" wide beams feature knockouts for two electrical duplex and one communication face place on each side while 24" wide beams accommodate one electrical duplex and one communication face place on each side. Add-on beam consists of horizontal channel, raceway covers, two legs, one foot and a pair of beam-to-beam connecting capture strips. The leg expands by approximately 4" in height to compensate for uneven floors and allow for accurate leveling. The foot has a depth of 24". Specify standard Flat Top Trim (**BRPBEC**), Glass and top trim kit (**BRPBEG**), or PET felt and top trim kit (**BRPBEF**) separately. Specify electrical components separately.

BRPBTC24	2.61 x 24 x 0.2	70	0.24	0.01	\$13	
BRPBTC30	2.61 x 30 x 0.2	70	0.61	0.01	\$16	
BRPBTC36	2.61 x 36 x 0.2	70	0.73	0.01	\$19	
BRPBTC42	2.61 x 42 x 0.2	70	0.85	0.01	\$21	
BRPBTC48	2.61 x 48 x 0.2	70	0.97	0.01	\$25	
BRPBTC54	2.61 x 54 x 0.2	70	1.1	0.02	\$28	
BRPBTC60	2.61 x 60 x 0.2	70	1.22	0.02	\$28	
BRPBTC66	2.61 x 66 x 0.2	70	1.34	0.02	\$32	
BRPBTC72	2.61 x 72 x 0.2	70	1.47	0.02	\$37	

Attaches on top of beams to add privacy or divide space. Flat top trim is made of aluminum extrusion. Specify finish.



Add-On Beam



Flat Top Trim Kit

**Required Specifications** 


Paint finish

TOP TRIM KITS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
		D x W x H					
	BRPBEG0824	2.61 x 24 x 8	60	9.42	0.3	\$152	\$99
	BRPBEG0830	2.61 x 30 x 8	60	11.79	0.4	\$161	\$99
	BRPBEG0836	2.61 x 36 x 8	60	14.15	0.4	\$170	\$99
	BRPBEG0842	2.61 x 42 x 8	60	16.52	0.5	\$180	\$99
	BRPBEG0848	2.61 x 48 x 8	60	18.88	0.6	\$198	\$110
	BRPBEG0854	2.61 x 54 x 8	60	19.52	0.7	\$219	\$124
	BRPBEG0860	2.61 x 60 x 8	65	20.58	0.7	\$240	\$138
	BRPBEG0866	2.61 x 66 x 8	65	21.55	0.8	\$261	\$151
	BRPBEG0872	2.61 x 72 x 8	65	23.62	0.9	\$289	\$164
	BRPBEG1624	2.61 x 24 x 16	70	9.81	0.6	\$158	\$99
	BRPBEG1630	2.61 x 30 x 16	70	12.37	0.7	\$194	\$117
_	BRPBEG1636	2.61 x 36 x 16	70	14.85	0.9	\$218	\$148
	BRPBEG1642	2.61 x 42 x 16	70	17.34	1	\$247	\$173
	BRPBEG1648	2.61 x 48 x 16	70	19.82	1.2	\$277	\$198
	BRPBEG1654	2.61 x 54 x 16	70	21.25	1.3	\$307	\$194
	BRPBEG1660	2.61 x 60 x 16	70	23.62	1.5	\$337	\$247
	BRPBEG1666	2.61 x 66 x 16	70	25.98	1.6	\$367	\$272
	BRPBEG1672	2.61 x 72 x 16	70	28.35	1.7	\$404	\$296

**Embedded Glass and Top Trim Kit\*** 

Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, glass partition, gasket and hardware required to secure the trim to the beam's horizontal channel. Standard with clear tempered glass.

BRPBEF0824	2.61 x 24 x 8	70	1.32	0.3	\$74
BRPBEF0830	2.61 x 30 x 8	70	1.65	0.4	\$79
BRPBEF0836	2.61 x 36 x 8	70	1.99	0.4	\$103
BRPBEF0842	2.61 x 42 x 8	150	2.32	0.5	\$108
BRPBEF0848	2.61 x 48 x 8	150	2.65	0.6	\$194
BRPBEF0854	2.61 x 54 x 8	150	2.98	0.7	\$199
BRPBEF0860	2.61 x 60 x 8	150	3.32	0.7	\$203
BRPBEF0866	2.61 x 66 x 8	150	3.65	0.8	\$208
BRPBEF0872	2.61 x 72 x 8	150	3.98	0.9	\$218
BRPBEF1624	2.61 x 24 x 16	70	1.83	0.6	\$74
BRPBEF1630	2.61 x 30 x 16	250	2.3	0.7	\$79
BRPBEF1636	2.61 x 36 x 16	250	2.76	0.9	\$103
BRPBEF1642	2.61 x 42 x 16	250	3.22	1	\$108
BRPBEF1648	2.61 x 48 x 16	250	3.68	1.16	\$194
BRPBEF1654	2.61 x 54 x 16	250	4.14	1.3	\$199
BRPBEF1660	2.61 x 60 x 16	250	4.61	1.5	\$203
BRPBEF1666	2.61 x 66 x 16	250	5.07	1.6	\$208
BRPBEF1672	2.61 x 72 x 16	250	5.53	1.7	\$218



Embedded PET Felt and Top Trim Kit\*\*

Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, PET felt partition and hardware required to secure the trim to the beam's horizontal channel. 9mm PET felt material is tackable and available in 9 colors.

**Required Specifications** 

Paint finish Felt finish\*\* Optional Specifications
Frosted glass (FRST)\*




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BRPBEFP0824	2.61 x 24 x 8	70	1.32	0.3	\$148	
BRPBEFP0830	2.61 x 30 x 8	70	1.65	0.4	\$157	
BRPBEFP0836	2.61 x 36 x 8	70	1.99	0.4	\$206	
BRPBEFP0842	2.61 x 42 x 8	150	2.32	0.5	\$215	
BRPBEFP0848	2.61 x 48 x 8	150	2.65	0.6	\$388	
BRPBEFP0854	2.61 x 54 x 8	150	2.98	0.7	\$397	
BRPBEFP0860	2.61 x 60 x 8	150	3.32	0.7	\$406	
BRPBEFP0866	2.61 x 66 x 8	150	3.65	0.8	\$415	
BRPBEFP0872	2.61 x 72 x 8	150	3.98	0.9	\$436	
BRPBEFP1624	2.61 x 24 x 16	70	1.83	0.6	\$148	
BRPBEFP1630	2.61 x 30 x 16	250	2.3	0.7	\$157	
BRPBEFP1636	2.61 x 36 x 16	250	2.76	0.9	\$206	
BRPBEFP1642	2.61 x 42 x 16	250	3.22	1	\$215	
BRPBEFP1648	2.61 x 48 x 16	250	3.68	1.2	\$388	
BRPBEFP1654	2.61 x 54 x 16	250	4.14	1.3	\$397	
BRPBEFP1660	2.61 x 60 x 16	250	4.61	1.5	\$406	
BRPBEFP1666	2.61 x 66 x 16	250	5.07	1.6	\$415	
BRPBEFP1672	2.61 x 72 x 16	250	5.53	1.7	\$436	

Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, perforated PET felt partition and hardware required to secure the trim to the beam's horizontal channel. 9mm PET felt material is tackable and available in 9 colors.

BPX30P0824	2.61 x 24 x 8	100	4	0.44	\$134
BPX30P0830	2.61 x 30 x 8	125	4	0.66	\$147
BPX30P0836	2.61 x 36 x 8	150	4	0.71	\$159
BPX30P0842	2.61 x 42 x 8	150	5	0.88	\$174
BPX30P0848	2.61 x 48 x 8	150	5	0.93	\$185
BPX30P0854	2.61 x 54 x 8	150	6	1.04	\$196
BPX30P0860	2.61 x 60 x 8	150	6	1.2	\$207
BPX30P0866	2.61 x 66 x 8	150	7	1.31	\$301
BPX30P0872	2.61 x 72 x 8	150	8	1.42	\$392
BPX30P1624	2.61 x 24 x 16	125	5	0.73	\$134
BPX30P1630	2.61 x 30 x 16	150	5	1.09	\$147
BPX30P1636	2.61 x 36 x 16	150	5	1.19	\$159
BPX30P1642	2.61 x 42 x 16	150	6	1.46	\$174
BPX30P1648	2.61 x 48 x 16	250	6	1.55	\$185
BPX30P1654	2.61 x 54 x 16	150	7	1.73	\$196
BPX30P1660	2.61 x 60 x 16	250	7	2.01	\$207
BPX30P1666	2.61 x 66 x 16	150	9	2.17	\$301
BPX30P1672	2.61 x 72 x 16	150	10	2.37	\$392

Attaches on top of beams to add privacy or divide space. Consists of extruded aluminum frame and bayonets connecting the frame to the top of the beam vertical leg. Any tile can be attached to either side to enclose the frame. Specify standard Flat Top Trim (**BRPBEC**), Glass and top trim kit (**BRPBEG**) or PET felt and top trim kit (**BRPBEF**) separately.

• Maximum height of beam with overpanel is 42".



Embedded Perforated PET Felt and Top Trim Kit



**Overpanel Frame** 

**Required Specifications** 

Paint finish

REMOVABLE FACE TILES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.		LIST PRIC	
		D x W x H						
						GR 1	GR 2	LAMINATE
	BP3FT0824	2.61 x 24 x 8	125	1	0.3	\$156	\$156	\$156
	BP3FT0830	2.61 x 30 x 8	125	2	0.4	\$178	\$178	\$178
	BP3FT0836	2.61 x 36 x 8	125	2	0.4	\$211	\$211	\$211
	BP3FT0842	2.61 x 42 x 8	150	2	0.6	\$227	\$227	\$227
	BP3FT0848	2.61 x 48 x 8	150	3	0.7	\$237	\$237	\$237
	BP3FT0854	2.61 x 54 x 8	60	3	0.1	\$246	\$246	\$246
	BP3FT0860	2.61 x 60 x 8	125	4	0.8	\$254	\$254	\$254
	BP3FT0866	2.61 x 66 x 8	150	4	0.9	\$443	\$443	\$443
	BP3FT0872	2.61 x 72 x 8	150	4	1	\$569	\$569	\$569
	BP3FT1624	2.61 x 24 x 16	125	2	0.3	\$156	\$156	\$156
	BP3FT1630	2.61 x 30 x 16	125	3	0.4	\$178	\$178	\$178
	BP3FT1636	2.61 x 36 x 16	125	3	0.4	\$211	\$211	\$211
	BP3FT1642	2.61 x 42 x 16	150	3	0.6	\$227	\$227	\$227
	BP3FT1648	2.61 x 48 x 16	150	4	0.7	\$237	\$237	\$237
	BP3FT1654	2.61 x 54 x 16	60	4	0.1	\$246	\$246	\$246
	BP3FT1660	2.61 x 60 x 16	125	5	0.8	\$254	\$254	\$254
	BP3FT1666	2.61 x 66 x 16	150	5	0.9	\$443	\$443	\$443
	BP3FT1672	2.61 x 72 x 16	125	6	1	\$569	\$569	\$569

Removable Face Tile, Fabric or Laminate\*

Removable fabric tile attaches to the overpanel frame to add privacy or divide space. Includes tile clips. Easily interchangeable on site. Specify two tiles per opening of corresponding width. Tiles can be combined. For example, fabric tile on one side and accessory tile on the other.

BP3AT0830         2.61 x 30 x 8         85         2.9         0.21         \$197           BP3AT0836         2.61 x 36 x 8         85         3.5         0.25         \$238           BP3AT0842         2.61 x 42 x 8         85         4.1         0.29         \$281           BP3AT0848         2.61 x 48 x 8         85         4.7         0.33         \$326           BP3AT0854         2.61 x 54 x 8         85         5.3         0.38         \$356           BP3AT0860         2.61 x 60 x 8         85         5.9         0.42         \$402           BP3AT0866         2.61 x 66 x 8         85         6.5         0.46         \$577           BP3AT0872         2.61 x 72 x 8         85         7         0.5         \$750           BP3AT1630         2.61 x 30 x 16         85         5.7         0.42         \$197           BP3AT1636         2.61 x 36 x 16         85         7         0.5         \$238           BP3AT1642         2.61 x 42 x 16         85         8.2         0.58         \$281           BP3AT1648         2.61 x 48 x 16         85         9.4         0.67         \$326           BP3AT1660         2.61 x 60 x 16         85         11							
BP3AT0836         2.61 x 36 x 8         85         3.5         0.25         \$238           BP3AT0842         2.61 x 42 x 8         85         4.1         0.29         \$281           BP3AT0848         2.61 x 48 x 8         85         4.7         0.33         \$326           BP3AT0854         2.61 x 54 x 8         85         5.3         0.38         \$356           BP3AT0860         2.61 x 60 x 8         85         5.9         0.42         \$402           BP3AT0866         2.61 x 66 x 8         85         6.5         0.46         \$577           BP3AT0872         2.61 x 72 x 8         85         7         0.5         \$750           BP3AT1624         2.61 x 24 x 16         85         4.7         0.33         \$185           BP3AT1630         2.61 x 30 x 16         85         5.7         0.42         \$197           BP3AT1636         2.61 x 36 x 16         85         7         0.5         \$238           BP3AT1642         2.61 x 42 x 16         85         8.2         0.58         \$281           BP3AT1648         2.61 x 48 x 16         85         9.4         0.67         \$326           BP3AT1660         2.61 x 60 x 16         85         1	BP3AT0824	2.61 x 24 x 8	85	2.3	0.17	\$185	
BP3AT0842       2.61 x 42 x 8       85       4.1       0.29       \$281         BP3AT0848       2.61 x 48 x 8       85       4.7       0.33       \$326         BP3AT0854       2.61 x 54 x 8       85       5.3       0.38       \$356         BP3AT0860       2.61 x 60 x 8       85       5.9       0.42       \$402         BP3AT0866       2.61 x 66 x 8       85       6.5       0.46       \$577         BP3AT0872       2.61 x 72 x 8       85       7       0.5       \$750         BP3AT1624       2.61 x 30 x 16       85       5.7       0.42       \$197         BP3AT1630       2.61 x 30 x 16       85       5.7       0.42       \$197         BP3AT1636       2.61 x 36 x 16       85       7       0.5       \$238         BP3AT1642       2.61 x 42 x 16       85       8.2       0.58       \$281         BP3AT1648       2.61 x 48 x 16       85       9.4       0.67       \$326         BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577	BP3AT0830	2.61 x 30 x 8	85	2.9	0.21	\$197	
BP3AT0848       2.61 x 48 x 8       85       4.7       0.33       \$326         BP3AT0854       2.61 x 54 x 8       85       5.3       0.38       \$356         BP3AT0860       2.61 x 60 x 8       85       5.9       0.42       \$402         BP3AT0866       2.61 x 66 x 8       85       6.5       0.46       \$577         BP3AT0872       2.61 x 72 x 8       85       7       0.5       \$750         BP3AT1624       2.61 x 30 x 16       85       5.7       0.42       \$197         BP3AT1630       2.61 x 30 x 16       85       5.7       0.42       \$197         BP3AT1636       2.61 x 36 x 16       85       7       0.5       \$238         BP3AT1642       2.61 x 42 x 16       85       8.2       0.58       \$281         BP3AT1648       2.61 x 48 x 16       85       9.4       0.67       \$326         BP3AT1654       2.61 x 54 x 16       85       10.6       0.75       \$356         BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577	BP3AT0836	2.61 x 36 x 8	85	3.5	0.25	\$238	
BP3AT0854       2.61 x 54 x 8       85       5.3       0.38       \$356         BP3AT0860       2.61 x 60 x 8       85       5.9       0.42       \$402         BP3AT0866       2.61 x 66 x 8       85       6.5       0.46       \$577         BP3AT0872       2.61 x 72 x 8       85       7       0.5       \$750         BP3AT1624       2.61 x 24 x 16       85       4.7       0.33       \$185         BP3AT1630       2.61 x 30 x 16       85       5.7       0.42       \$197         BP3AT1636       2.61 x 36 x 16       85       7       0.5       \$238         BP3AT1642       2.61 x 42 x 16       85       8.2       0.58       \$281         BP3AT1648       2.61 x 48 x 16       85       9.4       0.67       \$326         BP3AT1654       2.61 x 54 x 16       85       10.6       0.75       \$356         BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577	BP3AT0842	2.61 x 42 x 8	85	4.1	0.29	\$281	
BP3AT0860       2.61 x 60 x 8       85       5.9       0.42       \$402         BP3AT0866       2.61 x 66 x 8       85       6.5       0.46       \$577         BP3AT0872       2.61 x 72 x 8       85       7       0.5       \$750         BP3AT1624       2.61 x 24 x 16       85       4.7       0.33       \$185         BP3AT1630       2.61 x 30 x 16       85       5.7       0.42       \$197         BP3AT1636       2.61 x 36 x 16       85       7       0.5       \$238         BP3AT1642       2.61 x 42 x 16       85       8.2       0.58       \$281         BP3AT1648       2.61 x 48 x 16       85       9.4       0.67       \$326         BP3AT1654       2.61 x 54 x 16       85       10.6       0.75       \$356         BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577	BP3AT0848	2.61 x 48 x 8	85	4.7	0.33	\$326	
BP3AT0866       2.61 x 66 x 8       85       6.5       0.46       \$577         BP3AT0872       2.61 x 72 x 8       85       7       0.5       \$750         BP3AT1624       2.61 x 24 x 16       85       4.7       0.33       \$185         BP3AT1630       2.61 x 30 x 16       85       5.7       0.42       \$197         BP3AT1636       2.61 x 36 x 16       85       7       0.5       \$238         BP3AT1642       2.61 x 42 x 16       85       8.2       0.58       \$281         BP3AT1648       2.61 x 48 x 16       85       9.4       0.67       \$326         BP3AT1654       2.61 x 54 x 16       85       10.6       0.75       \$356         BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577	BP3AT0854	2.61 x 54 x 8	85	5.3	0.38	\$356	
BP3AT0872       2.61 x 72 x 8       85       7       0.5       \$750         BP3AT1624       2.61 x 24 x 16       85       4.7       0.33       \$185         BP3AT1630       2.61 x 30 x 16       85       5.7       0.42       \$197         BP3AT1636       2.61 x 36 x 16       85       7       0.5       \$238         BP3AT1642       2.61 x 42 x 16       85       8.2       0.58       \$281         BP3AT1648       2.61 x 48 x 16       85       9.4       0.67       \$326         BP3AT1654       2.61 x 54 x 16       85       10.6       0.75       \$356         BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577	BP3AT0860	2.61 x 60 x 8	85	5.9	0.42	\$402	
BP3AT1624       2.61 x 24 x 16       85       4.7       0.33       \$185         BP3AT1630       2.61 x 30 x 16       85       5.7       0.42       \$197         BP3AT1636       2.61 x 36 x 16       85       7       0.5       \$238         BP3AT1642       2.61 x 42 x 16       85       8.2       0.58       \$281         BP3AT1648       2.61 x 48 x 16       85       9.4       0.67       \$326         BP3AT1654       2.61 x 54 x 16       85       10.6       0.75       \$356         BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577	BP3AT0866	2.61 x 66 x 8	85	6.5	0.46	\$577	
BP3AT1630       2.61 x 30 x 16       85       5.7       0.42       \$197         BP3AT1636       2.61 x 36 x 16       85       7       0.5       \$238         BP3AT1642       2.61 x 42 x 16       85       8.2       0.58       \$281         BP3AT1648       2.61 x 48 x 16       85       9.4       0.67       \$326         BP3AT1654       2.61 x 54 x 16       85       10.6       0.75       \$356         BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577	BP3AT0872	2.61 x 72 x 8	85	7	0.5	\$750	
BP3AT1630       2.61 x 30 x 16       85       5.7       0.42       \$197         BP3AT1636       2.61 x 36 x 16       85       7       0.5       \$238         BP3AT1642       2.61 x 42 x 16       85       8.2       0.58       \$281         BP3AT1648       2.61 x 48 x 16       85       9.4       0.67       \$326         BP3AT1654       2.61 x 54 x 16       85       10.6       0.75       \$356         BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577							
BP3AT1636       2.61 x 36 x 16       85       7       0.5       \$238         BP3AT1642       2.61 x 42 x 16       85       8.2       0.58       \$281         BP3AT1648       2.61 x 48 x 16       85       9.4       0.67       \$326         BP3AT1654       2.61 x 54 x 16       85       10.6       0.75       \$356         BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577	BP3AT1624	2.61 x 24 x 16	85	4.7	0.33	\$185	
BP3AT1642       2.61 x 42 x 16       85       8.2       0.58       \$281         BP3AT1648       2.61 x 48 x 16       85       9.4       0.67       \$326         BP3AT1654       2.61 x 54 x 16       85       10.6       0.75       \$356         BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577	BP3AT1630	2.61 x 30 x 16	85	5.7	0.42	\$197	
BP3AT1648       2.61 x 48 x 16       85       9.4       0.67       \$326         BP3AT1654       2.61 x 54 x 16       85       10.6       0.75       \$356         BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577	BP3AT1636	2.61 x 36 x 16	85	7	0.5	\$238	
BP3AT1654       2.61 x 54 x 16       85       10.6       0.75       \$356         BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577	BP3AT1642	2.61 x 42 x 16	85	8.2	0.58	\$281	
BP3AT1660       2.61 x 60 x 16       85       11.9       0.83       \$402         BP3AT1666       2.61 x 66 x 16       85       13       0.91       \$577	BP3AT1648	2.61 x 48 x 16	85	9.4	0.67	\$326	
BP3AT1666 2.61 x 66 x 16 85 13 0.91 <b>\$577</b>	BP3AT1654	2.61 x 54 x 16	85	10.6	0.75	\$356	
	BP3AT1660	2.61 x 60 x 16	85	11.9	0.83	\$402	
BP3AT1672 2.61 x 72 x 16 85 14 1 <b>\$750</b>	BP3AT1666	2.61 x 66 x 16	85	13	0.91	\$577	
	BP3AT1672	2.61 x 72 x 16	85	14	1	\$750	



Removable Face Tile, Accessory

Attaches to the overpanel frame to add privacy or divide space. Provides support for accessories. Includes tile clips. Easily interchangeable on site. Specify two tiles per opening of corresponding width. Tiles can be combined. For example, fabric tile on one side and accessory tile on the other.

Required Specifications
Fabric\*

Paint finish


REMOVABLE FACE TILES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
	DxWxH					
BP3GT0824	2.61 x 24 x 8	70	3.1	0.2	\$152	\$42
BP3GT0830	2.61 x 30 x 8	70	3.9	0.2	\$193	\$42
BP3GT0836	2.61 x 36 x 8	70	4.7	0.3	\$235	\$39
BP3GT0842	2.61 x 42 x 8	70	5.5	0.3	\$271	\$44
BP3GT0848	2.61 x 48 x 8	70	6.3	0.3	\$315	\$40
BP3GT0854	2.61 x 54 x 8	70	7.1	0.4	\$350	\$44
BP3GT0860	2.61 x 60 x 8	70	7.8	0.4	\$394	\$41
BP3GT0866	2.61 x 66 x 8	70	8.6	0.5	\$561	\$42
BP3GT0872	2.61 x 72 x 8	70	9.4	0.5	\$731	\$41
BP3GT1624	2.61 x 24 x 16	70	5.8	0.3	\$152	\$42
BP3GT1630	2.61 x 30 x 16	70	7.2	0.4	\$193	\$42
BP3GT1636	2.61 x 36 x 16	70	8.7	0.5	\$235	\$39
BP3GT1642	2.61 x 42 x 16	70	10.2	0.6	\$271	\$44
BP3GT1648	2.61 x 48 x 16	70	11.6	0.7	\$315	\$40
BP3GT1654	2.61 x 54 x 16	70	13.1	0.8	\$350	\$44
BP3GT1660	2.61 x 60 x 16	70	14.6	0.8	\$394	\$41
BP3GT1666	2.61 x 66 x 16	70	16	0.9	\$561	\$42
BP3GT1672	2.61 x 72 x 16	70	17.5	1	\$731	\$41

Removable Face Tile, Glass\*

Removable glass tile attaches to the overpanel frame to add visual accessiblity and light transfer. Includes tile clips. Easily interchangeable on site. Specify one glazed tile per opening of corresponding width. Clear tempered glass is standard. Add 20% upcharge for frosted glass (FRST).





90 Degree Post

Post facilitates splitting a beam run up to 4 directions at a 90° angle. Post kit consists of extruded aluminum post and four pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.


BRP3PS60018	2.61 x 2.61 x 18	65	3	0.1	\$59
BRP3PS60026	2.61 x 2.61 x 26	65	3.6	0.1	\$84
BRP3PS60034	2.61 x 2.61 x 34	65	4	0.1	\$109



**60 Degree Post** 

Post facilitates splitting a beam run up to 3 directions at a 120° angle. Post kit consists of extruded aluminum post and three pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way or 3-way.

BRP3PS45018	2.61 x 2.61 x 18	65	3	0.1	\$59
BRP3PS45026	2.61 x 2.61 x 26	65	3.6	0.1	\$84
BRP3PS45034	2.61 x 2.61 x 34	65	4	0.1	\$109



45 Degree Post

**Required Specifications** 

Paint finish

**Optional Specifications** 

Frosted glass (FRST)\*



Post	Trin

**Overpanel End Trim** 

**Round Disc Base for Post** 



Attaches to post. Consists of extruded aluminum post and one pair of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.

BA3VTEF8	0.13 x 2.61 x 8	70	0.2	0.01	\$26	
BA3VTEF16	0.13 x 2.61 x 16	70	0.5	0.01	\$55	
BA3VTFF32	0.13 x 2.61 x 32	XX	1.1	0.06	\$82	

Attaches to sides of overpanel extension frame. Consists of extruded aluminum post, die-cast corner and one pair of capture strip connectors. When specified as an add-on, use with overpanel frame. Alternatively, we recommend using the BRPVTRFxx of the appropriate size for a clean, seamless trim.

BRPRB 7.5 x 7.5 x 6.5	60	3.67	0.01	\$285
-----------------------	----	------	------	-------

Attaches to the bottom of a **BRP3PS** post to provide stability at an intersection. Round metal plate is 1/4" thick.

BEPE81	2.61 x 2.61 x 81	65	9	0.4	\$227	

Lightweight aluminum pole used to bring power and/or data/communication cables from ceiling to a panel through a post. Attaches to ceiling and post, includes connectors, ceiling trim plate and screws. Ceiling bezel is white only.

Post extension will accept:

- (75) 5.6mm dia. data cables
- (60) 5.6mm (0.22") dia. data cables with 1 power feed
- (45) cables 5.6mm (0.22") dia. data cables with 2 power feeds

BH3PE008	2.61 x 2.61 x 8	Х	1	0.03	\$51	
BH3PE016	2.61 x 2.61 x 16	Х	2	0.07	\$62	
BH3PE032	2.61 x 2.61 x 32	Х	4	0.14	\$109	
BH3PE45016	2.61 x 2.61 x 16	Х	2	0.07	\$62	
BH3PE45032	2.61 x 2.61 x 32	Х	4	0.14	\$109	
BH3PE60016	2.61 x 2.61 x 16	Х	2	0.07	\$62	
BH3PE60032	2.61 x 2.61 x 32	Х	4	0.14	\$109	

Provides route for ceiling data or electrical cables through the post to the panel. Includes 2 capture strip panel connectors.




**Post Extension** 

**Post Extension for Over Panels** 

**Required Specifications** 

Paint finish



**End of Run Gallery Panel, T-config** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
B3LEP4227NC	1 x 26.5 x 42	60	29.49	0.64	\$1020	
B3LEP4251NC	1 x 51 x 42	60	55.17	1.24	\$1497	
B3LEP4263NC	1 x 63 x 42	60	68.01	1.53	\$1677	
B3LEP4275NC	1 x 75 x 42	60	80.86	1.82	\$1866	
B3LEP5027NC	1 x 26.5 x 50	60	35.25	0.77	\$1190	
B3LEP5051NC	1 x 51 x 50	60	65.92	1.48	\$1738	
B3LEP5063NC	1 x 63 x 50	60	81.27	1.82	\$1959	
B3LEP5075NC	1 x 75 x 50	60	96.62	2.17	\$2210	

**No connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a panel run on two sides. Attaches to the end of a Bridges Power Beam with capture strips to form a T-configuration. Connection is on the interior face center. Includes all attachment hardware and glides. Total height is inclusive of panel glides extended to their full height. 51"w gallery panel accommodates two 24" deep surfaces; 63"w accommodates two 30" deep surfaces; 75"w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.

• Power beam and overpanel must add up to height of gallery panels.



Left End of Run Gallery Panel, L-config

B3LSEPL4215NC	1 x 14.25 x 42	60	16.64	0.35	\$839
B3LSEPL4227NC	1 x 27 x 42	60	29.47	0.66	\$1142
B3LSEPL4233NC	1 x 33 x 42	60	35.89	0.8	\$1231
B3LSEPL4239NC	1 x 39 x 42	60	42.32	0.95	\$1294
B3LSEPL5015NC	1 x 14.25 x 50	60	19.9	0.41	\$956
B3LSEPL5027NC	1 x 27 x 50	60	35.23	0.78	\$1298
B3LSEPL5033NC	1 x 33 x 50	60	42.9	0.95	\$1406
B3LSEPL5039NC	1 x 39 x 50	60	50.57	1.13	\$1505

**No connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run on one side. Attaches to the end of a panel with capture strips to form an L-configuration. Connection is on the interior face, right side. Includes all attachment hardware and glides. Total height is inclusive of panel glides extended to their full height. 27"w gallery panel accommodates a 24" deep surface; 33"w accommodates a 30" deep surface; 39"w accommodates a 36"deep surface. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.

• Power beam and overpanel must add up to height of gallery panels.




Right End of Run Gallery Panel, L-config

B3LSEPR4215NC	1 x 14.25 x 42	60	16.64	0.35	\$839
B3LSEPR4227NC	1 x 27 x 42	60	29.47	0.66	\$1142
B3LSEPR4233NC	1 x 33 x 42	60	35.89	0.8	\$1231
B3LSEPR4239NC	1 x 39 x 42	60	42.32	0.95	\$1294
B3LSEPR5015NC	1 x 14.25 x 50	60	19.9	0.41	\$956
B3LSEPR5027NC	1 x 27 x 50	60	35.23	0.78	\$1298
B3LSEPR5033NC	1 x 33 x 50	60	42.9	0.95	\$1406
B3LSEPR5039NC	1 x 39 x 50	60	50.57	1.13	\$1505

**No connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run on one side. Attaches to the end of a panel with capture strips to form an L-configuration. Connection is on the interior face, left side. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27"w gallery panel accommodates a 24" deep surface; 33"w accommodates a 30" deep surface; 39"w accommodates a 36" deep surface. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.

• Power beam and overpanel must add up to height of gallery panels.

#### **Required Specifications**




**End of Run Gallery Panel, T-config** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
B3LEP4251	1 x 51 x 42	60	55.25	1.24	\$1530
B3LEP4263	1 x 63 x 42	60	68.1	1.53	\$1708
B3LEP4275	1 x 75 x 42	60	80.95	1.82	\$1899
B3LEP5051	1 x 51 x 50	60	66.01	1.48	\$1771
B3LEP5063	1 x 63 x 50	60	81.36	1.82	\$1992
B3LEP5075	1 x 75 x 50	60	96.71	2.17	\$2244

With connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a T-configuration. Connections at both ends as well as on the middle of interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 51"w gallery panel accommodates two 24" deep surfaces; 63"w accommodates two 30" deep surfaces; 75"w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams). End connections are for connecting other gallery panels:

- Right side is compatible with right hand Gallery Panels (B3LXPRxxxx and B3LXPRxxxxNC, B3L2PRxxxx and B3L3PRxxxxx) only.
- Left side is compatible with left hand Gallery Panels (B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxxx) only.
- · Power beam and overpanel must add up to height of gallery panels.



**With connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a L-configuration. Connection is on the interior face, right side. Connections for a gallery panel are on the *left* edge. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27"w gallery panel accommodates a 24" deep surface; 33"w accommodates a 36" deep surfaces. Edged in PVC on two exposed edges, self edge on connecting edge and the bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with left hand Gallery Panels (B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx) only.

B3LSEPR4227	1 x 27 x 42	60	29.51	0.66	\$1157	
B3LSEPR4233	1 x 33 x 42	60	35.94	0.8	\$1247	
B3LSEPR4239	1 x 39 x 42	60	42.36	0.95	\$1309	
B3LSEPR5027	1 x 27 x 50	60	35.27	0.78	\$1313	
B3LSEPR5033	1 x 33 x 50	60	42.94	0.95	\$1425	
B3LSEPR5039	1 x 39 x 50	60	50.62	1.13	\$1524	

**With connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a L-configuration. Connection is on the interior face, left side. Connections for a gallery panel are on the *right* edge. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27"w gallery panel accommodates a 24" deep surface; 33"w accommodates a 36" deep surfaces. Edged in PVC on two exposed edges, self edge on connecting edge and the bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with right hand Gallery Panels (B3LXPRxxxx and B3LXPRxxxxNC, B3L2PRxxxx and B3L3PRxxxx) only.




Left End of Run Gallery Panel, L-config



Right End of Run Gallery Panel, L-config


**Required Specifications** 



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
B3LXPL4224	1 x 24 x 42	60	25.83	0.58	\$595
B3LXPL4230	1 x 30 x 42	60	32.27	0.58	\$685
B3LXPL4236	1 x 36 x 42	60	38.68	0.88	\$775
B3LXPL4242	1 x 42 x 42	60	45.11	1.02	\$863
B3LXPL4248	1 x 48 x 42	60	51.53	1.17	\$953
B3LXPL5024	1 x 24 x 50	60	30.83	0.69	\$709
B3LXPL5030	1 x 30 x 50	60	38.51	0.87	\$821
B3LXPL5036	1 x 36 x 50	60	46.18	1.04	\$931
B3LXPL5042	1 x 42 x 50	60	53.86	1.22	\$1039
B3LXPL5048	1 x 48 x 50	60	61.53	1.39	\$1151

**With connectors** for additional gallery panels. Provides floor standing support while extending a run of gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to allow for additional gallery panels to be added on the left side. Pin connectors on the right edge and modular connectors on the left edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on exposed top edge only; self edge on other three sides. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Right side is compatible with models: B3LEPxxx, B3LSEPL, B3LMPxxx, B3LSMP and B3LXPLxxx only.
- Left side is compatible with B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx only.




**Right Gallery Panel Extension** 

B3LXPR4224	1 x 24 x 42	60	25.83	0.58	\$595	
B3LXPR4230	1 x 30 x 42	60	25.83	0.58	\$685	
B3LXPR4236	1 x 36 x 42	60	38.68	0.88	\$775	
B3LXPR4242	1 x 42 x 42	60	45.11	1.02	\$863	
B3LXPR4248	1 x 48 x 42	60	51.53	1.17	\$953	
B3LXPR5024	1 x 24 x 50	60	30.83	0.69	\$709	
B3LXPR5030	1 x 30 x 50	60	38.51	0.87	\$821	
B3LXPR5036	1 x 36 x 50	60	46.18	1.04	\$931	
B3LXPR5042	1 x 42 x 50	60	53.86	1.22	\$1039	
B3LXPR5048	1 x 48 x 50	60	61.53	1.39	\$1151	

**With connectors** for additional gallery panels. Provides floor standing support while extending a run of gallery panels. Attaches to the right edge of a gallery panel by the pin connectors to allow for additional gallery panels to be added on the right side. Pin connectors on the left edge and modular connectors on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on exposed top edge only; self edge on other three sides. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).


- Power beam and overpanel must add up to height of gallery panels.
- Right side is compatible with B3LXPRxxxx and B3LXPRxxxxNC, B3L2PRxxxx and B3L3PRxxxx only.
- Left side is compatible with left hand panels B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx only.



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
B3LXPL4212NC	1 x 12 x 42	60	12.95	0.29	\$348
B3LXPL4224NC	1 x 24 x 42	60	25.83	0.58	\$580
B3LXPL4230NC	1 x 30 x 42	60	32.22	0.73	\$669
B3LXPL4236NC	1 x 36 x 42	60	38.65	0.88	\$756
B3LXPL4242NC	1 x 42 x 42	60	45.07	1.02	\$849
B3LXPL4248NC	1 x 48 x 42	60	51.5	1.17	\$935
B3LXPL5012NC	1 x 12 x 50	60	15.45	0.35	\$435
B3LXPL5024NC	1 x 24 x 50	60	30.8	0.69	\$695
B3LXPL5030NC	1 x 30 x 50	60	38.47	0.87	\$803
B3LXPL5036NC	1 x 36 x 50	60	46.15	1.04	\$912
B3LXPL5042NC	1 x 42 x 50	60	53.82	1.22	\$1028
B3LXPL5048NC	1 x 48 x 50	60	61.5	1.39	\$1137

**No connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a run of left gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to finish the run. Pin connectors are on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on two exposed edges; self edge on connecting side and bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxxx, B3LSMPxxxx and B3LXPLxxxx only.



**Right Gallery Panel Extension** 

B3LXPR4212NC	1 x 12 x 42	60	12.95	0.29	\$348
B3LXPR4224NC	1 x 24 x 42	60	25.83	0.58	\$580
B3LXPR4230NC	1 x 30 x 42	60	32.22	0.73	\$669
B3LXPR4236NC	1 x 36 x 42	60	38.65	0.88	\$756
B3LXPR4242NC	1 x 42 x 42	60	45.07	1.02	\$849
B3LXPR4248NC	1 x 48 x 42	60	51.5	1.17	\$935
B3LXPR5012NC	1 x 12 x 50	60	15.45	0.35	\$435
B3LXPR5024NC	1 x 24 x 50	60	30.8	0.69	\$695
B3LXPR5030NC	1 x 30 x 50	60	38.47	0.87	\$803
B3LXPR5036NC	1 x 36 x 50	60	46.15	1.04	\$912
B3LXPR5042NC	1 x 42 x 50	60	53.82	1.22	\$1028
B3LXPR5048NC	1 x 48 x 50	60	61.5	1.39	\$1137

**No connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a run of left gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to finish the run. Pin connectors are on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on two exposed edges; self edge on connecting side and bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- $\bullet \ \ \text{Compatible with models: } \ \ \textbf{B3LEP} \textbf{xxxxx}, \ \ \textbf{B3LMP} \textbf{xxxxx}, \ \ \textbf{B3LSMP} \textbf{xxxxx} \ \ \text{and} \ \ \textbf{B3LXPL} \textbf{xxxxx} \ \ \text{only}.$


**Required Specifications** 

END OF RUN RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	B3L2PL4213	1 x 13 x 42	60	14.02	0.32	\$378
	B3L2PL4225	1 x 25 x 42	60	26.87	0.61	\$669
•]]	B3L2PL4231	1 x 31 x 42	60	33.29	0.75	\$756
	B3L2PL4237	1 x 37 x 42	60	39.72	0.9	\$821
.						
	B3L2PL5013	1 x 13 x 50	60	16.73	0.38	\$471
.	B3L2PL5025	1 x 25 x 50	60	32.08	0.72	\$803
	B3L2PL5031	1 x 31 x 50	60	39.75	0.9	\$912
	B3L2PL5037	1 x 37 x 50	60	47.43	1.07	\$1011

**Left Gallery Panel End of Run Return** 

Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the left edge with connectors to form an L-configuration. Connection is on the interior face, right side. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 25"w gallery panel accommodates a 24" deep surface; 31"w accommodates a 30" deep surface; 37"w accommodates a 36" deep surface. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx only.




**Right Gallery Panel End of Run Return** 

B3I 2PR4213	1 x 13 x 42	60	14.02	0.32	\$378	
B3L2PR4225	1 x 25 x 42	60	26.87	0.61	\$669	
B3L2PR4231	1 x 31 x 42	60	33.29	0.75	\$756	
B3L2PR4237	1 x 37 x 42	60	39.72	0.9	\$821	
B3L2PR5013	1 x 13 x 50	60	16.73	0.38	\$471	
B3L2PR5025	1 x 25 x 50	60	32.08	0.72	\$803	
B3L2PR5031	1 x 31 x 50	60	39.75	0.9	\$912	
B3L2PR5037	1 x 37 x 50	60	47.43	1.07	\$1011	

Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the right edge with connectors to form an L-configuration. Connection is on the interior face, left side. Includes all attachment hardware and glides. ToThe total height includes the panel glides extended to their maximum height. 25"w gallery panel accommodates a 24" deep surface; 31"w accommodates a 30" deep surface; 37"w accommodates a 36" deep surface. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: B3LEPxxxx, B3LSEPRxxxx, B3LMPxxxx and B3LXPRxxxx only.

**Required Specifications** 



Left End of Run 3-Way Return\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
WODEL#		Theiumi GLASS	WI/LDS.	CUDIC FI.	LIST PRICE
	DxWxH				
B3L3PL4225	1 x 25 x 42	60	26.87	0.61	\$561
B3L3PL4249	1 x 49 x 42	60	52.57	1.19	\$907
B3L3PL4261	1 x 61 x 42	60	65.41	1.48	\$1203
B3L3PL4273	1 x 73 x 42	60	78.26	1.77	\$1397
B3L3PL5025	1 x 25 x 50	60	32.08	0.72	\$703
B3L3PL5049	1 x 49 x 50	60	62.77	1.42	\$1246
B3L3PL5061	1 x 61 x 50	60	78.12	1.77	\$1464
B3L3PL5073	1 x 73 x 50	60	93.47	2.11	\$1718

Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the left edge with connectors to form a T-configuration. Connections are on the interior face in the middle. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 49"w gallery panel accommodates two 24" deep surfaces; 61"w accommodates two 30" deep surfaces; 73"w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, grain direction runs horizontally.

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx only.

B3L3PR4225	1 x 25 x 42	60	26.87	0.61	\$561
B3L3PR4249	1 x 49 x 42	60	52.57	1.19	\$907
B3L3PR4261	1 x 61 x 42	60	65.41	1.48	\$1203
B3L3PR4273	1 x 73 x 42	60	78.26	1.77	\$1397
B3L3PR5025	1 x 25 x 50	60	32.08	0.72	\$703
B3L3PR5049	1 x 49 x 50	60	62.77	1.42	\$1246
B3L3PR5061	1 x 61 x 50	60	78.12	1.77	\$1464
B3L3PR5073	1 x 73 x 50	60	93.47	2.11	\$1718

ors to The surfaces; 61"w accommodates two 30" deep surfaces; 73"w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: B3LEPxxxx, B3LSEPRxxxx, B3LMPxxxx and B3LXPRxxxx only.

•	B3L3PR5025	1 x 25 x 50	60	32.08	0.72	\$703	
	B3L3PR5049	1 x 49 x 50	60	62.77	1.42	\$1246	
<u>;</u>	B3L3PR5061	1 x 61 x 50	60	78.12	1.77	\$1464	
	B3L3PR5073	1 x 73 x 50	60	93.47	2.11	\$1718	
t End of Run 3-Way Return*	Provides floor stan	ding support while encl	osing the end o	of a gallery pan	el run. Attache	s at the right edge with	n connectors
	0	tion. Connections are or es the panel glides exte					0
	-			_		•	


**GALLERY PANEL ACCESSORIES** 

Right

**Gallery Panel Bottom Inline Bracket** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
B3HLPBB01	8 x 1.5 x 7	70	1	0.5	\$81	

Connects two gallery panels at the bottom with screws. Available in all Bridges II paint colors. Specify finish.



**Gallery Panel Corner Bracket** 

B3HLPCB01 4 x 1.5 x 7 100 4 0.5 <b>\$79</b>	
---------------------------------------------	--

Connects two gallery panels at 90 degrees with screws. Available in all Bridges II paint colors. Specify finish.

#### **Required Specifications**



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
	DxWxH					
B3PMP24GI8W	1 x 24 x 8	60	4.84	0.11	\$457	\$91
B3PMP30GI8W	1 x 30 x 8	60	6.06	0.14	\$496	\$99
B3PMP36GI8W	1 x 36 x 8	60	7.28	0.17	\$528	\$105
B3PMP42GI8W	1 x 42 x 8	60	8.5	0.19	\$551	\$111
B3PMP48GI8W	1 x 48 x 8	60	9.72	0.22	\$581	\$116
B3PMP24GI16W	1 x 24 x 16	60	8.92	0.22	\$457	\$91
B3PMP30GI16W	1 x 30 x 16	60	11.17	0.28	\$496	\$99
B3PMP36GI16W	1 x 36 x 16	60	13.43	0.33	\$528	\$105
B3PMP42GI16W	1 x 42 x 16	60	15.68	0.39	\$551	\$111
B3PMP48GI16W	1 x 48 x 16	60	17.92	0.44	\$581	\$116

Privacy glass integrated with aluminum top trim. Attaches on top of gallery panels to add privacy or divide space. Includes aluminum trim with channel, end caps and glass tile. Top rail may also be used to hang accessories. Glass and attachment hardware ship separately. Specify paint finish for channel. Standard in Clear (CLR). **Add 20%** upcharge for frosted glass (**FRST**).

B3PFD0824W	1 x 24 x 8	70	1.32	0.11	\$183
B3PFD0830W	1 x 30 x 8	70	1.65	0.14	\$213
B3PFD0836W	1 x 36 x 8	70	1.99	0.17	\$252
B3PFD0842W	1 x 42 x 8	85	2.32	0.19	\$284
B3PFD0848W	1 x 48 x 8	85	2.65	0.22	\$416
B3PFD0854W	1 x 54 x 8	92.5	2.98	0.25	\$455
B3PFD0860W	1 x 60 x 8	92.5	3.32	0.28	\$488
B3PFD0866W	1 x 66 x 8	92.5	3.65	0.31	\$515
B3PFD0872W	1 x 72 x 8	85	3.98	0.33	\$581
B3PFD1624W	1 x 24 x 16	70	1.83	0.22	\$208
B3PFD1630W	1 x 30 x 16	100	2.3	0.28	\$240
B3PFD1636W	1 x 36 x 16	100	2.76	0.33	\$268
B3PFD1642W	1 x 42 x 16	100	3.22	0.39	\$307
B3PFD1648W	1 x 48 x 16	100	3.68	0.44	\$457
B3PFD1654W	1 x 54 x 16	100	4.14	0.5	\$498
B3PFD1660W	1 x 60 x 16	100	4.61	0.56	\$533
B3PFD1666W	1 x 66 x 16	100	5.07	0.61	\$561
B3PFD1672W	1 x 72 x 16	100	5.53	0.67	\$638


Privacy felt integrated with aluminum top trim. Attaches on top of gallery panels to add privacy or divide space. Includes aluminum trim with channel, end caps and felt tile. Top rail may also be used to hang accessories. Felt and attachment hardware ship separately. Specify paint finish for channel.

Felt Divider for 1" Laminate Panels\*\*


**Required Specifications** 

Paint finish Felt finish\*\* **Optional Specifications** 


Frosted glass (FRST)\*




I Connector




**Duplex Receptacles** 



**USB** Receptacles



**Power Distribution Housing Kit** 



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRTECI	4.63 x 1.5 x 1.5	70	0.06	0.01	\$111	

Inline coupler used to connect two BRTEHHxx pass-thru cables (sold separately; see page 433).

BRT8D1	1.25 x 4.63 x 2	70	0.1	0.01	\$37
BRT8D2	1.25 x 4.63 x 2	70	0.1	0.01	\$37
BRT8DB	1.25 x 4.63 x 2	70	0.1	0.01	\$37
BRT8DA	1.25 x 4.63 x 2	70	0.1	0.01	\$37

Snaps into Power Distribution Housing. Up to 6 duplex receptacles per circuit.

- BRT8D1 Circuit #1 (utility circuit)
- BRT8D2 Circuit #2 (utility circuit)
- BRT8DB Circuit B (utility circuit)
- BRT8DA Circuit A (dedicated circuit)

BRTEDU1B	1.25 x 4.63 x 2	300	3.82	2	\$424	
BRTEDU1W	1.25 x 4.63 x 2	300	6.98	2	\$424	

Snaps into Power Distribution Housing. USB charging module provides convenient charging power access though dual ports on face of receptacles.

- Two USB ports.
- 2 amp ouput, considered as circut #1.

BRTE3D24	2.6 x 9.25 x 2	70	0.83	1.2	\$262
BRTE3D30	2.6 x 15.25 x 2	70	1.28	1.2	\$301
BRTE3D36	2.6 x 21.25 x 2	70	1.62	1.7	\$317
BRTE3D42	2.6 x 27.25 x 2	300	2	2	\$334
BRTE3D48	2.6 x 33.25 x 2	400	2.32	2.5	\$348
BRTE3D54	2.6 x 39.25 x 2	400	2.66	3.2	\$359
BRTE3D60	2.6 x 45.25 x 2	400	3.04	3.2	\$374
BRTE3D66	2.6 x 51.25 x 2	300	3.76	3.3	\$580
BRTE3D72	2.6 x 57.25 x 2	300	3.76	3.3	\$580

Provides two duplex receptacles per beam side for all beam widths above 24" wide. Power Distribution Housing is specified per beam size. eg. **BRTE3D36** is for use with a 36" beam.

• 24" wide beam allows for only one (1) duplex receptacle per beam side.

BRTEJC16	0.5 x 16.75 x 2	70	0.66	1.2	\$205	
BRTEJC20	0.5 x 20.75 x 2	70	0.78	1.2	\$215	

Electrically connects two Power Distribution Housings.

- BE8JC16 electrically connects two Power Beams positioned side by side.
- BE8JC20 electrically connects two Power Beams separated by a post.
- Wires are concealed in a flexible metal conduit.
- Cannot go through a post in a corner application. Please use the Jumper Cable Mesh for this application.

**Required Specifications** 




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
BRTEJM19	0.05 x 19 x 2	70	0.75	1.2	\$170
BRTEJMS20	0.05 x 19 x 2	70	0.75	1.2	\$221

Electrically connects two Power Distribution Housings in two Power Beams separated by a post in a corner application.


- BRTEJM19 Wires are covered with a durable nylon mesh.
- BRTEJMS20 Wires are concealed in a flexible metal shroud and covered with a durable nylon mesh.

BRTEHH40	.5 x 40.5 x 2	70	1.44	1.25	\$191
BRTEHH46	.5 x 46.5 x 2	70	1.71	1.2	\$270
BRTEHH52	.5 x 52.5 x 2	300	1.95	1.17	\$217
BRTEHH58	.5 x 58.5 x 2	300	2.21	1.17	\$226
BRTEHH64	.5 x 64.5 x 2	300	2.37	1.2	\$306
BRTEHH70	.5 x 70.5 x 2	250	2.6	1.2	\$317
BRTEHH76	.5 x 76.5 x 2	250	2.81	1.17	\$252
BRTEHH82	.5 x 82.5 x 2	250	3.03	1.2	\$339
BRTEHH88	.5 x 88.5 x 2	250	3.05	1.2	\$350
BRTEHH94	.5 x 94.5 x 2	250	3.3	1.2	\$363
BRTEHH100	.5 x 100.5 x 2	250	3.47	1.2	\$374
BRTEHH106	.5 x 106.5 x 2	250	3.87	1.2	\$389
BRTEHH118	.5 x 118.5 x 2	250	4.08	1.2	\$410
BRTEHH130	.5 x 130.5 x 2	250	4.73	1.2	\$433
BRTEHH142	.5 x 142.5 x 2	150	4.99	1.2	\$457



**Housing to Housing Pass-Thru Cable** 

Distributes power between Power Distribution Housings in Power Beams separated by one or more Power Beams that may not have power. Wires are concealed in a flexible metal conduit.



**Housing to Jumper Pass-Thru Cable** 

BRTEHJ24	.5 x 24 x 2	70	0.9	1.2	\$197
BRTEHJ30	.5 x 30 x 2	70	1.3	1.2	\$211
BRTEHJ36	.5 x 36 x 2	70	1.44	1.2	\$221
BRTEHJ42	.5 x 42 x 2	70	1.71	1.2	\$230
BRTEHJ48	.5 x 48 x 2	70	1.95	1.2	\$241
BRTEHJ54	.5 x 54 x 2	300	2.21	1.2	\$249
BRTEHJ60	.5 x 60 x 2	300	2.37	1.2	\$257
BRTEHJ72	.5 x 72 x 2	250	2.81	1.2	\$274
BRTEHJ84	.5 x 84 x 2	250	3.05	1.2	\$300
BRTEHJ96	.5 x 96 x 2	250	3.3	1.2	\$320
BRTEHJ108	.5 x 108 x 2	250	3.87	1.2	\$339
BRTEHJ120	.5 x 120 x 2	250	4.08	1.2	\$359
BRTEHJ144	.5 x 144 x 2	250	4.59	1.2	\$381

Connects a Power Distribution Housing to a housing connection of a harness. Wires are concealed in a flexible metal conduit.



Base Feed & Housing for Power Beam\*

BRTBPEFH18	2.5 x 6 x 18	85	2.7	0.2	\$699
BRTBPEFH26	2.5 x 6 x 26	65	5.41	0.2	\$745
BRTBPEFH34	2.5 x 6 x 34	65	7.03	0.3	\$780

Attaches to inner side of the Power Beam leg. Base feed kit consists of two mounting brackets, steel shroud and base feed harness with 72" long liquid-tight conduit hardwired to building power supply. Must be hard wired to building power supply by a licensed electrician.

- Specify **BRTBPEFH18** for 18"H power beams; **BRTBPEFH26** for 26"H power beams; **BRTBPEFH34** for 34"H power beams.
- Post vertical trim must be specified in accordance to your post 2-way, 3-way or 4-way configuration.
- Note: On-site drilling required to secure mounting brackets to the inside of the beam vertical leg.

### **Required Specifications**

Paint finish\*

ECTRICAL - POWER BEAM	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTECF120 BRTECF144	6 x 6 x 120 6 x 6 x 144	250 250	5.25 6	2	\$476 \$530
ling Feed - Single	into a power beam		a Power Distribution	on Housing o	r <b>BRTEHJ</b> xx F	channel. Power entry cable penetra Pass-Thru Harness. Must be hard v
	BRTECF1202 BRTECF1442	3 x 6 x 120 3 x 6 x 144	250 250	5.24 5.96	2 2	\$995 \$1121
ing Feed - Double	into a power beam power source by a • For use in the m	and plugs into either licensed electrician. S iddle of a run to distri ected to BRTEHJxx an	a Power Distribution Specify Post Extens bute power in two o	on Housing o ion separate directions <b>O</b> l	r <b>BRTEHJxx</b> F ly. <b>R</b> at the beginn	annel. Power entry cable penetrate Pass-Thru Harness. Must be hard w ing of a run where second Ceiling tion Housing to pick up a second c
	BRTECFK120 BRTECFK144	6 x 6 x 120 6 x 6 x 144	250 250	5.25 6	2 2	\$712 \$790
ing Feed - New York Electrical	into a power beam		a Power Distribution	on Housing o	r <b>BRTEHJ</b> xx F	channel. Power entry cable penetra Pass-Thru Harness. Must be hard v
	BRTECHJB	Х	70	5.25	0.01	\$342
dwire Junction Box - Chicago	into a power beam		a Power Distribution	on Housing o	r <b>BRTEHJ</b> xx F	channel. Power entry cable penetra Pass-Thru Harness. Must be hard v

**Required Specifications** 





Office Spaces<sup>™</sup> is a unique desking architecture addressing current and future private office trends. Elements in the series coordinate with products in the Spaces Collection. Modular in design, Office Spaces is self-supporting for easy reconfiguration or relocation. A progressive palette of finishes and materials supports the light look of this contemporary desking line.

Office Spaces was designed from the ground up to incorporate height adjustable surfaces in both rectangular and L-shaped configurations. The series offers new solutions for meeting rooms and guest offices that facilitate engagement and support collaboration. The seamless integration of work carts and trolleys from Collaborative Spaces extend the possibilities and applications with shared details, materials and finishes.

PET felt wire manager



Fixed or height adjustable legs support worksurfaces and returns



Tackable PET felt backboard (varied pattern shown)

#### **Features and Benefits**

- Tops are 1" thick thermally fused laminate or 1-1/16" high pressure laminate
- Tops are constructed of 45 lb. density particle board
- Worksurfaces are sold separate from the base.
- Height range is 26"-52.5" measured from the floor to the top of the worksurface
- Height adjustable and fixed height legs share the same design, for a consistent visual across all applications.
- PET felt privacy and modesty panels and tackable backboards soften the overall look and feel.

#### **GENERAL INFORMATION**

- Primary and return worksurfaces feature both square corners and ergonomic large radius corners for improved ergonomics.
- Worksurfaces supported by fixed or height adjustable legs, in 2 or 3-legged applications.
- Storage elements are available in a variety of sizes and configurations including wardrobes, file drawers, box drawers and cubbies for personal items.
- Backboards support media displays and include options for whiteboards, tackable PET felt or laminate surfaces, with or without shelves.
- Accessorize surfaces and storage with whiteboards, wire management, desktop electrical and more.
- For environmental certifications, please visit globalfurnituregroup.com.

#### CONSTRUCTION

- All worksurfaces are standard in high performance thermally fused laminate.
   Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- Products specified with the high pressure laminate option are finished on the underside
  of the surface with a kraft paper backing.
- Grommet location must be specified at the time of order or it will default to a no grommet option.
- Storage requires the top, top edge, chassis and door/drawer fronts finishes to be specified separately. Chassis and door/drawer edge finish will match corresponding chassis and door/drawer finish.
- Storage components require foot kit or storage undercarriage to be specified separately
- Power modules and grommets are not included and must be specified separately.
- Woodgrain runs horizontally on all backboards.
- Backboards will have a matching edge to the chosen laminate. If dry erase board is specified, Designer White (DWT) edging will be applied.
- Corner radius for 24"D worksurfaces is 12", where applicable
- Corner radius for 30"D worksurfaces is 15", where applicable

### PET FELT COLORS

AMT	Amethyst	HVT	Harvest
APR	Apricot	LAP	Lapis
BLK	Black	MTS	Mist
BSK	Blue Smoke	NVY	Navy
BRI	Brick	PWT	Pewter
CNN	Carnation	RBY	Ruby
DEN	Denim	SHR	Shamrock
EMD	Emerald	SFR	Sunflower
GPH	Graphite	WHT	White

#### **METAL LEG FINISHES:**

BLK	Black	SIL	Silver
BZD	Blizzard	SDT	Stonedust
CHR	Charcoal	TPE	Taupe
DWT	Designer White	TUN	Tungsten
NEV	Nevada		

#### LAMINATE FINISHES (thermally fused and high pressure laminates):

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

### **EDGE FINISHES**

AAE	Absolute Acajou	FCL	First Class
ASE	Asian Night	NBL	Noce Biondo
ACE	Avant Cherry	NGL	Noce Grigio
AHE	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	MTD	Quartered Mahogany
BZD	Blizzard	SBY	Sheer Beauty
CHR	Charcoal (use w/SOG)	SIL	Silver
CME	Clear Maple	SDT	Stonedust
CGY	Custom Grey	TPE	Taupe
DEE	Dark Espresso	WHE	Walnut Heights
DWE	Designer White	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry

#### **HOW TO SPECIFY:**

### Example: SKWSRW2460

SK - Office Spaces

WS - Worksurface

RW - Rectangular worksurface

**24** - Depth

**60** - Width

#### All worksurface options:

RW - rectangular worksurface

RRT - rectangular worksurface with radius on top right

RLT - rectangular worksurface with radius on top left

RTRL - rectangular worksurface with radius on top right and top left

RTBL - rectangular worksurface with radius at top right and bottom left

RBTL - rectangular worksurface with radius at top left and bottom right

CT - rectangular worksurface for conferencing

CR - racetrack worksurface for right return

CL - racetrack worksurface for left return

CW - racetrack worksurface

**DW** - D shaped worksurface

RR - right rectangular return

RL - left rectangular return

RBR - rectangular return with radius at bottom right

RBL - rectangular return with radius at bottom left

RTR - rectangular return with radius at top right

RTL - rectangular return with radius at top left

#### Material:

LP - Low Pressure laminate, 1" thick

HP - High Pressure laminate, 1-1/16" thick

### **Required specifications:**

- · Laminate finish
- Edge finish
- · Cut-out location (see diagrams)

### Example: SKWSFH2C18T24

SK - Office Spaces

**WS** - Worksurface Support

Other Options:

**FH** - Fixed height legs

 $\boldsymbol{\mathsf{HA}}$  - Height adjustable

**2C** - Two column

3C - Three column

**18T24** - For 18" to 24" deep surfaces


**30T36** - 30" to 36" deep surfaces

#### **Required specifications:**

Metal paint finish

globalfurnituregroup.com global

#### **ABOUT OFFICE SPACES**



#### Worksurfaces



**SKWSRW** Rectangular Worksurface



SKWSRRT Rectangular Worksurface with Radius on Top Right



SKWSRTRL Rectangular Worksurface with Radius on Top Right and Top Left



SKWSRTBL Rectangular Worksurface with Radius at Top Right and Bottom Left



SKWSCW Rectangular Racetrack worksurface for Worksurface for conferencing conferencing



#### **Return Worksurfaces**



Right Rectangular


Return



Rectangular Return Rectangular Return with Radius at Top Right with Radius at Top Left



SKWSCR Racetrack worksurface for right return



D Shaped Worksurface for conferencing

## **Fixed Height Column Kits**



SKWSFH2C2 2 Column Kit



SKWSFH3C 3 Column Kit



**Height Adjustable Column Kits** 

SKWSHA2C 2 Column Kit



**SKWSHA3C** 3 Column kit



**Support Channel** 

SKWSDC Support Channel



SKWSRDC Return Support Channel Kit

**Modesty Panel** 



**SKWABP** Modesty Panel



SKWACML Corner Modesty Panel - Left (Right Available)



SKWARML Curved Modesty Panel - Left (Right Available)



**Privacy Panel** 

**SKWAPP** Privacy Panel



**SKWACPL** Corner Privacy Panel - Left (Right Available)



SKWARPL Curved Privacy Panel - Left (Right Available)

Electrical



SCTAPE Nik Edge/Clamp Mount Power Module



**SCTAPS** Nik In-Surface Power Module



**SCTAPB** Nik Below Surface Power Module



**SCTAPPB** Below Surface Power Bar



SCTAPC Below Surface Power Bar



**SCTACT** PET Felt Wire Manager



**SKWESCT** Storage Cable Tube



**SKSEPO** Storage Power Outlet

#### **Backboards**



SKBB Backboard



**SKBBR** Backboard - Right Radius Corner



SKBBL Backboard - Left Radius Corner



SKBBC Backboard - Radius Corners at Top



SKBS Backboard with Shelf



SKBD Backboard with **Double Shelves** 



**SKBOS** Backboard below Overhead Storage

#### **Overheads**



SKS00 Open Cubby Overhead



SKSOH Hinged Door Overhead



Laminate Sliding

Door Overhead

SKSOG Glass Sliding Door Overhead

## **OFFICE SPACES - STATEMENT OF LINE**

#### Legs



**SKSLL** Low Storage Legs



SKSLU

Storage Undercarriage

#### Low Storage (legs / undercarriage required, specify separately)



**SKSLOS**Open Cubby with shelf



**SKSLFD** File Drawer



SKSLBB Box/Box Drawers



SKSLHD Hinged Doors



**SKSLCHLR** Hinged Door, Lateral File



**SKSLCHLL**Lateral File, Hinged door



**SKSLCHDR**Hinged Door, Box/
Box Drawers



SKSLCHDL Box/Box Drawers, Hinged Door



**SKSLCOLR**Open Cubby, Lateral File



**SKSLCOLL**Lateral File, Open
Cubby



SKSLCODR Open Cubby, Box/ Box Drawers



SKSLCODL Box/Box Drawers, Open Cubby



**SKSLCFF**File/File Drawers

#### Low Storage with Leg Grommets (legs / undercarriage required, specify separately)

(one leg grommet for use with two fixed or height adjustable column kits - primary worksurface or conferencing top; two leg grommet for use with three fixed or height adjustable column kits - primary top + return)



**SKSLHDG**Hinged Doors with Leg Grommet



**SKSLCHOL**Open Cubby, Hinged
Door with Leg
Grommet



**SKSLCHOR** Hinged Door with Leg Grommet, Open Cubby



SKSLCHFR
Hinged Door with
Leg Grommet, File
Drawer



SKSLCHFL Hinged Door with Leg Grommet, File Drawer



Hinged Door with Leg Grommet, Box/ Box Drawers




Box/Box Drawers, Hinged Door with Leg Grommet



**SKSLCHOFL**File Drawer, Open
Cubby, Hinged Door
with Leg Grommet



SKSLCHOFR
Hinged Door with
Leg Grommet, Open
Cubby, File Drawer



SKSLCHODL

Box/Box Drawer, Open
Cubby, Hinged Door
with Leg Grommet



SKSLCHODR Hinged Door with Leg Grommet, Open Cubby, Box/Box Drawer



**SKSLCOHO**Open Cubby, Hinged
Door with Leg
Grommet, Open Cubby



File Drawer, Box/Box Drawers, Hinged Door with Leg Grommet



**SKSLCHBFR** Hinged Door with Leg Grommet, Box/Box Drawers, File Drawer



**SKSLCHOBFL**File Drawer, Box/Box
Drawers, Open Cubby,
Hinged Door with Leg
Grommet



SKSLCHOFHR
Hinged Doors with Leg
Grommet, Open Cubby,
File Drawer, Hinged
Door with Leg Grommet



**SKSLCHOBFR**Hinged Door with Leg
Grommet, Open
Cubby, Box/Box
Drawers, File Drawer



SKSLCHOBHL
Hinged Doors with
Leg Grommet, Box/
Box Drawers, Open
Cubby, Hinged Door
with Leg Grommet



**SKSLCHFH**Hinged Door with Leg
Grommet, File
Drawer, Hinged Door
with Leg Grommet



SKSLCHOBHR Hinged Doors with Leg Grommet, Open Cubby, Box/Box Drawers, Hinged Door with Leg Grommet



SKSLCHBH Hinged Door with Leg Grommet, Box/Box Drawers, Hinged Door with Leg Grommet



SKSLCHOBFHL
Hinged Doors with Leg
Grommet, File Drawer,
Box/Box Drawers,
Open Cubby, Hinged
Door with Leg
Grommet



**SKSLCHOH**Hinged Door with Leg
Grommet, Open
Cubby, Hinged Door
with Leg Grommet



SKSLCHOBFHR
Hinged Doors with Leg
Grommet, Open Cubby,
Box/Box Drawers, File
Drawer, Hinged Door
with Leg Grommet



**SKSLCHDG**Hinged Doors with
Leg Grommet



Hinged Doors with Leg Grommet, File Drawer, Open Cubby, Hinged Door with Leg Grommet



SKSLCHBFHL Hinged Door with Leg Grommet, File Drawer, Box/Box Drawers, Hinged Door with Leg Grommet



**SKSLCHBFHR**Hinged Door with Leg
Grommet, Box/Box
Drawers, File Drawer,
Hinged Door with Leg
Grommet

High Storage (legs / undercarriage required, specify separately)



**SKSHO** Open Cubby



**SKSHR** Hinged Door - Right



**SKSHL** Hinged Door - Left



**SKSHH** Hinged Door



**SKSHRF** Hinged Door - Right with File Drawer



**SKSHRL** Hinged Door - Left with File Drawer



**SKSHHF**Hinged Doors with
File Drawer



**SKSHOF**Open Cubby with File
Drawer



**SKSHOBF**Open Cubby with Box,
File Drawer



**SKSHRBF** Hinged Door - Right with Box File Drawer



**SKSHLBF** Hinged Door - Left with Box File Drawer



**SKSHHBF** Hinged Doors - with Box File Drawer



**SKSHCSR**Sliding Door - Closed
Shelves Right



**SKSHCSL**Sliding Door - Closed
Shelves Left

**Storage Accessories** 



**SKSAC** Low Storage Cushion



**SKSAGC**Base Ganging Clip



**SKWSFP** Flush Plate



**SKSADW**Magnetic Whiteboard

# O OFFICE SPACES - PLANNING

#### **HEIGHT ADJUSTABLE BASE SPECIFICATION**

#### Construction:

- Leg column size: 70mm
- · Leg and foot materials: steel
- Glide adjustment range: 18mm
- Operation speed: 1.4 inches/sec (35mm/sec)
- Anti-collision: 6-axis gyro built into control box
- Certifications: ANSI/BIFMA Compliant. UL component level certification.

#### Three stage leg design:

- Guide/actuator/motor housing design: steel/aluminum/plastic
- Lift capacity: 180 lbs./leg
- Noise level: <50dB

### Control box specs NE2/N3:

Control box specs **NE2** for two column:

- Size: 11 5/8" x 1 7/8" x 3 3/4"
- Weight: 1.14 lbs.

Control box specs N3 for three column:

- Size: 12 5/8" x 1 15/16" x 3 11/16"
- Weight: 1.54 lbs
- Voltage: 120V
- Temperatures: below 70°c.
- Color: Black
- Overload protection:


Work duty: 2 min. operation, requires 18 min. rest, otherwise code H01 will show. Current limitations: single port not larger than 7A, total ports not larger than 15A.


- Type of plug: three prong
- · Cord length: 1 meter

### Handset K50C:

- Color: Black
- PVC
- Plug style and cord length: RJ45
- Standby power consumption: < 0.1W
- Active power consumption: NE2 max 350W, N3 max 500W
- Certifications: UL component level certification

#### **HEIGHT ADJUSTABLE TABLE ELEVATIONS**





#### **POWER MODULE SPECIFICATION**

Worksurfaces	Code/Location
SKWSRW	NG - No Grommet
SKWSRRT	F1 - left position
SKWSRLT	F2/C2 - center position
SKWSRTRL	F3 - right position
SKWSRTBL	
SKWSRBTL	
SKWSCR	
SKWSCL	

#### **Worksurface Grommet Options:**

• F1/F2/F3 - BG5. Available in White (W), Black (B) and Grey (G). Add \$96.


### **Worksurface Power Module Options:**


• Cut-outs for SCTAPSx modules available in center position only. Specify C2, add \$96.




#### **Worksurface Grommet Locations:**

- Grommets available in standard worksurface locations (left, center or right).
   Order as F1, F2 or F3. Add \$96 for each cut-out.
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.







Conference Tops	Code/Location
SKWSCT	NG - No Grommet
SKWSCW	F1/C1 - left position
	F2/C2/O2 - center position
	F3/C3 - right position

#### **Conference Top Grommet Options:**

• F1/F2/F3 - BG5. Available in White (W), Black (B) and Grey (G).

#### **Conference Top Power Module Options:**

 Cut-outs for SCTAPSx and SCTAOTx modules available, centered on depth in left, center and right locations. Order as C1, C2 or C3, add \$96.







 Cut-outs for SCTAPTx / SCTAPRx modules available, centered on depth in center position only. Order as 02, add \$96.





#### **Conference Top Grommet Locations:**






### POWER ACCESSORY CUT-OUT LOCATIONS

D-Top/Return	Code/Location
SKWSDW	NG - No Grommet
SKWSRR	F2/C2 - center position. Add \$96 for each cut-out.
SKWSRL	
SKWSRBR	
SKWSRBL	
SKWSRTR	
SKWSRTL	
SKWSCT	


### **D-Top Power Module Options:**

 Cut-outs for SCTAPSx and SCTAOTx modules available in center position only. Specify C2, add \$96.




### **D-Top Grommet Options:**


F2 - BG5. Available in White (W), Black (B) and Grey (G).




### **WORKSURFACE RADIUS + GRAIN DIRECTION**




### **ELEVATIONS**




Low storage with undercarriage




Low storage with leg grommet and fixed height leg




Low storage with 48" high storage on undercarriage




Low storage with 54" high storage on undercarriage



Low storage with 60" high storage on undercarriage with backboard



Low storage with 66" high storage on undercarriage with backboard





Low storage with 72" high storage on undercarriage with backboard

#### Note - PET Felt:


- Varied asymmetrical pattern (**VE-V**) repeats every 15" in a combination of 1.5", 3", 4.5" and 6" sections between grooves.
- $\bullet$  Equal symmetrical pattern (VE-E) is consistent 3" center to center of grooves.

### Modesty Panels - SKWABP, SKWACML/R, SKWARML/R





### **Backboard Radius Corners**



### **Lateral File Drawers Capacity**

#### Lateral File Drawer:

36W & 42W

Legal Filing - front to back

#### **Lateral File Drawer:**

36W & 42W

Legal Filing - side to side Letter Filing - front to back

#### **Lateral File Drawer:**

30W, 36W & 42W Letter Filing - front to back

#### **Lateral File Drawer:**

36W & 42W

Letter & Legal Filing - front to back

#### **Lateral File Drawer:**

30W, 36W & 42W

Legal Filing - side to side











- · Drawer file with plastic rail
- 30"W Size 9.44"H x 25.75"W x 16"L
- 36"W Size 9.44"H x 31.75"W x 16"L
- 42"W Size 9.44"H x 37.75"W x 16"L

### **Pedestal Drawers Capacity**

### **Box Drawer:**

15.5W

Legal Filing - side to side

#### File Drawer:

Letter Filing - front to back

### File Drawer:

15.5W

Legal Filing - side to side







- 18"D Drawer Box Size 3.93"H x 13"W x 16"L
- 20.23.24.29.30.36"D Drawer Box Size 3.93"H x 13"W x 20"L
- 18"D Drawer File with plastic rail Size 9.4"H x 13"W x 16"L
- 20"D and up Drawer File with plastic rail Size 9.4"H x 13"W x 20"L
- 18"D Drawer File with plastic rail Size 9.4"H x 13"W x 16"L
- 20"D and up Drawer File with plastic rail Size 9.4"H x 13"W x 20"L

## 0


## **OFFICE SPACES - PLANNING**

#### **BASIC WORKSTATION**

Office Spaces planning begins with the credenza, the storage undercarriage, the worksurface, the required support channels and the leg column kit type. The examples below feature fixed height leg column kits and all surface types in a right handed configuration, but any can be specified with height adjustable leg column kits and/or the opposite handedness.


To support surfaces, specify the required leg column kit, the low storage with leg grommet and support channel bars for primary surfaces (single bar up to 66", two required for 72" and above) and a return support kit for return surfaces. Primary worksurfaces cannot rest directly on the low storage or as a freestanding table desk.






Specification:
SKWSRW3072, SKSLCH0EDR2072,
SKSLU2072,
SKWSFH2C30T36,
2 x SKWSDC72
Rectangular surfaces can be used with a credenza on the left or right.






Specification:
SKWSRTRL3072, SKSLCH0EDR2072,
SKSLU2072,
SKWSFH2C30T36,
2 x SKWSDC72
Surfaces with curves at upper left/
right can be used with left or right handed credenzas (right shown).






Specification:
SKWSCR3072, SKSLCH0EDR2072,
SKSLU2072, SKWSFH2C30T36,
2 x SKWSDC72
Racetrack surfaces can be
specified for use with left or right
handed credenza (right shown).

### **BASIC WORKSTATIONS**






Specification: SKWSRLT3072, SKSLCHOEDR2072, SKSLU2072, SKWSFH2C30T36, 2 x SKWSDC72

Surfaces with the curve at the upper left are used with credenza on the right (as shown). Opposite hand available.







Specification: SKWSRTBL3072, SKSLCHOEDR2072, SKSLU2072, SKWSFH2C30T36, 2 x SKWSDC72 Surfaces with curves at opposite sides can be used with left or right handed credenzas (right shown).

#### **L-DESK SURFACES**

To specify an "L" shaped configuration with Office Spaces, a credenza with two leg grommet, a three column fixed or height adjustable kit, two support channels and a return support channel kit are needed. The examples below feature fixed height column kits, a basic rectangular primary worksurface with various return shapes available.


They can also be specified with height adjustable column kits and/or opposite handedness. The primary surface can be specified as any shape as shown on the previous page. To support surfaces, credenzas must be specified with two leg grommets. Surfaces cannot rest on the credenza.







Specification: SKWSRW2472, SKWSRR1860, SKSLCHOBHR2084, SKSLU2084, SKWSFH3C18T24, 2 x SKWSDC72, SKWSRDC60





Specification: SKWSRW2472, SKWSRTR1860, SKSLCHOBHR2084, SKSLU2084, SKWSFH3C18T24, 2 x SKWSDC72, SKWSRDC60







Specification: SKWSRW2472, SKWSRBR1860, SKSLCHOBHR2084, SKSLU2084, SKWSFH3C18T24, 2 x SKWSDC72, SKWSRDC60

#### SHARED OFFICE/CONFERENCE


Shared spaces can be accomplished by using center grommet credenzas with Office Spaces conferencing surfaces. Conferencing surfaces are designed for use with two column kits only, fixed or height adjustable.


They are not intended to be connected to returns.







Specification: SKWSCT3696, SKSLCHDG2084, SKSLU2084, SKWSFH2C30T36, 2 x SKWSDC84





Specification: SKWSDW3696, SKSLCHDG2084, SKSLU2084, SKWSFH2C30T36, 2 x SKWSDC84







Specification: SKWSCW3696, SKSLCHDG2084, SKSLU2084, SKWSFH2C30T36, 2 x SKWSDC84


## STORAGE


SKSLL Storage Legs for single units.

SKSLU20 Storage Undercarriage











\*Freestanding Storage 36"w or greater use SKSLU20xx



\*Combining low and high storage is possible over a single undercarriage. No more than one low storage unit and one high storage can be combined on a single undercarriage.


 $18^{\prime\prime}$  wide high storage can only be used in conjunction with low storage  $36^{\prime\prime}$  wide or greater.

NOTE: All storage units have a recessed back of 1.29"



#### Flush Plate Detail

Flush plates (SKWSFP) are required when combining low and high storage over a single undercarriage.




## **Ganging Clip Detail**


A base ganging clip (SKSAGC) is recommended when positioning two separate undercarriage pieces side by side. The half-pill shaped legs align to form an oval column to emulate the curves seen through the Spaces Collection.

## **BACKBOARDS + OVERHEADS**

Backboards add a decorative finished element to the space and with optional shelving or when used with overheads add personal storage options; they are wall mounted. Backboards include rails for mounting; hardware to fix to the wall is not included.



Specification: SKWSRW3072, SKSLCHOEDR2072, SKSLU2072, SKWSFH2C30T36, 2 x SKWSDC72, SKBB5272VE-V




Specification: SKWSRW3072, SKSLCHOEDR2072, SKSLU2072, SKWSFH2C30T36, 2 x SKWSDC72, SKBBL5272VE-V

Specification:

SKSLU2072,


SKWSRW3072,

SKBBR5272VE-V



Backboards are intended to be mounted with bottom flush to the top of 20" low storage and aligned to the top of high storage.

Backboards are available in laminate (LP), dry erase whiteboard (DE), PET felt (PT), and patterned PET felt (VE).




Note: when using backboard with two shelves, for use with fixed height column kits only



Specification: SKWSRW3072, SKSLCHOEDR2072, SKSLU2072, SKWSFH2C30T36, 2 x SKWSDC72, SKBOS5272VE-V, 2 x SKSOH1436

SKSLU2072,

SKSLU2072,




# MODESTY + PRIVACY PANELS


Modesty and privacy panels can be added to rectangular or curved surfaces.



Specification: SKWSRW3072, SKSLCHOEDR2072, SKSLU2072, SKWSFH2C30T36, 2 x SKWSDC72, SKWABP1172 (flush)




Specification: SKWSRW3072, SKWSRR1836, SKSLCHBH3066, SKSH07218, SKSLU2084, SKWSFH3C30T36, 2 x SKWSDC72, SKWACML1172D30




Specification: SKWSRTRL3072, SKWSRR1836, SKSLCHBH3066, SKSH07218, SKSLU2072, SKWSFH3C30T36, 2 x SKWSDC72, SKWARML1172D30


# MODESTY + PRIVACY PANELS



Specification: SKWSRW3072, SKSLCHOEDR2072, SKSLU2072, SKWSFH2C30T36, 2 x SKWSDC72, SKWAPP2372



Specification: SKWSRW3072, SKWSRR1836, SKSLCHBH3066, SKSH07218, SKSLU2084, SKWSFH3C30T36, 2 x SKWSDC72, SKWACPL2372D30





Specification: SKWSRTRL3072, SKWSRR1836, SKSLCHBH3066, SKSH07218, SKSLU2072, SKWSFH3C30T36, 2 x SKWSDC72, SKWARPL2372D30


# **ACCESSORIES**


Leg grommets feature a large opening for the fixed height or height adjustable column (specified separately).

A second smaller diameter opening (1.8") allows for use of either **SKWESCT** - storage cable tube or **SKSEPO** - storage power outlet.












PET felt leg cover inside the low storage, standard within the credenza where any leg grommet is present.








Rectangu	lar I	Mork	eurfaca

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
SKWSRW2460	24 x 60 x 1	60	44.3	0.83	\$466	\$175	
SKWSRW2466	24 x 66 x 1	60	48.71	0.92	\$508	\$193	
SKWSRW2472	24 x 72 x 1	60	53.11	1	\$551	\$210	
SKWSRW2478	24 x 78 x 1	60	57.51	1.08	\$593	\$228	
SKWSRW2484	24 x 84 x 1	60	61.92	1.17	\$635	\$245	
SKWSRW3060	30 x 60 x 1	60	55.24	1.04	\$558	\$219	
SKWSRW3066	30 x 66 x 1	60	60.75	1.15	\$608	\$241	
SKWSRW3072	30 x 72 x 1	60	66.23	1.25	\$659	\$263	
SKWSRW3078	30 x 78 x 1	60	71.74	1.35	\$710	\$285	
SKWSRW3084	30 x 84 x 1	60	77.22	1.46	\$760	\$307	

Rectangular primary surface to be used with fixed height or height adjustable column kit. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.




Rectangular Worksurface, Radius Top Right

SKWSRRT2460	24 x 60 x 1	60	44.86	0.83	\$493	\$188
SKWSRRT2466	24 x 66 x 1	60	49.31	0.92	\$539	\$207
SKWSRRT2472	24 x 72 x 1	60	53.77	1	\$584	\$225
SKWSRRT2478	24 x 78 x 1	60	58.21	1.08	\$629	\$244
SKWSRRT2484	24 x 84 x 1	60	62.66	1.17	\$674	\$263
SKWSRRT3060	30 x 60 x 1	60	55.85	1.04	\$589	\$235
SKWSRRT3066	30 x 66 x 1	60	61.4	1.15	\$643	\$258
SKWSRRT3072	30 x 72 x 1	60	66.92	1.25	\$697	\$281
SKWSRRT3078	30 x 78 x 1	60	72.46	1.35	\$751	\$305
SKWSRRT3084	30 x 84 x 1	60	78.01	1.46	\$804	\$328

Primary surface with curve at the top right to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the left side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.

• 12" radius on 24" deep surfaces; 15" radius on 30" deep surface



Rectangular Worksurface, Radius Top Left

SKWSRLT2460	24 x 60 x 1	60	44.86	0.83	\$493	\$188
SKWSRLT2466	24 x 66 x 1	60	49.31	0.92	\$539	\$207
SKWSRLT2472	24 x 72 x 1	60	53.77	1	\$584	\$225
SKWSRLT2478	24 x 78 x 1	60	58.21	1.08	\$629	\$244
SKWSRLT2484	24 x 84 x 1	60	62.66	1.17	\$674	\$263
SKWSRLT3060	30 x 60 x 1	60	55.85	1.04	\$589	\$235
SKWSRLT3066	30 x 66 x 1	60	61.4	1.15	\$643	\$258
SKWSRLT3072	30 x 72 x 1	60	66.92	1.25	\$697	\$281
SKWSRLT3078	30 x 78 x 1	60	72.46	1.35	\$751	\$305
SKWSRLT3084	30 x 84 x 1	60	78.01	1.46	\$804	\$328

Primary surface with curve at the top left to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the right side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.

• 12" radius on 24" deep surfaces; 15" radius on 30" deep surface

**Required specifications** 

Laminate finish Edge finish **Optional specifications** 

HP laminate


Grommet (and grommet finish)
Power module cut-out

Accessories

PET felt modesty panel, privacy panel, Nik power modules,

PET felt wire manager

WORKSURFACES




Rectangular Worksurface, Radius Top Right and Top Left

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
SKWSRTRL2460	24 x 60 x 1	60	44.84	0.83	\$493	\$188
SKWSRTRL2466	24 x 66 x 1	60	49.28	0.92	\$539	\$207
SKWSRTRL2472	24 x 72 x 1	60	53.74	1	\$584	\$225
SKWSRTRL2478	24 x 78 x 1	60	58.19	1.08	\$629	\$244
SKWSRTRL2484	24 x 84 x 1	60	62.63	1.17	\$674	\$263
SKWSRTRL3060	30 x 60 x 1	60	55.82	1.04	\$589	\$235
SKWSRTRL3066	30 x 66 x 1	60	61.36	1.15	\$643	\$258
SKWSRTRL3072	30 x 72 x 1	60	66.88	1.25	\$697	\$281
SKWSRTRL3078	30 x 78 x 1	60	72.43	1.35	\$751	\$305
SKWSRTRL3084	30 x 84 x 1	60	77.97	1.46	\$804	\$328

Primary surface with curve at the top corners to be used with fixed height or height adjustable column kit.

All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above..

•	12"	radius	on 24"	deep	surfaces;	15"	radius on	30"	deep	surface



Rectangular Worksurface, Radius Top Right and Bottom Left

SKWSRTBL2460	24 x 60 x 1	60	44.83	0.83	\$493	\$188
SKWSRTBL2466	24 x 66 x 1	60	49.28	0.92	\$539	\$207
SKWSRTBL2472	24 x 72 x 1	60	53.74	1	\$584	\$225
SKWSRTBL2478	24 x 78 x 1	60	58.19	1.08	\$629	\$244
SKWSRTBL2484	24 x 84 x 1	60	62.63	1.17	\$674	\$263
SKWSRTBL3060	30 x 60 x 1	60	55.82	1.04	\$589	\$235
SKWSRTBL3066	30 x 66 x 1	60	61.36	1.15	\$643	\$258
SKWSRTBL3072	30 x 72 x 1	60	66.88	1.25	\$697	\$281
SKWSRTBL3078	30 x 78 x 1	60	72.43	1.35	\$751	\$305
SKWSRTBL3084	30 x 84 x 1	60	77.97	1.46	\$804	\$328

Primary surface with curve at the top right and bottom left to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the right side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.

• 12" radius on 24" deep surfaces; 15" radius on 30" deep surface



Rectangular Worksurface, Radius Top Left and Bottom Right

KWSRBTL2460	24 x 60 x 1	60	44.83	0.83	\$493	\$188	
KWSRBTL2466	24 x 66 x 1	60	49.28	0.92	\$539	\$207	
KWSRBTL2472	24 x 72 x 1	60	53.74	1	\$584	\$225	
KWSRBTL2478	24 x 78 x 1	60	58.19	1.08	\$629	\$244	
KWSRBTL2484	24 x 84 x 1	60	62.63	1.17	\$674	\$263	
KWSRBTL3060	30 x 60 x 1	60	55.82	1.04	\$589	\$235	
KWSRBTL3066	30 x 66 x 1	60	61.36	1.15	\$643	\$258	
KWSRBTL3072	30 x 72 x 1	60	66.88	1.25	\$697	\$281	
KWSRBTL3078	30 x 78 x 1	60	72.43	1.35	\$751	\$305	
KWSRBTL3084	30 x 84 x 1	60	77.97	1.46	\$804	\$328	

Primary surface with curve at the top left and bottom right to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the left side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.

• 12" radius on 24" deep surfaces; 15" radius on 30" deep surface

R	equire	d speci	fications

Laminate finish Edge finish

#### Optional specifications

HP laminate
Grommet (and grommet finish)
Power module cut-out

## Accessories

PET felt modesty panel, privacy panel, Nik power modules, PET felt wire manager WORKSURFACES






Racetrack Worksurface for Right Return

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
SKWSCR3072	30 x 72 x 1	60	66.83	1.25	\$691	\$281
SKWSCR3078	30 x 78 x 1	60	72.37	1.35	\$744	\$305
SKWSCR3084	30 x 84 x 1	60	77.92	1.46	\$798	\$328
SKWSCR3090	30 x 90 x 1	60	83.46	1.56	\$852	\$351
SKWSCR3096	30 x 96 x 1	60	88.98	1.67	\$906	\$375
SKWSCR3672	36 x 72 x 1	60	79.98	1.5	\$803	\$337
SKWSCR3678	36 x 78 x 1	60	86.61	1.63	\$865	\$365
SKWSCR3684	36 x 84 x 1	60	93.25	1.75	\$928	\$393
SKWSCR3690	36 x 90 x 1	60	99.87	1.88	\$990	\$421
SKWSCR3696	36 x 96 x 1	60	106.49	2	\$1052	\$449

Racetrack primary surface to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the right side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.

- When specifying 90" and 96" surfaces, use 84" support channels.
- 15" radius on 30" deep surface




Racetrack primary surface to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the left side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above..

• When specifying 90" and 96" surfaces, use 84" support channels.

18 x 66 x 1

• 15" radius on 30" deep surface

SKWSRR1866



Connects to a primary surface to create an L-shaped configuration. Specify support channel separately as needed. Handedness determines grommet location(s).

36.66

0.69


60

SKWSRL1836	18 x 36 x 1	60	20.09	0.38	\$237	\$78
SKWSRL1842	18 x 42 x 1	60	23.41	0.44	\$271	\$92
SKWSRL1848	18 x 48 x 1	60	26.71	0.5	\$305	\$105
SKWSRL1854	18 x 54 x 1	60	30.04	0.56	\$340	\$118
SKWSRL1860	18 x 60 x 1	60	33.34	0.63	\$374	\$131
SKWSRL1866	18 x 66 x 1	60	36.66	0.69	\$408	\$144


Connects to a primary surface to create an L-shaped configuration. Specify support channel separately as needed. Handedness determines grommet location(s).



Racetrack Worksurface for Left Return



Rectangular Return, Right



Rectangular Return, Left

Required specifications

Laminate finish Edge finish **Optional specifications** 

HP laminate

Grommet (and grommet finish)
Power module cut-out


Accessories

\$408


\$144

PET felt modesty panel, privacy panel, Nik power modules,


PET felt wire manager




## Rectangular Return w/Radius **Bottom Right**



Rectangular Return w/Radius **Bottom Left** 



Rectangular Return w/Radius **Top Right** 



Rectangular Return w/Radius **Top Left** 



**Rectangular Worksurface** for Conferencing

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
SKWSRBR1842	18 x 42 x 1	60	23.82	0.44	\$288	\$99
SKWSRBR1848	18 x 48 x 1	60	27.16	0.5	\$325	\$113
SKWSRBR1854	18 x 54 x 1	60	30.53	0.56	\$361	\$127
SKWSRBR1860	18 x 60 x 1	60	33.89	0.63	\$398	\$141
SKWSRBR1866	18 x 66 x 1	60	37.24	0.69	\$434	\$155

Connects to a primary surface on the left edge to create an L-shaped configuration. Specify support channel separately as

• 12" radius on 24" deep surfaces; 15" radius on 30" deep surface

SKWSRBL1842	18 x 42 x 1	60	23.82	0.44	\$288	\$99
SKWSRBL1848	18 x 48 x 1	60	27.16	0.5	\$325	\$113
SKWSRBL1854	18 x 54 x 1	60	30.53	0.56	\$361	\$127
SKWSRBL1860	18 x 60 x 1	60	33.89	0.63	\$398	\$141
SKWSRBL1866	18 x 66 x 1	60	37.24	0.69	\$434	\$155

Connects to a primary surface on the right edge to create an L-shaped configuration. Specify support channel separately as needed.

• 12" radius on 24" deep surfaces; 15" radius on 30" deep surface

SKWSRTR1842	18 x 42 x 1	60	23.82	0.44	\$288	\$99
SKWSRTR1848	18 x 48 x 1	60	27.16	0.5	\$325	\$113
SKWSRTR1854	18 x 54 x 1	60	30.53	0.56	\$361	\$127
SKWSRTR1860	18 x 60 x 1	60	33.89	0.63	\$398	\$141
SKWSRTR1866	18 x 66 x 1	60	37.24	0.69	\$434	\$155

Connects to a primary surface on the left edge to create an L-shaped configuration. Specify support channel separately as

• 12" radius on 24" deep surfaces; 15" radius on 30" deep surface

SKWSRTL1842	18 x 42 x 1	60	23.82	0.44	\$288	\$99
SKWSRTL1848	18 x 48 x 1	60	27.16	0.5	\$325	\$113
SKWSRTL1854	18 x 54 x 1	60	30.53	0.56	\$361	\$127
SKWSRTL1860	18 x 60 x 1	60	33.89	0.63	\$398	\$141
SKWSRTL1866	18 x 66 x 1	60	37.24	0.69	\$434	\$155

Connects to a primary surface on the right edge to create an L-shaped configuration. Specify support channel separately as needed.

• 12" radius on 24" deep surfaces; 15" radius on 30" deep surface

SKWSCT30	72 30 x 72 x	x 1 60	66.23	1.25	\$659	\$263
SKWSCT30	78 30 x 78 x	x 1 60	71.74	1.35	\$710	\$285
SKWSCT30	84 30 x 84 x	x 1 60	77.22	1.46	\$760	\$307
SKWSCT30	90 30 x 90 x	x 1 60	82.72	1.56	\$811	\$329
SKWSCT30	96 30 x 96 x	x 1 60	88.23	1.67	\$862	\$351
SKWSCT36	72 36 x 72 x	x 1 60	79.37	1.5	\$767	\$316
SKWSCT36	78 36 x 78 x	x 1 60	85.96	1.63	\$826	\$342
SKWSCT36	84 36 x 84 x	x 1 60	92.54	1.75	\$885	\$369
SKWSCT36	90 36 x 90 x	x 1 60	99.12	1.88	\$944	\$395
SKWSCT36	96 36 x 96 x	x 1 60	105.71	2	\$1003	\$421

Rectangular surface to be used for conferencing application that is semi-supported. Not for use with a return or a freestanding unit. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.

• When specifying 90" and 96" surfaces, use 84" support channels.

**Required specifications** 

Laminate finish Edge finish

**Optional specifications** 

**HP** laminate

Grommet (and grommet finish) Power module cut-out

Accessories

PET felt modesty panel, privacy panel,

Nik power modules, PET felt wire manager

WORKSURFACES



# Racetrack Worksurface for Conferencing

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
SKWSCW3072	30 x 72 x 1	60	66.78	1.25	\$691	\$281
SKWSCW3078	30 x 78 x 1	60	72.41	1.35	\$744	\$305
SKWSCW3084	30 x 84 x 1	60	77.95	1.46	\$798	\$328
SKWSCW3090	30 x 90 x 1	60	83.5	1.56	\$852	\$351
SKWSCW3096	30 x 96 x 1	60	89.02	1.67	\$906	\$375
SKWSCW3672	36 x 72 x 1	60	80.03	1.5	\$803	\$337
SKWSCW3678	36 x 78 x 1	60	86.65	1.63	\$865	\$365
SKWSCW3684	36 x 84 x 1	60	93.29	1.75	\$928	\$393
SKWSCW3690	36 x 90 x 1	60	99.92	1.88	\$990	\$421
SKWSCW3696	36 x 96 x 1	60	106.54	2	\$1052	\$449

Racetrack surface to be used for conferencing application that is semi-supported. Not for use with a return or as a freestanding unit. All surfaces with an unsupported length of 48" or greater require a support channel. For standard leg application, 72" to 84" long surfaces require 2 support channels.

• When specifying 90" and 96" surfaces, use 84" support channels.



D-Shaped Worksurface for Conferencing

SKWSDW3072	30 x 72 x 1	60	66.87	1.25	\$691	\$281
SKWSDW3078	30 x 78 x 1	60	72.41	1.35	\$744	\$305
SKWSDW3084	30 x 84 x 1	60	77.87	1.46	\$798	\$328
SKWSDW3090	30 x 90 x 1	60	83.41	1.56	\$852	\$351
SKWSDW3096	30 x 96 x 1	60	88.93	1.67	\$906	\$375
SKWSDW3672	36 x 72 x 1	60	79.92	1.5	\$803	\$337
SKWSDW3678	36 x 78 x 1	60	86.55	1.63	\$865	\$365
SKWSDW3684	36 x 84 x 1	60	93.19	1.75	\$928	\$393
SKWSDW3690	36 x 90 x 1	60	99.81	1.88	\$990	\$421
SKWSDW3696	36 x 96 x 1	60	106.43	2	\$1052	\$449

Primary D shape surface to be used for conferencing application that is semi-supported. Not for use with a return or as a freestanding unit. All surfaces with an unsupported length of 48" or greater require a support channel. For standard leg application, 72" to 84" long surfaces require 2 support channels.

• When specifying 90" and 96" surfaces, use 84" support channels.

**Required specifications** 

Laminate finish Edge finish Optional specifications

HP laminate Grommet (and grommet finish) Power module cut-out Accessories

Nik power modules PET felt wire manager




**Fixed Height 2 Column Kit** 



For use with Office Spaces low storage units with a leg grommet. Kit includes two fixed height columns, one foot, one column basket, two leg brackets and two small column brackets. Support channels are not included and must be specified based on the surface size. Kit components are powder coated metal. Specify paint finish.

- For 18" and 24" deep worksurfaces, specify SKWSFH2C18T24
- For 30" and 36" deep worksurfaces, specify SKWSFH2C30T36

SKWSFH3C18T24	6 x 20 x 28	250	81.31	25.4	\$1544	
SKWSFH3C30T36	6 x 20 x 28	250	81.31	25.4	\$1719	




Fixed Height 3 Column Kit

For use with Office Spaces low storage units with two leg grommets, forming an L shape configuration. Kit includes three fixed height columns, one foot, two column basket, three leg brackets and two small column brackets for the primary surface. Support channels are not included and must be specified based on the surface size. Kit components are powder coated metal. Specify paint finish.

- For 18" and 24" deep worksurfaces, specify SKWSFH3C18T24.
- For 30" and 36" deep worksurfaces, specify SKWSFH3C30T36.

SKWSHA2C18T24	6 x 20 x 25-51.2	150	81.31	15.38	\$2411
SKWSHA2C30T36	6 x 20 x 25-51.2	150	81.31	15.38	\$2423




Height Adjustable 2 Column Kit

For use with Office Spaces low storage units with a leg grommet. Range from top of surface to floor is 26" to 52.2". Kit includes two height adjustable columns, one control box (2 port), one handset, one foot, one spacer, one column basket and two small column brackets. Support channels are not included and must be specified based on the surface size. Kit components are powder coated metal. Specify paint finish.

- For 18" and 24" deep worksurfaces, specify SKWSHA2C18T24.
- For 30" and 36" deep worksurfaces, specify SKWSHA2C30T36.

SKWSHA3C18T24	6 x 20 x 25-51.2	250	81.31	25.4	\$3504	
SKWSHA3C30T36	6 x 20 x 25-51.2	250	81.31	25.4	\$3522	



Height Adjustable 3 Column Kit

For use with Office Spaces low storage units with two leg grommets, forming an L shape configuration. Range from top of surface to floor is 26" to 52.2". Kit includes three height adjustable columns, one control box (3 port), one handset, one foot, one spacer, two column basket, one small column bracket for the return surface and two small column brackets for the primary surface. Support channels are not included and must be specified based on the surface size. Kit components are powder coated metal. Specify paint finish.

- For 18" and 24" deep worksurfaces, specify SKWSHA2C18T24.
- For 30" and 36" deep worksurfaces, specify SKWSHA2C30T36.

#### **Required specifications**

Paint finish






C			OL.		1
2п	DD	ort	Ch	an	ne

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SKWSDC66	2 x 36 x 1.75	85	20	1.5	\$80	
SKWSDC72	2 x 42 x 1.75	85	20	1.5	\$96	
SKWSDC78	2 x 48 x 1.75	85	20	1.5	\$102	
SKWSDC84	2 x 54 x 1.75	85	20	1.5	\$111	

Used to support the primary surface. Specify two channels for each primary surface. Support channels are specified by the surface length. Available in Black (BLK) only.



**Return Support Channel Kit** 

SKWSRDC36	8.5 x 18 x 1.75	70	20	1.5	\$126
SKWSRDC42	8.5 x 24 x 1.75	85	20	1.5	\$136
SKWSRDC48	8.5 x 30 x 1.75	85	20	1.5	\$145
SKWSRDC54	8.5 x 36 x 1.75	85	20	1.5	\$153
SKWSRDC60	8.5 x 42 x 1.75	85	20	1.5	\$168
SKWSRDC66	8.5 x 48 x 1.75	85	20	1.5	\$175

Supports a return in an L-shaped configuration. Kit includes the channel and the support bracket. Support channels are specified by the surface length. Available in Black (BLK) only.




**Privacy Panel\*** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
SKWAPP2360	4.75 x 57 x 23	400	3.03	3.6	\$172	
SKWAPP2366	4.75 x 63 x 23	400	3.18	3.98	\$182	
SKWAPP2372	4.75 x 69 x 23	400	3.37	4.36	\$192	
SKWAPP2378	4.75 x 75 x 23	400	3.55	4.74	\$201	
SKWAPP2384	4 75 x 81 x 23	400	3.73	5 12	\$211	

Felt privacy panel secures to the edge of the surface and provides privacy above and below the surface. Specify the privacy panel that matches the nominal surface length. The privacy panel extends past the surface by 0.45". Installed panel measures 13" from the top of the worksurface and 9" below the surface. Must align with pre-drilled holes on the underside of the primary surface. Brackets (set of 2) are powder coated metal. Specify standard metal paint finish and PET felt color.

• Cannot be used in conjunction with modesty panel - SKWABP/SKWACMR/L/SKWARMR/L



Modesty Panel\*


SKWABP1160	4.75 x 57 x 10	300	2.53	1.72	\$140
SKWABP1166	4.75 x 63 x 10	300	2.68	1.9	\$144
SKWABP1172	4.75 x 69 x 10	300	2.87	2.09	\$148
SKWABP1178	4.75 x 75 x 10	300	3.05	2.27	\$153
SKWABP1184	4.75 x 81 x 10	300	3.23	2.45	\$157

Felt modesty panel can be mounted flush (upper bracket location) or inset (low bracket location). Specify the modesty panel that matches the nominal surface length. The modesty panel is inset by 0.45" when installed in the low bracket position and flush in the upper bracket position. Must align with pre-drilled holes on the underside of the primary surface. Brackets (set of 2) are powder coated metal. Specify standard metal paint finish and PET felt color.

• Cannot be used in conjunction with privacy panel - SKWAPP/SKWACPR/L/SKWARPR/L

**Required specifications** 

Paint finish<sup>4</sup> PET felt finish\*




**Corner Privacy Panel, Left** 



Felt privacy panel secures to the edge of the surface (SKWSRW) and provides privacy above and below the surface. It wraps around the corner on the left side of the primary surface. Specify the privacy panel that matches the nominal surface length and depth. 23" high dividers measure 13" from the top of the worksurface and 9" below the surface. 31" high dividers measure 21" from the top of the worksurface and 9" below the surface. Must align with pre-drilled holes on the underside of the primary surface. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

• Cannot be used in conjunction with modesty panel - SKWABP/SKWACMR/L/SKWARMR/L


SKWACPR2360D24	4.75 x 35.8 x 23	250	4.69	2.26	\$265
SKWACPR2366D24	4.75 x 41.8 x 23	300	5.06	2.64	\$275
SKWACPR2372D24	4.75 x 47.8 x 23	300	5.44	3.02	\$284
SKWACPR2378D24	4.75 x 53.8 x 23	300	5.81	3.4	\$294
SKWACPR2384D24	4.75 x 59.8 x 23	300	6.18	3.78	\$304
SKWACPR3160D24	4.75 x 35.8 x 30	250	4.69	2.26	\$284
SKWACPR3166D24	4.75 x 41.8 x 30	300	5.06	2.64	\$294
SKWACPR3172D24	4.75 x 47.8 x 30	300	5.44	3.02	\$303
SKWACPR3178D24	4.75 x 53.8 x 30	300	5.81	3.4	\$313
SKWACPR3184D24	4.75 x 59.8 x 30	300	6.18	3.78	\$323
SKWACPR2360D30	4.75 x 35.8 x 23	250	4.69	2.26	\$287
SKWACPR2366D30	4.75 x 41.8 x 23	300	5.06	2.64	\$297
SKWACPR2372D30	4.75 x 47.8 x 23	300	5.44	3.02	\$306
SKWACPR2378D30	4.75 x 53.8 x 23	300	5.81	3.4	\$316
SKWACPR2384D30	4.75 x 59.8 x 23	300	6.18	3.78	\$326
SKWACPR3160D30	4.75 x 35.8 x 30	300	5.75	2.95	\$306
SKWACPR3166D30	4.75 x 41.8 x 30	300	6.26	3.45	\$316
SKWACPR3172D30	4.75 x 47.8 x 30	300	6.76	3.94	\$325
SKWACPR3178D30	4.75 x 53.8 x 30	300	7.26	4.44	\$335
SKWACPR3184D30	4.75 x 59.8 x 30	300	7.76	4.93	\$345



• Cannot be used in conjunction with modesty panel - SKWABP/SKWACMR/L/SKWARMR/L



Required specifications
PET felt color
Paint finish



**Corner Privacy Panel, Right** 

\$179



PRIMARY WORKSURFACE ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
		DxWxH					
	SKWACML1160D24	4.75 x 35.8 x 10	250	3.12	0.98	\$150	
	SKWACML1166D24	4.75 x 41.8 x 10	250	3.3	1.15	\$156	
	SKWACML1172D24	4.75 x 47.8 x 10	250	3.47	1.31	\$160	
	SKWACML1178D24	4.75 x 53.8 x 10	250	3.65	1.48	\$165	
	SKWACML1184D24	4.75 x 59.8 x 10	250	3.83	1.64	\$171	
	SKWACML1160D30	4.75 x 35.8 x 10	250	3.12	0.98	\$160	
	SKWACML1166D30	4.75 x 41.8 x 10	250	3.3	1.15	\$165	
	SKWACML1172D30	4.75 x 47.8 x 10	250	3.47	1.31	\$169	
/	SKWACML1178D30	4.75 x 53.8 x 10	250	3.65	1.48	\$175	

4.75 x 59.8 x 10

SKWACML1184D30



**Corner Modesty Panel, Left** 

Felt modesty panel can be mounted flush (low bracket location) or inset (upper bracket location) and wraps around on the left side of the primary surface (SKWSRW). Specify the modesty panel that matches the nominal surface length and depth. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.


3.83

1.64

•	Cannot be used in	conjunction wi	ith privacy	nanels (SKWAPP	/SKWACPR/I	/SKWARPR/L)

250

SKWACMR1160D24	4.75 x 35.8 x 10	250	3.12	0.98	\$150
SKWACMR1166D24	4.75 x 41.8 x 10	250	3.3	1.15	\$156
SKWACMR1172D24	4.75 x 47.8 x 10	250	3.47	1.31	\$160
SKWACMR1178D24	4.75 x 53.8 x 10	250	3.65	1.48	\$165
SKWACMR1184D24	4.75 x 59.8 x 10	250	3.65	1.48	\$171
SKWACMR1160D30	4.75 x 35.8 x 10	250	3.12	0.98	\$160
SKWACMR1166D30	4.75 x 41.8 x 10	250	3.3	1.15	\$165
SKWACMR1172D30	4.75 x 47.8 x 10	250	3.47	1.31	\$169
SKWACMR1178D30	4.75 x 53.8 x 10	250	3.65	1.48	\$175
SKWACMR1184D30	4.75 x 59.8 x 10	250	3.65	1.48	\$179




**Corner Modesty Panel, Right** 

Felt modesty panel can be mounted flush (low bracket location) or inset (upper bracket location) and wraps around on the right side of the primary surface (SKWSRW). Specify the modesty panel that matches the nominal surface length and depth. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

• Cannot be used in conjunction with privacy panels (SKWAPP/SKWACPR/L/SKWARPR/L)


Required specifications
PET felt color

Paint finish



A


Curved	Privacy	Panal	I oft
Guiveu	FIIVALY	raiiti,	LUIL



Felt privacy panel secures to the edge of the surface and provides privacy above and below the surface. It wraps around the corner on the left side of the primary surface (SKWSRLT). Must be used opposite a credenza in an L configuration. Specify the privacy panel that matches the nominal surface length and depth. Must align with pre-drilled holes in the primary surface. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

• Cannot be used in conjunction with modesty panel (SKWABP/SKWACMR/L/SKWARMR/L)

01/14/4 PPP0000P04	4.75 05.0 00	050	4.00	0.00	4000
SKWARPR2360D24	4.75 x 35.8 x 23	250	4.69	2.26	\$300
SKWARPR2366D24	4.75 x 41.8 x 23	300	5.06	2.64	\$310
SKWARPR2372D24	4.75 x 47.8 x 23	300	5.44	3.02	\$319
SKWARPR2378D24	4.75 x 53.8 x 23	300	5.81	3.4	\$329
SKWARPR2384D24	4.75 x 59.8 x 23	300	6.18	3.78	\$339
SKWARPR3160D24	4.75 x 35.8 x 30	300	5.75	2.95	\$319
SKWARPR3166D24	4.75 x 41.8 x 30	300	6.26	3.45	\$329
SKWARPR3172D24	4.75 x 47.8 x 30	300	6.76	3.94	\$338
SKWARPR3178D24	4.75 x 53.8 x 30	300	7.26	4.44	\$348
SKWARPR3184D24	4.75 x 59.8 x 30	300	7.76	4.93	\$358
SKWARPR2360D30	4.75 x 35.8 x 23	250	4.69	2.26	\$322
SKWARPR2366D30	4.75 x 41.8 x 23	300	5.06	2.64	\$332
SKWARPR2372D30	4.75 x 47.8 x 23	300	5.44	3.02	\$341
SKWARPR2378D30	4.75 x 53.8 x 23	300	5.81	3.4	\$351
SKWARPR2384D30	4.75 x 59.8 x 23	300	6.18	3.78	\$361
SKWARPR3160D30	4.75 x 35.8 x 30	300	5.75	2.95	\$341
SKWARPR3166D30	4.75 x 41.8 x 30	300	6.26	3.45	\$351
SKWARPR3172D30	4.75 x 47.8 x 30	300	6.76	3.94	\$359
SKWARPR3178D30	4.75 x 53.8 x 30	300	7.26	4.44	\$370
SKWARPR3184D30	4.75 x 59.8 x 30	300	7.76	4.93	\$380



**Curved Privacy Panel, Right** 

Felt privacy panel secures to the edge of the surface and provides privacy above and below the surface. It wraps around the corner on the right side of the primary surface (SKWSRRT). Must be used opposite a credenza in an L configuration. Specify the privacy panel that matches the nominal surface length and depth. Must align with pre-drilled holes in the primary surface. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

• Cannot be used in conjunction with modesty panel (SKWABP/SKWACMR/L/SKWARMR/L)

## **Required specifications**

PET felt color Paint finish

\$197



DRKSURFACE ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
		DxWxH					
	SKWARML1160D24	4.75 x 35.8 x 10	250	3.12	0.98	\$168	
	SKWARML1166D24	4.75 x 41.8 x 10	250	3.3	1.15	\$173	
	SKWARML1172D24	4.75 x 47.8 x 10	250	3.47	1.31	\$178	
	SKWARML1178D24	4.75 x 53.8 x 10	250	3.65	1.48	\$182	
	SKWARML1184D24	4.75 x 59.8 x 10	250	3.83	1.64	\$188	
	SKWARML1160D30	4.75 x 35.8 x 10	250	3.12	0.98	\$178	
	SKWARML1166D30	4.75 x 41.8 x 10	250	3.3	1.15	\$182	
	SKWARML1172D30	4.75 x 47.8 x 10	250	3.47	1.31	\$187	
	SKWARML1178D30	4.75 x 53.8 x 10	250	3.47	1.31	\$192	

4.75 x 59.8 x 10

SKWARML1184D30



**Curved Modesty Panel, Left** 


Felt modesty panel can be mounted flush (low bracket location) or inset (upper bracket location) and wraps around on the left side of the primary surface (SKWSRLT). Must be used opposite a credenza in an L configuration. Specify the modesty panel that matches the nominal surface length and depth. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.


3.83

1.64

• Cannot be used in conjunction with privacy panel (SKWAPP/SKWACPR/L/SKWARPR/L)

250





**Curved Modesty Panel, Right** 

Felt modesty panel can be mounted flush (low bracket location) or inset (upper bracket location) and wraps around on the right side of the primary surface (SKWSRRT). Must be used opposite a credenza in an L configuration. Specify the modesty panel that matches the nominal surface length and depth. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

• Cannot be used in conjunction with privacy panel (SKWAPP/SKWACPR/L/SKWARPR/L)

**Required specifications** 

PET felt color Paint finish



Nik Edge/Clamp Mount Power Module



Black with black receptacles, 10ft cord. Specify configuration, last letter of the code represents the following:

- A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- B = 2 AC
- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC



Nik In-Surface Power Module

SCTAPSC	2.10 x 6 x 3.7	60	4	0.03	\$639	
SCTAPSD	2.10 x 6 x 3.7	60	4	0.03	\$797	
SCTAPSE	2.10 x 6 x 3.7	60	4	0.03	\$561	

Black with black receptacles, 10ft cord. Corresponding cut-out option is C1, C2 or C3 (where applicable). Specify configuration, last letter of the code represents the following:

- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC



**Nik Below Surface Power Module** 

SCTAPBA	2.10 x 6 x 3.7	60	4	0.03	\$445
SCTAPBB	2.10 x 6 x 3.7	60	4	0.03	\$403
SCTAPBC	2.10 x 6 x 3.7	60	4	0.03	\$473
SCTAPBD	2.10 x 6 x 3.7	60	4	0.03	\$584
SCTAPBE	2.10 x 6 x 3.7	60	4	0.03	\$413

Black with black receptacles, 10ft cord. Undermounts at the edge of any worksurface. Specify configuration, last letter of the code represents the following:

- A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- B = 2 AC
- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

SCTAPPBS	
00000	
SCTAPPBD	


**Below Surface Power Bar** 

SCTAPPBS	1.95 x 21 x 1.95	60	2.7	0.06	\$343	
SCTAPPBD	4 x 10.6 x 2.3	60	2.7	0.06	\$843	

Available in black only. 10ft cord.

- Single (SCTAPPBS) includes 8 outlets on a single side
- Double (SCTAPPBD) includes 4 outlets on each side of the bar. Built-in circuit breaker.





**Below Surface Power Bar** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SCTAPCA	4 x 10.6 x 3.7	60	6.7	0.09	\$1589	
SCTAPCB	4 x 10.6 x 3.7	60	6.7	0.09	\$1532	
SCTAPCC	4 x 10.6 x 3.7	60	6.7	0.09	\$1665	
SCTAPCD	4 x 10.6 x 3.7	60	6.7	0.09	\$1929	
SCTAPCE	4 x 10.6 x 3.7	60	6.7	0.09	\$1559	

Integrated power bar and edge mount power module provides a code compliant all-in-one power solution with a single plug. The power bar includes AC outlets and built-in surge protection. The Nik Edge Clamp module is hardwired to the power bar via a 3' cord. Cord length is 6". Below surface power bar is black only. Specify configuration, last letter of the code represents the following:

- A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- B = 2 AC
- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

SCTACT	26 x 11 x 4	70	1.1	0.66	\$97	



Collaborative Spaces PET Felt\* Wire Manager

PET felt wire manager hangs from four brackets under the surface. Includes Black painted metal brackets. Aligns to pre-drilled holes on all surfaces. PET felt available in standard finishes.



Storage Cable Tube

	SKWESCT	2.36 x 2.13 x 15.5	70	0.39	0.05	\$96	
--	---------	--------------------	----	------	------	------	--

Neoprene cable manager connects to the underside of the worksurface and into the small opening on the storage leg grommet.

- Cannot be used in conjunction with storage power outlet (SKSEPO).
- Capacity: 4 wires (eg. 2 data & 2 power).





**Storage Power Outlet** 

SKSEPOA	2 x 2 x 2.2	60	4	0.03	\$230	
SKSEPOB	2 x 2 x 2.2	60	4	0.03	\$526	

Storage power outlet to fit within the leg grommet outlet opening. Black finish only. Specify configuration, last letter of the code represents the following:

- A = 1 AC
- B = 1 USB-A and 1 USB-C
- Cannot be used in conjunction with storage cable tube (**SKWESCT**).

**Required specifications** 

PET felt finish\*

#### **BACKBOARDS**

#### **Backboards Notes**

Backboards are decorative, wall-mounted pieces that provide the office with a finished look. Rails included for mounting (hardware to affix to wall is not included). Backboards are meant to be mounted where the bottom of the board is flush with Office Spaces 20"h storage.

- Backboards radius is 6" (where applicable).
- Backboard curved corner (where applicable) is not intended to be used adjacent to high storage.
- Backboards are available in laminate (**LP**), white dry erase board (**DE**), PET felt (**PT**) and patterned PET felt (**VE**). Specify (**V**) for a varied asymmetrical pattern and (**E**) for an equal symmetrical pattern.
- Grain will run horizontally for any woodgrain laminate. Backboards specified with low pressure laminate will have a corresponding 3mm edging.
- Backboards with PET (PT) are mounted on a laminate panel. Specify standard PET and laminate finish.
- Backboards specified with dry erase board (DE) will have Designer White (DWT) 3mm edging.
- (DE) option not available on any backboard with a radius corner
- Backboards are intended to match the length of the credenza.

#### **Backboards** with shelves

- Shelf width will match the backboard and is 10" deep
- Shelves are non-adjustable and can support 171 lbs. evenly distributed
- Do not use height adjustable surfaces and column kits with double shelf backboards directly below.

#### Alignment is as follows:

- 34"h backboards will align with 54"h storage
- 40"h backboards will align with 60"h storage, single shelf clearance is 60", double shelf clearance is 12" (where applicable)
- 46"h backboards will align with 66"h storage, single shelf clearance is 32", double shelf clearance is 18" (where applicable)
- 52"h backboards will align with 72"h storage, single shelf clearance is 72", double shelf clearance is 24" (where applicable)
- 58"h backboards will align with 78"h storage, single shelf clearance is 44", double shelf clearance is 30" (where applicable)


Note: VE-V varied asymmetrical pattern is a combination of 1.5", 3", 4.5", 6" grooves in a random pattern. VE-E equal symmetrical pattern is a repeat of 3" grooves.

**Required specifications** 

PET felt finish Laminate finish Edge finish



BACKBOARDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
BAGREGATIDE	MODEL	DxWxH	THEIGHT GEAGG	WI/LDO.	OODIOTI.		DL	•••	
	SKBB3436	2 x 36 x 34	65	37.94	1.42	\$350	\$474	\$528	\$612
	SKBB3442	2 x 42 x 34	65	44.23	1.65	\$356	\$501	\$564	\$662
	SKBB3448	2 x 48 x 34	65	50.54	1.89	\$361	\$527	\$598	\$711
	SKBB3454	2 x 54 x 34	65	56.87	2.13	\$367	\$553	\$634	\$760
	SKBB3460	2 x 60 x 34	65	63.16	2.36	\$372	\$579	\$669	\$809
	SKBB3466	2 x 66 x 34	65	69.48	2.6	\$378	\$606	\$704	\$859
	SKBB3472	2 x 72 x 34	65	75.77	2.83	\$384	\$633	\$740	\$908
	SKBB3478	2 x 78 x 34	65	82.08	3.07	\$389	\$658	\$775	\$957
Laur praeaura laminata (LD)	SKBB3484	2 x 84 x 34	65	88.38	3.31	\$395	\$685	\$810	\$1007
Low pressure laminate ( <b>LP</b> )  Dry erase whiteboard ( <b>DE</b> )	SKBB4036	2 x 36 x 40	65	44.61	1.67	\$396	\$542	\$606	\$705
Dry erase whiteboard (DE)	SKBB4042	2 x 42 x 40	65	52.02	1.07	\$390 \$473	\$644	\$717	\$833
	SKBB4048	2 x 42 x 40 2 x 48 x 40	65	59.43	2.22	\$473 \$524	\$719	\$803	\$936
	SKBB4054	2 x 54 x 40	65	66.88	2.22	\$629	\$848	\$943	\$1092
	SKBB4060	2 x 60 x 40	65	74.29	2.78	\$680	\$924	\$1029	\$1194
	SKBB4066	2 x 66 x 40	65	81.71	3.06	\$731	\$999	\$1115	\$1194
	SKBB4072	2 x 72 x 40	65	89.12	3.33	\$782	\$1075	\$1201	\$1399
	SKBB4078	2 x 78 x 40	65	96.53	3.61	\$833	\$1075	\$1201	\$1501
	SKBB4084	2 x 84 x 40	65	103.94	3.89	\$1037	\$1378	\$1525	\$1757
PET felt ( <b>PT</b> )	SKDD4004	2 X 04 X 40	03	100.04	3.03	φ1037	\$1370	φIJZJ	φ1/3/
TET TOTE (1 1)	SKBB4636	2 x 36 x 46	65	51.28	1.92	\$442	\$610	\$683	\$797
	SKBB4642	2 x 42 x 46	65	59.8	2.24	\$526	\$722	\$807	\$940
	SKBB4648	2 x 48 x 46	65	68.33	2.56	\$584	\$808	\$905	\$1057
	SKBB4654	2 x 54 x 46	65	76.87	2.88	\$697	\$949	\$1058	\$1229
	SKBB4660	2 x 60 x 46	65	85.41	3.19	\$755	\$1036	\$1156	\$1346
	SKBB4666	2 x 66 x 46	65	93.92	3.51	\$813	\$1122	\$1254	\$1463
	SKBB4672	2 x 72 x 46	65	102.45	3.83	\$872	\$1209	\$1353	\$1581
	SKBB4678	2 x 78 x 46	65	110.98	4.15	\$930	\$1295	\$1451	\$1698
	SKBB4684	2 x 84 x 46	65	119.49	4.47	\$1142	\$1535	\$1703	\$1970
PET felt, equal pattern (VE-E)									
	SKBB5236	2 x 36 x 52	65	57.96	2.17	\$488	\$678	\$760	\$889
	SKBB5242	2 x 42 x 52	65	67.59	2.53	\$579	\$801	\$897	\$1047
	SKBB5248	2 x 48 x 52	65	77.22	2.89	\$645	\$899	\$1008	\$1180
	SKBB5254	2 x 54 x 52	65	86.89	3.25	\$764	\$1049	\$1172	\$1366
	SKBB5260	2 x 60 x 52	65	96.52	3.61	\$830	\$1147	\$1283	\$1498
	SKBB5266	2 x 66 x 52	65	106.15	3.97	\$896	\$1245	\$1395	\$1631
	SKBB5272	2 x 72 x 52	65	115.78	4.33	\$962	\$1343	\$1506	\$1764
	SKBB5278	2 x 78 x 52	65	125.41	4.69	\$1027	\$1440	\$1616	\$1896
	SKBB5284	2 x 84 x 52	65	135.04	5.06	\$1247	\$1691	\$1882	\$2183
PET felt, varied pattern ( <b>VE-V</b> )									
	SKBB5836	2 x 36 x 58	65	64.63	2.42	\$533	\$745	\$837	\$980
	SKBB5842	2 x 42 x 58	65	75.36	2.82	\$632	\$880	\$986	\$1154
	SKBB5848	2 x 48 x 58	65	86.11	3.22	\$705	\$988	\$1110	\$1301
	SKBB5854	2 x 54 x 58	65	96.89	3.63	\$832	\$1150	\$1287	\$1503
	SKBB5860	2 x 60 x 58	65	107.63	4.03	\$905	\$1259	\$1411	\$1650
	SKBB5866	2 x 66 x 58	65	118.38	4.43	\$979	\$1368	\$1535	\$1799
	SKBB5872	2 x 72 x 58	65	129.13	4.83	\$1052	\$1477	\$1659	\$1946
	SKBB5878	2 x 78 x 58	65	139.86	5.24	\$1125	\$1585	\$1782	\$2094
Backboard	SKBB5884	2 x 84 x 58	65	150.61	5.64	\$1352	\$1847	\$2060	\$2395



|--|

PET felt, equal pattern (VE-E)



PET felt, varied pattern (**VE-V**)

Rackhoard	Right Radius Cor	nor

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
WIODEL#		PHEIGHT CLASS	WI/LDS.	CUDIC FI.	LIT	DE	гі	VE
SKBBR3436	<b>D x W x H</b> 2 x 36 x 34	65	38.39	1.42	\$353	n/a	\$528	\$612
SKBBR3442	2 x 42 x 34	65	44.74	1.65	\$423	n/a	\$631	\$729
SKBBR3448	2 x 48 x 34	65	51.07	1.89	\$467	n/a	\$704	\$817
SKBBR3454	2 x 54 x 34	65	57.45	2.13	\$565	n/a	\$832	\$958
SKBBR3460	2 x 60 x 34	65	63.8	2.13	\$609	n/a	\$906	\$1046
SKBBR3466	2 x 66 x 34	65	70.13	2.50	\$653	n/a	\$979	\$1134
SKBBR3472	2 x 72 x 34	65	76.13	2.83	\$696	n/a	\$1052	\$1220
SKBBR3478	2 x 78 x 34	65	82.82	3.07	\$740	n/a	\$1032	\$1308
SKBBR3484	2 x 84 x 34	65	89.15	3.31	\$938	n/a	\$1353	\$1550
3KDD113404	2 X 04 X 34	00	03.13	3.31	<b>\$330</b>	II/a	\$1333	\$1000
SKBBR4036	2 x 36 x 40	65	45.1	1.67	\$399	n/a	\$609	\$708
SKBBR4042	2 x 42 x 40	65	52.56	1.94	\$477	n/a	\$721	\$837
SKBBR4048	2 x 48 x 40	65	60.01	2.22	\$528	n/a	\$807	\$939
SKBBR4054	2 x 54 x 40	65	67.5	2.5	\$633	n/a	\$947	\$1096
SKBBR4060	2 x 60 x 40	65	74.94	2.78	\$684	n/a	\$1033	\$1198
SKBBR4066	2 x 66 x 40	65	82.39	3.06	\$735	n/a	\$1119	\$1301
SKBBR4072	2 x 72 x 40	65	89.86	3.33	\$787	n/a	\$1206	\$1404
SKBBR4078	2 x 78 x 40	65	97.31	3.61	\$838	n/a	\$1200	\$1506
SKBBR4084	2 x 84 x 40	65	104.76	3.89	\$1043	n/a	\$1531	\$1763
OKDDITTOOT	2 / 04 / 40	03	104.70	0.00	ψ1043	11/ u	ψ1331	ψ1703
SKBBR4636	2 x 36 x 46	65	51.82	1.92	\$446	n/a	\$687	\$801
SKBBR4642	2 x 42 x 46	65	60.37	2.24	\$530	n/a	\$811	\$944
SKBBR4648	2 x 48 x 46	65	68.94	2.56	\$589	n/a	\$910	\$1062
SKBBR4654	2 x 54 x 46	65	77.54	2.88	\$701	n/a	\$1062	\$1233
SKBBR4660	2 x 60 x 46	65	86.11	3.19	\$760	n/a	\$1161	\$1351
SKBBR4666	2 x 66 x 46	65	94.66	3.51	\$818	n/a	\$1259	\$1468
SKBBR4672	2 x 72 x 46	65	103.23	3.83	\$877	n/a	\$1358	\$1586
SKBBR4678	2 x 78 x 46	65	111.79	4.15	\$936	n/a	\$1457	\$1704
SKBBR4684	2 x 84 x 46	65	120.36	4.47	\$1148	n/a	\$1709	\$1976
						, -		
SKBBR5236	2 x 36 x 52	65	58.53	2.17	\$492	n/a	\$764	\$893
SKBBR5242	2 x 42 x 52	65	68.2	2.53	\$584	n/a	\$902	\$1052
SKBBR5248	2 x 48 x 52	65	77.87	2.89	\$649	n/a	\$1012	\$1184
SKBBR5254	2 x 54 x 52	65	87.59	3.25	\$769	n/a	\$1177	\$1371
SKBBR5260	2 x 60 x 52	65	97.26	3.61	\$835	n/a	\$1288	\$1503
SKBBR5266	2 x 66 x 52	65	106.93	3.97	\$901	n/a	\$1400	\$1636
SKBBR5272	2 x 72 x 52	65	116.61	4.33	\$968	n/a	\$1512	\$1770
SKBBR5278	2 x 78 x 52	65	126.28	4.69	\$1034	n/a	\$1623	\$1903
SKBBR5284	2 x 84 x 52	65	135.95	5.06	\$1253	n/a	\$1888	\$2189
SKBBR5836	2 x 36 x 58	65	65.24	2.42	\$538	n/a	\$842	\$985
SKBBR5842	2 x 42 x 58	65	76.03	2.82	\$637	n/a	\$991	\$1159
SKBBR5848	2 x 48 x 58	65	86.82	3.22	\$710	n/a	\$1115	\$1306
SKBBR5854	2 x 54 x 58	65	97.62	3.63	\$838	n/a	\$1293	\$1509
SKBBR5860	2 x 60 x 58	65	108.41	4.03	\$911	n/a	\$1417	\$1656
SKBBR5866	2 x 66 x 58	65	119.19	4.43	\$984	n/a	\$1540	\$1804
SKBBR5872	2 x 72 x 58	65	129.98	4.83	\$1058	n/a	\$1665	\$1952
SKBBR5878	2 x 78 x 58	65	140.77	5.24	\$1131	n/a	\$1788	\$2100
SKBBR5884	2 x 84 x 58	65	151.55	5.64	\$1358	n/a	\$2066	\$2401


Required specifications
PET felt finish

Laminate finish Edge finish



	\

Low pressure laminate (LP)



PET felt (PT)



PET felt, equal pattern (VE-E)



PET felt, varied pattern (**VE-V**)


**Backboard, Left Radius Corner** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
	D x W x H							
SKBBL3436	2 x 36 x 34	65	38.39	1.42	\$353	n/a	\$531	\$615
SKBBL3442	2 x 42 x 34	65	44.74	1.65	\$423	n/a	\$631	\$729
SKBBL3448	2 x 48 x 34	65	51.07	1.89	\$467	n/a	\$704	\$817
SKBBL3454	2 x 54 x 34	65	57.45	2.13	\$565	n/a	\$832	\$958
SKBBL3460	2 x 60 x 34	65	63.8	2.36	\$609	n/a	\$906	\$1046
SKBBL3466	2 x 66 x 34	65	70.13	2.6	\$653	n/a	\$981	\$1134
SKBBL3472	2 x 72 x 34	65	76.47	2.83	\$696	n/a	\$1052	\$1220
SKBBL3478	2 x 78 x 34	65	82.82	3.07	\$740	n/a	\$1125	\$1308
SKBBL3484	2 x 84 x 34	65	89.15	3.31	\$938	n/a	\$1353	\$1550
					,	, -		
SKBBL4036	2 x 36 x 40	65	45.1	1.67	\$399	n/a	\$609	\$708
SKBBL4042	2 x 42 x 40	65	52.56	1.94	\$477	n/a	\$721	\$837
SKBBL4048	2 x 48 x 40	65	60.01	2.22	\$528	n/a	\$807	\$939
SKBBL4054	2 x 54 x 40	65	67.5	2.5	\$633	n/a	\$947	\$1096
SKBBL4060	2 x 60 x 40	65	74.94	2.78	\$684	n/a	\$1033	\$1198
SKBBL4066	2 x 66 x 40	65	82.39	3.06	\$735	n/a	\$1119	\$1301
SKBBL4072	2 x 72 x 40	65	89.86	3.33	\$787	n/a	\$1206	\$1404
SKBBL4078	2 x 78 x 40	65	97.31	3.61	\$838	n/a	\$1291	\$1506
SKBBL4084	2 x 84 x 40	65	104.76	3.89	\$1043	n/a	\$1531	\$1763
SKBBL4636	2 x 36 x 46	65	51.82	1.92	\$446	n/a	\$687	\$801
SKBBL4642	2 x 42 x 46	65	60.37	2.24	\$530	n/a	\$811	\$944
SKBBL4648	2 x 48 x 46	65	68.94	2.56	\$589	n/a	\$910	\$1062
SKBBL4654	2 x 54 x 46	65	77.54	2.88	\$701	n/a	\$1062	\$1233
SKBBL4660	2 x 60 x 46	65	86.11	3.19	\$760	n/a	\$1161	\$1351
SKBBL4666	2 x 66 x 46	65	94.66	3.51	\$818	n/a	\$1259	\$1468
SKBBL4672	2 x 72 x 46	65	103.23	3.83	\$877	n/a	\$1358	\$1586
SKBBL4678	2 x 78 x 46	65	111.79	4.15	\$936	n/a	\$1457	\$1704
SKBBL4684	2 x 84 x 46	65	120.36	4.47	\$1148	n/a	\$1709	\$1976
SKBBL5236	2 x 36 x 52	65	58.53	2.17	\$492	n/a	\$764	\$893
SKBBL5242	2 x 42 x 52	65	68.2	2.53	\$584	n/a	\$902	\$1052
SKBBL5248	2 x 48 x 52	65	77.87	2.89	\$649	n/a	\$1012	\$1184
SKBBL5254	2 x 54 x 52	65	87.59	3.25	\$769	n/a	\$1177	\$1371
SKBBL5260	2 x 60 x 52	65	97.26	3.61	\$835	n/a	\$1288	\$1503
SKBBL5266	2 x 66 x 52	65	106.93	3.97	\$901	n/a	\$1400	\$1636
SKBBL5272	2 x 72 x 52	65	116.61	4.33	\$968	n/a	\$1512	\$1770
SKBBL5278	2 x 78 x 52	65	126.28	4.69	\$1034	n/a	\$1623	\$1903
SKBBL5284	2 x 84 x 52	65	135.95	5.06	\$1253	n/a	\$1888	\$2189
OVDDI FOOD	0 00 50	05	05.04	0.40	4=00	,	40.40	400=
SKBBL5836	2 x 36 x 58	65	65.24	2.42	\$538	n/a	\$842	\$985
SKBBL5842	2 x 42 x 58	65	76.03	2.82	\$637	n/a	\$991	\$1159
SKBBL5848	2 x 48 x 58	65	86.82	3.22	\$710	n/a	\$1115	\$1306
SKBBL5854	2 x 54 x 58	65	97.62	3.63	\$838	n/a	\$1293	\$1509
SKBBL5860	2 x 60 x 58	65	108.41	4.03	\$911	n/a	\$1417	\$1656
SKBBL5866	2 x 66 x 58	65	119.19	4.43	\$984	n/a	\$1540	\$1804
SKBBL5872	2 x 72 x 58	65	129.98	4.83	\$1058	n/a	\$1665	\$1952
SKBBL5878	2 x 78 x 58	65	140.77	5.24	\$1131	n/a	\$1788	\$2100
SKBBL5884	2 x 84 x 58	65	151.55	5.64	\$1358	n/a	\$2066	\$2401

Required specifications
PET felt finish

Laminate finish Edge finish

BACKBOARDS - RADIUS CORNERS AT TOP



Low pressure laminate (LP)



PET felt (PT)



PET felt, equal pattern (VE-E)



PET felt, varied pattern (VE-V)

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
	D x W x H							
SKBBC3436	2 x 36 x 34	65	38.39	1.42	\$353	n/a	\$531	\$615
SKBBC3442	2 x 42 x 34	65	44.73	1.65	\$423	n/a	\$631	\$729
SKBBC3448	2 x 48 x 34	65	51.07	1.89	\$467	n/a	\$704	\$817
SKBBC3454	2 x 54 x 34	65	57.45	2.13	\$565	n/a	\$832	\$958
SKBBC3460	2 x 60 x 34	65	63.8	2.36	\$608	n/a	\$905	\$1045
SKBBC3466	2 x 66 x 34	65	70.13	2.6	\$652	n/a	\$978	\$1133
SKBBC3472	2 x 72 x 34	65	76.47	2.83	\$696	n/a	\$1052	\$1220
SKBBC3478	2 x 78 x 34	65	82.82	3.07	\$740	n/a	\$1126	\$1308
SKBBC3484	2 x 84 x 34	65	89.15	3.31	\$938	n/a	\$1353	\$1550
						,-		
SKBBC4036	2 x 36 x 40	65	45.1	1.67	\$399	n/a	\$609	\$708
SKBBC4042	2 x 42 x 40	65	52.56	1.94	\$476	n/a	\$720	\$836
SKBBC4048	2 x 48 x 40	65	60.01	2.22	\$528	n/a	\$807	\$940
SKBBC4054	2 x 54 x 40	65	67.5	2.5	\$633	n/a	\$947	\$1096
SKBBC4060	2 x 60 x 40	65	74.94	2.78	\$684	n/a	\$1033	\$1198
SKBBC4066	2 x 66 x 40	65	82.39	3.06	\$735	n/a	\$1119	\$1301
SKBBC4072	2 x 72 x 40	65	89.86	3.33	\$787	n/a	\$1206	\$1404
SKBBC4078	2 x 78 x 40	65	97.31	3.61	\$838	n/a	\$1291	\$1506
SKBBC4084	2 x 84 x 40	65	104.76	3.89	\$1043	n/a	\$1531	\$1763
SKBBC4636	2 x 36 x 46	65	51.82	1.92	\$445	n/a	\$686	\$800
SKBBC4642	2 x 42 x 46	65	60.37	2.24	\$530	n/a	\$811	\$944
SKBBC4648	2 x 48 x 46	65	68.94	2.56	\$588	n/a	\$909	\$1061
SKBBC4654	2 x 54 x 46	65	77.54	2.88	\$701	n/a	\$1062	\$1233
SKBBC4660	2 x 60 x 46	65	86.11	3.19	\$760	n/a	\$1161	\$1351
SKBBC4666	2 x 66 x 46	65	94.66	3.51	\$818	n/a	\$1259	\$1468
SKBBC4672	2 x 72 x 46	65	103.23	3.83	\$877	n/a	\$1358	\$1587
SKBBC4678	2 x 78 x 46	65	111.79	4.15	\$936	n/a	\$1457	\$1705
SKBBC4684	2 x 84 x 46	65	120.36	4.47	\$1148	n/a	\$1709	\$1976
SKBBC5236	2 x 36 x 52	65	58.53	2.17	\$491	n/o	\$763	\$892
						n/a		
SKBBC5242	2 x 42 x 52	65	68.2	2.53	\$583	n/a	\$901	\$1051
SKBBC5248	2 x 48 x 52	65	77.87	2.89	\$649	n/a	\$1012	\$1184
SKBBC5254	2 x 54 x 52	65	87.59	3.25	\$769	n/a	\$1177	\$1371 \$1503
SKBBC5260 SKBBC5266	2 x 60 x 52	65 65	97.26 106.92	3.61 3.97	\$835 \$901	n/a	\$1288 \$1400	\$1636
	2 x 66 x 52					n/a		
SKBBC5272 SKBBC5278	2 x 72 x 52	65 65	116.61	4.33 4.69	\$967 \$1033	n/a	\$1511	\$1769 \$1902
SKBBC5284	2 x 78 x 52	65	126.28 135.95	5.06	\$1053	n/a	\$1622 \$1888	\$2189
SNDDUJZ04	2 x 84 x 52	00	130.90	5.00	<b>\$1233</b>	n/a	\$1000	\$2105
SKBBC5836	2 x 36 x 58	65	65.24	2.42	\$538	n/a	\$842	\$985
SKBBC5842	2 x 42 x 58	65	76.03	2.82	\$637	n/a	\$991	\$1159
SKBBC5848	2 x 48 x 58	65	86.81	3.22	\$710	n/a	\$1115	\$1306
SKBBC5854	2 x 54 x 58	65	97.62	3.63	\$837	n/a	\$1292	\$1508
SKBBC5860	2 x 60 x 58	65	108.4	4.03	\$911	n/a	\$1417	\$1656
SKBBC5866	2 x 66 x 58	65	119.19	4.43	\$984	n/a	\$1540	\$1804
SKBBC5872	2 x 72 x 58	65	129.98	4.83	\$1058	n/a	\$1665	\$1952
SKBBC5878	2 x 78 x 58	65	140.76	5.24	\$1131	n/a	\$1788	\$2100
SKBBC5884	2 x 84 x 58	65	151.55	5.64	\$1358	n/a	\$2066	\$2401
0.12200001	2 / 3 / / 00			5.51	<b>+.500</b>	, u	<b>+_000</b>	<del>+</del>

# **Backboard, Radius Corners at Top**


Required specifications
PET felt finish

Laminate finish Edge finish


BACKBOARDS WITH SHELF




_
Low pressure laminate (LP)



PET felt (PT)



PET felt, equal pattern (VE-E)



PET felt, varied pattern (VE-V)

# **Backboard with Shelf**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
	D x W x H							
SKBS4036	2 x 36 x 40	125	56.78	9.17	\$553	n/a	\$689	\$754
SKBS4042	2 x 42 x 40	125	66.22	10.69	\$674	n/a	\$833	\$908
SKBS4048	2 x 48 x 40	125	75.65	12.22	\$747	n/a	\$929	\$1015
SKBS4054	2 x 54 x 40	125	85.11	13.75	\$879	n/a	\$1083	\$1180
SKBS4060	2 x 60 x 40	125	94.54	15.28	\$953	n/a	\$1180	\$1287
SKBS4066	2 x 66 x 40	125	103.98	16.81	\$1096	n/a	\$1346	\$1464
SKBS4072	2 x 72 x 40	125	113.42	18.33	\$1169	n/a	\$1441	\$1570
SKBS4078	2 x 78 x 40	125	122.84	19.86	\$1239	n/a	\$1534	\$1674
SKBS4084	2 x 84 x 40	125	132.28	21.39	\$1389	n/a	\$1707	\$1857
SKBS4636	2 x 36 x 46	125	63.46	10.54	\$599	n/a	\$767	\$846
SKBS4642	2 x 42 x 46	125	74	12.3	\$727	n/a	\$923	\$1015
SKBS4648	2 x 48 x 46	125	84.54	14.06	\$808	n/a	\$1031	\$1137
SKBS4654	2 x 54 x 46	125	95.1	15.81	\$947	n/a	\$1198	\$1317
SKBS4660	2 x 60 x 46	125	105.65	17.57	\$1028	n/a	\$1307	\$1439
SKBS4666	2 x 66 x 46	125	116.19	19.33	\$1178	n/a	\$1485	\$1631
SKBS4672	2 x 72 x 46	125	126.75	21.08	\$1259	n/a	\$1594	\$1753
SKBS4678	2 x 78 x 46	125	137.29	22.84	\$1336	n/a	\$1699	\$1871
SKBS4684	2 x 84 x 46	125	147.83	24.6	\$1494	n/a	\$1885	\$2070
SKBS5236	2 x 36 x 52	150	70.13	11.92	\$644	n/a	\$843	\$937
SKBS5242	2 x 42 x 52	150	81.79	13.9	\$780	n/a	\$1012	\$1122
SKBS5248	2 x 48 x 52	150	93.43	15.89	\$868	n/a	\$1133	\$1259
SKBS5254	2 x 54 x 52	150	105.11	17.88	\$1015	n/a	\$1313	\$1455
SKBS5260	2 x 60 x 52	150	116.77	19.86	\$1103	n/a	\$1434	\$1592
SKBS5266	2 x 66 x 52	150	128.42	21.85	\$1261	n/a	\$1626	\$1798
SKBS5272	2 x 72 x 52	150	140.08	23.83	\$1349	n/a	\$1747	\$1935
SKBS5278	2 x 78 x 52	150	151.72	25.82	\$1434	n/a	\$1865	\$2069
SKBS5284	2 x 84 x 52	150	163.38	27.81	\$1599	n/a	\$2063	\$2283
SKBS5836	2 x 36 x 58	150	76.8	13.29	\$690	n/a	\$920	\$1030
SKBS5842	2 x 42 x 58	150	89.56	15.51	\$833	n/a	\$1102	\$1229
SKBS5848	2 x 48 x 58	150	102.32	17.72	\$929	n/a	\$1236	\$1382
SKBS5854	2 x 54 x 58	150	115.12	19.94	\$1083	n/a	\$1428	\$1592
SKBS5860	2 x 60 x 58	150	127.88	22.15	\$1178	n/a	\$1562	\$1744
SKBS5866	2 x 66 x 58	150	140.65	24.37	\$1344	n/a	\$1766	\$1966
SKBS5872	2 x 72 x 58	150	153.43	26.58	\$1439	n/a	\$1899	\$2118
SKBS5878	2 x 78 x 58	150	166.17	28.8	\$1531	n/a	\$2030	\$2266
SKBS5884	2 x 84 x 58	150	178.95	31.01	\$1704	n/a	\$2241	\$2496
	· · · ·				• •	, .		

O OFFICE SPACES

# **DESKING**

BACKBOARDS WITH DOUBLE SHELVES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
		D x W x H							
	SKBD4036	2 x 36 x 40	125	68.96	9.17	\$789	n/a	\$852	\$882
	SKBD4042	2 x 42 x 40	125	80.42	10.69	\$981	n/a	\$1055	\$1089
	SKBD4048	2 x 48 x 40	125	91.86	12.22	\$1077	n/a	\$1161	\$1201
	SKBD4054	2 x 54 x 40	125	103.33	13.75	\$1289	n/a	\$1384	\$1428
	SKBD4060	2 x 60 x 40	125	114.79	15.28	\$1385	n/a	\$1490	\$1540
	SKBD4066	2 x 66 x 40	125	126.26	16.81	\$1621	n/a	\$1736	\$1791
	SKBD4072	2 x 72 x 40	125	137.72	18.33	\$1717	n/a	\$1843	\$1902
	SKBD4078	2 x 78 x 40	125	149.15	19.86	\$1806	n/a	\$1942	\$2007
$\searrow$	SKBD4084	2 x 84 x 40	125	160.62	21.39	\$2056	n/a	\$2203	\$2272
Low pressure laminate (LP)									
	SKBD4636	2 x 36 x 46	125	75.63	10.54	\$835	n/a	\$930	\$974
	SKBD4642	2 x 42 x 46	125	88.2	12.3	\$1034	n/a	\$1144	\$1196
	SKBD4648	2 x 48 x 46	125	100.75	14.06	\$1137	n/a	\$1263	\$1322
	SKBD4654	2 x 54 x 46	125	113.32	15.81	\$1357	n/a	\$1499	\$1566
	SKBD4660	2 x 60 x 46	125	125.9	17.57	\$1461	n/a	\$1618	\$1693
	SKBD4666	2 x 66 x 46	125	138.47	19.33	\$1703	n/a	\$1876	\$1958
	SKBD4672	2 x 72 x 46	125	151.05	21.08	\$1807	n/a	\$1996	\$2085
	SKBD4678	2 x 78 x 46	125	163.6	22.84	\$1903	n/a	\$2107	\$2204
	SKBD4684	2 x 84 x 46	125	176.17	24.6	\$2161	n/a	\$2381	\$2485
PET felt ( <b>PT</b> )									
	SKBD5236	2 x 36 x 52	125	82.3	11.92	\$881	n/a	\$1007	\$1066
	SKBD5242	2 x 42 x 52	125	95.99	13.9	\$1087	n/a	\$1234	\$1303
	SKBD5248	2 x 48 x 52	125	109.65	15.89	\$1198	n/a	\$1366	\$1445
	SKBD5254	2 x 54 x 52	125	123.33	17.88	\$1425	n/a	\$1614	\$1703
	SKBD5260	2 x 60 x 52	125	137.01	19.86	\$1536	n/a	\$1746	\$1845
	SKBD5266	2 x 66 x 52	125	150.7	21.85	\$1786	n/a	\$2016	\$2126
	SKBD5272	2 x 72 x 52	125	164.38	23.83	\$1897	n/a	\$2148	\$2267
	SKBD5278	2 x 78 x 52	125	178.03	25.82	\$2001	n/a	\$2273	\$2402
	SKBD5284	2 x 84 x 52	125	191.72	27.81	\$2265	n/a	\$2558	\$2697
PET felt, equal pattern ( <b>VE-E</b> )									
	SKBD5836	2 x 36 x 58	125	88.98	13.29	\$927	n/a	\$1084	\$1159
	SKBD5842	2 x 42 x 58	125	103.76	15.51	\$1140	n/a	\$1323	\$1410
	SKBD5848	2 x 48 x 58	125	118.54	17.72	\$1258	n/a	\$1468	\$1567
	SKBD5854	2 x 54 x 58	125	133.34	19.94	\$1493	n/a	\$1729	\$1840
	SKBD5860	2 x 60 x 58	125	148.13	22.15	\$1611	n/a	\$1873	\$1997
	SKBD5866	2 x 66 x 58	125	162.93	24.37	\$1869	n/a	\$2157	\$2293
	SKBD5872	2 x 72 x 58	125	177.73	26.58	\$1987	n/a	\$2301	\$2450
	SKBD5878	2 x 78 x 58	125	192.48	28.8	\$2098	n/a	\$2438	\$2599
	SKBD5884	2 x 84 x 58	125	207.28	31.01	\$2370	n/a	\$2736	\$2910
PET felt, varied pattern ( <b>VE-V</b> )		0 00	.20				.,, ~	<b>-</b>	
. 2. Tore, variou pattorii (*E */									
Backboard with Double Shelves									
Duoriboura With Double Glicives									



BACKBOARDS - BELOW OVERHEAD STORAGE								

Low pressure laminate (LP) Dry erase whiteboard (**DE**)



PET felt (PT)



PET felt, equal pattern (VE-E)




PET felt, varied pattern (**VE-V**)

**Backboard for use below** overhead storage


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
	D x W x H							
SKB0S4036	2 x 36 x 26	65	44.61	1.67	\$289	\$542	\$605	\$705
SKB0S4042	2 x 42 x 26	65	52.02	1.94	\$349	\$644	\$717	\$833
SKB0S4048	2 x 48 x 26	65	59.43	2.22	\$382	\$718	\$803	\$935
SKB0S4054	2 x 54 x 26	65	66.88	2.5	\$470	\$848	\$943	\$1091
SKB0S4060	2 x 60 x 26	65	74.29	2.78	\$504	\$924	\$1029	\$1194
SKB0S4066	2 x 66 x 26	65	81.71	3.06	\$538	\$999	\$1115	\$1296
SKB0S4072	2 x 72 x 26	65	89.12	3.33	\$571	\$1074	\$1200	\$1398
SKBOS4636	2 x 36 x 32	65	51.28	1.92	\$335	\$610	\$683	\$797
SKB0S4642	2 x 42 x 32	65	59.8	2.24	\$402	\$722	\$807	\$940
SKBOS4648	2 x 48 x 32	65	68.33	2.56	\$443	\$809	\$905	\$1057
SKB0S4654	2 x 54 x 32	65	76.87	2.88	\$538	\$949	\$1058	\$1229
SKB0S4660	2 x 60 x 32	65	85.41	3.19	\$579	\$1035	\$1156	\$1346
SKBOS4666	2 x 66 x 32	65	93.92	3.51	\$620	\$1122	\$1254	\$1463
SKBOS4672	2 x 72 x 32	65	102.45	3.83	\$661	\$1208	\$1353	\$1581
SKBOS5236	2 x 36 x 38	65	57.96	2.17	\$381	\$678	\$760	\$889
SKB0S5242	2 x 42 x 38	65	67.59	2.53	\$455	\$801	\$897	\$1047
SKBOS5248	2 x 48 x 38	65	77.22	2.89	\$504	\$899	\$1008	\$1180
SKB0S5254	2 x 54 x 38	65	86.89	3.25	\$606	\$1050	\$1173	\$1366
SKBOS5260	2 x 60 x 38	65	96.52	3.61	\$655	\$1148	\$1284	\$1499
SKBOS5266	2 x 66 x 38	65	106.15	3.97	\$703	\$1245	\$1395	\$1631
SKB0S5272	2 x 72 x 38	65	115.78	4.33	\$752	\$1343	\$1506	\$1764
SKBOS5836	2 x 36 x 44	65	64.63	2.42	\$427	\$746	\$837	\$981
SKBOS5842	2 x 42 x 44	65	75.36	2.82	\$508	\$880	\$986	\$1154
SKB0S5848	2 x 48 x 44	65	86.11	3.22	\$564	\$988	\$1110	\$1302
SKB0S5854	2 x 54 x 44	65	96.9	3.63	\$674	\$1151	\$1288	\$1503
SKB0S5860	2 x 60 x 44	65	107.63	4.03	\$730	\$1259	\$1411	\$1651
SKBOS5866	2 x 66 x 44	65	118.38	4.43	\$786	\$1368	\$1535	\$1799
SKB0S5872	2 x 72 x 44	65	129.13	4.83	\$842	\$1477	\$1659	\$1946

O OFFICE SPACES

# **DESKING**




Open Cubby Overhead




Wall mounted open cubby overhead. Must be installed flush with the top of high storage so that back board aligns. 24" to 33" wide units are a single open cubby. 36" to 48" wide units are a double open cubby with a center divider. Overheads include rails for mounting (hardware to affix to wall is not included). Specify laminate finish and edge finish for chassis. Specify paint finish for handles.

SKS0H1424	14 x 24 x 14	70	46.84	2.57	\$847
SKS0H1430	14 x 30 x 14	70	55.77	3.22	\$944
SKS0H1433	14 x 33 x 14	70	60.21	3.54	\$988
SKSOH1436	14 x 36 x 14	70	64.66	3.86	\$1046
SKS0H1439	14 x 39 x 14	70	69.11	4.18	\$1323
SKS0H1442	14 x 42 x 14	70	79.61	4.5	\$1439
SKS0H1448	14 x 48 x 14	70	93.53	5.15	\$1658




39"w - 42"w



Hinged Door Overhead\*

Wall mounted hinged door overhead. Must be installed flush with the top of high storage so that back board aligns. 24" to 36" wide units have two doors, 39" to 42" wide units have three doors, and 48" wide units have four doors. Overheads include rails for mounting (hardware to affix to wall is not included). Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles.

SKS0L1433	14 x 33 x 14	70	54.67	3.54	\$854	
SKSOL1436	14 x 36 x 14	70	58.43	3.86	\$906	
SKSOL1439	14 x 39 x 14	85	62.22	4.18	\$946	
SKS0L1442	14 x 42 x 14	85	66.05	4.5	\$1006	
SKSOL1448	14 x 48 x 14	85	73.6	5.15	\$1080	



Laminate Sliding Door Overhead\*

Wall mounted sliding door overhead. Must be installed flush with the top of high storage so that back board aligns. Sliding door is inset. One laminate non-locking door only. Overheads include rails for mounting (hardware to affix to wall is not included). Specify laminate finishes and edge finishes for chassis and door. Specify paint finish for handle.

SKSOG1433	14 x 33 x 14	85	49.16	3.54	\$1723	
SKSOG1436	14 x 36 x 14	85	52.42	3.86	\$1806	
SKS0G1439	14 x 39 x 14	85	55.7	4.18	\$1876	
SKS0G1442	14 x 42 x 14	85	59.02	4.5	\$1966	
SKS0G1448	14 x 48 x 14	85	65.58	5.15	\$2097	

Wall mounted sliding door overhead. Must be installed flush with the top of high storage so that back board aligns. Sliding door is inset. One frosted glass non-locking door only. Includes a finger pull. Overheads include rails for mounting (hardware to affix to wall is not included). Specify laminate finish and edge finish for chassis.

	₩/


**Glass Sliding Door Overhead** 

#### **Required specifications**

Laminate chassis finish Laminate front/door finish Paint finish\* (handles)

# **DESKING**

# OFFICE SPACES



I nw	Storage	l ens*
LUW	Sturaut	LUUS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SKSLL	1.5 x 1.5 x 6	85	20	1.5	\$317	

For use with 24" or 30" wide low storage units. Cannot be used on 36" or longer width storage units or any high storage units. Specify paint finish.

SKSLU2036	20 x 36 x 6	85	20	1.5	\$837
SKSLU2042	20 x 42 x 6	85	20	1.5	\$852
SKSLU2048	20 x 48 x 6	85	20	1.5	\$883
SKSLU2054	20 x 54 x 6	85	20	1.5	\$915
SKSLU2060	20 x 60 x 6	85	20	1.5	\$946
SKSLU2066	20 x 66 x 6	85	20	1.5	\$977
SKSLU2072	20 x 72 x 6	85	20	1.5	\$1008
SKSLU2078	20 x 78 x 6	85	20	1.5	\$1039
SKSLU2084	20 x 84 x 6	85	20	1.5	\$1071

For use with all units 36" and wider, all high storage units, or a mix thereof. Maximum number of units per undercarriage is one low and one high, or two low or two high. Specify paint finish.

SKSLOS2024	20 x 24 x 14	85	58.29	3.76	\$611	
SKSLOS2030	20 x 30 x 14	85	69.78	4.7	\$712	
SKSLOS2036	20 x 36 x 14	85	81.2	5.64	\$815	
SKSLOS2042	20 x 42 x 14	85	98.3	6.58	\$965	
SKSLOS2048	20 x 48 x 14	85	109.75	7.52	\$1066	
SKSLOS2054	20 x 54 x 14	85	121.2	8.46	\$1166	
SKSLOS2060	20 x 60 x 14	85	132.72	9.4	\$1268	
SKSLOS2066	20 x 66 x 14	85	144.18	10.34	\$1369	
SKSLOS2072	20 x 72 x 14	85	155.69	11.29	\$1474	

Open cubby low storage unit with an adjustable laminate shelf. Can be used as a standalone unit or with another low or high storage unit. 24" to 36" wide units are a single open cubby. 42" to 72" wide units are a double open cubby with a center divider. Specify laminate finish and edge finish for chassis.


- Legs or an undercarriage required on all storage and must be specified separately:
- Specify SKSLL for 24" and 30" wide low storage units.
- Specify SKSLU undercarriage for units 36" and wider.

SKSLFD2024	20 x 24 x 14	70	59.49	3.76	\$1375	
SKSLFD2030	20 x 30 x 14	85	70.47	4.7	\$1517	
SKSLFD2036	20 x 36 x 14	85	81.35	5.64	\$1646	

Single file drawer low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle.

- Legs or an undercarriage required on all storage and must be specified separately:
- Specify SKSLL for 24" and 30" wide low storage units.
- Specify SKSLU under carriage for units 36" and wider.





Open Cubby w/Shelf, Low Storage



File Drawer, Low Storage\*

## **Required specifications**





Box/Box Drawers

**Hinged Doors** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SKSLBB2024	20 x 24 x 14	70	59.49	3.76	\$1838	
SKSLBB2030	20 x 30 x 14	70	71.06	4.7	\$1975	
SKSLBB2036	20 x 36 x 14	85	81.97	5.64	\$2093	


Two box drawer low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle.

- Legs or an undercarriage required on all storage and must be specified separately:
- Specify SKSLL for 24" and 30" wide low storage units.
- Specify SKSLU undercarriage for units 36" and wider.

SKSLHD2024	20 x 24 x 14	70	70.02	3.76	\$1071	
SKSLHD2030	20 x 30 x 14	70	83.89	4.7	\$1196	
SKSLHD2036	20 x 36 x 14	70	97.66	5.64	\$1323	

Hinged door low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle.

- Legs or an undercarriage required on all storage and must be specified separately:
- Specify SKSLL for 24" and 30" wide low storage units.
- Specify SKSLU undercarriage for units 36" and wider.







**Hinged Door/Lateral File** 

Hinged door on the left and lateral file on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and doors/drawers. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only.

- 2042, 2048, 2060 and 2066 units have a 30" lateral file, hinged door/door width is variable.
- 2054 and 2072 units have a 36" lateral file, hinged door/door width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

#### **Required specifications**







60" to 72" (60" shown)

**Lateral File/Hinged Door** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SKSLCHLL2042	20 x 42 x 14	70	99.84	6.58	\$1993	
SKSLCHLL2048	20 x 48 x 14	85	110.79	7.52	\$2097	
SKSLCHLL2054	20 x 54 x 14	85	121.71	8.46	\$2227	
SKSLCHLL2060	20 x 60 x 14	70	152.95	9.4	\$2608	
SKSLCHLL2066	20 x 66 x 14	70	166.73	10.34	\$2734	
SKSLCHLL2072	20 x 72 x 14	70	177.69	11.29	\$2865	

Hinged door on the right and lateral file on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and doors/drawers. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only.

- 2042, 2048, 2060 and 2066 units have a 30" lateral file, hinged door/door width is variable.
- 2054 and 2072 units have a 36" lateral file, hinged door/door width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHDR2042	20 x 42 x 14	85	86.99	6.58	\$2132	
SKSLCHDR2048	20 x 48 x 14	85	97.93	7.52	\$2236	
SKSLCHDR2054	20 x 54 x 14	85	106.51	8.46	\$2324	
SKSLCHDR2060	20 x 60 x 14	85	140.1	9.4	\$2747	
SKSLCHDR2066	20 x 66 x 14	85	153.88	10.34	\$2873	
SKSLCHDR2072	20 x 72 x 14	85	162.49	11.29	\$2961	




60" to 72" (60" shown) Hinged Door/Box/Box File

Hinged door on the left and two box drawers on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and doors/drawers. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only.

- 2042, 2048, 2060 and 2066 units have 30" box drawers, hinged door/door width is variable.
- 2054 and 2072 units have a 36" box drawers, hinged door/door width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHDL2042	20 x 42 x 14	85	86.99	6.58	\$2132	
SKSLCHDL2048	20 x 48 x 14	85	97.93	7.52	\$2236	
SKSLCHDL2054	20 x 54 x 14	85	106.51	8.46	\$2324	
SKSLCHDL2060	20 x 60 x 14	85	140.1	9.4	\$2747	
SKSLCHDL2066	20 x 66 x 14	85	153.88	10.34	\$2873	
SKSLCHDL2072	20 x 72 x 14	85	162.49	11.29	\$2961	



60" to 72" (60" shown)

**Box/Box File/Hinged Door** 

Hinged door on the right and two box drawers on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and doors/drawers. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only.

- 2042, 2048, 2060 and 2066 units have 30" box drawers, hinged door/door width is variable.
- 2054 and 2072 units have a 36" box drawers, hinged door/door width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

## **Required specifications**

O OFFICE SPACES

# **DESKING**



Open Cubby/Lateral File

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SKSLCOLR2042	20 x 42 x 14	85	93.6	6.58	\$1725	
SKSLCOLR2048	20 x 48 x 14	85	102.18	7.52	\$1805	
SKSLCOLR2054	20 x 54 x 14	85	113.11	8.46	\$1935	
SKSLCOLR2060	20 x 60 x 14	85	133.32	9.4	\$2076	
SKSLCOLR2072	20 x 72 x 14	85	155.73	11.29	\$2309	


Open cubby on the left and lateral file on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042, 2048, 2060 and 2066 units have a 30" lateral file, open cubby width is variable.
- 2054 and 2072 units have a 36" lateral file, open cubby width is variable
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCOLL2042	20 x 42 x 14	85	93.6	6.58	\$1725	
SKSLCOLL2048	20 x 48 x 14	85	102.18	7.52	\$1805	
SKSLCOLL2054	20 x 54 x 14	85	113.11	8.46	\$1935	
SKSLCOLL2060	20 x 60 x 14	85	133.32	9.4	\$2076	
SKSLCOLL2072	20 x 72 x 14	85	155.73	11.29	\$2309	

Open cubby on the right and lateral file on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042, 2048, 2060 and 2066 units have a 30" lateral file, open cubby width is variable.
- 2054 and 2072 units have a 36" lateral file, open cubby width is variable
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.




Open cubby on the left and lateral file on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042, 2048, 2060 and 2066 units have 30" box drawers, open cubby width is variable.
- 2054 and 2072 units have 36" box drawers, open cubby width is variable
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.


SKSLCODL2042	20 x 42 x 14	85	80.75	6.58	\$1865	
SKSLCODL2048	20 x 48 x 14	92.5	89.33	7.52	\$1944	
SKSLCODL2054	20 x 54 x 14	92.5	97.91	8.46	\$2032	
SKSLCODL2060	20 x 60 x 14	85	120.46	9.4	\$2215	
SKSLCODL2072	20 x 72 x 14	85	140.53	11.29	\$2406	

Open cubby on the left and lateral file on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.


- 2042, 2048, 2060 and 2066 units have 30" box drawers, open cubby width is variable.
- 2054 and 2072 units have 36" box drawers, open cubby width is variable
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



Lateral File/Open Cubby



Open Cubby/Lateral File



Lateral File/Open Cubby

#### Required specifications

# **DESKING**

# **OFFICE SPACES**



File/File Drawers

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
SKSLCFF2048	20 x 48 x 14	70	115.86	7.52	\$2562
SKSLCFF2060	20 x 60 x 14	85	137.82	9.4	\$2845
SKSLCFF2072	20 x 72 x 14	85	159.67	11.29	\$3105

File/file low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. File drawers are of equal width.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLHDG2024	20 x 24 x 14	70	62.11	3.76	\$1090
SKSLHDG2030	20 x 30 x 14	70	73.11	4.7	\$1193
SKSLHDG2036	20 x 36 x 14	85	83.99	5.64	\$1296

Hinged door low storage unit with grommet for leg application. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only.

- Legs or an undercarriage required on all storage and must be specified separately:
- Specify SKSLL for 24" and 30" wide low storage units.
- Specify SKSLU undercarriage for units 36" and wider.

SKSLCHOR2030	20 x 30 x 14	70	72.13	4.7	\$1007
SKSLCHOR2036	20 x 36 x 14	85	80.66	5.64	\$1085
SKSLCHOR2042	20 x 42 x 14	70	100.32	6.58	\$1256
SKSLCHOR2048	20 x 48 x 14	85	111.78	7.52	\$1357
SKSLCHOR2054	20 x 54 x 14	85	123.26	8.46	\$1460


Hinged door with leg grommet on the left and open cubby on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- Legs or an undercarriage required on all storage and must be specified separately:
- Specify SKSLL for 24" and 30" wide low storage units.
- Specify SKSLU undercarriage for units 36" and wider.


SKSLCHOL2030	20 x 30 x 14	70	72.13	4.7	\$1007	
SKSLCHOL2036	20 x 36 x 14	70	72.13	4.7	\$1085	
SKSLCHOL2042	20 x 42 x 14	70	100.32	6.58	\$1256	
SKSLCHOL2048	20 x 48 x 14	85	111.78	7.52	\$1357	
SKSLCHOL2054	20 x 54 x 14	85	123.26	8.46	\$1460	

Hinged door with leg grommet on the right and open cubby on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.


- Legs or an undercarriage required on all storage and must be specified separately:
- Specify SKSLL for 24" and 30" wide low storage units.
- Specify SKSLU undercarriage for units 36" and wider.



**Hinged Doors w/Leg Grommet** 



Hinged Door w/Leg Grommet/Open Cubby



Open Cubby/Hinged Door w/Leg Grommet

**Required specifications** 



Hinged Door w/Leg Grommet/File Drawer

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SKSLCHFR2036	20 x 36 x 14	70	90.42	5.64	\$1664	
SKSLCHFR2042	20 x 42 x 14	70	101.58	6.58	\$2022	
SKSLCHFR2048	20 x 48 x 14	85	112.53	7.52	\$2163	
SKSLCHFR2054	20 x 54 x 14	85	123.45	8.46	\$2293	

Hinged door with leg grommet on the left and file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. Hinged door side is 18" wide, file drawer width is variable.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHFL2036	20 x 36 x 14	70	90.42	5.64	\$1664	
SKSLCHFL2042	20 x 42 x 14	70	101.58	6.58	\$2022	
SKSLCHFL2048	20 x 48 x 14	85	112.53	7.52	\$2163	
SKSLCHFL2054	20 x 54 x 14	85	123.45	8.46	\$2293	

Hinged door with leg grommet on the right and file drawer on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. Hinged door side is 18" wide, file drawer width is variable.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHBR2036	20 x 36 x 14	70	90.73	5.64	\$1877
SKSLCHBR2042	20 x 42 x 14	70	102.03	6.58	\$2484
SKSLCHBR2048	20 x 48 x 14	70	112.98	6.58	\$2620
SKSLCHBR2054	20 x 54 x 14	85	123.93	8.46	\$2739


Hinged door with leg grommet on the left and two box drawers on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. Hinged door side is 18" wide, box drawer width is variable.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHBL2036	20 x 36 x 14	70	90.73	5.64	\$1877	
SKSLCHBL2042	20 x 42 x 14	70	102.03	6.58	\$2484	
SKSLCHBL2048	20 x 48 x 14	70	112.98	6.58	\$2620	
SKSLCHBL2054	20 x 54 x 14	85	123.93	8.46	\$2739	

Hinged door with leg grommet on the right and two box drawers on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. Hinged door side is 18" wide, box drawer width is variable.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



File Drawer/Hinged Door w/Leg Grommet



Hinged Door w/Leg Grommet/Box Drawers



Box Drawers/Hinged Door w/Leg Grommet

**Required specifications** 

Laminate chassis finish Laminate door/drawer finish Paint finish

Undercarriage

LOW STORAGE




_		
	Ì	

Hinged Door w/Leg Grommet/ Open Cubby/File Drawer

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SKSLCHOFR2042	20 x 42 x 14	70	109.68	6.58	\$1820	
SKSLCHOFR2048	20 x 48 x 14	70	118.26	7.52	\$1899	
SKSLCHOFR2054	20 x 54 x 14	70	130.55	8.46	\$2280	
SKSLCHOFR2060	20 x 60 x 14	85	139.19	9.4	\$2360	
SKSLCHOFR2066	20 x 66 x 14	85	150.11	10.34	\$2501	
SKSLCHOFR2072	20 x 72 x 14	85	161.07	11.29	\$2631	
SKSLCH0EFR2072	20 x 72 x 14	85	169.07	11.29	\$2665	
SKSLCHOFR2078	20 x 78 x 14	85	180.73	12.23	\$2769	
SKSLCH0EFR2078	20 x 78 x 14	85	181.11	12.23	\$2728	
SKSLCHOFR2084	20 x 84 x 14	85	191.64	13.17	\$2899	
SKSLCHOEFR2084	20 x 84 x 14	85	192.04	13.17	\$2869	

Hinged door with leg grommet on the left, open cubby at the center and file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 and 2048 units have a 15" file drawer, open cubby width is variable.
- 2054, 2060 and E2078 units have a 24" file drawer, open cubby width is variable.
- 2066, E2072, 2078 and E2084 units have a 30" file drawer, open cubby width is variable.
- 2072 and 2084 units have a 36" file drawer, open cubby width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



File Drawer/Open Cubby/ Hinged Door w/Leg Grommet


SKSLCHOFL2042	20 x 42 x 14	70	109.68	6.58	\$1820
SKSLCHOFL2048	20 x 48 x 14	70	118.26	7.52	\$1899
SKSLCHOFL2054	20 x 54 x 14	70	130.55	8.46	\$2280
SKSLCHOFL2060	20 x 60 x 14	85	139.19	9.4	\$2360
SKSLCHOFL2066	20 x 66 x 14	85	150.11	10.34	\$2501
SKSLCH0FL2072	20 x 72 x 14	85	161.07	11.29	\$2631
SKSLCH0EFL2072	20 x 72 x 14	85	169.07	11.29	\$2665
SKSLCH0FL2078	20 x 78 x 14	85	180.73	12.23	\$2769
SKSLCH0EFL2078	20 x 78 x 14	85	181.11	12.23	\$2728
SKSLCHOFL2084	20 x 84 x 14	85	191.64	13.17	\$2899
SKSLCH0EFL2084	20 x 84 x 14	85	192.04	13.17	\$2869

File drawer on the left, open cubby at the center and hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits.

Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 and 2048 units have a 15" file drawer, open cubby width is variable.
- 2054, 2060 and E2078 units have a 24" file drawer, open cubby width is variable.
- 2066, E2072, 2078 and E2084 units have a 30" file drawer, open cubby width is variable.
- 2072 and 2084 units have a 36" file drawer, open cubby width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

LOW STORAGE




Hinged Door w/Leg Grommet/ Open Cubby, Box/Box Drawers

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SKSLCHODR2042	20 x 42 x 14	70	110.31	6.58	\$2031	
SKSLCHODR2048	20 x 48 x 14	70	118.89	7.52	\$2110	
SKSLCHODR2054	20 x 54 x 14	70	131.33	8.46	\$2745	
SKSLCHODR2060	20 x 60 x 14	85	139.98	9.4	\$2825	
SKSLCHODR2066	20 x 66 x 14	85	150.9	10.34	\$2960	
SKSLCHODR2072	20 x 72 x 14	85	161.88	11.29	\$3080	
SKSLCH0EDR2072	20 x 72 x 14	70	170.14	11.29	\$3128	
SKSLCHODR2078	20 x 78 x 14	85	181.52	12.23	\$3228	
SKSLCHOEDR2078	20 x 78 x 14	85	182.18	12.23	\$3196	
SKSLCHODR2084	20 x 84 x 14	85	192.46	13.17	\$3347	
SKSLCH0EDR2084	20 x 84 x 14	85	193.12	13.17	\$3332	

Hinged door with leg grommet on the left, open cubby at the center and two box drawers on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 and 2048 units have 15" box drawers, open cubby width is variable.
- 2054, 2060 and E2078 units have 24" box drawers, open cubby width is variable.
- 2066, E2072, 2078 and E2084 units have 30" box drawers, open cubby width is variable.
- 2072 and 2084 units have 36" box drawers, open cubby width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHODL2042	20 x 42 x 14	70	110.31	6.58	\$2031
SKSLCHODL2048	20 x 48 x 14	70	118.89	7.52	\$2110
SKSLCHODL2054	20 x 54 x 14	70	131.33	8.46	\$2745
SKSLCHODL2060	20 x 60 x 14	85	139.98	9.4	\$2825
SKSLCHODL2066	20 x 66 x 14	85	150.9	10.34	\$2960
SKSLCHODL2072	20 x 72 x 14	85	161.88	11.29	\$3080
SKSLCH0EDL2072	20 x 72 x 14	70	170.14	11.29	\$3128
SKSLCHODL2078	20 x 78 x 14	85	181.52	12.23	\$3228
SKSLCH0EDL2078	20 x 78 x 14	85	182.18	12.23	\$3196
SKSLCHODL2084	20 x 84 x 14	85	192.46	13.17	\$3347
SKSLCH0EDL2084	20 x 84 x 14	85	193.12	13.17	\$3332



Box/Box Drawers/Open Cubby/ Hinged Door w/Leg Grommet

Two box drawers on the left, open cubby at the center and hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 and 2048 units have 15" box drawers, open cubby width is variable.
- 2054, 2060 and E2078 units have 24" box drawers, open cubby width is variable.
- 2066, E2072, 2078 and E2084 units have 30" box drawers, open cubby width is variable.
- 2072 and 2084 units have 36" box drawers, open cubby width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

#### Required specifications




LOW STORAGE							

Open Cubby/Hinged Door w/Leg Grommet/Open Cubby



Open cubby on left and right, hinged door with leg grommet at the center low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 has a 14" wide hinged door with leg grommet, open cubby widths are variable.
- 2048 and 2084 units have a 24" wide hinged door with leg grommet, open cubby widths are variable.
- 2054, 2060, 2066, 2072 and 2078 units have a 30" wide hinged door with leg grommet, remainder are the open cubbies.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.




Hinged Door w/Leg Grommet/ Box/Box Drawers/File Drawer

SKSLCHBFR2048	20 x 48 x 14	70	126.76	7.52	\$2658	
SKSLCHBFR2066	20 x 66 x 14	70	160.09	10.34	\$3753	
SKSLCHBFR2072	20 x 72 x 14	70	171.07	11.29	\$3895	
SKSLCHBFR2078	20 x 78 x 14	85	182.04	12.23	\$4031	
SKSLCHBFR2084	20 x 84 x 14	85	192.95	13.17	\$4161	

Hinged door with leg grommet on the left, two box drawers at the center, and a file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2048 has 15" wide box and file drawers.
- 2066 and 2072 have 24" wide box drawers, 2078 and 2084 have 30" wide box drawers.
- 2066 has a 24" wide file drawer, 2072 and 2078 have 30" wide file drawer and 2084 has a 36" wide file drawer.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



File Drawer/Box/Box Drawers Hinged Door w/Leg Grommet/

SKSLCHBFL2048	20 x 48 x 14	70	126.76	7.52	\$2658	
SKSLCHBFL2066	20 x 66 x 14	70	160.09	10.34	\$3753	
SKSLCHBFL2072	20 x 72 x 14	70	171.07	11.29	\$3895	
SKSLCHBFL2078	20 x 78 x 14	85	182.04	12.23	\$4031	
SKSLCHBFL2084	20 x 84 x 14	85	192.95	13.17	\$4161	

Hinged door with leg grommet on the left, two box drawers at the center, and a file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2048 has 15" wide box and file drawers.
- 2066 and 2072 have 24" wide box drawers, 2078 and 2084 have 30" wide box drawers.
- 2066 has a 24" wide file drawer, 2072 and 2078 have 30" wide file drawer and 2084 has a 36" wide file drawer.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

#### **Required specifications**

O OFFICE SPACES





Hinged Door w/Leg Grommet/Open Cubby/Box/Box Drawers/File Drawer

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SKSLCHOBFR2060	20 x 60 x 14	70	149.96	9.4	\$2867	
SKSLCHOBFR2066	20 x 66 x 14	70	158.5	10.34	\$2946	
SKSLCHOBFR2072	20 x 72 x 14	70	178.13	11.29	\$3116	
SKSLCHOBFR2078	20 x 78 x 14	70	189.6	12.23	\$3217	
SKSLCHOBFR2084	20 x 84 x 14	70	201.07	13.17	\$3320	

Hinged door with leg grommet on the left, open cubby and two box drawers at the center, and a file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. Box and file drawers are 15" wide for all sizes. Open cubby width is variable. An adjustable shelf is included for open cubby units 24" and wider.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHOBFL2060	20 x 60 x 14	70	149.96	9.4	\$2867
SKSLCHOBFL2066	20 x 66 x 14	70	158.5	10.34	\$2946
SKSLCHOBFL2072	20 x 72 x 14	70	178.13	11.29	\$3116
SKSLCHOBFL2078	20 x 78 x 14	70	189.6	12.23	\$3217
SKSLCHOBFL2084	20 x 84 x 14	70	201.07	13.17	\$3320

File drawer on right, open cubby and two box drawers at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. Box and file drawers are 15" wide for all sizes. Open cubby width is variable. An adjustable shelf is included for open cubby units 24" and wider.


• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHDG2072	20 x 72 x 14	85	164.74	11.29	\$2457	
SKSLCHDG2078	20 x 78 x 14	70	210.44	12.23	\$2982	
SKSLCHDG2084	20 x 84 x 14	70	223.71	13.17	\$3103	

Hinged door low storage unit with leg grommet at the center. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. 72" wide unit has 4 doors and the 78" and 84" wide units have 5 doors.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

File Drawer/Box/Box Drawers/Open Cubby/Hinged Door w/Leg Grommet




**Hinged Doors w/Leg Grommet** 

**Required specifications** 

## **DESKING**

# OFFICE SPACES




Hinged Door w/Leg Grommet/File Drawer/Hinged Door w/Leg Grommet

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SKSLCHFH2060	20 x 60 x 14	70	143.42	9.4	\$2666	
SKSLCHFH2066	20 x 66 x 14	85	154.33	10.34	\$2807	
SKSLCHFH2072	20 x 72 x 14	85	165.29	11.29	\$2938	

Hinged door with leg grommet on the left, file drawer at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 18" wide on each side for all sizes. File drawer width is variable.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHBH2060	20 x 60 x 14	70	144.01	9.4	\$3129	
SKSLCHBH2066	20 x 66 x 14	85	154.93	10.34	\$3265	
SKSLCHBH2072	20 x 72 x 14	85	165.92	11.29	\$3385	




Hinged Door w/Leg Grommet/Box/Box Drawers/Hinged Door w/Leg Grommet

Hinged door with leg grommet on the left, two box drawers at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 18" wide on each side for all sizes. Box drawer width is variable.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCH0H2060	20 x 60 x 14	70	142.21	9.4	\$1902	
SKSLCHOH2066	20 x 66 x 14	85	153.63	10.34	\$2003	
SKSLCH0H2072	20 x 72 x 14	85	165.13	11.29	\$2106	




Hinged Door w/Leg Grommet/Open Cubby/Hinged Door w/Leg Grommet

Hinged door with leg grommet on the left, an open cubby at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide on each side for all sizes. Open cubby width is variable. An adjustable shelf is included for open cubby units 24" and wider.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

	SKSLCH0FHR2078	20 x 78 x 14	85	177.52	12.23	\$3016	
	SKSLCHOFHR2084	20 x 84 x 14	85	186.08	13.17	\$3095	
_							



Hinged Door w/Leg Grommet/Open Cubby File Drawer/Hinged Door w/Leg Grommet


Hinged door with leg grommet on the left, open cubby and file drawer at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 18" wide on each side for all sizes. Lateral file is 30" wide, open cubby width is variable.

Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

#### **Required specifications**

# OFFICE SPACES

# DESKING



Hinged Door w/Leg Grommet/File Drawer Open Cubby/Hinged Door w/Leg Grommet

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SKSLCHOFHL2078	20 x 78 x 14	85	177.52	12.23	\$3016	
SKSLCHOFHL2084	20 x 84 x 14	85	186.08	13.17	\$3095	

Hinged door with leg grommet on the left, file drawer and open cubby at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. Hinged door is 18" wide on each side for all sizes. Lateral file is 30" wide, open cubby width is variable.

Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHOBHR2078	20 x 78 x 14	85	178.11	12.23	\$3474	
SKSLCHOBHR2084	20 x 84 x 14	85	186.68	13.17	\$3553	

Hinged door with leg grommet on the left, open cubby and two box drawers at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. Hinged door is 18" wide on each side for all sizes. Box drawers are 30" wide, open cubby width is variable.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHOBHL2078	20 x 78 x 14	85	178.11	12.23	\$3474
SKSLCHOBHL2084	20 x 84 x 14	85	186.68	13.17	\$3553

Hinged door with leg grommet on the left, two box drawers and open cubby at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. Hinged door is 18" wide on each side for all sizes. Box drawers are 30" wide, open cubby width is variable.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.


SKSLCHOBFHR2078	20 x 78 x 14	70	191.89	12.23	\$3512	
SKSLCHOBFHR2084	20 x 84 x 14	70	200.45	13.17	\$3591	

Hinged door with leg grommet on the left, open cubby, two box drawers and a file drawer at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. Hinged door is 18" wide on each side for all sizes. File and box drawers are 15" wide, open cubby width is variable.


• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



Open Cubby/Box Drawers



Hinged Doors w/Leg Grommets/ **Box Drawers/Open Cubby** 



Hinged Doors w/Leg Grommets/Open Cubby/Box Drawers/File Drawer

**Required specifications** 

## **DESKING**

# OFFICE SPACES




Hinged Doors w/Leg Grommets/File Drawer/Box Drawers/Open Cubby

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
SKSLCHOBFHL2078	20 x 78 x 14	70	191.89	12.23	\$3512
SKSLCHOBFHL2084	20 x 84 x 14	70	200.45	13.17	\$3591

Hinged door with leg grommet on the left, file drawer, two box drawers and open cubby at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 18" wide on each side for all sizes. File and box drawers are 15" wide, open cubby width is variable.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHBFHR2084	20 x 84 x 14	70	202.04	13.17	\$4399



Hinged Doors w/Leg Grommets/ Box Drawers/File Drawer

Hinged door with leg grommet on the left, two box drawers and a file drawer at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. 18" hinged door, 24" box/box drawers, 24" file drawer, 18" hinged door.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHFBHL2084	20 x 84 x 14	70	202.04	13.17	\$4399
ONOLOTH DITLE	LONGINII	, 0	202.01	10.17	Ψ 1000



Hinged Doors w/Leg Grommets/ Box Drawers/File Drawer

Hinged door with leg grommet on the left, file drawer and two box drawers at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. 18" hinged door, 24" file drawer, 24" box/box drawers, 18" hinged door.


• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

## **Required specifications**

HIGH STORAGE



**Open Cubby High Storage** 



Open cubby high storage unit with bottom shelf and coat hook/coat rail. Units 18" wide have one coat hook and remaining units have a coat rail installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. 24", 30" and 36" wide units can be used as a standalone unit or in conjunction with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for coat hook/coat rail. Shelf opening is 12.6".

- Legs or an undercarriage required on all storage and must be specified separately:
  - Specify SKSLL for 24" and 30" wide low storage units.
  - Specify SKSLU undercarriage for units 36" and wider.



**High Storage Hinged Door, Right** 

SKSHR5418	20 x 18 x 48	85	125.54	9.65	\$1616
SKSHR6018	20 x 18 x 54	85	137.74	10.85	\$1717
SKSHR6618	20 x 18 x 60	85	150.03	12.06	\$1819
SKSHR7218	20 x 18 x 66	85	162.24	13.26	\$1920
SKSHR7818	20 x 18 x 72	85	174.48	14.47	\$2022

Right hand hinged door high storage unit with bottom shelf and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook. Shelf opening is 12.6".

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



**High Storage Hinged Door, Left** 

SKSHL5418	20 x 18 x 48	85	125.54	9.65	\$1616	
SKSHL6018	20 x 18 x 54	85	137.74	10.85	\$1717	
SKSHL6618	20 x 18 x 60	85	150.03	12.06	\$1819	
SKSHL7218	20 x 18 x 66	85	162.24	13.26	\$1920	
SKSHL7818	20 x 18 x 72	85	174.48	14.47	\$2022	

Left hand hinged door high storage unit with bottom shelf and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook. Shelf opening is 12.6".

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

## **Required specifications**



**High Storage Hinged Door** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SKSHH6624	20 x 24 x 60	92.5	181.77	16.08	\$2784	
SKSHH6630	20 x 30 x 60	92.5	211.09	20.1	\$3023	
SKSHH6636	20 x 36 x 60	100	240.37	24.11	\$3261	
SKSHH7224	20 x 24 x 66	92.5	196.01	17.68	\$2911	
SKSHH7230	20 x 30 x 66	92.5	227.37	22.1	\$3164	
SKSHH7236	20 x 36 x 66	100	258.62	26.52	\$3417	
SKSHH7824	20 x 24 x 72	92.5	210.22	19.29	\$3037	
SKSHH7830	20 x 30 x 72	92.5	243.61	24.11	\$3306	
SKSHH7836	20 x 36 x 72	100	276.87	28.93	\$3573	

Double hinged door high storage unit with bottom shelf and coat hook/coat rail. Units have a coat rail installed at the back panel. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook. Shelf opening is 12.6".


- Legs or an undercarriage required on all storage and must be specified separately:
- Specify SKSLL for 24" and 30" wide low storage units.
- Specify SKSLU undercarriage for units 36" and wider.

SKSHRF5418	20 x 18 x 48	85	128.02	9.65	\$2202
SKSHRF6018	20 x 18 x 54	85	140.25	10.85	\$2307
SKSHRF6618	20 x 18 x 60	85	153.08	12.06	\$2485
SKSHRF7218	20 x 18 x 66	85	165.28	13.26	\$2590
SKSHRF7818	20 x 18 x 72	85	177.54	14.47	\$2695

Hinged Door, Right w/File Drawer

Right hand hinged door high storage unit with bottom file drawer and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



Hinged Door, Left w/File Drawer

SKSHRL5418	20 x 18 x 48	85	128.02	9.65	\$2202	
SKSHRL6018	20 x 18 x 54	85	140.25	10.85	\$2307	
SKSHRL6618	20 x 18 x 60	85	153.08	12.06	\$2485	
SKSHRL7218	20 x 18 x 66	85	165.28	13.26	\$2590	
SKSHRL7818	20 x 18 x 72	85	177.54	14.47	\$2695	

Right hand hinged door high storage unit with bottom file drawer and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



Hinged Doors w/File Drawer


SKSHHF6624	20 x 24 x 60	92.5	184.06	16.08	\$3534	
SKSHHF6630	20 x 30 x 60	92.5	213.43	20.1	\$3818	
SKSHHF6636	20 x 36 x 60	92.5	242.66	24.11	\$4090	
SKSHHF7224	20 x 24 x 66	92.5	198.3	17.68	\$3661	
SKSHHF7230	20 x 30 x 66	92.5	229.67	22.1	\$3959	
SKSHHF7236	20 x 36 x 66	92.5	260.91	25.52	\$4246	
SKSHHF7824	20 x 24 x 72	92.5	212.55	19.29	\$3788	
SKSHHF7830	20 x 30 x 72	92.5	245.94	24.11	\$4101	
SKSHHF7836	20 x 36 x 72	100	279.2	28.93	\$4402	

Double hinged door high storage unit with bottom file drawer and coat rail. Units have a coat rail installed at the back panel. Specify laminate finishes and edge finishes for chassis/doors/drawer. Specify paint finish for coat rail.


- Legs or an undercarriage required on all storage and must be specified separately:
- Specify SKSLL for 24" and 30" wide low storage units.
- Specify SKSLU undercarriage for units 36" and wider.

## **Required specifications**

HIGH STORAGE




Open Cubby w/File Drawer



Open cubby high storage unit with bottom file drawer and adjustable shelves. 54" to 72" high storage units have two adjustable shelves and 78" high units have three adjustable shelves. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. 24", 30" and 36" wide units can be used as a standalone unit or in conjunction with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for handle.

- Legs or an undercarriage required on all storage and must be specified separately:
  - Specify SKSLL for 24" and 30" wide low storage units.
  - Specify SKSLU undercarriage for units 36" and wider.

SKSH0BF5418	20 x 18 x 48	85	127.21	9.65	\$1959
SKSH0BF6018	20 x 18 x 54	85	136.4	10.85	\$2035
SKSHOBF6618	20 x 18 x 60	85	145.65	12.06	\$2111
SKSHOBF6624	20 x 24 x 60	92.5	174.51	16.08	\$2855
SKSHOBF6630	20 x 30 x 60	92.5	203.06	20.1	\$3147
SKSHOBF6636	20 x 36 x 60	100	231.53	24.11	\$3423
SKSH0BF7218	20 x 18 x 66	92.5	154.84	13.26	\$2187
SKSH0BF7224	20 x 24 x 66	92.5	184.71	17.68	\$2938
SKSH0BF7230	20 x 30 x 66	100	214.28	22.1	\$3238
SKSHOBF7236	20 x 36 x 66	100	243.75	26.52	\$3521
SKSHOBF7818	20 x 18 x 72	92.5	171.74	14.47	\$2329
SKSHOBF7824	20 x 24 x 72	92.5	205.47	19.29	\$3109
SKSH0BF7830	20 x 30 x 72	100	238.92	24.11	\$3438
SKSHOBF7836	20 x 36 x 72	100	272.27	28.93	\$3752



- Legs or an undercarriage required on all storage and must be specified separately:
  - Specify SKSLL for 24" and 30" wide low storage units.
  - Specify SKSLU undercarriage for units 36" and wider.

SKSHRBF6618	20 x 18 x 60	85	151.98	12.06	\$2657	
SKSHRBF7218	20 x 18 x 66	85	164.46	13.26	\$2798	
SKSHRBF7818	20 x 18 x 72	85	176.7	14.47	\$2903	



Hinged Door, Right w/Box/File Drawer

Open Cubby w/Box/File Drawer

Right hand hinged door high storage unit with bottom box and file drawers and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finish and edge finish for chassis. Specify paint finish for handle and coat hook.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

## **Required specifications**

0

HIGH STORAGE	
	_
Hinned Dear Left/Bay/File Drawe	

Hinaed	Door	I off w	/Day/		Drawar
mmueu	DUUI.	LEIL W	/DUX/	гис	DIAWEI

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
SKSHLBF6618	20 x 18 x 60	85	151.98	12.06	\$2657
SKSHLBF7218	20 x 18 x 66	85	164.46	13.26	\$2798
SKSHLBF7818	20 x 18 x 72	85	176.7	14.47	\$2903

Left hand hinged door high storage unit with bottom box and file drawers and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finish and edge finish for chassis. Specify paint finish for handle and coat hook.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.


Hinged Doors w/Box/File Drawer

SKSHHBF6624	20 x 24 x 60	92.5	183.67	16.08	\$4026	
SKSHHBF6630	20 x 30 x 60	92.5	213.03	20.1	\$4329	
SKSHHBF6636	20 x 36 x 60	92.5	242.28	24.11	\$4613	
SKSHHBF7224	20 x 24 x 66	92.5	198.47	17.68	\$4226	
SKSHHBF7230	20 x 30 x 66	92.5	229.82	22.1	\$4544	
SKSHHBF7236	20 x 36 x 66	100	261.09	26.52	\$4842	
SKSHHBF7824	20 x 24 x 72	92.5	212.72	19.29	\$4353	
SKSHHBF7830	20 x 30 x 72	92.5	246.1	24.11	\$4686	
SKSHHBF7836	20 x 36 x 72	100	279.35	28.93	\$4998	

Double hinged door high storage unit with bottom box and file drawers and coat rail. Specify laminate finishes and edge finishes for chassis/doors. Specify paint finish for handles and coat rail.

- Legs or an undercarriage required on all storage and must be specified separately:
- Specify SKSLL for 24" and 30" wide low storage units.
- Specify SKSLU undercarriage for units 36" and wider.

## **Required specifications**




**Sliding Door, Closed Shelves, Right** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
SKSHCSR6648	20 x 48 x 60	92.5	338.6	32.77	\$6678	
SKSHCSR7248	20 x 48 x 66	92.5	359.85	35.98	\$6851	
SKSHCSR7248	20 x 48 x 72	92.5	359.85	35.98	\$6851	

Sliding door with shelving on the right, wardrobe on the left high storage unit. Can be used as a standalone unit or combined with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for coat rail. Bottom shelf is fixed at 12.6", others are adjustable.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



**Sliding Door, Closed Shelves, Left** 

SKSHCSL6648	20 x 48 x 60	92.5	338.6	32.77	\$6678
SKSHCSL7248	20 x 48 x 66	92.5	359.85	35.98	\$6851
SKSHCSL7248	20 x 48 x 72	92.5	359.85	35.98	\$6851


Sliding door with shelving on the left, wardrobe on the right high storage unit. Can be used as a standalone unit or combined with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for coat rail. Bottom shelf is fixed at 12.6", others are adjustable.

• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.


## **Required specifications**

ACCESSORIES


FI.	GRADE	LIST	GRADE	LIST
2	1	\$556	7	\$753
	2	\$585	8	\$822
	3	\$607	9	\$875
	4	\$640	10	\$934
	5	\$688	11	\$1055
	6	\$710	12	\$1184
	1	\$482	7	\$923
	2	\$546	8	\$998
	3	\$597	9	\$1084
	4	\$658	10	\$1186
	5	\$751	11	\$1303
	6	\$835	12	\$1471
	1	\$541	7	\$1053
	2	\$614	8	\$1144
	3	\$656	9	\$1246
	4	\$742	10	\$1356
	5	\$848	11	\$1493
	6	\$948	12	\$1691
	1	\$652	7	\$1230
	2	\$733	8	\$1340
	3	\$804	9	\$1453
	4	\$879	10	\$1579
	5	\$1003	11	\$1736
	6	\$1122	12	\$1970
	1	\$773	7	\$1504
	2	\$877	8	\$1634
	3	\$936	9	\$1780
	4	\$1060	10	\$1936
	5	\$1210	11	\$2133
	6	\$1354	12	\$2416




**Low Storage Cushion** 




**Low Storage Cushion** 




**Low Storage Cushion** 



**Low Storage Cushion** 



**Low Storage Cushion** 



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	D x W x H							
SKSAC2014	14 x 20 x 1	150	2.50	05.52	1	\$556	7	\$753
					2	\$585	8	\$822
					3	\$607	9	\$875
					4	\$640	10	\$934
					5	\$688	11	\$1055
					6	\$710	12	\$1184

Cushion to fit atop the low storage units. Available in all Global seating fabrics.

• Yardage required: 0.75

\$923	7	\$482	1	0.52	2.50	150	18 x 20 x 1	SKSAC2018
\$998	8	\$546	2					
\$1084	9	\$597	3					
\$1186	10	\$658	4					
\$1303	11	\$751	5					
\$1471	12	\$835	6					

Cushion to fit atop the low storage units. Available in all Global seating fabrics

• Yardage required: 0.75

\$1053	7	\$541	1	0.28	4	85	24 x 20 x 1	SKSAC2024
\$1144	8	\$614	2					
\$1246	9	\$656	3					
\$1356	10	\$742	4					
\$1493	11	\$848	5					
\$1691	12	\$948	6					

Cushion to fit atop the low storage units. Available in all Global seating fabrics.

• Yardage required: 0.75

SKSAC2030	30 x 20 x 1	85	5	0.35	1	\$652	7	\$1230
					2	\$733	8	\$1340
					3	\$804	9	\$1453
					4	\$879	10	\$1579
					5	\$1003	11	\$1736
					6	\$1122	12	\$1970

Cushion to fit atop the low storage units. Available in all Global seating fabrics.

Yardage required: 1

\$1504	7	\$773	1	0.42	6	85	36 x 20 x 1	SKSAC2036
\$1634	8	\$877	2					
\$1780	9	\$936	3					
\$1936	10	\$1060	4					
\$2133	11	\$1210	5					
\$2416	12	\$1354	6					

Cushion to fit atop the low storage units. Available in all Global seating fabrics.

Yardage required: 1.25

\$1755	7	\$901	1	0.49	7	85	42 x 20 x 1	SKSAC2042
\$1906	8	\$1023	2					
\$2076	9	\$1093	3					
\$2259	10	\$1237	4					
\$2488	11	\$1411	5					
\$2817	12	\$1579	6					


Cushion to fit atop the low storage units. Available in all Global seating fabrics.

• Yardage required: 1.50

**Required specifications** 

Fabric

ACCESSORIES



Rase	^	_:	CI:.	

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
SKSAGC	0.1 x 5 x 2.5	70	0.22	0.01	\$32	

Base ganging clip to the be used between two storage units with separate metal bases. Recommended to create a tight connection between storage (not required).

10

0.03

0.20

\$23

\$607

6	
	)

SKWSFP

SKSADW

Flush Plate

60

70

0.1 x 5 x 2.5

0.1 x 5 x 2.5

Flush plate required between mixed height storage units that share the same metal undercarriage. Kit includes two plates. Black finish only.

1.70



**Magnetic Whiteboard** 

Magnetic door whiteboard can be attached to any 18" wide storage unit. White magnetic whiteboard attaches to the metal backing. Black finish metal backing only. Hardware included. Will only fit on tower taller than 60" high.



Introducing **Softpod** - where flexibility meets focus.

Softpod™ responds to the changing landscape of today's workplace, providing an alternative to conventional workstations and cubicles. As an adjunct to collaborative and community spaces, Softpod supports activities that require individual focus and engagement. Softpod facilitates hybrid schedules that require unassigned workspaces as people move between the office and home.



Hanging shelf with dry erase board



Under worksurface casual storage unit



Optional coat/bag hook

#### **Features and Benefits**

- Freestanding hexagon shape allows for on/off grid 120-degree planning
- Single, standalone (private) workspace or "pod" that can be loosely fit in a floorplan
- PET felt + aluminum construction
- Simple kit of parts makes it easy to specify with quick fulfillment + installation
- Panels are comprised of two layers of recycled soundabsorbing PET felt
- Easily clean high touch surfaces
- User can easily add/remove privacy + accessory elements
- Casual storage options and accessories support hybrid schedules
- Pods can be equipped with power and data solutions

## **GENERAL INFORMATION**

- Available as 3, 4 and 5-sided pods in a range of colors.
- Easy to specify and install.
- Easily add, subtract or rearrange each Softpod workstation without having to take anything apart
- High and low pressure laminate work surfaces are durable and easy to clean. Choose from a range of finishes to suit your style.
- Softpod panels can be specified in a range of color options to suit a range of styles. The inner and outer panel sides can be specified in different colors to offer visual appeal or to help workers identify groups or individual work areas within open spaces.
- PET felt panels and internal aluminum framework can be recycled.
- For environmental certifications, please visit globalfurnituregroup.com.

#### WORKSURFACES

- Standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



Products specified with the high pressure laminate option are finished on the underside
of the surface with a kraft paper backing.

## METAL LEG FINISHES:

BLK	Black	SDT*	Stonedust
BZD*	Blizzard	SIL	Silver
CHR*	Charcoal	TPE*	Taupe
DWT	Designer White	TUN*	Tungsten
NEV*	Nevada		

<sup>\*</sup>Upcharge on HA legs only

#### **PET FELT COLORS:**

AMT	Amethyst	HVT	Harvest
APR	Apricot	LAP	Lapis
BLK	Black	MTS	Mist
BSK	Blue Smoke	NVY	Navy
BRI	Brick	PWT	Pewter
CNN	Carnation	RBY	Ruby
DEN	Denim	SHR	Shamrock
EMD	Emerald	SFR	Sunflower
GPH	Graphite	WHT	White

#### **LAMINATE FINISHES** (thermally fused and high pressure laminates):

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	MTD	Quartered Mahogany
CMB	Clear Maple	SBY	Sheer Beauty
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

## **EDGE FINISHES (Laminate Surfaces Only)**

AAE	Absolute Acajou	FCL	First Class
ASE	Asian Night	NBL	Noce Biondo
ACE	Avant Cherry	NGL	Noce Grigio
AHE	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	MTD	Quartered Mahogany
CHR	Charcoal (use w/SOG)	SBY	Sheer Beauty
CME	Clear Maple	SIL	Silver
CGY	Custom Grey	TPE	Taupe
DEE	Dark Espresso	WHE	Walnut Heights
DWE	Designer White	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry

#### Divider:

- PET felt / aluminum composition
- Channel edge allows for add-on privacy

## **PET Felt features:**


- Tackable acoustic material
- Soft form capability

## Electrical:

- Simple interconnect / direct plug-in
- Hard wire formats

## Storage:

• Solution based



HX4P5472SW

and Worksurface

softPOD with 4 Dividers

#### Softpods

HX3P5472SW softPOD with 3 Dividers and Worksurface



**Extensions** 

HXPAEFE End PET Felt Extension Divider Add-on



**HXPACFE** Corner PET Felt Extension Divider Add-on



HX4P5472L/RW softPOD with 4 Dividers and Wraparound Worksurface



**HXPATCFE** Top Corner PET Felt



#### HX5P5472L/RW softPOD with 5 Dividers and Wraparound Worksurface




HXP5430AP Single J-divider



# **Electrical**

PS3525057/5002 Clamp Mount module Undermount module Under Worksurface Access Door













HX5P5472SW

and Worksurface

softPOD with 5 Dividers

PMDSA10 ModPower Starter Unit



PMDCA3 ModPower Middle Mounted Unit



PMDEA3 ModPower End Mounted Unit



**PMDCLIPS** ModPower cable management clips

PMDJ36BK ModPower interconnecting jumper



**HXECS** Cable Shroud



HXEPPJ Station to Station





PSDPC22W

Slim Desktop Power

Module, 2 Duplex



**HXEBF** Base Feed

PSDPC32W

Slim Desktop Power

Module, 3 Duplex



**HXECFP** Ceiling Feed Pole



HXEPGK Divider Grommet



**HXEPGCS** Divider Grommet Connector / Spacer



## Accessories

HXEPK

Power Kit

Station 2-Circuit

LINLAMPS LED Single Arm Lamp



**HXARWS** Rear Wall Shelf



LINLAMPD LED Double Arm Lamp



**HXACHS** Coat/Bag Hook for Dividers



RNDLAMPS LED Single Arm Lamp



**HXACHT** Coat/Bag Hook for Dividers Edge



RNDLAMPD LED Double Arm Lamp



HXABH **Under Surface** Bag Hook



**HXAHS** Hanging Shelf



**HXNP** Name Plate



**HXAHSWB** Hanging Shelf with Dry Erase Board



#### Storage


HXSCS0 Under Worksurface Casual Storage Unit



FFP0 Pantry Storage




## **FOOTPRINT**



## **OFF GRID PLANNING**


The flexible format of Softpod offers a variety of planning options and encourages off grid layouts. From a single or cluster of Softpods this versatile system adapts to your needs.




## **OFF GRID PLANNING**

#### Agile

The freestanding, single softPOD can flex to support any number of employees in a hybrid work environment. The pods can be easily reconfigured and adjusted as needs change. Its small kit of parts and thoughtfully designed features make it easy to specify and keep inventory counts low.







#### Scalable

The adaptable dividers give the ability to address the level of privacy needed on a station by station basis.

## softPOD PRIVACY










**Less Privacy** 

More Privacy

## **Extensions - PRIVACY**








**Less Privacy** 

**More Privacy** 

## **POWER CONNECTIONS**

## Plug In


Simple casual wire - Direct plug-in or hard wired.



## **Daisy Chain Interconnect System**

Plug-in power supply and interlinked, pre-determined, universal modules. If specified, one module is shipped with the station and interconnected on site.

Integrating additional station (C) requires disconnecting A from B and plugging in the C on site.



**Dual Circuit Power** 

Outlets mounted below worksurfaces.



Single Pod with 3 Dividers



Single Pod with 4 Dividers



Single Pod with 4 Dividers and Wrap Around Surface




Single Pod with 5 Dividers




Single Pod with 5 Dividers and Wrap Around Surface





in-between spaces

## **SPACE PLANNING**




## **POD FORMATS**

Align units in cluster plan Option unit type & orientation


(A) Worksurfaces must have opposing alignment


Flat and curved dividers are non-handed and symmetrical. The addition of the legs determines if the j-dividers becomes LEFT handed or RIGHT handed. Any j-divider can be configured and reconfigured LEFT or RIGHT.




Power/ data is delivered through screen walls via grommet

Grommet tethers units together








Density Touchdown

Around Column


## **PLANNING FOR SINGLE SOFTPOD WITH 4 DIVIDERS**



Cluster of 2 softPODs

Cluster of 3 softPODs


## PLANNING FOR SINGLE SOFTPOD WITH 5 DIVIDERS - CENTER



Cluster of 2 softPODs

Cluster of 3 softPODs

## PLANNING FOR SINGLE SOFTPOD WITH 5 DIVIDERS, LEFT/RIGHT




Cluster of 3 softPODs


Cluster of 4 softPODs


## PRIVACY EXTENSIONS

Flexible privacy extensions can be added to any softPOD workstation to adjust the level of privacy based on the user's needs.











#### End PET Felt Extension Divider Add-on

Height: 25.5" Depht: 9mm Width: 9.5" PET Felt

- solid



#### Top Corner PET Felt Extension Divider Add-on

Height: 37" Depht: 9mm Width: 19.5"

PET Felt - solid

- perforated



#### Corner PET Felt Extension Divider Add-on

Height: 11.5"


Depht: 9mm Width: 38.5"


PET Felt - solid

- perforated


## PRIVACY EXTENSIONS


PET Felt - Solid






PET Felt - Perforated






## PET FELT COLOR PROGRAMMING




## **WORKSURFACE DIMENSIONS AND GRAIN DIRECTION**



# Standard Worksurface

- A single worksurface to be used within softPOD dividers.
- The surface is non handed with pre-determined mounting points.




- A single wrap around worksurface to be used within softPOD dividers.
- The surface is handed L -left or R -right with pre-determined mounting points.
- $\bullet$  Compatible only with 4 or 5 divider station configurations.


# **GROMMET LOCATIONS** GAADDCT/ GAADDCT/ GAADCTPD GAADCTPD 13.740" . 13.740" 3.750" 13.740" 3.750" GL GL GR GR Right Hand Shown • Grommet cut-out option for GAADS series and Mod Power. TR -top right or TL -top left. Grommets must be ordered separately. • GAAD grommet is not available in combination with HXECS (Cable Shroud) and HXEPK (2 Circuit Power Kit).

#### **ELECTRICAL**


- Power and data lines can enter softPOD via floor, ceiling, or through grommet in the divider. The grommet opening is built into every softPOD divider at a specific location, but it is covered by an on-site removable PET plug.
- A grommet on a single softPOD can also facilitate cable access to a wall outlet.
- Grommets installed on specific dividers facilitate passage of wires through softPOD dividers into adjacent softPODs.
- Orientation of worksurfaces plays an important role when planning softPOD cluster layouts with the need to pass cables between individual softPODs as the cables are best hidden underneath.
- · Worksurfaces must have opposing alignment.
- Align units in cluster plan
- Option unit type & orientation.




(A) Worksurfaces must have opposing alignment.



- Ceiling pole attaches to the divider grommet under worksurface.
- Location of the ceiling pole on the inside of the softPOD is determined by the contoured recess at the back of worksurface.
- White dots below indicate possible ceiling feed pole location within the Pod (must be at the same location as worksurface contoured recess).
- Grey dots indicate possible Ceiling fee pole location outside of the POD (because cables pass through the divider grommets and under the worksurface).
- Black arrows indicate possible power and data cable passage between soft-PODs (because cables pass through the divider grommet under the worksurface, through the second divider grommet and into the adjacent softPOD, under worksurface.
- In either case, the cables enter or exit the softPOD through the divider grommet.






## **ELECTRICAL OPTIONS**


Direct Plug In

• Direct or floor monument outlet plug-in



Daisy Chain Interconnect System

• Direct or floor monument outlet plug-in



**Dual Circuit Power** 

 Hardwired Floor Feed Ceiling Feed 0 0

## **ELECTRICAL**

## 2 Circuit, 4 Wire Power Distribution

contoured recess.

The 4-wire, 2-circuit electrical components are housed in a metal trough, mounted under worksurface, immediately adjacent to the worksurface PET Felt shroud organizes harnesses and cables under worksurface. Power Trough Duplex 3.125"x1.5" Opening for standard data plate Base feed Worksurface contoured recess Grommet Ceiling feed or Passthrough connecting adjacent power distribution trough

## **STORAGE**

For hanging small items like earphones.

#### Shelf


PET Felt liner with rear hole to direct power cords for charging.

#### **Rear Access**

Tuck valuable items out of sight

## Bag Drop


Area for storing personal items.



#### **Pantry Storage**


Multifunction, customizable storage

## **ACCESSORIES**



HXNP Name Plate Height: 3.5" Depth: 0.5" . Width: 11"


• Two sided white dry erase surface.



# **Hanging Shelf**

Height: 16" Depth: 3" Width: 23.5"

• Optional dry erase board available




# **HXARWS**

# **Rear Wall Shelf**


Height: 3/4" Depth: 4.5" Width: 32.5"

• Laminate


NOTE: Not compatible with Ceiling Feed Pole or any monitor mounts.



**HXABG Under Surface Bag Hook** 



HXACHT Coat, Bag Hook for horizontal divider edge





MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
HX2P5452SW	30 x 49 x 54	92.5	87	7.86	\$2934	\$308	

## Softpod w/2 Dividers and Worksurface\*

Complete 2 divider pod consisting of two side j-dividers and one standard worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 4-7/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Metal legs are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- · Extensions, electrical, storage and accessories are specified separately.



Mobile Softpod w/2 Dividers\* and Worksurface



Complete 2 divider pod consisting of two side j-dividers and one standard worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 4-7/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Metal legs with casters are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.



Softpod w/3 Dividers

HX3PF	30 x 72 x 54	125	85	14.1	\$3161	n/a

Complete 3 divider pod consisting of one straight back divider and two side j-dividers. Installed pod measures 54"h from the floor and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Metal legs and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

Required specifications
PET felt interior finish
PET felt exterior finish
Laminate finish\*
Edge finish\* / Leg finish

Optional specifications
HP laminate\*

HP laminate\* Grommet option\*



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
HX3PFM	30 x 72 x 54	125	85	14.1	\$3204	n/a

Complete 3 divider pod consisting of one straight back divider and two side j-dividers. Installed pod measures 54"h from the floor and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).

141

22.92

\$4056

\$533

- Metal legs with casters and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

30 x 72 x 54

HX3P5472SW



125

Softpod w/3 Dividers and Worksurface\*

Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one standard worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Metal legs are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- · Extensions, electrical, storage and accessories are specified separately.



Mobile Softpod w/3 Dividers\* and Worksurface

HX3PM5472SW	30 x 72 x 54	150	127	23.2	\$4317	\$636

Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one standard worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Metal legs with casters are powder coated paint. Specify standard paint finish.
- · Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

Required specification
PET felt interior finish
PET felt exterior finish
Laminate finish*
Edge finish* / Leg finis

Optional specifications
HP laminate\*
Grommet option\*



Softpod w/3 Dividers and Height Adjustable Worksurface\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
HX3PH5472SW	30 x 72 x 54	150	133	23.48	\$6487	\$636

Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one height adjustable worksurface. Installed pod measures 54"h from the floor and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Panel legs are powder coated paint. Specify standard paint finish.
- Height adjustable legs are powder coated. Specify Black (BLK), Designer White (DWT) or Silver (SIL).
   Additional paint finishes available for a 30% upcharge.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.



Softpod w/4 Dividers

HX4PF	30 x 72 x 54	125	85	14.1	\$4318	n/a

Complete 4 divider pod consisting of one straight back divider and three side j-dividers. Installed pod measures 54"h from the floor and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Metal legs and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- · Extensions, electrical, storage and accessories are specified separately.



Mobile Softpod w/4 Dividers

HX4PFM	30 x 72 x 54	100	117	14.1	\$4373	n/a

Complete 4 divider pod consisting of one straight back divider and three side j-dividers. Installed pod measures 54"h from the floor and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Metal legs and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- · Extensions, electrical, storage and accessories are specified separately.

Required specifications
PET felt interior finish
PET felt exterior finish
Laminate finish\*
Edge finish\* / Leg finish

Optional specifications
HP laminate\*
Grommet option\*





Softpod w/4 Dividers and Worksurface

Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Metal legs are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- J-divider may be installed on the left or right.
- Extensions, electrical, storage and accessories are specified separately.



Softpod w/4 Dividers and Wraparound Worksurface

right shown

Left:						
HX4P5472LW	65 x 72 x 54	100	117	14.1	\$5543	\$751
Right:						
HX4P5472RW	65 x 72 x 54	125	185	25.41	\$5543	\$751

Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard wraparound worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Metal legs are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.



Mobile Softpod w/4 Dividers and Wraparound Worksurface

Left:						
HX4PM5472LW	65 x 72 x 54	125	168	25.4	\$5854	\$895
Right:						
HX4PM5472RW	65 x 72 x 54	125	168	25.4	\$5854	\$895

Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard wraparound worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Metal legs with casters are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

Required specifications	Optional specifications	Accessories	
PET felt interior finish	HP laminate	Keyboard tray	
PET felt exterior finish	Grommet option	Power block	
Laminate finish			
Edge finish / Leg finish			

# **ACOUSTIC SOLUTIONS**



Softpod w/5 Dividers

 MODEL#
 DIMENSIONS
 FREIGHT CLASS
 WT/LBS.
 CUBIC FT.
 LIST PRICE
 HP ADD

 D x W x H
 HX5PF
 65 x 72 x 54
 150
 148
 28.24
 \$5474
 n/a

Complete 5 divider pod consisting of one straight back divider and four side j-dividers. Installed pod measures 54"h from the floor and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Metal legs and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.



Mobile Softpod w/5 Dividers



Complete 5 divider pod consisting of one straight back divider and four side j-dividers. Installed pod measures 54"h from the floor and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Metal legs with casters and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.



Softpod w/5 Dividers and Worksurface\*


HX5P5472SW	65 x 72 x 54	125	198	25.41	\$6218	\$534

Complete 5 divider pod consisting of one straight back divider, four side j-dividers and one standard worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Metal legs are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- · J-dividers can be installed both on left or right side or one on each side.
- Extensions, electrical, storage and accessories are specified separately.

Required specifications
PET felt interior finish
PET felt exterior finish
Laminate finish\*
Edge finish\* / Leg finish

Optional specifications
HP laminate\*
Grommet option\*



Wraparound Worksurface

WIODEL#	DIMILIAZIONA	THEIGHT CLASS	WI/LDS.	CODIC FI.	LIST FRICE	IIF ADD
	D x W x H		•	•	•	
Left:						
HX5P5472LW	65 x 72 x 54	100	213.36	25.41	\$6604	\$750
Right:						
HX5P5472RW	65 x 72 x 54	100	213.36	25.41	\$6604	\$750

Complete 5 divider pod consisting of one straight back divider, four side j-dividers and one standard wraparound worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Metal legs are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- J-divider may be installed on the left or right.
- Extensions, electrical, storage and accessories are specified separately.



HX6PF 65 x 96 x 54 125 171 28.24 **\$6627** n/a

Complete 6 divider pod consisting of two straight back dividers and four side j-dividers. Installed pod measures 54"h from the floor and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Metal legs and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.



Softpod w/6 Dividers and D-Top\* Worksurface

HX6PFD	54 x 96 x 54	300	218	191	\$7543	\$750

Complete 6 divider pod consisting of two straight back dividers, four side j-dividers and one collaborative worksurface. Installed pod measures 54"h from the floor and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Metal legs and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

Required specification
PET felt interior finish
PET felt exterior finish
Laminate finish*
Edge finish* / Leg finis

Optional specification
HP laminate*
Grommet option*

# **ACOUSTIC SOLUTIONS**



Softpod w/7 Dividers

 MODEL#
 DIMENSIONS
 FREIGHT CLASS
 WT/LBS.
 CUBIC FT.
 LIST PRICE
 HP ADD

 D x W x H
 HX7PF
 65 x 119 x 54
 125
 193
 28.24
 \$7450
 n/a

Complete 7 divider pod consisting of two straight back dividers and four side j-dividers. Installed pod measures 54"h from the floor and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Metal legs and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.



Softpod w/7 Dividers and D-Top\* Worksurface



Complete 7 divider pod consisting of two straight back dividers, four side j-dividers and one collaborative worksurface. Installed pod measures 54"h from the floor and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Metal legs and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.



Single J-divider

HXP5430AP	6 x 30 x 54	300	28.3	16.17	\$1161

To be ordered as an add-on to a previously ordered 3-divider or 4-divider pod. A single divider is curved; non-handed; symmetrical along the horizontal axis. J-dividers are surfaced with PET felt. Interior PET felt color may be different than the outer. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- J-divider comes complete with top connector kit, shared leg kit and trim.
- If a single J-divider is ordered as an add-on to a previous order, the PET felt finish may or may not match based on dyelot and fading.
- · J-divider is not freestanding.



**Connection Kit** 


HXPCKIT	2.25 x 6 x 2.25	70	1	0.04	\$42

Kit consists of all hardware required to connect two Softpods end-to-end. For use in specials when a customer wants to link several Softpods together.


Required specifications
PET felt interior finish
PET felt exterior finish
Laminate finish\*
Edge finish\* / Leg finish

Optional specifications
HP laminate\*
Grommet option\*

Accessories
Keyboard tray\*
Power block\*




**End PET Felt Extension Divider Add-on** 



Designed to add 8.7" of additional depth privacy at the end of the divider. Fits into the base perimeter reveal and placement is user oriented.

- PET felt divider surface is tackable.
- Not available with perforated pattern.

HXPACFE	0.35 x 38.3 x 11.69	70	1.16	0.09	\$99
HXPACFEP	0.35 x 38.3 x 11.69	70	1.16	0.09	\$386




**Corner PET Felt Extension Divider Add-on** 

Designed to add 11.1" of additional height privacy at the top corner of the divider. Fits into the divider perimeter reveal and placement is user oriented. Pod with Corner PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.

- PET felt divider surface is tackable.
- Perforated pattern option available, shown with "P' at the end of the code.

HXPATCFE	0.35 x 19.5 x 37.1	70	1.25	0.15	\$108
HXPATCFEP	0.35 x 19.5 x 37.1	70	1.25	0.15	\$258



Top Corner PET Felt Extension Divider Add-on

Designed to add 8.7" of additional height privacy at the top of the divider and 11.1" depth at the end of the divider. Fits into the divider perimeter reveal and placement is user oriented. Pod with Corner PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.

- PET felt divider surface is tackable.
- ullet Perforated pattern option available, shown with " ${f P}'$  at the end of the code.

HXPA1CFE	0.35 x 55.51 x 11.69	70	2	0.13	\$193
HXPA1CFEP	0.35 x 55.51 x 11.69	70	2	0.13	\$386



PET Felt Extension Divider Add-on for Softpod w/2 Dividers

Designed to add 11.1" of additional privacy at the top of the divider assembly. Fits into the base perimeter reveal and placement is user oriented. Pod with PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.

- PET felt divider surface is tackable.
- Perforated pattern option available, shown with "P' at the end of the code.

HXPA2CFE	0.35 x 55.51 x 11.69	70	3	0.19	\$220
HXPA2CFEP	0.35 x 55.51 x 11.69	70	3	0.19	\$437



PET Felt Extension Divider Add-on for Softpod w/3 Dividers

Designed to add 11.1" of additional privacy at the top of the divider assembly. Fits into the base perimeter reveal and placement is user oriented. Pod with PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.

- PET felt divider surface is tackable.
- Perforated pattern option available, shown with "P' at the end of the code.

# **Required specifications**

PET felt finish



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
HXPACFES	16.8 x 29.50 x 1	1.69 70	1	3.35	\$1051	

# Corner Semitransparent Extension Panel Add-on\*

Designed to add 11" of additional privacy on top of the divider assembly. Fits into the base perimeter reveal and placement is user oriented. Pod with Extension Panel Add-on installed measures 65" from floor, 36" from top of worksurface. Divider is frosted for added privacy.

• Available in three colors: Translucent (TNC), Blue (TNB) and Yellow (TNY). Specify finish.



PET Felt Extension Panel Add-on for Softpod Height Adjustable Table\*\*

 HXPACFEH
 16.8 x 29.50 x 11.69
 250
 6
 1.65
 \$441

 HXPACFEHP
 16.8 x 29.50 x 11.69
 250
 6
 1.65
 \$884

Designed to add 20" of additional privacy on top of the height adjustable worksurface. Aluminum mounting brackets fasten to underside of worksurface. Curved PET fits into aluminum mounting brackets. PET Felt Panel Add-on installed measures 69" from floor, 20" from top of worksurface.

- PET felt privacy screen surface is tackable.
- Perforated pattern option available, shown with "P' at the end of the code

	<ul> <li>Perforated pat</li> </ul>	tern option available, sho	own with " <b>P</b> " at th	e end of the	code.		
POWER/DATA	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PSDPC22W	2.25 x 4.88 x 2.29	5 60	2.5	0.05	\$307	
DPC Slim Desktop 2 Power/USB-A + C	10' cord with mo	·	mounting options	: a screw-in	mounting plat	port and one USB-C port (provi te for forward facing outlets; ur with Grey face.	
	PSDPC32W	2.25 x 6 x 2.25	60	2.6	0.05	\$405	
DPC Slim Desktop 3 Power/USB-A + C	10' cord with mo		mounting options	: a screw-in	mounting plat	A port and one USB-C port (prov te for forward facing outlets; ur with Grey face.	
	HXEUWC	4x3x1	70	0.31	0.01	\$512	
Under Worksurface/Edge USB Charger	Under surface ta	ble-mounted module with	n dual USB-A & -C	Charging n	orts Consists (	of one 15 watt USB-C charging	outlet a

Under Worksurface/Edge USB Charger

Under surface table-mounted module with dual USB-A & -C charging ports. Consists of one 15 watt USB-C charging outlet and one 2.1 amp USB-A charging outlet. Unit has white housing, white powder coated mounting bracket and white electrical cord.

# Required specifications

Acrylic color\* PET felt finish\*\*



POWER/DATA

Cable Shroud\*\*

Secures to the bottom of the worksurface and clips to the bottom of straight section of any divider. Includes all connecting hardware. Specify PET felt color.

HXFPGK	2.75 5 5 2.25	70	0.27	0.02	¢41
HAEPUK	2.75 X 5.5 X 3.25	70	U.Z/	0.02	<b>341</b>



Divider Grommet Kit\*\*

Facilitates passage of wires through any softPOD divider. Can be located either below or above the worksurface. Installed on site; no need to order special dividers. Powder coated die-cast aluminum divider grommet - specify Charcoal (CHR) or White (DWT). Can be installed on a single panel or to connect two panels when used in conjunction with the Divider Grommet Connector/Spacer.

HXEPGCS	2.75 x 5.5 x 3.25	70	0.04	0.01	\$19	
	\					



**Divider Grommet Connector/Spacer** 

Converts any divider grommet kit into a connector. Clamps two dividers together through the divider grommet opening. Can be located above or below the worksurface at pre-determined locations. Specify with the Divider Grommet Kit or use with the Divider Grommet Kit included in the Station 2-Circuit Power Kit. Made of injection molded ABS in Charcoal (CHR).

• For dual pod connection, only 1 HXEPGK is needed.

HXEHAP	8.06 x 22 x 21.5	150	5	1	\$818	



Softpod Height Adjustable Power Kit

Consists of two duplexes, cable basket and electrical housing. Accommodates one standard data plate (data cover included).

- Facilitates 2-circuit power delivery.
- Facilitates interconnection of two stations. Please specify Station to Station Jumper Kit.
- Specify duplex circuit #1, #2 or combination #1+2.
- Ceiling or base feed not included. Specify separately.
- Includes all connecting hardware and supporting brackets.

**Required specifications** 

PET felt finish\*
Grommet finish\*\*

# S SOFTPOD

# **ACOUSTIC SOLUTIONS**

GAADG	GAADGDH

GAADG	5.54 x 10
GAADGDH	5.54 x 10

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
GAADG	5.54 x 10.09 x 1	.08	2	0.04	\$90	
GAADGDH	5.54 x 10.09 x 1	.08	2	0.04	\$97	

**Access Door Module** 

**ACCESS DOOR MODULES** 

Soft close door is set back from edge to allow for cable pass thru when closed. Available in all standard base finishes. GAADGDH includes device holder for most mobile phones or tablets. Holder is only available in White. Softpod can only accommodate one grommet per worksurface.

GAADCT	GAADCTDH	

GAADCT	5.54 x 10.09 x 5.07	 4	0.19	\$145	
GAADCTDH	5.54 x 10.09 x 5.07	 4	0.19	\$153	

Access Door Module w/Cable Tray

Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a power bar. Sides are open for easy access. Available in all standard base finishes.

GAADCTDH includes device holder for most mobile phones or tablets. Holder is only available in White. SoftPOD can only accommodate one grommet per worksurface.





GAADCTPD	5.54 x 10.09 x 6.96	 4	0.20	\$307
GAADCTPDDH	5.54 x 10.09 x 6.96	 4	0.20	\$316

Access Door Module w/Cable Tray and Power Bar

Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a powerbar. Power bar with 3 simplex and 2 USB, CSA Certified. Sides are open for easy access. Available in all standard base finishes. GAADCTPDDH includes device holder for most mobile phones or tablets. Holder is only available in White. SoftPOD can only accommodate one grommet per worksurface.


**Required specifications** 

POWER/DATA MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

- Connect up to four units from a single infeed, delivering AC power and USB charging to the table tops.
- Starter modules include 10' corded infeed with three prong NEMA plug.
- Touch safe easy to use connectors from module to module with added latch to prevent unintended separation.
- Each module features three tamper-resistant receptacles, USB-A and USB-C charging ports.
- Overall maximum length joined together not to exceed 48.5 feet per infeed.

N SOLUTION

- UL listed to **UL962A SD**, the standard for furniture power distribution units on portable/movable workspace tables.
- Certified to CSA standard C22.2 No. 203-16.
- On-surface modules come with a clamp mount that will accommodate any material from 0.5" to 1.5" thick; additional brackets are also included for alternate screw in mounting options that can accommodate vertical or horizontal positions.



MODPOWER DAISY-CHAI
₩.

### ModPower On-Surface Starter Unit\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
PMDSA10MG	1.75 x 6.13 x 2.5	150	4.33	1	\$551	
PMDSA10WH	1.75 x 6.13 x 2.5		4.33	1	\$551 \$551	

ModPower On-Surface Middle Unit\*

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL Listed: UL 962A.

PMDCA3MG	1.75 x 6.13 x 2.5	250	3.33	1	\$521
PMDCA3WH	1.75 x 6.13 x 2.5	250	3.33	1	\$521



ModPower On-Surface End Unit\*

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL Listed: UL 962A.

PMDEA3MG	1.75 x 6.13 x 2.5	250	2.75	1	\$459
PMDEA3WH	1.75 x 6.13 x 2.5	250	2.75	1	\$459



Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Two cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL Listed: UL 962A.







ModPower Interconnecting Jumper

Package of 10 clips.

PMDJ36BK	x 36 x	70	1.38	0.09	\$308	

Interconnection jumper cord to add an additional 3' of cord length between in-surface and on-surface ModPower units. 3' cord with male and female connector. Package of 2 jumpers. UL Listed: UL 962A.



Station	2-Circ	uit Do	WOr	Kit*
SIMILOU	Z-6.116	IIII PO	wei	VII.

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
HXEPK11	9.73 x 23.5 x 20	.85 300	3.92	2.76	\$434	
HXEPK12	9.73 x 23.5 x 20	.85 300	3.92	2.76	\$434	
HXEPK22	9.73 x 23.5 x 20	.85 300	3.92	2.76	\$434	

Station 2-Circuit power kit consists of two duplexes, trough, cable shroud and divider grommet. Accommodates up to two standard data plates (data plates not included). Accommodates center mount single or dual screen monitor arm. Facilitates 2-circuit power delivery. Facilitates power connection between stations. Specify Station to Station Jumper Kit. Specify duplex circuit #1, #2 or combination of #1+2. Ceiling or base feed not included - specify separately. Trough is powder coated metal in Charcoal (CHR). Includes all connecting hardware, supporting brackets and through divider grommet.

HXEPPJ78	2 x 78.5 x 2	92.5	2	0.18	\$418	
HXEPPJ72	2 x 72.5 x 2	92.5	2	0.17	\$414	
HXEPPJ60	2 x 60.5 x 2	70	1	0.14	\$382	
HXEPPJ48	2 x 48.5 x 2	70	1	0.11	\$346	
HXEPPJ36	2 x 36.5 x 2	70	1	0.08	\$261	
HXEPPJ30	2 x 30.5 x 2	70	1	0.07	\$240	
HXEPPJ24	2 x 24.5 x 2	70	1	0.06	\$210	
HXEPPJ18	2 x 18.5 x 2	70	1	0.04	\$191	

Facilitates interconnection of two stations (under the worksurface). Black neoprene sock of equal length included. Mounting clips included (qty. based on lenght).

HXEBF	2 x 72 x 2	60	5.6	0.06	\$367	

Provides single power entry from floor into 2-Circuit Power Kit under worksurface. 6' long liquid tight whip plugs into the side of the left or right duplex. Must be hard wired to the building power supply by a licensed electrician. Base feed jumper included.

HXECF	2 x 144 x 2	60	5.6	0.06	\$249


Ceiling feed plugs into side of left or right duplex mounted within the 2-Circuit Power Kit. 10' long metal conduit, ready to be hardwired to building power supply. Strain relief fitting provided; junction box is not included. To be used with HXECFP - Ceiling Feed Pole.

	HXECFP	1.5 x 6 x 116	85	5.49	0.38	\$210	
--	--------	---------------	----	------	------	-------	--

Manages power and data cables between ceiling and worksurface. Aluminum extrusion with PVC cover secures to the divider grommet and passes below worksurface through the worksurface contoured recess. Includes mounting hardware and ceiling bezel. Hardware for securing the pole above ceiling tile is not included. Specify paint finish. Ceiling Feed HXECF must be ordered separately. PVC cover is standard in Charcoal (CHR). Cover can be removed to access cabling inside.



**Station to Station Jumper Kit** 



**Base Feed** 




**Ceiling Feed** 



**Required specifications** 

PET felt finish

Paint finish\*\*



**Under Worksurface Casual** Storage Unit



**Under Worksurface Lockable Casual** Storage Unit\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
HXSCS0	24 x 8 x 21	150	20.18	4.22	\$456	

Open storage with shelf; extension at the back provides side compartment. Sheet metal construction with PET felt liner, 24"D. Secures to bottom of worksurface.

- Select from standard PET and paint finishes.
- Order coat hook HXACHS, attaches to either left or right side of storage unit (sold separately).

HXSCSOL	24 x 8 x 21	100	37	4.22	\$1138
HXSCSOR	24 x 8 x 21	100	37	4.22	\$1138

Open storage with shelf; extension at the back provides side compartment. Sheet metal construction with PET felt liner, 24"D. Secures to bottom of worksurface.

- Select from standard PET and paint finishes.
- Order coat hook HXACHS, attaches to either left or right side of storage unit (sold separately).
- Lockable cabinet with key laminate with PVC edge. Specify finishes.
- Cannot be installed on height adjustable Softpod.

# Required specifications Paint finish

PET felt color Laminate finish\* PANTRY STORAGE

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
FFP01224H54NL	24 x 12 x 54	70	138	9	\$2551	\$29
FFP01230H54NL	30 x 12 x 54	85	153	11	\$2673	\$29
FFP01236H54NL	36 x 12 x 54	92.5	167	14	\$2796	\$40
FFP01224H54NR	24 x 12 x 54	70	138	9	\$2551	\$29
FFP01230H54NR	30 x 12 x 54	85	153	11	\$2673	\$29
FFP01236H54NR	36 x 12 x 54	92.5	167	14	\$2796	\$40
FFP01824H54NL	24 x 18 x 54	92.5	166	14	\$2956	\$40
FFP01830H54NL	30 x 18 x 54	92.5	182	17	\$3090	\$51
FFP01836H54NL	36 x 18 x 54	100	197	20	\$3223	\$57
FFP01824H54NR	24 x 18 x 54	92.5	166	14	\$2956	\$40
FFP01830H54NR	30 x 18 x 54	92.5	182	17	\$3090	\$51
FFP01836H54NR	36 x 18 x 54	100	197	20	\$3223	\$57

Left (NL) shown
Pantry Storage\*\*

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

FFP	01224H54NLUSB	24 x 12 x 54	70	138	9	\$3126	\$29
FFP	01230H54NLUSB	30 x 12 x 54	85	153	11	\$3248	\$29
FFP	01236H54NLUSB	36 x 12 x 54	92.5	167	14	\$3370	\$40
FFP	01224H54NRUSB	24 x 12 x 54	70	138	9	\$3126	\$29
FFP	01230H54NRUSB	30 x 12 x 54	85	153	11	\$3248	\$29
FFP	01236H54NRUSB	36 x 12 x 54	92.5	167	14	\$3370	\$40
FFP	01824H54NLUSB	24 x 18 x 54	92.5	166	14	\$3530	\$40
FFP	01830H54NLUSB	30 x 18 x 54	92.5	182	17	\$3665	\$51
FFP	01836H54NLUSB	36 x 18 x 54	100	197	20	\$3798	\$57
FFP	01824H54NRUSB	24 x 18 x 54	92.5	166	14	\$3530	\$40
FFP	01830H54NRUSB	30 x 18 x 54	92.5	182	17	\$3665	\$51
FFP	01836H54NRUSB	36 x 18 x 54	100	197	20	\$3798	\$57

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

Left (NL) shown

Pantry Storage - w/USB\*\*

**Required specifications** 

Laminate finish

Optional specifications

HP laminate Dry-erase board

# **Mounting Options for Voyage and Revo Lights:**

Freestanding Base (FS)

Freestanding Base with USB charge port (FSUSB) - Add \$104.

Surface Mount (SM) Clamp Mount (CM)

REVO + VOYAGE
Voyage - Single Arm

TASK LIGHTING

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
LINLAMPS	6 x 6 x 14.1	60	2.66	.01	\$672	

Fully articulating body with single arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL Listed: UL 1153:2014.

• Occupancy Sensor (OS) - Add \$78



LINLAMPD	6 x 6 x 21.6	60	2.66	.01	\$688

Fully articulating body with double arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL Listed: UL 1153:2014.

• Occupancy Sensor (OS) - Add \$78



RNDLAMPS	6 x 6 x 14.1	60	2.66	.01	\$672

Revo - Single Arm

Fully articulating body with single arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL Listed: UL 1153:2014.

• Occupancy Sensor (OS) - Add \$78



RNDLAMPD	6 x 6 x 21.6	60	2.66	.01	\$688

Fully articulating body with double arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL Listed: UL 1153:2014.

• Occupancy Sensor (OS) - Add \$78

**Required Specifications** 

**Optional Specifications** 

Finish

Mount

Occupancy Sensor

# **ACOUSTIC SOLUTIONS**

ACCESSORIES	MODEL#		EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
No.	НХАНЅ	<b>D x W x H</b> 3 x 23.5 x 16	150	8.8	1.91	\$145	n/a
anging Shelf*		ne divider's top reveal. Instal is PET felt. Magnetic.	led board mea	sures 16" fro	om top; 9" from 1	top of worksurfa	ice. Shelf is painted
	HXAHSWB	3 x 23.5 x 16	150	9.57	1.91	\$555	n/a
anging Shelf w/Dry Erase Board*		ne divider's top reveal. Instal me, tray insert is PET felt. N		isures 16" fro	om top; 9" from	top of worksurfa	ice. White surface,
	HXARWS	4.5 x 32.25 x 0.75	250	2.8	1.13	\$148	\$41
ar Wall Shelf**	3/4" laminate sh or any monitor m	elf; non-handed, with pre-de	etermined mou	nting points.	2.5" front radii	. Not compatible	e with Ceiling Feed Po
	HXACHS	0.75 x 1.25 x 2	70	0.05	0.01	\$42	n/a
oat/Bag Hook for Dividers*		anywhere along the divider m; plug insert is PET felt.	perimeter reve	al or either s	side of the Under	r Surface Casual	Storage Unit. Made (
	HXACHT	0.75 x 1.25 x 2	70	0.23	0.01	\$49	n/a
nat/Bag Hook for Divider Edge*		anywhere along the divider tts; plug insert is PET felt.	perimeter reve	al or either o	or both sides of a	any divider. Mad	e of die-cast aluminur
	НХАВН	0.75 x 1.25 x 2	70	0.18	0.01	\$46	n/a
nder Surface Bag Hook*	Can be secured t	o the bottom of worksurface	. Made of die-	cast aluminu	ım with steel bra	ackets; plug inse	ert is PET felt.
	HXNP	0.5 x 10.75 x 3.625	70	0.26	0.01	\$84	n/a
ame Plate	Sits inside the di vertically.	vider top reveal. Two-sided v	white dry erase	e surface lan	ninated to 1/2" F	PET felt. Can be	mounted horizontally (
	Required specific Paint finish*	eations <u>C</u>	Optional Specif IP laminate**	ications			

Laminate finish\*\*

# textiles and finishes

# **Care and Cleaning**

#### **Textiles**

**Fabrics:** To extend the life of your seating upholstered in fabric, regularly dust the chair to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

**Leather:** For regular cleaning, simply use a soft damp cloth, taking care not to soak the leather. For more thorough treatment, soak a soft cloth in mild soap solution and wipe surface in a light circular motion. Repeat with clean water. Allow to dry and polish with a soft dry cloth. Do not use detergents, aerosol sprays or other polishes.

### **Hard Surfaces**

Wood Veneer Finishes: Waxing or polishing catalyzed finishes is not recommended because this will give a greasy, cloudy or uneven appearance to the product and could void your warranty. Global's conversion varnish is best cleaned by wiping the surface with a damp cloth, followed by a soft dry cloth in the direction of the grain. If the surfaces are heavily soiled, a gentle product like "Windex" can be used, following the same instructions as above

**Laminate & painted metal finishes:** Simply wipe the surface with a clean soft damp cloth; if needed, a mild soap solution (i.e. lvory dishwashing liquid) may be used. To prevent streaks, dry the surface with a clean, dry soft cloth moving in a circular motion.

#### Textiles

- Water-Based Cleaner: Spot clean, using the foam only from a water-based cleaning agent, such as a mild detergent or non-solvent upholstery shampoo product. Apply foam with a soft brush in a circular motion. Vacuum when dry. Pretest small area before proceeding.
- Solvent Cleaner: Spot clean, using a mild water-free solvent or dry cleaning product. Clean only in a well-ventilated room and avoid any product containing carbon tetrachloride or other toxic materials. Pretest a small area before proceeding.
- Water/Solvent Cleaner: Spot clean with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.
- Vacuum Only: Clean this fabric only by vacuuming or light brushing to prevent accumulation of dust and grime. Water-based foam cleaning agents of any kind may cause excessive shrinking, staining, or distortion of the surface pile and therefore, should not be used.
- Crypton Cleaning: Generally stains are removed with plain water and powdered enzyme detergent. Upholstery foam shampoo, waterbased cleaning products and germicidal detergents can be used. Be sure to remove all residue from cleaning products with clean water. Do not use solvent-based cleaners or dry cleaning products.
- These recommendations and codes were developed by fabric specialists. However, because of the various ways fabric can be stained or damaged, there is no guarantee that the
  results will be completely successful. Use suggested methods on your own responsibility. To help prevent overall soil, frequent vacuuming or light brushing to remove dust and grime
  is recommended. Use professional furniture cleaning services when overall soiled condition has been reached.

# **TEXTILES + FINISHES**

### **Textile Price Grades - Global Textiles**

Grade 1	Carrora Dobby	Eucion Illucion	Johny Quilt	Torraco Trak Hrh	an, Waterfall, Wavelength
Grade i	Carrera, Dobby,	. Fusion, illusion.	Jenny, Quit.	Terrace, Irak, Urt	an, vvaterian, vvavetenum

Grade 2 Allante FRee, Elevate, Etch, GC Linen, Imprint, Luxhide, Release

Grade 3 Non standard GLOBAL textiles
Grade 4 Non standard GLOBAL textiles

Grade 5 Non standard GLOBAL textiles

Grade 6 Novaro Genuine Leather, non standard GLOBAL textiles

Grade 7 Non standard GLOBAL textiles
Grade 8 Non standard GLOBAL textiles
Grade 9 Non standard GLOBAL textiles
Grade 11 Non standard GLOBAL textiles
Grade 10 Non standard GLOBAL textiles
Grade 12 Non standard GLOBAL textiles

Please refer to individual seating series for availability of a particular textile.

The charts above do not include Textiles offered by Alliance Partners: Arc-Com Fabrics, Architex, CF Stinson, Designtex, Knoll Textiles, Green Hides, LDI Interiors, Luum Textiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics.

### **Blend Seating Textiles**

The grid below outlines the grade structure for using multiple textiles on select seating series. Blended textiles occur when one textile is chosen for one part of the chair and a different textile is selected for another part of the chair, resulting in a revised blended grade. For opportunities regarding more than two different textiles, please contact Global CustomerCare for approval process and grading.

# FIRST TEXTILE SELECTED

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	1																	
2	2	2																
3	3	3	3															
4	3	4	4	4														
5	4	4	5	5	5													
6	5	5	5	6	6	6												
7	5	6	6	6	7	7	7											
8	6	6	7	7	7	8	8	8										
9	7	7	7	8	8	8	9	9	9									
10	8	8	8	8	9	9	9	10	10	10								
11	9	9	9	9	9	10	10	10	11	11	11							
12	10	10	10	10	10	10	11	11	11	12	12	12						
13	11	11	11	11	11	11	12	12	12	12	13	13	13					
14	11	12	12	12	12	12	12	13	13	13	13	14	14	14				
15	12	12	13	13	13	13	13	13	14	14	14	14	15	15	15			
16	13	13	13	14	14	14	14	14	14	15	15	15	15	16	16	16		
17	14	14	14	14	15	15	15	15	15	15	16	16	16	16	17	17	17	
18	15	15	15	15	15	16	16	16	16	16	16	17	17	17	17	18	18	18

# TEXTILE AND COLOR LISTINGS

Grade 1						
Carrera 100% Polyester CE84 Zest CE91 Azure	CE85 Savannah CE92 Chili	CE86 Slate CE93 Jute	CE87 Rainforest CE95 Ink	CE88 Aspen CE96 Sangria	CE89 Dune CE97 Java	CE90 Flannel CE98 Charcoal
<b>Dobby</b> 96% Recycled Poly DB30 Snowcap DB37 Medium Taupe	rester / 4% Virgin Polyester DB31Bonsai DB38 Charcoal	DB32 Cloud DB39 Berry	DB33 Sand DB40 Royal	DB34 Pewter DB41 Titanium	DB35 Santa Fe DB42 Black	DB36 Corfu
Fusion 90% Virgin Polyest FU71 Tangerine FU78 Poppy FU85 Carbon	ter / 10% Post-Consumer Re FU72 Fresh FU79 Cadet	ecycled Polyester FU73 Moss FU80 Oasis	FU74 Tomato FU81 Graphite	FU75 Aqua FU82 Viola	FU76 Sandstone FU83 Cobalt	FU77 Granite FU84 Flax
Illusion 100% Virgin Polyo II01 Cappuccino II08 Dusk	ester 1102 Paprika 1109 Smoke	II03 Tropic II10 Currant	II04 Wicker II11 Fiji	II05 Hemp II12 Ozone	II06 Cayenne II13 Ebony	II07 Maui
Jenny 100% Polyester JN01 Midnite JN26 Oatmeal JN33 Roast	JN02 Ebony JN27 Sunflower	JN03 Slate JN28 Cascade	JN07 Vermilion JN29 Harvest	JN08 Admiral JN30 Melon	JN11 Charcoal JN31 Berry	JN25 Silver Lining JN32 Green Grass
Quilt 100% Polyester QL10 Black QL22 Meadow QL29 Cocoa	QL11 Charcoal Grey QL23 Cadet	QL14 Navy QL24 Geranium	QL16 Wine QL25 Daisy	QL19 Silver QL26 Quest	QL20 Feather QL27 Punch	QL21 Dune QL28 Tangerine
<b>Terrace</b> 70% Virgin Polyes TC61 Tigerlily TC68 Cerise TC75 Glacier	ster / 30% Post-Consumer F TC62 Shadow TC69 Twilight	Recycled Polyester TC63 Cobble TC70 Wintergreen	TC64 Cherry Blossom TC71 Ironwork	TC65 Bluebell TC72 Pine Cone	TC66 Apple TC73 Flirt	TC67 Haze TC74 Echo
<b>Trak</b> 100% Recycled Polye TK40 Taupe TK47 Apple	ester TK41 Mustard TK48 Steel	TK42 Latte TK49 Merlot	TK43 Cement TK50 Midnight Sky	TK44 Silver TK51 Mocha	TK45 Copper TK52 Carbon	TK46 Teal
<b>Urban</b> 62% Recycled Poly UR10 Red Rose UR20 Granite Rock	ester / 32% Polyester UR11 Ocean Blue UR21 Gravel Road	UR12 Blue Bayou UR22 Black Coal	UR13 Green Grass	UR17 Earth	UR18 Brown Ridge	UR19 White Sand
<b>Waterfall</b> 60% Virgin Poly WA40 Trance WA47 Rumble WA54 Dance	vester / 40% Post-Consumer WA41 Tryst WA48 Prism	r Recycled Polyester WA42 Splash WA49 Tranquility	WA43 Victoria WA50 Grand	WA44 Imagine WA51 Rushing	WA45 Sky WA52 Magestic	WA46 Rainforest WA53 Pacific
<b>Wavelength</b> 100% Virgin WV01 Lime WV08 Plasma WV14 Panther	Polyester WV02 Mint WV09 Cancun	WV03 Stone WV10 Quartz	WV04 Flame WV11 Moonrock	WV05 Mykonos WV12 Rubine	WV06 Savannah WV13 Corfu	WV07 Mesa WV14 Bluejay
Grade 2						
Elevate 80% Post-Consum EL51 Halo EL58 Blaze EL65 Onyx	ner Recycled Polyster/ 20% EL52 Dove EL59 Wasabi	Rayon EL53 Safari EL60 Mystic	EL54 Sunglow EL61 Mica	EL55 Margarita EL62 Cherry	EL56 Fiji EL63 Scuba	EL57 Mist EL64 Lapis
Etch 80% Post-Consumer   ET81 Drift ET88 Paprika ET95 Anthracite	Recycled Polyster/ 20% Ray ET82 Citron ET89 Nutmeg	ron ET83 Calypso ET90 Marine	ET84 Mandarin ET91 Magnet	ET85 Crisp ET92 Infrared	ET86 Iris ET93 Espresso	ET87 Nickel ET94 Indigo
Imprint 100% Post-Consul IM70 Almond IM77 Green Tea IM84 Licorice	mer Polyester IM71 Cork IM78 Celery	IM72 Sand IM79 Oregano	IM73 Currie IM80 Walnut	IM74 Candy Apple IM81 Paprika	IM75 Ocean IM82 Graphite	IM76 Navy IM83 Slate

# **TEXTILES + FINISHES**

Grade 2 (Vinyl) For availability of chair series in Vinyl, please contact a Global Sales Representative. Allante FRee 100% Vinyl Face / 100% Polyester Backing A02F Bright White A01F Illusion A03F White Crush A04F Ivory A05F Ice A06F Bleached Sand A07F Taupe Fawn A08F Warm Smoke A09F Autumn Rain A10F Cookie A11F Sierra Brick A12F Gibraltar A13F Chateau Grey A14F Garden Green A15F Oasis Green A16F Ink Black A17F Purple Impulse A18F Italian Rose A19F Mountain Sky A20F Old Navy A21F Galaxy A22F Red Truffle A23F Chocolate Sundae A24F Province Blue A25F Eclipse GC Linen 100% Vinvl Face LE52 Tan LE53 Storm LE54 Butter LE55 Haystack LE56 Ganache LE50 Potters Clay LE51 Pearl LE57 Sunset LE58 Burnt Orange LE59 Cayenne LE60 Navy LE61 Bamboo LE62 Gray LE63 Charcoal LE64 Moss Luxhide 100% Vinyl Face / Bonded Leather Backing BL22 Parchment BL20 Black BL23 Saddle BL24 Dark Brown BL26 Burgundy BL27 Charcoal BL28 White BL34 Light Grey Release 100% Vinyl Face RL11 White RL12 Chalk RL13 Stone RL14 Taupe RL15 Orange RL16 Country RL17 Tuscan RL18 Cottage RL22 Brave Red RL19 Yellow RL21 Red Barn RL23 Gypsy Red RL24 Cajun RL25 Vinevard RL26 Olive RL27 Bonsai RL28 Summer's Dream RL29 Calico RL31 Green RL32 Blue RL33 Black RL34 Cool Grey RL35 Thunder Grey RL37 Dark Chocolate RL38 Espresso RL36 Navy Grade 6 Novaro Genuine Leather 100% Leather NO50 Ash NO51 Asphalt NO52 Bison NO53 Blueberry NO54 Cloud NO55 Clove NO56 Cordovan NO57 Doe N059 Marina NO60 Phantom NO62 Scarlet NO63 Turtle NO58 Linen NO61 Pigeon N064 Wheat

# **TEXTILES + FINISHES**

# PANEL/TACKBOARD FABRICS

GRADE 2														
<b>Lola</b> 100% Polyester. LL11 Medium Taupe	LL12 Caramel Cream	LL14 Blu	e Mist	LL35	Spray		LL36	Granite		LL37	Cinder	L	L38	Sandstone
GRADE 3														
Anchorage 65% Pre-const AN40 Birch AN47 Cumin AN54 Onyx AN64 Cloud	umer Polyester / 35% Post-o AN41 Green Apple AN48 Asteroid AN55 Pumpkin	onsumer Pol AN42 Lap AN49 Ger AN56 Red	is anium	AN50	Straw Thistle Sunshine	Э		Wolf Graphite Waterfall		AN52	Goose Slate Vanilla	Д	N53	Angora Quarry Blue Cobalt
Merge 100% Polyester / 7 MG20 Fawn MG27 Fire Engine	5% Post-consumer Recyclec MG21 Marshmallow MG28 Mediterranean	Polyester MG22 Drif MG29 Mic		MG23	3 Dove		MG24	Graphite		MG25	Slate	Λ	ЛG26	Eucalyptus
FINISHES														
Seating Finishes - Metal Black (BK)	<b>&amp; Polymer:</b> Please consult Charcoal Grey (CHR)	t each Seatin Chrome (Cl	•	<i>h availa</i> Fog (F			Polish	ed Aluminur	n (ALU)	Tungst	en (TUN)			
Seating Finishes - Plasti Buzz Blue (BZB) Frost (FRO)	c (Duet, Popcorn, Sonic and Cactus (CCT) Ink (INK)	Stream) Carrot (CRO Latte (LAB)		Cloud Night	. ,		Dijon ( Sand (				int (EGP) t (SAR)		og (F0 Shado	DG) w (SHW)
Seating Finishes - Wood are manufactured at multip	Seating finishes will not no	ecessarily ma	atch Casegoods 1	inishes	. This is d	ue to the fac	t that S	Seating and	Casegood	ls finish	es use differer	nt wood s	specie	es and
Absolute (AAM) Honey (AHM) Noce Grigio (NGM) Winter Cherry (WCM)	Black (BKM) Mahogany (TMM) Noce Leggero (NEM)	Cherry (AC Maple (AV Noce Med	M)	Mediu	sso Cafe (I um Walnu er Cherry (S	t (MWM)	Natura	h Oak (EOM) al Walnut (N ut (TWM)		Night	ood (TFM) (ASM) eam (WTM)	N	loce E	HGM) Biondo (NBM) (WHM)
Desks, Workstations, Ta Absolute Acajou (ACJ) Clear Maple (CMB) Noce Grigio (NGL) Walnut Heights (WHE)	hles and Accessories - La Asian Night (ASN) Custom Grey (CGY) Noce Leggero (NEL) White Chocolate (WHC)	Aminate Avant Cher Dark Espre Noce Med Winter Che	sso (DES) io (NML)	Desig	: Honey (A' ner White ered Maho	(DWT)		(BLK) onista (FAS) Beauty (SBL	.)	First C	d (BZD) lass (FCL) dust (SDT)	N	loce E	ed Cobalt (BRC) Biondo (NBL) Grey (SOG)
Desks, Workstations, Ta Almond Cherry (AMW) Espresso Walnut (EWW) Milestone (MTW) Warm Cherry (WCW)	hles and Accessories - W Amber Cherry (ACW) Evening Oak (EVW) Natural Maple (MPW) White Maple (WMW)	Biscotti (B' Grey on Oa	ΓW)	Hazeli	a Walnut (I nut (HAW) herry (RC)	)	Coral ( Java ( Vintag		NW)	Latte \	herry (DCW) Valnut (LTW) · Walnut (ULW	N	Лаho	Valnut (DWW) gany on Walnut (MHW) It (WLW)
Metal Leg Finishes (chec Antique Copper (ACO) Chrome (CHM) Kalua (TKA) Shadow (TSH)	ck series for applicable finish Black (TBL) Designer White (TDW) Latte (TLA) Toast (TOA)		10)	Eggpla	Blue (TBZ) ant (TEG) da (TNE)		Cactus Fog (T Sand (			Carrot Frost ( Satin I		li	Cloud nk (TII Scarle	
Metal File + Storage Fin Business Grey (BGR) Claret (CLT) Light Grey (LGR) Nevada (NEV) Sky (SKY)	ishes Black Coffee Textured (BKI Dark Chocolate Textured (I Ice (ICE) Navy (NVY) Stone (STN)	OCH)	Black (BLK) Desert Putty (DP Ivory (IVR) Oyster (OYS) Taupe (TPE)	T)	D N S	one (BNE) Jesigner Wh Jocha Textur tonedust Te. ahiti Sand (T	red (MC xtured (	CH)	Blizzard Fog (FOO Metro (I Storm G Tungste * 10% u	G) MET) irey (SG n (TUN)	R)	G N S	Grey (0 Moss ( Gilver	(MOS)

# **TEXTILES + FINISHES - LAMINATE FINISH CHART**

FINISH CODE:	ACJ	ASN	AWC	AWH	BLK	BRC	BZD	СМВ	CGY	DES	DWT	FAS	FCL	NBL	NGL	NEL	NML	ΩТМ	SBY	SOG	SDT	STG	WHC	WHE	WCR
LAMINATE DESKING																									
Adaptabilities	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Genoa	•	•	•	•	•	•		•		•	•	•	•	•	•	•	•	•	•				•	•	•
Princeton	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•	•	•
Zira	•	•	•	•	•		•	•	•	•	•	•	•	•		•	•	•	•	•	•		•	•	•
METAL DESKING																									
StreamLINE II	•	•	•	•	•	•		•		•	•	•	•	•	•	•	•	•	•	•			•	•	•
BENCHING																									
Bridges II	•	•	•	•	•*	•*	•	•	•	•	•	•	•	•	•	•	•		•	•*	•	•	•	•	•
FreeFit	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PANELS + COMPONENT																									
Divide	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
TABLES - MEETING + C																									
Boardroom	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Bungee / Bungee SL	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Connectables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Junction	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Kadin	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•		•	•	•		•	•	
Swap	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Terina	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Zira Boardroom	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
TABLES - RECEPTION +																									
Citi	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Occasional Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Reception Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Work Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
Sirena Tables	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•
Wind Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
TABLES - TRAINING																									
2gether	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
TABLES - HEIGHT ADJU																									
Foli Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
FILING + STORAGE																									
Lateral File Tops	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
WOOD VENEER DESKIN	IG																								
Corby - Laminate chassis	•	•			•			•	•	•	•	•	•	•	•	•	•		•	•			•	•	•
Dufferin - Laminate chassis					•				•		•									•		•			
ا Rridaes II finishes coordi	inata wi			Jakon a		. I			. (DUI)		0 1 1: //					٠									


<sup>\*</sup> Bridges II finishes coordinate with metal paint finishes as follows: Black (BLK) - Black Paint (BLK); Brushed Cobalt (BRC) - Tungsten Paint (TUN); Storm Grey (SOG) - Charcoal Paint (CHR); Designer White Paint (DWT); Custom Grey (CGY) - Silver Paint (SIL); String (STG) - Nevada Paint (NEV).

# **TEXTILES + FINISHES**

	LAMINATE FINISHES CO	ORDINATION	I CHART
<u> </u>	LAMINATE FINISH	COO	RDINATING WOOD FINISH
ACJ	Absolute Acajou	AAM	Absolute
ASN	Asian Night	ASM	Night
AWC	Avant Cherry	ACM	Cherry
AWH	Avant Honey	AHM	Honey
BLK	Black	BKM	Black
CMB	Clear Maple	AVM	Maple
DES	Dark Espresso	ECM	Espresso Cafe
DWT	Designer White	WHM	White
NBL	Noce Biondo	NBM	Noce Biondo
NEL	Noce Leggero	NEM	Noce Leggero
NGL	Noce Grigio	NGM	Noce Grigio
NML	Noce Medio	NMM	Noce Medio
QTM	Quartered Mahogany	TMM	Mahogany
WCR	Winter Cherry	WCM	Winter Cherry
WHC	White Chocolate	WTM	WC Cream
WHE	Walnut Heights	MWM	Medium Walnut
LAMINATE FI	NISHES WITH NO COORDINATING WOOD FINISHES	WOOD FIN	IISHES WITH NO COORDINATING LAMINATE FINISHES
BRC	Brushed Cobalt	EOM	English Oak
BZD	Blizzard	HGM	Grey
CGY	Custom Grey	NLW	Natural Walnut
FAS	Fashionista	SKM	Shaker Cherry
FCL	First Class	TFM	Fruitwood
SBY	Sheer Beauty	TWM	Walnut
SOG	Storm Grey		
SDT	Stonedust		
STG	String		

# THINK GLOBAL/THINK GREEN





Many programs in various categories



# LEED PARTNERSHIP PROGRAM

Products can help you earn credits



### GREENGUARD CERTIFIED

Children & Schools Certified

**THE ENVIRONMENT** We believe now more than ever, that it is our responsibility to protect the environment and our precious natural resources for future generations. The growing importance of energy and environmental concerns continues to challenge us in this ever changing marketplace.

As an industry leader, Global continues to take proactive steps towards reducing the negative impacts on the environment. We are building "healthier" offices; investing in Research & Development and new technologies; reducing waste and the consumption of energy; and improving the quality of the air we breathe, all which can have a significant impact on our quality of life.



Epoxy Powder coating process is solvent free. No harmful VOC's or lead. No toxins are released into the atmosphere.



Global has the products and resources to help your projects achieve LEED certification.



Global's recycled fabrics offer affordable, environmentally responsible alternatives to commercial textiles. We recycle 35,000 lbs of fabric offcuts weekly.

powder paint process:

98% paint recovery and reuse

more recycled fabric less to the landfill

talk to us about our **leed partnership program** 

we've diverted

90% of our wood waste from landfill in four years


New technology allows us to reduce glue usage by 50%. In addition, our polyurethane glue reduces emissions and requires less energy to apply.

 $For further information on {\it Global's environmental initiatives, please visit https://www.globalfurnituregroup.com/us/company/environmental-commitment}$ 

# **CUSTOM GROMMET LOCATION FORM**

This form is for use with rectangular and square units only. Application drawings must be provided for any other shape units.

Model # \_\_\_\_\_ (Please use one page for each model #)




Operator Side

**Template for Tops** 

X = \_\_\_\_\_

Y = \_\_\_\_\_






# **Template for Modesty Panels**

X = \_\_\_\_\_

Y = \_\_\_\_\_

Note: X = Taken from outermost edge

Note: Y = Taken from underside of top



# **Template for Legs**

Xr = \_\_\_\_

Yr = \_\_\_\_

Zira boardroom tables only (96" table)

Model #	(please use one page for each model #)
	lote: Shaded grey areas represent position of bases.
CUT-OUT POSITION(S)	
Position 1 - over left base - alway	rs 24.6" to center point of cut-out from left edge - use option code <b>CCU1</b>
Position 2 - center of table - use of	•
	ays 24.6" to center point of cut-out from right edge - use option code <b>CCU3</b>
	diagram below w/dimensions to <b>center point</b> of cut-outs - use option code <b>CCUS</b>
custom position(s) indicate on t	
	Width
	I I
	ے ا
	Depth
CUT-OUT CRITERIA	
All cut-outs require a minin	num 8mm radius at each corner.
Cut-outs <b>must be centered</b> o below the worksurface.	n the depth of each table due to wire management runners
Power and data modules the positioned over bases.	nat extend more than 3.75" below the worksurface CANNOT be
Indicate cut-out size:	$\left \leftarrow$ X" $ ightarrow$
X dimension of cu	ut-out runs the width of the table.
Y dimension of cu	it-out runs the depth of the table.
Dealer PO#	Internal use only
Global order#	Global trailer/load #: L ID #:

Zira boardroom tables only (120" - 168" table)

Model #	(please use one page for each model #)	
	ote: Shaded grey areas represent position of bases.	
<b>CUT-OUT POSITION(S)</b>		
Position 1 - over left base - always	25.2" to center point of cut-out from left edge - use option code <b>CCU1</b>	
Position 2 - center of table - use op	ption code <u>CCU2</u>	
Position 3 - over right base - alway	ys 25.2″ to center point of cut-out from right edge - use option code <b>CCU3</b>	
Custom position(s) - indicate on di	iagram below w/dimensions to <b>center point</b> of cut-outs - use option code <u>CCUS</u>	
	Width	
		pth
1	!	Deptl
<b>CUT-OUT CRITERIA</b> All cut-outs require a minim	num 8mm radius at each corner.	
Cut-outs <b>must be centered</b> on below the worksurface.	the depth of each table due to wire management runners	
Power and data modules the positioned over bases.	at extend more than 3.75" below the worksurface <b>CANNOT</b> be	
Indicate cut-out size:	$\leftarrow$ X" $\rightarrow$ $\mid$	
X dimension of cut	t-out runs the width of the table.	
	t-out runs the depth of the table.  Y"  eed 14"	
Dealer PO#	Internal use only	
Global order#	Global trailer/load #: L ID #:	

Zira boardroom tables only (192" - 288" table)

Zira boardroom tables omy (122	200 table)			
Model # Note  Please check all that apply. Note  CUT-OUT POSITION(S)	•	nge for each model #) present position of base		
Position 1 - over left base - always 2	5.2" to center point of cut-c	out from left edge - use opt	ion code <u>CCU1</u>	
Position 2 - center of table - use opti	on code <u>CCU2</u>			
Position 3 - over right base - always	25.2" to center point of cut	-out from right edge - use o	option code <u>CCU3</u>	
Custom position(s) - indicate on diag	ram below w/dimensions	to <b>center point</b> of cut-out	s - use option code <u>CCUS</u>	
	Wid	th		
				4
	<u>2</u> -		3	Depth
				۵
		Ī		
CUT-OUT CRITERIA  All cut-outs require a minimu  Cut-outs must be centered on the below the worksurface.			anagement runners	
Power and data modules that positioned over bases.	extend more than	3.75" below the wo	orksurface <b>CANNOT</b> be	
Indicate cut-out size:	out runs the depth		← X" →   ↑"	
Dealer PO#		nternal Use Only		
Global Order#	G	lobal Trailer/Load #: L	ID #:	

Zira boardroom tables only (square tables)

Model #	(please use one page for each model #)
	pply. Note: Shaded grey area represents position of base.
	ole - use option code <u>CCU2</u>
Tosition 2 - tenter of t	Width
	Width
	Depth
<b>CUT-OUT CRITERIA</b> All cut-outs require	n minimum 8mm radius at each corner.
Cut-outs must be cer	tered on the depth of each table.
Power and data mo positioned over bas	ules that extend more than 3.75" below the worksurface <b>CANNOT</b> be es.
	on of cut-out runs the width of the table. $ -\chi''- $
	on of cut-out runs the depth of the table.  On of cut-out runs the depth of the table.  Y"
Dealer PO#	Internal use only
Global order#	Global trailer/load #+ I ID #+

Zira media tables only

en a media tables omy	4	
•	ase use one page for each model #/	
Please check all that apply. Note: Shad CUT-OUT POSITION(S)	eu grey area represents position of basi	c.
	autau naint af sut aut fuam laft adua usa aut	ion codo CCU1
	enter point of cut-out from left edge - use opt low w/ dimensions to <b>center point</b> of cut-ou	
Custom position(s) - indicate on diagram be	•	ts - use option code <u>ccos</u>
	Width	
		ے
		Depth
		De
CUT-OUT CRITERIA All cut-outs require a minimum 8m	m radius at each corner.	
Cut-outs <b>must be centered</b> on the de pelow the worksurface.	pth of each table due to wire ma	anagement runners
Power and data modules that extended	nd more than 3.75" below the wo	orksurface <b>CANNOT</b> be
		├ <b>← X″</b> →
		↑ Y″
Y dimension of cut-out ru	ins the depth of the table.	Y″
Dealer PO#	Internal use only	
Global order#	Global trailer/load #: L	ID #:

Zira collaborative tables only (please use one page for each model #) Model # Please check all that apply. **CUT-OUT POSITION(S)** Position 1 - always 24.6" to center point of cut-out from left edge - use option code **CCU1** Position 2 - center of table - use option code CCU2 Position 3 - always 24.6" to center point of cut-out from right edge - use option code **CCU3** Custom position(s) - Please indicate on diagram below with dimensions to center point of cut-outs - use option code CCUS Width **CUT-OUT CRITERIA** All cut-outs require a minimum 8mm radius at each corner. Cut-outs must be centered on the depth of each table due to wire management runners below the worksurface. " X dimension of cut-out runs the width of the table. " Y dimension of cut-out runs the depth of the table. Y dimension not to exceed 10" Dealer PO# \_\_\_\_\_\_ Internal use only

Global order#

Global trailer/load #: L \_\_\_\_\_ ID #: \_\_\_\_\_

TERMS AND CONDITIONS CASEGOODS

This illustrated price list has been designed to facilitate fast reference and easy use. Products are categorized into "seating", "desks", "files", "panels", or "tables", and are listed numerically within their categories. The line drawings match actual photographs (where possible) to aid in instant recognition of the total range within a series.

Sales of Global Furniture Group ("Global") products are made only on Global's standard Terms and Conditions of sale which are contained in this list price book. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Global's authorized personnel at its head office in Marlton, NJ. Any term or condition contained in any purchase order or other form used by dealer/purchaser to order goods (including standard, printed language) which is different from, in addition to, or in any way inconsistent with Global's standard terms and conditions shall be of no force or effect whatsoever.

All illustrations, specifications and prices in this list price book are based on the latest product information available at time of publication. Global reserves the right to make changes at any time and without prior notice to prices, colors, materials, specifications and models offered.

#### Description

Each product shown or described in this list price book is standard Global product. Available options are noted at the beginning of each series. Available options may require additional delivery time and cost, and may affect the warranty given. Sizes and weights shown are approximate and are subject to slight changes from time to time.

### **Prices and Payment**

The prices shown in this book, as well as those quoted by Global, are in United States dollars for orders shipped to destinations in the U.S. and Mexico.

If shipping date requested is more than 90 days from date of order, Global shall reserve right to use published list prices effective at the time of shipment.

Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice (1% 15 days) unless otherwise stated. The Purchaser agrees that Global reserve the right to enforce a charge amounting to 1.5% per month (18% per year) on invoices outstanding more than 30 days.

If the Purchaser's most recent annual net volume is less than \$5,000.00, payment must be made in advance.

Any products sold by Global shall remain the personal property of Global until fully paid.

Prices are suggested list prices only and are subject to change without notice. Global will, however, attempt to keep dealer/purchasers up-to-date on all developments including price changes.

# Taxes

All prices shown in this book are exclusive of sales, use, excise and other applicable taxes and are the dealer/ purchaser's responsibility as per the invoice issued by Global. If dealer/purchaser claims an exemption from such taxes, it shall be the dealer/purchaser's responsibility to furnish Global with an appropriate exemption certificate at time of order.

#### **Ordering Information**

Global requires that all orders be submitted in writing and will be acknowledged on Global's acknowledgment forms governing the transaction.

The details appearing on this acknowledgment will describe the items to be shipped and the approximate shipping date. It is the Purchaser's responsibility to determine that the information in the acknowledgment is correct. In the event of an error, the Purchaser must notify their Global Customer Service representative immediately by telephone followed by written confirmation. Shipping dates are assigned to orders based on the items having the longest manufacturing lead time (unless instructed to partial ship).

At time of order, please provide the following information:

- 1. Account number (if possible)
- 2. PO number
- 3. "Bill to" and "Ship to" name and address
- Complete model number and selected options including textiles/finishes
- 5. Special instructions and tag information
- 6. Shipping instructions, please indicate:
  - a. pick up
  - b. Global trailer program
  - c. common carrier, provide name of carrier, your account number
- 7. Special quote (SQ) # or MTM # (if applicable)
- Customer's Own Material (COM), Global Purchased Material (GPM), Customer's Own Leather (COL), see below.
- 9. For specials and custom quoted product, please indicate the custom quote # on your PO. If changes are made to the quote a new quote must be issued prior to submitting the order. It is the Purchaser's responsibility to determine that the information on the quote is correct. Global will not be responsible for wrong product due to errors in the quote

The above points will be checked by Global for accuracy. Global will process orders using the codes provided by the Purchaser. Price discrepancy is the responsibility of the Purchaser. The Purchaser must notify Global prior to invoicing.

The Purchaser is responsible for providing correct information at time of order. If no option(s) are selected the system will default to standard feature(s). Orders with missing/incorrect information (finish, etc.) will be put on hold until all information is complete. Orders will be scheduled for manufacturing upon receipt of complete information.

#### **Changes and Cancellations**

After the date of Global's acknowledgment of the Purchaser's order, the order may not be changed or canceled by the Purchaser without the written consent of Global. Special order items, C.O.M. and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Textile-covered items are considered to be in production once the textile is scheduled for cutting. Other standard items already in production are subject to a minimum 35% cancellation charge.

### **Errors and Omissions**

All quotations, acknowledgements and invoices are subject to corrections for any errors and omissions.

#### **FINISHES**

#### **Wood Finishes**

For custom stain requests, submit a special request for quotation. Non-standard wood finish orders will incur a one time charge of \$250 net to dealer per matching custom wood stain. This one time fee will be valid for 5 years from the time of matching. After 5 years, a new \$250 net to dealer charge will apply. All custom wood stain products will receive a 10% list per unit upcharge, included on the special quote. Requests with unit quantities of 30 or more, may be considered for reduced or eliminated upcharge. At time of order, a 3" x 3" color sample is required to be submitted with order. Extended order lead time is required for custom matching and approval process..

#### **File Finishes**

All non-standard finishes must be approved by Global prior to acceptance of order and may be subject to an upcharge.

Laminate Tops - Pricing for all non-standard finishes and sizes must be provided by Global Customer Service and may be subject to an upcharge.

#### **Desk Finishes**

Because the distinctive characteristics and the nature of wood products cause variations, exact matches are not always possible

Global has launched a finishes program between marketing companies within the Global Group to match products as best as possible when same finishes are specified.

#### Customers Own Material (COM)

Use of COM must be approved by Global prior to acceptance of order. Please refer to back of the Seating List Price Book and fill out the Authorization Request Form. Photocopy and use this form as often as necessary. The customer must provide a 12" x 12" fabric sample and advise how the fabric is to be applied. Textile yardage requirement will be advised by the factory, and additional yardage may be required if pattern requires matching. Yardage shown in the List Price Book does not allow for pattern repeat/matching. Send to the address provided on shipping document upon approval from Global. If C.O.M. is difficult to apply or if product shall be modified, extra charges shall be made. Global reserves the right to cancel an order at any time if C.O.M. is inadequate for any reason. Customer's Own Material must be shipped freight and duties paid to our factory. Such shipment must be fully identified with purchaser's order number, RGA # provided by Global, and the item for which material is intended. Performance of C.O.M. when applied to product is the sole responsibility of the purchaser. Global's standard product warranty shall not apply to C.O.M. Use of C.O.M. will not reduce the published list price.

#### **Textile Grading**

All products are priced according to their standard textile grade. Lower grade textiles may be available but at the same price as standard textile grade. See Textiles and Finishes section for graded textiles.

Combining two grades of textiles may result in a revised grade. Please refer to "Two Grades Combination Chart" in the Textiles and Finishes section . For more than two textiles a special quotation is required.

# **TERMS AND CONDITIONS**

# Global Purchased Material, Customer Specified (GPM)

Global may purchase material specified by the customer. Use of GPM must be approved by Global prior to acceptance of order. If it is difficult to apply or if product is required to be modified, extra charges will apply. Global reserves the right to cancel an order at any time if GPM is inadequate for any reason. Performance of GPM when applied to product is the sole responsibility of the textile vendor. Global's standard warranty will not apply to GPM materials.

### Customer's Own Leather (COL)

Not all seating can be upholstered in leather. Please consult series notes for availability. COL price is the lowest published grade for the series (leather or fabric).

#### **Upholstery Coverings**

Slight variations in color may occur between dye lots.

Although Global attempts to minimize these variances, they do occur and must be accepted as normal and will not be considered defects.

### **Leather is a Natural Product**

Natural variations occur in the color, grain and texture of leather. As a result, a degree of variation should be expected. As leather is used it develops a patina. Its color changes slightly, it will get marked and it will stretch and pull, these are the hallmarks of genuine leather and are not considered defects.

#### Yardage

Required yardage (ydg) is based on unmatched materials with widths of 54" for seating, 63" for panels. Yardage calculations are based on imperial measurements.

#### Arms

A wide selection of arms are available for some series. See Arm Chart in the Seating price list for details.

#### **Delays**

Global's order acknowledgement will state a shipping date which is Global's best estimate at the time the order is acknowledged. However, Global shall not incur any obligation or liability to Purchaser for failure to ship by specified date unless Global has agreed to an unequivocal shipping date in a separately signed written document executed by its authorized personnel at its head office. In addition, Global shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, delay or default in transportation, strike disputes among or between labor unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of the company, whether of the class of causes enumerated or otherwise.

#### F.O.B

F.O.B. point is Global's Factory, Downsview, Ontario, Canada, or any Global Regional Distribution Center.

#### **UPS Shipments**

Seating products marked with a UPS symbol are packaged for UPS-able shipments.

### Handling

A \$25. net handling charge per shipment will be applied for non UPS-able orders of less than \$2000 list.

# **Special Delivery Requirements**

Global's delivered pricing provides for dock delivery during normal business hours (considered to be 8 am to 4 pm Monday through Friday) to customer/end user only. Additional delivery requirements such as inside delivery, lift gate, limited access sites, installations and weekend deliveries will incur an additional expense and will be the responsibility of the dealer.

#### Service

Service requests are normally the responsibility of Global's authorized dealers. Where this cannot be accomplished on a local level, service problems should be referred to Global's Customer Service Department in the nearest distribution center.

#### Returns

No returns of goods will be accepted without written consent and shipping instruction of Global. A minimum re-stocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Global in the condition in which they left the factory. This may increase depending on the type of product. Global's Return Goods Authorization (R.G.A.) numbers must appear prominently on all authorized returns. Global will not be responsible for freight costs. No credit will be given if goods cannot be reused as new. Special order items, non-stock items and C.O.M. products are in no event subject to return. All returns must be approved and authorized in writing by Global Customer Service. Global reserves the right to refuse delivery of any unauthorized returns.

### Claims

All goods are sold FOB plant or Global Distribution Center. Global is not responsible for damage which occurs in transit (or in storage). The carrier signs for all goods received in apparently good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier for losses or damage to the product occurring during transit, including concealed damage.

Any claims made against Global for apparent defects, errors or shortages must be made by the Purchaser, in writing, within 15 working days after any delivery. Failure by the dealer/purchaser to make any claim against Global within 15 days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

# Suspension

In the event that the dealer/purchaser defaults in the payment of any sum due to Global, or in the event the dealer/purchaser's financial condition becomes unsatisfactory to Global, Global shall have the right to defer or discontinue shipment of any goods until such time as the default is cured or the dealer/purchaser provides assurance of payment to Global.

#### Copyright

All catalogs, photographs, drawings, price lists and other printed material are protected by copyright. All rights reserved.

#### **Trademarks**

All trademarks are owned by Global Furniture Group other than OBUSFORME™ which is owned by OBUSFORME LTD. and are used under license. OBUSFORME® and the distinctive backrest design are registered trademarks of OBUSFORME LTD.

# **Designs and Patents**

Many of the products produced by Global are protected by design registrations, design patents and/or patents. Design and specifications are subject to change, discontinuance or additions without notice.

For a full listing of issued trademarks, please visit globalfurnituregroup.com.

#### **Cubic Measure**

The stated volume is an approximate cubic foot measure that may be used to calculate freight costs. The figure shown is the total shipping volume of a unit (e.g. if a part is sent in 2 cartons the volume indicated reflects both cartons together) and is subject to change without notice. It is most economical to purchase the specified number per carton.

# **Combined Shipments**

Global will make every effort to combine shipments and orders on written request. However, Global cannot be held responsible where such request is not complied with.

#### Offer of Sale

Possession of this price list or any other literature shall not imply the company's willingness to sell to the holder and shall not be construed as a direct offer of sale.

If a conflict arises between: (i) prices found in software support packages furnished to the customer by Global or by any other source on behalf of Global; and (ii) Global's current pricing found on Global's website, then the most current shall prevail.

#### Disclaimer

All dimensions are in inches. Prices shown are current manufacturer's suggested list prices at the time of printing. Updated pricing is available on Global's website. All applicable taxes are extra. Descriptions, specifications and prices are subject to change without notice. Errors and omissions are subject to correction.

### **Testing Qualifications**

Many Global products pass or exceed the most stringent industry testing standards.

#### Flammability

The foam used in Global chairs meets the requirements of California TB117:2013. In addition to the foam, upholstery materials must also meet the California TB117 smolder resistant requirements. Please contact Customer Care to determine if a selected textile meets the California TB117 requirement.

### This list price book is effective as of January 1, 2023.

For periodic updates, please check the PDF at global furniture group.com. Select Resources then Price Lists. From here you will have the option to select either the Seating, Desking + Tables or Metal Filing + Storage price list books. Global warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

Global will repair or replace, at Global's option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after March 22, 2016

Global makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages. The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week for users weighing up to 300 pounds.

#### **General Commercial Seating**

Global's warranty for general commercial seating covers all chair components including pneumatic cylinders, bases, casters, glides, frames, arms, plastic seats, backs and other structural components.

Exceptions to the warranty for general commercial seating are as follows:

- Foam, textiles (as sampled on Global branded and textile program cards), mesh material and electrical devices, are warranted for five (5) Years
- · Control mechanisms are warranted for twelve (12) Years
- Heavy duty seating and Indoor/Outdoor Furniture are not defined as General commercial seating (see below for warranty exceptions)

#### **Heavy Duty Seating**

Global offers products designed for multiple shift applications (24 hours a day / 7 days a week) and larger individuals weighing up to 400, 500 and/or 600 pounds (depending on series and/or model). Global warrants these products for twelve (12) years to the original purchaser. All components (including control mechanisms, pneumatic cylinders, bases, casters, glides, frames, arms, plastic seats/backs, etc.) are covered for 24/7 applications under the warranty. The exceptions are foam, upholstery and textiles, which are covered for five (5) years. Fabric or upholstery material on these products must exceed 100,000 double rubs for the textile portion of the warranty to apply. Heavy Duty product series that apply under this warranty can be found in the Heavy Duty section of this list price book.

#### **Outdoor Furniture**

Global offers products designed for use indoors or outdoors. Global warrants these products for three (3) years to the original purchaser. This warranty applies to single shift (eight (8) hour day, forty (40) hour week) for users weighing up to 275 pounds, unless noted otherwise. Outdoor furniture must be stored indoors during inclement or extreme weather such as extreme cold, extreme heat, or excessive wind.

Exceptions to the warranty for indoor/outdoor furniture is as follows:

Only Global branded textiles and Alliance Partner carded textile program materials expressly identified for outdoor application are covered for three (3) years when used outdoors.

### Global's Warranty does not apply (for any product category) to the following:

- · Products not purchased directly from authorized Global resellers
- . Nominal or normal amount of wear and tear that can occur over time
- · Failures which result from negligence, abuse, accident or misuse
- · Failure to apply, install or maintain products according to Global's written instructions and warnings
- · Modifications, attachments or repair methods not approved by Global
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials
- · Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colorfastness or the matching of color of textiles, dye lots of textile can vary
- . Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes
- Purchased parts are warranted for one (1) year
- Failure to follow specific cleaning and disinfecting instructions posted on globalfurnituregroup.com

# **Seating Warranty Summary**

<b>Seating Type</b> General Commercial Seating	Components Warranty For Original Purchaser Lifetime	<b>Use Time For Warranty Coverage</b> 8 Hours/5 Days Per Week	<b>Exceptions</b> Foam/Upholstery/Textiles/Mesh/Electrical Devices - 5 Years Control Mechanisms - 12 Years
Heavy Duty Seating	12 Years	24 Hours/7 Days Per Week	Foam/Upholstery/Textiles - 5 Years
Indoor/Outdoor Furniture	3 Years	8 Hours/5 Days Per Week	Outdoor Use Textiles – 3 Years

#### **Textiles**

Global warrants Global branded textiles and Alliance Partner carded textile programs inclusive of fabrics, vinyls and leather products for five (5) years. Global does not warrant COM (Customer Own Materials) or graded-in materials (non-carded) and purchased by Global for a customer. For graded-in or COM products, please contact the textile supplier for performance information and warranty details. Please refer to our website at globalfurnituregroup.com for detailed information on cleaning and disinfecting procedures. Improper usage of disinfecting/cleaning products may void the warranty.

Global textiles and finishes are updated periodically to meet the demand and trends of the market. As a result, some textiles and finishes may be discontinued by Global or the manufacturer. In the event that a textile or finish is discontinued, Global will make every reasonable effort to provide an alternative product(s) of comparable function.

Global warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

**CASEGOODS** 

# LIMITED LIFETIME WARRANTY

Global will repair or replace, at Global's option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after March 22, 2016.

Global makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

### Files, Desks, Modular Furniture, Tables, Panels & Accessories

Global warrants all components of metal storage and filing, laminate and wood veneer desks, laminate and wood veneer tables, metal leg components and panels for the lifetime of the product to the original purchaser.

The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week. Load restrictions apply, refer to individual product descriptions.

Exceptions to the warranty for files/desks/tables and panels are as follows:

- Electrical devices, panel and tackboard textiles, adjustable keyboard mechanisms, non-electrical table mechanisms, monitor arms, lecterns, coat trees and task lights five (5) years
- . Laminate folding tables one (1) year
- · Motorized electrical components two (2) years
- · Keyless lock options two (2) years

#### Files, Desks, Modular Furniture, Tables, Panels & Accessories Warranty Summary

Product Type	Components Warranty For Original Purchaser	Exceptions
Metal storage and filing	Lifetime	keyless lock options - 2 years
Laminate/wood veneer desks and modular furniture	Lifetime	tackboard textiles, electrical devices, task lights - 5 years
Boardroom, conference and training tables	Lifetime	electrical devices - 5 years moving parts - 5 years
Panels	Lifetime	panel textiles, electrical devices, task lights - 5 years
Coat racks and lecterns	5 years	none
Folding tables (laminate & molded)	1 year	none
Height adjustable tables	5 years	motorized parts (on electrical tables) - 2 years

# Global's Warranty does not apply (for any product category) to the following:

- . Nominal or normal amount of wear and tear that can occur over time
- · Failures which result from negligence, abuse, accident or misuse
- · Failure to apply, install or maintain products according to Global's written instructions and warnings
- · Modifications, attachments or repair methods not approved by Global
- Damage caused by a carrier in transit, or delivery/installation contractors
- . The matching of colors, grains or textures (wood, leather, etc.) of natural materials
- · Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- . Colorfastness or the matching of color of textiles, dye lots of textile can vary
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes
- Purchased parts are warranted for one (1) year
- $\bullet \quad \text{Failure to follow specific cleaning and disinfecting instructions posted on global furniture group.com} \\$

Global's warranty does not cover the costs of transportation or labor. Repair or replacement will be at Global's option.

Global makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

Global's warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.

#### **Textiles and Finishes**

Global textiles and finishes are updated periodically to meet the demand and trends of the market. As a result, some textiles and finishes may be discontinued by Global or the manufacturer. In the event that a textile or finish is discontinued, Global will make every reasonable effort to provide an alternative product(s) of comparable function.

globalfurnituregroup.com global

# Global US Headquarters/Distribution Center

17 West Stow Road, P.O. Box 562 Marlton, New Jersey U.S.A. 08053 T (856) 596-3390 T (800) 220-1900

# Showrooms

### Atlanta

10 10th Street Suite 150 Atlanta, GA 30309 T (404) 879-0998

# Boston

One Harbor Street Suite 104 Boston, MA 02210 T (617) 406-5435

# Chicago

222 Merchandise Mart Plaza 10th Floor, Suite 1035 Chicago, IL 60654 T (312) 755-0843

#### Irvine

18400 Von Karman Ave. Suite 100 Irvine, CA 92618

# Miami

112 NE 41st Street 6th floor Miami, FL 33137

# **New York City**

386 Park Avenue South 7th floor New York, NY 10016 T (212) 545-9900

#### Philadelphia

1735 Market Street 38th Floor Philadelphia PA, 19103 T (215) 861-0963

# New Jersey (Southern)

119 West Greentree Road Marlton, NJ 08053 T (856) 596-3390

### Phoenix

4675 E Cotton Center Blvd. Suite 165 Phoenix, AZ 85040 T (602) 426-0666 T (602) 426-0777

# Washington, DC

1130 Connecticut Avenue 10th Floor, Suite 1000 Washington, DC 20036 T (202) 659-0230 T (202) 659-0236

# Distribution Centers

# Atlanta Area

6715 Maple Ave. Suite 100 Buford, GA 30518 T (678) 602-4130

#### **Baltimore Area**

Troy Hill Corporate Center 7030 Troy Hill Drive Elkridge, MD 21075 T (410) 379-8021

# Chicago Area

27W501 North Ave. Suite 300 West Chicago, IL 60185 T (630) 681-2818

# Cincinnati Area

8712 LeSaint Drive Fairfield, OH 45014 T (513) 777-0009

# Dallas Area

2025 West Beltline Road #100 Carrollton, TX 75006 T (972) 236-1366

#### Denver Area

16401 East 33rd Drive Suite 50 Aurora, CO 80011 T (303) 340-1617

# Ft. Lauderdale Area

560 Sawgrass Corporate Pkwy Sunrise, FL 33325 T (954) 846-8888

# Houston Area

7865 Northcourt Road Suite 200 Houston, TX 77040 T (713) 695-5777

# Los Angeles Area

3629 Workman Mill Road Whittier, CA 90601 T (562) 484-9686

### Seattle Area

Oakesdale Commerce Ctr. 820 Southwest 34th Street Building W7, Suite A Renton, WA 98057 T (425) 291-9282

### Kansas City Area

11617 West 81st Street Lenexa, KS 66214 T (913) 310-9963

# Tampa Area

10351 Windhorst Road Tampa, FL 33619 T (813) 621-6272



